


MEDICAL SCHOOL
LIBRARY



EX LIBRIS







U.S. Census Office, 12th census, 1900.

CENSUS REPORTS

VOLUME IV

TWELFTH CENSUS OF THE UNITED STATES,
TAKEN IN THE YEAR 1900

WILLIAM R. MERRIAM, DIRECTOR

VITAL STATISTICS

PART II

STATISTICS OF DEATHS

PREPARED UNDER THE SUPERVISION OF WILLIAM A. KING,
CHIEF STATISTICIAN FOR VITAL STATISTICS



HA 201
1900
B1
V. 4
1902

WASHINGTON
UNITED STATES CENSUS OFFICE


1902

9861



CONTENTS—PART II.

	Page.
Letter of transmittal of the Chief Statistician for Vital Statistics to the Director of the Census.....	v
Table 1. Population and deaths, by states and territories, at each census: 1850 to 1900	1
Table 2. Deaths in each state and territory, by sex, at each census: 1870 to 1900.....	3
Table 3. Deaths in each state and territory, during the census year ending May 31, 1900, by color and race.....	5
Table 4. Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, by color, general nativity, parent nativity, and sex	7
Table 5. Deaths in the United States, each state and territory, and each registration city, during the census year ending May 31, 1900, at each age, by sex	21
Table 6. Deaths in the United States, the registration area and its subdivisions and in each state and territory, during the census year ending May 31, 1900, at each age, by sex, color, general nativity, parent nativity, and birthplaces of mothers....	55
Table 7. Deaths in the United States, each state, state group, and registration city, during the census year ending May 31, 1900, from each reported cause	115
Table 8. Deaths in the United States, the registration area and its subdivisions, and in each state and territory, during the census year ending May 31, 1900, from each specified disease and class of diseases, by sex and age.....	227
Table 9. Deaths in the United States, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race.....	669
Table 10. Deaths in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by color and race	703
Table 11. Deaths of white persons in the registration area, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers.....	729
Table 12. Deaths in each registration state, during the census year ending May 31, 1900, from each specified disease and class of diseases, by birthplaces of mothers	843
Table 13. Deaths in the United States, the registration area and its subdivisions and in each grand group, during the census year ending May 31, 1900, at certain ages and from certain specified diseases and classes of diseases, by months.....	881



LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE,
WASHINGTON, D. C., *January 22, 1902.*

SIR:

I have the honor to transmit for publication Part II of the Report on Vital Statistics.

This part of the report on this subject constitutes Volume IV of the Census Reports, and contains general tables giving the statistics of deaths by cause, sex, and age, in relation to color, general nativity, parent nativity, birthplaces of mothers, and month of death in various combinations.

Part I of this report, which constitutes Volume III of the Census Reports, will contain the tables showing the relation of conjugal condition and occupation to cause of death, and the analysis and ratio tables.

Very respectfully,

WILLIAM A. KING,
Chief Statistician for Vital Statistics.

Hon. WILLIAM R. MERRIAM,
Director of the Census.




TABLE 1.

POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

POPULATION AND DEATHS.

TABLE 1.—POPULATION AND DEATHS, BY STATES AND TERRITORIES, AT EACH CENSUS: 1850 TO 1900.

STATES AND TERRITORIES.	1900		1890		1880		1870		1860		1850	
	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.	Population.	Deaths.
The United States -----	1 75,994,575	1,039,094	1 62,947,714	841,419	50,155,783	732,017	38,558,371	483,203	31,443,321	392,613	23,191,876	322,721
Alabama -----	1,828,697	25,699	1,513,401	19,883	1,262,505	17,355	996,992	10,569	964,201	12,700	771,623	9,084
Arizona -----	122,931	1,223	88,243	649	40,440	289	9,658	252				
Arkansas -----	1,311,564	22,518	1,128,211	14,083	802,525	14,496	484,471	6,033	435,450	8,836	209,897	3,014
California -----	1,485,053	22,506	1,213,398	17,161	864,694	11,115	560,247	8,699	379,994	3,663	92,597	905
Colorado -----	539,700	7,428	413,249	5,298	194,327	2,515	39,864	372	34,277			
Connecticut -----	908,420	15,422	746,258	13,863	622,700	8,977	537,454	6,731	460,147	6,113	370,792	5,774
Dakota -----					135,177	1,270	14,181	98	4,837	4		
Delaware -----	184,735	3,075	168,493	3,073	146,608	2,190	125,015	1,550	112,216	1,246	91,532	1,209
District of Columbia -----	278,718	6,364	230,392	5,449	177,624	4,192	131,700	1,993	75,080	1,285	51,637	846
Florida -----	528,542	6,482	391,422	4,057	269,493	3,103	187,748	2,248	140,424	1,762	87,445	929
Georgia -----	2,216,331	26,941	1,837,353	20,424	1,542,180	20,777	1,184,109	13,051	1,057,286	12,758	906,185	9,896
Idaho -----	161,772	1,242	88,548	719	32,610	321	14,999	50				
Illinois -----	4,821,550	61,229	3,826,352	50,213	3,077,871	43,416	2,539,891	32,560	1,711,951	19,205	851,470	11,755
Indiana -----	2,516,462	33,586	2,192,404	23,296	1,978,301	30,102	1,680,637	17,405	1,350,428	15,280	988,416	12,675
Indian Territory -----	392,060	5,286	180,182	145								
Iowa -----	2,231,853	19,573	1,912,297	17,124	1,624,615	18,875	1,194,020	9,461	674,913	7,227	192,214	2,043
Kansas -----	1,470,495	16,261	1,428,108	11,647	996,096	14,749	364,399	4,492	107,206	1,553		
Kentucky -----	2,147,174	27,091	1,858,635	23,019	1,648,690	22,836	1,321,011	14,064	1,155,684	16,347	982,405	15,016
Louisiana -----	1,381,625	20,955	1,118,588	15,634	939,946	14,161	726,915	13,969	708,002	12,303	517,762	11,941
Maine -----	694,466	12,148	661,086	9,974	648,936	9,384	626,915	7,699	628,279	7,613	583,169	7,584
Maryland -----	1,188,044	20,422	1,042,390	17,090	934,943	16,113	780,894	9,686	687,049	7,359	583,034	9,604
Massachusetts -----	2,805,346	49,756	2,238,947	43,102	1,783,085	31,752	1,457,351	25,582	1,231,066	21,206	994,514	19,380
Michigan -----	2,420,982	33,572	2,093,890	24,118	1,636,937	19,144	1,184,059	11,020	749,113	7,391	397,654	4,511
Minnesota -----	1,751,394	17,005	1,310,283	14,876	780,773	8,790	439,706	3,485	172,023	1,109	6,077	29
Mississippi -----	1,551,270	20,251	1,289,600	14,549	1,131,597	14,136	827,922	9,042	791,305	12,151	606,526	8,711
Missouri -----	3,106,665	38,084	2,679,185	30,730	2,168,380	35,314	1,721,295	27,232	1,182,012	17,607	682,044	12,285
Montana -----	243,329	2,188	142,924	1,302	39,159	331	20,595	185				
Nebraska -----	1,066,300	8,264	1,062,656	8,307	452,402	5,776	122,993	991	28,841	381		
Nevada -----	42,335	438	47,355	450	62,266	717	42,491	614	6,857			
New Hampshire -----	411,588	7,400	376,530	6,856	346,991	5,503	318,300	4,285	326,073	4,467	317,976	4,231
New Jersey -----	1,883,669	32,735	1,444,933	28,455	1,131,116	18,434	906,096	10,532	672,035	7,516	489,555	6,461
New Mexico -----	195,310	2,674	160,282	2,766	119,565	2,417	91,874	1,178	93,516	1,301	61,547	1,157
New York -----	7,268,894	130,268	6,003,174	117,837	5,082,871	84,450	4,332,759	68,479	3,880,735	46,786	3,097,394	45,549
North Carolina -----	1,893,810	21,068	1,617,949	18,001	1,399,750	20,915	1,071,361	10,496	992,622	12,562	869,039	10,145
North Dakota -----	319,146	2,287	190,983	1,827								
Ohio -----	4,157,545	53,362	3,672,329	47,847	3,198,062	40,972	2,665,260	28,777	2,339,511	24,613	1,980,329	28,951
Oklahoma -----	398,331	3,181	78,475	456								
Oregon -----	413,536	3,396	317,704	2,643	174,768	1,814	90,923	614	52,465	300	13,294	47
Pennsylvania -----	6,302,115	90,199	5,258,113	70,612	4,282,891	62,055	3,521,951	51,303	2,906,215	30,138	2,311,786	28,518
Rhode Island -----	428,556	8,176	345,506	7,234	276,531	4,507	217,353	2,701	174,620	2,475	147,545	2,224
South Carolina -----	1,340,316	17,166	1,151,149	15,017	995,577	15,173	705,606	7,343	703,708	9,700	668,507	8,036
South Dakota -----	401,570	3,088	348,600	3,392								
Tennessee -----	2,020,616	30,572	1,767,518	23,060	1,542,359	24,987	1,258,520	13,974	1,109,801	15,064	1,002,717	11,846
Texas -----	3,048,710	34,160	2,235,527	25,720	1,591,749	23,896	818,579	11,057	604,215	9,342	212,592	3,051
Utah -----	276,749	3,079	210,779	2,118	143,963	2,360	86,786	884	40,273	374	11,380	239
Vermont -----	343,641	5,829	332,422	5,261	332,286	4,887	330,551	3,511	315,098	3,351	314,120	3,128
Virginia -----	1,854,184	25,252	1,655,980	22,454	1,512,565	23,840	1,225,163	14,930	1,596,318	22,355	1,421,661	19,044
Washington -----	518,103	4,910	357,232	2,768	75,116	734	23,955	218	11,594	50		
West Virginia -----	958,800	9,588	762,794	7,997	618,457	7,159	442,014	3,953				
Wisconsin -----	2,069,042	24,928	1,693,330	18,380	1,315,497	15,529	1,054,670	9,761	775,881	7,120	305,391	2,903
Wyoming -----	92,531	767	62,555	483	20,789	189	9,118	74				

¹ Inclusive of Indian Territory and Indian reservations.

TABLE 2.

DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

DEATHS BY SEX.

TABLE 2.—DEATHS IN EACH STATE AND TERRITORY, BY SEX, AT EACH CENSUS: 1870 TO 1900.

STATES AND TERRITORIES.	1900			1890			1880			1870		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
The United States -----	1,039,094	551,611	487,483	841,419	444,355	397,064	732,017	377,370	354,647	483,203	255,391	227,812
Alabama-----	25,699	12,970	12,729	19,883	10,046	9,837	17,355	8,504	8,851	10,569	5,506	5,063
Arizona-----	1,223	750	473	649	419	230	289	206	83	252	163	84
Arkansas-----	22,518	11,813	10,705	14,083	7,512	6,571	14,496	7,555	6,941	6,033	3,150	2,883
California-----	22,506	13,998	8,508	17,161	10,843	6,318	11,115	7,169	3,946	8,699	5,506	3,193
Colorado-----	7,428	4,471	2,957	5,298	3,151	2,147	2,515	1,589	926	372	231	141
Connecticut-----	15,422	7,902	7,520	13,863	7,183	6,680	8,977	4,508	4,469	6,731	3,513	3,218
Dakota-----							1,270	720	550	98	69	29
Delaware-----	3,075	1,644	1,431	3,073	1,635	1,438	2,190	1,100	1,090	1,550	818	732
District of Columbia-----	6,364	3,274	3,090	5,449	2,872	2,577	4,192	2,110	2,082	1,993	1,055	938
Florida-----	6,482	3,520	2,962	4,057	2,171	1,886	3,103	1,586	1,517	2,248	1,219	1,029
Georgia-----	26,941	13,321	13,620	20,424	10,258	10,166	20,777	10,342	10,435	13,051	6,686	6,365
Idaho-----	1,242	762	480	719	420	299	321	200	121	50	39	11
Illinois-----	61,229	33,641	27,588	50,213	27,139	23,074	43,416	22,774	20,642	32,560	17,549	15,011
Indiana-----	33,586	17,454	16,132	23,296	11,981	11,315	30,102	15,304	14,798	17,405	9,076	8,329
Indian Territory-----	5,286	2,795	2,491	145	79	66						
Iowa-----	19,573	10,612	8,961	17,124	9,016	8,108	18,875	9,890	8,985	9,461	5,035	4,426
Kansas-----	16,261	8,978	7,283	11,647	6,146	5,501	14,749	7,688	7,061	4,492	2,403	2,089
Kentucky-----	27,091	13,843	13,248	23,019	12,061	10,958	22,836	11,413	11,423	14,064	7,230	6,834
Louisiana-----	20,955	10,971	9,984	15,634	8,492	7,142	14,161	7,652	6,509	13,969	7,905	6,064
Maine-----	12,148	6,292	5,856	9,974	5,276	4,698	9,384	4,647	4,737	7,699	3,977	3,722
Maryland-----	20,422	10,526	9,896	17,090	8,737	8,353	16,113	8,147	7,966	9,686	5,054	4,632
Massachusetts-----	49,756	25,352	24,404	43,102	21,545	21,557	31,752	15,560	16,192	25,582	12,733	12,849
Michigan-----	33,572	18,084	15,488	24,118	12,813	11,305	19,144	10,065	9,079	11,020	5,665	5,355
Minnesota-----	17,005	9,354	7,651	14,876	8,010	6,866	8,790	4,708	4,082	3,485	1,925	1,560
Mississippi-----	20,251	10,299	9,952	14,549	7,530	7,019	14,136	7,258	6,878	9,042	4,713	4,329
Missouri-----	33,084	20,480	17,604	30,730	16,490	14,240	35,314	18,474	16,840	27,232	15,201	12,031
Montana-----	2,188	1,387	801	1,302	840	462	331	223	108	185	137	48
Nebraska-----	8,264	4,480	3,784	8,307	4,458	3,849	5,776	3,016	2,760	991	540	451
Nevada-----	438	290	148	450	337	113	717	530	187	614	422	192
New Hampshire-----	7,400	3,603	3,797	6,856	3,431	3,425	5,503	2,726	2,777	4,285	2,087	2,198
New Jersey-----	32,735	17,462	15,273	28,455	14,954	13,501	18,434	9,499	8,935	10,532	5,683	4,849
New Mexico-----	2,674	1,455	1,219	2,766	1,463	1,303	2,417	1,339	1,078	1,178	621	557
New York-----	130,268	68,648	61,620	117,837	62,206	55,631	84,450	43,742	40,708	68,479	36,366	32,113
North Carolina-----	21,068	10,427	10,641	18,001	8,968	9,033	20,915	10,215	10,700	10,496	5,087	5,409
North Dakota-----	2,287	1,159	1,128	1,827	998	829						
Ohio-----	53,362	28,648	24,714	47,847	25,214	22,633	40,972	21,099	19,873	28,777	15,292	13,485
Oklahoma-----	3,181	1,741	1,440	456	262	194						
Oregon-----	3,396	2,019	1,377	2,643	1,566	1,077	1,814	1,005	809	614	334	280
Pennsylvania-----	90,199	49,150	41,049	70,612	37,867	32,745	62,055	32,528	29,527	51,303	27,192	24,111
Rhode Island-----	8,176	4,132	4,044	7,234	3,633	3,601	4,507	2,228	2,279	2,701	1,403	1,298
South Carolina-----	17,166	8,461	8,705	15,017	7,507	7,510	15,173	7,298	7,875	7,343	3,737	3,606
South Dakota-----	3,088	1,654	1,434	3,392	1,736	1,656						
Tennessee-----	30,572	15,354	15,218	23,060	11,788	11,272	24,987	12,243	12,744	13,974	6,819	7,155
Texas-----	34,160	18,045	16,115	25,720	14,168	11,552	23,896	12,619	11,277	11,057	6,171	4,886
Utah-----	3,079	1,821	1,258	2,118	1,138	980	2,360	1,238	1,122	884	448	436
Vermont-----	5,829	2,936	2,893	5,261	2,568	2,693	4,887	2,428	2,459	3,511	1,781	1,730
Virginia-----	25,232	13,112	12,140	22,454	11,527	10,927	23,840	11,720	12,120	14,930	7,414	7,516
Washington-----	4,910	3,148	1,762	2,768	1,596	1,172	734	454	280	218	129	89
West Virginia-----	9,588	5,046	4,542	7,997	4,129	3,868	7,159	3,629	3,530	3,953	2,019	1,934
Wisconsin-----	24,928	13,815	11,113	18,380	9,867	8,513	15,529	8,303	7,226	9,761	5,224	4,537
Wyoming-----	767	452	315	483	309	174	189	119	70	74	59	15

TABLE 3.

DEATHS IN EACH STATE AND TERRITORY DURING THE CENSUS YEAR ENDING MAY 31, 1900,
BY COLOR AND RACE.

DEATHS BY COLOR AND RACE.

TABLE 3.—DEATHS IN EACH STATE AND TERRITORY, BY COLOR AND RACE: CENSUS YEAR 1900.

STATES AND TERRITORIES.	Aggregate.	White.	COLORED.				
			Total.	Black.	Indian.	Chinese.	Japanese.
The United States.....	1,039,094	892,092	147,002	140,934	4,801	1,150	117
Alabama.....	25,699	12,937	12,762	12,758	4		
Arizona.....	1,223	947	276	8	266	2	
Arkansas.....	22,518	16,372	6,146	6,142	3	1	
California.....	22,506	21,081	1,425	266	266	811	82
Colorado.....	7,428	7,210	218	179	34	5	
Connecticut.....	15,422	15,048	374	367	5	2	
Delaware.....	3,075	2,490	585	585			
District of Columbia.....	6,364	3,660	2,704	2,701		3	
Florida.....	6,482	3,408	3,074	3,074			
Georgia.....	26,941	13,094	13,847	13,841	1	5	
Idaho.....	1,242	1,075	167	3	146	18	
Illinois.....	61,229	59,618	1,611	1,600	1	10	
Indiana.....	33,586	32,312	1,274	1,267	7		
Indian Territory.....	5,286	3,936	1,350	426	924		
Iowa.....	19,573	19,362	211	187	23	1	
Kansas.....	16,261	15,209	1,052	1,017	35		
Kentucky.....	27,091	22,035	5,056	5,056			
Louisiana.....	20,955	10,250	10,705	10,675	20	10	
Maine.....	12,148	12,112	36	25	10	1	
Maryland.....	20,422	15,341	5,081	5,080		1	
Massachusetts.....	49,756	49,061	695	660	7	28	
Michigan.....	33,572	33,205	367	247	120		
Minnesota.....	17,005	16,816	189	62	126	1	
Mississippi.....	20,251	7,444	12,807	12,747	58	2	
Missouri.....	38,084	34,959	3,125	3,117	1	7	
Montana.....	2,188	1,930	258	17	223	15	3
Nebraska.....	8,264	8,015	249	110	138	1	
Nevada.....	438	349	89	6	78	5	
New Hampshire.....	7,400	7,388	12	12			
New Jersey.....	32,735	31,069	1,666	1,662	1	3	
New Mexico.....	2,674	2,398	276	31	245		
New York.....	130,268	127,332	2,936	2,715	127	91	3
North Carolina.....	21,068	13,217	7,851	7,813	38		
North Dakota.....	2,287	2,046	241	7	234		
Ohio.....	53,362	51,481	1,881	1,877		4	
Oklahoma.....	3,181	2,704	477	161	316		
Oregon.....	3,396	3,176	220	11	146	53	10
Pennsylvania.....	90,199	86,653	3,546	3,519	10	17	
Rhode Island.....	8,176	7,939	237	236		1	
South Carolina.....	17,166	5,808	11,358	11,357	1		
South Dakota.....	3,088	2,448	640	3	636	1	
Tennessee.....	30,572	21,029	9,543	9,539	3	1	
Texas.....	34,160	26,216	7,944	7,938	4	2	
Utah.....	3,079	2,972	107	11	80	15	1
Vermont.....	5,829	5,804	25	25			
Virginia.....	25,252	14,070	11,182	11,174	7	1	
Washington.....	4,910	4,594	316	42	237	22	15
West Virginia.....	9,588	9,074	514	513		1	
Wisconsin.....	24,928	24,747	181	58	123		
Wyoming.....	767	651	116	7	97	9	3

TABLE 4.

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY, AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, BY COLOR, GENERAL NATIVITY, PARENT NATIVITY, AND SEX.

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
STATES AND TERRITORIES.

STATES AND TERRITORIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 The United States -----	1,039,094	551,611	487,483	892,092	477,080	415,012	694,382	366,122	328,260
2 Alabama -----	25,699	12,970	12,729	12,937	6,541	6,396	12,308	6,164	6,144
3 Arizona -----	1,223	750	473	947	616	331	681	434	247
4 Arkansas -----	22,518	11,813	10,705	16,372	8,689	7,683	15,804	8,281	7,523
5 California -----	22,506	13,998	8,508	21,081	12,912	8,169	13,687	8,049	5,638
6 Colorado -----	7,428	4,471	2,957	7,210	4,351	2,859	4,856	2,779	2,077
7 Connecticut -----	15,422	7,902	7,520	15,048	7,717	7,331	10,800	5,580	5,220
8 Delaware -----	3,075	1,644	1,431	2,490	1,348	1,142	2,134	1,148	986
9 District of Columbia -----	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
10 Florida -----	6,482	3,520	2,962	3,408	1,933	1,475	2,943	1,628	1,315
11 Georgia -----	26,941	13,321	13,620	13,094	6,547	6,547	12,637	6,276	6,361
12 Idaho -----	1,242	762	480	1,075	674	401	850	505	345
13 Illinois -----	61,229	33,641	27,588	59,618	32,752	26,866	42,545	22,798	19,747
14 Indiana -----	33,586	17,454	16,132	32,312	16,789	15,523	28,307	14,480	13,827
15 Indian Territory -----	5,286	2,795	2,491	3,936	2,119	1,817	3,863	2,083	1,780
16 Iowa -----	19,573	10,612	8,961	19,362	10,490	8,872	14,089	7,511	6,578
17 Kansas -----	16,261	8,978	7,283	15,209	8,444	6,765	11,337	6,174	5,163
18 Kentucky -----	27,091	13,843	13,248	22,035	11,337	10,698	19,947	10,151	9,796
19 Louisiana -----	20,955	10,971	9,984	10,250	5,590	4,660	8,465	4,556	3,909
20 Maine -----	12,148	6,292	5,856	12,112	6,268	5,844	10,497	5,438	5,059
21 Maryland -----	20,422	10,526	9,896	15,341	8,054	7,287	12,177	6,383	5,794
22 Massachusetts -----	49,756	25,352	24,404	49,061	24,985	24,076	34,952	18,207	16,745
23 Michigan -----	33,572	18,084	15,488	33,205	17,893	15,312	24,068	12,742	11,326
24 Minnesota -----	17,005	9,354	7,651	16,816	9,250	7,566	10,318	5,456	4,862
25 Mississippi -----	20,251	10,299	9,952	7,444	3,880	3,564	7,120	3,680	3,440
26 Missouri -----	38,084	20,480	17,604	34,959	18,833	16,126	29,383	15,525	13,858
27 Montana -----	2,188	1,387	801	1,930	1,256	674	1,069	624	445
28 Nebraska -----	8,264	4,480	3,784	8,015	4,355	3,660	6,042	3,239	2,803
29 Nevada -----	438	290	148	349	240	109	201	128	73
30 New Hampshire -----	7,400	3,663	3,737	7,388	3,660	3,728	5,848	2,904	2,944
31 New Jersey -----	32,735	17,462	15,273	31,069	16,617	14,452	22,829	12,187	10,642
32 New Mexico -----	2,674	1,455	1,219	2,398	1,290	1,108	2,228	1,171	1,057
33 New York -----	130,268	68,648	61,620	127,332	67,135	60,197	88,479	46,814	41,665
34 North Carolina -----	21,068	10,427	10,641	13,217	6,484	6,733	12,805	6,265	6,540
35 North Dakota -----	2,287	1,159	1,128	2,046	1,050	996	1,291	635	656
36 Ohio -----	53,362	28,648	24,714	51,481	27,612	23,869	40,219	21,184	19,035
37 Oklahoma -----	3,181	1,741	1,440	2,704	1,508	1,196	2,563	1,428	1,135
38 Oregon -----	3,396	2,019	1,377	3,176	1,880	1,296	2,412	1,364	1,048
39 Pennsylvania -----	90,199	49,150	41,049	86,653	47,300	39,353	67,229	36,217	31,012
40 Rhode Island -----	8,176	4,132	4,044	7,939	4,021	3,918	5,571	2,922	2,649
41 South Carolina -----	17,166	8,461	8,705	5,808	2,919	2,889	5,605	2,796	2,809
42 South Dakota -----	3,088	1,654	1,434	2,448	1,349	1,099	1,672	894	778
43 Tennessee -----	30,572	15,354	15,218	21,029	10,568	10,461	20,257	10,093	10,164
44 Texas -----	34,160	18,045	16,115	26,216	14,041	12,175	23,526	12,409	11,117
45 Utah -----	3,079	1,821	1,258	2,972	1,764	1,208	1,934	1,067	867
46 Vermont -----	5,829	2,936	2,893	5,804	2,920	2,884	4,885	2,455	2,430
47 Virginia -----	25,252	13,112	12,140	14,070	7,302	6,768	13,472	6,899	6,573
48 Washington -----	4,910	3,148	1,762	4,594	2,955	1,639	3,065	1,812	1,253
49 West Virginia -----	9,588	5,046	4,542	9,074	4,756	4,318	8,651	4,507	4,144
50 Wisconsin -----	24,928	13,815	11,113	24,747	13,724	11,023	15,298	8,225	7,073
51 Wyoming -----	767	452	315	651	395	256	474	281	193

COLOR AND NATIVITY.

9

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900.

STATES AND TERRITORIES.

WHITE—continued.									COLORED.			
Native—Continued.						Foreign.			Total.	Male.	Female.	
Both parents native.			One or both parents foreign.			Total.	Male.	Female.				
Total.	Male.	Female.	Total.	Male.	Female.							
406,104	209,670	196,434	143,214	77,472	65,742	175,252	97,309	77,943	147,002	74,531	72,471	1
10,039	5,034	5,005	215	105	110	341	228	113	12,762	6,429	6,333	2
279	168	111	250	155	95	219	146	73	276	134	142	3
14,224	7,364	6,860	366	210	156	280	204	76	6,146	3,124	3,022	4
2,968	1,730	1,238	1,431	797	634	6,874	4,480	2,394	1,425	1,086	339	5
2,098	1,185	913	711	405	306	1,233	842	391	218	120	98	6
5,020	2,482	2,538	4,057	2,190	1,867	3,941	1,955	1,986	374	185	189	7
352	192	160	29	12	17	236	125	111	585	296	289	8
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	9
2,120	1,156	964	178	95	83	381	245	136	3,074	1,587	1,487	10
10,075	4,899	5,176	108	63	45	257	160	97	13,847	6,774	7,073	11
533	303	230	219	125	94	189	138	51	167	88	79	12
16,744	8,819	7,925	4,409	2,434	1,975	16,052	9,297	6,755	1,611	889	722	13
21,836	11,089	10,747	3,205	1,624	1,581	3,247	1,876	1,371	1,274	665	609	14
3,548	1,903	1,645	84	49	35	37	23	14	1,350	676	674	15
8,056	4,254	3,802	3,025	1,608	1,417	4,240	2,401	1,839	211	122	89	16
7,106	3,776	3,330	1,677	918	759	1,720	1,064	656	1,052	534	518	17
16,295	8,200	8,095	570	306	264	1,221	699	522	5,056	2,506	2,550	18
6,039	3,173	2,866	1,098	607	491	1,670	955	715	10,705	5,381	5,324	19
7,954	4,073	3,881	2,009	1,091	918	1,487	762	725	36	24	12	20
4,056	2,160	1,896	353	196	157	2,391	1,258	1,133	5,081	2,472	2,609	21
15,357	7,748	7,609	16,194	8,788	7,406	13,645	6,517	7,128	695	367	328	22
13,038	6,789	6,249	9,125	4,904	4,221	8,752	4,858	3,894	367	191	176	23
4,221	2,229	1,992	5,513	2,896	2,617	6,285	3,634	2,651	189	104	85	24
6,677	3,423	3,244	160	87	73	150	95	55	12,807	6,419	6,388	25
19,236	9,962	9,274	1,824	994	830	4,771	2,824	1,947	3,125	1,647	1,478	26
494	289	205	342	193	149	534	394	140	258	131	127	27
2,976	1,561	1,415	1,442	770	672	1,737	987	750	249	125	124	28
89	51	38	71	42	29	137	107	30	89	50	39	29
3,051	1,502	1,549	1,651	855	796	1,077	529	548	12	3	9	30
12,309	6,370	5,939	8,334	4,565	3,769	7,915	4,202	3,713	1,666	845	821	31
1,985	1,031	954	204	110	94	116	78	38	276	165	111	32
42,006	21,581	20,425	38,071	20,694	17,377	37,505	19,428	18,077	2,936	1,513	1,423	33
12,166	5,945	6,221	53	28	25	63	38	25	7,851	3,943	3,908	34
345	171	174	894	432	462	715	391	324	241	109	132	35
25,885	13,383	12,502	8,695	4,668	4,027	9,356	5,294	4,062	1,881	1,036	845	36
2,126	1,169	957	223	124	99	113	62	51	477	233	244	37
1,218	686	532	331	192	139	632	409	223	220	139	81	38
28,823	15,531	13,292	9,257	5,121	4,136	16,354	9,313	7,041	3,546	1,850	1,696	39
2,726	1,342	1,384	2,694	1,488	1,206	2,295	1,054	1,241	237	111	126	40
5,285	2,626	2,659	142	62	80	144	85	59	11,358	5,542	5,816	41
728	400	328	866	454	412	751	432	319	640	305	335	42
17,729	8,755	8,974	252	122	130	511	330	181	9,543	4,786	4,757	43
18,323	9,543	8,780	2,228	1,178	1,050	2,136	1,292	844	7,944	4,004	3,940	44
961	509	452	782	424	358	983	645	338	107	57	50	45
						844	424	420	25	16	9	46
10,689	5,384	5,305	165	102	63	439	319	120	11,182	5,810	5,372	47
1,676	975	701	877	500	377	1,211	895	316	316	193	123	48
7,858	4,060	3,798	337	186	151	338	201	137	514	290	224	49
6,340	3,392	2,948	7,802	4,137	3,665	8,974	5,173	3,801	181	91	90	50
247	143	99	169	96	73	137	82	55	116	57	59	51

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
REGISTRATION CITIES.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Total	402,686	215,115	187,551	367,430	196,694	170,736	250,506	133,654	116,852
2 Adams town, Mass	179	93	86	179	93	86	127	69	58
3 Alameda, Cal	224	122	102	220	121	99	137	76	61
4 Albany, N. Y.	1,813	897	916	1,787	881	906	1,212	612	600
5 Alexandria, Va	351	179	172	180	97	83	165	90	75
6 Allegheny, Pa	2,385	1,326	1,059	2,341	1,300	1,041	1,652	901	751
7 Allentown, Pa	646	346	300	645	345	300	564	291	273
8 Altoona, Pa	752	440	312	741	432	309	645	373	272
9 Amesbury town, Mass	144	77	67	143	77	66	117	62	55
10 Amsterdam, N. Y.	336	168	168	334	166	168	251	120	131
11 Annapolis, Md	170	87	83	83	47	36	67	39	28
12 Ann Arbor, Mich	185	101	84	180	98	82	124	64	60
13 Ansonia town, Conn	227	122	105	212	115	97	136	75	61
14 Appleton, Wis	175	107	68	175	107	68	110	66	44
15 Arlington town, Mass	133	64	69	133	64	69	96	46	50
16 Ashtabula, Ohio	219	134	85	216	132	84	140	87	53
17 Atlanta, Ga	2,387	1,255	1,132	1,250	668	582	1,210	642	568
18 Atlantic City, N. J.	466	244	222	384	199	185	306	148	158
19 Attleboro town, Mass	160	76	84	157	75	82	113	59	54
20 Auburn, N. Y.	521	265	256	511	261	250	395	207	188
21 Augusta, Me	308	147	161	308	147	161	258	116	142
22 Aurora, Ill	362	197	165	352	194	158	246	131	115
23 Baltimore, Md	10,679	5,414	5,265	8,193	4,230	3,963	6,365	3,297	3,068
24 Bangor, Me	354	188	166	352	187	165	270	146	124
25 Barre, Vt	158	80	78	157	79	78	117	60	57
26 Bath, Me	146	70	76	143	68	75	114	54	60
27 Battle Creek, Mich	230	135	115	243	132	111	196	111	85
28 Bay City, Mich	351	206	145	350	206	144	220	128	92
29 Bayonne, N. J.	545	286	259	535	281	254	377	202	175
30 Bellaire, Ohio	167	94	73	160	90	70	123	65	58
31 Belleville, Ill	269	150	119	263	146	117	162	89	73
32 Beloit, Wis	152	74	78	151	74	77	123	60	63
33 Bennington town, Vt	127	61	66	126	61	65	102	54	48
34 Berlin, N. H.	149	79	70	149	79	70	106	54	52
35 Beverly, Mass	205	93	112	205	93	112	158	77	81
36 Biddeford, Me	375	206	169	375	206	169	271	158	113
37 Binghamton, N. Y.	698	350	348	689	346	343	566	275	291
38 Boston, Mass	11,277	5,726	5,551	10,950	5,554	5,396	7,088	3,735	3,353
39 Bridgeport, Conn	1,226	658	568	1,195	643	552	812	445	367
40 Bridgeton, N. J.	200	102	98	182	96	86	172	90	82
41 Bristol town, Conn	149	63	86	147	63	84	115	47	68
42 Brockton, Mass	529	285	244	527	283	244	420	224	196
43 Brookline town, Mass	260	133	127	258	132	126	189	102	87
44 Buffalo, N. Y.	5,207	2,779	2,428	5,157	2,747	2,410	3,254	1,798	1,456
45 Burlington, Iowa	384	222	162	371	212	159	237	138	99
46 Burlington, Vt	347	169	178	339	163	176	261	136	125
47 Cambridge, Mass	1,699	841	858	1,598	790	808	1,074	535	539
48 Camden, N. J.	1,235	634	601	1,069	553	516	887	446	441
49 Canton, Ohio	408	212	196	405	210	195	302	157	145
50 Carbondale, Pa	245	166	129	295	166	129	201	113	88
51 Carlisle, Pa	207	113	94	181	98	83	177	95	82
52 Central Falls, R. I.	290	148	142	289	148	141	172	101	71
53 Charleston, S. C.	2,094	1,081	1,013	621	330	291	481	247	234
54 Chelsea, Mass	636	330	306	629	325	304	449	243	206
55 Chicago, Ill	27,533	15,135	12,398	26,854	14,752	12,102	16,997	9,084	7,913
56 Chicopee, Mass	399	203	196	399	203	196	281	150	131
57 Chillicothe, Ohio	277	131	146	252	123	129	192	94	98
58 Chippewa Falls, Wis	100	54	46	100	54	46	60	29	31
59 Cincinnati, Ohio	6,214	3,383	2,831	5,786	3,153	2,633	3,573	1,939	1,634
60 Cleveland, Ohio	6,521	3,599	2,922	6,411	3,526	2,885	4,377	2,386	1,991
61 Clinton town, Mass	224	113	111	224	113	111	136	75	61
62 Cohoes, N. Y.	484	238	246	484	238	246	329	166	163
63 Columbia, Pa	239	120	119	229	115	114	208	102	106
64 Columbus, Ind	162	76	86	153	72	81	140	64	76
65 Columbus, Ohio	1,983	1,085	898	1,809	986	823	1,450	790	660
66 Concord, N. H.	357	171	186	356	171	185	308	144	164
67 Corning, N. Y.	193	106	93	196	105	91	163	89	74
68 Cortland, N. Y.	120	56	64	119	56	63	108	48	60
69 Covington, Ky	869	477	392	814	454	360	588	340	248
70 Danbury town, Conn	320	163	157	317	161	156	229	117	112
71 Danvers town, Mass	152	67	85	151	67	84	101	46	55
72 Danville, Ill	312	190	122	293	177	116	210	124	86
73 Davenport, Iowa	562	307	255	553	302	251	284	159	125
74 Dayton, Ohio	1,405	726	679	1,333	690	643	1,008	503	505
75 Decatur, Ill	355	191	164	345	186	159	279	140	139
76 Denver, Colo	2,484	1,431	1,053	2,391	1,377	1,014	1,555	869	686
77 Detroit, Mich	4,893	2,522	2,371	4,790	2,465	2,325	3,113	1,639	1,474
78 District of Columbia	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
79 Dover, N. H.	257	129	128	256	129	127	192	102	90
80 Dubois, Pa	131	68	63	130	67	63	103	54	49
81 Duluth, Minn	698	436	262	696	435	261	369	199	170

COLOR AND NATIVITY.

11

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

WHITE—continued.						COLORED.					
Native—Continued.						Foreign.					
Both parents native.			One or both parents foreign.			Total.			Total.		
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
70,281	36,297	33,984	80,595	43,763	36,832	106,484	56,683	49,801	35,236	18,421	16,815
31	18	13	86	48	38	50	24	26	4	1	3
521	270	251	423	213	210	76	39	37	26	16	10
99	57	42	4	3	1	541	251	290	171	82	89
1,001	536	465	605	341	264	15	7	8	44	26	18
						670	384	286			
						64	38	26	1	1	7
						82	53	29	11	8	3
62	34	28	48	25	23	26	15	11	1	1	9
125	59	66	110	53	57	82	45	37	2	2	10
30	18	12	3	2	1	7	4	3	87	40	47
71	39	32	34	14	20	52	30	22	5	3	2
37	20	17	90	51	39	74	39	35	15	7	8
43	26	17	60	35	25	64	41	23			
48	18	30	44	26	18	37	18	19			
39	27	12	34	18	16	61	38	23	3	2	1
179	87	92	60	30	30	38	24	14	1,137	587	550
60	26	34	46	29	17	74	47	27	82	45	37
240	119	121	109	62	47	43	16	27	3	1	2
170	69	101	31	11	20	115	54	61	10	4	6
						46	28	18			
172	97	75	72	32	40	106	63	43	10	3	7
199	106	93	56	32	24	1,800	913	887	2,486	1,184	1,302
						75	37	38	2	1	1
91	38	53	23	16	7	39	19	20	1	1	25
						29	14	15	3	2	1
144	77	67	23	14	9	40	19	21	7	3	4
68	41	27	141	83	58	124	74	50	1	1	23
126	65	61	235	126	109	154	76	78	10	5	5
75	39	36	35	17	18	23	15	8	7	4	3
						94	52	42	6	4	2
78	38	40	33	16	17	26	12	14	1		1
						22	6	16	1		1
8	4	4	85	46	39	31	17	14			
108	50	58	41	22	19	46	15	31			
81	45	36	180	109	71	101	47	54			
325	156	169	123	60	63	111	65	46	9	4	5
2,342	1,197	1,145	4,138	2,233	1,905	8,765	1,756	2,009	327	172	155
290	147	143	441	254	187	357	181	176	31	15	16
133	66	67	10	6	4	9	6	3	18	6	12
49	21	28	50	23	27	28	14	14	2		2
213	108	105	166	95	71	105	58	47	2	2	42
100	51	49	73	42	31	68	30	38	2	1	1
1,117	584	533	1,824	1,034	790	1,884	940	944	50	32	18
						110	62	48	13	10	3
						74	24	50	8	6	2
417	198	219	602	315	287	514	248	266	101	51	50
613	308	305	199	101	98	171	99	72	166	81	85
						70	36	34	3	2	1
						92	51	41			
						2	1	1	26	15	11
45	25	20	126	76	50	112	45	67	1		1
340	176	164	75	32	43	107	62	45	1,473	751	722
182	94	88	208	113	95	178	82	96	7	5	2
						9,658	5,513	4,145	679	383	296
57	26	31	218	121	97	118	53	65			
17	7	10	40	20	20	56	27	29	25	8	17
1,574	832	742	1,373	742	631	35	21	14			
1,511	762	749	2,245	1,266	979	1,730	916	814	428	230	198
37	20	17	93	52	41	1,940	1,075	865	110	73	37
						86	37	49			
126	70	56	191	89	102	152	69	83			
						18	12	6	10	5	5
94	43	51	19	9	10	9	5	4	9	4	5
982	533	449	318	164	154	330	177	153	174	99	75
172	86	86	82	35	47	42	23	19	1		1
93	58	35	52	24	28	33	16	17	3	1	2
80	36	44	10	3	7	10	8	2	1		1
374	217	157	147	87	60	208	102	106	55	23	32
111	53	58	66	35	31	80	40	40	3	2	1
71	32	39	17	6	11	48	20	28	1		1
						49	31	18	19	13	6
						234	121	113	9	5	4
						275	152	123	72	86	36
						52	36	16	10	5	5
						467	300	167	98	54	39
814	420	394	1,771	941	830	1,649	803	846	108	57	46
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397
91	47	44	65	40	25	53	23	30	1		1
55	27	28	35	19	16	23	10	13	1	1	80
79	39	40	242	132	110	300	213	87	2	1	1

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Dunkirk, N. Y.	172	91	81	172	91	81	114	66	48
2 Easton, Pa.	421	231	190	414	228	186			
3 Eau Claire, Wis.	257	138	119	256	137	119	163	82	81
4 Elizabeth, N. J.	911	502	409	886	490	396	595	318	277
5 Elmira, N. Y.	550	294	256	537	287	250	424	229	195
6 Erie, Pa.	801	460	341	796	457	339	502	283	219
7 Escanaba, Mich.	188	125	63	187	125	62	111	65	46
8 Evansville, Ind.	1,045	572	473	875	483	392	652	345	307
9 Everett, Mass.	386	178	208	376	173	203	287	133	154
10 Fall River, Mass.	2,345	1,196	1,149	2,341	1,195	1,146	1,601	861	740
11 Findlay, Ohio.	275	142	133	272	141	131	243	125	118
12 Fitchburg, Mass.	428	237	191	427	236	191	312	172	140
13 Flint, Mich.	185	93	92	180	91	89	144	71	73
14 Framingham town, Mass.	190	95	95	190	95	95	136	63	73
15 Frederick, Md.	185	91	94	141	67	74	126	61	65
16 Fresno, Cal.	187	110	77	157	85	72	134	68	66
17 Galesburg, Ill.	270	149	121	259	143	116	163	85	78
18 Gardner town, Mass.	205	90	115	205	90	115	165	70	95
19 Geneva, N. Y.	153	72	81	145	69	76	103	52	51
20 Glens Falls, N. Y.	242	106	136	241	106	135	188	85	103
21 Gloucester, Mass.	388	205	183	387	205	182	286	154	132
22 Gloversville, N. Y.	217	103	114	216	103	113	185	89	96
23 Grand Rapids, Mich.	1,258	685	573	1,258	685	573	901	488	416
24 Green Bay, Wis.	315	173	142	315	173	142	213	118	95
25 Greenwich town, Conn.	206	109	97	200	105	95	145	81	64
26 Hamilton, Ohio.	349	189	160	342	184	158	252	129	123
27 Harrisburg, Pa.	895	495	400	798	442	356	648	357	291
28 Harrison town, N. J.	234	114	120	232	113	119	148	79	69
29 Hartford, Conn.	1,546	779	767	1,507	755	752	1,055	540	515
30 Haverhill, Mass.	561	283	278	557	280	277	434	216	218
31 Hazleton, Pa.	205	109	96	205	109	96	144	67	77
32 Helena, Mont.	154	86	68	149	82	67	75	44	31
33 Hoboken, N. J.	1,253	719	534	1,252	718	534	754	422	332
34 Holyoke, Mass.	820	394	426	820	394	426	518	268	250
35 Hudson, N. Y.	208	117	91	188	108	80	156	89	67
36 Hutchinson, Kans.	189	95	94	185	95	90	180	91	89
37 Hyde Park town, Mass.	215	113	102	215	113	102	138	76	62
38 Indianapolis, Ind.	2,817	1,434	1,383	2,437	1,254	1,183	1,973	1,017	956
39 Iron Mountain, Mich.	122	73	49	122	73	49	88	48	40
40 Ironton, Ohio.	221	118	103	201	104	97	158	77	81
41 Ironwood, Mich.	126	81	45	126	81	45	77	46	31
42 Ishpeming, Mich.	196	114	82	196	114	82	118	73	45
43 Ithaca, N. Y.	214	86	128	208	81	127	174	69	105
44 Jackson, Mich.	338	177	161	328	171	157	249	126	123
45 Jacksonville, Fla.	825	457	368	811	485	326	259	147	112
46 Jacksonville, Ill.	329	179	150	309	167	142	154	80	74
47 Jamestown, N. Y.	288	144	144	288	144	144	185	89	96
48 Jeffersonville, Ind.	227	117	110	169	81	88	140	65	75
49 Jersey City, N. J.	4,277	2,285	1,992	4,177	2,234	1,943	2,789	1,518	1,271
50 Johnstown, N. Y.	135	79	56	133	77	56	109	63	46
51 Johnstown, Pa.	710	414	296	704	409	295	541	304	237
52 Kalamazoo, Mich.	416	229	187	405	222	183	292	158	134
53 Kansas City, Mo.	2,852	1,558	1,294	2,888	1,540	1,348	1,707	981	726
54 Keene, N. H.	125	61	64	125	61	64	104	51	53
55 Keokuk, Iowa.	279	143	136	257	132	125	173	88	85
56 Key West, Fla.	486	280	206	329	205	124	204	130	74
57 Kingston, N. Y.	442	206	236	420	197	223	315	141	174
58 Laconia, N. H.	163	86	77	162	86	76	136	68	68
59 Lafayette, Ind.	296	159	137	292	157	135	183	108	75
60 Lancaster, Pa.	724	388	336	707	376	331	586	287	249
61 Lansing, Mich.	232	114	118	222	106	116	174	79	95
62 Lansingburg, N. Y.	248	122	126	242	119	123	183	95	93
63 Lawrence, Kans.	179	85	94	180	64	66	94	48	46
64 Lawrence, Mass.	1,262	644	618	1,261	643	618	763	408	355
65 Leadville, Colo.	351	237	114	351	237	114			
66 Leavenworth, Kans.	419	218	201	322	172	150	218	115	103
67 Lebanon, Pa.	326	161	165	326	161	165	305	149	156
68 Leominster town, Mass.	176	79	97	174	77	97	146	70	76
69 Lima, Ohio.	377	204	173	364	198	166			
70 Lincoln, Nebr.	476	262	214	455	252	203	327	172	155
71 Lockport, N. Y.	259	131	128	258	131	127	190	99	91
72 Los Angeles, Cal.	1,857	1,121	736	1,752	1,047	705	1,277	745	532
73 Louisville, Ky.	4,092	2,106	1,986	2,970	1,573	1,397	2,292	1,211	1,081
74 Lowell, Mass.	1,876	934	942	1,872	931	941	1,252	660	592
75 Lynchburg, Va.	523	248	275	223	105	118	176	82	94
76 Lynn, Mass.	1,124	582	542	1,108	576	532	829	440	389
77 McKeesport, Pa.	592	311	281	574	300	274	461	240	221
78 Madison, Wis.	216	118	98	215	118	97	134	79	55
79 Mahanoy, Pa.	360	212	148	359	212	147	226	124	102
80 Malden, Mass.	486	222	264	480	221	259	352	166	186

COLOR AND NATIVITY.

13

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.		
Native—Continued.						Foreign.			Total.	Male.	Female.
Both parents native.			One or both parents foreign.			Total.	Male.	Female.			
Total.	Male.	Female.	Total.	Male.	Female.						
35	18	17	71	43	28	58	25	33			
67	30	37	84	44	40	88	50	38	7	3	4
226	119	107	315	165	150	287	170	117	1	1	2
282	147	135	120	72	48	110	55	55	25	12	13
									13	7	6
33	20	13	71	40	31	246	141	105	5	3	2
391	208	183	182	94	88	71	56	15	1		1
139	66	73	123	59	69	202	125	77	170	89	81
297	157	140	1,264	684	580	88	39	49	10	5	5
						737	331	406	4	1	3
209	109	100	32	16	16	27	15	12	3	1	2
124	72	52	172	92	80	112	62	50	1	1	12
97	51	46	38	17	21	32	17	15	5	2	3
66	27	39	55	29	26	51	31	20			14
113	54	59	1		1	11	5	6			15
									44	24	20
						21	15	6	30	25	5
						76	46	30	11	6	5
67	22	45	91	46	45	39	20	19			
60	28	32	37	21	16	40	15	25	8	3	5
116	54	62	62	29	33	51	21	30	1		1
143	75	68	122	65	57	100	50	50	1		1
129	61	68	32	17	15	30	14	16	1		1
397	204	193	438	240	198	344	184	150			
92	63	29	111	52	59	94	49	45			
69	39	30	67	35	32	52	23	29	6	4	2
150	76	74	69	36	33	78	49	29	7	5	2
						57	28	29	97	53	44
43	24	19	87	51	36	81	32	49	2	1	1
288	141	147	371	190	181	416	195	221	39	24	15
251	124	127	129	71	58	117	60	57	4	3	1
						61	42	19			
						41	23	18	5	4	1
229	121	108	484	279	205	494	292	202	1	1	33
105	53	52	380	196	184	235	123	172			
112	62	50	29	18	11	28	16	12	20	9	11
						3	2	1	4		4
70	41	29	63	34	29	76	36	40			
1,227	648	579	362	179	183	410	211	199	380	180	200
6	4	2	79	42	37	34	25	9			
118	57	61	21	11	10	29	14	15	20	14	6
3	1	2	73	44	29	49	35	14			
13	9	4	104	64	40	75	38	37			
131	52	79	20	11	9	29	11	18	6	5	1
145	72	73	67	37	30	71	38	33	10	6	4
						45	31	14	514	272	242
						64	40	24	20	12	8
124	62	62	56	23	33	101	55	46			
						29	16	13	58	36	22
1,027	526	501	1,622	891	731	1,354	689	665	100	51	49
79	49	30	25	13	12	22	14	8	2	2	50
166	89	77	94	50	44	160	102	58	6	5	1
999	537	462	373	216	157	103	57	46	11	7	4
68	35	33	21	11	10	360	232	128	464	218	246
						20	9	11			
						62	33	29	22	11	11
						116	68	48	157	75	82
194	80	114	87	40	47	100	51	49	22	9	13
74	36	38	40	21	19	24	17	7	1		1
						50	22	28	4	2	2
						104	61	43	17	12	5
122	51	71	36	22	14	46	25	21	10	8	2
98	44	54	59	38	21	52	24	28	6	3	3
172	89	83	573	312	261	21	12	9	49	21	28
						486	230	256	1	1	64
											65
293	143	150	3	1	2	93	50	43	97	46	51
69	26	43	48	32	16	18	10	8			
						26	6	20	2	2	7
									13	6	69
						84	51	33	21	10	11
114	62	52	60	30	30	64	29	35	1		1
						423	268	155	105	74	31
288	142	146	826	457	369	595	313	282	1,122	533	589
						593	260	333	4	3	1
						4	3	1	300	143	157
415	219	196	292	163	129	269	132	137	16	6	10
73	38	35	49	34	15	108	57	51	18	11	7
81	44	37	123	65	58	75	35	40	1		1
184	81	103	136	72	64	110	75	35	1		1
						124	53	71	6	1	5

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Manchester, N. H.	1,092	519	573	1,091	519	572	735	358	377
2 Manchester town, Conn.	126	68	58	126	68	58	86	45	41
3 Manitowoc, Wis.	168	90	78	168	90	78	104	50	54
4 Mankato, Minn.	159	98	61	159	98	61	110	66	44
5 Marietta, Ohio.	182	101	81	179	99	80			
6 Marinette, Wis.	232	122	110	228	121	107	146	76	70
7 Marlboro, Mass.	219	110	109	219	110	109	163	86	77
8 Marquette, Mich.	167	99	68	164	97	67	105	60	45
9 Marshalltown, Iowa.	181	106	75	180	106	74			
10 Massillon, Ohio.	197	109	88	196	108	88	121	64	57
11 Meadville, Pa.	185	96	89	173	91	82	128	61	67
12 Medford, Mass.	262	125	137	259	124	135	206	103	103
13 Melrose, Mass.	191	98	93	188	97	91	151	77	74
14 Memphis, Tenn.	2,572	1,436	1,136	1,145	671	474	951	543	408
15 Menominee, Mich.	179	101	78	179	101	78	120	63	57
16 Meriden town, Conn.	409	213	196	406	212	194	248	129	119
17 Michigan City, Ind.	210	118	92	208	116	92	147	83	64
18 Middletown, N. Y.	253	117	136	243	110	133	197	89	108
19 Middletown, Ohio.	145	84	61	139	81	58	100	57	43
20 Middletown town, Conn.	290	138	152	282	134	148	183	90	93
21 Milford town, Mass.	207	116	91	207	116	91	148	77	71
22 Millville, N. J.	176	81	95	174	80	94	167	77	90
23 Milwaukee, Wis.	4,550	2,496	2,054	4,537	2,488	2,049	2,914	1,560	1,354
24 Minneapolis, Minn.	2,183	1,154	1,029	2,156	1,140	1,016	1,404	712	692
25 Mobile, Ala.	995	548	447	469	274	195	354	202	152
26 Montclair, N. J.	217	98	119	188	82	106	149	68	81
27 Morristown, N. J.	191	103	88	162	88	74	129	77	52
28 Mount Carmel, Pa.	295	163	132	294	162	132	226	123	103
29 Mount Vernon, N. Y.	411	203	208	372	183	189	308	147	161
30 Muncie, Ind.	286	146	140	273	142	131	252	123	129
31 Muscatine, Iowa.	240	147	93	240	147	93	166	101	65
32 Muskegon, Mich.	255	139	116	253	137	116	178	95	83
33 Nashua, N. H.	479	237	242	479	237	242	350	175	175
34 Nashville, Tenn.	2,042	1,039	1,003	1,055	545	510	925	464	461
35 Natchez, Miss.	485	270	215	139	76	63			
36 Natick town, Mass.	133	80	53	133	80	53	96	59	37
37 Naugatuck town, Conn.	179	86	93	179	86	93	126	67	59
38 Newark, N. J.	4,866	2,622	2,244	4,659	2,515	2,144	3,155	1,718	1,437
39 Newark, Ohio.	269	153	116	261	147	114	209	119	90
40 New Bedford, Mass.	1,154	601	553	1,127	586	541	796	429	367
41 New Britain town, Conn.	483	247	236	483	247	236	317	159	158
42 New Brunswick, N. J.	425	215	210	395	203	192	285	141	144
43 Newburg, N. Y.	500	226	274	481	222	259	355	166	189
44 Newburyport, Mass.	312	147	165	308	144	164	243	111	132
45 Newcastle, Pa.	437	259	178	429	256	173	316	179	137
46 New Haven town, Conn.	1,862	953	909	1,767	907	860	1,165	615	550
47 New London, Conn.	345	179	166	337	175	162	251	127	124
48 New Orleans, La.	8,287	4,524	3,763	4,977	2,798	2,179	3,462	1,942	1,520
49 Newport, Ky.	572	312	260	559	307	252			
50 Newport, R. I.	421	223	198	382	205	177	261	150	111
51 New Rochelle, N. Y.	246	132	114	224	121	103	158	89	69
52 Newton, Mass.	479	240	239	472	237	235	371	191	180
53 New York city, N. Y.	70,229	37,499	32,730	68,259	36,493	31,766	43,393	23,489	19,904
54 Bronx borough.	3,624	1,972	1,652	3,534	1,931	1,603	2,307	1,260	1,047
55 Brooklyn borough.	23,263	12,063	11,200	22,722	11,797	10,925	15,312	8,089	7,223
56 Manhattan borough.	39,331	21,254	18,077	38,086	20,609	17,477	23,178	12,727	10,451
57 Queens borough.	2,642	1,416	1,226	2,578	1,377	1,201	1,704	906	798
58 Richmond borough.	1,369	794	575	1,339	779	560	892	507	385
59 Niagara Falls, N. Y.	297	152	145	287	146	141	183	95	88
60 Norfolk, Va.	1,173	610	563	486	261	225	446	235	211
61 Norristown, Pa.	524	262	262	504	257	247	367	188	179
62 North Adams, Mass.	334	163	171	333	163	170	247	121	126
63 Northampton, Mass.	281	144	137	280	143	137	207	107	100
64 Norwalk town, Conn.	299	143	156	290	139	151	225	106	119
65 Norwich town, Conn.	405	189	216	392	185	207	261	126	135
66 Oakland, Cal.	1,121	597	524	1,086	584	502	693	370	323
67 Ogdensburg, N. Y.	204	101	103	204	101	103	121	58	63
68 Oil City, Pa.	199	117	82	198	116	82	121	68	53
69 Olean, N. Y.	119	51	68	116	51	65	83	35	48
70 Omaha, Nebr.	1,382	793	589	1,310	748	562	918	514	404
71 Orange, N. J.	490	272	218	424	235	189	294	163	131
72 Oskaloosa, Iowa.	167	86	81	163	83	80	111	56	55
73 Ottawa, Ill.	150	84	66	147	84	63	102	54	48
74 Ottumwa, Iowa.	317	182	135	298	170	128	231	127	104
75 Owosso, Mich.	121	66	55	121	66	55	99	52	47
76 Paducah, Ky.	541	297	244	542	187	155	283	155	133
77 Passaic, N. J.	563	286	277	547	278	269	385	204	181
78 Paterson, N. J.	2,000	1,081	919	1,956	1,060	896	1,273	688	585

15

REGISTRATION CITIES—Continued.

WHITE—continued.									COLORED.		
Native—Continued.						Foreign.			Total.	Male.	Female.
Both parents native.			One or both parents foreign.			Total.	Male.	Female.			
Total.	Male.	Female.	Total.	Male.	Female.				Total.	Male.	Female.
200	90	110	472	241	231	346	154	192	1		1
23	10	13	48	29	19	35	21	14			2
34	17	17	58	25	33	56	35	21			3
55	32	23	48	31	17	46	29	17			4
34	17	17	106	56	50	80	43	37	3	2	5
82	39	43	72	41	31	56	24	32	4	1	6
24	13	11	74	42	32	58	36	22	3	2	7
93	49	44	22	11	11	66	40	26	1	1	8
									1	1	9
125	61	64	72	39	33	27	20	7	12	5	7
96	42	54	41	24	17	52	20	32	3	1	12
						34	19	15	3	1	2
23	6	17	83	55	28	187	122	65	1,427	765	662
						56	35	21			15
96	47	49	105	60	45	150	79	71	3	1	2
64	37	27	81	44	37	60	32	28	2	2	17
110	48	62	34	16	18	43	18	25	10	7	3
65	35	30	27	16	11	28	17	11	6	3	3
108	57	51	56	26	30	91	42	49	8	4	4
68	29	39	65	42	23	58	38	20			21
144	72	72	17	2	15	6	3	3	2	1	22
794	422	372	1,963	1,034	929	1,585	891	694	13	8	5
633	316	317	629	317	312	718	404	314	27	14	13
						100	61	39	526	274	252
71	33	38	54	27	27	39	14	25	29	16	13
90	50	40	38	27	11	32	10	22	29	15	14
101	59	42	104	56	48	67	39	28	1	1	28
138	73	65	151	67	84	62	36	26	39	20	19
210	106	104	21	9	12	15	13	2	13	4	9
											30
75	42	33	89	46	43	71	46	25			31
106	48	58	205	112	93	74	41	33	2	2	32
678	336	342	49	24	25	112	55	57			33
						119	72	47	987	494	493
									346	194	152
63	41	22	25	11	14	36	21	15			36
38	13	25	86	54	32	47	17	30			37
1,218	640	578	1,408	770	638	1,444	753	681	207	107	100
						42	22	20	8	6	2
267	138	129	453	253	200	325	152	173	27	15	12
											40
107	56	51	186	94	92	159	85	74			41
141	67	74	70	36	34	98	54	44	30	12	18
174	81	93	71	36	35	104	46	58	19	4	15
150	68	82	73	36	37	62	32	30	4	3	1
											44
483	230	253	541	310	231	65	49	16	8	3	5
123	62	61	92	48	44	588	281	307	95	46	49
1,669	920	749	864	486	378	78	41	37	8	4	4
						1,449	811	638	3,310	1,726	1,584
											48
158	81	77	99	65	34	113	48	65	13	5	8
68	37	31	83	48	35	66	32	34	39	18	21
168	67	101	155	102	53	98	44	54	22	11	51
									7	3	4
13,642	7,140	6,502	26,623	14,542	12,081	24,279	12,563	11,716	1,970	1,006	964
											53
811	430	381	1,370	761	609	1,193	645	548	90	41	49
5,770	2,999	2,771	8,903	4,750	4,153	7,269	3,603	3,666	541	266	275
6,005	3,167	2,838	14,977	8,284	6,693	14,523	7,594	6,929	1,245	645	600
654	337	317	984	526	458	859	460	399	64	39	25
402	207	195	389	221	168	435	261	174	30	15	15
											58
71	35	36	96	51	45	99	47	52	10	6	4
						31	23	8	687	349	338
217	108	109	73	36	37	109	54	55	20	5	15
96	46	50	125	66	59	82	40	42	1		1
114	52	62	78	47	31	71	36	35	1	1	62
											63
126	62	64	71	28	43	61	31	30	9	4	5
131	62	69	106	52	54	131	59	72	13	4	9
						387	211	176	35	13	22
51	24	27	50	27	23	78	39	39			67
						28	19	9	1	1	68
47	15	32	23	14	9	28	12	16	3		69
						319	194	125	72	45	27
107	56	51	155	88	67	128	71	57	66	37	23
						15	9	6	4	3	1
						45	30	15	3		73
112	61	51	20	15	5	55	38	17	19	12	7
68	35	33	29	17	12	22	14	8			75
201	112	89	25	13	12	18	12	6	199	110	89
71	34	37	281	151	130	153	69	84	16	8	7
376	196	180	661	362	299	660	358	302	44	21	23

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Pawtucket, R. I.	723	346	377	721	345	376	460	232	228
2 Peabody town, Mass.	185	95	90	181	92	89	137	70	67
3 Peekskill, N. Y.	206	102	104	205	101	104	164	77	87
4 Perth Amboy, N. J.	250	143	107	245	140	105	185	105	80
5 Peru, Ind.	136	69	67	134	67	67	120	57	63
6 Petersburg, Va.	678	359	319	308	162	146	290	153	137
7 Philadelphia, Pa.	27,456	14,381	13,075	25,468	13,358	12,110	18,575	9,832	8,743
8 Phillipsburg, N. J.	161	87	74	161	87	74	130	73	57
9 Phoenixville, Pa.	203	110	93	193	104	89	141	75	66
10 Pittsburg, Pa.	6,436	3,668	2,768	5,991	3,435	2,556	4,119	2,261	1,858
11 Pittsfield, Mass.	338	164	174	332	159	173	236	113	123
12 Pittston, Pa.	274	159	115	274	159	115	187	101	86
13 Plainfield, N. J.	242	138	104	213	121	92	159	96	63
14 Plymouth, Pa.	286	167	119	286	167	119	163	93	70
15 Plymouth town, Mass.	173	83	90	173	83	90	138	69	69
16 Pontiac, Mich.	138	77	61	137	76	61	103	56	47
17 Port Huron, Mich.	238	131	107	237	131	106	136	69	67
18 Port Jervis, N. Y.	149	83	66	142	78	64	103	61	42
19 Portland, Me.	1,100	580	520	1,093	575	518	860	466	394
20 Portland, Oreg.	856	495	361	803	453	350	545	283	262
21 Portsmouth, N. H.	180	92	88	178	91	87	148	79	69
22 Portsmouth, Ohio.	323	173	155	300	160	140	252	135	117
23 Pottstown, Pa.	240	118	122	237	116	121	221	103	118
24 Pottsville, Pa.	244	133	111	243	132	111	192	103	89
25 Poughkeepsie, N. Y.	496	220	276	471	209	262	328	148	180
26 Providence, R. I.	3,491	1,772	1,719	3,358	1,705	1,653	2,335	1,220	1,115
27 Pueblo, Colo.	648	392	256	617	370	247	473	273	200
28 Quincy, Ill.	556	297	259	519	281	238	358	193	165
29 Quincy, Mass.	366	197	169	366	197	169	258	129	129
30 Raleigh, N. C.	371	184	187	179	91	88	156	77	79
31 Reading, Pa.	1,401	755	646	1,384	743	641	1,229	641	588
32 Revere town, Mass.	162	81	81	162	81	81	116	57	59
33 Richmond, Ind.	292	141	151	266	129	137	218	101	117
34 Richmond, Va.	2,523	1,339	1,184	1,294	685	609	1,108	577	531
35 Rochester, N. H.	188	99	89	188	99	89	153	80	78
36 Rochester, N. Y.	2,446	1,225	1,221	2,430	1,215	1,215	1,526	789	737
37 Rockland, Me.	146	88	58	146	88	58	141	86	55
38 Rome, N. Y.	267	154	113	265	153	112	200	112	88
39 Rutland, Vt.	190	98	92	188	97	91	138	72	66
40 Sacramento, Cal.	724	460	264	642	388	254	443	252	191
41 Saginaw, Mich.	560	319	241	556	318	238	343	194	149
42 St. Joseph, Mo.	933	497	436	834	447	387	641	330	311
43 St. Louis, Mo.	10,320	5,776	4,544	9,165	5,135	4,030	6,082	3,333	2,744
44 St. Paul, Minn.	1,574	828	746	1,550	813	737	957	488	469
45 Salem, Mass.	787	394	393	782	391	391	606	315	291
46 Salt Lake, Utah.	854	486	368	835	470	365	520	238	282
47 San Antonio, Tex.	1,257	724	533	1,087	628	459	724	398	326
48 San Diego, Cal.	399	234	165	382	220	162	287	161	126
49 San Francisco, Cal.	7,040	4,367	2,673	6,416	3,848	2,568	3,500	1,988	1,512
50 San Jose, Cal.	334	190	144	318	177	141	241	129	112
51 Saratoga Springs, N. Y.	265	120	145	249	114	135	202	97	105
52 Sault Ste. Marie, Mich.	163	94	69	163	94	69	97	53	44
53 Savannah, Ga.	1,862	1,000	862	645	367	278	523	293	230
54 Schenectady, N. Y.	479	247	232	477	245	232	321	167	154
55 Scranton, Pa.	2,111	1,114	997	2,103	1,110	993	1,331	700	631
56 Seattle, Wash.	898	621	277	870	599	271	464	301	163
57 Shreveport, La.	728	422	306	244	157	87	213	131	82
58 Sioux City, Iowa.	435	241	194	432	238	194	304	163	141
59 Somerville, Mass.	946	447	499	946	447	499	647	323	324
60 South Bethlehem, Pa.	256	138	118	251	135	116	195	105	90
61 Southbridge town, Mass.	204	107	97	203	107	96	152	81	71
62 Spokane, Wash.	511	306	205	507	302	205	361	199	162
63 Springfield, Ill.	642	349	293	590	325	265	436	227	209
64 Springfield, Mass.	1,057	513	544	1,043	507	541	769	389	380
65 Stamford town, Conn.	319	178	141	309	174	135	206	123	83
66 Steelton, Pa.	213	117	96	189	108	81	152	83	69
67 Stonington town, Conn.	144	74	70	137	71	66	101	48	53
68 Superior, Wis.	352	209	143	350	207	143	203	111	92
69 Syracuse, N. Y.	1,494	779	715	1,476	770	706	1,046	546	500
70 Tacoma, Wash.	425	265	160	412	257	155	256	156	100
71 Taunton, Mass.	615	343	272	613	342	271	435	257	178
72 Terre Haute, Ind.	587	300	287	555	283	272	434	210	224
73 Tiffin, Ohio.	139	60	79	139	60	79	112	49	63
74 Toledo, Ohio.	2,112	1,091	1,021	2,083	1,074	1,009	1,511	775	736
75 Torrington town, Conn.	182	88	94	179	87	92	137	66	71
76 Town of Union, N. J.	207	107	100	207	107	100	129	69	60
77 Traverse City, Mich.	148	77	71	148	77	71	106	53	53
78 Trenton, N. J.	1,174	615	559	1,124	580	544	804	419	385
79 Troy, N. Y.	1,393	745	648	1,378	739	639	927	506	421
80 Utica, N. Y.	990	530	460	984	526	458	696	381	315

COLOR AND NATIVITY.

17

PARENT NATIVITY, AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

WHITE—continued.						COLORED.					
Native—Continued.						Foreign.			Total.	Male.	Female.
Both parents native.			One or both parents foreign.			Total.	Male.	Female.			
Total.	Male.	Female.	Total.	Male.	Female.						
198	93	105	254	137	117	255	111	144	2	1	1
83	39	44	47	27	20	43	22	21	4	3	2
105	50	55	33	16	17	39	23	16	1	1	3
37	18	19	136	79	57	58	34	24	5	3	4
78	36	42	24	11	13	13	9	4	2	2	5
						7	4	3	370	197	173
						6,434	3,240	3,194	1,988	1,023	965
95	51	44	24	15	9	30	13	17			7
92	48	44	46	26	20	51	29	22	10	6	4
1,773	981	792	2,244	1,212	1,032	1,822	1,133	689	445	233	212
											10
110	48	62	86	46	40	84	37	47	6	5	1
61	32	29	101	54	47	74	47	27			11
110	70	40	39	20	19	54	25	29	29	17	12
						46	30	16			13
80	43	37	44	22	22	34	13	21			14
											15
67	34	33	26	15	11	33	19	14	1	1	16
56	27	29	69	39	30	98	59	39	1		17
63	31	32	17	14	3	33	14	19	7	5	2
564	304	260	224	125	99	214	101	113	7	5	18
						249	162	87	53	42	2
											19
90	48	42	33	18	15	25	12	13	2	1	21
168	86	82	38	22	16	48	25	23	28	13	15
						15	12	3	3	2	22
119	61	58	35	19	16	44	26	18	1	1	23
195	83	112	95	48	47	136	57	79	25	11	24
											25
1,024	508	516	1,252	676	576	1,012	477	535	133	67	66
385	223	162	74	39	35	112	71	41	31	22	9
193	107	86	99	51	48	140	77	63	37	16	27
92	50	42	154	73	81	105	66	39			21
						2	2		192	93	28
											29
											30
						139	90	49			99
54	26	28	52	24	28	45	24	21	17	12	5
165	75	90	38	18	20	30	19	11			31
						131	76	55	26	12	32
96	47	49	39	20	19	18	13	5	1,229	654	14
											34
737	375	362	676	357	319	884	416	468			575
127	78	49	13	7	6	5	2	3			35
116	62	54	57	35	22	65	41	24	16	10	6
						45	24	21	2	1	36
						185	124	61	2	1	37
									82	72	38
126	70	56	168	100	68	202	117	85			39
						122	71	51	4	1	40
						2,931	1,694	1,237	99	50	41
390	190	200	473	245	228	572	310	262	1,155	641	49
277	130	147	289	168	121	174	74	100	24	15	42
									5	3	43
244	128	116	201	104	97	302	171	131	19	16	44
						335	211	124	170	94	3
						94	59	35	17	16	47
						2,825	1,777	1,048	624	519	48
138	74	64	87	47	40	76	47	29	16	13	105
											49
144	68	76	36	19	17	47	17	30			3
19	6	13	70	39	31	57	34	23	16	6	10
						112	66	46			51
157	78	79	131	70	61	142	70	72	1,217	633	584
						486	269	217	2	2	53
									8	4	54
206	133	73	148	97	51	265	192	73			4
						17	14	3	28	22	6
						91	54	37	484	265	219
291	133	158	297	163	134	293	122	171	3	3	58
125	66	59	70	39	31	56	30	26			59
									5	3	2
37	20	17	111	60	51	48	24	24	1		1
174	89	85	115	61	54	131	91	40	4	4	61
311	154	157	90	53	37	143	92	51			62
324	160	164	318	167	151	264	111	153	52	24	28
111	66	45	71	43	28	98	49	49	9	6	3
									10	4	64
104	59	45	38	21	17	30	22	8			65
59	31	28	27	12	15	33	21	12	24	9	15
54	30	24	113	62	51	104	65	39	7	3	4
567	284	283	355	194	161	408	212	196	2	2	67
139	81	58	80	48	32	146	93	53	18	9	68
									13	8	69
188	120	68	201	111	90	170	82	88			5
278	139	139	73	35	38	89	52	37	2	1	71
70	35	35	18	8	10	25	10	15	32	17	15
742	379	363	728	370	358	539	275	264			72
52	26	26	73	36	37	42	21	21	29	17	12
									3	1	2
50	30	20	76	38	38	76	37	39			76
65	31	34	29	14	15	39	22	17			77
393	203	190	292	143	149	300	149	151	50	35	15
403	205	198	466	271	195	443	226	217	15	6	9
331	186	145	300	162	138	280	139	141	6	4	2

VITAL STATISTICS.

TABLE 4.—DEATHS BY COLOR, GENERAL NATIVITY,
REGISTRATION CITIES—Continued.

REGISTRATION CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.		
							Total.	Male.	Female.
1 Vernon town, Conn -----	127	48	79	125	46	79	76	30	46
2 Vincennes, Ind -----	196	85	111	184	80	104	152	63	89
3 Wakefield town, Mass -----	135	72	63	134	71	63	106	58	48
4 Wallingford town, Conn -----	138	81	57	137	80	57	102	63	39
5 Waltham, Mass -----	329	148	181	328	148	180	249	115	134
6 Ware town, Mass -----	112	54	58	112	54	58	72	31	41
7 Warren, Ohio -----	143	79	64	139	77	62	111	57	54
8 Waterbury town, Conn -----	869	441	428	852	430	422	599	313	286
9 Watertown, N. Y -----	356	179	177	351	177	174	259	126	133
10 Watertown town, Mass -----	143	77	66	142	77	65	92	54	38
11 Watervliet, N. Y -----	275	144	131	275	144	131	195	104	91
12 Webster town, Mass -----	146	67	79	146	67	79	100	46	54
13 West Bay City, Mich -----	196	114	82	196	114	82	128	79	49
14 Westfield town, Mass -----	236	121	115	232	118	114	191	98	93
15 Weymouth town, Mass -----	203	102	101	201	100	101	162	75	87
16 Wheeling, W. Va -----	554	300	254	527	285	242	386	206	180
17 Wichita, Kans -----	390	212	178	354	193	161			
18 Wilkesbarre, Pa -----	857	482	375	842	473	369			
19 Williamsport, Pa -----	345	173	172	324	165	159	274	146	128
20 Wilmington, Del -----	1,595	854	741	1,341	710	631	1,121	591	530
21 Wilmington, N. C -----	565	292	273	208	108	100	186	95	91
22 Windham town, Conn -----	173	79	94	169	75	94	114	52	62
23 Winona, Minn -----	276	148	128	276	148	128	195	109	86
24 Woburn, Mass -----	241	128	113	232	124	108	155	83	72
25 Woonsocket, R. I -----	516	257	259	516	257	259	344	192	152
26 Worcester, Mass -----	1,838	945	893	1,816	936	880	1,268	659	609
27 Yonkers, N. Y -----	781	422	359	755	408	347	518	289	229
28 Youngstown, Ohio -----	745	417	328	733	413	320	509	280	229

19

REGISTRATION CITIES—Continued.

WHITE—continued,									COLORED.		
Native—Continued.						Foreign.			Total.	Male.	Female.
Both parents native.			One or both parents foreign.			Total.	Male.	Female.			
Total.	Male.	Female.	Total.	Male.	Female.				Total.	Male.	Female.
19	6	13	47	19	28	46	14	32	2	2	1
107	42	65	19	11	8	22	12	10	12	5	2
58	27	31	30	15	15	27	13	14	1	1	3
48	34	14	39	22	17	33	15	18	1	1	4
114	49	65	115	56	59	79	33	46	1	1	5
31	11	20	41	20	21	40	23	17			6
						26	18	8	4	2	2
180	89	91	383	206	177	249	115	134	17	11	7
142	66	76	81	43	38	82	46	36	5	2	3
44	22	22	39	25	14	50	23	27	1		9
											10
96	53	43	88	45	43	80	40	40			11
29	16	13	63	28	35	43	19	24			12
36	22	14	86	53	33	67	34	33			13
111	60	51	56	29	27	34	16	18	4	3	14
97	50	47	46	21	25	39	25	14	2	2	15
206	103	103	112	64	48	137	75	62	27	15	12
									36	19	16
									15	6	17
208	113	95	36	13	23	46	18	28	21	8	18
						178	91	87	254	144	13
											20
						13	8	5	357	184	173
56	26	30	42	18	24	49	20	29	4	4	21
79	43	36	106	59	47	80	38	42			22
63	35	28	83	43	40	75	39	36	9	4	23
											24
89	48	41	254	143	111	171	65	106			25
509	247	262	626	342	284	540	272	268	22	9	13
188	108	80	306	165	141	232	118	114	26	14	26
181	95	86	272	154	118	209	121	88	12	4	28



TABLE 5.

DEATHS IN THE UNITED STATES, EACH STATE AND TERRITORY AND EACH REGISTRATION CITY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, AT EACH AGE, BY SEX.

TABLE 5.—DEATHS BY AGE

STATES AND TERRITORIES.

STATES AND TERRITORIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	The United States	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,690	12,196	18,329	25,252	24,173
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,058	12,304	19,780	25,752	24,520
4	Alabama	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816	1,375
5	Males	12,970	2,756	1,096	457	240	161	4,710	528	405	618	893	648
6	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923	727
7	Arizona	1,223	192	106	51	26	21	396	81	49	49	64	80
8	Males	750	109	63	22	18	9	221	44	15	27	44	62
9	Females	473	83	43	29	8	12	175	37	34	22	20	18
10	Arkansas	22,518	4,076	1,911	988	603	486	8,064	1,382	933	1,451	1,583	1,289
11	Males	11,813	2,165	1,014	510	279	242	4,210	723	468	715	795	622
12	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788	667
13	California	22,506	2,514	555	297	239	183	3,788	628	402	655	1,118	1,264
14	Males	13,998	1,431	306	160	131	94	2,122	328	203	335	617	733
15	Females	8,508	1,083	249	137	108	89	1,666	300	199	320	501	531
16	Colorado	7,428	1,208	331	171	135	104	1,949	296	185	268	420	492
17	Males	4,471	651	169	94	69	54	1,037	172	107	145	243	288
18	Females	2,957	557	162	77	66	50	912	124	78	123	177	204
19	Connecticut	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
20	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
21	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
22	Delaware	3,075	597	139	88	39	32	895	133	79	94	139	100
23	Males	1,644	346	76	51	21	15	509	65	35	37	57	60
24	Females	1,431	251	63	37	18	17	386	68	44	57	82	40
25	District of Columbia	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
26	Males	3,274	687	135	66	45	34	967	98	63	78	183	185
27	Females	3,090	619	133	63	60	33	908	86	77	111	175	159
28	Florida	6,482	1,360	475	220	122	99	2,276	298	199	278	379	333
29	Males	3,520	734	259	120	60	43	1,216	153	118	143	208	162
30	Females	2,962	626	216	100	62	56	1,060	145	81	135	171	171
31	Georgia	26,941	5,786	2,285	1,032	552	351	10,006	998	757	1,282	1,771	1,451
32	Males	13,321	3,035	1,175	533	305	168	5,216	482	355	567	826	646
33	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945	805
34	Idaho	1,242	214	72	26	28	21	361	73	60	57	47	48
35	Males	762	121	32	17	10	16	196	38	26	31	22	27
36	Females	480	93	40	9	18	5	165	35	34	26	25	21
37	Illinois	61,229	11,169	3,386	1,596	1,038	834	18,023	2,385	1,413	2,014	2,705	2,824
38	Males	33,641	6,284	1,760	800	506	401	9,751	1,247	730	980	1,367	1,430
39	Females	27,588	4,885	1,626	796	532	433	8,272	1,138	683	1,034	1,338	1,394
40	Indiana	33,586	5,850	1,562	782	439	337	8,970	1,054	837	1,430	1,669	1,537
41	Males	17,454	3,294	826	378	221	179	4,898	520	407	652	797	681
42	Females	16,132	2,556	736	404	218	158	4,072	534	430	778	872	856
43	Indian Territory	5,286	1,220	699	269	168	111	2,467	364	216	305	273	248
44	Males	2,795	668	345	146	79	60	1,298	190	112	155	136	116
45	Females	2,491	552	354	123	89	51	1,169	174	104	150	137	132
46	Iowa	19,373	3,256	753	382	246	174	4,811	597	471	754	876	851
47	Males	10,612	1,884	425	212	133	84	2,738	305	247	333	411	375
48	Females	8,961	1,372	328	170	113	90	2,073	292	224	421	465	476
49	Kansas	16,261	2,939	1,009	420	255	186	4,809	631	476	627	796	659
50	Males	8,978	1,653	517	208	133	97	2,608	335	239	315	383	325
51	Females	7,283	1,286	492	212	122	89	2,201	296	237	312	413	334
52	Kentucky	27,091	5,059	1,727	829	486	307	8,408	937	759	1,317	1,721	1,460
53	Males	13,843	2,809	892	428	251	158	4,538	448	391	564	768	683
54	Females	13,248	2,250	835	401	235	149	3,870	489	368	753	953	777
55	Louisiana	20,955	3,785	1,389	668	400	288	6,530	873	634	1,067	1,468	1,305
56	Males	10,971	2,043	697	341	190	146	3,417	446	333	509	732	704
57	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736	601
58	Maine	12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
59	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
60	Females	5,856	861	193	94	55	47	1,250	127	82	178	236	239
61	Maryland	20,422	4,227	979	464	331	248	6,249	674	433	692	874	867
62	Males	10,526	2,315	508	251	159	127	3,360	308	204	319	434	428
63	Females	9,896	1,912	471	213	172	121	2,889	366	229	373	440	439
64	Massachusetts	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
65	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
66	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
67	Michigan	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
68	Males	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
69	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
70	Minnesota	17,005	3,569	692	367	239	192	5,059	624	471	634	813	770
71	Males	9,354	1,998	367	187	134	101	2,787	346	213	311	391	381
72	Females	7,651	1,571	325	180	105	91	2,272	278	258	323	422	389
73	Mississippi	20,251	3,542	1,450	731	444	316	6,483	1,029	827	1,363	1,539	1,236
74	Males	10,299	1,906	783	389	208	160	3,446	517	422	638	774	574
75	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765	662
76	Missouri	38,084	6,806	2,398	1,063	712	493	11,472	1,494	1,058	1,650	2,133	1,906
77	Males	20,480	3,742	1,232	561	352	241	6,128	763	527	775	1,032	968
78	Females	17,604	3,064	1,166	502	360	252	5,344	731	531	875	1,101	938

AND SEX: CENSUS YEAR 1900.

STATES AND TERRITORIES.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
43,857 22,349 21,508	44,367 23,296 21,071	41,449 22,428 19,011	40,201 22,529 17,672	42,666 23,915 18,751	43,169 24,024 19,145	48,178 26,269 21,909	52,190 28,563 23,627	53,073 28,761 24,312	46,039 24,627 21,412	33,786 17,525 16,261	17,247 8,457 8,790	6,135 2,616 3,519	2,721 1,045 1,676	7,440 4,385 3,055
1,128 534 594	1,011 456 555	889 428 461	982 503 479	899 447 452	702 342 360	898 465 433	926 461 465	862 441 421	719 382 337	569 289 280	287 141 146	153 76 77	136 52 84	265 151 114
58 40 18	70 48 22	61 44 17	71 45 26	55 35 20	33 22 11	45 34 11	15 8 7	27 16 11	12 6 6	13 7 6	4 3 1	4 3 1	2 3 2	34 26 8
969 471 498	888 431 457	881 453 428	886 494 392	811 471 340	619 371 248	660 393 267	558 319 239	495 293 202	360 217 143	263 143 120	110 57 53	43 19 24	42 17 25	231 131 100
1,238 767 471	1,358 872 486	1,231 824 407	1,230 831 399	1,296 879 417	1,205 795 410	1,559 1,036 523	1,553 1,065 488	1,497 1,021 476	1,114 730 384	665 398 267	332 201 131	94 52 42	44 18 26	235 171 64
473 293 180	479 301 178	435 307 128	391 257 134	378 272 106	317 206 111	279 186 93	312 192 120	227 145 82	194 120 74	113 53 60	44 18 26	12 7 5	5 3 2	159 119 40
606 312 294	638 363 275	554 296 258	600 319 281	704 375 329	754 377 377	844 400 444	938 480 453	995 483 512	915 461 454	767 352 415	428 186 242	172 62 110	47 10 37	120 63 57
112 59 53	123 62 61	123 68 55	123 81 42	116 64 52	131 88 43	157 79 78	179 100 79	176 86 90	166 89 77	117 55 62	56 22 34	22 9 13	5 3 5	29 19 10
267 149 118	244 125 119	275 130 145	254 129 125	310 174 136	356 203 153	349 178 171	348 197 151	313 156 157	238 117 121	185 82 103	83 40 43	24 7 17	21 6 15	7 7 27
306 155 151	305 159 146	261 147 114	245 152 93	248 139 109	232 119 113	224 134 90	226 140 86	227 129 98	155 99 56	115 62 53	58 28 30	21 11 10	28 8 20	68 38 30
1,064 490 574	1,126 492 634	991 451 540	955 472 483	1,020 512 508	717 372 345	966 497 469	885 455 430	910 475 435	711 358 353	545 281 264	284 140 144	140 62 78	120 47 73	242 125 117
53 31 22	54 31 23	55 33 22	48 37 11	48 35 13	64 48 16	59 45 14	63 48 15	52 41 11	41 33 8	17 8 9	7 4 3	3 1 2	6 5 1	26 22 4
2,806 1,513 1,293	2,942 1,639 1,303	2,719 1,643 1,076	2,519 1,545 974	2,655 1,620 1,035	2,699 1,617 1,082	2,926 1,680 1,246	3,258 1,817 1,441	3,122 1,780 1,342	2,623 1,403 1,220	1,875 1,003 872	885 423 462	295 137 158	116 51 65	425 265 160
1,398 663 735	1,335 615 720	1,244 608 636	1,282 658 624	1,260 695 565	1,532 829 703	1,619 883 736	1,899 1,055 844	2,151 1,211 940	1,849 1,015 834	1,343 674 669	661 342 319	216 104 112	69 31 38	231 116 115
206 106 100	162 82 80	165 76 89	176 100 76	147 91 56	114 69 45	123 85 43	80 46 34	71 40 31	58 28 30	30 20 10	16 9 7	3 2 1	8 5 3	49 29 20
741 335 406	756 387 369	692 359 333	650 361 289	765 394 371	859 461 398	973 520 453	1,382 813 569	1,367 800 567	1,321 789 532	918 546 372	449 253 196	145 65 80	40 22 18	155 98 57
593 257 336	590 309 281	588 315 273	598 318 280	615 346 269	789 500 289	789 484 305	913 589 324	904 537 367	777 472 305	520 307 213	254 138 116	68 38 30	33 16 17	232 147 85
1,110 525 585	1,185 558 627	1,044 521 523	989 516 473	1,023 549 474	990 545 445	1,097 577 520	1,187 614 573	1,198 633 565	1,041 565 476	719 389 330	377 206 171	110 57 53	77 27 50	342 169 173
1,028 577 451	977 531 446	904 485 419	865 471 394	861 496 365	713 391 322	838 423 415	752 401 351	640 342 298	510 241 269	405 214 191	200 91 109	106 47 59	111 43 68	168 72 96
393 172 221	374 183 191	403 192 211	412 183 229	443 219 224	610 318 292	736 393 343	890 493 397	924 500 424	929 504 425	824 438 386	487 264 223	192 75 117	57 19 38	45 22 23
780 387 393	830 423 407	805 443 362	778 420 358	887 483 404	866 465 401	1,066 552 514	1,105 600 505	1,144 599 545	915 438 477	652 309 343	348 151 197	111 28 83	63 21 42	283 154 129
2,061 1,077 984	1,999 1,056 943	1,861 931 930	1,926 1,019 907	2,232 1,129 1,103	2,412 1,213 1,199	2,639 1,313 1,326	2,892 1,405 1,487	2,926 1,395 1,531	2,761 1,304 1,457	2,074 932 1,142	1,140 459 681	427 142 285	126 37 89	119 70 49
1,183 539 644	1,268 640 628	1,239 639 600	1,281 710 571	1,294 722 572	1,540 906 634	1,780 995 785	2,001 1,097 904	2,187 1,266 921	2,104 1,212 892	1,560 811 749	807 450 357	279 128 151	85 37 48	95 71 24
769 415 354	732 393 339	712 399 313	594 350 244	660 390 270	633 386 247	724 415 309	870 512 358	960 573 387	843 457 386	629 368 261	288 150 138	97 43 54	42 22 20	81 52 29
932 426 506	774 373 401	750 352 398	650 309 341	693 353 335	550 283 267	703 365 338	585 326 259	640 349 291	487 265 222	391 216 175	190 101 89	118 61 57	118 48 70	193 96 97
1,768 883 885	1,719 922 797	1,545 833 712	1,523 897 626	1,557 914 643	1,700 972 728	1,726 1,003 723	1,899 985 827	1,708 973 723	1,370 773 597	974 572 402	448 241 207	128 45 83	65 32 33	241 143 95

TABLE 5.—DEATHS BY AGE

STATES AND TERRITORIES—Continued.

STATES AND TERRITORIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Montana.....	2,188	306	95	45	44	22	512	84	38	76	119	120
2	Males.....	1,387	178	48	21	21	11	279	34	25	36	66	69
3	Females.....	801	128	47	24	23	11	233	50	13	40	53	51
4	Nebraska.....	8,264	1,642	479	252	185	91	2,599	322	237	318	363	337
5	Males.....	4,480	929	242	122	69	44	1,406	173	124	170	165	170
6	Females.....	3,784	713	237	130	66	47	1,193	149	113	148	198	167
7	Nevada.....	438	46	20	3	8	2	79	10	12	7	27	20
8	Males.....	290	23	11	2	4	2	42	3	6	5	11	9
9	Females.....	148	23	9	1	4	—	37	7	6	2	16	11
10	New Hampshire.....	7,400	1,384	306	137	101	53	1,981	156	108	156	238	218
11	Males.....	3,663	759	161	65	43	30	1,058	77	51	63	111	101
12	Females.....	3,737	625	145	72	58	23	923	79	57	93	127	117
13	New Jersey.....	32,735	7,292	1,873	830	505	370	10,870	1,082	520	745	1,150	1,419
14	Males.....	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
15	Females.....	15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
16	New Mexico.....	2,674	562	250	118	106	76	1,112	202	95	108	112	112
17	Males.....	1,455	326	120	60	53	42	601	96	43	37	46	61
18	Females.....	1,219	236	130	58	53	34	511	106	52	71	66	51
19	New York.....	130,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,813
20	Males.....	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,886	2,836	3,037
21	Females.....	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
22	North Carolina.....	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335	945
23	Males.....	10,427	2,310	854	375	217	113	3,869	344	297	465	622	414
24	Females.....	10,641	1,890	793	348	183	136	3,350	410	345	574	713	531
25	North Dakota.....	2,287	506	144	78	46	49	823	152	99	106	124	98
26	Males.....	1,159	272	70	39	20	25	426	62	43	52	63	47
27	Females.....	1,128	234	74	39	26	24	397	90	56	54	61	51
28	Ohio.....	53,362	8,819	2,190	1,123	711	515	13,358	1,583	1,084	1,733	2,419	2,388
29	Males.....	28,648	4,913	1,137	596	368	231	7,295	834	507	806	1,211	1,137
30	Females.....	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208	1,251
31	Oklahoma.....	3,181	744	333	107	82	53	1,319	182	120	157	170	132
32	Males.....	1,741	421	173	53	39	28	714	95	67	82	89	58
33	Females.....	1,440	323	160	54	43	25	605	87	53	75	81	74
34	Oregon.....	3,396	372	100	73	40	38	623	137	119	161	180	160
35	Males.....	2,019	215	50	44	22	22	353	71	64	77	88	87
36	Females.....	1,377	157	50	29	18	16	270	66	55	84	92	73
37	Pennsylvania.....	90,199	18,409	5,130	2,548	1,704	1,258	29,049	3,290	1,861	2,641	3,737	3,808
38	Males.....	49,150	10,427	2,804	1,351	868	630	16,080	1,700	993	1,414	2,059	2,100
39	Females.....	41,049	7,982	2,326	1,197	836	623	12,969	1,590	868	1,227	1,678	1,708
40	Rhode Island.....	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
41	Males.....	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
42	Females.....	4,044	818	235	93	70	34	1,250	93	54	103	150	160
43	South Carolina.....	17,166	3,477	1,436	666	376	241	6,198	722	554	943	1,177	920
44	Males.....	8,461	1,824	754	368	191	119	3,256	364	259	417	505	420
45	Females.....	8,705	1,653	682	298	187	122	2,942	358	295	526	672	500
46	South Dakota.....	3,088	616	187	98	78	45	1,024	197	126	158	161	120
47	Males.....	1,654	360	99	51	41	23	574	93	53	77	77	59
48	Females.....	1,434	256	88	47	37	22	450	104	73	81	84	61
49	Tennessee.....	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061	1,743
50	Males.....	15,354	2,977	1,136	509	313	221	5,156	607	452	794	981	787
51	Females.....	15,218	2,569	998	514	290	202	4,573	678	566	940	1,080	956
52	Texas.....	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011	1,742
53	Males.....	18,045	4,086	1,729	782	435	364	7,396	887	586	802	991	783
54	Females.....	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020	959
55	Utah.....	3,079	580	183	77	53	41	934	145	92	142	158	171
56	Males.....	1,821	324	104	39	27	14	508	64	52	88	86	108
57	Females.....	1,258	256	79	38	26	27	426	81	40	54	72	63
58	Vermont.....	5,829	825	169	73	31	33	1,131	119	94	150	211	225
59	Males.....	2,936	490	90	35	17	14	646	55	47	85	104	91
60	Females.....	2,893	335	79	38	14	19	485	64	47	65	107	134
61	Virginia.....	25,252	4,921	1,462	677	392	296	7,748	943	639	1,189	1,565	1,147
62	Males.....	13,112	2,717	746	366	207	148	4,184	472	294	573	811	529
63	Females.....	12,140	2,204	716	311	185	148	3,564	471	345	616	754	618
64	Washington.....	4,910	629	178	89	81	73	1,050	177	154	214	293	251
65	Males.....	3,148	379	105	48	39	38	609	113	72	104	166	145
66	Females.....	1,762	250	73	41	42	35	441	64	82	110	127	106
67	West Virginia.....	9,588	1,956	610	311	180	130	3,187	373	267	509	601	480
68	Males.....	5,046	1,098	319	167	95	59	1,738	183	128	261	279	243
69	Females.....	4,542	858	291	144	85	71	1,449	190	139	248	322	237
70	Wisconsin.....	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060	958
71	Males.....	13,815	2,950	513	240	178	128	4,009	483	274	341	503	481
72	Females.....	11,113	2,263	457	245	155	112	3,232	391	272	391	557	477
73	Wyoming.....	767	142	37	31	12	10	232	53	37	34	37	53
74	Males.....	452	76	22	13	9	4	124	27	21	25	19	34
75	Females.....	315	66	15	18	3	6	108	26	16	9	18	19

AND SEX: CENSUS YEAR 1900—Continued.

STATES AND TERRITORIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
154	180	133	138	112	102	78	77	67	41	17	8	5	-----	127
92	131	96	98	83	76	59	56	44	24	6	3	2	-----	108
62	49	37	40	29	26	19	21	23	17	11	5	3	-----	19
358	350	349	294	359	341	421	416	411	345	235	120	35	14	40
161	163	180	163	212	188	259	264	237	199	134	71	16	4	21
197	187	169	131	147	153	162	152	174	146	101	49	19	10	19
16	10	26	17	32	30	39	36	25	17	13	10	4	-----	8
10	7	20	13	28	23	26	28	18	15	7	2	2	-----	7
6	3	6	4	4	7	13	8	7	2	3	3	2	-----	1
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73
699	821	759	722	769	799	929	923	863	738	487	225	72	25	46
666	690	588	558	628	745	749	870	846	764	558	290	115	28	27
99	106	84	72	73	84	90	65	65	48	32	21	14	8	72
54	56	46	44	46	54	57	44	42	31	19	16	9	4	49
45	50	38	28	27	30	33	21	23	17	13	5	5	4	23
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243
3,323	3,551	3,229	3,124	3,309	3,298	3,456	3,618	3,559	3,284	2,250	1,144	356	77	139
2,758	2,821	2,477	2,478	2,695	2,982	3,400	3,582	3,691	3,208	2,373	1,305	474	154	104
802	789	746	692	777	643	765	811	895	787	620	320	136	96	255
345	332	330	351	396	332	383	431	437	403	308	158	60	32	118
457	457	416	341	381	311	382	380	458	384	312	162	76	64	137
106	113	96	83	70	56	67	82	60	57	44	16	4	1	30
42	55	52	47	37	31	34	50	35	30	25	7	2	-----	19
64	58	44	36	33	25	33	32	25	27	19	9	2	1	11
2,189	2,227	2,133	2,124	2,259	2,529	2,796	3,349	3,571	3,251	2,391	1,228	388	114	298
1,068	1,182	1,180	1,188	1,237	1,418	1,629	1,914	1,979	1,763	1,268	640	171	47	174
1,121	1,045	953	936	1,022	1,111	1,167	1,435	1,592	1,488	1,123	588	217	67	124
101	121	112	101	99	124	91	104	82	62	45	21	4	4	30
47	60	54	55	59	79	52	68	58	40	28	14	1	3	18
54	61	58	46	40	45	39	36	24	22	17	7	3	1	12
153	180	163	149	176	154	191	223	227	173	90	64	20	8	45
82	106	101	96	108	96	124	158	146	116	60	36	8	5	37
71	74	62	53	68	58	67	65	81	57	30	28	12	3	8
3,632	3,639	3,521	3,518	3,762	3,933	4,363	4,845	4,960	4,078	3,031	1,504	441	144	442
1,963	2,014	1,969	2,066	2,170	2,258	2,360	2,576	2,600	2,115	1,545	674	170	50	274
1,669	1,625	1,552	1,452	1,592	1,675	2,003	2,269	2,360	1,963	1,486	830	271	94	168
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27
157	161	168	162	189	213	199	209	208	198	117	61	16	5	14
146	156	141	168	190	191	227	223	241	230	158	102	37	11	41
676	718	661	571	636	490	599	536	576	440	319	166	74	70	120
272	302	315	291	344	261	292	270	303	241	157	77	23	28	64
404	416	346	280	292	229	307	266	273	199	162	89	51	42	56
105	103	134	111	86	126	120	139	122	110	80	24	10	3	29
46	46	63	61	50	77	71	87	70	62	49	15	4	1	19
59	57	71	50	36	49	49	52	52	48	31	9	6	2	10
1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316
577	568	546	577	648	566	575	619	624	481	358	201	54	31	152
659	665	575	529	584	484	556	560	558	445	343	156	79	68	164
1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377
651	634	623	687	682	515	588	562	534	410	263	134	57	38	222
759	635	584	465	460	362	390	389	359	284	248	132	45	51	155
131	157	136	103	92	107	115	131	146	119	88	39	17	1	55
89	105	94	64	64	74	78	85	83	64	45	16	5	-----	49
42	52	42	39	28	33	37	46	63	55	43	23	12	1	6
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34
73	81	114	86	94	147	174	192	271	273	242	90	43	13	15
91	116	103	91	131	145	187	190	204	266	208	141	78	21	59
1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306
473	444	457	463	544	489	608	635	680	516	420	215	76	47	182
531	499	496	416	465	431	555	530	559	435	358	202	97	74	124
261	349	312	284	270	239	245	228	235	122	101	28	19	6	72
166	239	218	215	194	174	185	157	151	75	74	15	15	4	57
95	110	94	69	76	65	60	71	84	47	27	13	4	2	15
368	324	353	302	300	349	309	403	444	392	292	139	47	31	118
189	165	171	164	183	168	168	230	232	228	159	65	22	15	69
179	159	182	138	146	166	141	173	212	164	133	74	25	16	49
848	937	936	802	894	999	1,122	1,394	1,677	1,688	1,212	632	211	79	136
455	489	534	476	534	604	624	813	990	957	711	350	104	37	96
393	448	402	326	360	395	498	581	637	731	501	282	107	42	40
46	61	26	36	30	20	26	24	15	5	8	3	2	-----	19
39	33	20	25	19	13	14	10	6	2	5	1	1	-----	14
7	28	6	11	11	7	12	14	9	3	3	2	1	-----	5

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Total	402,606	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Adams town, Mass.....	179	65	7	3	2	-----	77	5	4	5	7	8
5	Males	93	34	3	3	1	-----	41	3	-----	2	3	4
6	Females	86	31	4	-----	1	-----	36	2	4	3	4	4
7	Alameda, Cal.....	224	19	2	3	2	4	30	5	1	6	15	12
8	Males	122	13	-----	3	1	2	19	2	-----	3	11	6
9	Females	102	6	2	-----	1	2	11	3	1	3	4	6
10	Albany, N. Y.....	1,813	311	53	39	31	20	454	47	28	49	75	93
11	Males	897	177	25	22	17	12	253	23	10	24	38	48
12	Females	916	134	28	17	14	8	201	24	18	25	37	45
13	Alexandria, Va.....	351	75	16	10	8	8	117	17	14	12	25	17
14	Males	179	42	10	5	6	3	66	6	5	5	16	10
15	Females	172	33	6	5	2	5	51	11	9	7	9	7
16	Allegheny, Pa.....	2,385	535	148	72	34	32	821	73	43	68	131	133
17	Males	1,326	303	82	36	19	21	461	47	22	34	70	81
18	Females	1,059	232	66	36	15	11	360	26	21	34	61	52
19	Allentown, Pa.....	646	148	27	20	12	16	223	23	10	20	35	20
20	Males	346	89	19	10	10	8	136	11	5	11	15	12
21	Females	300	59	8	10	2	8	87	12	5	9	20	8
22	Altoona, Pa.....	752	195	36	20	14	16	281	21	16	29	42	22
23	Males	440	110	25	12	9	8	164	9	12	16	32	14
24	Females	312	85	11	8	5	8	117	12	4	13	10	8
25	Amesbury town, Mass.....	144	35	6	3	2	1	47	3	2	4	6	5
26	Males	77	20	3	3	2	-----	28	3	1	3	3	2
27	Females	67	15	3	-----	-----	1	19	-----	1	1	3	3
28	Amsterdam, N. Y.....	336	68	11	7	2	4	92	11	6	12	14	10
29	Males	168	39	6	3	-----	2	50	1	5	7	7	5
30	Females	168	29	5	4	2	2	42	10	1	5	7	5
31	Annapolis, Md.....	170	39	11	6	2	3	61	9	3	5	10	3
32	Males	87	25	6	6	-----	1	38	5	-----	2	5	1
33	Females	83	14	5	-----	2	2	23	4	3	3	5	2
34	Ann Arbor, Mich.....	185	17	3	1	-----	-----	21	2	1	9	10	16
35	Males	101	11	1	-----	-----	-----	12	2	1	3	8	5
36	Females	84	6	2	1	-----	-----	9	-----	-----	6	2	11
37	Ansonia town, Conn.....	227	67	15	3	7	2	94	7	5	8	9	7
38	Males	122	39	10	1	6	1	57	3	2	2	1	5
39	Females	105	28	5	2	1	1	37	4	3	6	8	2
40	Appleton, Wis.....	175	39	8	5	-----	2	54	6	1	10	4	11
41	Males	107	26	5	2	-----	1	34	5	1	1	2	7
42	Females	68	13	3	3	-----	1	20	1	-----	9	2	4
43	Arlington town, Mass.....	133	23	6	2	2	1	34	1	6	3	2	4
44	Males	64	12	5	2	2	1	22	1	2	1	1	1
45	Females	69	11	1	-----	-----	-----	12	-----	4	2	1	3
46	Ashtabula, Ohio.....	219	51	14	1	2	4	72	5	6	1	8	17
47	Males	134	28	6	1	1	2	38	3	3	-----	5	9
48	Females	85	23	8	-----	1	2	34	2	3	1	3	8
49	Atlanta, Ga.....	2,387	523	189	80	39	27	858	56	43	100	166	138
50	Males	1,255	272	106	47	23	17	465	29	22	50	85	69
51	Females	1,132	251	83	33	16	10	393	27	21	50	81	69
52	Atlantic City, N. J.....	466	112	20	8	7	6	153	10	6	13	7	24
53	Males	244	63	9	5	4	2	83	4	3	5	2	13
54	Females	222	49	11	3	3	4	70	6	3	8	5	11
55	Attleboro town, Mass.....	160	35	7	7	5	5	59	5	2	6	8	3
56	Males	76	19	4	6	-----	2	31	2	2	1	7	2
57	Females	84	16	3	1	5	3	28	3	-----	5	1	1
58	Auburn, N. Y.....	521	89	15	8	8	6	126	21	9	17	24	26
59	Males	265	53	9	3	4	3	72	11	4	7	18	13
60	Females	256	36	6	5	4	3	54	10	5	10	6	13
61	Augusta, Me.....	308	52	3	3	2	1	61	7	3	4	13	10
62	Males	147	18	2	1	2	-----	23	3	1	2	8	3
63	Females	161	34	1	2	-----	1	38	4	2	2	5	7
64	Aurora, Ill.....	362	61	13	4	7	5	90	15	8	8	18	12
65	Males	197	36	5	1	4	-----	46	9	5	7	11	5
66	Females	165	25	8	3	3	5	44	6	3	1	7	7
67	Baltimore, Md.....	10,679	2,549	513	262	187	135	3,646	346	191	313	427	482
68	Males	5,414	1,393	257	143	91	63	1,947	153	95	154	210	245
69	Females	5,265	1,156	256	119	96	72	1,699	193	96	159	217	237
70	Bangor, Me.....	354	43	12	4	2	2	63	8	7	12	10	10
71	Males	188	30	3	3	1	1	38	5	3	7	6	5
72	Females	166	13	9	1	1	1	25	3	4	5	4	5
73	Barre, Vt.....	158	37	7	9	5	4	62	13	4	1	5	6
74	Males	80	20	4	5	3	-----	32	7	2	-----	2	3
75	Females	78	17	3	4	2	4	30	6	2	1	3	3
76	Bath, Me.....	146	26	5	3	2	1	37	1	1	-----	7	4
77	Males	70	16	1	1	1	-----	19	1	-----	-----	3	2
78	Females	76	10	4	2	1	1	18	-----	1	-----	4	2

AGE AND SEX.

27

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
19,633 10,881 8,752	20,551 11,627 8,924	18,538 10,743 7,795	17,983 10,442 7,541	18,742 10,751 7,991	18,760 10,372 8,388	19,710 10,388 9,322	19,788 10,188 9,600	18,460 9,185 9,275	14,664 6,994 7,670	10,053 4,515 5,538	5,014 2,074 2,940	1,686 560 1,126	678 225 453	1,334 803 531
7	4	4	9	8	6	6	12	4	8		3		1	1
3	1	2	7	4	5	4	6	1	3		3			1
4	3	2	2	4	1	2	6	3	5				1	6
12	19	8	13	14	7	14	17	19	16	11	2	2		1
8	8	5	5	6	4	10	8	10	9	4	2	1		1
4	11	3	8	8	3	4	9	9	7	7		1		8
99	93	87	91	98	106	118	109	94	70	58	27	7	5	5
50	55	39	43	49	50	52	46	43	35	22	13	2	2	2
49	38	48	48	49	56	66	63	51	35	36	14	5	5	3
8	14	6	9	13	18	14	20	15	9	14	3	3	2	1
6	6	3	4	7	7	7	8	7	5	6	1	2	1	1
2	8	3	5	6	11	7	12	8	4	8	2	1	1	15
108	112	114	112	114	113	82	106	92	84	53	17	4	3	2
69	68	73	68	63	63	44	47	44	43	20	8			1
39	44	41	44	51	50	38	59	48	41	33	9	4	3	1
32	26	16	24	23	31	18	33	48	25	22	8	1	3	5
11	14	6	13	12	19	9	17	20	18	12	2			3
21	12	10	11	11	12	9	16	28	7	10	6	1	3	2
31	18	30	29	33	28	34	32	37	34	17	9	6	1	2
22	14	15	13	19	16	17	20	19	19	7	6	4		2
9	4	15	16	14	12	17	12	18	15	10	3	2	1	24
6	4	6	2	8	5	7	6	10	11	7	5			25
2	1	2	1	3	3	6	3	6	5	2	3			26
4	3	4	1	5	2	1	3	4	6	5	2			27
8	19	20	14	12	21	24	15	24	9	9	11	2		3
4	10	12	10	4	8	15	8	9	4	3	3	2		1
4	9	8	4	8	13	9	7	15	5	6	8			2
5	1	4	3	6	6	7	5	12	10	6	5	3	1	5
1		2	2	2	4	5	4	7	2	3	1	1		2
4	1	2	1	4	2	2	1	5	8	3	4	2	1	3
11	9	10	10	9	15	14	13	9	16	6	3	1		34
6	4	6	4	5	11	11	6	6	6	3	2			35
5	5	4	6	4	4	3	7	3	10	3	1	1		36
8	9	4	8	8	11	10	16	12	3	3	2			3
6	5	2	3	6	5	4	8	7	1	3	1			1
2	4	2	5	2	6	6	8	5	2		1			2
5	3	5	7	7	8	8	13	5	13	10	2	1	1	1
2	1	3	5	5	5	3	11	3	10	7		1		1
3	2	2	2	2	3	5	2	2	3	3	2		1	42
5	4	11	4	6	8	9	8	4	11	8	3	1		1
3	2	5	2	3	4	5	4		4	1	2	1		44
2	2	6	2	3	4	4	4	4	7	7	1			1
6	17	5	10	13	12	9	13	9	5	6	3	2		46
4	11	5	6	11	7	6	5	8	3	6	3	1		47
2	6		4	2	5	3	8	1	2			1		48
104	117	101	103	111	87	102	97	73	65	29	19	5	10	3
47	60	53	66	62	48	53	51	42	26	10	8	3	4	2
57	57	48	37	49	39	49	46	31	39	19	11	2	6	1
21	25	34	16	27	21	21	26	20	21	15	4	2		52
10	11	19	8	14	12	13	13	11	17	4	2			53
11	14	15	8	13	9	8	13	9	4	11	2	2		54
2	10	5	8	2	3	6	6	10	13	7	5			55
	7	3	3	1	1	1	3	3	5	3	1			56
2	3	2	5	1	2	5	3	7	8	4	4			57
14	27	17	23	13	30	27	31	42	28	21	16	8	1	58
11	13	13	14	7	14	9	14	17	12	12	4			59
3	14	4	9	6	16	18	17	25	16	9	12	8	1	60
21	17	16	21	19	14	25	18	19	13	17	5	4		1
11	9	8	9	10	7	17	8	8	4	11	3	2		62
10	8	8	12	9	7	8	10	11	9	6	2	2		63
13	12	10	20	14	16	23	19	32	23	19	8	2		64
8	7	6	10	5	12	11	12	19	12	8	2	2		65
5	5	4	10	9	4	12	7	13	11	11	6			66
455	503	473	458	495	474	540	547	500	369	269	116	46	25	4
229	269	271	250	268	244	257	270	237	150	111	41	2	9	2
226	234	202	208	227	230	283	277	263	219	158	75	44	16	2
15	14	15	10	15	19	17	35	29	25	25	18	4	1	2
8	7	10	5	10	9	9	18	13	11	11	10	2		1
7	7	5	5	5	10	8	17	16	14	14	8	2	1	1
4	5	12	8	2	10	4	5	5	3	2	3	2		73
4	1	7	2	1	7	1	2	4	1	1	1	1		74
2	4	5	6	1	3	3	3	1	2	1	1	1		75
3	4	7	8	6	6	11	9	11	15	7	6	2	1	76
1	3	3	3	1	2	7	5	9	6	3	2			77
2	1	4	5	5	4	4	4	2	9	4	4	2	1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Battle Creek, Mich	250	27	9	4	2	2	44	7	3	5	7	9
2	Males	135	18	3	2	2	1	26	4	2	1	2	5
3	Females	115	9	6	2		1	18	3	1	4	5	4
4	Bay City, Mich	351	72	17	11	6	2	108	13	12	16	14	12
5	Males	206	49	9	7	3	1	69	4	5	9	4	5
6	Females	145	23	8	4	3	1	39	9	7	7	10	7
7	Bayonne, N. J	545	156	49	21	8	3	237	28	10	9	22	30
8	Males	286	85	26	12	5	2	130	16	6	5	10	18
9	Females	259	71	23	9	3	1	107	12	4	4	12	12
10	Bellaire, Ohio	167	38	10	6	5	3	62	5	7	4	8	6
11	Males	94	24	5	4	1	1	35	4	5	2	4	2
12	Females	73	14	5	2	4	2	27	1	2	2	4	4
13	Belleville, Ill	269	51	13	7	2	5	78	9	7	8	9	20
14	Males	150	29	6	4	1	4	44	4	4	5	3	13
15	Females	119	22	7	3	1	1	34	5	3	3	6	7
16	Beloit, Wis	152	33	3	5	2		43	5	6	1	6	7
17	Males	74	19	2	1			22	3	4		3	5
18	Females	78	14	1	4	2		21	2	2	1	3	2
19	Bennington town, Vt	127	18	2	1		1	22	1		3	7	7
20	Males	61	12	1				13			1	4	2
21	Females	66	6	1	1		1	9	1		2	3	5
22	Berlin, N. H	149	57	14	3	8		82	6	2	3	3	9
23	Males	79	33	7	1	5		46	5	1		3	5
24	Females	70	24	7	2	3		36	1	1	3		4
25	Beverly, Mass	205	40	6	4	3	2	55	3	2	4	6	8
26	Males	93	15	2	2	1	2	22	2		1	1	3
27	Females	112	25	4	2	2		33	1	2	3	5	5
28	Biddeford, Me	375	134	24	12	10	6	186	12	2	13	15	11
29	Males	206	86	17	6	6	4	119	9		9	5	4
30	Females	169	48	7	6	4	2	67	3	2	4	10	7
31	Binghamton, N. Y	698	116	17	11	8	13	165	26	17	18	38	28
32	Males	350	63	7	6	3	8	87	12	9	8	20	15
33	Females	348	53	10	5	5	5	78	14	8	10	18	13
34	Boston, Mass	11,277	2,421	620	310	226	137	3,714	277	121	229	432	596
35	Males	5,726	1,352	317	159	130	66	2,024	125	54	109	222	302
36	Females	5,551	1,069	303	151	96	71	1,690	152	67	120	210	294
37	Bridgeport, Conn	1,226	298	72	36	12	14	432	28	20	33	42	53
38	Males	658	172	36	24	7	5	244	12	11	16	19	33
39	Females	568	126	36	12	5	9	188	16	9	17	23	20
40	Bridgeton, N. J	200	49	5	3	2		59	3	6	8	9	8
41	Males	102	26	4	3	1		34	2	4	2	3	5
42	Females	98	23	1		1		25	1	2	6	6	3
43	Bristol town, Conn	149	34	12	7	1		54	2	1	3	4	3
44	Males	63	20	3				23		1		3	2
45	Females	86	14	9	7	1		31	2		3	1	1
46	Brockton, Mass	529	98	19	16	3	6	142	21	11	16	26	21
47	Males	285	63	12	5	1	3	84	14	6	8	10	8
48	Females	244	35	7	11	2	3	58	7	5	8	16	13
49	Brookline town, Mass	260	38	5	5	4	2	54	8	1	6	7	15
50	Males	133	26	4	3	3	2	38	6		3	3	4
51	Females	127	12	1	2	1		16	2	1	3	4	11
52	Buffalo, N. Y	5,207	1,268	342	139	69	52	1,870	152	86	115	176	190
53	Males	2,779	745	189	71	40	18	1,063	86	42	67	92	99
54	Females	2,428	523	153	68	29	34	807	66	44	48	84	91
55	Burlington, Iowa	384	49	6	4	3	1	63	11	8	17	18	27
56	Males	222	31	3	1	1		36	4	5	14	9	15
57	Females	162	18	3	3	2	1	27	7	3	3	9	12
58	Burlington, Vt	347	91	16	1	1	4	113	11	6	13	12	17
59	Males	169	54	7	1		3	65	4	4	8	8	5
60	Females	178	37	9		1	1	48	7	2	5	4	12
61	Cambridge, Mass	1,699	396	96	48	39	23	602	56	31	47	56	63
62	Males	841	211	54	30	22	8	325	22	19	19	28	33
63	Females	858	185	42	18	17	15	277	34	12	28	28	30
64	Camden, N. J	1,235	289	70	40	27	18	444	78	21	28	35	43
65	Males	634	155	36	17	13	8	229	43	8	14	21	19
66	Females	601	134	34	23	14	10	215	35	13	14	14	24
67	Canton, Ohio	408	78	8	8	4	7	105	23	9	8	19	23
68	Males	212	47	6	2	2	7	64	13	4	3	9	9
69	Females	196	31	2	6	2		41	10	5	5	10	14
70	Carbondale, Pa	295	51	17	7	5	9	89	18	12	5	11	8
71	Males	166	31	9	2	1	5	48	10	7	4	6	6
72	Females	129	20	8	5	4	4	41	8	5	1	5	2
73	Carlisle, Pa	207	40	7	3	2		52	7	5	6	7	9
74	Males	113	26	5	1	2		34	3	4	5	5	4
75	Females	94	14	2	2			18	4	1	1	2	5
76	Central Falls, R. I	290	90	24	10	4	3	131	11	4	6	8	6
77	Males	148	52	15	5	3	1	76	7	2	3	2	1
78	Females	142	38	9	5	1	2	55	4	2	3	6	5

AGE AND SEX.

29

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
9	17	17	11	13	14	17	15	21	17	13	8	1	2	1
3	10	12	5	7	8	8	12	10	7	7	5	1	1	2
6	7	5	6	6	6	9	3	11	10	6	3	1	1	3
15	13	12	15	17	19	17	18	21	13	9	7			4
7	7	9	11	9	15	7	11	17	8	6	3			5
8	6	3	4	8	4	10	7	4	5	3	4			6
26	31	23	17	24	15	24	23	8	12	4	1	1		7
16	15	10	8	13	5	12	12	5	4		1	1		8
10	16	13	9	11	10	12	11	3	8	4	1			9
8	10	2	4	5	6	9	9	10	4	5	1			10
2	7	2	2	3	3	4	7	5	3	2				11
6	3		2	2	3	5	2	5	1	3	1			12
11	11	6	5	12	10	20	15	13	20	9	3	1		2
5	6	4	4	7	7	13	8	9	9	2	1			13
6	5	2	1	5	3	7	7	4	11	7	2	1		14
														15
5	6	9	5	2	11	7	6	8	7	8	5	3		2
2	2	3	4	2	5	2	2	5	2	4	1	2		1
3	4	6	1		6	5	4	3	5	4	4	1		17
														18
7	4	7	3	5	8	16	7	9	8	6	4	1	2	19
3	3	2	1	2	4	9	4	4	3	4	2			20
4	1	5	2	3	4	7	3	5	5	2	2	1	2	21
1	7	2	3	3	2	2	3	2	3					
1	3	1	2	3	1	1	1	2	2	2				14
	4	1	1	3	1	1	2		1	2				5
														9
9	8	10	7	8	5	10	18	16	18	10	5	2	1	25
4	4	5	5	5	3	8	10	5	9	7	1	1	1	26
5	4	5	2	5	3	2	8	11	9	3	4	1		27
11	15	14	11	10	15	18	7	10	8	8	5	2	2	28
4	7	5	7	4	6	9	4	3	3	3	3	2	2	29
7	8	9	4	6	9	9	3	7	5	5	2	2		30
32	35	26	30	42	36	40	38	36	35	28	20	6	1	1
14	18	13	17	21	23	23	21	18	13	6	11	1		32
18	17	13	13	21	13	17	17	18	22	22	9	5	1	33
629	581	500	498	548	526	568	571	542	412	296	157	58	20	2
356	314	263	272	280	271	279	256	234	173	116	54	16	6	35
273	267	237	226	268	255	289	315	308	239	180	103	42	14	2
57	60	61	57	69	63	54	51	44	36	30	9	4	2	16
30	38	33	37	43	37	24	20	15	19	12	5	1		38
27	22	28	20	26	31	30	31	29	17	18	4	3	2	7
9	4	2	6	11	17	8	14	9	12	11	4			40
4		1	1	6	7	5	8	5	6	6	3			41
5	4	1	5	5	10	3	6	4	6	5	1			42
6		2	12	6	7	7	5	8	9	7	6	4		3
2		1	8	3	4	3	1	3	3	3	2	1		44
4		1	4	3	3	4	4	5	6	4	4	3		45
22	29	19	26	12	31	24	35	27	27	19	14			7
11	15	6	20	7	19	14	17	13	17	7	4			5
11	14	13	6	5	12	10	18	14	10	12	10			2
12	7	8	15	12	21	15	15	14	22	13	10	3		2
8	1	2	9	7	12	5	6	7	10	6	4	1		1
4	6	6	6	5	9	10	9	7	12	7	6	2		51
243	258	238	226	221	221	253	230	263	208	148	76	22	6	5
127	129	133	124	127	114	140	116	135	89	55	33	6	1	1
116	129	105	102	94	107	113	114	128	119	93	43	16	5	4
20	14	17	18	22	18	17	32	24	30	21	5	2		55
13	12	14	12	9	9	6	21	14	13	11	4	1		56
7	2	3	6	13	9	11	11	10	17	10	1	1		57
11	16	14	12	17	17	17	10	21	15	8	4			58
4	4	5	4	10	8	10	4	9	7	4	3	10	3	59
7	12	9	8	7	9	7	6	12	8	4	1	9	1	60
67	58	70	63	73	75	74	98	84	75	54	24	16	4	9
35	26	35	30	37	41	36	37	40	33	21	9	6	2	7
32	32	35	33	36	34	38	61	44	42	33	15	10	2	63
52	57	41	52	49	50	75	54	58	55	21	12	5	3	2
27	21	26	27	30	30	40	26	31	26	9	5	3	1	1
25	36	15	25	22	20	35	23	27	29	12	7	2	2	66
12	17	18	19	23	19	17	23	24	13	17	7	2		5
7	12	6	11	14	8	7	11	12	6	8	3	1		4
5	5	12	8	9	11	10	12	12	12	9	4	1		1
15	11	16	11	10	18	19	16	14	6	7	5	3		1
8	10	10	6	5	12	11	9	6	3	1	2	1		70
7	1	6	5	5	6	8	7	8	3	6	3	2		71
														72
3	7	8	7	8	11	12	12	16	13	8	7	5	1	3
	3	4	5	5	3	6	5	10	5	3	4	2	1	2
3	4	4	2	3	8	6	7	6	8	5	3	3		1
13	8	9	15	11	17	13	11	8	7	5	3	2		2
7	4	4	6	4	10	3	7	3	4	2	2			1
6	4	5	9	7	7	10	4	5	3	3	1	2		78

VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Charleston, S. C.-----	2,094	464	137	58	27	14	700	55	44	79	132	129
2	Males-----	1,081	256	76	31	10	9	382	24	24	38	73	59
3	Females-----	1,013	208	61	27	17	5	318	31	20	41	59	70
4	Chelsea, Mass.-----	636	125	46	11	12	10	204	14	2	14	23	28
5	Males-----	330	67	19	7	8	6	107	5	1	3	9	14
6	Females-----	306	58	27	4	4	4	97	9	1	11	14	14
7	Chicago, Ill.-----	27,533	5,773	1,748	854	547	481	9,403	1,259	552	717	1,093	1,285
8	Males-----	15,135	3,237	890	424	260	220	5,031	656	283	357	569	681
9	Females-----	12,398	2,536	858	430	287	261	4,372	603	269	360	524	604
10	Chicopee, Mass.-----	399	151	25	8	7	4	195	8	4	9	21	21
11	Males-----	203	81	14	5	5	2	107	3	3	5	10	10
12	Females-----	196	70	11	3	2	2	88	5	1	4	11	11
13	Chillicothe, Ohio-----	277	24	16	7	4	-----	51	3	6	10	12	17
14	Males-----	131	18	8	2	3	-----	31	-----	3	4	5	9
15	Females-----	146	6	8	5	1	-----	20	3	3	6	7	8
16	Chippewa Falls, Wis.-----	100	21	2	-----	1	1	25	4	4	3	6	9
17	Males-----	54	14	1	-----	-----	1	16	1	-----	1	3	7
18	Females-----	46	7	1	-----	1	-----	9	3	4	2	3	2
19	Cincinnati, Ohio-----	6,214	1,056	272	116	79	63	1,586	148	80	160	286	362
20	Males-----	3,383	582	149	55	40	35	861	86	46	81	159	173
21	Females-----	2,831	474	123	61	39	28	725	62	34	79	127	189
22	Cleveland, Ohio-----	6,521	1,610	341	174	112	84	2,321	238	120	159	277	306
23	Males-----	3,599	901	184	102	62	48	1,297	126	57	81	159	161
24	Females-----	2,922	709	157	72	50	36	1,024	112	63	78	118	145
25	Clinton town, Mass.-----	224	63	14	4	2	6	89	3	2	5	12	6
26	Males-----	113	33	9	2	2	5	51	2	1	1	6	3
27	Females-----	111	30	5	2	-----	1	38	1	1	4	6	3
28	Cohoes, N. Y.-----	484	129	30	13	10	5	187	25	11	12	20	19
29	Males-----	238	72	14	8	4	2	100	12	7	3	9	8
30	Females-----	246	57	16	5	6	3	87	13	4	9	11	11
31	Columbia, Pa.-----	239	52	17	5	5	1	80	17	8	4	9	10
32	Males-----	120	25	11	3	2	1	42	8	2	2	6	3
33	Females-----	119	27	6	2	3	-----	38	9	6	2	3	7
34	Columbus, Ind.-----	162	28	6	8	-----	3	45	2	2	8	8	3
35	Males-----	76	10	3	4	-----	2	19	2	1	6	2	1
36	Females-----	86	18	3	4	-----	1	26	-----	1	2	6	2
37	Columbus, Ohio-----	1,983	278	68	34	22	17	419	63	47	80	107	121
38	Males-----	1,085	157	35	18	9	13	232	34	24	38	63	65
39	Females-----	898	121	33	16	13	4	187	29	23	42	44	56
40	Concord, N. H.-----	357	52	14	7	5	1	79	8	3	5	13	11
41	Males-----	171	34	5	3	3	1	46	3	2	2	5	5
42	Females-----	186	18	9	4	2	-----	33	5	1	3	8	6
43	Corning, N. Y.-----	199	32	6	7	1	1	47	9	4	1	15	13
44	Males-----	106	20	3	4	-----	1	28	4	3	-----	8	8
45	Females-----	93	12	3	3	1	-----	19	5	1	1	7	5
46	Cortland, N. Y.-----	120	12	4	1	2	-----	19	4	1	4	3	7
47	Males-----	56	5	2	-----	1	-----	8	1	1	4	-----	2
48	Females-----	64	7	2	1	1	-----	11	3	-----	-----	3	5
49	Covington, Ky.-----	869	155	44	13	8	7	227	19	13	24	44	52
50	Males-----	477	93	22	9	2	4	130	11	9	7	25	33
51	Females-----	392	62	22	4	6	3	97	8	4	17	19	19
52	Danbury town, Conn.-----	320	35	8	7	2	7	59	9	10	5	15	16
53	Males-----	163	26	4	4	-----	3	37	5	4	3	8	9
54	Females-----	157	9	4	3	2	4	22	4	6	2	7	7
55	Danvers town, Mass.-----	152	16	2	-----	-----	-----	18	-----	2	3	9	1
56	Males-----	67	6	2	-----	-----	-----	8	-----	-----	-----	6	-----
57	Females-----	85	10	-----	-----	-----	-----	10	-----	2	3	3	1
58	Danville, Ill.-----	312	58	14	6	2	5	85	10	6	12	14	8
59	Males-----	190	35	8	1	2	3	49	5	3	7	8	6
60	Females-----	122	23	6	5	-----	2	36	5	3	5	6	2
61	Davenport, Iowa-----	562	91	15	5	6	3	120	6	8	17	21	32
62	Males-----	307	50	9	4	5	2	70	3	4	9	9	21
63	Females-----	255	41	6	1	1	1	50	3	4	8	12	11
64	Dayton, Ohio-----	1,405	208	33	11	7	6	265	37	20	55	77	69
65	Males-----	726	112	20	4	2	4	142	20	11	26	35	28
66	Females-----	679	96	13	7	5	2	123	17	9	29	42	41
67	Decatur, Ill.-----	355	59	16	9	5	2	91	9	7	14	18	16
68	Males-----	191	31	9	5	1	-----	46	2	5	8	9	6
69	Females-----	164	28	7	4	4	2	45	7	2	6	9	10
70	Denver, Colo.-----	2,484	367	97	52	37	30	583	66	47	72	150	187
71	Males-----	1,431	198	44	25	22	14	303	32	28	33	77	120
72	Females-----	1,053	169	53	27	15	16	280	34	19	39	73	67
73	Detroit, Mich.-----	4,893	1,319	263	119	69	47	1,817	132	87	139	182	233
74	Males-----	2,522	707	134	68	34	17	960	65	45	68	81	89
75	Females-----	2,371	612	129	51	35	30	857	67	42	71	101	144
76	District of Columbia-----	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
77	Males-----	3,274	687	135	66	45	34	967	98	63	78	183	185
78	Females-----	3,090	619	133	63	60	33	908	86	77	111	175	159

AGE AND SEX.

31

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
85	100	119	97	112	87	95	75	65	49	28	12	9	9	13
36	52	64	60	62	44	44	34	31	25	9	4	1	5	10
49	48	55	37	50	43	51	41	34	24	19	8	8	4	3
19	28	23	20	39	29	46	34	40	41	18	10	2		2
13	16	10	10	21	19	24	22	21	23	8	4			4
6	12	13	10	18	10	22	12	19	18	10	6	2		5
														6
1,446	1,537	1,387	1,309	1,283	1,201	1,198	1,218	996	792	514	228	71	33	11
796	904	881	815	813	733	667	649	515	389	247	100	25	17	7
650	633	506	494	470	468	531	569	481	403	267	128	46	16	8
8	17	12	14	6	14	16	16	10	12	12	2	2		10
3	11	6	7	5	8	6	3	7	7	2				11
5	6	6	7	1	6	10	13	3	5	10	2	2		12
16	6	9	9	12	12	17	23	22	23	12	10	3	2	13
4	2	4	5	9	8	9	8	8	7	8	5	1		14
12	4	5	4	3	4	8	15	14	16	4	5	2	2	15
4	5	3	8	3	5	5	3	5	2	1	2	2		16
3	2	1	6	1	5	2	1	2	1	1	1	1		17
1	3	2	2	3	3	3	2	3	1	1	1	2		18
303	384	308	314	319	311	320	325	382	317	178	74	15	9	33
168	231	194	187	186	179	169	159	195	173	81	32	3		20
135	153	114	127	133	132	151	166	187	144	97	42	12	9	13
312	352	313	289	262	287	269	264	252	213	161	72	26	13	15
166	192	193	188	150	148	168	146	149	101	73	23	9	3	9
146	160	120	101	112	139	101	118	103	112	88	49	17	10	6
6	6	10	8	9	10	10	14	14	9	7	3	1		25
2	4	5	4	4	6	4	8	3	4	3	2			26
4	2	5	4	5	4	6	6	11	5	4	1	1		27
18	16	26	14	15	25	23	22	18	15	7	3	1		7
9	8	13	5	6	11	15	9	7	7	5	1			3
9	8	13	9	9	14	8	13	11	8	2	2	1		4
2	10	5	5	13	9	14	17	10	11	8	2	2	1	2
1	6	5	3	6	5	10	10	3	5	4	4	2	1	1
1	4		2	7	4	4	7	7	6	4	2			1
6	11	4	5	7	8	12	10	8	5	7	4	1	3	3
4	5	2	2	4	5	6	2	4	3	3	3		1	1
2	6	2	3	3	3	6	8	4	2	4	1	1	2	2
122	121	114	94	86	109	100	105	106	77	58	26	10	2	16
67	62	63	52	56	66	58	61	47	46	38	14	5	1	12
55	59	51	42	30	43	42	44	59	31	39	12	5	1	4
8	22	17	10	16	15	15	31	37	22	19	16	8	1	1
5	9	7	4	7	8	8	15	14	12	10	4	4		41
3	13	10	6	9	7	7	16	23	10	9	12	4	1	42
8	12	13	6	5	11	2	12	11	15	10	3	1	1	43
4	7	7	1	2	6	1	6	7	6	6	1	1		44
4	5	6	5	3	5	1	6	4	9	4	2		1	45
4	4	5	6	6	8	5	5	6	12	6	5	1		46
2	2	2	4	1	3	5	4	4	4	5	3	1		47
2	2	3	2	5	5	9	1	2	8	1	2			48
33	41	41	41	37	32	50	72	47	44	33	9	2	3	5
26	25	20	20	27	23	29	32	15	20	13	6	1	3	2
7	16	21	21	10	9	21	40	32	24	20	3	1		3
12	13	11	12	22	21	22	21	26	23	11	5	3	2	2
5	5	7	6	10	12	8	12	13	11	3	1	2		52
7	8	4	6	12	9	14	9	13	12	8	4	1	2	53
9	5	7	12	7	7	10	7	16	14	18	4	1		2
6	2	3	8	2	4	8	2	7	5	3	2			1
3	3	4	4	5	3	2	5	9	9	15	2	1		56
13	20	10	14	14	14	12	17	21	16	5	7	3	1	10
10	14	9	10	11	11	6	11	12	7	3	2	1		5
3	6	1	4	3	3	6	6	9	9	2	5	2	1	5
25	19	18	24	17	29	29	59	42	35	38	13	7	1	2
10	12	8	13	9	13	14	35	23	22	23	5	3		61
15	7	10	11	8	16	15	24	19	13	15	8	4	1	1
77	68	63	79	50	78	83	80	106	96	59	30	6	2	5
34	35	35	49	35	40	46	40	49	56	25	12	2	1	5
43	33	28	30	15	38	37	40	57	40	34	18	4	1	6
17	15	17	11	15	20	20	22	20	13	17	3	3	1	6
10	6	8	7	9	11	12	14	14	7	13	1	1	1	68
7	9	9	4	6	9	8	8	6	6	4	2	2		69
185	178	143	141	137	123	106	127	84	66	46	18	7	2	16
119	100	94	83	92	75	65	74	51	42	23	6	4	1	9
66	78	49	58	45	48	41	53	33	24	23	12	3	1	7
180	208	175	177	199	203	231	246	247	194	133	61	25	9	15
93	105	91	111	110	119	133	124	110	104	58	28	13	4	11
87	103	84	66	89	84	98	122	137	90	75	33	12	5	4
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7
149	125	129	129	174	203	178	197	156	117	82	40	7	6	7
118	119	145	125	136	153	171	151	157	121	103	43	17	15	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Dover, N. H.	257	45	6	4	6	3	64	3	5	5	8	8
2	Males	129	25	6	1	5	2	39	1	3	3	5	5
3	Females	128	20	—	3	1	1	25	2	2	2	3	3
4	Dubois, Pa.	131	40	11	5	2	2	60	3	2	5	3	10
5	Males	68	24	7	1	—	1	33	1	2	—	2	4
6	Females	63	16	4	4	2	1	27	2	—	5	1	6
7	Duluth, Minn.	698	150	27	13	4	9	203	16	23	18	43	49
8	Males	436	78	18	6	1	8	111	7	14	9	23	31
9	Females	262	72	9	7	3	1	92	9	9	9	20	18
10	Dunkirk, N. Y.	172	31	9	7	4	2	53	5	3	6	5	8
11	Males	91	21	6	4	2	—	33	3	3	3	1	5
12	Females	81	10	3	3	2	2	20	2	—	3	4	3
13	Easton, Pa.	421	85	10	5	5	4	109	12	6	14	21	22
14	Males	231	42	6	5	4	3	60	8	3	9	14	13
15	Females	190	43	4	—	1	1	49	4	3	5	7	9
16	Eau Claire, Wis.	257	57	10	2	2	1	72	11	11	7	24	13
17	Males	138	23	2	2	1	—	33	6	9	4	11	5
18	Females	119	29	8	—	1	1	39	5	2	3	13	8
19	Elizabeth, N. J.	911	261	52	22	15	7	357	22	8	15	30	31
20	Males	502	149	19	12	9	4	193	16	5	7	17	17
21	Females	409	112	33	10	6	3	164	6	3	8	13	14
22	Elmira, N. Y.	550	72	16	3	3	5	99	10	12	16	37	25
23	Males	294	40	11	1	2	4	58	5	6	10	21	10
24	Females	256	32	5	2	1	1	41	5	6	6	16	15
25	Erie, Pa.	801	172	23	17	7	11	235	22	15	18	32	37
26	Males	460	97	18	8	4	5	132	9	9	7	20	18
27	Females	341	75	10	9	3	6	103	13	6	11	12	19
28	Escanaba, Mich.	188	45	10	2	4	1	62	5	6	9	15	14
29	Males	125	25	5	2	—	1	33	3	3	5	10	13
30	Females	63	20	5	—	4	—	29	2	3	4	5	1
31	Evansville, Ind.	1,045	217	47	17	11	6	298	33	22	36	49	57
32	Males	572	131	27	9	6	5	178	16	9	16	21	25
33	Females	473	86	20	8	5	1	120	17	13	20	28	32
34	Everett, Mass.	386	96	15	9	7	3	130	7	6	6	17	23
35	Males	178	46	10	3	3	2	64	6	2	1	6	7
36	Females	208	50	5	6	4	1	66	1	4	5	11	16
37	Fall River, Mass.	2,345	916	209	56	32	22	1,235	41	34	42	69	90
38	Males	1,196	514	113	33	17	11	688	23	13	18	35	46
39	Females	1,149	402	96	23	15	11	547	18	21	24	34	44
40	Findlay, Ohio.	275	53	8	3	2	2	68	6	6	8	25	11
41	Males	142	27	4	2	1	2	36	4	2	3	8	4
42	Females	133	26	4	1	1	—	32	2	4	5	17	7
43	Fitchburg, Mass.	428	119	21	8	4	7	159	18	6	10	13	19
44	Males	237	63	16	5	3	4	91	12	2	5	6	9
45	Females	191	56	5	3	1	3	68	6	4	5	7	10
46	Flint, Mich.	185	22	5	3	2	1	33	6	8	1	7	6
47	Males	93	12	2	3	2	—	19	2	5	—	5	2
48	Females	92	10	3	—	—	1	14	4	3	1	2	4
49	Framingham town, Mass.	190	29	4	2	—	1	36	5	7	8	10	8
50	Males	95	16	4	2	—	1	23	4	1	2	4	6
51	Females	95	13	—	—	—	—	13	1	6	6	6	2
52	Frederick, Md.	185	32	9	1	1	4	47	8	3	2	7	5
53	Males	91	21	3	1	—	3	28	2	2	—	2	1
54	Females	94	11	6	—	1	1	19	6	1	2	5	4
55	Fresno, Cal.	187	38	11	5	5	2	61	8	8	10	12	9
56	Males	110	19	7	3	2	1	32	5	3	5	4	6
57	Females	77	19	4	2	3	1	29	3	5	5	8	3
58	Galesburg, Ill.	270	32	7	3	4	1	47	5	7	6	14	11
59	Males	149	23	3	2	3	1	32	3	3	3	8	5
60	Females	121	9	4	1	1	—	15	2	4	3	6	6
61	Gardiner town, Mass.	205	68	12	6	4	1	91	7	3	4	6	6
62	Males	90	34	3	3	2	—	42	3	—	3	3	3
63	Females	115	34	9	3	2	1	49	4	3	1	3	3
64	Geneva, N. Y.	153	23	3	2	1	2	31	3	2	4	4	6
65	Males	72	11	1	—	1	1	14	—	2	2	2	3
66	Females	81	12	2	2	—	1	17	3	—	2	2	3
67	Glens Falls, N. Y.	242	34	8	4	4	5	55	8	6	6	11	15
68	Males	106	20	4	3	2	3	32	4	3	1	5	6
69	Females	136	14	4	1	2	2	23	4	3	5	6	9
70	Gloucester, Mass.	388	80	13	7	3	6	109	12	9	8	21	17
71	Males	205	42	6	4	1	3	56	9	4	3	12	11
72	Females	183	38	7	3	2	3	53	3	5	5	9	6
73	Gloversville, N. Y.	217	44	2	2	—	1	49	4	2	5	13	10
74	Males	103	25	—	2	—	—	27	3	1	4	7	4
75	Females	114	19	2	—	—	1	22	1	1	1	6	6
76	Grand Rapids, Mich.	1,258	274	67	35	19	14	409	53	24	32	54	52
77	Males	685	163	31	21	8	10	233	27	11	16	22	23
78	Females	573	111	36	14	11	4	176	26	13	16	32	29

AGE AND SEX.

33

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
11	13	8	8	10	16	15	17	19	19	12	9	3	1	3
5	6	5	3	5	11	1	9	11	9	4	2	1	1	1
6	7	3	5	5	5	14	8	8	10	8	7	2	1	2
3	5	7	-----	2	5	3	6	7	5	-----	-----	1	-----	4
1	4	5	-----	2	3	-----	2	2	3	-----	-----	-----	-----	4
2	1	2	-----	-----	2	3	4	5	2	-----	-----	1	-----	5
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	6
66	46	46	28	30	27	24	24	15	15	11	3	1	1	9
46	31	32	21	22	20	15	17	11	7	10	1	-----	1	7
20	15	14	7	8	7	9	7	4	8	1	2	1	-----	8
3	8	6	7	7	9	9	7	16	10	5	3	2	-----	10
-----	5	3	4	4	4	7	3	5	4	3	1	-----	-----	11
3	3	3	3	3	5	2	4	11	6	2	2	2	-----	12
13	17	11	23	21	12	24	27	20	21	25	12	3	1	7
4	8	7	19	12	8	10	10	16	9	10	4	-----	1	6
9	9	4	4	9	4	14	17	4	12	15	8	3	-----	15
14	8	4	16	9	6	15	10	13	10	6	4	1	-----	3
9	6	3	12	6	6	8	3	6	2	4	3	1	-----	17
5	2	1	4	3	-----	7	7	7	8	2	1	-----	-----	18
32	52	30	42	39	40	41	52	41	39	19	18	-----	1	2
21	23	22	28	21	25	26	27	19	19	8	7	-----	-----	20
11	29	8	14	18	15	15	25	22	20	11	11	-----	1	21
28	32	26	19	32	32	39	26	32	38	27	14	3	3	22
19	19	15	12	12	18	23	12	13	18	15	6	1	1	23
9	13	11	7	20	14	16	14	19	20	12	8	2	2	24
28	39	40	39	31	37	41	45	46	42	31	16	5	-----	2
12	21	24	26	18	28	24	31	28	23	20	7	1	-----	2
16	18	16	13	13	9	17	14	18	19	11	9	4	-----	27
8	15	12	10	10	5	7	4	1	2	2	-----	-----	-----	1
7	13	7	8	8	3	6	2	-----	2	2	-----	-----	-----	28
1	2	5	2	2	2	1	2	1	-----	-----	-----	-----	-----	30
44	61	48	48	56	44	59	50	53	53	23	6	3	2	31
25	35	23	25	38	32	32	25	27	30	14	-----	1	-----	32
19	28	25	23	18	12	27	25	26	23	9	6	2	2	33
13	24	19	22	18	14	16	21	15	15	11	4	5	-----	34
6	14	8	10	13	7	8	9	7	4	4	1	1	-----	35
7	10	11	12	5	7	8	12	8	11	7	3	4	-----	36
60	69	61	74	92	102	96	82	78	55	33	16	8	2	6
31	37	31	31	34	44	47	32	32	24	16	7	4	2	1
29	32	30	43	58	58	49	50	46	31	17	9	4	-----	39
19	11	16	13	10	15	15	14	17	6	8	6	1	-----	40
10	6	8	10	6	7	13	6	10	5	5	3	1	-----	41
9	5	8	3	4	8	2	8	7	6	3	3	-----	-----	42
11	11	12	17	18	28	21	19	23	14	16	6	5	1	1
6	8	8	11	10	16	10	12	12	7	7	4	-----	-----	44
5	3	4	6	8	12	11	7	11	7	9	2	5	1	45
5	9	12	8	9	11	17	12	6	17	8	7	2	1	46
2	4	6	5	5	5	12	6	3	6	2	3	-----	1	47
3	5	6	3	4	6	5	6	3	11	6	4	2	-----	48
16	9	8	5	7	8	14	10	7	16	8	3	2	1	2
5	6	3	3	3	7	10	3	4	5	2	-----	2	-----	50
11	3	5	2	4	1	4	7	3	11	6	3	-----	1	51
3	3	3	8	8	9	15	10	11	25	9	8	1	-----	52
1	1	1	3	5	3	9	9	5	9	6	4	-----	-----	53
2	2	2	5	3	6	6	1	6	16	3	4	1	-----	54
4	13	9	12	16	7	6	2	6	1	2	1	-----	-----	55
3	8	5	9	14	5	2	1	5	1	2	-----	-----	-----	56
1	5	4	3	2	2	4	1	1	-----	-----	1	-----	-----	57
12	22	11	13	12	18	21	17	25	12	13	3	2	-----	9
7	5	7	6	6	10	11	10	17	7	4	1	1	-----	3
5	7	4	7	6	8	10	7	8	5	9	2	-----	-----	60
11	6	2	5	9	6	7	5	10	13	6	5	2	-----	1
5	1	-----	3	4	1	3	3	7	4	1	3	1	-----	62
6	5	2	2	5	5	4	2	3	9	5	2	1	-----	63
9	11	5	4	5	12	7	16	16	8	4	3	3	-----	64
4	4	3	2	2	6	2	10	7	3	3	1	2	-----	65
5	7	2	2	3	6	5	6	9	5	1	2	1	-----	66
13	10	11	11	12	10	16	19	9	11	12	5	2	-----	67
4	2	7	6	5	4	8	6	4	2	6	1	-----	-----	68
9	8	4	5	7	6	8	13	5	9	6	4	2	-----	69
13	13	17	17	20	14	16	16	19	30	19	15	1	-----	2
6	5	9	15	15	7	7	7	8	16	7	6	-----	-----	71
7	8	8	2	5	7	9	9	11	14	12	9	1	-----	72
4	13	11	8	3	11	13	19	16	19	11	5	1	-----	73
1	6	6	2	1	3	5	8	11	8	3	2	1	-----	74
3	7	5	6	2	8	8	11	5	11	8	3	-----	-----	75
54	50	62	62	49	55	53	58	54	48	43	23	16	4	3
29	22	31	35	29	33	31	33	41	28	21	12	6	1	1
25	28	31	27	20	22	22	25	13	20	22	11	10	3	2

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Green Bay, Wis.	315	86	19	7	6	2	120	12	8	11	13	8
2	Males	173	49	9	2	4	1	65	4	7	7	9	3
3	Females	142	37	10	5	2	1	55	8	1	4	4	5
4	Greenwich town, Conn.	206	51	6	7	4	2	70	5	3	7	6	7
5	Males	109	35	1	4	1	1	42	3	1	4	1	1
6	Females	97	16	5	3	3	1	28	2	2	3	5	6
7	Hamilton, Ohio	349	72	6	6	6	3	93	7	3	7	15	26
8	Males	189	43	2	6	2	1	54	4	2	5	9	13
9	Females	160	29	4	4	4	2	39	3	1	2	6	13
10	Harrisburg, Pa.	895	153	42	21	14	11	241	29	20	33	45	29
11	Males	495	84	25	15	6	6	136	12	7	25	26	17
12	Females	400	69	17	6	8	5	105	17	13	8	19	12
13	Harrison town, N. J.	234	53	15	8	-----	6	82	8	5	3	5	16
14	Males	114	33	9	1	-----	3	46	5	2	2	2	9
15	Females	120	20	6	7	-----	3	36	3	3	1	3	7
16	Hartford, Conn.	1,546	319	65	36	26	20	466	49	24	36	72	66
17	Males	779	178	32	17	11	8	246	23	12	11	36	30
18	Females	767	141	33	19	15	12	220	26	12	25	36	36
19	Haverhill, Mass.	561	104	17	6	9	12	148	15	8	9	14	24
20	Males	283	58	10	2	2	8	80	10	5	5	9	13
21	Females	278	46	7	4	7	4	68	5	3	4	5	11
22	Hazleton, Pa.	205	49	12	10	2	5	78	6	3	6	4	6
23	Males	109	16	6	5	2	2	31	3	2	2	3	3
24	Females	96	33	6	5	-----	3	47	3	1	4	1	3
25	Helena, Mont.	154	10	7	3	1	1	22	4	2	7	12	12
26	Males	86	5	5	2	-----	-----	12	1	2	2	4	4
27	Females	68	5	2	1	1	1	10	3	-----	5	8	8
28	Hoboken, N. J.	1,253	301	102	46	13	18	480	28	15	25	43	63
29	Males	719	179	50	30	6	8	273	14	6	12	21	37
30	Females	534	122	52	16	7	10	207	14	9	13	22	26
31	Holyoke, Mass.	820	251	44	22	12	11	340	29	9	17	38	40
32	Males	394	142	22	9	6	6	185	16	6	4	15	16
33	Females	426	109	22	13	6	5	155	13	3	13	23	24
34	Hudson, N. Y.	208	29	14	5	1	1	50	3	3	3	9	4
35	Males	117	20	9	3	1	-----	33	2	-----	1	6	2
36	Females	91	9	5	2	-----	1	17	1	3	2	3	2
37	Hutchinson, Kans.	189	22	17	5	1	1	46	4	7	11	9	8
38	Males	95	11	12	-----	1	-----	24	3	2	5	4	3
39	Females	94	11	5	5	-----	1	22	1	5	6	5	5
40	Hyde Park town, Mass.	215	45	9	2	3	1	60	2	2	5	2	12
41	Males	113	27	5	1	2	1	36	1	1	2	1	8
42	Females	102	18	4	1	1	-----	24	1	1	3	1	4
43	Indianapolis, Ind.	2,817	532	97	77	36	27	769	97	52	109	135	138
44	Males	1,434	317	49	38	20	15	439	52	29	45	57	62
45	Females	1,383	215	48	39	16	12	330	45	23	64	78	76
46	Iron Mountain, Mich.	122	54	7	4	3	3	71	4	5	8	2	4
47	Males	73	29	4	2	3	3	41	1	2	1	2	3
48	Females	49	25	3	2	-----	-----	30	3	3	2	-----	1
49	Ironton, Ohio.	221	31	15	10	4	1	61	5	4	7	14	13
50	Males	118	19	9	7	2	-----	37	3	2	5	8	5
51	Females	103	12	6	3	2	1	24	2	2	2	6	8
52	Ironwood, Mich.	126	43	11	1	5	3	63	3	1	5	8	5
53	Males	81	30	6	1	-----	3	40	-----	1	3	8	5
54	Females	45	13	5	-----	5	-----	23	3	-----	2	-----	-----
55	Ishpeming, Mich.	196	68	17	4	5	2	96	13	2	2	8	11
56	Males	114	47	8	2	3	1	61	8	-----	2	3	6
57	Females	82	21	9	2	2	1	35	5	2	-----	5	5
58	Ithaca, N. Y.	214	22	2	2	-----	3	29	8	3	2	6	8
59	Males	86	13	-----	1	-----	-----	15	3	1	1	3	1
60	Females	128	9	2	1	-----	2	14	5	2	1	3	7
61	Jackson, Mich.	338	43	3	4	-----	2	52	4	4	9	17	16
62	Males	177	24	2	4	-----	1	31	1	1	6	7	10
63	Females	161	19	1	-----	-----	1	21	3	3	3	10	6
64	Jacksonville, Fla.	825	172	62	14	10	16	274	32	14	30	58	47
65	Males	457	101	30	6	4	9	150	16	8	10	34	19
66	Females	368	71	32	8	6	7	124	16	6	20	24	28
67	Jacksonville, Ill.	329	31	9	2	3	3	48	6	13	13	16	20
68	Males	179	18	5	1	1	2	27	3	7	7	7	11
69	Females	150	13	4	1	2	1	21	3	6	6	9	9
70	Jamestown, N. Y.	288	47	8	2	2	2	61	5	9	9	9	12
71	Males	144	20	3	1	2	-----	27	2	1	4	4	10
72	Females	144	27	5	1	-----	1	34	3	8	5	5	2
73	Jeffersonville, Ind.	227	27	12	2	4	3	48	6	5	6	13	16
74	Males	117	15	6	1	2	2	26	4	3	4	8	11
75	Females	110	12	6	1	2	1	22	2	2	2	5	5
76	Jersey City, N. J.	4,277	988	306	115	99	63	1,571	135	69	79	189	220
77	Males	2,285	551	147	58	52	26	834	73	42	42	102	117
78	Females	1,992	437	159	57	47	37	737	62	27	37	87	103

AGE AND SEX.

35

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
10	12	13	13	9	9	16	12	18	15	8	5	1	1	1
7	6	9	9	7	4	6	8	7	8	5	1		1	2
3	6	4	4	2	5	10	4	11	7	3	4	1		3
8	5	5	10	7	4	11	12	11	16	11	6	1	1	4
4	3	1	3	4	3	6	8	6	10	5	2	1	1	5
4	2	4	7	3	1	5	4	5	6	6	4			6
19	17	21	15	14	20	17	19	25	16	9	4	1	1	7
8	9	10	6	10	10	12	14	11	6	5			1	8
11	8	11	9	4	10	5	5	14	10	4	4	1		9
36	34	37	48	48	52	49	56	54	34	25	8	5	2	10
20	19	25	32	27	31	24	32	30	13	12	1			11
16	15	12	16	21	21	25	24	24	21	13	7	5	2	12
14	17	12	13	14	12	10	10	5	5	3				13
4	9	7	6	3	7	3	5	1	2	1				14
10	8	5	7	11	5	7	5	4	3	2				15
76	87	69	57	76	60	81	78	98	67	35	29	10	2	8
45	44	39	34	44	30	38	40	42	31	12	14	4	1	17
31	43	30	23	32	30	43	38	56	36	23	15	6	1	18
25	27	29	23	31	36	37	37	33	25	25	10	4	1	19
14	12	14	13	11	22	15	17	18	10	10	4	1		20
11	15	15	10	20	14	22	20	15	15	15	6	3	1	21
9	14	7	7	10	11	6	9	17	6	5		1		22
6	8	6	4	5	9	4	5	12	3	3				23
3	6	1	3	5	2	2	4	5	3	2		1		24
13	11	8	16	7	10	4	7	7	5	3				25
10	5	5	10	6	5	3	5	5	4	1				26
3	6	3	6	1	5	1	2	2	1	2				27
70	82	61	71	62	55	49	45	41	28	22	9	2		28
41	53	42	49	38	29	33	21	26	11	9	2			29
29	29	19	22	24	26	16	24	15	17	13	7	2		30
35	37	24	38	28	29	44	37	27	21	15	4	3	1	31
16	12	8	18	13	15	20	17	13	6	10	1	1		32
19	25	16	20	15	14	24	20	14	15	5	3	2	1	33
13	5	5	9	11	8	14	12	19	12	18	7	1	1	34
6	2	1	7	6	4	9	8	11	4	10	4	1		35
7	3	4	2	5	4	5	4	8	8	8	3		1	36
11	9	7	13	12	7	6	6	13	8	3	4		1	37
3	4	1	7	7	5	5	3	8	5	2	2			38
8	5	6	6	5	2	1	3	5	3	1	2		1	39
6	8	8	6	10	14	19	12	16	13	10	6	3		40
3	6	3	3	6	7	8	3	11	6	3	3	1		41
3	2	5	3	4	7	11	9	5	7	7	3	2		42
155	147	133	133	119	128	139	152	147	91	92	44	15	7	43
78	61	72	62	66	59	77	74	70	55	41	17	6	3	44
77	86	61	71	53	69	62	78	77	36	51	27	9	4	45
3	5	3	3	3	3	5	3		1	2	1	1		46
2	3	3	2	3	3	2	2		1		1	1		47
1	2		1			3	1			2				48
13	10	9	4	9	7	11	8	17	14	6	2			49
4	6	2	2	6	4	7	4	11	4	2	1			50
9	4	7	2	3	3	4	4	6	10	4	1			51
8	10	6	5	3	1	2		1	5					52
5	4	3	4	3		2			3					53
3	6	3	1		1			1	2					54
7	4	5	6	9	7	6	5	8	3		2			55
4	2	3	4	6	2	3	3	3	1		1			56
3	2	2	2	3	5	3	2	5	2		1			57
9	11	15	6	10	8	12	15	24	20	13	9	6		58
4	2	8	3	5	4	4	4	11	6	4	4	3		59
5	9	7	3	5	4	8	11	13	14	9	5	3		60
18	19	22	13	19	18	23	24	19	28	20	11	1	1	61
8	11	10	9	10	9	15	15	3	14	10	6			62
10	8	12	4	9	9	8	9	16	14	10	5	1		63
50	56	37	42	39	25	31	29	24	15	9	6	4	3	64
29	35	20	25	25	9	19	21	19	7	6	3	2		65
21	21	17	17	14	16	12	8	5	8	3	3	2	3	66
19	16	12	12	13	22	15	22	19	26	15	9	2	3	67
7	9	7	7	7	12	8	12	10	18	10	4	1	2	68
12	7	5	5	6	10	7	10	9	8	5	5	1	1	69
22	16	13	13	20	19	11	14	21	14	12	6		1	70
11	8	8	5	12	10	6	8	9	7	9	2			71
11	8	5	8	8	9	5	6	12	7	3	4		1	72
9	4	1	8	16	14	24	17	11	13	7	2			73
4	2		5	9	5	6	10	7	7	2				74
5	2	1	3	7	9	18	7	4	6	5	2			75
228	204	207	183	201	228	192	185	160	120	68	29	5	3	76
118	110	129	104	110	112	103	105	76	56	39	11		1	77
110	94	78	79	91	116	89	80	84	64	29	18	5	2	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Johnstown, N. Y	135	25	2	2		1	30	1	1	4	6	4
2	Males	79	17	2	2		1	22			1	5	
3	Females	56	8					8	1	1	3	1	4
4	Johnstown, Pa	710	198	50	25	18	7	298	27	17	30	33	42
5	Males	414	111	26	14	12	4	167	16	8	21	21	28
6	Females	296	87	24	11	6	3	131	11	9	9	12	14
7	Kalamazoo, Mich	416	59	11	7	3	1	81	5	7	14	14	13
8	Males	229	36	8	4	1	1	50	2	5	5	6	6
9	Females	187	23	3	3	2		31	3	2	9	8	7
10	Kansas City, Mo	2,852	514	169	51	43	33	810	75	62	101	185	176
11	Males	1,558	289	89	25	25	16	444	41	31	42	90	80
12	Females	1,294	225	80	26	18	17	366	34	31	59	95	96
13	Keene, N. H	125	20	1	2			23	3	2	5	7	2
14	Males	61	13	1				15	1	1	2	2	
15	Females	64	7		1			8	2	1	3	5	2
16	Keokuk, Iowa	279	34	11	6	5		56	5	1	6	13	18
17	Males	143	22	7	3	1		33	1	1	3	10	7
18	Females	136	12	4	3	4		23	4		3	3	11
19	Key West, Fla	486	159	30	12	4	1	206	16	6	13	22	28
20	Males	280	90	14	7	2		113	9	3	6	15	18
21	Females	206	69	16	5	2	1	93	7	3	7	7	10
22	Kingston, N. Y	442	76	16	8	7	6	113	9	5	14	21	23
23	Males	206	35	7	1	5	4	52	3	2	6	10	13
24	Females	236	41	9	7	2	2	61	6	3	8	11	10
25	Laconia, N. H	163	33	6	6	1	3	49	5	2	1	8	3
26	Males	86	17	5	3		1	26	1	1		4	
27	Females	77	16	1	3	1	2	23	4	1	1	4	3
28	Lafayette, Ind	296	45	10	4	2	2	63	10	9	11	16	8
29	Males	159	29	8	3	1	2	43	4	6	6	10	4
30	Females	137	16	2	1	1		20	6	3	5	6	4
31	Lancaster, Pa	724	130	34	19	17	10	210	32	21	28	20	20
32	Males	388	78	21	11	7	3	120	17	6	12	8	12
33	Females	336	52	13	8	10	7	90	15	15	16	12	8
34	Lansing, Mich	232	31	5	4		3	43	9	4	8	10	8
35	Males	114	20	3			2	25	4		5	3	3
36	Females	118	11	2	4		1	18	5	4	3	7	5
37	Lansingburg, N. Y	248	45	8	11	2	2	68	11	3	7	11	16
38	Males	122	23	6	5	2	1	37	7	2	5	3	7
39	Females	126	22	2	6		1	31	4	1	2	8	9
40	Lawrence, Kans	179	27	12	5	1	1	46	6	1	6	8	11
41	Males	85	13	7	1			21	4	1	3	4	4
42	Females	94	14	5	4	1	1	25	2		3	4	7
43	Lawrence, Mass	1,262	385	83	31	23	14	536	38	19	27	49	43
44	Males	644	224	40	12	8	4	288	22	8	15	23	19
45	Females	618	161	43	19	15	10	248	16	11	12	26	24
46	Leadville, Colo	351	58	15	5	2	6	86	15	2	12	22	27
47	Males	237	26	7	1	1	3	38	11	2	8	15	22
48	Females	114	32	8	4	1	3	48	4		4	7	5
49	Leavenworth, Kans	419	78	21	9	7	3	118	10	6	7	21	16
50	Males	218	40	6	7	4	1	58	5	5	1	13	9
51	Females	201	38	15	2	3	2	60	5	1	6	8	7
52	Lebanon, Pa	326	62	16	8	10	4	100	10	8	11	9	13
53	Males	161	40	9	2	6	2	59	3	4	6	3	4
54	Females	165	22	7	6	4	2	41	7	4	5	6	9
55	Leominster town, Mass	176	37	7	5	4		53	6	3	3	5	5
56	Males	79	23	4	4	3		34	4	3	1	4	
57	Females	97	14	3	1	1		19	2		2	1	5
58	Lima, Ohio	377	77	16	12	3	2	110	9	10	17	18	22
59	Males	204	49	7	7	3	1	67	7	2	5	4	13
60	Females	173	28	9	5		1	43	2	8	12	14	9
61	Lincoln, Nebr	476	80	30	9	9	1	129	9	6	12	22	28
62	Males	262	46	13	2	4	1	66	4	4	5	12	18
63	Females	214	34	17	7	5		63	5	2	7	10	10
64	Lockport, N. Y	259	36	15	1	4	4	60	6	3	12	7	4
65	Males	131	24	7		2	2	35	5	2	4	5	2
66	Females	128	12	8	1	2	2	25	1	1	8	2	2
67	Los Angeles, Cal	1,837	253	39	21	24	17	354	62	37	53	80	121
68	Males	1,121	159	26	11	16	7	219	30	17	22	43	68
69	Females	736	94	13	10	8	10	135	32	20	31	37	53
70	Louisville, Ky	4,092	685	204	102	57	46	1,094	106	70	168	238	255
71	Males	2,106	386	110	51	23	18	588	56	35	79	118	120
72	Females	1,986	299	94	51	34	28	506	50	35	89	120	135
73	Lowell, Mass	1,876	572	105	35	29	17	758	44	20	42	80	78
74	Males	934	334	48	19	16	5	422	23	9	22	40	40
75	Females	942	238	57	16	13	12	336	21	11	20	40	38
76	Lynchburg, Va	523	127	32	14	15	7	195	16	14	25	34	17
77	Males	248	61	15	7	8	3	94	12	5	7	12	8
78	Females	275	66	17	7	7	4	101	4	9	18	22	9

AGE AND SEX.

37

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
3	4	7	5	6	6	7	10	10	11	12	5	3		1
1	3	4	2	2	3	3	7	7	6	9	3	1		2
2	1	3	3	4	3	4	3	3	5	3	2	2		3
27	30	20	33	16	22	21	28	21	15	18	7	2		3
20	18	14	26	12	9	10	12	7	10	9	2	2		4
7	12	6	7	4	13	11	16	14	5	9	5			5
25	23	20	24	21	16	34	26	26	17	32	12	4		6
16	14	9	13	13	12	20	9	17	7	17	6	1		7
9	9	11	11	8	4	14	17	9	10	15	6	3		8
175	187	144	149	129	140	112	127	112	66	62	19	7	6	9
97	102	83	84	76	84	73	69	62	43	34	10	2	3	10
78	85	61	65	53	56	39	58	50	23	28	9	5	3	11
8	2	3	4	3	7	4	21	11	7	10	1	1	1	12
3	1	1	2	2	2	2	12	5	4	6				13
5	1	2	2	1	5	2	9	6	3	4	1	1	1	14
12	16	15	4	11	12	14	18	17	27	10	8	1		15
6	10	7	2	6	6	9	10	8	11	2	3	1		16
6	6	8	2	5	6	5	8	9	16	8	5			17
17	24	24	16	18	19	20	13	19	10	7	5		1	18
10	14	16	12	9	9	13	10	9	7	2	3			19
7	10	8	4	9	10	7	3	10	3	5	2		1	20
13	14	14	12	24	28	29	41	26	29	16	8	2		21
6	7	8	7	11	17	12	15	10	11	9	6			22
7	7	6	5	13	11	17	26	16	18	7	2	2		23
9	4	2	3	6	9	10	9	13	11	9	8		1	24
4	1	2	1	4	6	7	5	6	4	9	5			25
5	3		2	2	3	3	4	7	7		3		1	26
12	15	11	14	13	20	15	20	25	15	11	6	1		27
5	11	3	7	7	13	7	5	15	7	3	2			28
7	4	8	7	6	7	8	15	10	8	8	4	1		29
30	27	28	27	19	23	39	55	59	38	32	12	4		30
15	21	19	13	12	9	25	28	34	18	14	4	1		31
15	6	9	14	7	14	14	27	25	20	18	8	3		32
11	7	10	12	8	9	19	13	14	19	16	8	2	1	33
6	5	5	5	6	6	10	5	7	7	6	4	1		34
5	2	5	7	2	3	9	8	7	12	10	4	1	1	35
8	12	8	9	15	15	13	13	16	3	13	2	2		36
1	5	5	4	9	11	5	7	6		5	1	1		37
7	7	3	5	6	4	8	6	10	3	8	1	1		38
7	4	8	9	4	12	9	9	11	11	9	4	1		39
2	2	3	4	3	9	2	5	6	4	5	1		1	40
5	2	5	5	1	3	7	4	5	7	4	3	1	1	41
45	56	45	46	52	65	61	54	41	38	20	15	5	2	42
19	37	21	22	24	27	32	22	21	21	12	7	1		43
26	19	24	24	28	38	29	32	19	17	8	8	4	2	44
21	24	25	19	34	11	16	10	7	7	1	2			45
14	20	21	18	27	5	12	8	4	4	1				46
7	4	4	1	7	6	4	2	3	3		2			47
15	16	22	17	17	20	29	30	25	21	8	8	8	1	48
7	9	13	9	10	13	18	14	10	9	6	3	3		49
8	7	9	8	7	7	11	16	15	12	2	5	5	1	50
7	13	20	11	13	18	22	16	22	13	11	8		1	51
5	8	10	9	8	8	9	7	8	8	1				52
2	5	10	2	5	10	13	9	14	5	10	8		1	53
10	6	6	4	8	12	10	12	11	17	6	4			54
4	3		2	2	3	5	5	2	6	1				55
6	3	6	2	1	9	5	7	9	11	5	4			56
16	26	22	12	18	11	17	16	15	13	9	8	2		57
4	14	18	8	11	6	7	11	9	5	6		1		58
12	12	4	4	7	5	10	5	6	8	3	8	1		59
27	23	29	26	27	19	25	26	26	19	13	6	1	1	60
16	11	12	11	19	11	16	16	14	14	6	6			61
11	12	17	15	8	8	9	10	12	5	7		1	1	62
8	13	12	4	11	9	20	18	17	14	14				63
4	5	8	3	4	6	7	10	6	7	8	10	2	2	64
4	8	4	1	7	3	13	14	12	10	6	6	2	2	65
120	139	134	116	109	90	109	93	80	68	45	20	6	6	66
87	87	74	72	71	63	69	65	47	40	22	6	3	1	67
33	52	60	37	38	27	40	28	33	25	23	14	3	5	68
188	243	173	169	212	201	193	196	188	142	96	51	13	11	69
101	133	101	90	110	112	92	99	89	63	50	25	4	1	70
87	110	72	79	102	89	101	97	99	79	46	26	9	10	71
83	83	69	72	92	83	72	81	76	66	45	20	6	6	72
37	32	33	37	49	34	27	37	34	26	22	6	3	1	73
46	51	36	35	43	49	45	44	42	40	23	14	3	5	74
21	16	24	25	20	13	25	19	22	12	12	3	1	3	75
7	11	13	15	9	5	15	9	15	4	5	1			76
14	5	11	10	11	8	10	10	7	8	7	2	1	2	77

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Lynn, Mass	1,124	213	39	19	13	6	290	29	20	33	41	51
2	Males	582	125	25	10	5	3	168	23	10	14	25	32
3	Females	542	88	14	9	8	3	122	6	10	19	16	19
4	McKeesport, Pa.	592	192	47	18	9	11	277	30	9	14	31	31
5	Males	311	99	23	9	4	6	141	12	6	11	19	19
6	Females	281	93	24	9	5	5	136	18	3	3	12	12
7	Madison, Wis	216	33	5	5	5	2	50	8	6	3	11	13
8	Males	118	21	4	3	3	2	33	6	3	2	5	4
9	Females	98	12	1	2	2	—	17	2	3	1	6	—
10	Mahanoy, Pa	360	100	31	13	8	1	153	8	7	9	11	15
11	Males	212	58	11	9	6	—	84	5	5	7	8	10
12	Females	148	42	20	4	2	1	69	3	2	2	3	5
13	Malden, Mass	486	100	17	9	5	4	135	11	5	15	13	22
14	Males	222	57	8	1	4	2	72	6	2	9	5	10
15	Females	264	43	9	8	1	2	63	5	3	6	8	12
16	Manchester, N. H.	1,092	323	89	33	21	10	481	17	15	28	45	47
17	Males	519	171	45	13	10	5	247	8	6	16	17	24
18	Females	573	157	41	20	11	5	234	9	9	12	28	23
19	Manchester town, Conn ..	126	35	4	3	2	—	44	1	2	6	5	9
20	Males	68	22	3	—	—	—	25	—	1	5	2	7
21	Females	58	13	1	3	2	—	19	1	1	1	3	2
22	Manitowoc, Wis	168	41	6	—	3	4	54	8	5	7	9	6
23	Males	90	20	2	—	1	1	24	4	3	4	4	4
24	Females	78	21	4	—	2	3	30	4	2	3	5	2
25	Mankato, Minn	159	24	8	4	2	2	40	9	8	4	6	4
26	Males	98	10	7	4	—	1	22	7	5	1	4	4
27	Females	61	14	1	—	2	1	18	2	3	3	2	—
28	Marietta, Ohio	182	28	6	2	—	—	36	4	1	11	7	10
29	Males	101	18	3	—	—	—	21	4	1	6	5	6
30	Females	81	10	3	2	—	—	15	—	—	5	2	4
31	Marinette, Wis	232	71	24	3	3	4	105	13	3	3	12	13
32	Males	122	41	13	3	2	2	61	3	2	1	5	8
33	Females	110	30	11	—	1	2	44	10	1	2	7	5
34	Marlboro, Mass	219	55	14	4	4	—	77	6	3	7	9	10
35	Males	110	37	3	2	3	—	45	2	1	4	3	6
36	Females	109	18	11	2	1	—	32	4	2	3	6	4
37	Marquette, Mich	167	43	10	3	2	2	60	9	1	6	6	16
38	Males	99	28	3	1	—	1	33	5	—	4	5	10
39	Females	68	15	7	2	2	1	27	4	1	2	1	6
40	Marshalltown, Iowa	181	27	9	6	1	1	44	5	3	10	15	11
41	Males	106	15	7	3	—	1	26	1	1	2	8	8
42	Females	75	12	2	3	1	—	18	4	2	8	7	3
43	Massillon, Ohio	197	20	4	3	—	—	27	6	2	6	7	9
44	Males	109	11	2	2	—	—	15	4	1	3	3	2
45	Females	88	9	2	1	—	—	12	2	1	3	4	7
46	Meadville, Pa	185	18	4	1	1	1	25	5	2	6	7	12
47	Males	96	8	2	1	—	—	11	1	—	2	4	8
48	Females	89	10	2	—	1	1	14	4	2	4	3	4
49	Medford, Mass	262	49	8	5	3	4	69	7	4	5	8	11
50	Males	125	28	5	—	1	1	35	7	3	4	4	5
51	Females	137	21	3	5	2	3	34	—	1	1	4	6
52	Melrose, Mass	191	29	5	2	2	2	40	2	4	3	8	11
53	Males	98	15	4	1	1	—	21	1	3	2	5	6
54	Females	93	14	1	1	1	2	19	1	1	1	3	5
55	Memphis, Tenn	2,572	378	151	61	45	30	665	117	65	115	199	214
56	Males	1,436	207	79	25	22	17	350	51	31	55	108	126
57	Females	1,136	171	72	36	23	13	315	66	34	60	91	88
58	Menominee, Mich	179	44	14	7	3	3	71	5	5	6	13	13
59	Males	101	26	11	5	1	2	45	1	1	4	8	8
60	Females	78	18	3	2	2	1	26	4	4	2	5	5
61	Meriden town, Conn	409	72	10	8	4	4	98	9	5	10	11	12
62	Males	213	37	5	4	2	2	50	6	3	6	4	6
63	Females	196	35	5	4	2	2	48	3	2	4	7	6
64	Michigan City, Ind	210	58	6	5	2	2	73	14	6	5	3	7
65	Males	118	27	3	3	1	2	36	10	3	2	1	3
66	Females	92	31	3	2	1	—	37	4	3	3	2	4
67	Middletown, N. Y	253	41	6	1	2	2	52	4	2	6	14	13
68	Males	117	24	2	1	1	—	28	1	2	4	6	7
69	Females	136	17	4	—	1	2	24	3	—	2	8	6
70	Middletown, Ohio	145	20	7	4	2	—	33	4	2	6	5	8
71	Males	84	15	4	2	2	—	23	3	2	—	4	4
72	Females	61	5	3	2	—	—	10	1	—	6	1	4
73	Middletown town, Conn ..	290	36	7	2	1	3	49	11	2	7	7	15
74	Males	138	20	3	1	—	—	24	8	1	4	4	8
75	Females	152	16	4	1	1	3	25	3	1	3	3	7
76	Milford town, Mass	207	38	8	3	3	1	53	2	3	4	10	12
77	Males	116	23	7	1	2	1	34	—	2	3	7	7
78	Females	91	15	1	2	1	—	19	2	1	1	3	5

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
51	60	54	49	51	52	68	75	77	44	39	27	8	3	2
29	28	21	20	25	28	34	40	37	16	14	12	2	2	2
22	32	33	29	26	24	34	35	40	28	25	15	6	1	3
30	19	26	24	20	18	13	22	9	10	8	1			4
15	9	16	19	12	7	4	10	5	2	4				5
15	10	10	5	8	11	9	12	4	8	4	1			6
8	9	8	7	6	12	14	15	15	11	12	4	3	1	7
6	7	6	3	3	7	7	9	3	7	6		1		8
2	2	2	4	3	5	7	6	12	4	6	4	2	1	9
15	22	13	13	12	23	14	17	11	11	1	1			4
8	17	9	10	8	14	11	6	4	5					1
7	5	4	3	4	9	3	11	7	6	1	1			3
22	23	24	22	18	19	28	41	23	22	22	12	7	1	1
8	8	10	10	11	8	11	20	9	4	13	6			13
14	15	14	12	7	11	17	21	14	18	9	6	7	1	14
														15
46	36	36	31	39	49	46	54	36	36	23	14	6	2	5
26	16	16	19	14	22	22	21	16	7	15	4	2		1
20	20	20	12	25	27	24	33	20	29	8	10	4	2	4
5	5	4	4	5	3	3	6	7	8	2	2	4		1
2	2	2	1	2	1	1	5	5	4	2		1		20
3	3	2	3	3	2	2	1	2	4		2	3		1
8	10	2	2	9	4	5	7	9	6	6	4	2		5
4	7	2	1	6	1	3	2	6	4	4	2			5
4	3		1	3	3	2	5	3	2	2	2	2		23
														24
6	6	11	10	3	4	11	10	10	7	4	5		1	25
4	5	7	8	2	3	8	3	6	3	3	3			26
2	1	4	2	1	1	3	7	4	4	1	2		1	27
7	10	6	6	3	11	8	14	16	9	13	9	1		28
4	4	4	3	1	5	5	5	9	6	7	5			29
3	6	2	3	2	6	3	9	7	3	6	4	1		30
14	9	8	5	7	6	6	6	5	10	2	4			1
8	5	5	3	5	3	1	2	2	6	1	1			31
6	4	3	2	2	3	5	4	3	4	1	3			32
12	7	5	5	4	9	12	14	12	12	10	4	1		33
6	4	2	3	1	3	7	5	6	7	4	1			34
6	3	3	2	3	6	5	9	6	5	6	3	1		35
														36
6	15	1	8	4	10	7	4	5	6	2		1		37
4	10	1	5	3	5	7	3	2	2					38
2	5		3	1	5		1	3	4	2		1		39
11	6	9	8	5	6	11	5	12	10	6	3	1		40
8	4	5	6	4	4	6	5	7	4	5	2			41
3	2	4	2	1	2	5		5	6	1	1	1		42
17	6	12	7	11	11	15	9	23	15	10	3		1	43
8	3	8	5	6	7	10	4	13	8	8	1			44
9	3	4	2	5	4	5	5	10	7	2	2		1	45
9	11	4	10	8	10	14	18	14	20	9	1			46
7	6	3	4	6	6	10	7	5	12	4				47
2	5	1	6	2	4	4	11	9	8	5	1			48
6	7	10	15	15	14	13	16	15	22	13	12			49
3	3	9	5	9	6	5	6	5	7	5	4			50
3	4	1	10	6	8	8	10	10	15	8	8			51
9	7	9	5	6	5	14	13	14	23	12	3	3		52
5	4	3	2	3	3	8	7	7	9	6	2	2		53
4	3	6	3	3	2	6	6	7	14	6	1	1		54
158	175	138	138	147	107	94	87	61	36	24	10	9	5	8
101	110	95	84	93	67	53	46	28	17	10	3	3	2	3
57	65	43	54	54	40	41	41	33	19	14	7	6	3	5
5	9	9	5	9	10	3	4	3	3	2	1		2	1
1	6	2	3	6	6	1	4	2	1				1	1
4	3	7	2	3	4	2		1	2	2	1		1	60
16	16	19	19	27	23	33	26	26	28	17	10	1		3
10	10	10	9	14	13	16	14	11	14	10	4	1		2
6	6	9	10	13	10	17	12	15	14	7	6			1
4	4	12	9	10	9	8	12	12	12	4	4		1	64
2	3	9	6	6	5	6	6	6	6	4	3		1	65
2	1	3	3	4	4	2	6	6	6		1			1
13	14	10	7	5	12	23	23	18	18	11	8			67
9	9	2	1	3	7	7	8	8	7	4	4			68
4	5	8	6	2	5	16	15	10	11	7	4			69
5	8	7	9	6	8	12	10	12	6	2	1			1
2	3	4	4	2	4	8	8	4	6	1	1			1
3	5	3	5	4	4	4	2	8		1				72
16	14	14	8	10	20	13	23	28	20	20	6	2	1	4
8	11	7	5	2	10	6	10	14	4	8	2	1		73
8	3	7	3	8	10	7	13	14	16	12	4	1	1	3
5	8	2	3	12	19	11	14	17	21	8	2		1	76
3	5		2	10	10	5	5	6	11	6				77
2	3	2	1	2	9	6	9	11	10	2	2		1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Millville, N. J.	176	38	6	1	3	3	51	11	7	7	7	8
2	Males	81	25	4		1		30	6	4	3	1	2
3	Females	95	13	2	1	2	3	21	5	3	4	6	6
4	Milwaukee, Wis.	4,550	1,347	240	111	89	65	1,852	171	72	133	175	150
5	Males	2,496	729	120	57	51	34	991	91	32	69	76	71
6	Females	2,054	618	120	54	38	31	861	80	40	64	99	79
7	Minneapolis, Minn.	2,183	429	79	47	31	21	607	80	56	74	119	103
8	Males	1,154	230	42	20	18	10	320	43	24	34	52	41
9	Females	1,029	199	37	27	13	11	287	37	32	40	67	62
10	Mobile, Ala.	995	227	35	13	10	4	289	19	22	28	62	56
11	Males	548	126	16	9	2	2	155	6	11	16	37	31
12	Females	447	101	19	4	8	2	134	13	11	12	25	25
13	Montclair, N. J.	217	56	13	7	2	5	83	4	1	8	5	13
14	Males	98	33	4	4	1	3	45	1		3	4	6
15	Females	119	23	9	3	1	2	38	3	1	5	1	7
16	Morristown, N. J.	191	34	10	5		1	50	4	3	3	12	12
17	Males	103	21	8	5		1	35	2	3	2	8	6
18	Females	88	13	2				15	2		1	4	6
19	Mt. Carmel, Pa.	295	95	42	19	10	9	175	4	3	8	8	12
20	Males	163	57	18	9	4	3	91	2	1	5	8	9
21	Females	132	38	24	10	6	6	84	2	2	3		3
22	Mt. Vernon, N. Y.	411	145	51	15	6	4	221	13	8	9	9	5
23	Males	203	76	29	8		1	114	6	2	3	2	4
24	Females	208	69	22	7	6	3	107	7	6	6	7	1
25	Muncie, Ind.	286	67	10	7	2	2	88	4	10	18	18	22
26	Males	146	42	4	3	2	1	52	2	6	8	6	7
27	Females	140	25	6	4		1	36	2	4	10	12	15
28	Muscatine, Iowa.	240	35	7		1		43	2	3	7	10	9
29	Males	147	19	4				23	2	2	4	4	6
30	Females	93	16	3		1		20		1	3	6	3
31	Muskegon, Mich.	255	57	15	8	8	1	89	7	4	9	7	12
32	Males	139	36	10	3	4	1	54	2	1	5	2	6
33	Females	116	21	5	5	4		35	5	3	4	5	6
34	Nashua, N. H.	479	140	28	24	19	4	215	15	9	12	15	14
35	Males	237	76	13	15	4	3	111	9	4	7	8	7
36	Females	242	64	15	9	15	1	104	6	5	5	7	7
37	Nashville, Tenn.	2,042	364	144	54	35	26	623	82	53	102	138	127
38	Males	1,039	188	82	33	18	15	336	47	15	49	70	57
39	Females	1,003	176	62	21	17	11	287	35	38	53	68	70
40	Natchez, Miss.	485	61	15	12		2	90	15	9	23	48	50
41	Males	270	32	9	6			47	9	1	15	28	27
42	Females	215	29	6	6		2	43	6	8	8	20	23
43	Natick town, Mass.	133	13	4	2	1		20	2	1	5	1	4
44	Males	80	7	3		1		11	2	1	3	1	2
45	Females	53	6	1	2			9			2		2
46	Naugatuck town, Conn.	179	54	10	4	1	2	71	4	3	3	6	12
47	Males	86	32	8	3	1	1	45	3	1	1	2	8
48	Females	93	22	2	1		1	26	1	2	2	4	4
49	Newark, N. J.	4,866	1,120	350	150	88	87	1,795	145	69	114	162	200
50	Males	2,622	660	176	80	38	42	996	73	37	68	85	121
51	Females	2,244	460	174	70	50	45	799	72	32	46	77	79
52	Newark, Ohio.	269	52	9	1	4	1	67	5		8	12	17
53	Males	153	34	5		3	1	43	3		4	7	7
54	Females	116	18	4	1	1		24	2		4	5	10
55	New Bedford, Mass.	1,154	346	51	29	19	12	457	21	21	33	50	37
56	Males	601	204	31	16	10	8	269	13	11	21	22	17
57	Females	553	142	20	13	9	4	188	8	10	17	28	20
58	New Britain town, Conn.	483	145	19	12	9	5	190	19	4	7	18	15
59	Males	247	75	11	6	7	3	102	3	2	2	11	7
60	Females	236	70	8	6	2	2	88	16	2	5	7	8
61	New Brunswick, N. J.	425	90	13	8	5	1	117	12	6	11	9	17
62	Males	215	48	10	4	1		63	6	3	5	4	9
63	Females	210	42	3	4	4	1	54	6	3	6	5	8
64	Newburg, N. Y.	500	70	18	10	9	9	116	16	9	14	21	24
65	Males	226	37	11	5	3	5	61	7	2	7	7	10
66	Females	274	33	7	5	6	4	55	9	7	7	14	14
67	Newburyport, Mass.	312	38	11	10	5	4	68	3	5	7	9	11
68	Males	147	20	3	6	4	1	34	1	1	4	6	7
69	Females	165	18	8	4	1	3	34	2	4	3	3	4
70	Newcastle, Pa.	437	93	20	7	7	5	132	11	6	20	26	34
71	Males	259	57	7	3	3	2	72	8	4	9	12	19
72	Females	178	36	13	4	4	3	60	3	2	11	14	15
73	New Haven town, Conn.	1,862	376	73	26	23	13	511	34	19	36	77	86
74	Males	953	215	38	13	17	7	290	18	6	19	43	49
75	Females	909	161	35	13	6	6	221	16	13	17	34	37
76	New London, Conn.	345	72	6	6	3	2	89	12	7	6	11	9
77	Males	179	35	6	5	1		47	7	5	4	6	2
78	Females	166	37		1	2	2	42	5	2	2	5	7

AGE AND SEX.

41

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.

80-84	85-89	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
8	8	5	1	4	12	9	10	13	6	6	-----	2	-----	1
2	3	3	-----	-----	6	2	4	9	3	2	-----	-----	-----	1
6	5	2	1	4	6	7	6	4	3	4	-----	2	-----	3
160	167	191	134	146	178	189	196	230	184	125	69	20	5	3
94	101	120	80	93	117	105	109	139	93	66	36	9	2	2
66	66	71	54	53	61	84	87	91	91	59	33	11	3	1
108	128	126	98	110	83	93	108	107	73	64	29	10	2	5
54	67	67	57	62	59	56	58	61	37	39	15	4	1	3
54	61	59	41	48	24	37	50	46	36	25	14	6	1	2
63	65	45	61	37	41	58	47	34	24	15	17	5	3	4
34	42	31	33	21	24	33	23	25	12	6	5	1	1	11
29	23	14	28	16	17	25	24	9	12	9	12	4	2	3
8	10	9	6	9	11	7	7	11	9	8	4	2	1	1
1	4	5	3	4	6	2	4	4	4	1	1	-----	-----	14
7	6	4	3	5	5	5	3	7	5	7	3	2	1	15
6	7	6	8	8	10	11	13	11	11	7	4	3	-----	2
4	4	3	3	5	3	4	7	6	4	1	-----	1	-----	17
2	3	3	5	3	7	7	6	5	7	6	4	2	-----	18
10	4	12	9	5	7	9	11	6	5	4	2	-----	-----	1
8	3	7	6	3	4	1	6	3	2	3	1	-----	-----	20
2	1	5	3	2	3	8	5	3	3	1	1	-----	-----	21
11	14	12	9	13	7	20	9	14	14	16	6	-----	1	22
4	6	6	3	8	5	14	1	8	5	9	3	-----	-----	23
7	8	6	6	5	2	6	8	6	9	7	3	-----	1	24
13	9	18	9	3	11	6	18	7	16	10	4	1	-----	1
8	3	10	4	2	6	3	13	5	7	3	1	-----	-----	26
6	6	8	5	1	5	3	5	2	9	7	3	1	-----	1
11	6	14	7	10	19	10	21	25	20	13	7	2	-----	1
8	5	7	4	5	7	8	17	19	10	8	5	2	-----	1
3	1	7	3	5	12	2	4	6	10	5	2	-----	-----	30
8	7	10	8	6	12	16	22	13	12	11	2	-----	-----	31
4	4	6	4	2	9	6	13	7	6	6	2	-----	-----	32
4	3	4	4	4	3	10	9	6	6	5	-----	-----	-----	33
13	15	18	13	6	18	16	28	21	16	17	9	2	-----	7
5	8	10	6	5	8	5	13	7	7	8	3	-----	-----	35
8	7	8	7	1	10	11	15	14	9	9	6	2	-----	1
105	83	86	75	98	90	79	94	77	48	41	16	9	9	7
53	36	40	43	41	55	42	56	43	19	20	7	2	2	6
52	47	46	32	57	35	37	38	34	29	21	9	7	7	1
28	19	22	26	30	21	20	13	24	21	11	7	3	3	2
19	12	12	16	18	15	10	4	15	9	6	1	1	3	2
9	7	10	10	12	6	10	9	9	12	5	6	2	-----	42
5	2	6	10	8	9	14	13	11	12	10	-----	-----	-----	43
5	2	5	7	6	6	9	9	6	8	4	-----	-----	-----	44
6	4	8	7	5	8	11	13	6	1	5	3	-----	-----	3
3	2	5	3	2	1	4	5	5	-----	-----	1	-----	-----	47
3	2	3	4	3	7	7	8	6	1	5	2	-----	-----	3
216	279	240	216	223	259	221	221	181	164	109	37	10	5	49
115	186	146	132	119	135	122	83	74	68	39	14	6	3	50
101	93	94	84	104	124	99	138	107	96	70	23	4	2	51
11	17	11	13	19	9	16	20	13	10	11	8	1	-----	1
9	9	4	7	12	3	10	14	7	5	3	4	1	-----	1
2	8	7	6	7	6	6	6	6	5	8	4	-----	-----	54
28	36	34	34	45	50	51	51	48	66	41	26	14	2	4
11	22	16	15	19	20	28	30	24	27	20	9	5	-----	2
17	14	18	19	26	30	23	21	24	39	21	17	9	2	2
21	15	15	17	17	21	26	29	18	15	13	7	11	1	4
12	9	9	13	9	9	11	17	7	9	6	4	3	1	1
9	6	6	4	8	12	15	12	11	6	7	3	8	-----	3
19	15	16	17	17	17	28	33	28	30	19	7	4	2	1
9	9	5	11	11	11	20	17	12	9	8	5	-----	-----	62
10	6	11	8	6	6	8	16	16	21	11	2	4	2	1
26	19	20	19	28	27	38	30	29	32	17	8	5	1	1
9	12	12	8	14	13	17	11	10	11	8	5	1	-----	1
17	7	8	11	14	14	21	19	19	21	9	3	4	1	66
7	8	13	14	11	9	13	25	34	34	20	13	4	-----	4
3	5	8	5	8	4	7	10	13	13	9	6	2	-----	1
4	3	5	9	3	5	6	15	21	21	11	7	2	-----	3
23	25	24	13	15	14	15	18	21	13	12	4	4	-----	7
16	14	18	9	13	8	4	14	15	6	9	1	2	-----	6
7	11	6	4	2	6	11	4	6	7	3	3	2	-----	1
86	95	78	103	116	111	133	95	97	73	52	40	16	4	73
49	50	45	49	53	56	59	49	45	33	17	16	6	1	74
37	45	33	54	63	55	74	46	52	40	35	24	10	3	75
27	18	17	13	15	14	13	24	19	19	19	8	-----	1	4
13	14	8	8	9	7	7	7	13	12	3	4	-----	-----	3
14	4	9	5	6	7	6	17	6	7	16	4	-----	-----	1

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	New Orleans, La.-----	8,287	1,377	410	193	94	66	2,140	204	168	298	516	559
2	Males-----	4,524	771	188	110	53	39	1,161	98	102	149	274	325
3	Females-----	3,763	606	222	83	41	27	979	106	66	149	242	234
4	Newport, Ky.-----	572	112	31	13	8	6	170	11	13	16	26	26
5	Males-----	312	72	17	6	5	4	104	3	12	7	17	10
6	Females-----	260	40	14	7	3	2	66	8	1	9	9	16
7	Newport, R. I.-----	421	70	14	8	6	2	100	8	8	10	21	14
8	Males-----	223	47	8	4	5	1	65	4	7	5	11	8
9	Females-----	198	23	6	4	1	1	35	4	1	5	10	6
10	New Rochelle, N. Y.-----	246	53	15	9	8	5	90	12	7	2	12	6
11	Males-----	132	28	8	5	4	3	48	8	4	2	5	6
12	Females-----	114	25	7	4	4	2	42	4	3	2	7	6
13	Newton, Mass.-----	479	99	25	9	9	5	147	13	7	10	11	15
14	Males-----	240	61	18	7	5	2	93	8	3	7	5	8
15	Females-----	239	38	7	2	4	3	54	5	4	3	6	7
16	New York city, N. Y.-----	70,229	16,400	5,321	2,278	1,413	883	26,295	2,042	872	1,333	2,601	3,516
17	Males-----	37,499	9,089	2,841	1,172	724	437	14,263	1,041	415	657	1,251	1,873
18	Females-----	32,730	7,311	2,480	1,106	689	446	12,032	1,001	457	676	1,350	1,643
19	Bronx borough, N. Y.-----	3,624	776	256	111	72	53	1,268	113	58	81	147	187
20	Males-----	1,972	444	143	46	38	26	697	62	30	44	71	113
21	Females-----	1,652	332	113	65	34	27	571	51	28	37	76	74
22	Brooklyn borough, N. Y.-----	23,263	5,712	1,681	756	491	309	8,949	764	302	476	860	1,068
23	Males-----	12,063	3,192	878	403	238	146	4,857	375	134	215	412	542
24	Females-----	11,200	2,520	803	353	253	163	4,092	389	168	261	448	526
25	Manhattan borough, N. Y.-----	39,331	8,935	3,172	1,312	774	480	14,673	1,021	442	703	1,469	2,107
26	Males-----	21,254	4,909	1,706	675	411	240	7,941	536	214	360	707	1,128
27	Females-----	18,077	4,026	1,466	637	363	240	6,732	485	228	343	762	979
28	Queens borough, N. Y.-----	2,642	664	143	75	56	33	971	97	54	44	76	99
29	Males-----	1,416	369	76	37	25	19	526	43	28	25	36	55
30	Females-----	1,226	295	67	38	31	14	445	54	26	19	40	44
31	Richmond borough, N. Y.-----	1,369	313	69	24	20	8	434	47	16	29	49	55
32	Males-----	794	175	38	11	12	6	242	25	9	13	25	35
33	Females-----	575	138	31	13	8	2	192	22	7	16	24	20
34	Niagara Falls, N. Y.-----	297	77	9	2	1	3	92	10	4	8	14	20
35	Males-----	152	47	5	2	1	1	56	5	1	2	7	8
36	Females-----	145	30	4	2	1	2	36	5	3	6	7	12
37	Norfolk, Va.-----	1,173	282	64	33	19	10	408	27	20	44	70	63
38	Males-----	610	152	31	17	14	3	217	13	7	23	36	37
39	Females-----	563	130	33	16	5	7	191	14	13	21	34	26
40	Norristown, Pa.-----	524	66	6	6	2	3	83	7	9	12	18	24
41	Males-----	262	40	5	3	2	3	48	4	2	4	9	11
42	Females-----	262	26	1	3	2	3	35	3	7	8	9	13
43	North Adams, Mass.-----	334	91	17	6	1	2	117	7	5	10	22	12
44	Males-----	163	50	8	5	1	1	65	2	3	5	11	7
45	Females-----	171	41	9	1	1	1	52	5	2	5	11	5
46	Northampton, Mass.-----	281	43	10	7	3	3	66	5	5	6	9	17
47	Males-----	144	27	8	2	2	1	40	2	4	2	4	12
48	Females-----	137	16	2	5	1	2	26	3	1	4	5	5
49	Norwalk town, Conn.-----	299	53	7	7	3	3	73	9	3	5	10	8
50	Males-----	143	20	6	4	3	2	32	5	1	4	3	5
51	Females-----	156	33	1	3	3	1	41	4	2	1	7	3
52	Norwich town, Conn.-----	405	71	15	5	2	-----	93	13	9	11	11	16
53	Males-----	189	31	8	1	1	-----	41	5	6	6	3	8
54	Females-----	216	40	7	4	1	-----	52	8	3	5	8	8
55	Oakland, Cal.-----	1,121	131	34	14	14	9	202	21	25	22	53	64
56	Males-----	597	79	13	9	4	4	109	14	13	10	27	26
57	Females-----	524	52	21	5	10	5	93	7	12	12	26	38
58	Ogdensburg, N. Y.-----	204	41	1	5	3	-----	50	7	8	5	9	5
59	Males-----	101	22	1	1	1	-----	23	4	3	2	3	1
60	Females-----	103	19	1	4	3	-----	27	3	5	3	6	4
61	Oil City, Pa.-----	199	44	9	3	2	2	60	5	5	9	9	20
62	Males-----	117	28	5	1	1	1	35	4	3	7	4	10
63	Females-----	82	16	4	2	2	1	25	1	2	2	5	10
64	Olean, N. Y.-----	119	22	1	2	1	-----	26	4	4	2	4	5
65	Males-----	51	8	1	1	1	-----	10	1	2	2	2	4
66	Females-----	68	14	-----	1	1	-----	16	3	2	-----	2	1
67	Omaha, Nebr.-----	1,382	295	64	26	23	11	419	40	23	45	71	76
68	Males-----	793	163	35	11	13	5	227	21	9	25	34	44
69	Females-----	589	132	29	15	10	6	192	19	14	20	37	32
70	Orange, N. J.-----	490	118	38	23	8	4	191	19	7	10	20	30
71	Males-----	272	64	27	12	5	2	110	8	4	7	11	13
72	Females-----	218	54	11	11	3	2	81	11	3	3	9	17
73	Oskaloosa, Iowa-----	167	27	5	10	6	2	50	7	1	4	8	5
74	Males-----	86	16	2	6	3	1	28	4	-----	2	4	2
75	Females-----	81	11	3	4	3	1	22	3	1	2	4	3
76	Ottawa, Ill.-----	150	25	8	-----	-----	-----	33	3	2	6	6	1
77	Males-----	84	12	3	-----	-----	-----	15	2	1	3	5	1
78	Females-----	66	13	5	-----	-----	-----	18	1	1	3	1	-----

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
473	475	463	456	397	401	424	375	323	242	172	98	40	40	23
293	280	263	281	235	225	215	203	154	105	78	38	17	16	12
180	195	200	175	162	176	209	172	169	137	94	60	23	24	11
20	27	24	23	18	24	27	36	35	35	22	9	4	-----	6
9	13	21	11	9	13	10	18	19	16	10	4	2	-----	4
11	14	8	12	9	11	17	18	16	19	12	5	2	-----	2
13	15	18	18	20	22	31	35	27	25	14	15	2	3	2
8	6	10	9	11	12	16	22	12	8	5	1	-----	1	2
5	9	8	9	9	10	15	13	15	17	9	14	2	2	-----
12	9	10	9	10	7	12	10	19	7	5	4	2	1	-----
7	4	8	7	4	4	9	3	7	4	3	-----	1	-----	10
5	5	2	2	6	3	3	7	12	3	2	4	1	1	-----
12	17	12	19	21	24	23	27	39	29	29	18	3	2	1
5	9	7	7	8	12	12	13	15	12	9	5	1	-----	1
7	8	5	12	13	12	11	14	24	17	20	13	2	2	-----
3,757	3,889	3,450	3,212	3,347	3,254	3,264	2,970	2,638	1,877	1,081	589	171	63	8
2,110	2,277	2,041	1,865	1,949	1,718	1,632	1,523	1,224	900	460	224	58	14	4
1,647	1,612	1,409	1,347	1,398	1,536	1,632	1,447	1,414	977	621	365	113	49	4
196	197	172	141	147	174	173	185	142	115	73	36	15	2	2
122	121	106	82	95	88	71	107	65	46	35	11	4	-----	2
74	76	66	59	52	86	102	78	77	69	38	25	11	2	-----
1,190	1,154	1,036	978	1,037	1,078	1,062	967	935	718	391	211	59	26	2
637	643	584	534	599	536	512	470	427	329	153	82	15	6	1
533	511	452	444	438	542	550	497	508	339	238	129	44	20	1
2,212	2,326	2,061	1,926	1,984	1,824	1,829	1,614	1,349	879	517	282	77	33	3
1,254	1,389	1,245	1,141	1,151	1,003	948	830	619	430	211	104	35	7	1
958	937	816	785	833	821	881	784	730	449	306	178	42	26	2
104	153	136	107	111	120	135	129	123	93	48	32	8	1	1
63	85	79	67	62	60	70	71	60	44	26	16	-----	-----	-----
41	68	57	40	49	60	65	58	63	49	22	16	8	1	-----
55	59	45	60	68	58	65	75	89	72	52	28	12	1	-----
34	39	27	41	42	31	31	45	53	51	35	11	4	1	-----
21	20	18	19	26	27	34	30	36	21	17	17	8	-----	-----
13	19	10	13	15	12	22	7	10	13	8	5	1	-----	1
7	10	8	8	7	8	7	4	3	4	6	2	1	-----	1
6	9	2	5	8	4	15	6	7	9	2	3	-----	-----	-----
60	62	68	70	48	48	45	44	29	26	16	11	2	5	7
33	39	37	39	29	30	19	14	11	8	9	3	-----	1	5
27	23	31	31	19	18	26	30	18	18	7	8	2	4	2
21	35	50	26	28	27	31	33	37	37	25	14	4	-----	3
10	19	30	14	15	18	14	10	18	16	9	6	2	-----	3
11	16	20	12	13	9	17	23	19	21	16	8	2	-----	42
19	12	11	8	16	16	17	19	19	10	7	5	1	-----	1
10	4	3	1	11	6	5	10	9	5	3	1	1	-----	1
9	8	8	7	5	10	12	9	10	5	4	4	-----	-----	45
7	8	10	6	9	22	13	16	23	29	13	11	4	2	-----
6	4	6	4	4	8	9	4	10	11	6	4	2	-----	46
1	4	4	2	5	14	4	12	13	18	7	7	2	-----	47
12	11	9	13	12	18	18	16	25	20	21	13	2	1	-----
6	8	5	7	2	10	13	6	12	5	11	6	2	-----	49
6	3	4	6	10	8	5	10	13	15	10	7	-----	1	50
14	19	14	13	22	25	26	29	28	34	19	5	3	1	-----
6	10	8	3	14	9	9	19	16	15	9	1	1	-----	52
8	9	6	10	8	16	17	10	12	19	10	4	2	1	-----
48	61	57	61	53	57	68	97	88	74	39	19	5	3	55
24	33	29	34	30	28	31	52	54	43	24	11	1	2	56
24	28	28	27	23	29	37	45	34	31	15	8	4	1	2
9	9	9	4	5	6	16	18	11	11	16	2	2	2	58
3	6	2	2	4	5	7	12	7	6	8	1	1	-----	59
6	3	7	2	1	1	9	6	4	5	8	1	1	1	60
10	12	5	3	7	5	12	17	8	7	1	2	-----	-----	61
6	8	3	2	5	4	7	9	2	5	1	2	-----	-----	62
4	4	2	1	2	1	5	8	6	2	-----	-----	-----	-----	63
7	7	4	4	6	7	8	10	4	7	4	4	1	1	-----
3	3	2	1	2	3	2	5	3	3	1	1	-----	1	64
4	4	2	3	4	4	6	5	1	4	3	3	1	-----	65
78	95	74	62	67	63	55	57	59	45	25	16	5	2	5
48	53	52	44	41	34	38	37	35	22	13	11	1	1	3
30	42	22	18	26	29	17	20	24	23	12	5	4	1	2
25	23	22	23	9	20	24	28	10	9	12	3	1	2	2
14	15	10	9	5	11	17	15	5	6	8	2	-----	1	70
11	8	12	14	4	9	7	13	5	3	4	1	1	1	1
8	6	7	8	10	4	6	9	7	14	7	3	2	-----	1
7	3	4	2	4	-----	3	4	3	10	5	1	-----	-----	73
1	3	3	6	6	4	3	5	4	4	2	2	2	-----	1
5	11	6	3	5	7	8	19	13	10	6	3	2	1	76
2	6	4	1	3	2	7	12	9	5	4	1	1	-----	77
3	5	2	2	2	5	1	7	4	5	2	2	1	1	78

VITAL STATISTICS.

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

	REGISTRATION CITIES.	AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Ottumwa, Iowa.....	317	54	22	3	5	1	85	9	9	10	16	13
2	Males.....	182	30	12	2	5	—	49	5	6	4	8	5
3	Females.....	135	24	10	1	—	1	36	4	3	6	8	8
4	Owosso, Mich.....	121	28	2	1	2	3	36	3	5	5	5	4
5	Males.....	66	15	1	—	—	2	18	2	4	3	3	—
6	Females.....	55	13	1	1	2	1	18	1	1	2	2	4
7	Paducah, Ky.....	541	74	40	34	13	6	167	21	17	19	43	37
8	Males.....	297	44	23	14	7	1	89	15	10	10	21	24
9	Females.....	244	30	17	20	6	5	78	6	7	9	22	13
10	Passaic, N. J.....	563	217	58	17	5	5	302	16	15	13	28	14
11	Males.....	286	116	29	12	2	3	162	3	9	2	11	7
12	Females.....	277	101	29	5	3	2	140	13	6	11	17	7
13	Paterson, N. J.....	2,000	479	124	62	35	27	727	97	28	51	86	97
14	Males.....	1,081	266	74	34	22	18	414	50	19	32	43	51
15	Females.....	919	213	50	28	13	9	313	47	9	19	43	46
16	Pawtucket, R. I.....	723	166	37	11	13	10	237	19	10	7	31	38
17	Males.....	346	100	14	9	6	4	133	11	6	3	15	15
18	Females.....	377	66	23	2	7	6	104	8	4	4	16	23
19	Peabody town, Mass.....	185	30	7	3	2	—	42	5	2	6	6	6
20	Males.....	95	20	3	1	—	—	24	3	2	3	2	3
21	Females.....	90	10	4	2	2	—	18	2	—	3	4	3
22	Peeckskill, N. Y.....	206	30	11	10	4	3	58	12	5	6	3	8
23	Males.....	102	17	7	3	2	1	30	3	1	2	2	5
24	Females.....	104	13	4	7	2	2	28	9	4	4	1	3
25	Perth Amboy, N. J.....	250	87	21	10	3	4	125	10	5	5	8	9
26	Males.....	143	53	12	5	2	2	74	4	3	3	3	6
27	Females.....	107	34	9	5	1	2	51	6	2	2	5	3
28	Peru, Ind.....	136	27	9	2	—	1	39	—	4	4	6	13
29	Males.....	69	16	3	—	—	1	20	—	1	—	3	9
30	Females.....	67	11	6	2	—	—	19	—	3	4	3	4
31	Petersburg, Va.....	678	182	45	16	3	5	201	22	21	27	33	29
32	Males.....	359	81	26	10	2	3	122	5	7	13	17	15
33	Females.....	319	51	19	6	1	2	79	17	14	14	16	14
34	Philadelphia, Pa.....	27,456	5,657	1,592	774	543	398	8,964	950	418	608	1,056	1,231
35	Males.....	14,381	3,167	884	413	272	206	4,942	489	231	300	549	634
36	Females.....	13,075	2,490	708	361	271	192	4,022	461	187	308	507	597
37	Phillipsburg, N. J.....	161	36	5	3	—	2	46	4	3	4	8	8
38	Males.....	87	27	3	1	—	2	33	2	1	—	5	3
39	Females.....	74	9	2	2	—	—	13	2	2	4	3	5
40	Phoenixville, Pa.....	203	43	12	8	—	3	66	4	3	2	4	7
41	Males.....	110	25	8	6	—	1	40	2	2	1	2	6
42	Females.....	93	18	4	2	—	2	26	2	1	1	2	1
43	Pittsburg, Pa.....	6,436	1,470	533	236	99	71	2,409	208	137	228	333	385
44	Males.....	3,668	824	281	115	47	38	1,305	112	75	129	221	246
45	Females.....	2,768	646	252	121	52	33	1,104	96	62	99	162	139
46	Pittsfield, Mass.....	338	63	10	5	5	3	86	4	7	12	13	9
47	Males.....	164	26	5	2	1	1	35	—	5	4	9	7
48	Females.....	174	37	5	3	4	2	51	4	2	8	4	2
49	Pittston, Pa.....	274	80	15	12	4	9	120	15	4	8	5	12
50	Males.....	159	54	7	5	2	7	75	6	1	7	2	5
51	Females.....	115	26	8	7	2	2	45	9	3	1	3	7
52	Plainfield, N. J.....	242	47	15	2	2	2	68	6	5	5	5	11
53	Males.....	138	32	9	1	1	1	44	3	1	2	3	7
54	Females.....	104	15	6	1	1	1	24	3	4	3	2	4
55	Plymouth, Pa.....	286	88	29	10	11	10	148	23	7	7	6	4
56	Males.....	167	54	17	6	6	3	86	11	6	4	5	2
57	Females.....	119	34	12	4	5	7	62	12	1	3	1	2
58	Plymouth town, Mass.....	173	39	5	3	1	2	50	4	4	3	6	3
59	Males.....	83	23	3	3	—	1	30	3	—	3	3	2
60	Females.....	90	16	2	—	1	1	20	1	4	—	3	1
61	Pontiac, Mich.....	138	16	4	1	1	1	23	1	—	5	5	5
62	Males.....	77	11	1	—	1	1	14	—	—	1	4	3
63	Females.....	61	5	3	1	—	—	9	1	—	4	1	2
64	Port Huron, Mich.....	238	50	6	1	3	4	64	9	2	6	12	15
65	Males.....	131	30	3	1	1	3	38	5	—	3	6	6
66	Females.....	107	20	3	—	2	1	26	4	2	3	6	9
67	Port Jervis, N. Y.....	149	17	5	2	2	—	26	3	3	7	3	7
68	Males.....	83	11	2	1	1	—	15	3	2	5	—	7
69	Females.....	66	6	3	1	1	—	11	—	1	2	3	—
70	Portland, Me.....	1,100	181	33	12	16	7	254	20	10	23	54	57
71	Males.....	580	112	21	5	8	3	149	10	6	15	28	31
72	Females.....	520	69	17	7	8	4	105	10	4	8	26	26
73	Portland, Oreg.....	856	106	20	18	12	11	167	32	24	32	47	42
74	Males.....	495	48	10	10	8	7	83	19	16	14	26	27
75	Females.....	361	58	10	8	4	4	84	13	8	18	21	15
76	Portsmouth, N. H.....	180	33	11	—	3	1	48	2	1	—	8	2
77	Males.....	92	20	6	—	1	1	28	1	1	—	4	—
78	Females.....	88	13	5	—	2	—	20	1	—	—	4	2

AGE AND SEX.

45

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
18	15	6	12	13	11	18	23	21	16	12	3	2	1	4
13	8	3	4	8	6	10	15	13	9	8	1	2	1	4
5	7	3	8	5	5	8	8	8	7	4	2			3
2	3	5	7	2	11	11	5	5	7	3	2			4
2	1	4	4	1	8	4	3	4	3	1	1			5
	2	1	3	1	3	7	2	1	4	2	1			6
27	29	31	18	30	20	26	16	14	10	5	3	2		6
17	18	17	9	17	6	15	7	7	7	3	1	1		3
10	11	14	9	13	14	11	9	7	3	2	2	1		9
21	19	24	22	17	17	11	11	7	11	8	5			2
13	7	13	15	11	6	2	9	5	4	3	3			1
8	12	11	7	6	11	9	2	2	7	5	2			12
82	98	73	78	82	107	102	68	87	78	36	17	5		1
36	55	37	39	42	52	56	39	46	41	17	10	1		1
46	43	36	39	40	55	46	29	41	37	19	7	4		15
32	21	18	24	36	34	48	37	45	40	24	12	1		9
17	7	9	8	17	17	19	17	22	15	8	2			5
15	14	9	16	19	17	29	20	23	25	16	10	1		4
5	9	6	8	11	11	8	16	15	14	8	6	1		19
2	6	4	2	7	7	2	11	6	5	2	4			20
3	3	2	6	4	4	6	5	9	9	6	2	1		21
11	6	11	7	9	9	7	14	13	8	14	4			1
5	3	5	3	4	4	5	5	7	7	8	2			1
6	3	6	4	5	5	2	9	6	1	6	2			24
13	7	3	6	7	8	10	8	12	3	5	5	1		25
4	3	1	5	5	5	8	5	7	2	2	3			26
9	4	2	1	2	3	2	3	5	1	3	2	1		27
7	5	9	2	2	6	7	11	6	9	5	1			28
4	5	6	1	1	2	3	4	5	3	2				29
3		3	1	1	4	4	7	1	6	3	1			30
36	27	41	29	40	33	41	33	23	18	12	3	1	2	6
21	15	14	16	21	18	19	17	12	11	8	2		1	5
15	12	27	13	19	15	22	16	11	7	4	1	1	1	1
1,231	1,321	1,232	1,240	1,249	1,264	1,386	1,449	1,356	1,042	772	423	127	52	85
654	712	681	707	710	717	687	693	634	446	340	151	35	14	55
577	609	551	533	539	547	699	756	722	596	432	272	92	38	30
9	2	3	9	7	11	9	12	12	5	6	1	1		1
8		3	1	1	5	6	8	7	2	2				38
1	2		8	6	6	3	4	5	3	4	1	1		1
6	14	6	6	12	12	14	15	15	9	6	1		1	40
3	4	4	3	7	7	5	5	8	7	3	1			41
3	10	2	3	5	5	9	10	7	2	3		1		42
325	322	279	289	256	233	254	217	208	147	90	41	14	4	7
203	198	181	188	158	145	151	119	97	73	36	23	5		3
122	124	98	101	98	88	103	98	111	74	54	18	9	4	4
21	10	15	9	12	18	19	21	25	20	16	12	7		2
11	4	8	4	9	9	10	14	9	11	7	4	2		2
10	6	7	5	3	9	9	7	16	9	9	8	5		48
14	12	7	10	17	9	8	10	8	6	4		3	1	1
8	7	2	5	10	5	6	6	4	5	2		1	1	1
6	5	5	5	7	4	2	4	4	1	2		2		51
12	13	13	8	14	6	16	17	20	13	4	3	2		1
7	3	8	7	10	2	10	9	10	7	1	3	1		52
5	10	5	1	4	4	6	8	10	6	3		1		53
10	11	12	8	11	11	8	8	3	4	4	1			55
4	6	7	5	8	6	6	4	3	2	2				56
6	5	5	3	3	5	2	4		2	2	1			57
4	5	7	2	5	9	10	8	16	13	11	7	3	2	1
1	2	2	2	3	2	5	5	5	6	6	4		1	58
3	3	5		2	7			11	7	5	3	3	1	1
10	7	6	8	15	8	13	6	9	8	6	2	1		61
3	7	4	6	10	3	5	3	3	6	2	2	1		62
7		2	2	5	5	8	3	6	2	4				63
6	7	14	11	10	14	13	8	15	9	13	4	3		3
3	4	5	7	8	9	8	5	6	6	6	1	1		2
3	3	9	4	2	5	5	3	7	3	7	3	2		1
4	11	5	4	6	9	9	17	11	9	5	5	2	1	2
4	10	2		3	2	4	8	8	5	1	2		1	1
	1	3	4	3	7	5	9	3	4	4	3	2		1
52	42	40	48	55	59	77	77	84	54	56	24	13		1
28	24	26	21	26	34	33	39	43	30	17	11	4		71
24	18	14	27	29	25	44	38	36	24	39	13	9		1
51	54	55	48	45	50	45	52	49	31	8	11	5	2	6
28	35	32	33	22	30	25	33	32	21	6	4	2	2	5
23	19	23	15	23	20	20	19	17	10	2	7	3		1
4	7	6	5	8	4	11	12	15	14	15	11	5	1	1
3	2	3	3	7	2	7	7	4	3	8	7	2		77
1	5	3	2	1	2	4	5	11	11	7	4	3	1	1

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Portsmouth, Ohio	328	66	13	10	8	4	101	10	7	9	29	20
2	Males	173	35	8	4	2	3	52	3	5	3	14	8
3	Females	155	31	5	6	6	1	49	7	2	6	15	12
4	Pottstown, Pa.	240	45	15	3	9	-----	72	10	2	10	10	13
5	Males	118	25	9	2	4	-----	40	3	2	7	7	5
6	Females	122	20	6	1	5	-----	32	7	-----	3	3	8
7	Pottsville, Pa.	244	48	7	5	2	3	65	4	3	6	10	12
8	Males	133	34	1	2	-----	2	39	3	-----	2	7	6
9	Females	111	14	6	3	2	1	26	1	3	4	3	6
10	Poughkeepsie, N. Y.	496	77	14	7	10	2	110	8	5	12	19	21
11	Males	220	41	9	3	3	1	57	2	2	6	11	9
12	Females	276	36	5	4	7	1	53	6	3	6	8	12
13	Providence, R. I.	3,491	784	241	99	56	33	1,213	74	41	91	130	158
14	Males	1,772	429	125	50	27	16	647	35	16	45	69	78
15	Females	1,719	355	116	49	29	17	566	39	25	46	61	80
16	Pueblo, Colo.	648	109	35	11	17	4	176	31	21	13	43	51
17	Males	392	48	21	8	8	1	86	17	10	8	25	29
18	Females	256	61	14	3	9	3	90	14	11	5	18	22
19	Quincy, Ill.	556	81	17	13	5	6	122	26	19	15	29	32
20	Males	297	45	13	5	3	1	67	12	3	12	14	19
21	Females	259	36	4	8	2	5	55	14	16	3	15	13
22	Quincy, Mass.	366	98	19	10	9	5	141	11	10	8	11	15
23	Males	197	50	7	5	6	2	70	5	6	5	4	7
24	Females	169	48	12	5	3	3	71	6	4	3	7	8
25	Raleigh, N. C.	371	67	34	12	6	4	123	9	5	13	15	19
26	Males	184	41	18	5	3	2	69	5	3	7	4	8
27	Females	187	26	16	7	3	2	54	4	2	6	11	11
28	Reading, Pa.	1,401	335	54	28	27	19	463	50	21	25	54	60
29	Males	755	190	29	14	15	7	255	27	10	14	29	33
30	Females	646	145	25	14	12	12	208	23	11	11	25	22
31	Revere town, Mass.	162	40	7	3	4	2	56	6	10	5	4	8
32	Males	81	20	5	-----	2	-----	27	1	4	3	3	6
33	Females	81	20	2	3	2	2	29	5	6	2	1	2
34	Richmond, Ind.	292	38	3	7	2	2	52	14	5	10	12	9
35	Males	141	16	1	4	1	-----	22	5	3	6	8	6
36	Females	151	22	2	3	1	2	30	9	2	4	4	3
37	Richmond, Va.	2,523	516	132	44	18	21	731	50	36	87	151	137
38	Males	1,339	297	73	26	8	11	415	24	16	46	77	68
39	Females	1,184	219	59	18	10	10	316	26	20	41	74	69
40	Rochester, N. H.	188	23	13	8	4	4	52	6	4	2	3	6
41	Males	99	12	7	2	1	3	25	4	3	1	-----	1
42	Females	89	11	6	6	3	1	27	2	1	1	3	5
43	Rochester, N. Y.	2,446	340	70	40	26	21	497	71	43	59	101	118
44	Males	1,225	187	37	23	15	5	267	46	25	30	53	42
45	Females	1,221	153	33	17	11	16	230	25	18	29	48	76
46	Rockland, Me.	146	18	2	1	1	-----	22	5	1	1	3	6
47	Males	88	13	1	1	1	-----	16	3	-----	1	2	4
48	Females	58	5	1	-----	-----	-----	6	2	1	-----	1	2
49	Rome, N. Y.	267	29	7	3	1	3	43	7	3	6	15	8
50	Males	154	14	4	1	1	2	22	3	2	5	9	2
51	Females	113	15	3	2	-----	1	21	4	1	1	6	6
52	Rutland, Vt.	190	25	10	3	1	2	41	5	4	5	12	6
53	Males	98	12	7	2	1	1	23	3	3	2	4	3
54	Females	92	13	3	1	-----	1	18	2	1	3	8	3
55	Sacramento, Cal.	724	75	13	6	9	1	104	15	13	25	38	45
56	Males	460	45	8	3	4	-----	60	7	9	15	15	31
57	Females	264	30	5	3	5	1	44	8	4	10	23	14
58	Saginaw, Mich.	560	99	12	5	4	4	124	15	15	19	36	27
59	Males	319	61	10	2	3	4	80	10	7	10	19	10
60	Females	241	38	2	3	1	-----	44	5	8	9	17	17
61	St. Joseph, Mo.	933	142	56	30	13	14	255	33	24	30	42	52
62	Males	497	83	27	9	6	5	130	15	11	11	20	25
63	Females	436	59	29	21	7	9	125	18	13	19	22	27
64	St. Louis, Mo.	10,320	1,896	429	213	185	119	2,842	322	168	294	540	579
65	Males	5,776	1,051	227	122	89	57	1,546	179	83	142	278	339
66	Females	4,544	845	202	91	96	62	1,296	143	85	152	262	240
67	St. Paul, Minn.	1,574	337	58	31	29	15	470	57	40	46	59	70
68	Males	828	179	26	20	16	6	247	31	14	22	24	35
69	Females	746	158	32	11	13	9	223	26	26	24	35	35
70	Salem, Mass.	787	211	53	24	11	8	307	12	8	17	23	20
71	Males	394	128	31	13	6	2	180	8	5	7	13	9
72	Females	393	83	22	11	5	6	127	4	3	10	10	11
73	Salt Lake City, Utah.	854	122	44	18	8	5	197	26	21	27	45	51
74	Males	486	68	25	8	3	-----	104	15	10	12	20	29
75	Females	368	54	19	10	5	5	93	11	11	15	25	22
76	San Antonio, Tex.	1,257	231	85	29	20	10	375	41	32	31	67	96
77	Males	724	133	41	14	11	6	205	18	16	14	30	51
78	Females	533	98	44	15	9	4	170	23	16	17	87	45

AGE AND SEX.

47

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
12	14	12	10	13	10	10	15	15	19	10	5	5	1	1
9	8	7	7	9	4	6	8	6	9	9	3	2	1	2
3	6	5	3	4	6	4	7	9	10	1	2	3	1	3
11	8	8	5	11	10	9	10	15	14	14	4	1	1	4
8	4	4	5	7	2	5	6	3	4	3	3	1	1	5
3	4	4	4	4	8	4	4	12	10	11	1	1	1	6
22	11	12	5	10	4	15	20	13	11	12	8	1	1	7
14	5	8	4	5	3	9	10	4	4	7	2	1	1	8
8	6	4	1	5	1	6	10	9	7	5	6	1	1	9
17	20	15	18	33	24	33	41	39	29	27	16	7	1	10
6	5	6	8	11	11	10	17	17	13	12	6	2	1	11
11	15	9	10	15	13	23	24	22	16	15	10	5	1	12
154	169	156	152	169	166	185	162	157	149	93	48	19	5	13
78	95	87	86	85	89	89	70	69	72	36	22	2	2	14
76	74	69	66	84	77	96	92	88	77	57	26	17	3	15
46	44	47	33	28	18	23	26	15	13	8	3	1	1	16
27	31	34	24	20	14	14	17	11	8	7	1	1	1	17
19	13	13	9	8	4	9	9	4	5	1	2	1	1	18
23	21	24	30	26	24	30	37	31	37	19	5	3	2	19
8	10	15	19	15	15	21	18	16	21	8	2	2	2	20
15	11	9	11	11	9	9	19	15	16	11	3	1	2	21
9	11	15	8	15	13	16	17	24	19	14	6	2	1	22
9	5	8	6	11	7	8	12	16	7	8	2	2	1	23
9	6	7	2	4	6	8	5	8	12	6	4	2	1	24
18	12	11	12	16	12	17	23	19	12	14	2	3	2	25
13	4	3	6	6	4	11	12	9	9	3	2	1	1	26
5	8	8	6	10	8	6	11	10	3	11	2	2	1	27
60	51	52	59	59	59	71	73	92	65	48	27	8	1	28
32	32	31	32	34	35	43	29	52	30	17	10	2	2	29
28	19	21	27	25	24	28	44	40	35	31	17	6	1	30
5	8	10	4	5	7	5	5	12	5	2	3	2	1	31
2	5	3	3	3	4	3	3	5	4	1	1	1	1	32
3	3	7	1	2	3	2	2	7	1	1	3	1	1	33
13	16	19	10	13	12	10	21	20	15	25	13	3	1	34
5	6	12	5	3	9	6	12	8	7	9	8	1	1	35
8	10	7	5	10	3	4	9	12	8	16	5	2	1	36
121	145	125	105	156	134	127	129	90	84	49	24	12	6	37
65	71	66	62	85	68	72	64	52	42	18	6	3	2	38
56	74	59	43	71	66	55	65	38	42	31	18	9	4	39
5	6	10	9	12	10	7	7	19	9	12	3	2	1	40
3	5	3	5	9	5	3	6	10	5	7	3	1	1	41
2	1	7	4	3	5	4	1	9	4	5	1	1	1	42
119	126	114	134	111	127	147	161	180	149	114	50	15	7	43
67	64	67	68	66	66	77	69	87	69	43	24	7	4	44
52	62	47	66	61	61	70	92	93	82	71	26	8	3	45
6	5	4	3	6	10	12	13	11	16	16	3	3	1	46
4	3	1	3	3	7	6	7	7	9	12	3	3	1	47
2	2	3	3	3	3	6	6	4	7	4	4	3	1	48
7	11	14	17	16	11	10	20	25	24	20	6	4	1	49
3	8	9	9	10	6	8	10	15	14	12	5	2	1	50
4	3	5	8	6	5	2	10	10	10	8	1	2	1	51
3	9	10	5	8	7	14	9	13	15	11	6	4	2	52
3	3	7	4	2	2	5	5	9	10	5	3	1	1	53
3	6	3	1	6	5	9	4	4	5	6	3	4	1	54
59	36	47	42	39	37	45	58	48	30	19	13	4	1	55
34	26	32	32	29	22	29	42	36	16	10	7	4	1	56
25	10	15	10	10	15	16	16	12	14	9	6	1	1	57
30	18	18	29	26	31	22	42	38	26	23	17	1	1	58
15	6	8	18	15	24	15	26	20	14	12	7	1	1	59
15	12	10	11	11	7	7	16	18	12	11	10	1	1	60
47	62	37	39	37	52	35	52	32	30	25	9	3	2	61
20	35	22	21	23	32	17	35	16	16	17	4	1	1	62
27	27	15	18	14	20	18	17	16	14	8	5	2	2	63
574	605	483	521	524	546	553	569	464	344	219	102	30	14	64
352	361	290	338	318	320	310	319	252	165	99	50	10	4	65
222	244	193	183	206	226	243	250	212	179	120	52	20	10	66
88	89	91	64	65	59	80	71	95	61	39	17	5	5	67
47	50	52	38	38	36	44	41	49	28	18	8	1	3	68
41	39	39	26	27	23	36	30	46	33	21	9	4	2	69
12	23	20	24	37	35	39	45	51	45	36	20	12	1	70
9	11	8	12	22	16	19	20	20	18	8	4	5	1	71
3	12	12	12	15	19	20	25	31	27	28	16	7	1	72
45	47	44	34	32	48	42	51	48	38	31	10	4	1	73
29	28	32	19	20	32	29	33	27	23	12	2	2	1	74
16	19	12	15	12	16	13	18	21	15	19	8	2	1	75
86	77	71	47	65	38	61	37	41	39	18	12	4	8	76
52	51	51	30	40	27	43	26	29	22	5	4	1	2	77
34	26	20	17	25	11	18	11	12	17	13	8	3	6	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	San Diego, Cal.....	399	41	12	3	1	3	60	6	6	10	25	26
2	Males.....	234	29	7	1	1	2	39	2	4	7	10	11
3	Females.....	165	12	5	2	1	1	21	4	2	3	15	15
4	San Francisco, Cal.....	7,040	827	153	75	73	60	1,188	170	71	150	350	435
5	Males.....	4,367	459	94	43	32	32	660	83	37	74	204	253
6	Females.....	2,673	368	59	32	41	28	528	87	34	76	146	182
7	San Jose, Cal.....	334	28	9	3	6	2	48	7	9	10	19	13
8	Males.....	190	18	4	3	6	2	33	4	4	5	7	6
9	Females.....	144	10	5	3	6	2	15	3	5	5	12	7
10	Saratoga Springs, N. Y.....	265	48	3	3	3	2	59	5	2	10	13	9
11	Males.....	120	18	2	2	3	2	25	2	2	3	8	4
12	Females.....	145	30	3	1	3	2	34	3	2	7	5	5
13	Sault Ste. Marie, Mich.....	163	51	7	4	3	1	66	5	2	6	11	10
14	Males.....	94	24	3	2	2	1	31	3	2	5	7	8
15	Females.....	69	27	4	2	1	1	35	2	2	1	4	2
16	Savannah, Ga.....	1,862	398	117	53	30	18	616	54	30	82	107	113
17	Males.....	1,000	209	47	23	16	12	307	28	22	48	53	58
18	Females.....	862	189	70	30	14	6	309	26	8	34	54	55
19	Schenectady, N. Y.....	479	106	13	11	6	10	146	15	6	10	14	22
20	Males.....	247	57	9	7	2	7	82	8	3	5	5	11
21	Females.....	232	49	4	4	4	3	64	7	3	5	9	11
22	Scranton, Pa.....	2,111	446	131	104	92	56	829	163	67	60	71	95
23	Males.....	1,114	241	72	47	49	28	437	71	32	39	30	46
24	Females.....	997	205	59	57	43	28	392	92	35	21	41	49
25	Seattle, Wash.....	898	107	21	9	8	8	153	27	14	29	54	58
26	Males.....	621	78	13	6	4	3	104	17	5	14	33	37
27	Females.....	277	29	8	3	4	5	49	10	9	15	21	21
28	Shreveport, La.....	728	91	46	17	12	2	168	23	17	32	90	56
29	Males.....	422	55	24	7	8	1	95	15	9	16	52	27
30	Females.....	306	36	22	10	4	1	73	8	8	16	38	29
31	Sioux City, Iowa.....	435	97	14	6	9	7	133	23	12	15	22	22
32	Males.....	241	57	8	4	4	5	78	12	10	4	8	9
33	Females.....	194	40	6	2	5	2	55	11	2	11	14	13
34	Somerville, Mass.....	946	157	48	19	10	13	277	25	13	19	37	37
35	Males.....	447	117	24	9	3	9	162	12	4	9	18	15
36	Females.....	499	70	24	10	7	4	115	13	9	10	19	22
37	South Bethlehem, Pa.....	256	67	16	9	5	2	99	15	9	7	13	9
38	Males.....	138	39	8	6	4	2	57	7	5	4	6	6
39	Females.....	118	28	8	3	1	2	42	8	4	3	7	3
40	Southbridge town, Mass.....	204	60	14	8	4	3	94	2	2	2	9	13
41	Males.....	107	32	7	5	1	3	48	1	1	2	5	9
42	Females.....	97	28	7	3	3	5	46	1	1	2	4	4
43	Spokane, Wash.....	511	86	27	15	6	12	146	11	15	13	23	29
44	Males.....	306	52	16	6	1	12	78	8	6	6	15	14
45	Females.....	205	34	11	9	5	9	68	3	9	7	8	15
46	Springfield, Ill.....	642	113	27	13	14	5	172	24	15	28	37	30
47	Males.....	349	57	15	7	9	3	91	14	9	14	23	18
48	Females.....	293	56	12	6	5	2	81	10	6	14	14	12
49	Springfield, Mass.....	1,057	184	55	29	12	16	296	45	13	17	33	45
50	Males.....	513	87	27	13	6	8	141	25	5	7	21	22
51	Females.....	544	97	28	16	6	8	155	20	8	10	12	23
52	Stamford town, Conn.....	319	54	7	6	1	3	71	5	5	6	7	12
53	Males.....	178	34	3	4	2	2	43	4	4	4	3	8
54	Females.....	141	20	4	2	1	1	28	1	1	2	4	4
55	Steelton, Pa.....	213	68	20	7	2	3	100	4	4	5	12	11
56	Males.....	117	35	10	5	2	1	53	3	4	3	11	7
57	Females.....	96	33	10	2	2	2	47	1	2	2	1	4
58	Stonington town, Conn.....	144	23	4	2	2	2	29	2	1	1	3	5
59	Males.....	74	11	1	1	1	1	13	1	1	1	1	4
60	Females.....	70	12	3	1	1	1	16	1	1	1	2	1
61	Superior, Wis.....	352	91	19	7	8	3	128	13	9	8	18	31
62	Males.....	209	47	13	2	4	1	67	8	5	1	10	19
63	Females.....	143	44	6	5	4	2	61	5	4	7	8	12
64	Syracuse, N. Y.....	1,494	251	54	22	20	10	357	36	29	40	63	62
65	Males.....	779	139	31	12	15	6	203	16	20	23	30	27
66	Females.....	715	112	23	10	5	4	154	20	9	17	33	35
67	Tacoma, Wash.....	425	62	11	5	5	3	86	14	12	18	22	22
68	Males.....	265	39	9	3	3	1	55	11	6	10	7	14
69	Females.....	160	23	2	2	2	2	31	3	6	8	15	8
70	Taunton, Mass.....	615	131	25	8	6	3	173	10	8	16	22	21
71	Males.....	343	82	15	2	4	3	106	6	3	7	12	10
72	Females.....	272	49	10	6	2	2	67	4	5	9	10	11
73	Terre Haute, Ind.....	587	119	24	7	9	5	164	26	16	23	34	34
74	Males.....	300	57	14	4	5	3	83	10	7	6	19	19
75	Females.....	287	62	10	3	4	2	81	16	9	17	15	15
76	Tiffin, Ohio.....	139	15	3	3	4	2	27	3	4	3	3	3
77	Males.....	60	9	1	2	2	2	16	1	1	1	1	1
78	Females.....	79	6	2	1	2	2	11	3	3	2	2	3

AGE AND SEX.

49

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
23	23	15	15	23	19	33	38	25	27	14	7	2	1	1
14	10	5	8	17	15	20	20	17	16	8	7	2	1	1
9	13	10	7	6	4	13	18	8	11	6				3
426	490	452	469	467	437	520	433	404	270	150	80	18	8	52
257	336	322	327	313	279	335	280	264	160	82	39	9	5	48
169	154	130	142	154	158	185	153	140	110	68	41	9	3	4
17	17	17	24	18	15	27	20	18	26	11	13	1	2	2
12	10	10	10	12	4	19	13	11	15	7	7			1
6	7	7	14	6	11	8	7	7	11	4	6	1	2	8
15	11	10	10	18	12	8	20	26	10	9	12	3		3
10	7	2	3	8	6	3	11	14	3	2	4	2		1
5	4	8	7	10	6	5	9	12	7	7	8	1		2
4	5	8	3	6	7	8	6	6	4	2				
3	1	5	3	6	5	4	3	3	1	1		1	1	2
1	4	3			2	4	3	3	3	1		1		14
														15
116	117	78	92	96	55	73	50	59	45	25	13	12	4	25
78	71	43	54	58	32	45	23	23	19	14	5	4		15
38	46	35	38	38	23	28	27	36	26	11	8	8	4	10
17	17	10	21	19	28	31	32	26	23	16	10	4	1	11
12	10	6	8	7	17	17	14	14	9	5	6	3		5
5	7	4	13	12	11	14	18	12	14	11	4	1	1	6
77	93	70	73	92	76	95	75	65	42	24	14	2	1	27
42	68	38	48	52	37	50	37	26	25	10	8			18
35	25	32	25	40	39	45	38	39	17	14	6	2	1	9
66	74	70	76	48	55	48	42	39	15	15	3	1		11
51	60	53	59	34	41	41	25	23	5	10	1			8
15	14	17	17	14	14	7	17	16	10	5	2	1		3
57	59	34	35	36	17	25	21	20	13	11	6	3	2	3
35	39	26	22	20	9	15	15	14	5	4	2	1		1
22	20	8	13	16	8	10	6	6	8	7	4	2	2	2
21	28	19	19	22	14	19	16	20	16	6	3	1		4
9	13	16	10	10	9	13	9	15	9	4	1			2
12	15	3	9	12	5	6	7	5	7	2	2	1		2
38	36	27	30	55	35	63	67	56	50	42	26	12	1	34
16	19	14	14	26	15	26	24	22	22	14	12	2	1	35
22	17	13	16	29	20	37	43	34	28	28	14	10		36
10	7	6	5	19	11	4	11	13	11	6	1			37
6	2	3	5	11	3	3	4	5	6	5				38
4	5	3		8	8	1	7	8	5	1	1			39
4	5	4	5	8	7	6	8	8	10	8	4		2	3
1	2	1	3	4	4	4	4	5	8	3				41
3	3	3	2	4	3	2	4	3	2	5	4		2	1
26	48	31	32	30	31	14	18	21	12	5	4	1		1
17	24	23	23	21	22	13	11	10	7	4	3	1		44
9	24	8	9	9	9	1	7	11	5	1	1			1
23	31	20	26	37	29	35	35	35	33	12	12	4		4
15	16	12	16	25	15	18	14	16	16	4	7	3		3
8	15	8	10	12	14	17	21	19	17	8	5	1		1
46	38	45	47	58	63	53	56	68	56	44	23	8	1	2
27	20	24	25	22	28	30	26	36	25	17	8	3		1
19	18	21	22	36	35	23	30	32	31	27	15	5	1	1
13	15	12	16	19	19	23	24	18	25	20	7	6		1
7	8	8	9	8	10	11	13	7	16	11	3	4		1
6	7	4	7	11	9	12	11	11	9	9	4	2		54
9	7	9	6	7	9	4	7	5	6	6	1			1
2	5	3	1	2	7	3	5	3	2	2	1			56
7	2	6	5	5	2	1	2	2	4	4				1
5	7	3	4	15	8	9	11	11	12	12	5	1		58
2	3	1	4	10	3	4	7	6	5	7	2			59
3	4	2		5	5	5	4	5	7	5	3	1		60
30	29	14	10	9	11	4	9	9	8	8	1			3
18	19	12	8	6	7	2	4	7	8	5	1			2
12	10	2	2	3	4	2	5	2		3				1
69	79	63	89	81	88	81	111	83	69	54	28	9	3	64
40	40	38	44	44	44	39	54	47	33	24	9	3	1	65
29	39	25	45	37	44	42	57	36	36	30	19	6	2	66
29	29	29	22	24	25	24	21	24	6	8	3	2		5
18	15	19	16	16	17	15	14	19	3	4	2	2		68
11	14	10	6	8	8	9	7	5	3	4	1			3
31	25	20	22	31	31	35	39	41	29	31	17	9	2	2
22	12	14	14	19	17	15	21	23	19	13	5	4	1	71
9	13	6	8	12	14	20	18	18	10	18	12	5	1	2
24	30	24	18	23	21	28	31	30	24	23	6	3	1	4
10	16	15	6	15	16	14	19	19	10	9	1	2	1	3
14	14	9	12	8	5	14	12	11	14	14	5	1		1
9	4	12	2	5	9	5	12	16	10	6	1	3	1	1
3	4	7	1	2	2	2	6	5	6	1		1		77
6		5	1	3	7	3	6	11	4	5	1	2	1	78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Toledo, Ohio.....	2,112	461	89	66	50	41	707	100	46	72	87	97
2	Males.....	1,091	254	38	32	30	15	369	37	20	37	32	43
3	Females.....	1,021	207	51	34	20	26	338	63	26	35	55	54
4	Torrington town, Conn.....	182	63	13	6	3	2	87	1	4	5	8	7
5	Males.....	88	32	6	3	3	1	45	1	2	3	2	5
6	Females.....	94	31	7	3	1	1	42	1	2	2	6	2
7	Town of Union, N. J.....	207	45	18	7	4	1	75	12	6	5	6	5
8	Males.....	107	27	11	3	2	1	44	5	1	5	3	2
9	Females.....	100	18	7	4	2	1	31	7	5	1	3	3
10	Traverse City, Mich.....	148	32	—	2	—	—	34	6	3	1	5	10
11	Males.....	77	15	—	1	—	—	16	2	1	1	2	4
12	Females.....	71	17	—	1	—	—	18	4	2	—	3	6
13	Trenton, N. J.....	1,174	271	56	23	14	11	375	24	24	24	41	70
14	Males.....	615	150	27	14	8	4	203	15	10	14	24	43
15	Females.....	559	121	29	9	6	7	172	9	14	10	17	27
16	Troy, N. Y.....	1,393	246	51	32	25	14	368	37	22	31	54	75
17	Males.....	745	132	29	23	11	10	205	24	11	11	31	46
18	Females.....	648	114	22	9	14	4	163	13	11	20	23	29
19	Utica, N. Y.....	990	158	24	19	7	6	214	47	17	25	39	40
20	Males.....	530	96	15	10	2	5	128	32	8	14	16	23
21	Females.....	460	62	9	9	5	1	86	15	9	11	23	17
22	Vernon town, Conn.....	127	21	4	2	1	3	31	1	4	6	6	6
23	Males.....	48	12	—	—	—	1	13	1	1	4	1	1
24	Females.....	79	9	4	2	1	2	18	—	3	2	6	5
25	Vincennes, Ind.....	196	39	9	8	3	4	63	6	6	8	12	11
26	Males.....	85	19	6	5	1	2	33	2	2	1	6	7
27	Females.....	111	20	3	3	2	2	30	4	4	7	6	4
28	Wakefield town, Mass.....	135	20	7	1	1	1	30	4	2	2	4	7
29	Males.....	72	11	4	—	—	1	16	—	1	1	1	1
30	Females.....	63	9	3	1	1	—	14	4	1	1	3	6
31	Wallingford town, Conn.....	138	42	2	2	—	—	46	1	3	1	4	6
32	Males.....	81	29	1	1	—	—	31	1	3	—	—	4
33	Females.....	57	13	1	1	—	—	15	—	—	1	4	2
34	Waltham, Mass.....	329	60	11	4	3	2	80	8	12	5	18	12
35	Males.....	148	31	6	1	1	1	40	5	6	3	8	4
36	Females.....	181	29	5	3	2	1	40	3	6	2	10	8
37	Ware town, Mass.....	112	34	2	2	—	2	40	1	1	3	1	5
38	Males.....	54	17	1	1	—	—	19	—	—	3	—	3
39	Females.....	58	17	1	1	—	2	21	1	1	—	1	2
40	Warren, Ohio.....	143	22	7	4	1	1	35	7	2	3	10	6
41	Males.....	79	11	5	2	—	—	18	3	2	2	7	3
42	Females.....	64	11	2	2	1	1	17	4	—	1	3	3
43	Waterbury town, Conn.....	869	259	54	24	14	6	357	20	15	21	29	56
44	Males.....	441	144	29	12	7	4	196	11	12	13	16	26
45	Females.....	428	115	25	12	7	2	161	9	3	8	13	30
46	Watertown, N. Y.....	356	79	14	8	2	2	105	10	5	10	11	20
47	Males.....	179	46	7	5	—	1	59	8	3	5	5	8
48	Females.....	177	33	7	3	2	1	46	2	2	5	6	12
49	Watertown town, Mass.....	143	22	4	4	1	1	32	4	—	1	7	5
50	Males.....	77	16	1	3	1	1	22	2	—	1	4	4
51	Females.....	66	6	3	1	—	—	10	2	—	—	3	1
52	Watervliet, N. Y.....	275	55	11	7	4	3	80	7	8	7	8	17
53	Males.....	144	29	7	6	1	1	44	4	5	4	3	8
54	Females.....	131	26	4	1	3	2	36	3	3	3	5	9
55	Webster town, Mass.....	146	47	7	3	—	—	57	4	2	3	14	6
56	Males.....	67	20	4	3	—	—	27	2	2	—	6	4
57	Females.....	79	27	3	—	—	—	30	2	—	3	8	2
58	West Bay City, Mich.....	196	46	11	4	3	3	67	11	3	14	9	9
59	Males.....	114	28	8	3	2	—	41	10	1	4	5	5
60	Females.....	82	18	3	1	1	3	26	1	2	10	4	4
61	Westfield town, Mass.....	236	58	8	9	3	2	80	7	1	4	7	3
62	Males.....	121	34	6	3	3	1	47	4	—	2	3	1
63	Females.....	115	24	2	6	—	1	33	3	1	2	4	2
64	Weymouth town, Mass.....	203	31	2	2	2	2	39	4	1	3	6	12
65	Males.....	102	14	—	1	1	1	17	—	—	3	5	5
66	Females.....	101	17	2	1	1	1	22	4	1	—	1	7
67	Wheeling, W. Va.....	554	79	28	10	5	3	125	14	11	16	36	34
68	Males.....	300	50	14	8	3	1	76	9	6	6	20	16
69	Females.....	254	29	14	2	2	2	49	5	5	10	16	18
70	Wichita, Kans.....	390	60	21	4	6	3	94	11	13	12	27	14
71	Males.....	212	37	13	1	2	1	54	3	4	7	15	7
72	Females.....	178	23	8	3	4	2	40	8	9	5	12	7
73	Wilkesbarre, Pa.....	857	216	38	29	20	15	318	19	17	27	36	31
74	Males.....	482	124	20	18	9	7	178	13	12	12	17	20
75	Females.....	375	92	18	11	11	8	140	6	5	15	19	11
76	Williamsport, Pa.....	345	61	9	9	5	4	88	6	4	10	18	17
77	Males.....	173	39	4	4	1	2	50	3	4	4	8	8
78	Females.....	172	22	5	5	4	2	38	3	—	6	10	9

AGE AND SEX.

51

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
87	80	88	107	84	84	106	111	97	70	38	27	5	4	15
49	44	47	59	46	45	65	64	47	35	21	15	2	2	12
38	36	41	48	38	39	41	47	50	35	17	12	3	2	3
7	6	6	1	8	7	5	5	6	9	4	5			1
3	5	5		4	4	3	2	1	2	1	4			5
4	1	4	1	4	3	2	3	5	7	3	1			6
10	11	9	12	10	11	7	14	5	3	5				1
5	4	6	7	4	8		8	1		3				7
5	7	3	5	6	3	7	6	4	3	2				8
2	8	7	9	15	9	6	9	9	8	4	2	1		10
1	4	6	6	7	6	3	6	3	6	2	1			11
1	4	1	3	8	3	3	3	6	2	2	1	1		12
46	51	48	40	51	56	53	67	74	52	34	20	8	4	12
21	31	24	22	30	29	25	38	27	23	20	5	2	3	6
25	20	24	18	21	27	28	29	47	29	14	15	6	1	15
85	98	60	64	91	73	90	76	64	56	32	10	4	1	2
54	50	35	39	46	34	53	32	25	24	14	6	3	1	17
31	48	25	25	45	39	37	44	39	32	18	4	1		18
48	44	46	54	48	56	50	72	61	63	47	10	8	1	19
31	28	23	32	28	25	26	31	24	30	20	8	3		20
17	16	23	22	20	31	24	41	37	33	27	2	5	1	21
4	8	3	8	4	10	8	5	9	5	5	4			22
2	3	2	1	2	5	4	3	2	1	2	1			23
2	5	1	7	2	5	4	2	7	4	3	3			24
6	9	7	3	9	8	10	12	7	6	5	1			7
2	1	2	1	6	3	5	7	2	2	2				26
4	8	5	2	3	5	5	5	5	4	3	1			6
8	3	5	5	4	8	9	11	10	4	13	4	2		28
5	2	3	4	3	5	3	8	6	4	8	1			29
3	1	2	1	1	3	6	3	4		5	3	2		30
6	9	7	3	3	6	9	8	8	11	5	2			31
4	5	4	2	1	3	7	3	5	6	1	1			32
2	4	3	1	2	3	2	5	3	5	4	1			33
13	12	14	13	16	14	25	16	23	23	12	9	4		34
6	5	7	6	8	9	10	8	6	9	3	5			35
7	7	7	7	8	5	15	8	17	14	9	4	4		36
3	3	4	6	8	5	10	6	4	4	5	3			37
1	1		4	3	3	6	3	3	2	2	1			38
2	2	4	2	5	2	4	3	1	2	3	2			39
7	7	6	6	7	5	5	11	8	10	3	3			2
4	3	2	3	3	2	1	8	6	9	1				41
3	4	4	3	4	3	4	3	2	1	2	3			42
37	41	30	25	28	40	33	47	32	23	21	9	4		1
19	23	14	12	16	16	12	17	18	8	7	4			1
18	18	16	13	12	24	21	30	14	15	14	5	4		45
19	16	11	12	13	18	24	20	17	19	16	8	1		1
11	6	4	2	7	9	12	12	6	9	9	4			47
8	10	7	10	6	9	12	8	11	10	7	4	1		1
9	5	8	5	13	7	11	7	9	8	7	3		1	1
3	2	5	4	8	2	5	3	4	4	3	1			49
6	3	3	1	5	5	6	4	5	4	4	2		1	51
10	17	17	9	8	13	19	13	17	13	8	3	1		52
6	10	9	7	3	7	11	7	8	4	1	2	1		53
4	7	8	2	5	6	8	6	9	9	7	1			54
8	4	5	2	6	2	8	7	4	5	5	2	1	1	55
2	4	3	1	3	3	3	4	1		2	1	1	1	56
6		2	1	3	2	5	3	3	5	3	1			57
12	10	4	7	7	7	9	5	9	4	5	4			58
8	6	1	3	3	6	4	3	6	2	3	3			59
4	4	3	4	4	1	5	2	3	2	2	1			60
10	13	3	7	11	13	12	11	13	11	19	5	4	1	1
7	6	3	3	5	5	4	8	3	7	9	3	1		62
3	7		4	6	8	8	3	10	4	10	2	3	1	63
9	6	3	10	11	13	19	16	14	15	8	8	3	2	1
5	5	1	6	6	5	12	11	6	8	4	2		1	65
4	1	2	4	5	8	7	5	8	7	4	6	3	1	66
30	19	31	31	28	33	24	31	27	38	17	7	1	1	67
18	11	19	20	19	19	10	15	12	20	3	1			68
12	8	12	11	9	14	14	16	15	18	14	6	1	1	69
19	24	16	26	13	25	14	14	25	17	14	6	1	1	4
9	15	8	9	9	15	8	10	15	11	4	4	1	1	3
10	9	8	17	4	10	6	4	10	6	10	2			72
39	30	34	35	47	43	36	45	33	26	27	4	2	1	7
21	12	19	15	32	33	20	25	19	13	13	3	1		74
18	18	15	20	15	10	16	20	14	13	14	1	1	1	3
7	12	15	13	20	23	20	20	26	24	13	5	4		76
5	11	7	6	9	12	4	7	15	12	6	1	1		77
2	1	8	7	11	11	16	13	11	12	7	4	3		78

TABLE 5.—DEATHS BY AGE

REGISTRATION CITIES—Continued.

REGISTRATION CITIES.		AGES.											
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24	25-29
1	Wilmington, Del.....	1,595	345	71	50	22	21	509	80	40	47	75	62
2	Males.....	854	200	42	33	12	9	296	39	20	19	32	37
3	Females.....	741	145	29	17	10	12	213	41	20	28	43	25
4	Wilmington, N. C.....	565	114	39	11	7	4	175	14	3	16	43	31
5	Males.....	292	63	19	4	4	2	92	9	—	8	24	12
6	Females.....	273	51	20	7	3	2	83	5	3	8	19	19
7	Windham town, Conn.....	173	28	4	3	—	—	35	2	2	5	12	6
8	Males.....	79	15	2	2	—	—	19	—	2	3	3	8
9	Females.....	94	13	2	1	—	—	16	2	—	2	9	3
10	Winona, Minn.....	276	68	12	3	3	1	87	8	6	7	13	10
11	Males.....	148	44	5	2	3	—	54	8	3	3	3	5
12	Females.....	128	24	7	1	—	1	33	—	3	4	10	5
13	Woburn, Mass.....	241	54	11	7	3	4	79	5	4	4	12	11
14	Males.....	128	33	5	2	—	3	43	1	2	1	4	5
15	Females.....	113	21	6	5	3	1	36	4	2	3	8	6
16	Woonsocket, R. I.....	516	187	29	16	16	6	254	12	10	14	23	23
17	Males.....	257	110	15	9	7	3	144	7	6	5	7	10
18	Females.....	259	77	14	7	9	3	110	5	4	9	16	13
19	Worcester, Mass.....	1,838	444	85	44	26	22	621	42	18	46	60	96
20	Males.....	945	243	53	28	14	9	347	17	8	22	30	49
21	Females.....	893	201	32	16	12	13	274	25	10	24	30	47
22	Yonkers, N. Y.....	781	205	50	14	13	4	286	18	21	18	23	49
23	Males.....	422	120	26	6	8	2	162	8	19	13	12	22
24	Females.....	359	85	24	8	5	2	124	10	11	5	11	27
25	Youngstown, Ohio.....	745	191	38	21	9	6	265	27	13	30	36	31
26	Males.....	417	105	18	14	4	4	145	10	8	18	17	16
27	Females.....	328	86	20	7	5	2	120	17	5	12	19	15

AND SEX: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

AGES—continued.														
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and over.	Unknown.
68	57	74	70	63	65	77	82	74	64	49	19	8	2	10
40	30	49	43	34	48	30	41	36	31	17	5	2	5	2
28	27	25	27	29	17	47	41	38	33	32	14	6	2	3
30	26	35	24	27	23	24	19	17	12	16	8	1	2	19
17	16	15	12	15	11	12	11	9	6	6	6	1	2	11
13	10	20	12	12	12	12	8	8	6	10	2	1	2	8
10	6	5	9	8	13	8	9	13	13	9	7	1		7
3	2	2	3	6	5	4	5	5	7	5	1	1		8
7	4	3	6	2	8	4	4	8	6	4	6			9
15	12	9	9	10	12	7	18	19	11	12	5	4		2
6	4	6	4	7	9	3	10	8	7	4	1	1		2
9	8	3	5	3	3	4	8	11	4	8	4	3		12
16	12	4	8	10	15	9	9	12	15	12	3	1		13
8	5	2	4	6	11	6	6	7	8	8		1		14
8	7	2	4	4	4	3	3	5	7	4	3			15
13	11	9	16	16	24	12	22	21	17	11	5	3		16
4	6	6	6	5	13	5	8	11	9	3	1	1		17
9	5	3	10	11	11	7	14	10	8	8	4	2		18
82	80	61	83	79	113	96	98	70	78	62	37	7	3	6
43	48	29	39	47	64	47	48	28	33	25	14	2		5
39	32	32	44	32	49	49	50	42	45	37	23	5	3	1
55	31	26	30	39	32	29	33	37	27	16	5	2	1	3
32	16	14	16	27	21	15	14	15	14	8	1	2		23
23	15	12	14	12	11	14	19	22	13	8	4		1	3
43	46	28	21	31	37	21	41	29	17	12	10	1	1	5
30	27	21	12	17	24	12	21	21	8	4	4			2
13	19	7	9	14	13	9	20	8	9	8	6	1	1	3




TABLE 6.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN
EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT
NATIVITY, AND BIRTHPLACES OF MOTHERS.

[NOTE.—Nativity, parent nativity, and birthplaces of mothers, was not supplied in the registration returns for certain areas.]

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
THE UNITED STATES.													
1	Total.....	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males.....	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females.....	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	White.....	892,092	170,665	49,212	22,890	14,648	10,493	267,908	30,272	19,160	28,877	39,519	39,927
5	Males.....	477,080	95,344	26,033	11,938	7,458	5,340	146,113	15,570	9,780	14,242	19,661	20,008
6	Females.....	415,012	75,321	23,179	10,952	7,190	5,153	121,795	14,702	9,380	14,635	19,858	19,919
7	Native.....	694,382	168,448	48,211	22,338	14,241	10,189	263,427	29,091	18,014	25,908	33,315	31,694
8	Both parents native.....	(M) 209,670	49,002	14,426	6,627	3,978	2,887	76,920	8,573	5,741	7,921	9,262	7,641
	(F) 196,434		39,530	12,924	6,160	3,910	2,764	65,288	8,217	5,546	8,541	10,048	8,895
9	One or both parents foreign.....	(M) 77,472	27,779	7,033	3,145	1,951	1,341	41,279	3,686	2,046	2,748	3,794	4,118
	(F) 65,742		21,156	6,264	2,781	1,871	1,289	33,361	3,449	1,989	2,708	3,731	3,895
10	Foreign.....	175,252	547	458	256	211	164	1,636	749	860	2,410	5,153	7,108
11	Males.....	97,309	301	249	114	115	85	864	405	441	1,241	2,682	3,804
12	Females.....	77,943	246	209	142	96	79	772	344	419	1,169	2,471	3,304
13	Colored.....	147,002	28,660	10,667	5,246	2,990	2,061	49,624	6,476	5,340	9,232	11,485	8,766
14	Males.....	74,531	15,329	5,566	2,720	1,484	1,000	26,099	3,090	2,416	4,087	5,591	4,165
15	Females.....	72,471	13,331	5,101	2,526	1,506	1,061	23,525	3,386	2,924	5,145	5,894	4,601
Birthplaces of mothers (white).													
16	United States.....	(M) 225,623	54,397	15,599	7,163	4,346	3,164	84,669	9,386	6,245	8,625	10,088	8,309
	(F) 210,993		43,750	14,041	6,686	4,292	3,009	71,778	8,969	6,030	9,244	10,865	9,584
17	Ireland.....	(M) 37,965	3,497	973	438	307	202	5,417	537	309	639	1,521	2,416
	(F) 35,276		2,684	868	423	286	188	4,449	503	321	654	1,458	2,154
18	Germany.....	(M) 39,170	4,751	1,136	566	386	276	7,115	877	529	799	1,193	1,440
	(F) 30,761		3,609	1,034	461	356	253	5,713	774	512	764	1,263	1,473
19	England and Wales.....	(M) 13,473	1,359	346	184	109	60	2,058	247	164	283	408	479
	(F) 10,249		1,072	313	142	95	66	1,688	231	153	205	366	426
20	Canada.....	(M) 11,535	3,508	681	326	219	145	4,879	388	269	404	553	486
	(F) 10,243		2,679	578	275	212	149	3,893	362	252	420	605	600
21	Scandinavia.....	(M) 9,293	1,686	452	209	123	101	2,571	310	221	319	444	484
	(F) 7,399		1,238	402	172	120	109	2,041	321	232	355	471	429
22	Scotland.....	(M) 3,877	322	79	35	29	15	480	64	48	62	107	118
	(F) 3,050		236	72	36	24	19	387	57	33	64	85	123
23	Italy.....	(M) 6,136	2,142	846	317	176	92	3,573	195	82	147	199	250
	(F) 4,407		1,650	758	283	155	107	2,953	177	75	112	156	136
24	France.....	(M) 1,731	149	37	12	8	11	217	21	17	25	50	50
	(F) 1,196		113	33	9	5	6	166	12	12	22	35	60
25	Russia and Poland.....	(M) 6,641	2,509	724	312	177	120	3,842	264	128	150	225	255
	(F) 4,992		1,829	622	297	144	102	2,994	236	88	137	172	175
26	Other foreign countries.....	(M) 12,100	3,122	853	342	199	133	4,649	345	159	306	512	622
	(F) 8,890		2,393	702	291	189	123	3,698	349	210	295	430	417
27	Unknown.....	(M) 41,041	4,462	993	486	313	210	6,464	693	451	792	1,600	1,865
	(F) 30,294		3,622	862	434	256	181	5,355	548	449	759	1,375	1,517
THE REGISTRATION RECORD.													
28	Total.....	512,669	102,220	25,986	12,020	7,825	5,520	138,571	15,045	8,585	13,420	21,360	23,936
29	Males.....	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
30	Females.....	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
31	White.....	475,640	94,269	23,747	10,986	7,276	5,153	141,431	13,969	7,666	11,763	18,689	21,436
32	Males.....	253,491	52,972	12,593	5,746	3,708	2,596	77,615	7,205	3,931	5,931	9,443	11,112
33	Females.....	222,149	41,297	11,154	5,240	3,568	2,557	63,816	6,764	3,735	5,832	9,246	10,324
34	Native.....	336,934	92,789	23,102	10,620	7,009	4,944	138,464	13,163	6,894	9,678	14,174	15,176
35	Both parents native.....	(M) 64,742	15,996	3,379	1,609	1,011	739	22,734	2,109	1,260	1,670	2,194	1,994
	(F) 61,043		12,706	3,008	1,480	975	685	18,854	2,007	1,244	1,763	2,285	2,254
36	One or both parents foreign.....	(M) 53,644	21,180	5,403	2,319	1,434	924	31,260	2,363	1,126	1,582	2,364	2,860
	(F) 45,331		16,135	4,805	2,076	1,379	911	25,306	2,205	1,100	1,526	2,338	2,578
37	Foreign.....	126,465	431	373	209	176	131	1,320	589	628	1,795	3,972	5,635
38	Males.....	67,546	233	206	95	95	66	695	315	315	901	2,014	2,943
39	Females.....	58,919	198	167	114	81	65	625	274	313	894	1,958	2,692
40	Colored.....	37,029	7,951	2,239	1,034	549	367	12,140	1,076	919	1,657	2,671	2,500
41	Males.....	19,328	4,279	1,175	529	264	166	6,413	502	408	727	1,388	1,306
42	Females.....	17,701	3,672	1,064	505	285	201	5,727	574	511	930	1,283	1,194
Birthplaces of mothers (white).													
43	United States.....	(M) 73,765	19,440	4,080	1,919	1,209	892	27,540	2,523	1,500	2,011	2,600	2,354
	(F) 69,354		15,421	3,670	1,801	1,197	815	22,904	2,399	1,467	2,103	2,693	2,606
44	Ireland.....	(M) 29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
	(F) 29,767		2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
45	Germany.....	(M) 22,666	3,277	806	386	267	183	4,919	525	281	438	691	906
	(F) 18,709		2,517	743	314	255	181	4,010	474	267	399	735	929
46	England and Wales.....	(M) 7,820	964	232	126	69	38	1,429	175	84	149	214	292
	(F) 6,544		781	206	100	63	45	1,195	130	90	116	207	262
47	Canada.....	(M) 9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
	(F) 8,869		2,477	528	244	191	135	3,575	308	203	357	514	514
48	Scandinavia.....	(M) 3,424	835	232	102	65	42	1,276	127	49	93	137	193
	(F) 2,671		602	217	70	60	52	1,001	127	75	87	165	163
49	Scotland.....	(M) 2,338	232	55	26	20	10	343	45	16	32	59	75
	(F) 2,048		159	46	22	18	12	257	38	18	47	52	82
50	Italy.....	(M) 5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
	(F) 4,073		1,560	715	269	142	93	2,779	163	64	100	138	121
51	France.....	(M) 981	124	31	8	7	5	175	13	8	10	30	36
	(F) 732		91	23	7	2	3	126	7	6	7	21	34
52	Russia and Poland.....	(M) 5,148	2,025	593	246	134	79	3,077	184	74	106	173	192
	(F) 3,882		1,470	497	235	108	74	2,384	149	55	95	136	133
53	Other foreign countries.....	(M) 7,114	2,190	602	215	119	79	3,205	179	70	154	285	361
	(F) 5,305		1,644	508	196	119	70	2,537	200	99	155	249	245
54	Unknown.....	(M) 16,581	1,904	300	170	105	68	2,547	221	147	258	572	769
	(F) 12,933		1,580	290	143	92	63	2,168	158	116	220	471	545

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
43,857	44,367	41,439	40,201	42,666	43,169	48,178	52,190	53,073	46,039	33,786	17,247	6,135	2,721	7,440	1
22,349	23,296	22,428	22,529	23,915	24,024	26,269	28,563	28,761	24,627	17,525	8,457	2,616	1,045	4,385	2
21,508	21,071	19,011	17,672	18,751	19,145	21,909	23,627	24,312	21,412	16,261	8,790	3,519	1,676	3,055	3
37,276	38,074	35,880	34,948	37,241	39,141	43,455	48,329	49,179	43,207	31,289	15,969	5,298	1,709	5,434	4
19,142	20,229	19,673	19,813	20,975	21,791	23,748	26,411	26,599	23,090	16,223	7,822	2,250	658	3,282	5
18,134	17,845	16,207	15,135	16,266	17,350	19,707	21,918	22,580	20,117	15,066	8,147	3,048	1,051	2,152	6
27,307	26,106	24,472	22,594	22,187	22,678	24,785	28,099	29,301	27,001	20,478	10,823	3,682	993	2,427	7
6,321	6,059	6,327	6,718	7,296	7,715	8,890	10,540	10,942	10,022	7,345	3,568	1,071	232	566	8
7,568	6,978	6,741	6,340	6,760	7,027	7,888	8,947	9,623	8,885	6,852	3,796	1,437	402	655	9
3,673	3,346	2,883	2,103	1,376	1,237	1,034	995	882	922	684	390	117	30	129	10
3,114	2,772	2,378	1,658	1,180	1,000	879	765	778	743	609	399	151	57	126	11
8,762	10,564	10,113	11,134	13,844	15,297	17,438	18,939	18,593	15,100	9,939	4,704	1,470	657	782	12
4,841	6,012	6,093	6,767	8,280	8,758	9,618	10,202	10,037	8,154	5,212	2,438	661	290	509	13
3,921	4,552	4,020	4,367	5,564	6,539	7,820	8,737	8,556	6,946	4,727	2,266	809	367	273	14
6,581	6,293	5,559	5,253	5,425	4,028	4,723	3,861	3,894	2,832	2,497	1,278	837	1,012	2,006	15
3,207	3,067	2,755	2,716	2,940	2,233	2,521	2,152	2,162	1,537	1,302	635	366	387	1,103	16
3,374	3,226	2,804	2,537	2,485	1,795	2,202	1,709	1,732	1,295	1,195	643	471	625	903	17
6,861	6,498	6,702	7,072	7,635	8,035	9,265	10,970	11,396	10,491	7,676	3,739	1,118	239	604	18
8,114	7,391	7,123	6,674	7,076	7,880	8,201	9,319	10,063	9,336	7,181	4,017	1,525	436	687	19
2,573	2,679	2,341	2,102	2,482	2,588	2,809	2,720	2,438	1,965	1,266	657	221	118	167	20
2,022	2,204	1,837	1,808	2,206	2,506	2,999	3,013	2,711	1,829	1,375	684	272	139	132	21
1,721	1,957	2,124	2,136	2,207	2,370	2,725	3,092	3,301	2,809	1,708	724	181	52	110	22
1,541	1,593	1,483	1,322	1,421	1,652	1,858	2,280	2,528	2,206	1,407	649	198	64	60	23
531	614	629	719	798	935	958	1,139	1,157	1,080	749	361	90	16	58	24
466	463	529	504	534	616	691	789	819	765	550	302	91	30	31	25
417	503	419	411	406	424	420	471	394	297	188	111	24	21	50	26
524	495	384	362	355	313	350	359	319	280	189	91	34	18	38	27
514	543	474	459	471	431	394	400	429	362	284	105	29	11	38	28
435	438	382	237	243	234	239	310	313	308	210	134	35	11	21	29
136	191	205	231	272	272	331	350	302	302	244	122	37	14	15	30
120	140	156	158	177	187	210	242	250	222	222	100	43	18	11	31
237	287	218	231	196	158	106	92	69	35	27	13	2	3	16	32
137	125	103	81	71	78	48	47	45	30	18	5	2	5	3	33
64	78	108	81	113	147	150	145	142	148	87	51	22	7	8	34
49	68	62	75	67	73	92	91	94	91	72	31	19	3	2	35
226	264	222	199	186	147	142	115	88	71	58	29	6	6	18	36
176	179	128	80	103	117	89	105	58	52	46	23	12	8	14	37
568	596	588	479	514	453	479	437	461	371	256	157	33	22	93	38
381	403	296	266	255	283	306	305	303	280	222	95	34	30	32	39
1,937	2,291	2,144	2,186	2,171	2,350	2,491	2,830	2,982	2,636	1,994	1,042	303	80	1,739	40
1,471	1,595	1,406	1,284	1,357	1,373	1,609	1,558	2,088	2,066	1,726	999	392	172	895	41
23,185	24,333	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	42
12,559	13,540	12,650	12,495	13,004	13,197	13,787	14,414	14,032	12,055	8,350	4,041	1,216	371	1,127	43
10,626	10,793	9,686	9,424	10,118	10,910	12,368	13,355	13,360	11,862	9,041	4,959	1,996	729	737	44
21,230	22,250	20,334	20,124	21,372	22,733	24,867	26,742	26,515	23,293	16,893	8,722	3,050	903	1,658	45
11,446	12,395	11,586	11,485	12,017	12,439	13,135	13,883	13,594	11,759	8,125	3,927	1,159	304	1,000	46
9,784	9,855	8,748	8,639	9,355	10,294	11,732	12,859	12,921	11,534	8,768	4,795	1,891	599	658	47
13,645	13,181	11,889	10,844	10,089	10,507	11,321	12,723	13,190	12,970	10,261	5,590	2,037	459	679	48
1,857	1,826	1,908	2,093	2,359	2,726	3,163	3,762	3,972	3,969	2,994	1,502	489	70	91	49
1,961	1,865	1,863	2,023	2,220	2,506	2,951	3,422	3,793	3,884	3,220	1,874	774	175	105	50
2,610	2,372	1,965	1,385	819	709	585	456	349	345	248	131	38	7	70	51
2,113	1,861	1,580	1,098	747	616	507	419	364	337	284	172	75	23	82	52
6,884	8,199	7,664	8,520	10,567	11,530	12,829	13,313	12,613	9,725	6,149	2,888	930	421	294	53
3,778	4,647	4,590	5,045	6,143	6,371	6,736	6,741	6,316	4,928	2,954	1,401	382	165	166	54
3,106	3,552	3,074	3,475	4,424	5,159	6,093	6,572	6,297	4,797	3,195	1,487	548	256	128	55
1,955	2,083	1,952	1,795	1,750	1,374	1,288	1,027	877	624	498	278	162	197	206	56
1,113	1,145	1,064	1,010	987	758	652	531	438	296	225	114	57	67	127	57
842	938	888	785	763	616	636	496	439	328	273	164	105	130	79	58
2,162	2,064	2,107	2,278	2,522	2,893	3,359	3,997	4,190	4,210	3,176	1,585	511	75	108	59
2,238	2,083	2,078	2,213	2,378	2,721	3,115	3,632	4,033	4,129	3,414	2,003	829	193	123	60
2,243	2,274	1,916	1,690	1,987	2,029	2,094	1,852	1,596	1,219	731	373	120	62	62	61
1,774	1,882	1,564	1,592	1,984	2,168	2,525	2,428	2,140	1,354	987	454	187	101	75	62
1,106	1,277	1,376	1,329	1,331	1,347	1,513	1,575	1,609	1,304	739	285	68	23	24	63
982	957	894	836	862	1,015	1,133	1,346	1,484	1,207	736	312	88	28	15	64
305	389	357	438	443	555	558	618	569	569	364	188	51	10	14	65
304	312	348	334	350	401	427	494	511	471	312	184	68	20	18	66
331	400	314	318	319	330	321	353	309	137	137	87	22	15	32	67
440	414	317	292	311	265	287	299	243	225	150	76	32	13	31	68
221	226	186	196	168	144	108	86	76	67	46	12	4	9	9	69
188	169	122	82	75	58	50	89	83	63	44	25	1	1	3	70
98	140	138	138	171	159	164	191	192	156	130	63	20	6	2	71
89	97	115	112	126	137	141	166	179	145	141	63	26	12	5	72
199	231	179	177	156	124	85	70	50	32	21	10	2	1	6	73
124	114	96	67	64	69	38	40	41	27	16	4	1	5	2	74
45	45	66	47	69	82	83	80	68	64	25	22	9	1	3	75
28	49	39	44	38	46	52	56	65	49	33	19	12	1	1	76
175	201	175	153	148	109	113	87	63	44	36	20	4	3	11	77
135	142	91	60	87	94	73	80	50	38	37	18	9	8	8	78
345	361	347	267	299	256	238	203	199	153	98	57	10	6	21	79
197	208	163	142	129	159	170	172	153	139	115	41	18	9	5	80
859	1,059	926	947	880	930	966	1,102	1,232	1,187	936	514	154	33	342	81
587	677	603	581	600	623	706	857	967	1,063	935	579	239	91	117	82

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES.													
1	Total	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	White	367,430	77,867	20,250	9,341	6,159	4,432	118,049	11,499	5,924	8,960	15,054	17,590
5	Males	196,694	43,732	10,721	4,885	3,152	2,209	64,699	5,952	3,043	4,520	7,627	9,249
6	Females	170,736	34,135	9,529	4,456	3,007	2,223	53,350	5,547	2,881	4,440	7,427	8,341
7	Native	250,506	76,519	19,681	9,020	5,919	4,241	115,380	10,814	5,266	7,200	11,128	12,060
8	Both parents native	(M) 36,297	10,979	2,377	1,143	711	530	15,740	1,438	752	920	1,313	1,213
		(F) 33,984	8,677	2,136	1,041	677	515	13,046	1,335	747	989	1,355	1,298
9	One or both parents foreign	(M) 43,763	17,625	4,683	1,997	1,219	771	26,295	1,910	864	1,206	1,904	2,321
		(F) 36,832	13,516	4,180	1,796	1,150	773	21,415	1,776	849	1,143	1,880	2,088
10	Foreign	106,484	351	310	172	154	115	1,102	485	528	1,494	3,433	4,973
11	Males	56,683	197	174	74	85	57	587	258	258	738	1,732	2,612
12	Females	49,801	154	136	98	69	58	515	227	270	756	1,701	2,361
13	Colored	35,236	7,517	2,138	996	527	352	11,530	1,026	867	1,579	2,579	2,415
14	Males	18,421	4,037	1,126	513	258	163	6,097	479	384	698	1,349	1,270
15	Females	16,815	3,480	1,012	483	269	189	5,433	547	483	881	1,230	1,145
Birthplaces of mothers (white).													
16	United States	(M) 42,624	13,632	2,915	1,391	877	642	19,457	1,732	928	1,162	1,591	1,474
		(F) 39,835	10,789	2,675	1,303	850	619	16,236	1,618	903	1,219	1,658	1,547
17	Ireland	(M) 24,914	2,993	861	379	261	169	4,663	413	212	455	1,108	1,816
		(F) 25,095	2,333	750	369	237	155	3,844	400	220	454	1,131	1,629
18	Germany	(M) 19,126	2,852	721	333	222	164	4,292	446	239	364	589	770
		(F) 15,874	2,200	668	279	225	165	3,537	407	232	332	620	788
19	England and Wales	(M) 5,633	802	192	102	59	32	1,187	134	67	117	170	241
		(F) 4,815	657	175	84	54	34	1,004	99	69	91	156	213
20	Canada	(M) 6,069	2,215	421	189	121	82	3,028	196	116	178	303	245
		(F) 5,584	1,696	338	158	125	93	2,410	178	121	201	319	337
21	Scandinavia	(M) 2,749	651	184	89	54	33	1,011	108	39	78	115	162
		(F) 2,114	480	167	59	43	42	791	101	62	69	137	134
22	Scotland	(M) 1,710	183	44	22	18	10	282	35	14	26	46	61
		(F) 1,505	127	41	22	14	11	215	29	13	31	44	62
23	Italy	(M) 4,946	1,809	763	277	157	73	3,079	163	65	111	161	187
		(F) 3,777	1,442	681	251	126	86	2,586	149	62	92	129	111
24	France	(M) 814	108	27	8	7	4	154	13	6	9	24	30
		(F) 619	78	21	5	2	2	108	6	6	7	19	29
25	Russia and Poland	(M) 4,740	1,871	564	232	125	70	2,862	165	66	94	152	170
		(F) 3,596	1,332	469	219	104	70	2,194	139	48	89	127	125
26	Other foreign countries	(M) 5,863	1,844	523	189	108	65	2,729	150	52	119	235	302
		(F) 4,371	1,377	447	163	99	60	2,151	168	79	125	215	202
27	Unknown	(M) 11,531	1,718	263	153	90	64	2,288	195	119	210	458	635
		(F) 8,763	1,439	266	128	83	56	1,972	138	95	180	384	450
REGISTRATION STATES.													
28	Total	301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,893
29	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
30	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
31	White	292,618	58,250	14,521	6,533	4,247	2,836	86,387	7,669	4,341	6,781	10,547	12,367
32	Males	153,183	32,713	7,720	3,421	2,166	1,435	47,455	3,938	2,178	3,405	5,223	6,255
33	Females	139,435	25,537	6,801	3,112	2,081	1,401	38,932	3,731	2,163	3,376	5,324	6,112
34	Native	210,918	57,735	14,177	6,331	4,086	2,724	85,053	7,176	3,900	5,519	7,820	8,564
35	Both parents native	(M) 53,032	12,391	2,575	1,202	772	559	17,499	1,599	955	1,308	1,630	1,531
		(F) 50,627	9,981	2,272	1,119	753	519	14,644	1,548	932	1,362	1,719	1,724
36	One or both parents foreign	(M) 44,845	18,204	4,674	1,981	1,216	767	26,842	1,897	882	1,243	1,896	2,353
		(F) 37,812	13,766	4,099	1,761	1,190	772	21,588	1,811	892	1,202	1,871	2,084
37	Foreign	78,077	353	301	175	148	102	1,079	452	415	1,211	2,607	3,642
38	Males	40,088	189	164	81	82	51	567	248	198	599	1,259	1,802
39	Females	37,989	164	137	94	66	51	512	204	217	612	1,348	1,840
40	Colored	9,052	2,274	580	264	138	97	3,353	240	235	337	543	526
41	Males	4,562	1,211	301	126	61	33	1,732	109	96	129	261	264
42	Females	4,490	1,063	279	138	77	64	1,621	131	139	203	282	262
Birthplaces of mothers (white).													
43	United States	(M) 60,580	15,305	3,170	1,465	980	681	21,551	1,931	1,142	1,565	1,955	1,820
		(F) 57,563	12,253	2,816	1,382	936	624	18,011	1,868	1,110	1,629	2,035	2,004
44	Ireland	(M) 26,554	3,093	857	383	277	166	4,776	427	213	462	1,136	1,881
		(F) 26,858	2,370	749	367	248	166	3,900	411	230	486	1,151	1,687
45	Germany	(M) 16,048	2,403	585	290	190	133	3,601	378	186	304	472	643
		(F) 13,173	1,848	536	220	193	130	2,927	339	187	252	511	656
46	England and Wales	(M) 6,433	832	193	104	55	33	1,217	142	67	108	175	226
		(F) 5,466	676	176	82	52	39	1,025	104	75	92	169	199
47	Canada	(M) 9,257	3,198	613	288	192	123	4,414	301	203	321	417	362
		(F) 8,509	2,409	522	238	188	129	3,486	285	197	340	484	484
48	Scandinavia	(M) 2,363	648	176	79	53	30	986	80	27	51	79	125
		(F) 1,830	439	169	52	48	41	749	89	47	50	94	108
49	Scotland	(M) 1,977	199	47	25	20	9	300	41	11	28	49	64
		(F) 1,793	144	40	19	17	12	232	35	13	42	42	73
50	Italy	(M) 4,909	1,872	776	281	154	77	3,160	157	61	105	156	164
		(F) 3,765	1,450	679	251	136	85	2,601	151	59	90	126	112
51	France	(M) 689	111	29	7	5	5	157	11	7	9	23	21
		(F) 508	83	21	7	1	2	114	7	5	3	13	26
52	Russia and Poland	(M) 3,899	1,522	476	184	106	55	2,343	136	53	85	127	137
		(F) 3,007	1,113	394	189	81	54	1,831	108	45	72	109	110
53	Other foreign countries	(M) 5,459	1,798	503	166	90	65	2,622	142	62	116	188	245
		(F) 4,244	1,333	411	165	107	60	2,076	164	76	123	194	178
54	Unknown	(M) 12,095	1,245	206	114	77	44	1,686	137	99	167	342	476
		(F) 9,835	1,085	210	102	60	41	1,498	106	72	132	290	342

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19,633	20,551	18,538	17,983	18,742	18,760
10,881	11,627	10,743	10,442	10,751	10,372
8,752	8,924	7,795	7,541	7,991	8,388
17,744	18,527	16,660	16,248	17,060	17,464
9,808	10,512	9,710	9,461	9,797	9,658
7,936	8,015	6,950	6,787	7,263	7,806
10,967	10,489	9,177	8,015	7,114	6,875
1,186	1,113	1,140	1,166	1,314	1,404
1,091	1,063	1,021	1,046	1,146	1,221
2,197	1,955	1,603	1,104	647	511
1,695	1,477	1,231	883	551	441
6,142	7,254	6,797	7,549	9,308	9,987
3,419	4,144	4,112	4,496	5,426	5,503
2,723	3,110	2,685	3,053	3,852	4,484
1,889	2,024	1,878	1,735	1,682	1,296
1,073	1,115	1,033	981	954	714
816	909	845	754	728	582
1,409	1,279	1,280	1,283	1,417	1,497
1,274	1,213	1,168	1,163	1,233	1,339
1,975	1,970	1,639	1,438	1,717	1,678
1,556	1,632	1,342	1,400	1,679	1,842
979	1,141	1,218	1,178	1,170	1,153
837	818	744	725	760	868
243	322	288	334	338	417
228	230	265	241	263	311
236	258	198	195	193	185
275	255	205	187	191	179
188	185	157	162	138	111
150	131	103	69	58	42
86	117	110	107	119	118
72	82	94	91	101	106
173	197	156	159	134	113
117	104	89	60	62	61
42	38	61	43	61	71
25	43	32	40	31	40
102	183	161	140	140	100
127	138	81	59	80	91
291	290	292	234	251	203
165	167	129	114	104	136
726	874	743	756	666	646
490	544	461	428	414	398
12,630	13,142	12,142	12,112	13,262	14,531
6,601	7,081	6,570	6,568	7,116	7,632
6,029	6,061	5,572	5,544	6,146	6,899
12,225	12,723	11,691	11,691	12,901	14,160
6,366	6,862	6,354	6,351	6,921	7,434
5,859	5,861	5,337	5,340	5,980	6,726
7,694	7,339	6,790	6,421	6,175	6,848
1,398	1,416	1,500	1,728	1,953	2,350
1,555	1,469	1,515	1,706	1,894	2,195
2,128	1,918	1,526	1,101	654	559
1,732	1,514	1,285	866	593	506
4,342	5,118	4,629	5,050	6,525	7,111
2,241	2,768	2,608	2,813	3,601	3,713
2,101	2,350	2,021	2,237	2,924	3,398
405	419	451	421	361	371
235	219	216	217	195	198
170	200	235	204	166	173
1,644	1,601	1,653	1,878	2,094	2,494
1,780	1,639	1,688	1,868	2,032	2,380
2,002	2,011	1,684	1,499	1,732	1,754
1,625	1,709	1,411	1,438	1,757	1,958
788	895	954	924	947	940
708	678	651	550	608	750
242	312	271	341	363	451
249	268	291	276	281	327
299	363	274	287	295	310
421	392	301	269	297	249
133	151	116	138	106	94
128	116	74	60	51	39
88	114	113	112	146	125
76	85	96	100	109	124
158	191	148	142	135	104
114	99	84	57	62	33
30	29	38	31	46	58
20	32	25	27	26	23
136	152	125	103	108	91
103	114	69	47	73	74
233	268	239	191	230	188
160	167	131	128	102	129
535	694	627	620	625	679
384	447	413	429	453	467
19,788	19,788	19,788	19,788	19,788	19,788
18,460	18,460	18,460	18,460	18,460	18,460
14,664	14,664	14,664	14,664	14,664	14,664
10,053	10,053	10,053	10,053	10,053	10,053
5,014	5,014	5,014	5,014	5,014	5,014
1,686	1,686	1,686	1,686	1,686	1,686
678	678	678	678	678	678
1,334	1,334	1,334	1,334	1,334	1,334
10,188	10,188	10,188	10,188	10,188	10,188
9,185	9,185	9,185	9,185	9,185	9,185
6,994	6,994	6,994	6,994	6,994	6,994
4,515	4,515	4,515	4,515	4,515	4,515
2,074	2,074	2,074	2,074	2,074	2,074
560	560	560	560	560	560
225	225	225	225	225	225
803	803	803	803	803	803
18,827	18,827	18,827	18,827	18,827	18,827
17,660	17,660	17,660	17,660	17,660	17,660
14,103	14,103	14,103	14,103	14,103	14,103
9,616	9,616	9,616	9,616	9,616	9,616
4,766	4,766	4,766	4,766	4,766	4,766
1,537	1,537	1,537	1,537	1,537	1,537
495	495	495	495	495	495
1,146	1,146	1,146	1,146	1,146	1,146
9,696	9,696	9,696	9,696	9,696	9,696
8,722	8,722	8,722	8,722	8,722	8,722
9,131	9,131	9,131	9,131	9,131	9,131
8,870	8,870	8,870	8,870	8,870	8,870
6,947	6,947	6,947	6,947	6,947	6,947
6,148	6,148	6,148	6,148	6,148	6,148
4,327	4,327	4,327	4,327	4,327	4,327
5,289	5,289	5,289	5,289	5,289	5,289
1,975	1,975	1,975	1,975	1,975	1,975
2,791	2,791	2,791	2,791	2,791	2,791
1,028	1,028	1,028	1,028	1,028	1,028
162	162	162	162	162	162
333	333	333	333	333	333
459	459	459	459	459	459
186	186	186	186	186	186
459	459	459	459	459	459
135	135	135	135	135	135
18	18	18	18	18	18
43	43	43	43	43	43
61	61	61	61	61	61
292	292	292	292	292	292
11	11	11	11	11	11
48	48	48	48	48	48
153	153	153	153	153	153
101	101	101	101	101	101
39	39	39	39	39	39
13	13	13	13	13	13
298	298	298	298	298	298
193	193	193	193	193	193
110	110	110	110	110	110
188	188	188	188	188	188
107	107	107	107	107	107
86	86	86	86	86	86
188	188	188	188	188	188
116	116	116	116	116	116
72	72	72	72	72	72
54	54	54	54	54	54
60	60	60	60	60	60
36	36	36	36	36	36
47	47	47	47	47	47
13	13	13	13	13	13
11	11	11	11	11	11
9	9	9	9	9	9
10	10	10	10	10	10
5	5	5	5	5	5
17	17	17	17	17	17
6	6	6	6	6	6
1	1	1	1	1	1
2	2	2	2	2	2
2	2	2	2	2	2
4	4	4	4	4	4
2	2	2	2	2	2
3	3	3	3	3	3
5	5	5	5	5	5
14	14	14	14	14	14
11	11	11	11	11	11
9	9	9	9	9	9
4	4	4	4	4	4
3	3	3	3	3	3
6	6	6	6	6	6
7	7	7	7	7	7
14	14	14	14	14	14
3	3	3	3	3	3
15	15	15	15	15	15
9	9	9	9	9	9
173	173	173	173	173	173
91	91	91	91	91	91
16,033	16,033	16,033	16,033	16,033	16,033
17,385	17,385	17,385	17,385	17,385	17,385
17,803	17,803	17,803	17,803	17,803	17,803
16,467	16,467	16,467	16,467	16,467	16,467
12,305	12,305	12,305	12,305	12,305	12,305
6,566	6,566	6,566	6,566	6,566	6,566
2,407	2,407	2,407	2,407	2,407	2,407
708	708	708	708	708	708
856	856	856	856	856	856
493	493	493	493	493	493
363	363	363	363	363	363
828	828	828	828	828	828
476	476	476	476	476	476
352	352	352	352	352	352
353	353	353	353	353	353
67	67	67	67	67	67
73	73	73	73	73	73
51	51	51	51	51	51
73	73	73	73	73	73
185	185	185	185	185	185
96	96	96	96	96	96
89	89	89	89	89	89
28	28	28	28	28	28
40	40	40	40	40	40
17	17	17	17	17	17
11	11	11	11	11	11
81	81	81	81	81	81
89	89	89	89	89	89
52	52	52	52	52	52
73	73	73	73	73	73
16	16	16	16	16	16
10	10	10	10	10	10
11	11	11	11	11	11
17	17	17	17	17	17
13	13	13	13	13	13
15	15	15	15	15	15
28	28	28	28	28	28
31	31	31	31	31	31
5	5	5	5	5	5
2	2	2	2	2	2
1	1	1	1	1	1
6	6	6	6	6	6
3	3	3	3	3	3
5	5	5	5	5	5
12	12	12	12	12	12

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CITIES IN REGISTRATION STATES.													
1	Total	191,667	43,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
2	Males	100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629	4,620
3	Females	91,626	19,246	5,403	2,444	1,581	1,119	29,793	2,618	1,420	2,143	3,734	4,342
4	White	184,408	41,848	11,024	4,888	3,130	2,115	63,005	5,199	2,599	3,978	6,912	8,521
5	Males	96,386	23,473	5,848	2,560	1,610	1,048	34,539	2,685	1,290	1,994	3,407	4,392
6	Females	88,022	18,375	5,176	2,328	1,520	1,067	28,466	2,514	1,309	1,984	3,505	4,129
7	Native	124,490	41,465	10,756	4,731	2,996	2,021	61,969	4,827	2,272	3,041	4,774	5,448
8	Both parents native	(M) 24,587	7,374	1,573	736	472	350	10,505	928	447	558	749	750
		(F) 23,568	5,952	1,400	680	455	349	8,836	876	435	588	789	768
9	One or both parents foreign	(M) 34,964	14,649	3,954	1,659	1,001	614	21,877	1,444	620	867	1,436	1,814
		(F) 29,313	11,147	3,474	1,481	961	634	17,697	1,382	641	819	1,413	1,594
10	Foreign	58,096	273	238	138	126	86	861	348	315	910	2,068	2,980
11	Males	29,225	153	132	60	72	42	459	191	141	436	977	1,471
12	Females	28,871	120	106	78	54	44	402	157	174	474	1,091	1,509
13	Colored	7,259	1,840	479	226	116	82	2,743	190	183	259	451	411
14	Males	3,655	969	252	110	55	30	1,416	86	72	100	222	228
15	Females	3,604	871	227	116	61	52	1,327	104	111	159	229	213
Birthplaces of mothers (white).													
16	United States	(M) 29,439	9,497	2,005	937	598	431	13,468	1,140	570	716	946	940
		(F) 28,044	7,621	1,821	884	589	428	11,343	1,087	546	745	1,000	945
17	Ireland	(M) 21,473	2,792	801	351	249	151	4,344	362	172	368	950	1,599
		(F) 22,186	2,154	682	340	220	148	3,544	363	158	398	997	1,451
18	Germany	(M) 12,508	1,978	500	237	145	114	2,974	299	144	230	370	507
		(F) 10,338	1,531	461	185	163	114	2,454	272	132	185	396	515
19	England and Wales	(M) 4,246	670	153	80	45	27	975	101	50	76	131	175
		(F) 3,737	552	145	66	43	28	834	73	54	67	118	150
20	Canada	(M) 5,590	2,148	407	184	118	79	2,986	177	100	166	273	215
		(F) 5,224	1,628	332	152	122	87	2,321	155	115	184	286	307
21	Scandinavia	(M) 1,688	464	128	66	42	21	721	61	17	36	57	94
		(F) 1,273	317	119	41	31	31	539	63	34	32	66	79
22	Scotland	(M) 1,349	155	36	21	18	9	239	31	9	22	36	50
		(F) 1,250	112	35	19	13	11	190	26	8	26	34	53
23	Italy	(M) 4,427	1,699	735	262	148	71	2,915	148	54	89	137	141
		(F) 3,469	1,332	645	233	120	78	2,408	137	57	82	117	102
24	France	(M) 522	95	25	7	5	4	136	11	5	8	17	15
		(F) 395	70	19	5	1	1	96	6	5	3	11	21
25	Russia and Poland	(M) 3,491	1,368	447	170	97	46	2,128	117	45	73	106	115
		(F) 2,721	975	366	173	77	50	1,641	98	38	66	100	102
26	Other foreign countries	(M) 4,208	1,452	424	140	79	51	2,146	113	44	81	133	186
		(F) 3,310	1,066	350	137	87	50	1,690	132	56	93	160	135
27	Unknown	(M) 7,045	1,059	169	97	62	40	1,427	111	71	119	228	342
		(F) 5,665	944	186	87	51	34	1,302	86	51	92	203	247
RURAL PART OF REGISTRATION STATES.													
28	Total	110,003	16,836	3,598	1,683	1,139	736	23,992	2,520	1,794	2,881	3,727	3,931
29	Males	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
30	Females	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,032
31	White	108,210	16,402	3,497	1,645	1,117	721	23,382	2,470	1,742	2,803	3,635	3,846
32	Males	56,797	9,240	1,872	861	556	387	12,916	1,253	888	1,411	1,816	1,863
33	Females	51,413	7,162	1,625	784	561	334	10,466	1,217	854	1,392	1,819	1,983
34	Native	86,428	16,270	3,421	1,600	1,090	703	23,084	2,349	1,628	2,478	3,046	3,116
35	Both parents native	(M) 28,445	5,017	1,002	466	300	209	6,994	671	508	750	881	781
		(F) 27,059	4,029	872	439	298	170	5,808	672	497	774	930	956
36	One or both parents foreign	(M) 9,881	3,555	720	322	215	153	4,965	453	262	376	460	539
		(F) 8,499	2,619	625	280	229	138	3,891	429	251	383	458	490
37	Foreign	19,981	80	63	37	22	16	218	104	100	301	539	662
38	Males	10,863	36	32	21	10	9	108	57	57	163	282	331
39	Females	9,118	44	31	16	12	7	110	47	43	138	257	331
40	Colored	1,793	434	101	38	22	15	610	50	52	78	92	85
41	Males	907	242	49	16	6	3	316	23	24	29	39	36
42	Females	886	192	52	22	16	12	294	27	28	49	53	49
Birthplaces of mothers (white).													
43	United States	(M) 31,141	5,808	1,165	523	332	250	8,083	791	572	849	1,009	880
		(F) 29,519	4,632	995	498	347	196	6,668	781	564	884	1,035	1,059
44	Ireland	(M) 5,081	301	56	32	28	15	432	65	41	94	186	282
		(F) 4,672	216	67	27	28	18	356	48	42	88	154	236
45	Germany	(M) 3,540	425	85	53	45	19	627	79	42	74	102	136
		(F) 2,835	317	75	35	30	16	473	67	35	67	115	141
46	England and Wales	(M) 2,187	162	40	24	10	6	242	41	17	32	44	51
		(F) 1,729	124	31	16	9	11	191	31	21	25	51	49
47	Canada	(M) 3,667	1,050	206	104	74	44	1,478	124	103	155	144	147
		(F) 3,285	781	190	86	66	42	1,165	130	82	156	198	177
48	Scandinavia	(M) 675	184	48	13	11	9	265	19	10	15	22	31
		(F) 557	122	50	11	17	10	210	26	13	18	28	29
49	Scotland	(M) 628	44	11	4	2	1	61	10	2	6	13	14
		(F) 543	32	5	19	6	1	42	9	5	16	8	20
50	Italy	(M) 482	173	41	19	6	6	245	9	7	16	19	23
		(F) 296	118	34	18	16	7	193	14	2	8	9	10
51	France	(M) 167	16	4	2	1	1	21	2	2	1	6	6
		(F) 113	13	2	2	1	1	18	1	1	1	2	5
52	Russia and Poland	(M) 408	154	29	14	9	9	215	19	8	12	21	22
		(F) 286	138	28	16	4	4	190	10	7	6	9	8
53	Other foreign countries	(M) 1,251	346	79	26	11	14	476	29	18	35	50	59
		(F) 934	267	61	28	20	10	386	32	20	30	34	43
54	Unknown	(M) 5,050	186	37	17	15	4	259	26	28	48	114	134
		(F) 4,170	141	24	15	9	7	196	20	21	40	87	95

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

61

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,967	2,580	881	281	326	1
4,923	5,168	4,663	4,515	4,863	4,807	4,828	4,647	4,149	3,314	2,132	1,056	291	85	169	2
4,155	4,192	3,731	3,661	4,019	4,377	4,760	4,757	4,722	3,900	2,835	1,524	590	196	157	3
8,739	9,000	8,017	7,815	8,589	8,891	9,350	9,203	8,673	7,097	4,870	2,522	859	253	316	4
4,728	4,979	4,478	4,327	4,701	4,653	4,713	4,546	4,052	3,255	2,090	1,033	285	76	163	5
4,011	4,021	3,539	3,488	3,888	4,238	4,637	4,657	4,621	3,842	2,780	1,489	574	177	153	6
5,016	4,647	4,078	3,592	3,200	3,216	3,309	3,422	3,443	3,332	2,667	1,473	524	107	133	7
727	703	732	801	908	1,028	1,053	1,232	1,109	1,045	799	370	109	15	19	8
685	667	673	729	820	910	1,032	1,125	1,206	1,304	1,083	620	260	52	20	
1,715	1,501	1,164	820	482	361	294	185	117	119	80	29	8	8	31	9
1,314	1,130	936	651	397	331	267	182	177	123	101	76	32	8	42	
3,600	4,173	3,762	4,079	5,266	5,568	5,923	5,695	5,149	3,697	2,143	1,014	318	143	84	10
1,882	2,265	2,130	2,264	2,884	2,845	2,918	2,710	2,375	1,697	911	453	125	54	37	11
1,718	1,908	1,632	1,815	2,382	2,723	3,005	2,985	2,774	2,000	1,232	561	193	89	47	12
339	360	377	361	293	293	238	201	198	117	97	58	22	28	10	13
195	189	185	188	162	154	115	101	97	59	42	23	6	9	6	14
144	171	192	173	131	139	123	100	101	58	55	35	16	19	4	15
891	816	826	883	989	1,098	1,139	1,306	1,184	1,120	863	388	113	16	27	16
816	769	778	818	887	998	1,095	1,201	1,400	1,401	1,165	679	286	59	26	
1,734	1,707	1,407	1,247	1,462	1,403	1,399	1,164	936	627	320	159	57	30	26	17
1,407	1,459	1,189	1,246	1,502	1,632	1,857	1,649	1,427	847	563	265	102	55	45	
661	759	796	773	786	746	825	831	773	581	288	127	27	6	5	18
563	539	501	439	506	603	627	724	746	604	331	131	33	11	6	
180	245	202	237	258	313	298	301	276	214	115	70	19	4	6	19
173	186	208	183	194	235	244	238	263	240	145	88	22	8	9	
204	221	158	164	169	174	159	159	128	93	41	30	7	5	11	20
256	233	189	164	177	143	169	157	120	108	71	33	14	5	17	
105	110	87	104	76	61	50	34	26	21	23	3	-----	-----	2	21
90	78	55	47	34	23	21	40	29	29	9	5	-----	-----	-----	
76	91	85	102	85	86	96	94	67	59	29	29	6	4	1	22
59	70	75	79	84	93	81	88	101	81	57	29	13	3	-----	
132	157	125	124	113	93	66	49	37	23	14	5	1	1	3	23
107	89	77	50	58	54	32	29	29	21	11	4	1	2	2	
27	22	33	27	38	47	36	28	22	31	11	6	2	-----	-----	24
17	26	18	23	19	17	30	30	31	22	11	5	4	-----	-----	
123	134	111	90	100	82	83	67	42	33	23	12	3	1	3	25
95	110	59	46	66	71	57	62	35	26	22	13	6	4	4	
179	197	184	158	182	135	124	99	94	70	41	25	6	1	5	26
128	126	97	100	77	106	97	83	73	70	56	19	7	2	3	
402	509	444	429	411	395	424	397	415	354	278	169	42	5	73	27
287	314	271	276	267	242	301	340	340	373	326	211	71	24	41	
3,552	3,782	3,748	3,936	4,380	5,347	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	530	28
1,678	1,913	1,907	2,053	2,253	2,825	3,399	4,226	4,847	5,061	3,835	1,967	656	146	324	29
1,874	1,869	1,841	1,883	2,127	2,522	3,046	3,755	4,085	4,192	3,503	2,019	870	276	206	30
3,486	3,723	3,674	3,876	4,312	5,269	6,366	7,915	8,855	9,190	7,277	3,956	1,513	408	512	31
1,638	1,883	1,876	2,024	2,220	2,781	3,356	4,187	4,804	5,026	3,798	1,952	650	142	313	32
1,848	1,840	1,798	1,852	2,092	2,488	3,010	3,728	4,051	4,164	3,479	2,004	863	266	199	33
2,678	2,692	2,712	2,829	2,975	3,632	4,420	5,473	6,243	6,822	5,472	3,067	1,219	273	220	34
671	713	768	927	1,045	1,322	1,696	2,126	2,472	2,639	1,979	1,048	354	52	48	35
870	802	842	977	1,074	1,285	1,594	1,913	2,121	2,260	1,901	1,134	482	114	53	
413	417	362	281	172	198	183	182	175	178	128	83	27	7	20	36
418	384	349	215	196	175	141	164	123	153	131	71	36	10	31	
742	945	867	971	1,259	1,543	1,836	2,320	2,442	2,191	1,650	801	266	123	101	37
359	503	478	549	717	868	995	1,213	1,314	1,255	915	454	131	55	59	38
383	442	389	422	542	675	841	1,107	1,128	936	735	347	135	68	42	39
66	59	74	60	68	78	79	66	77	63	61	30	13	14	18	40
40	30	31	29	33	44	43	39	43	35	37	15	6	4	11	41
26	29	43	31	35	34	36	27	34	28	24	15	7	10	7	42
753	785	827	995	1,105	1,396	1,777	2,259	2,595	2,792	2,085	1,109	371	54	54	43
964	870	910	1,050	1,145	1,382	1,673	2,023	2,240	2,383	1,993	1,198	509	125	63	
268	304	277	252	270	351	431	430	434	417	289	161	48	23	26	44
218	250	222	192	255	326	422	509	466	339	299	133	58	31	28	
127	136	153	151	161	194	244	288	329	325	232	88	27	9	11	45
145	139	150	111	102	147	168	230	267	225	148	71	23	7	4	
62	67	69	104	105	133	154	205	256	261	203	100	25	6	5	46
76	82	83	93	87	92	116	163	172	163	122	68	31	5	8	
95	142	116	123	126	136	136	176	164	125	86	50	14	10	17	47
165	159	112	105	120	106	108	130	113	112	72	37	16	8	14	
33	41	29	34	30	33	19	22	23	24	13	7	2	-----	3	48
38	38	19	13	17	16	7	21	16	15	21	8	1	-----	2	
12	23	28	31	44	40	46	59	71	70	55	29	12	2	-----	49
17	15	21	21	25	31	39	57	59	53	63	23	9	7	3	
26	34	23	18	22	11	4	1	3	6	1	2	-----	-----	2	50
7	10	7	7	2	8	1	6	4	4	2	-----	-----	-----	-----	
3	7	5	4	8	11	12	22	21	14	9	8	4	-----	3	51
13	6	7	4	7	6	7	6	12	10	7	8	3	1	-----	
8	18	14	13	8	9	5	10	7	4	6	1	-----	-----	3	52
54	71	55	33	43	53	46	58	51	37	5	-----	2	1	1	
32	41	34	28	25	23	35	42	35	32	32	12	3	4	7	53
133	185	183	191	214	234	336	487	598	685	534	296	102	24	169	
97	133	142	153	186	225	268	362	476	576	520	312	145	60	66	54

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES IN NONREGISTRATION STATES.													
1	Total	210,999	41,696	10,885	5,223	3,440	2,587	63,831	7,136	4,009	6,302	10,270	11,043
2	Males	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347	5,899
3	Females	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
4	White	183,022	36,019	9,226	4,453	3,029	2,317	55,044	6,300	3,325	4,982	8,142	9,069
5	Males	100,308	20,259	4,873	2,325	1,542	1,161	30,160	3,267	1,753	2,526	4,220	4,857
6	Females	82,714	15,760	4,353	2,128	1,487	1,156	24,884	3,033	1,572	2,456	3,922	4,212
7	Native	126,016	35,054	8,925	4,289	2,923	2,220	53,411	5,987	2,994	4,159	6,354	6,612
8	Both parents native	(M) 11,710 (F) 10,416	3,605 2,725	804 736	407 361	239 222	180 166	5,235 4,210	510 459	305 312	362 401	564 566	463 530
9	One or both parents foreign	(M) 8,799 (F) 7,519	2,976 2,369	729 706	338 315	218 189	157 139	4,418 3,718	466 394	214 208	339 324	468 467	507 494
10	Foreign	48,388	78	72	34	28	29	241	137	213	584	1,365	1,993
11	Males	27,458	44	42	14	13	15	128	67	117	302	755	1,141
12	Females	20,930	34	30	20	15	14	113	70	96	282	610	852
13	Colored	27,977	5,677	1,659	770	411	270	8,787	836	684	1,320	2,128	1,974
14	Males	14,766	3,068	874	403	203	133	4,681	393	312	598	1,127	1,042
15	Females	13,211	2,609	785	367	208	137	4,106	443	372	722	1,001	932
Birthplaces of mothers (white).													
16	United States	(M) 13,185 (F) 11,791	4,135 3,168	910 854	454 419	279 261	211 191	5,989 4,893	592 531	358 357	446 474	645 658	534 602
17	Ireland	(M) 3,441 (F) 2,909	201 179	60 68	28 29	12 17	18 7	319 300	51 37	40 32	67 56	158 134	217 178
18	Germany	(M) 6,618 (F) 5,536	874 669	221 207	96 94	77 62	50 51	1,318 1,083	147 135	95 80	134 147	219 224	263 273
19	England and Wales	(M) 1,387 (F) 1,078	132 105	39 30	22 18	14 11	5 6	212 170	33 26	17 15	41 24	39 38	66 63
20	Canada	(M) 479 (F) 360	67 68	14 6	5 6	3 3	3 6	92 89	19 23	16 6	12 17	30 33	30 30
21	Scandinavia	(M) 1,061 (F) 841	187 163	56 48	23 18	12 12	12 11	290 252	47 38	22 28	42 37	58 71	68 55
22	Scotland	(M) 361 (F) 255	33 15	8 6	1 3	1 1	1 2	43 25	4 3	5 5	4 5	10 10	11 9
23	Italy	(M) 519 (F) 308	110 110	28 36	15 18	9 6	2 8	164 178	15 12	11 5	22 10	24 12	46 9
24	France	(M) 292 (F) 224	13 8	2 2	1 1	2 1	8 1	18 12	2 1	1 1	1 4	7 8	15 8
25	Russia and Poland	(M) 1,249 (F) 875	503 357	117 103	62 46	28 27	24 20	734 553	48 41	21 10	21 23	46 27	55 23
26	Other foreign countries	(M) 1,655 (F) 1,061	392 311	99 97	49 31	29 12	14 10	583 461	37 36	8 23	38 32	97 55	116 67
27	Unknown	(M) 4,486 (F) 3,098	659 495	94 80	56 41	28 32	24 22	861 670	84 52	48 44	91 88	230 181	293 203
NONREGISTRATION RECORD.													
28	Total	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
29	Males	278,792	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421	11,755
30	Females	247,633	43,683	16,062	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223	13,002
31	White	416,452	76,396	25,465	11,904	7,372	5,340	126,477	16,303	11,494	17,114	20,830	18,491
32	Males	223,589	42,372	13,440	6,192	3,750	2,744	68,498	8,365	5,849	8,311	10,218	8,896
33	Females	192,863	34,024	12,025	5,712	3,622	2,596	57,979	7,938	5,645	8,803	10,612	9,595
34	Native	357,448	75,659	25,109	11,718	7,232	5,245	124,963	15,928	11,120	16,230	19,141	16,518
35	Both parents native	(M) 144,928 (F) 135,391	33,006 26,824	11,047 9,916	5,018 4,680	2,967 2,935	2,148 2,079	54,186 46,434	6,464 6,210	4,481 4,302	6,251 6,778	7,068 7,763	5,647 6,641
36	One or both parents foreign	(M) 23,828 (F) 20,411	6,599 5,021	1,630 1,459	826 705	547 492	417 378	10,019 8,055	1,323 1,244	920 889	1,166 1,182	1,430 1,393	1,253 1,317
37	Foreign	48,787	116	85	47	35	33	316	160	232	615	1,181	1,473
38	Males	29,763	68	43	19	20	19	169	90	126	340	668	861
39	Females	19,024	48	42	28	15	14	147	70	106	275	513	612
40	Colored	109,973	20,709	8,428	4,212	2,441	1,694	37,484	5,400	4,421	7,575	8,814	6,266
41	Males	55,203	11,050	4,391	2,191	1,220	834	19,686	2,588	2,003	3,360	4,203	2,859
42	Females	54,770	9,659	4,037	2,021	1,221	860	17,798	2,812	2,413	4,215	4,611	3,407
Birthplaces of mothers (white).													
43	United States	(M) 151,858 (F) 141,639	34,957 28,329	11,519 10,371	5,244 4,885	3,137 3,095	2,272 2,194	57,129 48,874	6,863 6,570	4,745 4,563	6,614 7,141	7,488 8,172	5,955 6,978
44	Ireland	(M) 7,970 (F) 5,509	203 135	56 51	27 27	18 21	18 15	322 249	59 55	56 59	110 112	227 173	318 289
45	Germany	(M) 16,504 (F) 12,052	1,474 1,092	330 291	180 147	119 101	93 72	2,196 1,703	352 300	248 245	361 365	502 528	534 544
46	England and Wales	(M) 5,653 (F) 3,705	395 291	114 107	58 42	40 32	22 21	629 493	72 101	80 63	134 89	194 169	187 164
47	Canada	(M) 1,799 (F) 1,374	243 202	54 50	33 31	24 21	19 14	373 318	68 54	50 49	71 63	106 88	94 86
48	Scandinavia	(M) 3,869 (F) 4,728	851 636	220 185	107 102	58 60	59 57	1,295 1,040	183 194	172 157	226 268	307 306	291 266
49	Scotland	(M) 1,539 (F) 1,002	90 77	24 26	9 14	9 6	5 7	137 130	19 19	32 15	30 20	48 19	43 40
50	Italy	(M) 708 (F) 334	160 90	42 43	21 14	13 13	13 14	249 174	23 14	10 11	20 12	19 18	40 15
51	France	(M) 750 (F) 464	25 22	6 10	4 2	1 3	6 3	42 40	8 5	9 6	15 14	20 26	14 26
52	Russia and Poland	(M) 1,493 (F) 1,110	494 359	131 125	66 62	43 36	41 28	765 610	80 87	54 33	44 42	52 36	63 42
53	Other foreign countries	(M) 4,986 (F) 3,585	932 749	251 194	127 95	80 70	54 53	1,444 1,161	166 149	89 111	152 140	227 181	261 172
54	Unknown	(M) 24,460 (F) 17,361	2,558 2,042	693 572	316 291	208 164	142 118	3,917 3,187	472 390	304 333	534 539	1,038 904	1,096 972

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10,555	11,191	10,144	9,807	9,860	9,576	10,122	10,384	9,589	7,450	5,086	2,434	805	397	1,008	1
5,958 4,597	6,459 4,732	6,080 4,064	5,927 3,880	5,888 3,972	5,565 4,011	5,560 4,562	5,541 4,843	5,036 4,553	3,680 3,770	2,383 2,703	1,018 1,416	269 536	140 257	634 374	2 3
9,005	9,527	8,643	8,433	8,471	8,573	9,151	9,624	8,987	7,006	4,746	2,244	678	242	830	4
5,080 3,925 5,951	5,533 3,994 5,842	5,232 3,411 5,099	5,134 3,299 4,423	5,096 3,375 3,914	5,005 3,568 3,659	5,066 4,085 3,592	5,150 4,474 3,828	4,738 4,249 3,504	3,478 3,528 2,816	2,237 2,509 2,122	942 1,302 1,050	224 454 294	86 156 79	524 306 326	5 6 7
459 406 482 381 2,542	410 396 454 347 3,081	408 348 439 295 3,035	365 317 284 232 3,470	406 326 165 154 4,042	376 311 150 110 4,419	414 325 108 99 5,070	404 384 89 73 5,298	391 376 57 64 5,022	285 320 48 61 3,837	216 236 40 52 2,356	84 120 19 25 1,073	26 32 3 7 346	3 9 5 155	24 32 19 9 109	8 9 9 10
1,537 1,005 1,550	1,879 1,202 1,664	1,982 1,053 1,501	2,232 1,238 1,374	2,542 1,500 1,389	2,658 1,761 1,003	2,823 2,247 971	2,818 2,480 760	2,627 2,395 602	1,976 1,861 444	1,128 1,228 340	494 579 190	126 220 127	56 99 155	70 39 178	11 12 13
878 672	926 738	848 653	793 581	792 597	560 443	494 477	391 369	298 304	202 242	146 194	76 114	45 82	54 101	110 68	14 15
518 458 241 149 318 274 63 55 32 19 83 60 10 13 41 10 15 8 39 32 112 37 324 203	463 444 263 173 382 279 77 44 37 22 75 53 26 12 40 15 16 17 49 28 93 41 365 230	454 390 232 153 422 243 86 57 40 16 70 48 25 19 31 12 28 14 50 22 108 32 299 190	400 345 191 154 405 286 97 58 31 23 58 22 26 12 35 10 16 17 40 12 14 50 13 76 14 327 152	428 346 255 177 384 254 80 69 24 16 50 19 34 13 21 7 23 12 40 17 20 30 25 251 147	399 341 275 210 407 265 104 74 20 16 39 22 32 21 15 5 30 15 10 62 45 219 155	443 347 264 246 444 338 106 67 26 12 39 22 36 21 10 5 25 22 14 47 38 206 137	432 408 258 270 456 392 112 93 18 12 30 27 38 27 19 11 10 8 25 22 14 32 45 218 151	298 345 226 247 507 471 86 71 17 10 5 22 19 11 3 6 3 19 17 7 9 32 20 34 148 114	228 256 122 125 398 257 94 46 13 10 7 10 14 16 21 6 8 5 7 10 20 27 104 89	88 126 53 56 219 110 18 28 7 6 2 2 5 11 3 8 6 7 5 1 10 49 56	27 34 15 27 70 32 18 7 1 2 2 2 1 3 5 1 8 4 10 23	5 9 9 15 8 10 5 7 3 1 2 1 1 5 3 6 4 7	27 34 10 2 8 5 8 1 1 1 1 100 50	16 17 18 19 20 21 22 23 24 25 26 27	
20,672	20,034	19,153	18,282	19,544	19,062	22,023	24,421	25,681	22,122	16,395	8,247	2,923	1,621	5,576	28
9,790 10,882	9,756 10,278	9,778 9,375	10,034 8,248	10,911 8,633	10,827 8,235	12,482 9,541	14,149 10,272	14,729 10,952	12,572 9,550	9,175 7,220	4,416 3,831	1,400 1,523	674 947	3,258 2,318	29 30
16,046	15,824	15,546	14,824	15,869	16,408	18,588	21,587	22,664	19,914	14,396	7,247	2,248	806	3,776	31
7,696 8,350 13,662	7,834 7,990 12,925	8,087 7,459 12,583	8,328 6,496 11,750	8,958 6,911 12,098	9,352 7,056 12,171	10,613 7,975 13,464	12,528 9,059 15,376	13,005 9,659 16,111	11,331 8,583 14,031	8,098 6,298 10,217	3,895 3,352 5,233	1,091 1,157 1,645	354 452 534	2,282 1,494 1,748	32 33 34
4,464 5,607 1,063 1,001 1,878	4,233 5,113 974 911 2,365	4,419 4,878 918 798 2,449	4,625 4,317 718 560 2,614	4,937 4,540 557 433 3,277	4,989 4,521 528 384 3,767	5,727 4,937 449 372 4,609	6,778 5,525 539 346 5,626	6,970 5,830 533 414 5,980	6,053 5,001 577 406 5,375	4,351 3,632 436 325 3,790	2,066 1,922 259 227 1,816	582 663 79 76 540	162 227 23 34 236	475 550 59 44 488	35 36 37
1,063 815 4,626	1,365 1,000 4,210	1,503 946 3,607	1,722 892 3,458	2,137 1,140 3,675	2,387 1,880 2,654	2,882 1,727 3,435	3,461 2,165 2,834	3,721 2,259 3,017	3,226 2,149 2,208	2,258 1,532 1,999	1,037 779 1,000	279 261 675	125 111 815	343 145 1,800	38 39 40
2,094 2,532	1,922 2,288	1,691 1,916	1,706 1,752	1,953 1,722	1,475 1,179	1,869 1,566	1,621 1,213	1,724 1,293	1,241 967	1,077 922	521 479	309 366	320 495	976 824	41 42
4,699 5,876 330 248 615 559 226 162 86 84 293 247 38 31 33 13 19 21 51 41 223 184 1,078 884	4,434 5,308 405 322 680 636 225 151 103 81 317 269 51 43 56 11 33 19 63 37 235 195 1,232 918	4,595 5,045 425 273 748 589 272 181 105 67 288 260 67 41 39 7 42 23 47 20 241 133 1,218 803	4,794 4,461 412 216 807 486 281 170 93 70 263 155 93 46 54 14 34 31 38 212 124 1,239 703	5,113 4,698 495 272 876 559 355 184 87 44 303 168 101 51 40 9 65 27 38 23 197 126 1,291 757	5,142 4,659 559 338 1,023 637 380 215 94 63 287 176 113 50 34 7 67 40 29 16 241 136 1,420 750	5,906 5,086 715 474 1,212 725 400 264 99 60 286 189 112 69 21 10 85 25 241 133 1,525 903	6,973 5,687 868 585 1,517 934 521 295 118 60 314 221 140 76 22 4 65 35 28 25 234 133 1,728 1,001	7,206 6,030 842 571 1,692 1,044 539 308 85 76 353 230 158 146 105 3 2 84 42 27 14 218 141 1,449 1,003	6,281 5,207 746 475 1,505 969 671 385 238 51 39 238 245 114 81 6 2 62 39 22 9 158 107 528 420	2,154 2,014 284 388 969 671 337 173 238 24 15 93 109 59 37 3 1 29 12 9 5 100 54 528 420	607 696 101 85 113 110 39 33 2 2 25 34 17 17 2 1 6 7 3 3 23 16 149 153	164 243 56 38 29 36 6 10 6 5 11 10 8 6 2 6 2 6 27 47 748	43 44 45 46 47 48 49 50 51 52 53 54		

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
ALABAMA.													
1	Total	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816	1,375
2	Males	12,970	2,756	1,096	457	240	161	4,710	528	405	618	893	648
3	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923	727
4	White	12,937	2,684	1,094	436	256	156	4,626	512	333	561	726	591
5	Males	6,541	1,448	575	230	139	85	2,477	267	184	251	358	294
6	Females	6,396	1,236	519	206	117	71	2,149	245	149	310	368	297
7	Native	12,308	2,658	1,089	433	250	154	4,584	505	328	548	698	567
8	Both parents native	5,034	1,240	498	193	119	70	2,120	231	149	205	268	202
9	One or both parents foreign	5,005	1,035	443	173	99	65	1,815	209	128	266	280	227
10	Foreign	105	24	8	5	3	1	41	5	3	3	4	7
11	Males	110	24	11	7	3	1	45	5	3	3	4	7
12	Females	341	1				1	2	2		5	12	16
13	Colored	228	1				1	2	2		4	9	13
14	Males	113									1	3	3
15	Females	12,762	2,458	977	407	232	152	4,226	547	450	827	1,090	784
16	Birthplaces of mothers (white).	6,429	1,308	521	227	101	76	2,233	261	221	367	535	354
17	United States	6,333	1,150	456	180	131	76	1,993	286	229	460	555	430
18	Ireland	5,095	1,254	501	194	119	71	2,139	235	151	206	274	203
19	Germany	5,072	1,045	451	177	101	65	1,839	211	129	267	283	229
20	England and Wales	41	1					1					4
21	Canada	36	1	1				2	1	1	1	1	2
22	Scandinavia	71	1		1	1		3		1	1		3
23	Scotland	49	3	2	2			7		1	1	4	1
24	Italy	41	4	1				5	1		1	1	1
25	France	20	3	3		1		7	2			1	1
26	Russia and Poland	6											1
27	Other foreign countries	4	2					2					2
28	Unknown	9	1					1					1
29	Males	19	2	2	1	1		6					
30	Females	8	1	1	1	1		2					
31	Italy	8	1		1	1		3	2		1		1
32	France	4	2		1			3					1
33	Russia and Poland	9									1	1	1
34	Other foreign countries	3											
35	Unknown	1									1		
36	Males	17	3	2				5				1	3
37	Females	7	1					1					
38	United States	951	134	63	23	16	12	253	25	28	30	69	56
39	Ireland	994	146	54	25	13	4	242	29	16	39	68	52
40	Germany												
41	England and Wales												
42	Canada												
43	Scandinavia												
44	Scotland												
45	Italy												
46	France												
47	Russia and Poland												
48	Other foreign countries												
49	Unknown												
50	ARIZONA.												
51	Total	1,223	192	106	51	26	21	396	81	49	49	64	80
52	Males	750	109	63	22	18	9	221	44	15	27	44	62
53	Females	473	83	43	29	8	12	175	37	34	22	20	18
54	White	947	152	80	40	23	14	309	46	21	34	51	71
55	Males	616	88	48	18	16	6	176	28	5	20	34	58
56	Females	331	64	32	22	7	8	133	18	16	14	17	13
57	Native	681	148	76	33	23	13	298	45	20	29	31	49
58	Both parents native	168	37	18	6	11	1	73	9	1	7	6	9
59	One or both parents foreign	111	29	12	5	2	1	49	8	6	7	5	3
60	Foreign	155	44	27	11	4	4	90	16	4	8	4	9
61	Males	95	23	15	4	4	6	63	7	7	3	4	2
62	Females	219	4	4	1		1	10		1	5	18	19
63	Males	146	1	1			1	3			1	16	16
64	Females	73	3	3	1			7		1	4	2	3
65	Colored	276	40	26	11	3	7	87	35	28	15	13	9
66	Males	134	21	15	4	2	3	45	16	10	7	10	4
67	Females	142	19	11	7	1	4	42	19	18	8	3	5
68	Birthplaces of mothers (white).												
69	United States	195	45	26	8	11	1	91	13	1	8	6	12
70	Ireland	132	32	14	9	2	3	60	9	7	8	7	4
71	Germany	22								2			3
72	England and Wales	4											1
73	Canada	15	1	1				1	1	2		1	1
74	Scandinavia	9	3	2	1			6		1	1	1	1
75	Scotland	17	1					1	1			1	1
76	Italy	10		1			2	3	1			1	1
77	France	12						1					
78	Russia and Poland	3											
79	Other foreign countries	3											
80	Unknown	2											1
81	Males	6	1	1				2				2	
82	Females	2	1					1					
83	Italy	9	2	2	1		1	4			1		1
84	France	3		1				3					
85	Russia and Poland	2											
86	Other foreign countries	186	30	15	7	4	3	59	12	3	5	15	15
87	Unknown	116	21	14	10	4	3	52	5	2	6	8	1
88	Males	147	6	2	1	1	1	10	2		4	3	24
89	Females	50	9	1	1	1	1	13	3	2		6	5

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,128	1,011	889	982	899	702	898	926	862	719	569	287	153	136	265	1
534	456	428	503	447	342	465	461	441	382	289	141	76	52	151	2
594	555	461	479	452	360	433	465	421	337	280	146	77	84	114	3
520	484	505	517	475	401	478	557	526	443	330	177	53	32	90	4
236	214	256	259	234	198	243	254	255	232	166	85	26	10	42	5
284	270	249	258	241	203	235	303	271	211	164	92	27	22	48	6
498	456	471	480	438	361	421	493	472	399	293	161	47	26	62	7
160	137	175	164	158	139	169	179	189	170	120	63	20	2	14	8
216	202	192	187	179	141	164	228	186	154	118	59	19	12	23	9
7	3	7	5	3	3	2	5	3	3	2	1	1	1	1	10
4	4	3	4	3	3	3	2	5	7	4	4	1	1	1	11
11	17	18	23	24	30	38	47	36	26	19	6	5	2	2	12
8	11	14	19	17	20	24	25	24	17	9	4	2	2	2	13
3	6	4	4	7	10	14	22	12	9	10	2	3	104	175	14
608	527	384	465	424	301	420	369	336	276	239	110	100	62	66	15
298	242	172	244	213	144	222	207	186	150	123	56	50	42	109	16
310	285	212	221	211	157	198	162	150	126	116	54	50	62	66	17
163	139	179	167	163	140	169	182	193	172	120	64	20	2	14	18
218	202	194	192	181	143	169	230	192	157	120	61	20	12	23	19
2	2	2	1	4	2	4	4	2	7	2	2	1	1	1	20
2	3	2	1	3	2	6	6	4	1	3	1	1	1	1	21
2	3	8	4	5	5	10	6	6	7	3	2	1	1	1	22
2	2	3	2	4	3	3	6	4	4	1	1	1	1	1	23
5	3	2	4	3	3	3	6	1	1	1	1	1	1	1	24
1	1	2	2	1	1	1	1	1	2	1	1	1	1	1	25
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	26
46	42	41	60	40	28	39	39	34	39	34	14	4	5	25	27
48	44	46	48	44	44	45	44	64	34	30	20	4	10	23	28
58	70	61	71	55	33	45	15	27	12	13	4	4	2	34	29
40	48	44	45	35	22	34	8	16	6	7	3	3	2	26	30
18	22	17	26	20	11	11	7	11	6	6	1	1	1	8	31
47	63	50	61	42	26	37	10	23	9	9	4	2	2	30	32
34	48	38	41	29	18	30	6	14	5	4	3	2	2	23	33
13	15	12	20	13	8	7	4	9	4	5	1	1	1	7	34
32	27	23	35	16	12	18	3	14	5	6	2	1	1	10	35
7	10	7	8	4	4	7	1	6	3	2	1	1	1	4	36
4	5	3	4	1	3	3	1	3	1	3	1	1	1	1	37
6	4	4	3	2	2	1	1	1	1	1	1	1	1	2	38
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	39
14	30	17	24	20	13	17	7	8	4	3	2	2	1	4	40
10	23	13	13	12	8	14	4	3	2	1	2	2	1	3	41
4	7	4	11	8	5	3	3	5	2	2	2	2	1	1	42
11	7	11	10	13	7	8	5	4	3	4	2	2	1	4	43
6	7	6	4	6	4	4	2	2	1	3	1	1	1	3	44
5	7	5	6	7	3	4	3	2	2	1	1	1	1	1	45
7	10	7	8	4	5	7	1	6	3	2	1	1	1	4	46
5	5	5	4	1	3	3	1	4	1	3	1	1	1	1	47
5	3	4	2	2	2	1	2	1	1	1	1	1	1	1	48
1	1	1	1	2	1	2	2	1	1	1	1	1	1	1	49
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
1	2	3	1	1	3	1	1	1	1	1	1	1	1	1	51
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	52
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
7	17	9	10	7	5	11	3	2	1	1	3	2	1	2	55
4	6	1	11	6	4	2	3	5	2	1	1	1	1	1	56
11	11	15	17	13	4	8	1	4	1	1	1	1	1	1	57
3	3	3	2	4	1	1	1	1	1	1	1	1	1	1	58

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
ARKANSAS.													
1	Total	22,518	4,076	1,911	988	603	486	8,064	1,382	933	1,451	1,583	1,289
2	Males	11,813	2,165	1,014	510	279	242	4,210	723	468	715	795	622
3	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788	667
4	White	16,372	3,027	1,438	733	427	365	5,990	1,002	671	952	1,000	963
5	Males	8,689	1,605	757	371	200	181	3,114	530	345	494	501	412
6	Females	7,683	1,422	681	362	227	184	2,876	472	326	458	499	461
7	Native	15,804	3,015	1,430	727	426	363	5,961	995	671	936	974	885
8	Both parents native	7,364	1,540	726	358	193	173	2,990	506	332	452	444	362
	F	6,860	1,369	655	352	219	179	2,774	450	307	435	434	407
9	One or both parents foreign	210	28	15	4	5	2	54	9	4	12	12	10
	F	156	22	11	4	2	2	41	11	10	5	9	10
10	Foreign	280	2	1				3	2		7	8	10
11	Males	204	1					1	1		4	5	6
12	Females	76	1	1				2	1		3	3	4
13	Colored	6,146	1,049	473	255	176	121	2,074	380	262	499	583	386
14	Males	3,124	560	257	139	79	61	1,096	193	123	221	294	180
15	Females	3,022	489	216	116	97	60	978	187	139	228	289	206
Birthplaces of mothers (white).													
16	United States	7,495	1,556	730	360	196	175	3,017	509	333	465	454	374
	F	6,990	1,382	664	355	222	181	2,804	456	311	441	447	416
17	Ireland	82	1					1	1				3
	F	33	1	1				2				1	1
18	Germany	129	9	8	1	1		19	4	3	4	5	7
	F	77	6	3		1		10	6	5	1	4	7
19	England and Wales	42	2					2	1			2	
	F	23	1				1	2	1			1	1
20	Canada	6											
	F	3								1			
21	Scandinavia	10	1					1			1	2	
	F	2											
22	Scotland	14								1			
	F	7											
23	Italy	4											
	F	2	1					1					
24	France	9										1	
	F	1											
25	Russia and Poland	12	2	3			1	6			1		
	F	6	3	1				4		1			
26	Other foreign countries	28	5	1	1	1		8	3		2		2
	F	13	1	1	1	1		3	1		2		1
27	Unknown	858	29	15	9	2	5	60	12	8	21	37	56
	F	526	27	12	6	3	2	50	8	8	13	46	35
CALIFORNIA.													
28	Total	22,506	2,514	555	297	239	183	3,788	628	402	655	1,118	1,264
29	Males	13,998	1,431	306	160	131	94	2,122	328	203	335	617	733
30	Females	8,508	1,083	249	137	108	89	1,666	300	199	320	501	531
31	White	21,081	2,404	525	272	223	169	3,593	587	364	604	1,060	1,195
32	Males	12,912	1,369	289	148	123	85	2,014	309	183	308	575	682
33	Females	8,169	1,035	236	124	100	84	1,579	278	181	296	485	513
34	Native	13,687	2,380	513	269	216	164	3,542	563	341	544	899	896
35	Both parents native	1,730	243	65	36	30	16	390	78	37	71	90	73
	F	1,238	200	59	45	15	13	332	56	39	56	89	58
36	One or both parents foreign	797	164	37	21	17	13	252	48	41	60	48	64
	F	634	142	37	11	8	13	211	51	37	51	67	47
37	Foreign	6,874	7	7		3	2	19	17	20	53	146	272
38	Males	4,480	3	2		2	2	9	9	11	28	95	157
39	Females	2,394	4	5		1		10	8	9	25	51	115
40	Colored	1,425	110	30	25	16	14	195	41	38	51	58	69
41	Males	1,086	62	17	12	8	9	108	19	20	27	42	51
42	Females	339	48	13	13	8	5	87	22	18	24	16	18
Birthplaces of mothers (white).													
43	United States	1,963	294	76	44	35	26	475	95	49	88	100	89
	F	1,443	241	75	48	19	14	397	76	51	78	108	71
44	Ireland	524	7	1	2	1		11	4	6	9	9	28
	F	334	9					9	1	3	7	13	19
45	Germany	485	11	3	3	2		19	5	7	6	10	23
	F	231	18	1	3	1	2	25	10	4	8	6	10
46	England and Wales	369	8	5	2			15	4	4	10	12	14
	F	183	9	4		2		15	4	3	2	7	11
47	Canada	175	9	3	2	2		16	3	4	3	12	8
	F	94	6	1				7	4	1	5	8	9
48	Scandinavia	151	13	3	1	2	1	20	4	2	4	6	7
	F	86	10	5			2	17	5	2	5	6	5
49	Scotland	115	3					3	1	2	2	2	5
	F	57	1	1				2	1		1	2	4
50	Italy	150	17		2	1		20	5		5	3	5
	F	33	3	1			2	6		2	2	1	2
51	France	113	5		1	1		7	1	1	2	2	1
	F	35	1	2			1	4				2	3
52	Russia and Poland	18	2	2				4				2	3
	F	11	2	2				4					1
53	Other foreign countries	458	41	11	2	4	2	60	11	8	11	20	20
	F	246	42	6	5	1	5	59	8	12	11	21	16
54	Unknown	2,098	193	38	24	17	11	283	43	22	41	115	117
	F	1,054	142	36	17	13	12	220	36	28	45	63	64

67

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.		
969	888	881	886	811	619	660	558	495	360	263	110	43	42	231	1	
471 498	431 457	453 428	494 392	471 340	371 248	393 267	319 239	293 202	217 143	143 120	57 53	19 24	17 25	131 100	2 3	
696	688	684	657	606	504	496	440	368	286	198	76	21	9	125	4	
339 357 675	340 348 641	359 325 643	383 274 606	356 250 560	297 207 460	300 196 453	250 190 407	231 137 338	168 118 257	112 86 179	39 37 70	9 12 19	2 7 9	78 47 65	5 6 7	
267 294 15 9 6	250 279 4 10 26	267 266 12 8 17	282 228 10 4 27	253 216 7 6 25	209 171 10 4 29	198 144 9 6 30	164 151 9 6 25	150 103 9 2 16	116 82 8 4 21	76 59 7 6 16	24 29 5 3 4	4 6 2 2 2	1 5 ----- ----- -----	17 20 2 ----- 6	8 9 ----- ----- 10	
5 1 273	18 8 200	12 5 197	19 8 229	22 3 205	22 7 115	21 9 164	22 3 118	13 3 127	14 7 74	9 7 65	3 1 34	1 1 22	----- ----- 33	6 ----- 106	11 12 13	
132 141	91 109	94 103	111 118	115 90	74 41	93 71	69 49	62 65	49 25	31 34	18 16	10 12	15 18	53 53	14 15	
276 304 3	254 291 3 3 4 7 7 1 2 2 1 1	275 275 9 4 7 4 4 2 1 1	289 232 5 2 9 5 3 4 1	258 219 7 2 10 4 4 1	216 176 9 2 7 3 5 2	204 148 8 4 11 6 4	169 156 10 3 11 3 3 1	155 107 12 6 3 2 3 1	119 84 6 2 10 2 2 2	78 59 3 4 2 3 2 4	25 32 6 2 2 3 1	5 6 ----- 2 1 -----	1 5 ----- ----- -----	19 21 2 ----- ----- 1	16 17 18 19 20 21	
4 3 2 2 2	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	22 23 24 25 26
50 48	65 42	64 38	70 31	71 24	53 22	69 34	55 28	57 26	28 25	20 14	7 3	2 3	1 2	52 26	27	
1, 238	1, 358	1, 231	1, 230	1, 296	1, 205	1, 559	1, 553	1, 497	1, 114	665	332	94	44	235	28	
767 471	872 486	824 407	831 399	879 417	795 410	1,036 523	1,065 488	1,021 476	730 384	398 267	201 131	52 42	18 26	171 64	29 30	
1, 142	1, 233	1, 075	1, 083	1, 170	1, 135	1, 489	1, 498	1, 463	1, 098	650	323	89	36	194	31	
691 451 789	761 472 786	689 386 614	695 388 519	765 405 520	732 403 460	975 514 626	1,021 477 710	1,000 463 709	722 376 545	390 260 339	194 129 170	49 40 52	16 20 17	141 53 46	32 33 34	
70 61 42 37 328	70 62 47 30 415	61 56 26 15 430	47 46 23 17 532	74 49 23 11 611	67 44 11 9 650	106 55 22 6 827	142 45 20 11 759	149 67 20 11 725	108 52 24 8 533	61 40 11 6 299	25 18 7 6 149	8 7 3 1 34	----- 3 1 2 -----	3 3 4 ----- 37	35 36 37	
214 114 96	275 140 125	304 126 156	358 174 147	407 204 126	439 211 70	536 291 70	491 268 55	483 242 34	338 195 16	178 121 15	95 54 9	18 16 5	10 8 8	25 12 41	38 39 40	
76 20	111 14</															

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
COLORADO.													
1	Total	7,428	1,208	331	171	135	104	1,949	296	185	268	420	492
2	Males	4,471	651	169	94	69	54	1,037	172	107	145	243	288
3	Females	2,957	557	162	77	66	50	912	124	78	123	177	204
4	White	7,210	1,182	326	168	128	102	1,906	286	173	263	404	470
5	Males	4,351	642	168	91	67	54	1,022	167	99	142	236	273
6	Females	2,859	540	158	77	61	48	884	119	74	121	168	197
7	Native	4,856	1,074	294	153	120	86	1,727	254	149	207	297	283
8	Both parents native	M 1,185 F 913	244 208	84 63	44 28	30 32	21 19	423 350	78 57	46 39	56 55	69 57	51 60
9	One or both parents foreign	M 405 F 306	134 110	28 31	19 14	12 10	10 3	203 168	39 22	16 12	17 11	27 14	16 21
10	Foreign	1,233	3	2		2	3	10	2	6	25	45	98
11	Males	842	1	1		1		3	1	5	17	29	63
12	Females	391	2	1		1	3	7	1	1	8	16	35
13	Colored	218	26	5	3	7	2	43	10	12	5	16	22
14	Males	120	9	1	3	2		15	5	8	3	7	15
15	Females	98	17	4		5	2	28	5	4	2	9	7
Birthplaces of mothers (white).													
16	United States	M 1,296 F 1,001	284 234	91 74	48 31	31 35	23 19	477 393	89 64	52 43	64 60	74 62	54 65
17	Ireland	M 143 F 50	4 2	1 2	1 1	1 1		7 5	4 1	1 1	4 3	3 1	7 3
18	Germany	M 119 F 89	9 8	2 1	1 1	3 2	1	16 11	5 3	2 1	3 1	5 4	9 8
19	England and Wales	M 181 F 99	17 18	3 2	2 3	4 1		26 24	5 5	1 3	6 2	13 6	8 4
20	Canada	M 49 F 29	11 5	2			1	14 7	5		1	1	6
21	Scandinavia	M 98 F 43	18 3	5 3	3 1	1 2	3	30 9	3 3	4 1	2 2	5 1	10 4
22	Scotland	M 59 F 30	2 6	4 1				6 9	1	5		2 1	7 2
23	Italy	M 78 F 36	15 11	1 6	3 1	1 1	3 3	23 22	5 1		5 2	5 3	3 1
24	France	M 13 F 11				1	1	3			1		1
25	Russia and Poland	M 15 F 12	4 7	1				5 7					1
26	Other foreign countries	M 99 F 53	22 25	7 6	2 2	2 2	1	34 33	2 2	1		3 1	11 6
27	Unknown	M 587 F 278	37 26	4 5	3 5	2 3	5 6	51 45	5 3	8 3	17 7	36 14	26 26
CONNECTICUT.													
28	Total	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
29	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
30	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
31	White	15,048	3,004	552	272	171	131	4,130	359	204	330	524	577
32	Males	7,717	1,675	283	143	87	61	2,249	172	109	168	253	310
33	Females	7,331	1,329	269	129	84	70	1,881	187	95	162	271	267
34	Native	10,800	2,978	535	261	164	125	4,063	330	177	261	387	380
35	Both parents native	M 2,482 F 2,538	537 441	86 80	46 42	34 27	21 18	724 608	59 68	42 38	56 44	62 84	59 61
36	One or both parents foreign	M 2,190 F 1,867	1,046 788	180 170	82 75	41 46	35 41	1,384 1,120	83 97	44 37	70 67	101 95	123 97
37	Foreign	3,941	16	13	10	7	5	51	25	23	66	130	184
38	Males	1,955	8	7	4	2	2	23	15	14	28	58	98
39	Females	1,986	8	6	6	5	3	28	10	9	38	72	86
40	Colored	374	97	17	8	4	6	132	10	14	18	15	27
41	Males	185	50	11	2	4	1	68	2	6	5	5	16
42	Females	189	47	6	6		5	64	8	8	13	10	11
Birthplaces of mothers (white).													
43	United States	M 2,789 F 2,917	671 579	99 109	55 51	39 33	23 27	887 799	71 83	48 41	66 57	75 97	67 73
44	Ireland	M 1,720 F 1,732	241 166	45 23	19 23	12 15	10 7	327 234	26 32	16 16	41 35	83 74	127 104
45	Germany	M 491 F 420	100 66	17 15	11 7	4 4	5 4	137 96	11 13	8 6	10 14	10 26	15 17
46	England and Wales	M 333 F 329	46 49	4 14	11 2	2 1	3 3	66 69	7 10	5 5	6 4	11 13	17 8
47	Canada	M 308 F 272	116 83	15 13	2 7	3 3	3 2	139 108	4 10	12 6	10 16	12 13	8 18
48	Scandinavia	M 206 F 156	60 44	20 11	8 6	10 6	5 9	103 96	8 9	2 2	5 5	9 8	12 5
49	Scotland	M 93 F 70	14 7	5	2			21 7	7		4	1	2
50	Italy	M 229 F 167	95 70	25 23	6 11		3 5	129 116	9 2	4 2	6 7	9 4	13 7
51	France	M 33 F 27	6 6		1	1		6 8					1
52	Russia and Poland	M 202 F 174	105 98	17 19	7 7	2 2	4 3	135 129	10 4	2 3	4 4	8 6	9 7
53	Other foreign countries	M 265 F 199	133 86	27 29	11 7	6 4	2 3	179 129	5 9	3 2	3 4	1 9	11 7
54	Unknown	M 1,048 F 868	88 75	9 12	11 7	9 9	3 7	120 110	14 12	9 11	13 15	34 18	28 18

69

80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
473	479	435	391	378
293	301	307	257	272
180	178	128	184	106
453	462	418	377	372
279	292	293	249	267
174	170	125	128	105
258	241	216	192	169
48	53	57	36	44
36	37	33	34	19
11	16	14	10	8
18	3	7	8	4
111	138	123	102	125
76	98	92	73	93
35	40	31	29	32
20	17	17	14	6
14	9	14	8	5
6	8	3	6	1
51	57	57	38	45
41	41	34	37	20
7	9	19	18	22
5	7	1	2	1
7	10	7	6	7
12	6	9	5	8
16	20	12	9	17
6	3	6	9	5
	6	5	3	4
2	3			1
5	11	11	7	3
4	1	3		5
3	4	4	4	5
1	1	3	3	1
8	8	6	7	3
1	1		1	
2		2		1
1		1		2
1		2		1
7	2	7	8	6
2	2	1		1
45	45	52	51	38
29	24	17	13	11
606	638	554	600	704
312	363	296	319	375
294	275	258	281	329
598	628	543	584	688
309	357	290	311	369
289	271	253	273	319
371	352	314	331	298
63	60	62	86	91
74	65	64	87	92
100	104	63	45	18
90	64	56	36	18
211	259	214	237	372
110	149	113	130	206
101	110	101	107	166
8	10	11	16	16
3	6	6	8	6
5	4	5	8	10
71	71	66	96	95
83	72	74	94	98
123	128	88	85	120
100	86	88	91	113
19	29	20	27	21
20	26	18	14	20
9	24	16	22	19
19	13	8	16	15
12	16	11	6	13
13	13	16	7	11
11	11	9	10	8
11	7	5	3	3
3	3	7	3	3
4	4	3	2	3
11	10	5	5	11
9	2	3	1	1
2	4	1	1	7
1		2		3
3	7	2		3
	7	3	5	8
8	10	10	4	6
7	5	5	3	4
37	44	51	47	58
22	36	28	41	37

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
DELAWARE.													
1	Total.....	3,075	597	139	88	39	32	895	133	79	94	139	100
2	Males.....	1,644	346	76	51	21	15	509	65	35	37	57	60
3	Females.....	1,431	251	63	37	18	17	386	68	44	57	82	40
4	White.....	2,490	456	104	66	32	26	684	115	53	70	106	84
5	Males.....	1,348	266	61	41	18	10	396	54	27	32	47	50
6	Females.....	1,142	190	43	25	14	16	288	61	26	38	59	34
7	Native.....	2,134	451	102	66	31	26	676	109	53	64	94	75
8	Both parents native.....	192	36	10	6	3	3	58	5	3	6	5	4
9	One or both parents foreign.....	12	5	1	1	1	1	4	1	1	1	2	1
10	Foreign.....	236	1	1	1	1	1	1	1	1	3	5	5
11	Males.....	125	1	1	1	1	1	1	1	1	2	2	3
12	Females.....	111	1	1	1	1	1	1	1	1	1	3	2
13	Colored.....	585	141	35	22	7	6	211	18	26	24	33	16
14	Males.....	296	80	15	10	3	5	113	11	8	5	10	10
15	Females.....	289	61	20	12	4	1	98	7	18	19	23	6
16	Birthplaces of mothers (white). United States.....	196	33	10	6	3	3	60	5	3	6	5	4
17	Ireland.....	21	27	8	8	3	2	48	8	8	4	7	5
18	Germany.....	4	1	1	1	1	1	1	1	1	1	1	1
19	England and Wales.....	6	1	1	1	1	1	1	1	1	1	1	1
20	Canada.....	7	1	1	1	1	1	1	1	1	1	1	1
21	Scandinavia.....	5	1	1	1	1	1	1	1	1	1	1	1
22	Scotland.....	2	1	1	1	1	1	1	1	1	1	1	1
23	Italy.....	2	1	1	1	1	1	1	1	1	1	1	1
24	France.....	1	1	1	1	1	1	1	1	1	1	1	1
25	Russia and Poland.....	2	1	1	1	1	1	1	1	1	1	1	1
26	Other foreign countries.....	1	1	1	1	1	1	1	1	1	1	1	1
27	Unknown.....	399	63	14	9	5	1	92	17	8	7	16	16
		310	45	11	3	3	2	64	14	6	14	16	5
DISTRICT OF COLUMBIA.													
28	Total.....	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
29	Males.....	3,274	687	135	66	45	34	967	98	63	78	183	185
30	Females.....	3,090	619	133	63	60	33	908	86	77	111	175	159
31	White.....	3,660	573	112	51	53	37	826	114	59	73	163	191
32	Males.....	1,967	312	61	24	27	22	446	60	29	35	88	102
33	Females.....	1,693	261	51	27	26	15	380	54	30	38	75	89
34	Native.....	2,989	571	112	51	53	37	824	111	57	71	153	172
35	Both parents native.....	1,145	250	47	18	18	19	352	49	24	29	64	62
36	One or both parents foreign.....	1,053	197	41	18	22	12	290	45	24	28	54	46
37	Foreign.....	270	47	13	6	7	3	76	7	3	4	14	17
		252	49	9	6	4	3	71	7	4	5	14	25
38	Males.....	359	1	1	1	1	1	1	1	1	1	1	1
39	Females.....	257	1	1	1	1	1	1	1	1	1	1	1
40	Colored.....	2,704	733	156	78	52	30	1,049	70	81	116	195	153
41	Males.....	1,307	375	74	42	18	12	521	38	34	43	95	83
42	Females.....	1,397	358	82	36	34	18	528	32	47	73	100	70
43	Birthplaces of mothers (white). United States.....	1,223	268	50	21	22	20	381	51	26	31	67	65
44	Ireland.....	1,147	216	44	22	23	12	317	45	24	31	59	55
45	Germany.....	225	8	2	1	1	1	13	1	1	1	9	15
46	England and Wales.....	203	10	1	2	1	1	14	1	1	1	9	14
47	Canada.....	173	7	3	1	1	1	13	2	1	1	1	7
48	Scandinavia.....	114	13	2	1	1	1	18	1	2	1	2	7
49	Scotland.....	65	3	1	1	1	1	4	1	1	1	1	1
50	Italy.....	40	1	1	1	1	1	2	1	1	1	1	1
51	France.....	10	1	1	1	1	1	1	1	1	1	1	1
52	Russia and Poland.....	13	4	1	1	1	1	6	1	1	1	1	1
53	Other foreign countries.....	7	3	1	1	1	1	4	1	1	1	1	1
54	Unknown.....	23	2	1	1	1	1	3	1	1	1	1	1
		11	13	1	2	2	2	16	4	1	2	6	12
		118	13	2	2	2	2	15	2	1	3	3	9

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
112	123	123	123	116	131	157	179	176	166	117	56	22	5	29	1
59	62	68	81	64	88	79	100	86	89	55	22	9		19	2
53	61	55	42	52	43	78	79	90	77	62	34	13	5	10	3
91	105	99	100	95	103	129	152	156	150	106	51	17	4	20	4
50	52	57	64	50	69	67	86	77	80	48	20	8		14	5
41	53	42	36	45	34	62	66	79	70	58	31	9	4	6	6
76	84	74	80	74	82	88	114	122	118	80	39	15	3	14	7
3	5	6	11	7	7	14	15	7	18	14	3	1			8
5	3	4		6	5	7	7	21	8	10	4		1		9
1	1		1	1				1	2						
3	1	2								1	1				
12	14	19	15	18	14	32	26	28	19	14	9	1	1		10
9	6	10	10	9	12	15	17	15	7	6	2				11
3	8	9	5	9	2	17	9	13	12	8	7	1	1		12
21	18	24	23	21	28	28	27	20	16	11	5	5	1	9	13
9	10	11	17	14	19	12	14	9	9	7	2	1		5	14
12	8	13	6	7	9	16	13	11	7	4	3	4	1	4	15
3	6	6	11	7	7	14	15	7	19	14	3	1			16
5	3	5		6	5	7	7	21	8	10	4		1		17
	2	2	2	1	1	4	3	2	1	1	1				18
3	2	1		3		1	1		3	2					19
				1		1			2		2				20
	1	1				2	2	1	1						21
		1		1			1	1	2						22
															23
1								1							24
1		1			1	1									25
															26
	2														27
									1	1					28
11	15	7	15	15	22	19	30	31	29	19	11	5		14	29
11	21	11	10	10	17	11	19	21	26	15	10	5	1	3	30
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	31
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	32
118	119	145	125	136	153	171	151	157	121	103	43	17	15		33
167	141	140	142	207	252	256	265	229	197	153	58	15	6	6	34
93	73	72	79	124	152	137	153	120	96	70	27	4	1	6	35
74	68	68	63	83	100	119	112	109	101	83	31	11	5		36
141	115	115	118	156	180	163	173	150	129	104	43	11	3		37
45	31	38	42	59	71	54	73	57	41	39	12	2	1		38
39	34	38	38	43	62	64	60	60	55	45	22	4	2		39
19	21	10	13	20	15	12	15	9	7	7	1				40
21	17	17	8	9	7	8	7	13	8	6	2	3			41
25	20	20	21	46	70	86	88	76	65	49	14	3	3		42
20	12	14	10	27	43	51	50	47	37	22	9	1			43
5	8	6	11	19	27	35	38	29	28	27	5	2	3		44
100	103	135	112	103	104	93	83	84	41	32	25	9	15	1	45
56	52	58	50	50	51	41	44	36	21	12	13	3	5	1	46
44	51	77	62	53	53	52	39	48	20	20	12	6	10		47
47	35	39	44	65	74	57	80	61	44	41	12	2	1		48
43	36	42	41	48	67	65	62	68	63	48	25	6	2		49
15	12	12	10	16	24	23	25	22	18	8	2				50
8	10	10	8	11	17	24	25	18	11	16	3		2		51
11	10	3	6	15	17	19	20	21	12	10	3	1			52
8	6	9	4	6	9	6	8	5	13	6	1	1	1		53
3	4	3	3	5	4	13	6	5	5	5	2				54
3	3		2	4	1	4	5	4	4	3		1			55
	1			1	1	1	1								56
1		2		1		3	1								57
															58
		1	1	2	2	1	4	2	1	2					59
					1	2	3	3	1	4		1			60
	1	1		2	1			2	1	1					61
1					2	1	1	1	3						62
1					1	2			1	1	1				63
					1	1									64
6	2		1		3	1	2	2			1				65
3			1			1		2							66
9	9	10	14	17	23	20	15	6	11	2	6	1		6	67
8	10	6	5	11	4	12	7	7	7	4	2	2			68

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
FLORIDA.													
1	Total	6,482	1,360	475	220	122	99	2,276	298	199	278	379	333
2	Males	3,520	734	259	120	60	43	1,216	153	118	143	208	162
3	Females	2,962	626	216	100	62	56	1,060	145	81	135	171	171
4	White	3,408	670	233	109	72	54	1,138	170	113	133	163	138
5	Males	1,933	371	131	64	36	26	628	91	76	65	96	64
6	Females	1,475	299	102	45	36	28	510	79	37	68	67	74
7	Native	2,943	658	231	108	70	53	1,120	166	107	120	142	118
8	Both parents native	M 1,156	229	104	49	30	19	431	67	62	49	59	35
		F 964	191	69	33	26	19	338	62	32	52	46	48
9	One or both parents foreign	M 95	29	9	3	2	2	45	4	4	3	2	8
		F 83	36	8	3	6	3	56	4	1	1	3	3
10	Foreign	381	6					6	3	4	11	15	18
11	Males	245	3					3	2	3	6	8	8
12	Females	136	3					3	1	1	5	7	10
13	Colored	3,074	690	242	111	50	45	1,138	128	86	145	216	195
14	Males	1,587	363	128	56	24	17	588	62	42	78	112	98
15	Females	1,487	327	114	55	26	28	550	66	44	67	104	97
Birthplaces of mothers (white).													
16	United States	M 1,190	236	107	50	30	19	442	68	63	51	61	35
		F 1,005	209	73	36	27	20	365	64	33	52	47	49
17	Ireland	M 16								1			
		F 6											
18	Germany	M 29	1					1			1	1	1
		F 18			1			1	2				
19	England and Wales	M 30	1	1				2	1				1
		F 13	1					1			1	1	
20	Canada	M 6							1	1			
		F 6	1	1				2			2		
21	Scandinavia	M 11											1
		F 3											1
22	Scotland	M 14											
		F 1											
23	Italy	M 13	3	3				6	2		1		
		F 11	6			2		8					1
24	France	M 9					1	1					
		F 6									1		2
25	Russia and Poland	M 5		1				1					1
		F 1											
26	Other foreign countries	M 79	21	1	2	2	1	27	2	3	4	3	2
		F 56	12	3		3	2	20	1		1	3	2
27	Unknown	M 141	17	4	3	1		25	3	3	2	8	5
		F 99	12	3	3	1	1	20	2		2	6	3
GEORGIA.													
28	Total	26,941	5,786	2,285	1,032	552	351	10,006	998	757	1,282	1,771	1,451
29	Males	13,321	3,035	1,175	533	305	168	5,216	482	355	567	826	646
30	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945	805
31	White	13,094	2,720	1,075	458	259	166	4,678	465	318	510	744	647
32	Males	6,547	1,446	555	242	138	78	2,459	232	168	236	371	284
33	Females	6,547	1,274	520	216	121	88	2,219	233	150	274	373	363
34	Native	12,637	2,711	1,066	450	254	165	4,646	458	313	501	723	626
35	Both parents native	M 4,899	1,161	469	201	116	65	2,012	194	141	193	274	209
		F 5,176	1,036	431	178	108	79	1,832	205	140	238	302	275
36	One or both parents foreign	M 63	8	3				11		1	3	5	1
		F 45	6	1	1			8	2	1		1	7
37	Foreign	257							1	1	2	11	8
38	Males	160											
39	Females	97							1	1	2	6	3
40	Colored	13,847	3,066	1,210	574	293	185	5,328	533	439	772	1,027	804
41	Males	6,774	1,589	620	291	167	90	2,757	250	187	331	455	362
42	Females	7,073	1,477	590	283	126	95	2,571	283	252	441	572	442
Birthplaces of mothers (white).													
43	United States	M 4,936	1,167	472	201	116	65	2,021	194	142	196	277	210
		F 5,203	1,039	431	178	108	79	1,835	207	141	238	302	278
44	Ireland	M 42										1	2
		F 27	1		1			2				1	2
45	Germany	M 29	2					2				1	
		F 11											2
46	England and Wales	M 13											
		F 11										1	1
47	Canada	M 2	1					1					
		F 1	1					1					
48	Scandinavia	M 2									1	1	
		F 2		1				1					1
49	Scotland	M 7											
		F 3											
50	Italy	M 1											
		F 1											
51	France	M 2											
		F 4											
52	Russia and Poland	M 1							1				
		F 2										2	
53	Other foreign countries	M 5		1				1				2	
		F 3	1					1				2	
54	Unknown	M 472	77	21	9	9	1	117	11	5	6	31	20
		F 420	50	23	12	4	2	91	7	5	8	20	23

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
306	305	261	245	248	232	224	226	227	155	115	58	21	28	68	1
155	159	147	152	139	119	134	140	129	99	62	28	11	8	38	2
151	146	114	93	109	113	90	86	98	56	53	30	10	20	30	3
159	152	142	141	139	143	142	150	142	108	61	31	10	4	29	4
84	79	81	97	86	74	88	96	82	71	36	13	7	2	17	5
75	73	61	44	53	69	54	54	60	37	25	18	3	2	12	6
127	112	110	108	100	112	99	120	106	84	50	19	7	1	15	7
44	33	41	48	38	43	45	51	43	37	18	5	3		4	8
55	39	35	25	30	45	28	37	41	21	17	5	2	1	5	
2	2	4	4	6	4	2	2	1	6	1		1			9
1	3	2		2	1		2		1		2			1	
27	32	28	26	35	28	39	26	32	22	11	11	3	3	1	10
17	17	19	21	26	18	26	18	19	17	7	4	3	2	1	11
10	15	9	5	9	10	13	8	13	5	4	7		1		12
147	153	119	104	109	89	82	76	85	47	54	27	11	24	39	13
71	80	66	55	53	45	46	44	47	28	26	15	4	6	21	14
76	73	53	49	56	44	36	32	38	19	28	12	7	18	18	15
46	33	43	49	42	44	45	54	43	38	19	6	3		5	16
56	41	35	25	32	46	29	38	41	22	17	5	2	1	5	
2	3			1	1	2	1	2	2			1	2		17
1	1	2	3	5	5		1	3	1			1		1	18
3	3	2	1	1				1	2		2				
1	1	1	2	4	2	4	2	3	1	3	1	1		1	19
	1	2			1	2	1	1	1		2				
				1		1	1								20
	1		3	1		1	1	2							
	1	1	1											1	21
1		1	1	1	1	2	1	1	2	1		1			22
	1	2				1									
			2						1						23
1					1		1	1	1	1	1				
1		2		1				1							24
	1														25
7	2	7	2	4	3	3	3	2	4	1					26
6	4	4	1	3	3	2	2	1	1		2		1		
8	9	3	11	11	8	4	11	8	7	5	1			9	27
2	6	6	9	9	2	6	4	5	5	3	2	1		6	
1,064	1,126	991	955	1,020	717	966	885	910	711	545	284	140	120	242	28
490	492	451	472	512	372	497	455	475	358	281	140	62	47	125	29
574	634	540	483	508	345	469	430	435	353	264	144	78	73	117	30
483	501	511	490	512	430	521	585	573	459	334	147	62	27	97	31
216	220	237	255	265	223	266	292	275	221	170	74	29	9	45	32
267	281	274	235	247	207	255	293	298	238	164	73	33	18	52	33
461	485	491	459	481	394	488	543	530	432	307	136	58	26	79	34
147	150	160	153	165	134	179	202	189	163	128	56	24	9	17	35
202	210	218	179	194	143	185	217	216	160	124	56	28	14	38	
5	1		3	3	4		6	1	13	6					36
2		2	1		1	1	2	5	6	3	1	1	1		
10	8	8	18	13	30	28	32	36	18	20	8	3	1	1	37
7	6	5	14	9	22	17	14	21	8	14	7	2		1	38
3	2	3	4	4	8	11	18	15	10	6	1	1	1		
581	625	480	465	508	287	445	300	337	252	211	137	78	93	145	40
274	272	214	217	247	149	231	163	200	137	111	66	33	38	80	41
307	353	266	248	261	138	214	137	137	115	100	71	45	55	65	42
148	150	161	156	167	136	179	203	189	170	131	56	24	9	17	43
204	212	218	179	195	145	185	218	220	164	125	57	28	14	38	
3	1		2	1	7	2	4	6	2	5	4	1		1	44
2		1	1	1	6	1	2	3	2	3					
3		1	2	2	3	2		5	4	2	1	1			45
	1			1	1	2	1	1	1				1		
	1	1			1	1	3		3	2					46
2		2	1		2	1				1					
				1											47
															48
		1			1			1	2	2					49
	1					1		1	1						
															50
			1				1								51
			1				1		1			1			
															52
							1			1					53
21	16	26	1	30	18	27	27	28	15	13	6			21	54
18	30	22	34	22	21	24	21	30	21	17	6	2	1	10	

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
IDAHO.													
1	Total	1,242	214	72	26	28	21	361	73	60	57	47	48
2	Males	762	121	32	17	10	16	196	38	26	31	22	27
3	Females	480	93	40	9	18	5	165	35	34	26	25	21
4	White	1,075	194	54	25	21	15	309	58	50	48	42	41
5	Males	674	109	25	16	7	11	168	30	23	28	19	23
6	Females	401	85	29	9	14	4	141	28	27	20	23	18
7	Native	850	194	53	25	21	15	308	56	49	43	38	31
8	Both parents native	(M) 303	69	16	10	5	9	109	22	12	16	10	9
		(F) 230	66	22	4	12	3	107	20	14	11	12	7
9	One or both parents foreign	(M) 125	38	9	5	2	2	56	7	9	8	5	7
		(F) 94	18	6	4	2	1	31	7	12	8	9	3
10	Foreign	189								1	3	3	9
11	Males	138								1	3	1	5
12	Females	51										2	4
13	Colored	167	20	18	1	7	6	52	15	10	9	5	7
14	Males	88	12	7	1	3	5	28	8	3	3	3	4
15	Females	79	8	11		4	1	24	7	7	6	2	3
Birthplaces of mothers (white).													
16	United States	(M) 342	81	20	13	7	9	130	23	16	18	11	9
		(F) 265	72	23	8	14	3	120	24	19	13	15	9
17	Ireland	(M) 37										1	
		(F) 9											
18	Germany	(M) 32								1	1	1	2
		(F) 10		1				1					1
19	England and Wales	(M) 57	4	2				6	3	1	4	3	3
		(F) 40	4	2			1	7	2	1	3	3	
20	Canada	(M) 17	5					5			1		2
		(F) 7	2					2				1	1
21	Scandinavia	(M) 38	11		1			12	3	2	2	1	2
		(F) 28	3	2				5		4	3	2	3
22	Scotland	(M) 13									1		2
		(F) 7	1					1	1	1			
23	Italy	(M) 1											
		(F) 1											
24	France	(M) 7					1	1					
		(F) 1											
25	Russia and Poland	(M) 1											
		(F) 1											
26	Other foreign countries	(M) 25	7	3	2		1	13		2			1
		(F) 9	2		1			3		1		1	
27	Unknown	(M) 105	1					1	1	1	1	3	2
		(F) 25	1	1				2	1		1		4
ILLINOIS.													
28	Total	61,229	11,169	3,386	1,596	1,038	834	18,023	2,385	1,413	2,014	2,705	2,824
29	Males	33,641	6,284	1,760	800	506	401	9,751	1,247	730	980	1,367	1,430
30	Females	27,588	4,885	1,626	796	532	433	8,272	1,138	683	1,034	1,338	1,394
31	White	59,618	10,944	3,320	1,553	1,019	813	17,649	2,343	1,361	1,930	2,561	2,704
32	Males	32,752	6,167	1,727	772	494	390	9,550	1,224	710	938	1,295	1,360
33	Females	26,866	4,777	1,593	781	525	423	8,099	1,119	651	992	1,266	1,344
34	Native	42,545	10,905	3,281	1,533	1,003	801	17,523	2,290	1,261	1,665	2,049	2,030
35	Both parents native	(M) 8,819	1,983	596	244	161	110	3,094	395	281	362	385	323
		(F) 7,925	1,539	539	241	175	100	2,594	359	262	405	435	392
36	One or both parents foreign	(M) 2,434	564	145	73	51	41	874	112	88	113	179	147
		(F) 1,975	408	120	65	38	45	676	96	66	132	145	160
37	Foreign	16,052	30	27	15	10	8	90	41	84	225	464	618
38	Males	9,297	18	15	5	6	4	48	21	43	110	247	337
39	Females	6,755	12	12	10	4	4	42	20	41	115	217	281
40	Colored	1,611	225	66	43	19	21	374	42	52	84	144	120
41	Males	889	117	33	28	12	11	201	23	20	42	72	70
42	Females	722	108	33	15	7	10	173	19	32	42	72	50
Birthplaces of mothers (white).													
43	United States	(M) 9,435	2,152	628	263	178	126	3,347	428	307	400	439	349
		(F) 8,490	1,671	569	262	187	113	2,802	391	286	444	486	430
44	Ireland	(M) 1,037	21	6	2	2	1	32	7	9	15	39	41
		(F) 727	16	5	5	2	2	30	5	8	15	22	36
45	Germany	(M) 2,395	167	55	27	19	13	281	43	26	59	72	83
		(F) 1,779	120	44	19	9	17	209	25	27	53	79	85
46	England and Wales	(M) 616	26	7	4	4	3	44	5	8	9	15	17
		(F) 418	16	6	3	3	3	31	7	3	9	13	20
47	Canada	(M) 161	16	1	2			19	2	4	2	10	11
		(F) 140	13	1	1	2	2	19	5	2	7	10	5
48	Scandinavia	(M) 548	74	23	10	5	5	117	14	11	14	27	29
		(F) 400	45	20	9	8	5	87	17	8	20	25	28
49	Scotland	(M) 163	8	3		2		13	4	4	4	5	
		(F) 124	9	3	1		2	15	1	1	2	4	1
50	Italy	(M) 49	14	3	2	1	1	21			1	2	3
		(F) 28	13	3				17		2		2	2
51	France	(M) 85	2		1		1	4			2	1	3
		(F) 64	1	1	1			3	1	1	3	1	2
52	Russia and Poland	(M) 104	33	10	5		2	50	2	5	3	6	4
		(F) 71	30	4	2			36	3	2	4	3	
53	Other foreign countries	(M) 256	48	11	6	2	1	68	8	4	5	10	7
		(F) 177	25	6	4	4	2	41	8	5	3	3	10
54	Unknown	(M) 2,248	285	68	22	20	12	407	48	35	49	91	133
		(F) 1,633	220	52	35	16	14	337	37	30	60	86	116

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
53	54	55	48	48	64	59	63	52	41	17	7	3	6	26	1
31	31	33	37	35	48	45	48	41	33	8	4	1	5	22	2
22	23	22	11	13	16	14	15	11	8	9	3	2	1	4	3
52	52	47	43	42	55	55	56	47	40	15	5		1	17	4
31	30	27	33	32	43	42	44	39	33	8	4		1	16	5
21	22	20	10	10	12	13	12	8	7	7	1			1	6
42	38	31	24	29	32	27	35	29	19	12	3			4	7
14	8	11	10	12	14	9	13	18	9	3	2			2	8
5	12	10	5	6	3	4	2	4	4	4					
7	4	4	2	3	1	4	1	1	2	3	1				9
12	5	2		1	1	3									
10	13	16	15	11	20	25	18	17	19	3	1		1	4	10
7	10	8	10	10	13	20	13	15	16	1			1	4	11
3	3	8	5	1	7	5	5	2	3	2	1				12
1	2	8	5	6	9	4	7	5	1	2	2	3	5	9	13
1	1	6	4	3	5	3	4	2				1	4	6	14
	1	2	1	3	4	1	3	3	1	2	2	2	1	3	15
15	9	12	10	12	16	11	15	18	9	4	2			2	16
9	13	10	5	6	3	4	2	5	4	4					
3	4	1	3	6	3	6		6	3		1			2	17
3				2	2	2									
4	2	5	1	1	2	6	3	2	1						18
	1		2	2	2		1	1	1						
2	3	2	4	2	4	4	3	5	5				1	2	19
3	5	6	1	1	1	1	2	1	1	1	1				
1	2	1	1	1	1	1	1	1	1						20
2	2	2	1			2	1	1	1						21
4		3	1	1	2	1	1	1	1	2	1				
				1	1	2	1	1	1						22
	1		1												23
			1	1	1	2		1							24
															25
1			1	1			3		3						26
1			1	1	1	1									
3	8	4	10	7	14	9	17	5	6	2	1			10	27
1	2	1		2	1	1	5	2		1				1	
2,806	2,942	2,719	2,519	2,655	2,699	2,926	3,258	3,122	2,623	1,875	885	295	116	425	28
1,513	1,639	1,643	1,545	1,620	1,617	1,680	1,817	1,780	1,403	1,003	423	137	51	265	29
1,293	1,303	1,076	974	1,035	1,082	1,246	1,441	1,342	1,220	872	462	158	65	160	30
2,694	2,823	2,633	2,437	2,573	2,648	2,866	3,207	3,081	2,601	1,855	875	288	107	382	31
1,444	1,570	1,593	1,498	1,570	1,587	1,648	1,785	1,757	1,393	992	416	133	50	239	32
1,250	1,253	1,040	939	1,003	1,061	1,218	1,422	1,324	1,208	863	459	155	57	143	33
1,780	1,681	1,512	1,253	1,197	1,205	1,241	1,434	1,406	1,216	942	488	154	46	172	34
258	261	289	280	302	332	375	452	496	389	311	146	47	14	27	35
308	285	266	227	283	275	288	386	364	312	247	146	50	12	29	
165	125	141	101	48	53	48	57	46	54	41	21	9	2	10	36
114	130	95	61	47	36	37	34	35	49	27	23	6	3	3	
845	1,054	1,057	1,124	1,308	1,380	1,564	1,713	1,623	1,347	885	376	128	56	70	37
481	613	688	732	846	866	897	952	909	733	465	177	59	27	46	38
364	441	369	392	462	514	667	761	714	614	420	199	69	29	24	39
112	119	86	82	82	51	60	51	41	22	20	10	7	9	43	40
69	69	50	47	50	30	32	32	23	10	11	7	4	1	26	41
43	50	36	35	32	21	28	19	18	12	9	3	3	8	17	42
287	276	306	298	313	340	393	466	509	411	322	152	49	14	29	43
335	301	280	235	303	283	303	400	380	327	253	157	52	13	29	
52	63	72	48	57	64	80	113	103	94	70	32	16	6	24	44
29	53	36	24	39	46	58	78	70	75	51	26	10	7	9	
119	102	117	113	142	154	191	221	268	193	143	47	10	2	9	45
76	106	78	75	74	104	131	170	163	147	98	49	17	3	4	
19	24	28	29	35	39	46	71	80	72	46	17	8		1	46
14	16	17	16	25	40	29	49	47	40	20	2		3	4	
6	10	13	12	7	13	11	11	8	12	5	3		1	1	47
4	14	5	7	3	4	12	10	10	10	8	2		1	1	
28	38	28	31	26	31	41	30	24	23	19	7		3	7	48
22	21	22	11	12	6	18	16	16	21	22	7		1	4	
5	7	7	8	13	16	11	3	13	21	13	4		4	2	49
9	5	4	8	6	4	3	16	6	16	10	8	2	2	1	
	1		1		1	1	1	1			1			1	50
3	5	7	5	2	9	9	4	10	12	3	4	1		1	51
2	1	4	4	3	5	7	5	5	7	7	1	2			
4	3	1	5	5	3	6	2	3	1					1	52
4	3	3		1	1	1	2	3	3	1	1			3	
5	12	10	15	15	15	11	14	19	17	10	6	3		2	53
9	11	15	10	10	8	10	4	6	8	3	3		1	1	
123	116	109	106	125	125	135	139	139	97	83	35	12	3	188	54
80	77	70	56	52	78	79	86	82	104	74	40	12	11	66	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
INDIANA.													
1	Total	33,586	5,850	1,662	782	439	337	8,970	1,054	837	1,430	1,669	1,537
2	Males	17,454	3,294	826	378	221	179	4,898	520	407	652	797	681
3	Females	16,132	2,556	736	404	218	158	4,072	534	430	778	872	856
4	White	32,312	5,635	1,505	753	428	328	8,649	1,012	785	1,327	1,579	1,463
5	Males	16,789	3,170	797	363	215	174	4,719	495	387	597	755	648
6	Females	15,523	2,465	708	390	213	154	3,930	517	398	730	824	815
7	Native	28,307	5,606	1,489	748	424	323	8,585	997	770	1,292	1,495	1,375
8	Both parents native	(M) 11,089	2,654	711	314	181	136	3,996	396	322	481	534	421
		(F) 10,747	2,059	603	336	176	129	3,303	428	324	597	617	566
9	One or both parents foreign	(M) 1,624	300	48	24	21	26	419	60	36	67	116	110
		(F) 1,581	257	61	34	27	17	396	57	46	72	113	124
10	Foreign	3,247	4	3	5	3	1	16	2	9	23	46	56
11	Males	1,876	2	3	1	3	1	10	1	6	12	27	32
12	Females	1,371	2	4	4	4	4	6	1	3	11	19	24
13	Colored	1,274	215	57	29	11	9	321	42	52	103	90	74
14	Males	665	124	29	15	6	5	179	25	20	55	42	33
15	Females	609	91	28	14	5	4	142	17	32	48	48	41
Birthplaces of mothers (white).													
16	United States	(M) 11,704	2,776	735	320	188	147	4,166	419	335	515	574	469
		(F) 11,894	2,165	637	353	190	137	3,482	450	340	627	672	597
17	Ireland	(M) 501	10	3	2	1	1	13	3	3	7	19	19
		(F) 450	14	3	4	1	1	22	4	2	12	13	24
18	Germany	(M) 1,671	111	13	11	9	9	153	26	16	24	57	60
		(F) 1,340	87	11	6	7	7	118	21	23	39	53	70
19	England and Wales	(M) 261	22	4	1	1	1	28	4	3	3	9	4
		(F) 187	19	3	4	1	1	26	2	5	1	3	11
20	Canada	(M) 49	4	1	2	2	2	7	2	1	2	4	2
		(F) 61	8	2	2	1	2	12	2	1	1	3	2
21	Scandinavia	(M) 65	4	1	1	1	2	9	3	2	4	4	4
		(F) 48	6	5	1	1	1	12	3	2	2	2	2
22	Scotland	(M) 76	5	1	1	1	1	6	1	1	1	1	1
		(F) 51	2	1	1	1	1	3	1	1	1	1	2
23	Italy	(M) 10	4	1	1	1	1	6	1	1	1	1	1
		(F) 9	3	1	1	1	1	4	1	1	1	1	1
24	France	(M) 59	1	1	1	1	1	1	1	1	1	3	1
		(F) 47	1	1	1	1	1	1	1	1	1	1	5
25	Russia and Poland	(M) 76	23	5	4	3	2	37	1	3	1	5	3
		(F) 68	20	6	2	4	3	35	5	3	3	2	2
26	Other foreign countries	(M) 174	30	5	3	3	1	42	1	2	7	8	8
		(F) 123	21	6	2	4	1	34	2	3	6	2	6
27	Unknown	(M) 1,905	143	19	18	5	6	191	27	14	26	60	65
		(F) 1,522	94	27	14	3	5	143	20	20	33	61	87
INDIAN TERRITORY.													
28	Total	5,286	1,220	699	269	168	111	2,467	364	216	305	273	248
29	Males	2,795	668	345	146	79	60	1,298	190	112	155	136	116
30	Females	2,491	552	354	123	89	51	1,169	174	104	150	137	132
31	White	3,936	957	535	199	127	84	1,902	263	161	213	184	174
32	Males	2,119	519	278	111	63	45	1,016	147	79	116	86	74
33	Females	1,817	438	257	88	64	39	886	116	82	97	98	100
34	Native	3,863	956	535	198	128	83	1,898	263	161	213	178	170
35	Both parents native	(M) 1,903	498	266	109	61	42	976	141	75	107	77	67
		(F) 1,645	425	250	85	63	37	860	112	79	89	74	84
36	One or both parents foreign	(M) 49	14	7	1	1	1	24	4	2	2	2	1
		(F) 35	7	5	2	1	1	15	4	1	1	1	3
37	Foreign	37	1	1	1	1	1	1	1	1	1	2	1
38	Males	23	1	1	1	1	1	1	1	1	1	1	1
39	Females	14	1	1	1	1	1	1	1	1	1	1	1
40	Colored	1,350	263	164	70	41	27	565	101	55	92	89	74
41	Males	676	149	67	35	16	15	282	43	33	39	50	42
42	Females	674	114	97	35	25	12	283	58	22	53	39	32
Birthplaces of mothers (white).													
43	United States	(M) 1,936	508	270	110	62	43	993	143	77	109	78	67
		(F) 1,677	428	252	87	64	37	868	115	80	92	78	88
44	Ireland	(M) 11	4	1	1	1	1	1	1	1	1	1	1
		(F) 4	1	1	1	1	1	1	1	1	1	1	1
45	Germany	(M) 10	2	1	1	1	1	2	1	1	1	1	1
		(F) 4	1	1	1	1	1	1	1	1	1	1	1
46	England and Wales	(M) 10	1	1	1	1	1	3	1	1	1	1	1
		(F) 3	1	1	1	1	1	1	1	1	1	1	1
47	Canada	(M) 1	1	1	1	1	1	1	1	1	1	1	1
		(F) 3	1	1	1	1	1	1	1	1	1	1	1
48	Scandinavia	(M) 1	1	1	1	1	1	1	1	1	1	1	1
		(F) 1	1	1	1	1	1	1	1	1	1	1	1
49	Scotland	(M) 8	2	1	1	1	1	2	1	1	1	1	1
		(F) 2	1	1	1	1	1	1	1	1	1	1	1
50	Italy	(M) 2	1	1	1	1	1	1	1	1	1	1	1
		(F) 6	1	4	1	1	1	5	1	1	1	1	1
51	France	(M) 3	1	1	1	1	1	1	1	1	1	1	1
		(F) 1	1	1	1	1	1	1	1	1	1	1	1
52	Russia and Poland	(M) 2	1	1	1	1	1	1	1	1	1	1	1
		(F) 2	1	1	1	1	1	1	1	1	1	1	1
53	Other foreign countries	(M) 4	2	1	1	1	1	3	1	1	1	1	1
		(F) 4	2	1	1	1	1	3	1	1	1	1	1
54	Unknown	(M) 131	3	4	1	1	2	10	2	1	7	6	5
		(F) 110	6	1	1	1	2	10	2	2	5	19	12

77

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,398	1,335	1,244	1,282	1,260	1,532	1,619	1,899	2,151	1,849	1,343	661	216	69	231	1
663 735	615 720	608 636	658 624	695 565	829 703	883 736	1,055 844	1,211 940	1,015 834	674 669	342 319	104 112	31 38	116 115	2 3
1,342	1,266	1,206	1,222	1,187	1,468	1,577	1,856	2,099	1,829	1,316	643	208	60	218	4
636 706	577 689	591 615	628 594	657 530	793 675	857 720	1,032 824	1,184 915	1,003 826	659 657	335 308	101 107	26 34	109 109	5 6
1,216	1,127	1,040	1,033	971	1,175	1,176	1,356	1,556	1,353	994	477	150	40	129	7
403 483 99 98 82	303 436 118 108 87	330 384 95 99 125	352 369 79 81 150	369 338 52 41 176	420 433 63 57 234	456 422 50 53 345	557 413 50 42 453	637 527 58 43 495	499 474 69 43 427	369 333 42 48 288	158 149 27 24 150	43 48 7 9 48	11 12 3 6 19	32 56 4 6 16	10 11 9 10
42 40 56	45 42 69	75 50 38	94 56 60	114 62 73	144 90 64	212 133 42	250 203 43	293 202 52	249 178 20	149 139 27	81 69 18	24 24 8	6 13 9	10 6 13	11 12 13
27 29	38 31	17 21	30 30	38 35	36 28	26 16	23 20	27 25	12 8	15 12	7 11	3 5	5 4	7 6	14 15
436 522 20 23 64 66 5 6	336 473 28 21 78 97 63 7 10	346 409 21 23 97 77 12 9	375 393 21 17 89 78 14 7	394 356 22 11 83 57 17 8	439 447 38 28 117 80 25 14	475 446 52 39 129 80 14 16	579 465 59 54 147 118 29 20	668 565 58 49 194 124 31 22	527 504 50 35 171 115 25 16	333 357 33 42 98 82 15 9	170 160 19 20 48 46 10 5	47 57 9 9 13 13 4 1	14 12 3 2 3 13 2	37 60 4 4 4 4 2 1	16 17 18 19 20
2 3 1 1 2 1 1 1 2 3 2 11 4 82 65	2 2 5 4 1 2 3 1 1 4 6 9 90 93	2 2 5 4 1 4 1 1 2 3 1 6 6 4 2 2 7 3 85 70	2 2 5 4 1 6 7 5 94 78	2 2 5 4 1 6 7 5 106 70	2 2 5 4 1 6 7 5 148 84	2 2 5 4 1 6 7 5 134 90	2 2 5 4 1 6 7 5 167 122	2 2 5 4 1 6 7 5 174 116	2 2 5 4 1 6 7 5 179 116	2 2 5 4 1 6 7 5 101 129	2 2 5 4 1 6 7 5 75 63	2 2 5 4 1 6 7 5 25 21	2 2 5 4 1 6 7 5 5 5	2 2 5 4 1 6 7 5 57 36	21 22 23 24 25 26 27
206	162	165	176	147	114	128	80	71	58	30	16	3	8	49	28
106 100	82 80	76 89	100 76	91 56	69 45	85 43	46 34	40 31	28 30	20 10	9 7	2 1	5 3	29 20	29 30
153	122	113	143	118	81	96	59	52	43	21	11	1	1	25	31
85 68 146	59 63 120	54 59 112	81 62 138	78 40 112	51 30 78	67 29 88	35 24 52	34 18 45	21 22 41	15 6 17	6 5 10	1 1 1	1 1 1	13 12 19	32 33 34
77 56 3 1 2	46 52 1 2	43 51 3	65 56 2	67 30 1	36 27 1	41 17 3	24 15 3	23 11 1	15 20 2	8 2 1	5 2 1	1 1 1	1 1 1	9 8 8	35 36 37
1 1 53	1 1 40	1 1 52	3 3 33	1 2 29	2 1 33	4 2 32	3 3 21	3 3							

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
IOWA.													
1	Total	19,573	3,256	753	382	246	174	4,811	597	471	754	876	851
2	Males	10,612	1,884	425	212	133	84	2,738	305	247	333	411	375
3	Females	8,961	1,372	328	170	113	90	2,073	292	224	421	465	476
4	White	19,362	3,225	744	378	242	174	4,763	592	468	741	858	834
5	Males	10,490	1,866	418	210	130	84	2,708	302	246	329	402	366
6	Females	8,872	1,359	326	168	112	90	2,055	290	222	412	456	468
7	Native	14,089	3,138	702	364	231	167	4,602	562	444	666	743	681
8	Both parents native	{M 4,254	1,045	241	114	74	44	1,518	163	131	146	162	116
		{F 3,802	790	185	97	59	52	1,183	155	120	210	209	167
9	One or both parents foreign	{M 1,608	417	89	56	32	26	620	85	68	103	112	106
		{F 1,417	286	80	41	27	23	457	77	63	109	114	135
10	Foreign	4,240	4	2	1	2		9	4	11	31	58	94
11	Males	2,401	3	1		1		5	1	10	14	23	42
12	Females	1,839	1	1	1			4	3	1	17	35	52
13	Colored	211	31	9	4	4		48	5	3	13	18	17
14	Males	122	18	7	2	3		30	3	1	4	9	9
15	Females	89	13	2	2	1		18	2	2	9	9	8
Birthplaces of mothers (white).													
16	United States	{M 4,740	1,198	268	136	88	57	1,747	194	151	175	193	132
		{F 4,225	894	210	105	67	60	1,336	191	142	239	235	189
17	Ireland	{M 592	14					15	1	4	9	13	22
		{F 490	3	1	2	1		7	2	4	12	13	39
18	Germany	{M 1,265	121	22	11	10	8	172	24	18	45	37	35
		{F 940	81	31	9	9	7	137	21	17	36	42	48
19	England and Wales	{M 337	13	3	3	1	1	21	2	3	5	7	13
		{F 283	12	5	3	1		21	6	4	5	19	9
20	Canada	{M 104	5	2	2			9	5	3	5	9	10
		{F 94	8	3	1		1	13		6	3	1	10
21	Scandinavia	{M 539	82	25	11	5	4	127	17	20	14	24	30
		{F 483	49	13	16	6	5	89	12	5	31	29	35
22	Scotland	{M 112	3	1	1			5		2	1	2	2
		{F 81	4	1			1	6	2	1		4	5
23	Italy	{M 7	3		1			4				1	1
		{F 1	1					1					
24	France	{M 31	1	1				2		1			1
		{F 24	2		1			3				2	2
25	Russia and Poland	{M 8	4	1	1			6				1	
		{F 12	1	1	1	1	1	5		1			3
26	Other foreign countries	{M 245	34	8	4	1	1	48	6	7	9	9	12
		{F 200	26	2	3	2	1	34	2	6	10	13	12
27	Unknown	{M 1,290	179	51	18	12	4	264	26	14	30	56	42
		{F 1,063	130	32	12	8	9	191	22	23	39	43	64
KANSAS.													
28	Total	16,261	2,939	1,009	420	255	186	4,809	631	476	627	796	659
29	Males	8,978	1,653	517	208	133	97	2,608	335	239	315	383	325
30	Females	7,283	1,286	492	212	122	89	2,201	296	237	312	413	334
31	White	15,209	2,785	952	395	240	178	4,550	602	433	553	714	586
32	Males	8,444	1,592	490	193	124	93	2,492	319	222	279	338	290
33	Females	6,765	1,193	462	202	116	85	2,058	283	211	274	376	296
34	Native	11,337	2,574	850	345	206	160	4,135	527	365	469	551	449
35	Both parents native	{M 3,776	926	306	116	66	53	1,467	172	127	149	169	148
		{F 3,330	708	288	110	68	53	1,227	174	119	144	180	151
36	One or both parents foreign	{M 918	260	73	34	20	16	403	59	38	46	53	36
		{F 759	186	72	34	25	17	332	50	34	56	51	31
37	Foreign	1,720	6	8	1	2		17	13	11	21	32	41
38	Males	1,064	5	4	1	1		11	9	8	15	15	20
39	Females	656	1	4		1		6	4	3	6	17	21
40	Colored	1,052	154	57	25	15	8	259	29	43	74	82	73
41	Males	534	61	27	15	9	4	116	16	17	36	45	35
42	Females	518	93	30	10	6	4	143	13	26	38	37	38
Birthplaces of mothers (white).													
43	United States	{M 4,049	1,012	321	125	75	59	1,592	193	139	161	180	160
		{F 3,598	781	318	119	74	57	1,349	191	128	157	191	162
44	Ireland	{M 253	7	1		2	2	12	6	1	4	9	8
		{F 178	5	3	2		1	11		1	5	6	9
45	Germany	{M 552	53	15	5		2	75	21	15	10	21	21
		{F 331	32	11	4	7	3	57	8	6	18	16	15
46	England and Wales	{M 259	17	3	3			23	1	6	7	8	4
		{F 135	6	3	5	1	1	16	2	5	4	2	4
47	Canada	{M 76	10	1	3			14		9	5	2	2
		{F 39	5	3	1	2		11	2	1	2	4	1
48	Scandinavia	{M 175	32	11	3		2	48	7	4	7	4	3
		{F 137	18	4	2	2	3	29	2	5	8	12	3
49	Scotland	{M 63	3	2				5	1	2	1	2	1
		{F 52	3		2			5	2		2	5	3
50	Italy	{M 16	4	3				7	1	1		1	
		{F 10	5	2		1		8		1			
51	France	{M 30	3	1	1			5	1		2	2	
		{F 18	2	1				3	1	1		2	
52	Russia and Poland	{M 121	43	20	9	5	5	82	7	2	5		2
		{F 114	35	13	7	3	1	59	13	2	8	3	2
53	Other foreign countries	{M 126	16	5	2	5	2	30	3	3	4	4	3
		{F 102	10	5	2	2	4	23	6	6	1	6	5
54	Unknown	{M 2,195	301	75	37	35	20	468	65	41	58	71	70
		{F 1,584	223	74	46	18	10	371	44	45	53	105	72

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

79

NATIVITY. AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
741	756	692	650	765	859	973	1,382	1,367	1,321	918	449	145	40	155	1
335 406	387 369	359 333	361 289	394 371	461 398	520 453	813 569	800 567	789 532	546 372	253 196	65 80	22 18	98 57	2 3
730	745	682	641	756	849	967	1,372	1,364	1,311	915	448	144	38	144	4
328 402 556	381 364 519	353 329 467	356 285 407	389 367 443	457 392 476	516 451 518	806 566 712	798 566 692	781 530 703	545 370 504	253 195 251	64 80 82	21 17 15	89 55 46	5 6 7
95 157 70 85 124	118 138 56 74 174	109 106 60 66 169	123 102 43 33 187	131 123 33 36 257	153 143 41 20 324	170 171 22 27 400	288 200 37 19 596	249 207 40 27 602	267 183 52 27 544	184 126 35 26 370	92 66 20 13 176	20 29 3 7 53	8 4 2 2 22	11 3 2 2 35	8 9 10
56 68 11	90 84 11	90 79 10	102 85 9	142 115 9	185 139 10	228 172 6	337 259 10	374 228 3	324 220 10	222 148 3	94 82 1	26 27 1	13 9 2	23 12 11	11 12 13
7 4	6 5	6 4	5 4	5 4	4 6	4 2	7 3	2 1	8 2	1 2	1 1	1 1	1 1	9 2	14 15
106 176 25 30 33 42 12 7 5 8 28 30 1 1 1	129 151 22 28 45 51 9 8 6 6 26 31 4 2	116 117 25 25 58 37 17 16 3 9 15 25 4 5	132 105 22 21 58 28 15 13 6 9 9 19 4 3	134 136 26 20 65 54 21 14 4 20 23 8 4	162 150 39 25 76 57 15 19 10 3 13 8 6	176 184 48 37 85 60 34 25 2 6 23 22 5 3	301 210 75 56 123 84 35 34 6 4 28 27 19 11	271 221 74 57 145 72 36 25 8 8 42 24 11 8	287 198 74 46 122 74 45 25 9 5 30 22 17 6	194 133 56 31 77 55 31 12 3 2 8 20 13 3	99 72 24 22 32 15 13 16 1 1 18 16 2 3	21 31 5 9 6 6 1 5 3 2 2 1	8 6 5 3 3 4 2 3 1 3 1 2 1	12 3 8 3 6 4 2 3 1 1 3 32 46 32	16 17 18 19 20 21 22 23 24 25 26 27
593	590	588	598	615	789	789	913	904	777	520	254	68	33	232	28
257 336	309 281	315 273	318 280	346 269	500 289	484 305	589 324	537 367	472 305	307 213	138 116	38 30	16 17	147 85	29 30
551	543	547	549	581	744	746	867	866	754	499	235	62	22	205	31
233 318 392	283 260 375	299 248 366	292 257 376	328 253 362	472 272 455	456 290 462	562 305 542	516 350 503	460 294 455	295 204 300	130 105 151	35 27 33	14 8 10	129 76 59	32 33 34
112 133 18 37 58	103 105 29 26 63	108 108 32 27 66	113 138 22 15 83	112 120 22 10 118	165 127 18 9 177	161 112 16 16 183	188 135 37 14 221	183 116 20 18 232	151 102 30 16 190	87 80 24 8 121	40 43 7 12 45	12 8 3 2 14	2 3 1 2 3	7 5 2 1 11	35 36 37
28 30 42	34 29 47	39 27 41	58 25 49	73 45 34	120 57 45	117 66 43	147 74 46	132 100 38	121 69 23	74 47 21	24 21 19	9 5 6	3 5 11	7 4 27	38 39 40
24 18	26 21	16 25	26 23	18 16	28 17	28 15	27 19	21 17	12 11	12 9	8 11	3 3	2 9	18 9	41 42
117 145 5 11 13 18 5 7 5 2 5 7 2 2	112 111 12 8 15 11 6 10 3 1 7 7 2 2	115 116 13 9 19 14 14 2 3 1 7 10 3	118 143 11 8 24 8 10 5 4 4 5 6 1 1	119 130 13 12 30 19 18 3 4 5 2 1 2	170 131 23 15 46 17 20 10 7 2 4 9 4 3	167 124 25 21 42 16 22 14 8 6 13 5 7 2	197 141 31 14 58 26 32 8 3 1 9 10 7 3	188 125 30 21 48 39 26 19 3 1 9 10 7 2	165 107 25 11 53 24 22 10 3 2 8 3 8	91 85 10 9 32 11 23 10 1 2 5 6 3	43 45 7 6 8 7 9 3 1 2 5 3	12 9 5 1 1 2 1 1 1 1 1	2 3 1 1 1 1 1 1 1 1 1	8 5 2 1 1 1 1 1 1 1 1	43 44 45 46 47 48 49 50 51 52 53 54
58 89	90 78	102 64	77 50	99 64	136 60	138 74	166 74	156 95	130 90	101 53	46 25	9 9	8 5	106 64	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
KENTUCKY.													
1	Total	27,091	5,059	1,727	829	486	307	8,408	937	759	1,317	1,721	1,460
2	Males	13,813	2,809	892	428	251	158	4,538	448	391	564	768	683
3	Females	13,248	2,250	835	401	235	149	3,870	489	368	753	953	777
4	White	22,035	4,256	1,436	656	403	255	7,006	754	537	971	1,291	1,137
5	Males	11,337	2,365	740	343	212	139	3,799	376	288	428	564	530
6	Females	10,698	1,891	696	313	191	116	3,207	378	249	543	727	607
7	Native	19,947	4,140	1,399	640	392	247	6,818	737	523	944	1,237	1,080
8	Both parents native	M 8,200	1,899	625	284	176	114	3,098	309	240	346	423	373
9	One or both parents foreign	F 8,095	1,567	591	264	158	90	2,670	315	219	436	595	453
10	Foreign	M 306	54	13	11	7	1	86	5	8	9	23	31
11		F 264	29	13	6	4	5	57	9	6	28	22	25
12		1,221	1	2				3	1	2	4	11	15
13	Males	699	1	2				3		1	2	8	10
14	Females	522							1	1	2	3	5
15	Colored	5,056	803	291	173	83	52	1,402	183	222	346	430	323
16	Males	2,506	444	152	85	39	19	739	72	103	136	204	153
17	Females	2,550	359	139	88	44	33	663	111	119	210	226	170
18	Birthplaces of mothers (white).												
19	United States	M 8,315	1,929	629	291	179	114	3,142	313	243	350	433	380
20		F 8,197	1,582	595	268	160	94	2,699	320	221	447	606	459
21	Ireland	M 192	4	1				6		1	2	4	13
22		F 127	3	2				5	1	1	6	6	5
23	Germany	M 299	16	7	2	2	1	28	3	2	3	9	12
24		F 234	12	8		2	2	24	3	3	8	9	16
25	England and Wales	M 52	4	2	1			7		2			2
26		F 28	2		1			3	2	1	2	1	1
27	Canada	M 8	2			1		3				2	1
28		F 1											
29	Scandinavia	M 1											
30		F 1											
31	Scotland	M 18			1			1		1			
32		F 13						1					
33	Italy	M 2		1				1					1
34		F 2									1		
35	France	M 11									2		
36		F 7											
37	Russia and Poland	M 2									1		
38		F 1											
39	Other foreign countries	M 14	4		1	1		6				1	1
40		F 10	1		1			2			1		
41	Unknown	M 543	51	4	5	3	4	67	8	5	7	20	30
42		F 429	38	13	5	3	1	60	6	4	11	24	24
LOUISIANA.													
43	Total	20,955	3,785	1,389	668	400	288	6,530	873	634	1,067	1,468	1,305
44	Males	10,971	2,043	697	341	190	146	3,417	446	338	509	732	704
45	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736	601
46	White	10,250	1,920	678	311	196	115	3,220	387	261	349	539	536
47	Males	5,590	1,078	332	167	96	65	1,738	209	150	174	286	294
48	Females	4,660	842	346	144	100	50	1,482	178	111	175	253	242
49	Native	8,465	1,914	676	308	194	111	3,203	382	249	331	512	478
50	Both parents native	M 3,173	913	291	145	81	54	1,484	176	112	126	178	143
51		F 2,866	727	290	126	87	41	1,271	146	96	135	156	134
52	One or both parents foreign	M 607	84	18	11	5	4	122	17	12	20	42	55
53		F 491	54	34	9	6	4	107	16	7	19	44	45
54	Foreign	1,670	2	2	2	2	4	12	2	8	12	23	53
55	Males	955	2	2	2	2	2	10	2	4	5	13	37
56	Females	715						2		4	7	10	16
57	Colored	10,705	1,865	711	357	204	173	3,310	486	373	718	929	769
58	Males	5,381	965	365	174	94	81	1,679	237	188	335	446	410
59	Females	5,324	900	346	183	110	92	1,631	249	185	383	483	359
60	Birthplaces of mothers (white).												
61	United States	M 3,316	938	297	149	83	56	1,523	179	118	133	188	156
62		F 3,006	744	304	128	91	43	1,310	150	101	145	173	143
63	Ireland	M 323	3		1			4	1		2	11	18
64		F 358	1					1	1	1	2	9	22
65	Germany	M 423	5	2			1	8	2	1	4	12	17
66		F 335	2		1		1	4			4	14	17
67	England and Wales	M 53	2	1				3	1		1	3	5
68		F 50	1	1				2				1	
69	Canada	M 19	2					2			1	2	2
70		F 14	1					1	3	2		2	3
71	Scandinavia	M 28										2	2
72		F 5										1	1
73	Scotland	M 18	2					2	1				
74		F 9										1	1
75	Italy	M 204	33	10	7	5	2	57	10	6	9	3	13
76		F 123	27	17	5	1	3	53	6	3	7	7	5
77	France	M 214	8		1			9	2	1	1	5	14
78		F 131		2			1	3			1	3	2
79	Russia and Poland	M 14	2					2		1		1	2
80		F 3						2					1
81	Other foreign countries	M 114	4	1			1	6		2		5	7
82		F 47	5	1	1	1		8	2		1	2	1
83	Unknown	M 707	60	14	9	4	4	91	9	18	19	44	50
84		F 492	44	16	8	7	2	77	11	2	13	32	39

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

81

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,110	1,185	1,044	989	1,023	990	1,097	1,187	1,198	1,041	719	377	110	77	342	1
525 585	558 627	521 523	516 473	549 474	545 445	577 520	614 573	633 565	565 476	389 330	206 171	57 53	27 50	169 173	2 3
893	928	823	802	818	833	915	1,042	1,064	920	622	342	88	35	214	4
418 475 848	427 501 852	414 409 751	422 380 707	434 384 693	461 372 690	477 438 718	531 511 795	555 509 825	505 415 717	346 276 486	194 148 290	47 41 72	12 23 27	109 105 137	5 6 7
280 379 26 18 16	267 373 18 12 30	265 306 23 14 28	281 273 13 18 59	274 254 13 12 100	282 245 14 8 101	299 284 6 3 151	326 327 3 10 186	373 323 5 10 184	342 265 9 3 155	228 182 8 5 106	125 111 6 3 39	33 28 2 10	7 16 1 7	29 41 2 13	8 9 10
12 4 217	16 14 257	18 10 221	37 22 187	58 42 205	64 37 157	87 64 182	104 82 145	93 91 134	84 71 121	56 50 97	27 12 35	6 4 22	4 3 42	9 4 128	11 12 13
107 110	131 126	107 114	94 93	115 90	84 73	100 82	83 62	78 56	60 61	43 54	12 23	10 12	15 27	60 68	14 15
285 384 11 4 10 7	271 376 7 4 14 7	265 310 11 6 18 9 4	282 277 9 7 13 16 5 1	280 257 8 11 26 8 5 1	285 248 12 6 20 8 2	302 286 21 9 32 16 2 2	330 330 17 20 31 19 5 4	377 326 21 12 23 33 5 3	345 266 19 7 27 24 5 2	232 186 13 7 15 21 9 2	130 113 9 3 7 1	33 28 3 2 2 1	7 16 1 2 2 1	30 42 4 3 2 1	16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54
1	2	1	1	1	1	2	2	3	2	2	1	1	1	1	19
	1									1					20
	2		2	1	3	1	2	1	4	2	1				21
1		1			1		1	2	1	1	1				22
	1			2	1		2	1				1			23
2			1		1			3	1						24
				1						1					25
	1		1	1	1	2	3	1		1					26
27 15	33 25	28 29	34 14	31 19	31 27	36 28	41 36	33 30	33 30	19 11	18 7	3 2	1 1	38 26	27
1,028	977	904	865	861	713	838	752	640	510	405	200	106	111	168	28
577 451	531 446	485 419	471 394	496 365	391 322	423 415	401 351	342 298	241 269	214 191	91 109	47 59	43 68	72 96	29 30
529	522	488	485	476	412	455	469	391	301	209	107	29	20	65	31
311 218 476	306 216 449	271 217 411	284 201 372	293 183 337	234 178 243	242 213 212	255 214 232	215 176 184	134 167 155	106 103 106	41 66 62	11 18 15	8 12 7	28 37 44	32 33 34
125 111 78 39 43	97 103 59 47 62	97 109 64 35 71	90 94 41 34 106	117 89 32 23 131	78 79 24 14 159	73 68 11 12 233	82 81 10 17 233	75 50 7 6 201	48 64 4 8 143	38 29 6 8 98	20 26 1 6 45	2 6 2 3 14	1 3 1 1 11	11 16 1 5	35 36 37
28 15 499	47 15 455	49 22 416	72 34 380	86 45 385	99 60 301	123 110 383	134 99 283	101 100 249	64 79 209	45 53 196	16 29 93	7 7 77	4 7 91	4 1 103	38 39 40
266 233	225 230	214 202	187 193	203 182	157 144	181 202	146 137	127 122	107 102	108 88	50 43	36 41	35 56	44 59	41 42
136 122 37 10 30 23 3 3 1	106 113 32 15 27 20 4 1 2	107 112 25 16 30 15 4 5 3	99 98 21 22 35 17 5 3 3	120 91 30 27 38 21 2 6 2	83 81 23 31 35 19 4 3 2	77 71 34 60 40 36 4 3 1	87 91 37 36 49 36 4 8 1	79 52 17 37 47 39 5 6 1	49 67 16 25 26 39 5 3 1	40 33 11 18 16 21 3 2 1	20 27 2 15 5 9 4 1 1	4 6 1 5 1 2 1 1 1	1 4 1 5 1 1 1 1 1	11 16 1 25 1 1 1 1 1	43 44 45 46 47 48 49 50 51 52 53 54
1	4	2	2	5	1	3	1	2	1	1	1	1	1	1	48
	2	1			1	3	2	3		3	1				49
12 5 3 2 2	8 6 10 9	11 4 17 9	15 7 9 13 1	12 1 14 10 2	14 2 24 12 2	9 1 28 13 2	9 5 26 15 1	3 7 21 14 1	2 1 15 9	6 2 5 9	2 2 6 4	1 2 3 3	1 2 3 1	2 1 1 19	50 51 52 53 54
6 1 63 46	5 2 78 46	12 3 56 47	9 2 73 35	9 1 48 23	14 5 28 21	14 4 25 21	11 5 26 14	6 1 28 16	2 4 16 13	4 3 16 11	2 4 4 3	2 2 2 2	3 3 3 1	12 19	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MAINE.													
1	Total.....	12, 148	1, 946	408	187	125	88	2, 754	265	162	364	445	439
2	Males.....	6, 292	1, 085	215	93	70	41	1, 504	138	80	186	209	200
3	Females.....	5, 856	861	193	94	55	47	1, 250	127	82	178	236	239
4	White.....	12, 112	1, 940	404	187	125	88	2, 744	264	160	362	444	439
5	Males.....	6, 268	1, 082	212	93	70	41	1, 498	138	78	186	209	200
6	Females.....	5, 844	858	192	94	55	47	1, 246	126	82	176	235	239
7	Native.....	10, 497	1, 904	384	174	116	85	2, 663	239	150	313	355	364
8	Both parents native.....	(M) 4, 073	564	102	44	31	22	763	75	48	128	130	114
		(F) 3, 881	462	94	54	31	21	662	68	57	114	140	156
9	One or both parents foreign.....	(M) 1, 091	492	95	39	36	19	681	51	25	27	34	42
		(F) 918	372	89	35	18	23	587	43	17	37	40	36
10	Foreign.....	1, 487	32	18	12	9	3	74	22	10	46	85	70
11	Males.....	762	16	11	8	3		38	11	3	26	38	34
12	Females.....	725	16	7	4	6	3	36	11	7	20	47	36
13	Colored.....	36	6	4				10	1	2	2	1	
14	Males.....	24	3	3				6		2			
15	Females.....	12	3	1				4	1		2	1	
Birthplaces of mothers (white).													
16	United States.....	(M) 4, 365	658	130	49	35	23	895	84	54	140	140	121
		(F) 4, 160	540	108	63	33	23	767	81	63	126	152	165
17	Ireland.....	(M) 346	19	3	1	2		25	5	2	9	16	23
		(F) 306	24	7	1	2	3	37			5	15	18
18	Germany.....	(M) 23	4			1		5					
		(F) 13	4	2				6					2
19	England and Wales.....	(M) 100	9	3	2	2	1	17	3		1	4	1
		(F) 75	11	1			1	13			1	1	3
20	Canada.....	(M) 988	352	71	38	30	17	508	41	18	32	36	42
		(F) 915	260	64	29	19	19	391	39	17	36	57	37
21	Scandinavia.....	(M) 30	8	1	1			10	1			3	1
		(F) 22	1	4		1		6		1		2	3
22	Scotland.....	(M) 41	3	2				5	1		1	2	
		(F) 40	2	1			1	4	1				2
23	Italy.....	(M) 4	3					3					
		(F) 6	3	1				4					
24	France.....	(M) 2											
		(F) 2											
25	Russia and Poland.....	(M) 19	9	1				10	1	2		2	2
		(F) 8	4	1				5	1				
26	Other foreign countries.....	(M) 19	7		1			8	1				
		(F) 12	5	1				6	1		2		1
27	Unknown.....	(M) 336	10	1	1			12	1	2	3	6	10
		(F) 285	4	2	1			7	3	1	5	8	8
MARYLAND.													
28	Total.....	20, 422	4, 227	979	464	331	248	6, 249	674	433	692	874	867
29	Males.....	10, 526	2, 315	508	251	159	127	3, 360	308	204	319	434	428
30	Females.....	9, 896	1, 912	471	213	172	121	2, 889	366	229	373	440	439
31	White.....	15, 341	3, 097	675	294	247	187	4, 500	469	262	412	571	597
32	Males.....	8, 054	1, 696	360	154	121	97	2, 428	220	128	211	293	310
33	Females.....	7, 287	1, 401	315	140	126	90	2, 072	249	134	201	278	287
34	Native.....	12, 177	3, 019	653	287	233	179	4, 371	453	249	373	504	518
35	Both parents native.....	(M) 2, 160	435	104	45	27	28	639	76	48	66	92	83
		(F) 1, 896	374	95	41	41	28	579	85	49	64	86	70
36	One or both parents foreign.....	(M) 196	49	7	2	5	7	70	6	4	6	8	10
		(F) 157	26	9	9	5	3	52	5	2	13	8	10
37	Foreign.....	2, 391	4	2		2	1	9	3	8	22	36	59
38	Males.....	1, 258	3	1			1	5	2	4	8	17	33
39	Females.....	1, 133	1	1		2		4	1	4	14	19	26
40	Colored.....	5, 081	1, 130	304	170	84	61	1, 749	205	171	280	303	270
41	Males.....	2, 472	619	148	97	38	30	932	88	76	108	141	118
42	Females.....	2, 609	511	156	73	46	31	817	117	95	172	162	152
Birthplaces of mothers (white).													
43	United States.....	(M) 2, 215	451	106	45	29	28	659	77	50	69	93	86
		(F) 1, 951	384	95	43	44	28	594	87	53	73	89	74
44	Ireland.....	(M) 116	3	1		1	2	7			1	2	3
		(F) 110		1		1		2	1		4	2	3
45	Germany.....	(M) 252	22	2	1	2	3	30	1	2	1	4	4
		(F) 169	9	6	2	2		19	1		2	3	4
46	England and Wales.....	(M) 51	1				1	2			2	1	4
		(F) 30	3	1				4				2	
47	Canada.....	(M) 5										1	
		(F) 2											
48	Scandinavia.....	(M) 2	1				1	1					
		(F) 1						3	3			3	
49	Scotland.....	(M) 28	2	1			1	4	1			1	2
		(F) 23	1		2			2					2
50	Italy.....	(M) 4			1		1						
		(F) 3											
51	France.....	(M) 3											
		(F) 1											
52	Russia and Poland.....	(M) 12	2	1				3		1			
		(F) 6	2		2			4					1
53	Other foreign countries.....	(M) 15	2					2	1				
		(F) 11	2	1	1		1	5			1	1	1
54	Unknown.....	(M) 1, 121	190	52	16	18	11	287	25	12	31	44	28
		(F) 1, 020	159	31	14	11	9	224	23	18	24	40	47

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	374	403	412	443	610	736	890	924	929	824	487	192	57	45	1
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	2
221	191	211	229	224	292	343	397	424	425	886	223	117	38	23	3
391	372	402	410	442	608	735	888	923	928	821	486	192	57	44	4
170	182	191	182	218	316	393	491	499	503	436	263	75	19	21	5
221	190	211	228	224	292	342	397	424	425	385	223	117	38	23	6
324	300	332	326	348	498	591	740	772	793	717	427	176	46	23	7
106	108	125	120	149	223	271	351	364	389	331	199	59	14	6	8
135	120	153	159	141	214	265	289	309	324	291	166	88	26	4	9
84	22	27	11	17	17	13	26	21	11	18	7	4	1	2	
31	84	15	10	12	16	9	21	13	11	11	4	10	1	10	
61	68	65	78	89	105	136	141	144	122	89	53	11	11	7	10
19	39	31	37	31	58	89	79	78	66	42	33	4	3	3	11
42	29	34	41	58	47	47	62	66	56	47	20	7	8	4	12
2	2	1	2	1	2	1	2	1	1	3	1			1	13
2	1	1	1	1	2		2	1	1	2	1			1	14
	1		1			1				1					15
113	112	129	128	157	229	278	368	377	401	349	205	64	15	6	16
144	127	159	169	142	217	271	303	326	334	302	179	96	29	8	
18	19	17	14	17	25	37	29	36	23	19	11		1		17
13	18	15	8	20	20	23	24	32	21	23	5	2	3	4	
1	3			1	2	1	4	2	2	1	1				18
2	1	1		2	2			1							
3	5	2	4	5	6	13	8	8	12	6	9	1		2	19
23	21	26	21	21	30	39	41	31	25	12	10	2	1	3	
48	29	26	29	35	28	23	36	18	23	19	10	6	1	7	20
2	2	1		2	1	3		2	2						21
			1	1			1	3	1	2	1				
	2	3	1		3	2	6	5	1	6	3				22
	2	1	1	2	4	3	4	4	4	2	2	1	2		23
1	1	1						1							24
		1						1		1					25
	2														26
	3	1	1	2	1	1	2		1						27
1								1							
11	16	11	13	20	19	19	33	37	36	43	24	8	2	10	
11	8	6	16	17	14	18	21	33	35	34	25	9	2	4	
780	830	805	778	887	866	1,066	1,105	1,144	915	652	348	111	63	283	28
387	423	443	420	483	465	552	600	599	438	309	151	28	21	154	29
393	407	362	358	404	401	514	505	545	477	343	197	83	42	129	30
571	637	613	586	667	687	880	955	999	793	548	293	82	31	188	31
297	339	352	326	371	373	448	517	511	396	260	133	20	14	107	32
274	298	261	260	296	314	432	438	488	397	288	160	62	17	81	33
468	514	497	444	472	444	537	556	603	499	356	193	53	19	54	34
59	66	72	57	88	79	122	136	171	144	81	52	7	6	16	35
67	62	66	57	74	78	90	92	116	111	79	42	15	2	12	
14	9	17	11	9	2	4	5	7	5	5	2	1	1		36
7	11	9	7	6	5			5	3	4	5	1			
80	103	97	121	169	207	298	337	338	248	149	69	21	9	8	37
48	66	61	69	112	112	128	187	162	126	75	34	2	2	5	38
32	37	36	52	57	95	170	150	176	122	74	35	19	7	3	39
209	193	192	192	220	179	186	150	145	122	104	55	29	32	95	40
90	84	91	94	112	92	104	83	88	42	49	18	8	7	47	41
119	109	101	98	108	87	82	67	57	80	55	37	21	25	48	42
62	67	76	61	91	80	124	137	174	145	81	53	8	6	16	43
69	63	69	58	75	79	91	92	118	113	79	45	16	2	12	
5	3	3	4	10	6	12	20	16	8	8	4		2	2	44
4	5	8	6	3	9	10	13	18	11	7	5	2		2	
11	7	16	11	15	14	21	31	24	37	17	5			1	45
7	14	6	7	8	8	21	13	19	15	13	7		1	1	
4	4		2	4	3	1	7	5	5	5	1	1			46
1	1	4	2	2	2	3	4	2		2	1				47
	1	1			1	1								1	48
	1						1								49
1	2		1	2	2		2	3	1	2	2			1	50
1		1	1		1	3	1	1	5		1				51
															52
	2	1									1				53
	2		1	1	2		1				1				54
1		2		1		1	1	1	3		1				
38	37	43	48	32	63	63	71	72	58	45	29	9	1	85	
32	47	30	28	40	35	57	65	86	62	45	36	9	7	65	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MASSACHUSETTS.													
1	Total	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	White	49,061	10,623	2,290	1,032	700	489	15,134	1,161	660	1,078	1,736	2,020
5	Males	24,985	5,960	1,222	529	377	236	8,324	601	302	521	912	1,021
6	Females	24,076	4,663	1,068	503	323	253	6,810	560	358	557	824	999
7	Native	34,952	10,496	2,229	991	673	467	14,856	1,064	570	805	1,132	1,255
8	Both parents native	M 7,748	1,587	311	115	100	81	2,194	185	107	152	209	219
	F 7,609	1,285	283	130	85	71	57	1,854	156	124	155	188	211
9	One or both parents foreign	M 8,788	4,113	858	388	260	141	5,760	348	149	230	378	421
	F 7,406	3,166	741	345	223	168	102	4,643	366	178	243	312	342
10	Foreign	13,645	99	57	35	25	21	237	91	85	267	588	743
11	Males	6,517	61	30	15	15	12	133	57	36	123	291	333
12	Females	7,128	38	27	20	10	9	104	34	49	144	297	410
13	Colored	695	131	41	26	14	10	222	23	14	22	43	48
14	Males	367	68	24	13	8	4	117	13	5	12	18	24
15	Females	328	63	17	13	6	6	105	10	9	10	25	24
Birthplaces of mothers (white).													
16	United States	M 9,149	2,214	403	168	125	102	3,012	237	132	188	256	267
	F 8,965	1,798	379	184	107	92	72	2,560	208	153	194	231	252
17	Ireland	M 6,396	943	231	106	81	46	1,407	117	46	122	308	414
	F 6,528	708	205	96	75	45	27	1,129	123	78	157	284	398
18	Germany	M 498	81	14	8	5	4	112	11	6	7	20	24
	F 413	74	17	5	10	8	5	114	16	5	5	10	26
19	England and Wales	M 1,160	248	51	18	15	5	337	38	19	19	28	41
	F 1,094	207	44	24	12	8	8	295	20	19	25	34	33
20	Canada	M 3,662	1,499	278	121	83	46	2,027	119	68	110	173	132
	F 3,376	1,135	218	96	72	63	37	1,584	115	69	111	170	161
21	Scandinavia	M 372	108	29	18	9	5	169	15	5	14	15	13
	F 325	77	32	15	8	9	4	141	16	6	8	14	19
22	Scotland	M 395	60	10	7	10	3	90	8	3	6	15	15
	F 413	35	6	9	5	2	2	57	11	3	10	9	14
23	Italy	M 454	173	56	32	15	9	285	15	3	8	16	22
	F 305	127	52	18	9	5	2	211	11	2	2	8	13
24	France	M 47	12	2	—	—	1	15	—	1	—	—	—
	F 37	4	—	—	—	—	—	5	—	—	—	—	1
25	Russia and Poland	M 436	183	52	22	20	6	283	12	5	12	14	18
	F 349	142	35	24	7	6	3	214	13	5	11	9	20
26	Other foreign countries	M 765	339	81	19	10	8	457	25	7	20	34	30
	F 630	275	65	23	13	11	5	387	22	12	23	29	31
27	Unknown	M 1,651	100	15	9	4	2	130	4	7	15	33	45
	F 1,641	81	14	9	5	4	1	113	5	5	11	26	31
MICHIGAN.													
28	Total	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
29	Males	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
30	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
31	White	33,205	6,510	1,415	663	423	274	9,285	924	669	1,061	1,323	1,430
32	Males	17,893	3,712	759	357	208	153	5,189	479	339	534	616	624
33	Females	15,312	2,798	656	306	215	121	4,096	445	330	527	707	806
34	Native	24,068	6,467	1,393	649	418	269	9,196	876	630	903	1,001	1,044
35	Both parents native	M 6,789	1,581	315	143	89	46	2,174	210	155	200	205	192
	F 6,249	1,217	259	125	84	50	27	1,735	186	143	230	283	298
36	One or both parents foreign	M 4,904	1,921	425	198	109	105	2,758	236	158	234	227	216
	F 4,221	1,366	374	171	124	68	38	2,103	229	164	210	235	282
37	Foreign	8,752	30	20	13	3	5	71	44	38	152	302	369
38	Males	4,858	17	6	8	2	2	35	22	19	76	152	177
39	Females	3,894	13	14	5	1	3	36	22	19	76	150	192
40	Colored	367	60	19	5	8	1	93	10	14	22	24	14
41	Males	191	31	4	2	4	—	41	6	5	9	11	8
42	Females	176	29	15	3	4	1	52	4	9	13	13	6
Birthplaces of mothers (white).													
43	United States	M 8,021	2,017	401	176	109	70	2,773	271	198	252	257	230
	F 7,348	1,542	330	165	109	66	37	2,212	242	185	281	327	356
44	Ireland	M 1,060	32	4	3	5	2	46	9	6	14	39	54
	F 941	24	9	3	—	—	3	39	3	6	12	30	53
45	Germany	M 2,444	449	81	49	30	24	633	63	84	72	93	77
	F 2,088	320	76	37	24	19	14	476	62	40	55	102	125
46	England and Wales	M 955	56	18	7	3	4	88	17	7	17	21	31
	F 703	37	13	5	3	2	2	60	8	13	14	23	25
47	Canada	M 1,711	392	93	51	26	25	587	49	49	102	97	83
	F 1,530	294	80	36	29	15	15	454	52	46	98	121	125
48	Scandinavia	M 505	135	30	13	10	6	194	16	9	15	11	25
	F 378	88	33	5	10	3	3	139	22	16	16	19	24
49	Scotland	M 329	5	2	—	—	—	7	2	3	—	9	14
	F 245	5	1	—	—	—	—	8	1	1	11	5	14
50	Italy	M 85	37	9	5	—	1	52	2	2	1	3	4
	F 40	14	5	3	1	—	—	23	3	—	—	5	2
51	France	M 85	7	4	1	—	—	13	1	2	2	2	3
	F 61	4	1	—	—	—	—	6	1	—	—	1	8
52	Russia and Poland	M 337	130	23	13	6	7	179	9	8	7	11	10
	F 232	91	25	14	6	5	5	141	13	6	6	5	5
53	Other foreign countries	M 1,002	254	76	31	10	13	384	26	14	27	42	53
	F 770	187	60	29	22	6	6	304	29	13	21	34	27
54	Unknown	M 1,359	198	18	8	8	1	233	14	7	25	31	40
	F 976	192	23	8	9	2	2	234	9	4	12	35	42

85

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077 984	1,056 943	931 930	1,019 907	1,129 1,103	1,213 1,199	1,313 1,326	1,405 1,487	1,395 1,531	1,304 1,457	932 1,142	459 681	142 285	37 89	70 49	2 3
2,014	1,960	1,826	1,884	2,196	2,383	2,620	2,872	2,908	2,750	2,062	1,135	423	124	115	4
1,047 967	1,032 928	914 912	1,001 883	1,107 1,089	1,196 1,187	1,298 1,322	1,396 1,476	1,385 1,523	1,299 1,451	928 1,134	457 678	142 281	36 88	66 49	5 6
1,084	1,002	1,011	1,052	1,055	1,094	1,258	1,494	1,656	1,794	1,452	851	317	69	81	7
202 183 339 284 903	190 171 316 234 933	202 221 260 233 778	307 276 185 151 798	347 339 105 99 1,120	384 389 72 60 1,274	470 424 57 64 1,331	575 519 56 50 1,344	591 613 28 34 1,220	600 670 38 33 923	489 549 17 30 578	225 360 6 19 269	71 160 4 8 96	11 33 ----- ----- 54	18 14 19 23 13	8 9 10
451 452 47	462 471 39	386 392 35	422 376 42	557 563 36	643 631 29	634 697 19	601 743 20	543 677 18	413 510 11	244 334 12	121 148 5	36 60 4	22 32 2	9 4 4	11 12 13
30 17	24 15	17 18	18 24	22 14	17 12	15 4	9 11	10 8	5 6	4 8	2 3	----- 4	1 1	4 -----	14 15
239 216 438 398 33 17 49 48 127 161 24 23 25 17 17 7 5 1 15 12 25 19 50 48	214 191 444 373 23 23 55 46 122 152 20 26 18 21 19 12 1 ----- 17 13 36 18 63 59	230 255 397 329 23 23 39 55 92 117 19 17 10 28 12 5 5 ----- 12 10 17 8 58 64	337 305 376 339 305 26 14 47 41 94 93 15 11 19 15 16 5 ----- 4 4 24 9 76 77	369 376 408 399 24 15 72 64 98 108 17 4 23 33 10 7 11 ----- 6 4 26 10 87 73	404 423 447 408 447 40 19 75 64 103 86 12 5 33 28 8 4 ----- 7 8 13 90 85	505 447 393 491 37 25 31 85 80 95 111 9 3 22 31 8 1 ----- 6 4 16 13 123 125	613 561 366 502 25 42 33 73 69 83 83 4 5 13 22 28 8 1 ----- 4 7 3 10 148 144	629 657 308 447 27 29 29 58 69 60 79 5 4 30 33 1 2 ----- 3 6 7 9 212 207	518 600 150 208 12 7 10 29 41 26 47 10 2 16 21 2 1 ----- 3 1 4 6 99 134	237 386 72 96 6 7 4 14 16 19 20 1 2 5 12 2 1 ----- 1 2 2 29 42	75 176 22 40 ----- 4 4 8 4 5 1 ----- 2 5 1 ----- 3 ----- 1 ----- 2 ----- 1 ----- 2 ----- 22	11 37 17 22 ----- 1 ----- 2 ----- 1 ----- 3 ----- 22	23 16 12 13 ----- ----- ----- ----- ----- 19 8	16 17 18 19 20 21 22 23 24 25 26 27	
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	28
539 644	640 628	639 600	710 571	722 572	906 634	995 785	1,097 904	1,266 921	1,212 892	811 749	450 357	128 151	37 48	71 24	29 30
1,174	1,246	1,215	1,259	1,277	1,518	1,768	1,987	2,177	2,090	1,547	804	278	81	92	31
532 642 772	628 618 747	625 590 764	700 559 730	713 564 706	895 623 836	987 781 962	1,087 900 1,031	1,259 918 1,158	1,204 886 1,162	801 746 845	448 356 463	127 151 176	37 44 40	69 23 26	32 33 34
161															

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MINNESOTA.													
1	Total	17,005	3,569	692	367	239	192	5,059	624	471	634	813	770
2	Males	9,354	1,998	367	187	134	101	2,787	346	213	311	391	381
3	Females	7,651	1,571	325	180	105	91	2,272	278	258	323	422	389
4	White	16,816	3,551	682	361	232	186	5,012	613	462	619	807	757
5	Males	9,250	1,987	362	183	128	98	2,758	340	211	306	388	373
6	Females	7,566	1,564	320	178	104	88	2,254	273	251	313	419	384
7	Native	10,318	3,537	680	356	231	184	4,988	597	417	493	555	480
8	Both parents native	M 2,229 F 1,992	739 570	128 125	57 66	46 34	34 26	1,004 821	99 80	52 72	76 66	73 96	73 74
9	One or both parents foreign	M 2,896 F 2,617	1,161 942	225 190	124 100	77 70	59 60	1,646 1,362	224 182	135 151	162 179	178 182	127 177
10	Foreign	6,285	9	2	3	1	1	16	15	41	122	232	260
11	Males	3,634	7	2		1		10	9	18	61	107	145
12	Females	2,651	2		3		1	6	6	23	61	125	115
13	Colored	189	18	10	6	7	6	47	11	9	15	6	13
14	Males	104	11	5	4	6	3	29	6	2	5	3	8
15	Females	85	7	5	2	1	3	18	5	7	10	3	5
Birthplaces of mothers (white).													
16	United States	M 2,733 F 2,409	981 757	166 168	77 79	59 46	40 35	1,323 1,085	141 112	68 96	98 81	94 121	90 89
17	Ireland	M 592 F 470	15 13	7 6	1 1	1 2	2 1	26 23	5 5	5 7	9 10	16 22	26 34
18	Germany	M 1,620 F 1,326	249 215	50 38	37 25	19 19	9 11	364 308	56 46	36 39	33 48	57 58	42 68
19	England and Wales	M 202 F 172	14 10	1 3	1 2			16 17	1 3	4 2	5 5	6 5	5 9
20	Canada	M 409 F 296	71 63	12 9	7 6	6 3	8 4	104 85	15 17	13 14	12 13	20 19	26 23
21	Scandinavia	M 2,433 F 2,014	421 321	91 65	45 44	30 23	24 31	611 484	87 69	62 70	119 126	140 150	125 118
22	Scotland	M 104 F 65	11 4	1 1				12 6		1 2		3 1	4 4
23	Italy	M 25 F 13	3 6	1 1				4 9	3		3 1	3 1	3 3
24	France	M 36 F 27	2 6	1 1			1	4 7		2 1		1 3	1 5
25	Russia and Poland	M 182 F 140	62 49	8 10	4 3	4 6	5 2	83 70	12 5	7 3	6 7	3 7	5 4
26	Other foreign countries	M 422 F 336	78 75	17 14	9 7	5 3	4 2	113 101	11 11	8 12	14 13	15 17	18 17
27	Unknown	M 492 F 298	80 45	7 4	2 9	4 1	5 1	98 59	9 5	5 5	7 7	30 15	29 17
MISSISSIPPI.													
28	Total	20,251	3,542	1,450	731	444	316	6,483	1,029	827	1,363	1,539	1,236
29	Males	10,299	1,906	783	389	208	160	3,446	517	422	633	774	574
30	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765	662
31	White	7,444	1,262	515	251	142	110	2,280	367	278	380	448	392
32	Males	3,880	680	289	142	77	59	1,247	178	146	204	235	187
33	Females	3,564	582	226	109	65	51	1,033	189	132	176	213	205
34	Native	7,120	1,237	510	247	142	109	2,245	356	275	369	432	379
35	Both parents native	M 3,433 F 3,244	655 560	279 217	138 106	75 65	59 50	1,206 998	168 183	140 125	182 167	209 196	165 189
36	One or both parents foreign	M 87 F 73	8 9	5 8	2 1	2		17 18	4 3	3 3	5 4	8 6	7 5
37	Foreign	150							4		1	2	4
38	Males	95							1		1		1
39	Females	55						3				2	3
40	Colored	12,807	2,280	935	480	302	206	4,203	662	549	983	1,091	844
41	Males	6,419	1,226	494	247	131	101	2,199	339	276	434	539	387
42	Females	6,388	1,054	441	233	171	105	2,004	323	273	549	552	457
Birthplaces of mothers (white).													
43	United States	M 3,488 F 3,289	660 568	284 222	140 107	75 65	59 50	1,218 1,012	170 184	142 126	186 171	215 203	167 191
44	Ireland	M 41 F 32										1 1	4 3
45	Germany	M 29 F 19										1 1	1 1
46	England and Wales	M 21 F 13							1 1	1 1	1		
47	Canada	M 3 F 4		1									
48	Scandinavia	M 6 F 2				1		1 1	1				1
49	Scotland	M 5 F 4									1		
50	Italy	M 8 F 6	2					2					2
51	France	M 7 F 7							1	1			
52	Russia and Poland	M 3 F 3	1			1		2 2		1		1	
53	Other foreign countries	M 14 F 2									1	1	1
54	Unknown	M 179 F 120	3 2		1			4 3		3 1	10 3	10 2	10 4

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	732	712	594	660	633	724	870	960	843	629	288	97	42	81	1
415	393	399	350	390	386	415	512	573	457	368	150	43	22	52	2
354	339	313	244	270	247	309	358	387	386	261	138	54	20	29	3
756	722	704	585	648	631	720	866	957	836	625	285	94	40	77	4
408	387	394	344	384	384	412	511	570	454	364	148	42	21	51	5
348	335	310	241	264	247	308	355	387	382	261	137	52	19	26	6
357	320	271	208	217	175	203	246	240	228	170	83	33	7	30	7
60	58	52	54	71	71	79	113	104	97	57	23	8	1	4	8
57	59	66	61	64	52	71	75	79	75	65	31	17	5	6	9
103	81	62	38	33	20	13	14	19	17	9	7	1	1	7	9
102	91	55	28	19	13	14	15	13	11	10	6	2	2	5	9
381	383	414	364	420	443	508	612	709	600	450	198	60	33	24	10
216	213	243	230	254	270	300	365	424	320	276	104	30	20	19	11
165	170	171	134	166	173	208	247	285	280	174	94	30	13	5	12
13	10	8	9	12	2	4	4	3	7	4	3	3	2	4	13
7	6	5	6	6	2	3	1	3	3	4	2	1	1	1	14
6	4	3	3	6	1	1	3	3	4	1	1	2	1	3	15
68	67	59	63	79	77	82	116	108	105	58	24	8	1	4	16
65	59	71	64	65	53	72	83	81	79	70	35	17	5	6	16
37	34	34	32	34	37	36	39	61	61	58	21	9	8	4	17
26	33	19	22	17	23	35	55	50	50	21	11	5	1	1	17
65	61	69	66	63	92	100	146	150	98	79	28	3	6	6	18
71	62	63	46	57	40	63	78	86	92	64	23	8	2	4	18
9	5	14	12	16	12	12	20	19	20	15	10	1	1	4	19
10	6	4	4	13	13	13	12	18	18	10	7	2	1	1	19
28	19	26	17	17	17	20	25	18	11	12	7	1	1	1	20
20	16	15	14	11	8	6	3	11	8	5	4	1	2	1	20
133	125	118	99	116	98	104	107	138	109	89	30	14	3	6	21
103	117	99	53	62	74	84	86	105	94	61	41	11	4	3	21
9	6	9	4	5	5	11	7	12	8	5	1	1	1	2	22
1	4	2	4	5	3	4	5	6	7	4	3	3	1	1	22
1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	23
4	2	4	2	3	1	3	3	1	2	4	3	1	1	1	24
2	1	2	1	1	1	1	2	1	2	3	1	1	1	1	24
2	10	4	8	8	6	4	5	5	5	4	1	2	1	2	25
7	4	8	3	3	8	1	3	2	2	1	1	1	1	1	25
23	21	20	18	16	17	20	24	34	17	16	9	2	1	5	26
22	17	8	11	15	15	14	11	16	15	11	6	2	1	1	26
29	34	37	22	26	22	20	19	23	20	23	15	3	1	21	27
24	16	18	19	15	9	15	17	11	15	11	6	3	1	10	27
932	774	750	650	693	550	703	585	640	487	391	190	118	118	193	28
426	373	352	309	358	283	365	326	349	265	216	101	61	48	96	29
506	401	398	341	335	267	338	259	291	222	175	89	57	70	97	30
329	270	319	284	297	277	327	272	308	254	179	89	23	13	58	31
153	121	156	145	154	140	168	152	168	139	95	50	10	4	28	32
176	149	163	139	143	137	159	120	140	115	84	39	13	9	30	33
319	259	307	261	272	254	299	247	282	238	163	83	21	13	46	34
131	96	129	119	123	106	138	124	139	122	76	42	8	4	6	35
159	136	152	122	123	127	141	97	113	93	68	28	10	7	10	35
3	4	5	4	1	5	3	2	6	2	4	1	2	1	1	36
2	3	2	4	2	2	2	2	5	4	3	6	1	1	1	36
2	6	5	12	14	14	22	19	18	8	11	4	1	1	3	37
1	3	5	10	10	11	13	14	11	5	5	1	1	1	3	38
1	3	1	2	4	3	9	5	7	3	6	3	1	1	1	39
603	504	431	366	396	273	376	313	332	233	212	101	95	105	135	40
273	252	196	164	204	143	197	174	181	126	121	51	51	44	68	41
330	252	235	202	192	130	179	139	151	107	91	50	44	61	67	42
134	98	134	121	124	109	141	125	140	123	79	42	8	4	8	43
159	138	153	124	123	127	142	98	116	96	68	30	10	7	11	43
2	1	2	4	4	3	2	5	7	2	2	1	1	1	1	44
2	1	1	1	5	4	6	4	2	1	3	1	1	1	1	44
2	1	1	4	2	4	5	6	3	2	1	1	1	1	1	45
1	2	3	1	1	1	1	2	5	1	1	2	1	1	1	45
1	2	1	3	3	3	1	3	2	1	1	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	48
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	49
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
12	17	12	9	14	12	10	12	11	8	6	6	2	2	16	54
12	4	7	5	9	6	5	9	11	10	6	6	2	2	19	54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MISSOURI.													
1	Total	38,084	6,806	2,398	1,063	712	493	11,472	1,494	1,058	1,650	2,133	1,906
2	Males	20,480	3,742	1,232	561	352	241	6,128	763	527	775	1,032	968
3	Females	17,604	3,064	1,166	502	360	252	5,344	731	531	875	1,101	938
4	White	34,959	6,294	2,226	969	664	469	10,622	1,389	957	1,450	1,867	1,678
5	Males	18,833	3,472	1,142	514	329	231	5,688	711	490	680	884	849
6	Females	16,126	2,822	1,084	455	335	238	4,934	678	467	770	983	829
7	Native	29,383	6,273	2,216	965	661	462	10,577	1,374	938	1,407	1,756	1,532
8	Both parents native	(M) 9,962	2,176	837	368	225	149	3,755	480	346	487	523	413
	(F) 9,274		1,809	818	338	217	149	3,331	473	352	538	622	448
9	One or both parents foreign	(M) 994	156	55	24	17	13	265	39	40	52	54	60
	(F) 830		120	43	18	16	16	213	46	19	55	56	68
10	Foreign	4,771		2		1	2	5	5	10	21	68	95
11	Males	2,824					1	1	4	5	15	40	48
12	Females	1,947		2		1	1	4	1	5	6	28	47
13	Colored	3,125	512	172	94	48	24	850	105	101	200	266	228
14	Males	1,647	270	90	47	23	10	440	52	37	95	148	119
15	Females	1,478	242	82	47	25	14	410	53	64	105	118	109
Birthplaces of mothers (white).													
16	United States	(M) 10,350	2,250	859	379	229	154	3,871	500	366	506	550	428
	(F) 9,650		1,868	846	344	226	157	3,441	497	366	568	648	482
17	Ireland	(M) 338	10	1	1	1	2	15			5	11	16
	(F) 234		10	2	2	1	2	17	2	1	6	7	20
18	Germany	(M) 873	36	14	9	5	5	73	13	12	19	27	28
	(F) 603		31	8	4	1	2	46	13	4	16	20	23
19	England and Wales	(M) 194	8	4	1	2	1	16	1	3	3	5	5
	(F) 113		4	1	2	3	1	11	3		3	3	5
20	Canada	(M) 85	3	1				4	2	2	4	2	2
	(F) 39		7	1	1	2	1	12	1	1	2	2	4
21	Scandinavia	(M) 65	5	8	2	1	2	18	1	4	3	3	6
	(F) 53		2	4	1	1	1	9	2	1		4	4
22	Scotland	(M) 42	3					3			1		1
	(F) 32		1	1				2			1		3
23	Italy	(M) 23	6	3				9			1	3	
	(F) 16		6	2	1	1	1	11					
24	France	(M) 36											
	(F) 21												
25	Russia and Poland	(M) 34	12	3				15	1	1	1	2	
	(F) 15		3				1	6		1	1		3
26	Other foreign countries	(M) 88	10	1	2	1		14	4	2	2	2	2
	(F) 55		4	3	1	1		9	3	1	1	4	6
27	Unknown	(M) 1,173	96	24	6	1	7	134	14	12	18	45	55
	(F) 878		81	15	2	6	6	110	11	9	29	53	56
MONTANA.													
28	Total	2,188	306	95	45	44	22	512	84	38	76	119	120
29	Males	1,387	178	48	21	21	11	279	34	25	36	66	69
30	Females	801	128	47	24	23	11	233	50	13	40	53	51
31	White	1,930	277	71	38	35	15	436	68	33	57	110	112
32	Males	1,256	156	35	19	20	8	238	29	23	31	62	64
33	Females	674	121	36	19	15	7	198	39	10	26	48	48
34	Native	1,069	271	68	37	32	13	421	59	30	44	61	46
35	Both parents native	(M) 289	79	11	8	8	4	110	12	9	13	12	7
	(F) 205		49	15	8	5	4	81	13	6	11	13	8
36	One or both parents foreign	(M) 193	62	16	7	10	3	98	13	7	5	11	13
	(F) 149		48	15	9	8	2	82	12	3	3	10	6
37	Foreign	534		2		2	1	5	4	1	6	29	40
38	Males	394		2		1	1	4	1	1	2	21	24
39	Females	140				1		1	3		4	8	16
40	Colored	258	29	24	7	9	7	76	16	5	19	9	8
41	Males	131	22	13	2	1	3	41	5	2	5	4	5
42	Females	127	7	11	5	8	4	35	11	3	14	5	3
Birthplaces of mothers (white).													
43	United States	(M) 330	92	15	10	11	5	133	15	10	14	15	8
	(F) 232		57	18	9	7	4	95	17	7	11	16	8
44	Ireland	(M) 129	14			1	1	16		2		5	15
	(F) 58		6	1		3		10	1		1	3	8
45	Germany	(M) 54	1			2		3	3		2		3
	(F) 23		3	2	1			6	1		1	3	2
46	England and Wales	(M) 131	7	1		2		10	1	1		8	8
	(F) 67		11	3	1	2		17	3		1	4	6
47	Canada	(M) 77	9	4	2	2	2	19	5	2	1	6	4
	(F) 33		3	1	4			8	4		2	1	2
48	Scandinavia	(M) 51	3	2	2	1		11	2		2	6	1
	(F) 22		6	3		1	1	11	1	1			
49	Scotland	(M) 21		1				1					
	(F) 14		3		1		1	5	1	1			
50	Italy	(M) 12	1	2				3				1	1
	(F) 5		1	1	1			3	1				
51	France	(M) 5											
	(F) 6		1					1					1
52	Russia and Poland	(M) 4	1					1					
	(F)												
53	Other foreign countries	(M) 38	11	4	1			16		2		2	2
	(F) 18		7	1		1		9			1	1	1
54	Unknown	(M) 322	13	1	2	1		17	2	4	10	15	18
	(F) 129		18	4	1			23	7	1	5	12	12

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

89

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,768	1,719	1,545	1,523	1,557	1,700	1,726	1,899	1,708	1,370	974	448	128	65	241	1
883 885	922 797	833 712	897 626	914 643	972 728	1,003 723	1,072 827	985 723	773 597	572 402	241 207	45 83	32 33	143 98	2 3
1,583	1,535	1,398	1,390	1,426	1,585	1,632	1,804	1,624	1,314	933	422	108	44	198	4
781 802	813 722	758 640	827 563	846 580	904 681	952 680	1,015 789	943 681	743 571	547 386	226 196	35 73	21 23	120 78	5 6
1,376	1,264	1,143	1,024	959	1,018	1,025	1,082	1,011	818	612	280	73	31	83	7
301 444 61 67 150	329 342 61 52 216	315 331 55 52 214	341 274 46 31 811	355 283 34 25 413	350 316 49 28 519	420 298 37 29 562	409 867 34 17 672	390 297 37 23 567	331 253 35 20 455	261 157 23 8 298	111 92 7 10 126	19 27 2 3 82	8 5 3 6 10	18 24 2 2 22	8 9 10
99 51 185	129 87 184	139 75 147	196 115 133	270 143 131	321 198 115	325 237 94	387 285 95	345 222 84	245 210 56	158 140 41	71 55 26	8 24 20	4 6 21	14 8 43	11 12 13
102 83	109 75	75 72	70 63	68 63	68 47	51 43	57 38	42 42	30 26	25 16	15 11	10 10	11 10	23 20	14 15
325 466 15 14 27 35 12 3 2 2 3 7	348 361 22 13 36 40 6 4 3 5 2	332 345 17 10 46 39 10 6 5 8 3 1	350 286 10 8 62 30 6 8 4 2 1 1 1	366 296 22 11 60 30 13 10 4 1 2 4 1 1 1 1	361 325 38 14 66 38 24 14 9 4 3 2 1 2 3 5 7	438 307 27 18 63 46 13 9 3 2 3 5 1 2 3 5 7	420 372 43 28 94 64 19 10 5 3 4 5 1 2 3 5 7	406 307 37 22 94 56 27 4 1 2 3 4 1 2 3 5 7	345 265 29 15 68 42 14 8 1 2 3 4 1 2 3 5 7	273 162 17 15 59 33 12 4 1 2 3 4 1 2 3 5 7	117 95 4 7 19 14 9 5 1 2 3 4 1 2 3 5 7	21 27 4 4 1 9 2 1 6 1 2 3 4 1 2 3 5 7	9 8 3 2 3 1 4 1 1 6 1 2 3 4 1 2 3 5 7	18 26 7 2 3 4 1 1 1 6 1 2 3 4 1 2 3 5 7	16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54
154	180	133	138	112	102	78	77	67	41	17	8	5		127	28
92 62	131 49	96 37	98 40	83 29	76 26	59 19	56 21	44 23	24 17	6 11	3 5	2 3		108 19	29 30
140	170	118	126	94	93	73	69	53	34	10	7	3		124	31
86 54 62	123 47 62	90 28 45	90 36 44	70 24 28	70 23 39	55 18 27	52 17 38	37 16 25	22 12 15	5 5 5	3 4 2	1 2 3		105 19 13	32 33 34
13 15 8 7 53	18 9 7 4 78	14 9 9 1 50	6 7 6 5 56	11 4 3 4 54	19 7 3 3 44	10 7 2 1 32	18 6 3 2 24	7 3 2 1 18	4 4 2 3 16	2 2 2 3 5	2 4 1 1 4	2 1 1 1 4		2 1 1 1 15	35 36 37
40 13 14	58 20 10	39 11 15	45 11 12	40 14 18	34 10 9	28 4 5	18 6 8	12 6 14	13 3 7	1 4 7	4 4 1	4 2 2		13 2 3	38 39 40
6 8	8 2	6 9	8 4	13 5	6 3	4 1	4 4	7 7	2 5	1 6	1 1	1 1		3 42	41 42
13 16 10 2 2 2 11 4 5 3 11 4 2 1 1	22 10 17 3 8 2 12 7 10 2 4 3 1 2	15 9 13 1 4 1 16 3 8 3 1 1 1	7 7 10 3 3 1 15 5 4 3 1 6 1 3	12 4 5 8 2 1 14 6 4 7 2 2 2 2 2	20 8 10 4 6 1 8 1 4 2 3 1 2 1 2	10 7 10 2 6 1 7 1 1 1 2 1 1 1 1	18 6 7 3 3 1 8 2 1 1 1 1 1 1 1	7 4 5 2 3 5 2 5 2 1 1 1 1 1 1 1	5 4 1 5 4 1 5 2 1 1 1 1 1 1 1	2 2 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1 1 1 1 1 1 1 1 1 1 1		2 3 2 2 2 2 2 2 2 2 2 2 2 2	43 44 45 46 47 48 49 50 51 52 53 54	
1 2 19 17	5 36 8	2 24 4	2 26 9	3 13 2	2 13 5	1 14 5	1 9 2	1 11 6	1 1 1	2 1 1	1 1 1	1 1 1		7 14	54

VITAL STATISTICS.

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEBRASKA.													
1	Total	8,264	1,642	479	252	135	91	2,599	322	237	318	363	337
2	Males	4,480	929	242	122	69	44	1,406	173	124	170	165	170
3	Females	3,784	713	237	130	66	47	1,193	149	113	148	198	167
4	White	8,015	1,600	465	245	131	85	2,526	309	234	304	350	319
5	Males	4,355	908	236	120	68	42	1,374	168	122	161	157	164
6	Females	3,660	692	229	125	63	43	1,152	141	112	143	193	155
7	Native	6,042	1,584	455	238	125	85	2,487	297	218	273	282	247
8	Both parents native	(M) 1,561	408	109	66	24	21	628	78	62	79	56	49
		(F) 1,415	311	120	68	27	26	552	52	45	69	66	49
9	One or both parents foreign	(M) 770	271	75	35	24	16	421	59	39	40	34	34
		(F) 672	196	60	31	18	10	315	56	40	35	49	33
10	Foreign	1,737	2	5	3	4		14	5	15	24	55	57
	Males	987	1	3	1	1		6	2	6	13	22	24
12	Females	750	1	2	2	3		8	3	9	11	33	33
13	Colored	249	42	14	7	4	6	73	13	3	14	13	18
14	Males	125	21	6	2	1	2	32	5	2	9	8	6
15	Females	124	21	8	5	3	4	41	8	1	5	5	12
Birthplaces of mothers (white).													
16	United States	(M) 1,782	489	131	75	33	26	754	100	63	90	68	56
		(F) 1,595	367	140	74	31	31	643	63	51	75	77	59
17	Ireland	(M) 138	7	2			1	10	3	3	3	1	5
		(F) 104	4	1	2			7	1	3	4	3	6
18	Germany	(M) 529	91	29	13	7	3	143	18	12	16	18	17
		(F) 429	58	24	8	5	1	96	22	17	14	20	18
19	England and Wales	(M) 123	6	4		3		13	1	3	2	2	3
		(F) 73	2	2	1			6	3	2	2	5	3
20	Canada	(M) 44	6	2	1	1		10	1	2	2	2	2
		(F) 36	1	1	1	1	1	5		1	2	6	1
21	Scandinavia	(M) 206	28	9	9	3	3	52	8	10	8	11	4
		(F) 217	32	6	3	4	1	46	10	11	10	19	9
22	Scotland	(M) 30	2		1			3		1			
		(F) 31	4					4		1		1	1
23	Italy	(M) 2											
		(F) 18	1					1					
24	France	(M) 7	1			1		2					
		(F) 64	20	3	1		3	27	6	4	3	1	1
25	Russia and Poland	(M) 52	18	5	4	1	1	29	3	2	1	2	3
		(F) 146	32	7	2	2	1	44	2	4	3	1	3
26	Other foreign countries	(M) 147	23	2	8	2	1	36	9	6	6	4	10
		(F) 273	23	5	5	2		40	5	2	8	10	14
27	Unknown	(M) 204	22	3	2	2	1	30	6	2	4	11	8
		(F) 204	22	3	2	2	1	30	6	2	4	11	8
NEVADA.													
28	Total	433	46	20	3	8	2	79	10	12	7	27	20
29	Males	290	23	11	2	4	2	42	3	6	5	11	9
30	Females	143	23	9	1	4		37	7	6	2	16	11
31	White	349	34	10		3	1	48	7	9	5	23	18
32	Males	240	20	5		1	1	27	2	4	5	9	8
33	Females	109	14	5		2		21	5	5		14	10
34	Native	201	34	10		3	1	48	6	8	5	18	11
35	Both parents native	(M) 51	11	3		1		15	1	1	1	2	2
		(F) 38	10	2		2		14	1	2		6	2
36	One or both parents foreign	(M) 42	8	2			1	11		2	4	4	3
		(F) 29	4	3				7	3	3		6	2
37	Foreign	137							1	1		4	5
38	Males	107								1		3	3
39	Females	30							1			1	2
40	Colored	89	12	10	3	5	1	31	3	3	2	4	2
41	Males	50	3	6	2	3	1	15	1	2		2	1
42	Females	39	9	4	1	2		16	2	1	2	2	1
Birthplaces of mothers (white).													
43	United States	(M) 66	15	5		1		21	1	2	4	2	2
		(F) 48	11	4		2		17	2	2		9	2
44	Ireland	(M) 47	1					1		1		3	2
		(F) 20	1					1		1		3	
45	Germany	(M) 21	1					1		1	1	2	
		(F) 8		1				1	1				
46	England and Wales	(M) 30	1				1	2				1	3
		(F) 6								1		1	2
47	Canada	(M) 5											
		(F) 2											
48	Scandinavia	(M) 5	1					1					
		(F) 5	1					1		1			
49	Scotland	(M) 9											
		(F) 2											
50	Italy	(M) 6											1
		(F) 2	1					1	1				
51	France	(M) 4											
		(F) 3											2
52	Russia and Poland	(M) 2											
		(F) 2											
53	Other foreign countries	(M) 4										1	
		(F) 2							1				
54	Unknown	(M) 41	1					1	1			1	
		(F) 11											

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
358	350	349	294	359	341	421	416	411	345	235	120	35	14	40	1
161	163	180	163	212	188	259	264	237	199	134	71	16	4	21	2
197	187	169	131	147	153	162	152	174	146	101	49	19	10	19	3
347	338	335	284	348	330	409	404	406	340	231	116	35	10	40	4
154	153	174	158	207	180	250	260	233	196	131	68	16	3	21	5
193	180	161	126	141	150	159	144	173	144	100	48	19	7	19	6
233	208	190	157	203	171	214	235	226	183	123	58	15	5	17	7
38	36	35	36	61	44	70	84	80	70	34	19	3	1	2	8
68	51	44	48	62	48	54	45	58	46	34	17	3	2	2	
18	18	17	15	7	16	13	15	7	6	6	5				9
34	25	14	6	7	14	5	11	6	12	7	1	2			
96	108	124	112	122	152	186	161	175	148	99	54	19	5	6	10
48	46	64	65	86	90	122	99	100	87	59	31	11	2	4	11
48	62	60	47	36	62	64	62	75	61	40	23	8	3	2	12
11	12	14	10	11	11	12	12	5	5	4	4		4		13
7	5	6	5	5	8	9	4	4	3	3	3		1		14
4	7	8	5	6	3	3	8	1	2	1	1		3		15
40	40	36	39	64	47	76	89	83	71	36	19	3	1	2	16
74	58	47	50	66	54	57	50	61	50	35	18	3	2	2	
7	6	7	7	7	9	15	19	9	8	7	5	3	1	3	17
5	6	5	1	6	11	4	4	12	8	6	3	3			
16	16	25	27	29	27	48	33	31	27	16	6	4			18
21	33	29	18	13	16	22	22	29	13	16	9	1			
2	5	5	4	12	8	12	14	13	11	8	3	2			19
5	4	7	3	3	4	5	3	6	6	4	1	1			
4	2	1	4	1	2	2	8	2	2			1			20
8	1	2	1	2	2	5	5	3	1						
8	7	7	10	11	15	12	10	11	13	6	1	1	1		21
18	7	13	11	6	11	9	12	4	12	5	2	1		1	
1	1	2	1	1	4	5	2	4	2	3	5				22
				3	3	2	3	1	3	5		2			
				1	1										23
		1			2	2	3	2	3	3	1				
				1			1		2		1				24
1	1	3	1	2	4	3	1	1	2	2	1				
2	2	3	1	1	1						1				25
7	4	9	6	6	10	9	8	12	3	10	5	1			
9	11	2	5		8	9	7	8	10	2	4	1			26
11	15	18	10	16	10	16	24	17	18	21	5	1			
14	6	14	6	12	9	18	10	14	11	9	4	1	2	12	27
														13	
16	10	26	17	32	30	39	36	25	17	13	10	4		8	28
10	7	20	13	28	23	26	28	18	15	10	7	2		7	29
6	3	6	4	4	7	13	8	7	2	3	3	2		1	30
14	8	19	14	24	28	34	34	20	15	11	8	2		8	31
10	6	15	10	20	21	25	26	16	13	9	6	1		7	32
4	2	4	4	4	7	9	8	4	2	2	2	1		1	33
9	5	10	8	8	12	10	13	11	8	3	5	1		2	34
2	2	4	2	1	3	2	4	2	4		1	1		1	35
1	2	1	1	1	1	2	1	2	1	1		1			
4		1	3	1	1	1	4	1	1		1				36
2		1			2		2								
5	3	7	5	15	16	24	21	8	7	8	3	1		3	37
4	3	7	4	12	12	19	16	6	5	7	2			3	38
1			1	3	4	5	5	2	2	1	1	1			
2	2	7	3	8	2	5	2	5	2	2	2	2			40
	1	5	3	8	2	1	2	2	2	1	1	1			41
2	1	2				4		3		1	1	1			
3	2	5	2	1	4	3	5	2	4		1	1		1	43
2	2	1	1	1	3	2	1	2		1					
2		3	4	5	6	5	3	2	5	3	1			1	44
2	1	1	1	1	3	4	4	1				1			
			2			2		1		1					45
2		2	1				5	3		3				1	
				1	4	3			1						46
				1		1			1					1	
				1	1	1									47
		1				1	1		1	1					48
1			1			2	2				2				
1	1					1	1		1						49
1															50
1															51
	1														52
		1				2									53
	1	2	1	7	5	3	1	8	3	2	2			3	54
		2				2	2				1			1	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW HAMPSHIRE.													
1	Total	7,400	1,384	306	137	101	53	1,981	156	108	156	238	218
2	Males	3,663	759	161	65	43	30	1,058	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	923	79	57	93	127	117
4	White	7,388	1,382	306	136	101	53	1,978	156	107	156	238	216
5	Males	3,660	759	161	65	43	30	1,058	77	51	63	111	101
6	Females	3,728	623	145	71	58	23	920	79	56	93	127	115
7	Native	5,848	1,336	272	127	93	47	1,875	138	79	107	158	133
8	Both parents native	(M) 1,502 (F) 1,549	247 189	48 40	18 19	11 22	12 7	336 277	34 36	19 18	21 41	52 45	28 38
9	One or both parents foreign	(M) 855 (F) 796	476 382	92 89	39 44	24 33	15 12	646 560	28 37	19 17	12 22	18 26	27 19
10	Foreign	1,077	19	26	5	7	4	61	13	22	41	70	67
11	Males	529	6	13	3	6	2	30	9	9	22	30	29
12	Females	548	13	13	2	1	2	31	4	13	19	40	38
13	Colored	12	2		1			3		1			2
14	Males	3											
15	Females	9	2		1			3		1			2
Birthplaces of mothers (white).													
16	United States	(M) 1,724 (F) 1,779	299 241	65 49	21 24	13 27	16 9	414 350	42 42	26 22	22 45	56 52	35 41
17	Ireland	(M) 302 (F) 334	46 42	8 15	8 5	3 5	3	68 67	4 6	4 1	8 3	17 20	25 21
18	Germany	(M) 24 (F) 26	6 8	2 2	1			7 11	1		1	2	1
19	England and Wales	(M) 85 (F) 69	16 11	1 3	2			17 16	1		2	3	1
20	Canada	(M) 786 (F) 770	342 276	74 70	33 33	24 24	11 11	484 414	24 24	17 28	24 34	23 35	24 33
21	Scandinavia	(M) 21 (F) 13	7 5	4 1				11 7			1	1	2
22	Scotland	(M) 27 (F) 25	4 3					4 4					1
23	Italy	(M) 9 (F) 2	2 2					2 2	2	1	1		1
24	France	(M) 4 (F) 3	1 1					1 1					
25	Russia and Poland	(M) 7 (F) 3	3 3	3 1	1		1	6 6					
26	Other foreign countries	(M) 19 (F) 16	9 6	1 3	1	1		12 10			1	2	1
27	Unknown	(M) 652 (F) 685	24 25	4 1	2 4	2 1	1	32 32	4 2	3 5	7 5	8 13	10 18
NEW JERSEY.													
28	Total	32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150	1,419
29	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
30	Females	15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
31	White	31,069	6,786	1,756	775	486	354	10,157	981	479	690	1,069	1,318
32	Males	16,617	3,911	900	424	236	174	5,645	521	260	372	549	697
33	Females	14,452	2,875	856	351	250	180	4,512	460	219	318	520	621
34	Native	22,829	6,758	1,739	769	474	345	10,085	944	435	613	828	950
35	Both parents native	(M) 6,370 (F) 5,939	1,795 1,380	377 341	189 160	93 102	72 77	2,526 2,060	247 218	133 104	165 178	181 186	185 196
36	One or both parents foreign	(M) 4,565 (F) 3,769	1,953 1,366	494 485	216 180	128 137	91 91	2,882 2,259	238 203	90 86	138 96	191 183	234 216
37	Foreign	7,915	14	16	6	9	8	53	36	39	69	229	357
38	Males	4,202	6	8	3	6	1	24	17	22	40	122	189
39	Females	3,713	8	8	3	3	7	29	19	17	29	107	168
40	Colored	1,666	506	117	55	19	16	713	51	41	55	81	101
41	Males	845	291	68	26	9	5	399	21	15	21	39	46
42	Females	821	215	49	29	10	11	314	30	26	34	42	55
Birthplaces of mothers (white).													
43	United States	(M) 7,081 (F) 6,513	2,115 1,578	423 410	220 185	106 126	80 84	2,944 2,883	275 248	153 119	199 201	215 217	222 223
44	Ireland	(M) 2,563 (F) 2,550	353 265	92 90	37 36	32 26	21 20	535 437	52 43	23 24	50 40	109 109	190 167
45	Germany	(M) 2,352 (F) 1,866	383 263	102 90	36 37	38 36	24 22	583 448	78 58	33 22	44 26	54 58	80 85
46	England and Wales	(M) 774 (F) 640	112 74	24 20	17 10	9 8	6 6	168 118	15 18	7 7	13 7	21 24	28 27
47	Canada	(M) 59 (F) 65	11 10		1	1	2	12 18	5		1	2	2
48	Scandinavia	(M) 174 (F) 127	48 25	11 16	4	3	1	67 45	5	3	1	4	3
49	Scotland	(M) 218 (F) 200	32 35	9 5	4 2	3 4	3	51 48	6		4	4	7
50	Italy	(M) 697 (F) 514	257 180	100 95	52 23	14 20	12 21	435 339	25 24	8 5	15 8	25 15	26 20
51	France	(M) 84 (F) 56	12 9	1 2			1	14 12	1	1		5 1	3
52	Russia and Poland	(M) 394 (F) 278	165 108	49 22	20 10	11 10	3	248 195	15 7	4 5	8 5	24 12	15 6
53	Other foreign countries	(M) 768 (F) 623	286 218	67 60	16 24	12 10	12 6	393 318	24 27	11 16	11 14	31 27	80 22
54	Unknown	(M) 1,453 (F) 1,020	137 110	22 20	17 9	8 7	11 5	195 151	20 20	16 10	26 15	55 48	87 48

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
207	222	231	250	274	339	364	509	575	559	502	263	122	33	93	1
100	100	112	114	136	158	190	259	295	284	256	104	46	2	46	2
107	122	119	136	138	181	174	250	280	275	246	159	76	31	47	3
207	222	231	250	273	338	362	509	573	559	502	263	122	33	93	4
100	100	112	114	136	158	188	259	294	284	256	104	46	2	46	5
107	122	119	136	137	180	174	250	279	275	246	159	76	31	47	6
128	145	170	175	184	229	257	377	444	449	407	212	109	21	51	7
39	33	45	47	65	63	85	138	139	155	121	46	29		7	8
36	43	60	67	51	86	82	123	148	137	134	71	37	9	10	9
15	20	15	16	6	8	4	4	3	2	1	2			9	9
18	17	14	7	8	8	6	4	5	5	4	3	2		14	10
68	62	46	53	66	92	75	105	71	61	54	28	8	6	8	10
33	27	26	22	32	49	37	50	37	30	37	11	4	1	4	11
35	35	20	31	34	43	38	55	34	31	17	17	4	5	4	12
				1	1	2		2							13
						2		1							14
				1	1			1							15
42	37	46	55	72	68	94	151	163	170	143	49	30		9	16
38	49	69	73	54	99	91	141	169	150	144	83	42	10	15	17
17	18	18	15	13	19	13	23	9	10	9	4	3	1	4	18
20	22	11	18	14	21	19	29	21	15	7	11	3	3	2	19
1	2			1	1	1	3	1		3					20
5	2	1	1	1	1	2	2	1	8	11	1				21
4	4	2	2	5	7	5	8	7	5	1	2				22
21	20	18	16	16	19	14	14	17	8	10	6	1		10	23
29	21	14	16	22	18	17	15	11	14	7	3	1	2	12	24
1		1			2	1		1	1						25
	1	1				2	2			2					26
	1	3	3	2	5	3	2	1		1	1				27
	1	3	1		3	4	4		2	1				1	28
1					1	1	1			1					29
						1			1						30
										1					31
1	1	1			1										32
11	19	25	23	27	35	56	57	95	86	75	43	12	1	23	33
16	24	18	25	41	34	38	52	70	89	86	57	29	16	15	34
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73	35
699	821	759	722	769	799	929	923	863	738	487	225	72	25	46	36
666	690	588	558	628	745	749	870	846	764	558	290	115	28	27	37
1,300	1,442	1,269	1,215	1,349	1,487	1,626	1,749	1,665	1,470	1,013	499	182	41	68	38
667	785	726	686	748	764	906	901	843	724	470	218	71	19	45	39
633	657	543	529	601	723	720	848	822	746	543	281	111	22	23	40
841	824	703	618	622	680	794	875	882	899	691	353	136	29	27	41
148	173	167	177	225	243	333	332	352	356	249	113	44	11	10	42
186	187	174	162	191	225	284	327	342	359	307	169	66	12	6	43
203	160	117	96	41	34	45	36	23	14	9	7	3	1	3	44
160	155	109	59	46	51	28	25	22	31	19	15	2	1	3	45
437	576	533	574	708	785	809	861	764	554	317	138	45	11	20	46
220	326	333	327	395	404	449	434	373	272	150	74	15	5	11	47
217	250	200	247	313	381	360	427	391	282	167	64	30	6	9	48
65	69	78	65	48	57	52	44	44	32	32	16	5	12	5	49
32	36	33	36	21	35	23	22	20	14	17	7	1	6	1	50
33	33	45	29	27	22	29	22	24	18	15	9	4	6	4	51
170	187	174	188	235	251	347	346	365	367	256	119	44	12	12	52
207	200	184	167	199	239	289	333	350	375	316	176	67	14	6	53
180	189	136	144	155	166	211	163	117	85	31	16	5	3	3	54
162	175	112	142	177	216	188	209	145	100	59	22	12	2	9	55
114	122	147	138	136	138	151	167	150	113	67	22	9	1	5	56
94	106	82	72	96	108	113	136	150	118	60	21	11	1	1	57
24	29	35	49	48	51	54	64	62	43	35	25	1	1	1	58
31	28	37	28	28	45	39	47	56	39	32	21	5	2	1	59
3	5	3	2	3	3	5	7	3	2	1					60
2	6	4	4	1	2	6	5	2	3	1					61
10	14	8	15	11	8	4	7	4	1	2					62
12	14	6	3	5	3	15	13	16	8	2	1				63
11	12	21	13	16	10	8	10	16	12	10	2	3			64
12	9	11	10	9	18	12	8	4	5	1	1				65
22	31	32	20	12	10	6	5	6	7	3	1				66
13	19	16	12	7	8	7	5	6	5	2	2	1			67
4	3	4	4	9	1	5	6	4	4	1					68
3	5	1	7	1	6	1	4	2	1	1					69
11	22	13	11	7	2	5	3	3	2	1					70
10	11	4	2	5	2	1	1	1	1	1					71
24	48	42	17	30	23	20	18	20	13	6	6				72
20	18	27	19	20	16	14	18	14	17	9	5				73
94	123	111	85	86	88	78	99	94	79	61	23	10	2	21	74
67	66	59	63	53	63	47	68	72	70	48	32	13	2	5	75

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW MEXICO.													
1	Total	2,674	562	250	118	106	76	1,112	202	95	108	112	112
2	Males	1,455	326	120	60	53	42	601	96	43	37	46	61
3	Females	1,219	236	130	58	53	34	511	166	52	71	66	51
4	White	2,398	519	233	110	101	73	1,036	185	80	94	94	98
5	Males	1,290	297	112	54	49	39	551	87	36	34	40	53
6	Females	1,108	222	121	56	52	34	485	98	44	60	54	45
7	Native	2,228	517	229	108	100	73	1,027	183	79	91	89	82
8	Both parents native	(M) 1,031	259	99	46	39	38	481	81	32	26	32	29
		(F) 954	200	103	49	44	32	428	89	39	54	38	36
9	One or both parents foreign	(M) 110	34	12	7	9	1	63	4	4	3	4	8
		(F) 94	21	15	6	8	1	51	9	3	5	11	6
10	Foreign	116	3	2	1	1	1	6	2	1	2	4	13
11	Males	78	1	1	1	1	1	2	2	2	2	2	11
12	Females	38	3	1	1	1	1	4	1	1	1	2	2
13	Colored	276	43	17	8	5	3	76	17	15	14	16	14
14	Males	165	29	8	6	4	3	50	9	7	3	6	8
15	Females	111	14	9	2	1	1	26	8	8	11	12	6
Birthplaces of mothers (white).													
16	United States	(M) 1,068	272	105	48	40	39	504	82	33	26	35	30
		(F) 1,000	207	111	53	51	32	454	94	41	55	43	40
17	Ireland	(M) 16	1	1	1	1	1	2	1	1	1	2	5
		(F) 3	1	1	1	1	1	1	1	1	1	1	1
18	Germany	(M) 13	1	1	1	1	1	1	1	1	1	1	1
		(F) 7	1	1	1	1	1	1	1	1	1	1	1
19	England and Wales	(M) 15	3	2	2	2	2	5	1	1	1	3	3
		(F) 11	2	1	1	1	1	3	1	1	1	1	1
20	Canada	(M) 3	1	1	1	1	1	1	1	1	1	1	1
		(F) 4	1	1	1	1	1	1	1	1	1	1	1
21	Scandinavia	(M) 3	1	1	1	1	1	1	1	1	1	1	1
		(F) 2	1	1	1	1	1	1	1	1	1	1	1
22	Scotland	(M) 5	2	1	1	1	1	4	1	1	1	1	1
		(F) 7	2	1	1	1	1	3	1	1	1	1	1
23	Italy	(M) 7	1	1	1	1	1	3	1	1	1	1	1
		(F) 2	1	1	1	1	1	2	1	1	1	1	1
24	France	(M) 2	1	1	1	1	1	1	1	1	1	1	1
		(F) 2	1	1	1	1	1	1	1	1	1	1	1
25	Russia and Poland	(M) 4	1	1	1	1	1	2	1	1	1	1	1
		(F) 4	1	1	1	1	1	2	1	1	1	1	1
26	Other foreign countries	(M) 85	12	5	3	5	1	25	4	1	3	1	9
		(F) 51	8	8	2	1	1	20	2	2	3	4	2
27	Unknown	(M) 69	4	1	1	1	1	5	1	1	3	2	5
		(F) 19	1	1	1	1	1	2	1	1	1	2	1
NEW YORK.													
28	Total	130,268	25,492	7,248	3,240	2,065	1,336	39,381	3,474	1,860	2,786	4,735	5,813
29	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	929	1,386	2,336	3,037
30	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	2,399	2,776
31	White	127,332	24,798	7,049	3,151	2,028	1,305	38,331	3,402	1,796	2,696	4,565	5,644
32	Males	67,135	13,799	3,787	1,650	1,040	663	20,939	1,738	902	1,351	2,250	2,955
33	Females	60,197	10,999	3,262	1,501	988	642	17,392	1,664	894	1,345	2,315	2,689
34	Native	88,479	24,627	6,897	3,055	1,950	1,247	37,776	3,206	1,626	2,178	3,441	3,876
35	Both parents native	(M) 21,581	5,547	1,221	607	381	272	8,028	712	413	528	694	637
		(F) 20,425	4,573	1,065	545	360	250	6,793	748	403	546	703	678
36	One or both parents foreign	(M) 20,694	7,453	2,356	938	573	334	11,654	855	353	488	878	1,210
		(F) 17,377	5,748	1,997	845	563	348	9,501	772	371	488	910	1,013
37	Foreign	37,505	112	132	84	74	53	455	185	165	502	1,080	1,701
38	Males	19,428	63	76	37	39	29	244	96	79	259	510	871
39	Females	18,077	49	56	47	35	24	211	89	86	243	570	830
40	Colored	2,936	694	199	89	37	31	1,050	72	64	90	170	169
41	Males	1,513	370	102	40	16	11	539	27	27	35	86	82
42	Females	1,423	324	97	49	21	20	511	45	37	55	84	87
Birthplaces of mothers (white).													
43	United States	(M) 24,711	6,704	1,514	727	459	327	9,731	867	488	632	843	775
		(F) 23,211	5,456	1,308	660	455	297	8,176	887	480	663	857	793
44	Ireland	(M) 12,994	1,325	446	188	130	76	2,165	194	103	199	517	965
		(F) 13,242	1,037	368	182	112	85	1,784	188	97	216	572	857
45	Germany	(M) 9,975	1,356	364	185	111	75	2,091	211	102	167	290	436
		(F) 8,185	1,093	330	131	117	75	1,746	187	112	148	307	391
46	England and Wales	(M) 2,632	265	71	42	17	13	408	52	24	45	72	100
		(F) 2,211	228	62	35	24	17	366	33	23	32	60	86
47	Canada	(M) 1,227	251	35	19	16	14	335	42	27	27	64	58
		(F) 1,071	181	35	16	18	10	260	28	19	29	59	86
48	Scandinavia	(M) 971	257	73	32	21	13	396	34	6	15	31	59
		(F) 724	182	61	23	18	16	300	29	15	17	41	47
49	Scotland	(M) 769	65	16	10	7	2	100	13	2	12	14	23
		(F) 688	45	25	7	5	5	87	12	6	10	19	25
50	Italy	(M) 3,256	1,239	554	176	119	50	2,138	101	40	71	98	91
		(F) 2,600	993	483	189	95	52	1,812	105	50	68	92	67
51	France	(M) 352	37	14	3	3	3	60	5	1	5	13	13
		(F) 264	32	9	1	1	1	44	3	3	7	7	13
52	Russia and Poland	(M) 2,457	912	326	119	64	35	1,456	85	31	52	65	82
		(F) 1,922	649	263	120	56	29	1,117	69	26	44	77	70
53	Other foreign countries	(M) 2,499	726	241	83	49	28	1,127	60	26	52	76	114
		(F) 1,912	530	183	75	58	34	880	71	29	55	88	88
54	Unknown	(M) 5,292	662	133	66	44	27	932	74	52	74	167	239
		(F) 4,167	573	135	62	29	21	820	52	34	63	136	166

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
99	106	84	72	73	84	90	65	65	48	32	21	14	8	72	1
54 45	56 50	46 38	44 28	46 27	54 30	57 33	44 21	42 23	31 17	19 13	16 5	9 5	4 4	49 23	2 3
90	89	69	57	63	73	77	57	59	43	29	18	13	5	69	4
49 41 78	42 47 75	36 33 61	36 21 48	37 26 48	47 26 62	48 29 67	40 17 51	39 20 47	27 16 40	16 13 25	14 4 14	9 4 13	2 3 5	47 22 43	5 6 7
33 37 3 1 8	27 40 2 2 6	28 27 3 2 4	27 17 2 1 7	22 18 3 1 12	37 24 1 1 10	38 24 4 1 9	36 14 3 6 6	26 16 3 11 3	21 15 1 1 3	12 11 1 3 3	9 4 1 4 4	9 4 4 1 3	2 3 3 3 3	23 16 6 6 6	8 9 10
6 2 9	5 1 17	3 1 15	4 3 15	6 6 10	8 2 11	5 4 13	3 3 8	7 4 6	3 3 5	1 2 3	4 2 3	1 1 1	3 3 3	4 2 3	11 12 13
5 4	14 3	10 5	8 7	9 1	7 4	9 4	4 4	3 3	4 1	3 1	2 1	1 1	2 1	2 1	14 15
34 38 1 1 1	27 40 1 1 2	30 27 1 1 2	27 18 1 1 1	24 18 1 1 1	37 24 1 1 1	39 25 1 1 1	36 14 1 1 1	27 16 1 1 1	22 15 1 1 1	12 11 1 1 1	9 4 1 1 1	9 4 1 1 1	2 3 1 1 1	23 16 2 1 1	16 17 18 19 20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
5 7	3 1 8 4	2 1 2 3	3 1 3 1	4 4 5 1	6 1 1 1	4 2 1 1	3 1 1 1	6 3 2 2	2 1 1 2	4 1 2 2	4 1 1 1	4 1 1 1	4 1 1 1	4 1 1 1	26 27
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243	28
3,323 2,758	3,551 2,821	3,229 2,477	3,124 2,478	3,309 2,695	3,298 2,982	3,456 3,400	3,618 3,582	3,559 3,691	3,284 3,208	2,250 2,373	1,144 1,305	356 474	77 154	139 104	29 30
5,917	6,210	5,555	5,450	5,882	6,152	6,748	7,119	7,163	6,428	4,570	2,423	821	224	236	31
3,222 2,695 3,729	3,469 2,741 3,554	3,150 2,405 3,048	3,034 2,416 2,773	3,233 2,649 2,493	3,236 2,916 2,621	3,404 3,344 2,867	3,575 3,544 3,214	3,508 3,655 3,408	3,249 3,179 3,579	2,223 2,347 2,806	1,136 1,287 1,557	351 470 541	76 148 106	134 102 80	32 33 34
602 625 1,208 928 2,108	609 615 1,094 801 2,529	619 541 849 678 2,380	669 636 611 480 2,590	731 754 348 306 3,308	888 791 286 266 3,441	955 974 246 207 3,811	1,188 1,127 161 169 3,824	1,281 1,260 115 151 3,679	1,313 1,300 152 112 2,773	995 1,030 107 106 1,706	520 618 48 73 829	166 219 14 24 268	18 45 3 10 115	15 19 9 11 56	35 36 37
1,145 963 164	1,402 1,127 162	1,384 996 151	1,464 1,126 152	1,894 1,414 122	1,778 1,663 128	1,888 1,923 108	1,870 1,954 81	1,755 1,924 87	1,382 1,391 64	814 892 53	406 423 26	116 152 9	46 69 7	25 31 7	38 39 40
101 63	82 80	79 72	90 62	76 46	62 66	52 56	43 38	51 36	35 29	27 26	8 18	5 4	1 6	5 2	41 42
730 723 1,098 828 533 474 105 96 54 64 61 58 32 25 105 81 18 14 97 74 122 79 267 179	703 697 1,078 924 623 416 153 117 76 67 65 40 52 35 117 62 18 20 90 76 128 89 366 198	702 612 888 736 658 417 119 149 54 51 48 33 53 34 94 55 25 17 79 45 128 62 302 194	720 706 789 766 604 377 161 123 62 47 66 27 48 50 93 36 21 16 67 35 112 69 257 164	794 801 901 892 638 397 147 112 60 58 50 24 56 43 63 41 23 16 79 54 133 52 277 164	940 871 850 964 590 485 188 133 55 39 35 16 37 43 46 18 26 14 65 47 81 72 309 230	1,013 1,029 868 1,170 670 514 181 138 56 55 32 13 51 43 38 25 27 19 55 49 69 60 346 291	1,257 1,179 738 1,027 690 603 202 167 69 50 20 19 67 55 34 20 29 27 22 15 47 58 349 291	1,329 1,335 636 930 673 638 218 190 65 52 19 20 67 59 16 20 29 22 15 34 31 349 365	1,386 1,362 498 561 546 512 212 174 49 41 15 16 53 50 16 19 19 18 20 47 43 299 315	1,048 1,080 278 405 285 283 138 111 35 36 17 5 49 8 2 6 10 15 31 10 158 168	546 659 148 183 123 134 73 68 24 18 1 3 22 4 2 10 8 10 5 6 55 75	172 231 47 75 29 29 24 26 4 6 1 8 13 1 4 2 3 5 5 5 9 23	18 50 21 42 11 10 6 5 6 4 1 2 3 1 4 1 1 1 9	17 20 13 25 5 5 4 2 5 2 1 2 2 1 1 1 1 83 41	43 44 45 46 47 48 49 50 51 52 53 54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NORTH CAROLINA.													
1	Total	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335	945
2	Males	10,427	2,310	854	375	217	113	3,869	344	297	465	622	414
3	Females	10,641	1,890	793	348	183	136	3,350	410	345	574	713	531
4	White	13,217	2,586	978	413	225	135	4,337	421	379	553	724	584
5	Males	6,484	1,392	509	211	119	62	2,293	193	180	260	347	277
6	Females	6,733	1,194	469	202	106	73	2,044	228	199	293	377	307
7	Native	12,805	2,536	954	403	216	133	4,242	412	372	539	705	570
8	Both parents native	(M) 5,945	1,309	475	197	109	55	2,145	177	169	250	330	254
		(F) 6,221	1,119	439	191	93	69	1,916	221	189	278	347	278
9	One or both parents foreign	(M) 28	2	2	1	2	1	6	2	1	1	1	1
		(F) 25	1	1	1	1	1	2	1	1	1	1	1
10	Foreign	63							1				2
11	Males	38											1
12	Females	25							1				1
13	Colored	7,851	1,614	669	310	175	114	2,882	333	263	486	611	361
14	Males	3,943	913	345	164	98	51	1,576	151	117	205	275	137
15	Females	3,908	696	324	146	77	63	1,306	182	146	281	336	224
Birthplaces of mothers (white).													
16	United States	(M) 5,959	1,310	476	197	110	56	2,149	177	171	250	330	254
		(F) 6,239	1,119	439	192	99	69	1,918	221	189	279	347	278
17	Ireland	(M) 10							1				1
		(F) 4							2				
18	Germany	(M) 14				1		1				1	
		(F) 9	1					1				1	
19	England and Wales	(M) 10		1	1			2					
		(F) 5											1
20	Canada	(M) 1											
		(F) 2											
21	Scandinavia	(M) 1											
		(F) 1											
22	Scotland	(M) 7											
		(F) 7											
23	Italy	(M) 2											
		(F) 1											
24	France	(M) 2											
		(F) 1											
25	Russia and Poland	(M) 2											
		(F) 1											
26	Other foreign countries	(M) 1											
		(F) 1											
27	Unknown	(M) 279	49	16	9	6	4	84	6	7	6	10	13
		(F) 275	39	15	5	4	2	65	4	6	13	22	16
NORTH DAKOTA.													
28	Total	2,287	506	144	78	46	49	823	152	99	106	124	98
29	Males	1,159	272	70	39	20	25	426	62	43	52	63	47
30	Females	1,128	234	74	39	26	24	397	90	56	54	61	51
31	White	2,046	473	122	67	40	42	744	132	85	92	114	91
32	Males	1,050	254	61	31	18	22	386	56	37	45	59	43
33	Females	996	219	61	36	22	20	358	76	48	47	55	48
34	Native	1,291	464	118	63	38	38	721	120	77	63	65	44
35	Both parents native	(M) 171	47	15	7	7	3	79	7	10	5	8	4
		(F) 174	44	15	7	6	7	79	6	11	12	7	12
36	One or both parents foreign	(M) 432	197	42	23	10	17	289	40	24	23	16	9
		(F) 462	164	46	26	15	11	262	66	30	22	25	14
37	Foreign	715	9	4	4	2	4	23	11	8	29	46	44
38	Males	391	4	4	1	1	2	12	8	2	16	27	25
39	Females	324	5		3	1	2	11	3	6	13	19	19
40	Colored	241	33	22	11	6	7	79	20	14	14	10	7
41	Males	109	18	9	8	2	3	40	6	6	7	4	4
42	Females	132	15	13	3	4	4	39	14	8	7	6	3
Birthplaces of mothers (white).													
43	United States	(M) 237	81	19	11	8	5	124	13	13	9	9	4
		(F) 237	71	21	7	9	7	115	10	15	14	11	16
44	Ireland	(M) 41			1	1	1	3	1			2	2
		(F) 39	3					3	1	1		3	1
45	Germany	(M) 111	22	4	2	1		29	7	3	5	5	8
		(F) 77	7	4	5	2		18	11	3	4	5	1
46	England and Wales	(M) 28	4					4			2	1	2
		(F) 25	2	1			1	4			2	2	1
47	Canada	(M) 112	32	8	2	2	4	48	11	4	7	8	
		(F) 134	33	8	5	3	1	50	9	8	6	10	9
48	Scandinavia	(M) 274	53	8	5	3	6	75	10	9	16	23	20
		(F) 294	52	13	5	3	4	77	21	14	19	18	17
49	Scotland	(M) 34	1					1	1				1
		(F) 11											
50	Italy	(M) 2								1			
		(F) 1											
51	France	(M) 116	48	16	9	3	6	82	9	6	5	2	1
		(F) 104	31	10	12	5	5	63	19	4		1	2
52	Russia and Poland	(M) 38	8	6	1			15	3	1		1	
		(F) 40	12	4	2		1	19	2	1	2	1	
53	Other foreign countries	(M) 55	5					5	1	1	1	8	5
		(F) 34	7				1	8	1	1		4	1

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
802	789	746	692	777	643	765	811	895	787	620	320	136	96	255	1
345	332	330	351	396	332	383	431	437	403	308	153	60	32	118	2
457	457	416	341	381	311	382	380	453	384	312	162	76	64	137	3
497	499	511	458	505	440	530	603	659	605	439	223	86	37	122	4
218	225	227	240	250	211	244	313	297	297	211	100	38	12	51	5
279	274	284	218	255	229	286	290	362	308	228	123	43	25	71	6
481	478	491	442	492	423	511	583	638	586	427	223	83	35	72	7
194	200	201	210	229	183	225	281	271	265	195	95	33	12	26	8
250	244	259	197	236	210	267	268	339	289	206	119	44	22	42	9
2		2	1	2		1	3	5	3	3	3	1			10
1	5	4	6	5	5	6	4	9	6	5	2		1	1	11
															12
1	4	2	3	2	3	3	3	7	4	4	1			1	13
305	290	235	234	272	203	235	208	236	182	181	92	50	59	133	14
127	107	103	111	146	121	139	118	140	106	97	58	22	20	67	15
178	183	132	123	126	82	96	90	96	76	84	34	28	39	66	16
194	200	202	210	229	183	226	281	272	267	198	95	33	12	26	17
250	244	259	198	236	210	268	269	341	293	210	121	44	22	42	18
				2		1	1	1	2	1		1			19
	1		1	2	1		1	2	2	3					20
	1	1	1	1	1	1	1	1	2	1	1				21
1						1									22
	1														23
			1	1											24
															25
1		1					2	1	3	1	1		1		26
			2					1	1						27
				1											28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
															45
															46
															47
															48
															49
															50
															51
															52
															53
															54
															55

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
OHIO.													
1	Total.....	53,362	8,819	2,190	1,123	711	515	13,358	1,583	1,034	1,733	2,419	2,388
2	Males.....	28,648	4,913	1,137	596	368	281	7,295	834	507	806	1,211	1,137
3	Females.....	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208	1,251
4	White.....	51,481	8,531	2,102	1,074	690	504	12,901	1,522	978	1,629	2,303	2,255
5	Males.....	27,612	4,748	1,092	574	362	274	7,050	801	481	761	1,140	1,064
6	Females.....	23,869	3,783	1,010	500	328	230	5,851	721	494	868	1,163	1,191
7	Native.....	40,219	8,341	2,049	1,043	669	490	12,592	1,470	934	1,513	2,057	1,905
8	Both parents native.....	(M) 13,383	2,922	712	374	219	179	4,406	516	314	475	598	468
	(F) 12,502	2,362	674	338	211	156	106	3,741	462	326	560	675	596
9	One or both parents foreign.....	(M) 4,668	1,194	278	155	102	68	1,797	185	110	161	277	258
	(F) 4,027	905	263	126	87	60	37	1,441	179	107	184	256	295
10	Foreign.....	9,356	13	9	6	5	5	38	22	24	61	170	263
11	Males.....	5,294	5	6	4	4	2	21	5	15	29	98	139
12	Females.....	4,062	8	3	2	1	3	17	17	9	32	72	124
13	Colored.....	1,881	288	88	49	21	11	457	61	56	104	116	133
14	Males.....	1,036	165	45	22	6	7	245	33	23	45	71	73
15	Females.....	845	123	43	27	15	4	212	28	33	59	45	60
Birthplaces of mothers (white).													
16	United States.....	(M) 14,343	3,162	771	401	240	197	4,771	562	345	523	658	506
	(F) 13,437	2,558	727	369	233	170	140	4,057	494	355	616	743	651
17	Ireland.....	(M) 1,750	71	20	15	6	6	118	19	12	28	86	78
	(F) 1,371	61	16	5	4	3	3	89	19	15	27	59	84
18	Germany.....	(M) 4,152	390	86	42	34	30	582	62	46	61	120	150
	(F) 3,463	264	91	45	26	21	14	447	70	40	75	126	168
19	England and Wales.....	(M) 1,021	66	20	14	10	4	114	15	12	22	38	33
	(F) 767	54	13	9	7	5	3	88	14	7	18	23	51
20	Canada.....	(M) 168	27	5	2	1	1	35	7	6	5	9	11
	(F) 147	23	5	3	2	2	2	35	9	1	8	14	9
21	Scandinavia.....	(M) 55	5	3	3	2	2	13	2	1	4	2	3
	(F) 39	11	3	2	2	2	2	16	2	2	2	2	3
22	Scotland.....	(M) 215	13	4	2	1	1	18	3	1	1	10	9
	(F) 132	6	2	2	2	2	2	10	1	4	3	3	3
23	Italy.....	(M) 104	24	9	6	3	3	42	1	4	1	2	5
	(F) 88	35	12	4	4	2	2	55	2	1	1	2	1
24	France.....	(M) 121	1	2	1	1	1	2	1	1	1	1	3
	(F) 99	3	2	2	2	2	2	7	2	2	2	2	4
25	Russia and Poland.....	(M) 285	135	22	17	12	5	191	12	6	2	10	4
	(F) 217	91	19	14	11	6	6	141	17	3	4	5	5
26	Other foreign countries.....	(M) 926	251	56	33	20	7	367	24	7	13	36	54
	(F) 685	191	54	15	10	10	10	280	30	14	17	28	39
27	Unknown.....	(M) 2,928	325	45	25	21	12	428	44	23	52	98	135
	(F) 2,035	296	28	9	20	7	7	360	26	29	42	80	89
OKLAHOMA.													
28	Total.....	3,181	744	333	107	82	53	1,319	182	120	157	170	132
29	Males.....	1,741	421	173	53	39	28	714	95	67	82	89	58
30	Females.....	1,440	323	160	54	43	25	605	87	53	75	81	74
31	White.....	2,704	668	268	87	68	47	1,138	148	98	122	138	116
32	Males.....	1,508	383	144	44	30	25	626	82	55	68	69	49
33	Females.....	1,196	285	124	43	38	22	512	66	43	54	69	67
34	Native.....	2,563	666	266	86	68	47	1,133	147	98	118	134	110
35	Both parents native.....	(M) 1,169	338	138	43	28	22	569	73	47	52	61	37
	(F) 957	251	110	40	38	21	21	460	57	42	39	57	46
36	One or both parents foreign.....	(M) 124	37	5	1	2	3	48	8	8	6	3	2
	(F) 99	31	11	1	1	1	1	44	9	1	8	7	9
37	Foreign.....	113	1	1	1	1	1	1	1	1	2	3	4
38	Males.....	62	1	1	1	1	1	1	1	1	1	2	1
39	Females.....	51	1	1	1	1	1	1	1	1	1	1	4
40	Colored.....	477	76	65	20	14	6	181	34	22	35	32	16
41	Males.....	233	38	29	9	9	3	88	13	12	14	20	9
42	Females.....	244	38	36	11	5	3	93	21	10	21	12	7
Birthplaces of mothers (white).													
43	United States.....	(M) 1,224	354	140	44	29	23	590	77	49	54	63	41
	(F) 994	264	111	40	38	21	21	474	59	42	42	59	48
44	Ireland.....	(M) 18	1	1	1	1	1	1	1	1	1	1	2
	(F) 8	1	1	1	1	1	1	1	1	1	1	1	1
45	Germany.....	(M) 45	6	1	1	1	1	8	1	3	1	3	6
	(F) 43	9	3	1	1	1	1	12	2	1	1	1	1
46	England and Wales.....	(M) 16	2	1	1	1	1	3	1	1	1	1	1
	(F) 10	1	1	1	1	1	1	1	1	1	1	1	1
47	Canada.....	(M) 11	4	2	1	1	1	4	1	1	1	1	1
	(F) 11	1	2	1	1	1	1	3	1	1	1	1	1
48	Scandinavia.....	(M) 9	1	1	1	1	1	1	1	1	1	1	1
	(F) 7	2	2	1	1	1	1	4	1	1	1	1	1
49	Scotland.....	(M) 10	1	1	1	1	1	1	1	1	1	1	1
	(F) 3	1	1	1	1	1	1	1	1	1	1	1	1
50	Italy.....	(M) 4	1	1	1	1	1	1	1	1	1	1	1
	(F) 3	1	1	1	1	1	1	1	1	1	1	1	1
51	France.....	(M) 17	7	1	1	1	1	9	3	3	1	1	1
	(F) 15	3	2	1	1	1	1	5	1	1	1	1	1
52	Russia and Poland.....	(M) 12	4	1	1	1	1	7	4	1	1	1	1
	(F) 22	4	1	1	1	1	1	6	1	1	1	1	1
53	Other foreign countries.....	(M) 142	5	1	1	1	1	6	1	1	1	1	1
	(F) 80	1	2	2	2	2	2	5	1	1	1	1	1

COLOR, NATIVITY, AND BIRTHPLACES OF MOTHERS.

99

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,189	2,227	2,133	2,124	2,259	2,529	2,796	3,349	3,571	3,251	2,391	1,228	338	114	298	1
1,068 1,121	1,182 1,045	1,180 953	1,188 936	1,237 1,022	1,418 1,111	1,629 1,167	1,914 1,435	1,979 1,592	1,763 1,488	1,268 1,123	640 588	171 217	47 67	174 124	2 3
2,088	2,121	2,039	2,034	2,164	2,451	2,707	3,294	3,489	3,194	2,348	1,205	375	107	277	4
1,019 1,069 1,712	1,126 995 1,582	1,124 915 1,584	1,137 897 1,411	1,175 989 1,437	1,362 1,089 1,555	1,581 1,126 1,711	1,878 1,416 2,024	1,936 1,553 2,079	1,730 1,464 1,949	1,247 1,101 1,522	630 575 795	163 212 270	43 64 49	161 116 118	5 6 7
371 510 288 241 288	385 446 274 205 410	393 401 256 207 418	389 398 191 175 533	437 475 134 137 625	534 465 131 101 782	677 505 103 90 887	886 650 130 81 1,144	807 712 99 77 1,274	743 678 88 90 1,122	615 493 84 84 742	294 260 63 43 357	81 106 21 20 99	15 17 5 4 55	29 26 13 10 42	8 9 10
164 124 101	231 179 106	271 147 94	343 190 90	386 239 95	429 353 78	537 350 89	641 503 55	712 562 82	626 496 57	383 359 43	182 175 23	42 57 13	19 36 7	21 21 21	11 12 13
49 52	56 50	56 38	51 39	62 33	56 22	48 41	36 19	43 39	33 24	21 22	10 13	8 5	4 3	13 8	14 15
412 552 96 67 202 168 43 32 6 5 4 2 4 8 3 3 4 3 5 43 31 134 116	423 479 103 88 225 182 45 27 11 7 4 3 10 6 5 1 4 5 21 166 100	415 434 108 73 245 168 44 37 12 6 3 1 12 7 1 1 5 10 8 49 20 145 103	413 428 91 68 248 182 64 33 12 7 3 14 11 7 1 6 5 13 150 86	464 501 112 74 227 180 55 44 7 5 4 1 20 14 5 1 8 6 16 151 98	558 495 112 99 254 209 77 52 6 8 4 1 13 6 5 4 12 5 22 219 104	702 537 141 92 295 201 63 46 15 8 3 7 14 5 4 5 6 24 206 125	879 677 194 135 328 260 103 69 5 11 2 20 14 2 14 7 3 28 196 125	846 738 148 125 409 384 85 64 8 3 2 23 5 4 15 9 3 32 25 263 145	773 716 130 93 361 319 90 72 58 6 2 1 11 12 3 1 23 18 21 211 142	647 525 92 81 201 201 72 35 24 3 2 1 9 10 8 2 14 12 73 118	316 276 43 48 96 90 35 24 3 2 1 1 10 10 4 9 5 1 6 19 25	85 116 19 14 25 28 8 10 1 2 2 1 2 6 3 5	15 21 10 12 7 9 1 6 4 2 2 1 2 1 1 5 3 5	30 26 10 9 8 6 2 4 1 2 1 1 8 10 80 57	16 17 18 19 20 21 22 23 24 25 26 27
101	121	112	101	99	124	91	104	82	62	45	21	4	4	30	28
47 54	60 61	54 58	55 46	59 40	79 45	52 39	68 36	58 24	40 22	28 17	14 7	1 3	3 1	18 12	29 30
87	100	101	87	82	104	78	91	75	59	40	18	2	1	19	31
43 44 79	50 50 92	50 51 93	50 37 75	48 34 71	69 35 91	45 33 68	61 30 78	54 21 63	37 22 50	27 13 36	13 5 15	2 2 2	1 1 1	11 8 10	32 33 34
30 34 5 2 8	35 33 4 2 8	30 35 2 1 7	32 22 5 1 10	29 23 2 2 9	41 28 5 2 13	30 24 5 3 9	30 18 6 3 13	31 14 3 2 10	20 11 4 1 7	12 7 6 2 4	6 3 2 1 2	1 1 1 1 1	1 1 1 1 1	4 3 1 1 1	35 36 37
4 4 14	3 5 21	2 5 11	1 9 14	4 5 17	11 2 20	5 4 13	12 1 13	8 2 7	1 6 3	3 1 5	2 1 3	2 1 2	1 1 3	1 1 11	38 39 40
4 10 31 34 1 4 2 1 3	10 11 38 35 1 2 1 1 3	4 7 31 38 1 1 2 1 1	5 9 34 25 2 3 1 1 1	11 6 29 25 1 3 1 1 1	10 10 44 29 3 5 2 1 1	7 6 30 25 2 1 1 2 1	7 6 32 19 3 1 4 3 2	4 3 32 15 2 1 1 1 1	3 4 23 11 1 1 1 1 1	1 2 15 7 3 1 1 1	1 2 7 3 1 1 1 1 1	1 1 1 1 1 1 1 1 1	2 1 1 1 1 1 1 1 1	7 4 4 3 1 1 1 1 1	41 42 43 44 45 46 47 48 49 50 51 52 53 54

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
OREGON.													
1	Total	3,396	372	100	73	40	38	623	137	119	161	180	160
2	Males	2,019	215	50	44	22	22	353	71	64	77	88	87
3	Females	1,377	157	50	29	18	16	270	66	55	84	92	73
4	White	3,176	355	93	66	35	33	582	119	102	149	170	153
5	Males	1,880	205	48	40	20	19	332	64	54	71	81	82
6	Females	1,296	150	45	26	15	14	250	55	48	78	89	71
7	Native	2,412	319	90	65	35	32	571	115	96	134	148	129
8	Both parents native	M-- 686 F-- 532	118 74	27 28	22 15	10 10	8 10	185 137	30 26	25 21	35 37	25 47	21 37
9	One or both parents foreign	M-- 192 F-- 139	35 17	8 3	8 4	1 1	5 1	57 26	13 14	11 12	10 11	20 12	7 8
10	Foreign	632	5	3	1		1	10	4	5	10	18	15
11	Males	409	4	3	1		1	9	2	3	5	13	10
12	Females	223	1					1	2	2	5	5	5
13	Colored	220	17	7	7	5	5	41	18	17	12	10	7
14	Males	139	10	2	4	2	3	21	7	10	6	7	5
15	Females	81	7	5	3	3	2	20	11	7	6	3	2
Birthplaces of mothers (white).													
16	United States	M-- 759 F-- 577	133 81	30 29	24 16	10 11	10 10	207 147	35 31	29 26	43 42	33 48	37 41
17	Ireland	M-- 55 F-- 33	1 1		1 2			1 2	2 3	1 1	2 4	2 5	1 4
18	Germany	M-- 96 F-- 66	2 3		2 3		1	5 3	3 2	1 4	2 2	4 4	1 4
19	England and Wales	M-- 49 F-- 36	2 2					2 1	2 2	2 2	2 1	1 1	1 1
20	Canada	M-- 27 F-- 18	2 1	1	1		1	5 1	2 2	2 1	2 1	1 1	1 1
21	Scandinavia	M-- 53 F-- 22	5 2	2 1		1	1	9 5	3 1	2 1	2 1	5 3	3 1
22	Scotland	M-- 26 F-- 22	1 1					1 1		2 2		2 2	
23	Italy	M-- 1 F--											
24	France	M-- 7 F-- 4	1 1					1					
25	Russia and Poland	M-- 8 F-- 5	1 1	2	2			5				1	2
26	Other foreign countries	M-- 56 F-- 29	11 3	1 2	1			13 5	1 3	1 1	1 1	2 3	2 1
27	Unknown	M-- 290 F-- 134	1 1	2 3		1		4 4	1 2	1 5	8 7	7 4	13 8
PENNSYLVANIA.													
28	Total	90,199	18,409	5,130	2,548	1,704	1,258	29,049	3,290	1,861	2,641	3,737	3,808
29	Males	49,150	10,427	2,804	1,351	868	630	16,080	1,700	993	1,414	2,059	2,100
30	Females	41,049	7,982	2,326	1,197	836	628	12,969	1,590	868	1,227	1,678	1,708
31	White	86,653	17,567	4,876	2,444	1,643	1,226	27,756	3,187	1,766	2,494	3,495	3,562
32	Males	47,300	9,984	2,660	1,300	839	612	15,395	1,644	950	1,364	1,922	1,978
33	Females	39,353	7,583	2,216	1,144	804	614	12,361	1,543	816	1,130	1,573	1,584
34	Native	67,229	17,117	4,757	2,357	1,590	1,178	26,999	3,043	1,633	2,185	2,850	2,677
35	Both parents native	M-- 15,531 F-- 13,292	3,491 2,507	888 735	457 414	292 268	202 220	5,330 4,234	635 574	401 354	539 504	694 578	546 508
36	One or both parents foreign	M-- 5,121 F-- 4,136	1,765 1,320	551 495	241 200	126 133	103 83	2,786 2,231	241 219	143 128	192 127	216 160	216 157
37	Foreign	16,354	38	32	23	10	15	118	68	87	241	531	735
38	Males	9,313	22	14	10	3	7	56	36	50	145	314	462
39	Females	7,041	16	18	13	7	8	62	32	37	96	217	273
40	Colored	3,546	842	254	104	61	32	1,293	103	95	147	242	246
41	Males	1,850	443	144	51	29	18	685	56	43	50	137	122
42	Females	1,696	399	110	53	32	14	608	47	52	97	105	124
Birthplaces of mothers (white).													
43	United States	M-- 16,540 F-- 14,116	3,776 2,796	978 810	500 450	320 298	220 235	5,794 4,589	685 617	430 383	592 538	742 608	589 544
44	Ireland	M-- 2,539 F-- 1,958	179 137	65 67	22 27	7 18	15 12	288 261	41 35	37 32	60 42	99 77	137 80
45	Germany	M-- 2,304 F-- 1,660	257 200	82 79	36 29	20 22	20 15	415 345	42 45	36 30	60 47	71 54	68 52
46	England and Wales	M-- 1,377 F-- 992	198 138	60 62	35 15	21 11	12 9	326 235	37 41	27 25	50 17	47 48	46 34
47	Canada	M-- 72 F-- 56	7 12	4 3		2 2	1 2	14 21	1 2	1 2	5 2	6 3	3 2
48	Scandinavia	M-- 154 F-- 119	35 30	7 12	6 10		2	50 54	8 6	11 3	5 4	3 6	9 5
49	Scotland	M-- 250 F-- 205	48 29	12 13		3 4	3 2	66 49	5 8	7 5	4 4	9 6	11 9
50	Italy	M-- 345 F-- 194	107 71	24 20	12 11	7 8	3 10	153 120	5 9	7 4	14 5	16 11	31 6
51	France	M-- 81 F-- 68	10 7	2 3	1			11 11	2 2		4 4	1 1	2 2
52	Russia and Poland	M-- 932 F-- 576	324 239	112 98	49 43	20 17	19 11	524 408	28 23	13 10	18 10	46 15	70 23
53	Other foreign countries	M-- 1,094 F-- 628	344 271	104 75	45 35	21 24	13 8	527 413	36 22	7 11	29 18	66 26	79 18
54	Unknown	M-- 1,705 F-- 1,279	309 226	76 70	27 29	13 16	10 16	435 357	44 28	21 23	30 29	63 53	84 62

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	180	163	149	176	154	191	223	227	173	90	64	20	8	45	
82 71	106 74	101 62	96 53	108 68	96 58	124 67	158 65	146 81	116 57	60 30	36 28	8 12	5 3	37 8	2 3
143	164	148	136	165	146	186	218	221	164	86	63	18	7	36	4
74 69 111	92 72 111	91 57 91	84 52 86	99 66 98	90 56 85	120 66 108	156 62 141	141 80 153	111 53 106	59 27 62	35 28 45	8 10 10	5 2 3	31 5 9	5 6 7
19 26 9 6 29	22 23 5 8 42	22 12 6 8 53	18 19 9 3 41	27 18 11 3 58	31 15 1 2 54	37 20 2 6 65	52 24 6 4 67	50 28 10 7 55	31 19 8 5 49	26 9 5 4 23	15 10 1 1 17	1 3 1 1 7	2 1 1 1 4	2 1 1 1 6	8 9 10 11
17 12 10	27 15 16	35 18 15	25 16 13	31 27 11	31 23 8	45 20 5	46 21 5	35 20 6	36 13 9	16 7 4	13 4 1	3 4 2	3 1 1	4 2 9	11 12 13
8 2	14 2	10 5	12 1	9 2	6 2	4 1	2 3	5 1	5 4	1 3	1 1	2 2	1 1	6 3	14 15
23 29 1 1 7 3 2 1	24 23 1 3 3 2 4 2 1	23 14 7 1 2 7 1 2 2 1	22 20 2 1 5 6 4 1 2 1	30 21 4 5 6 4 6 2 2 1	31 16 4 1 6 5 1 3 1	38 21 7 3 8 3 9 4 2	53 25 6 5 12 4 4 5 5	53 30 7 5 10 3 2 1 3	32 20 1 2 13 6 5 3 2	26 9 4 2 7 6 6 2	15 10 2 1 2 1 2	1 3 1 1 1 1 2	2 1 1 1 1 1 1	2 1 1 1 1 1 1	16 17 18 19 20 21 22 23 24 25 26 27
4 9 9	2 5 22 14	3 1 14 5	2 2 19 7	5 2 24 5	4 2 14 8	2 2 28 10	4 4 30 6	1 1 30 12	3 3 28 10	1 1 8 6	3 3 6 8	3 3 3 2	2 2 3 2	2 2 21 2	28
3,632	3,639	3,521	3,518	3,762	3,933	4,363	4,845	4,960	4,078	3,031	1,504	441	144	442	28
1,963 1,669	2,014 1,625	1,969 1,552	2,066 1,452	2,170 1,592	2,258 1,675	2,360 2,003	2,576 2,269	2,600 2,360	2,115 1,963	1,545 1,486	674 830	170 271	50 94	274 168	29 30
3,465	3,457	3,356	3,370	3,621	3,828	4,257	4,746	4,872	4,004	2,976	1,474	422	122	423	31
1,865 1,600 2,415	1,925 1,532 2,302	1,879 1,477 2,276	1,989 1,381 2,125	2,088 1,533 2,158	2,191 1,637 2,245	2,305 1,952 2,408	2,530 2,216 2,783	2,553 2,319 3,015	2,083 1,921 2,559	1,518 1,458 2,022	660 814 1,007	161 261 275	42 80 77	258 165 175	32 33 34
468 498 182 143 896	415 425 161 141 1,001	428 447 178 127 917	462 407 132 102 1,079	537 473 106 86 1,289	632 519 92 80 1,416	716 590 94 76 1,671	902 707 75 63 1,757	968 800 88 89 1,701	867 698 76 77 1,324	615 541 85 60 840	258 295 40 49 417	69 84 11 11 134	15 19 3 5 43	34 37 4 5 89	35 36 37 38
544 352 167	625 376 182	567 350 165	701 378 148	799 490 141	829 587 105	908 763 106	909 848 99	882 819 88	712 612 74	428 412 55	221 196 30	56 78 19	13 30 22	56 33 19	38 39 40
98 69	89 93	90 75	77 71	82 59	67 38	55 51	46 53	47 41	32 42	27 28	14 16	9 10	8 14	16 3	41 42
504 531 120 89 90 69 55 48 4 2 12 9 6 5 21 6 1 2 51 17 75 23 61 43	437 449 146 116 94 68 50 24 7 1 11 9 13 8 24 5 4 53 14 64 27 72 56	461 464 128 96 104 71 67 47 8 2 8 5 12 10 24 7 3 1 37 7 64 16 88 60	480 435 144 86 130 72 79 46 5 2 6 1 16 6 18 4 4 5 32 6 34 7 88 44	560 498 183 98 136 83 79 50 4 3 4 15 9 14 5 3 25 6 36 9 76 62	655 548 200 130 134 87 99 57 3 4 3 17 13 4 2 4 10 5 17 5 78 46	747 605 214 173 165 89 102 73 3 2 5 10 12 4 4 6 5 16 9 76 47	932 724 202 166 171 132 84 84 1 5 5 21 9 1 2 8 5 12 7 103 59	1,005 831 192 150 103 183 130 76 44 5 1 6 11 12 2 3 4 3 11 9 88	895 732 150 102 101 124 66 38 57 3 2 4 11 15 2 8 6 7 3 87 66	643 567 102 67 51 64 43 19 39 1 3 4 1 2 32 40	266 309 67 13 51 23 64 11 6 15 2 3 1 1 1 6 10	72 87 13 10 23 13 11 6 2 1 3 1 1 6 10	15 20 6 10 14 15 3 4 1 1 1 3 1 1 3 3	36 37 10 14 15 3 4 2 1 1 1 1 1 1 1 45	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RHODE ISLAND.													
1	Total	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
3	Females	4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	White	7,939	1,813	470	193	129	73	2,678	189	113	186	275	308
5	Males	4,021	1,016	246	101	61	41	1,465	97	61	91	131	154
6	Females	3,918	797	224	92	68	32	1,213	92	52	95	144	154
7	Native	5,571	1,780	452	183	116	70	2,601	161	93	133	184	194
8	Both parents native	(M) 1,342	283	68	22	15	14	402	28	14	29	23	35
		(F) 1,384	237	69	26	20	13	365	23	21	26	36	40
9	One or both parents foreign	(M) 1,488	703	161	75	38	24	1,001	51	36	40	55	63
		(F) 1,206	529	145	60	42	18	794	57	18	34	56	54
10	Foreign	2,295	29	17	8	12	3	69	26	20	52	90	108
11	Males	1,054	12	11	2	7	3	35	15	9	20	41	50
12	Females	1,241	17	6	6	5		34	11	11	32	49	58
13	Colored	237	41	25	2	4	2	74	3	4	11	13	11
14	Males	111	20	14	1	2		37	2	2	3	7	5
15	Females	126	21	11	1	2	2	37	1	2	8	6	6
Birthplaces of mothers (white).													
16	United States	(M) 1,517	359	85	28	22	20	514	33	17	35	46	38
		(F) 1,523	303	79	28	23	14	447	32	23	31	43	46
17	Ireland	(M) 948	126	26	20	11	7	190	19	13	19	38	68
		(F) 1,022	94	31	19	12	3	159	15	7	17	38	55
18	Germany	(M) 68	17	3				20	1	2	2	2	3
		(F) 48	7	2	1	1	1	12	2		1	5	1
19	England and Wales	(M) 329	77	20	7	7	1	112	8	5	6	15	6
		(F) 305	58	18	4	4	2	86	12	7	7	12	15
20	Canada	(M) 511	235	46	23	10	7	321	17	11	15	10	12
		(F) 500	170	39	19	22	7	257	14	9	15	26	19
21	Scandinavia	(M) 79	25	8	3			36	1	1	1	5	5
		(F) 84	17	11	3	2	2	35	4	1	3	6	3
22	Scotland	(M) 88	16	3			1	21	4	3	1	4	3
		(F) 93	12	2	1		1	16	2	1	6	2	5
23	Italy	(M) 162	60	31	10	6	2	109	4	3	4	4	7
		(F) 116	56	18	7	4		85	5		4	2	3
24	France	(M) 72	35	8	2	1	1	47	4	2	2	1	1
		(F) 50	27	7	3		1	38	2		2	3	1
25	Russia and Poland	(M) 34	11	4	3	2		20	3	1	2	2	1
		(F) 31	15	4	1			20			2	2	2
26	Other foreign countries	(M) 99	42	9	4	2	2	59	1	1	2	2	5
		(F) 71	26	10	6			42	3	3	4	4	2
27	Unknown	(M) 114	13	3				16	2	2	2	2	5
		(F) 75	12	3			1	16	1	1	3	3	2
SOUTH CAROLINA.													
28	Total	17,166	3,477	1,436	666	378	241	6,198	722	554	943	1,177	920
29	Males	8,461	1,824	754	368	191	119	3,256	364	259	417	505	420
30	Females	8,705	1,653	682	298	187	122	2,942	358	295	526	672	500
31	White	5,808	1,108	499	184	112	61	1,964	195	138	244	265	278
32	Males	2,919	594	252	105	50	26	1,027	101	70	121	125	143
33	Females	2,889	514	247	79	62	35	937	94	68	123	140	135
34	Native	5,605	1,103	496	184	112	60	1,955	192	136	242	261	270
35	Both parents native	(M) 2,626	579	243	102	50	26	1,000	98	65	114	116	120
		(F) 2,659	497	243	79	60	34	913	89	65	118	134	122
36	One or both parents foreign	(M) 62	6	5	1			12	1	3		2	7
		(F) 80	11	3		1		15	4	2	3	3	4
37	Foreign	141									2		4
38	Males	85									2		3
39	Females	59											1
40	Colored	11,358	2,369	937	482	266	180	4,234	527	416	699	912	642
41	Males	5,542	1,230	502	263	141	93	2,229	263	189	296	380	277
42	Females	5,816	1,139	435	219	125	87	2,005	264	227	403	532	365
Birthplaces of mothers (white).													
43	United States	(M) 2,644	580	247	102	50	26	1,005	98	66	114	116	121
		(F) 2,691	502	244	79	61	34	920	92	66	120	135	123
44	Ireland	(M) 40											2
		(F) 53	1					1			1		1
45	Germany	(M) 50	2	1				3	1	2	1	1	4
		(F) 33	3					3				2	
46	England and Wales	(M) 15	2					2		1		1	2
		(F) 7		1				1	1				
47	Canada	(M) 2											
48	Scandinavia	(M) 6											1
		(F) 3											
49	Scotland	(M) 3											
		(F) 3		1				1					
50	Italy	(M) 4											1
		(F) 3											
51	France	(M) 3											2
		(F) 3											
52	Russia and Poland	(M) 3	1					1					
		(F) 3	2					2					
53	Other foreign countries	(M) 5			1			1					
		(F) 3	1	1				2					
54	Unknown	(M) 147	9	3	2			14	2	2	5	7	13
		(F) 91	5	1		1	1	8	1	1	2	3	8

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27	1
157	161	168	162	189	213	199	209	208	198	117	61	16	5	14	2
146	156	141	168	190	191	227	223	241	230	158	102	37	11	13	3
293	306	295	321	362	393	414	426	437	422	271	159	49	15	27	4
153	155	162	159	179	206	192	208	204	194	116	59	16	5	14	5
140	151	133	162	183	187	222	218	233	228	155	100	33	10	13	6
174	141	164	153	155	153	179	198	240	275	192	126	36	11	8	7
32	31	38	44	52	68	82	88	115	117	79	45	8	2		8
32	34	40	44	61	47	70	90	111	134	103	73	24	8	2	9
64	36	48	25	15	18	13	5	5	6	2	1	1		3	
40	34	30	32	18	8	8	6	4	5	1	3	3		1	
115	157	126	163	206	234	230	224	191	145	75	32	13	4	15	10
51	80	67	81	107	108	89	105	78	61	30	11	7	2	7	11
64	77	59	82	99	126	141	119	113	84	45	21	6	2	8	12
10	11	14	9	17	11	12	6	12	6	4	4	4	1		13
4	6	6	3	10	7	7	1	4	4	1	2				14
6	5	8	6	7	4	5	5	8	2	3	2	4	1		15
34	34	42	48	54	71	86	91	116	121	80	46	8	2	1	16
36	36	42	48	64	48	73	91	113	137	105	74	24	8	2	17
68	60	60	54	69	69	60	58	48	24	15	6	3	1	6	18
50	55	53	55	72	75	106	76	82	52	29	14	5	2	5	19
1	2	2	5	4	3	5	5	4	5	2					20
4	5	1	1	2	2	3	3	3	3	1					21
16	12	19	7	13	19	26	18	19	17	6	1	1	1	2	22
17	12	7	15	17	22	18	16	15	16	6	4	1			23
12	15	9	20	14	7	7	13	7	11	4	2	4			24
16	23	18	22	9	18	8	17	9	8	5	2	2		3	25
1	6	5	4	1	8		3	2							26
4	6	1	3	4	2	4	2	2	1	2	1				27
5	4	6	6	10	5	3	4	3	3	2	1				28
5	2	5	10	5	7	5	7	5	6	2	2				29
1	8	3	3	4	8	2	2		1	1					30
1	2	2	2	1	1	3	2		1	1				1	31
1	2	2	1	1	2		6		1		1				32
2		2	1	1	1					1					33
9	1	4	1	3	1	1	1								34
1	1	1	2	2	3	4	1		2	1					35
5	9	8	9	10	7	4	8	5	9	5	2	1	1	4	36
4	6	2	3	5	7	3	2	4	4	4	3			2	37
676	718	661	571	636	490	599	536	576	440	319	166	74	70	120	38
272	302	315	291	344	261	292	270	303	241	157	77	23	28	64	39
404	416	346	280	292	229	307	266	273	199	162	89	51	42	56	40
187	235	239	221	230	190	268	283	278	247	170	85	25	15	51	41
82	109	118	115	129	95	129	130	134	126	71	43	10	5	33	42
105	126	121	106	101	95	139	153	144	121	96	42	15	10	18	43
182	230	229	215	212	181	243	265	252	225	156	79	24	15	41	44
67	89	99	97	106	82	109	116	105	111	63	38	9	4	18	45
95	118	109	96	89	84	120	128	129	102	81	32	13	8	11	46
7	8	3	1	1	2	2		6	2	2	2			1	47
4	4	5		4	2	5	6	2	5	5	4	1	2		48
2	5	5	5	12	8	25	16	23	19	11	6	1			49
1	4	3	5	10	5	14	7	15	9	4	2	1			50
1	1	2		2	3	11	9	8	10	7	4				51
489	483	422	350	406	300	331	253	298	193	149	81	49	55	60	52
190	193	197	176	215	166	163	140	169	115	83	34	13	23	20	53
299	290	225	174	191	134	168	113	129	78	66	47	36	32	38	54
69	90	99	97	107	83	110	116	108	112	64	38	9	4	18	55
95	118	111	96	90	84	122	133	130	105	83	33	13	8	14	56
3	2	3	1	7	3	7	3	7	2	1	1	1			57
4	3	3		3	2	7	5	4	8	5	5	1	1		58
1	8	1	2	2	2	4	2	7	3	1	2				59
2	1		1	1	2	6	5	3	4	2	1		1		60
1		1			1	2			1	2	1				61
							1			1					62
	1							2	1	1					63
		1		1				1	1						64
			1							1					65
					1										66
		2					1								67
7	8	13	12	12	6	4	7	9	4	5	2		1	14	68
5	3	6	10	6	6	4	9	6	4	3	2	1		4	69

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
SOUTH DAKOTA.													
1	Total	3,088	616	187	98	78	45	1,024	197	126	158	161	120
2	Males	1,654	260	99	51	41	23	574	93	53	77	77	59
3	Females	1,434	246	88	47	37	22	450	104	73	81	84	61
4	White	2,448	500	121	53	45	30	749	132	84	108	118	100
5	Males	1,349	292	64	31	25	17	429	68	39	55	53	49
6	Females	1,099	208	57	22	20	13	320	64	45	53	65	51
7	Native	1,672	498	120	53	44	30	745	127	75	91	92	64
8	Both parents native	(M) 400 (F) 228	112 77	33 16	11 5	5 9	5 5	166 112	17 20	13 17	19 13	16 23	12 15
9	One or both parents foreign	(M) 454 (F) 412	174 128	31 40	18 17	19 11	11 8	253 204	50 40	20 25	24 31	24 29	17 18
10	Foreign	751	1	1		1		3	5	9	17	26	35
11	Males	432	1			1		2	1	6	10	13	19
12	Females	319		1				1	4	3	7	13	16
13	Colored	640	116	66	45	33	15	275	65	42	50	43	20
14	Males	305	68	35	20	16	6	145	25	14	22	24	10
15	Females	335	48	31	25	17	9	130	40	28	28	19	10
Birthplaces of mothers (white).													
16	United States	(M) 497 (F) 418	163 103	38 27	12 7	8 11	7 5	228 153	24 27	15 23	30 21	18 28	15 17
17	Ireland	(M) 75 (F) 44	3 2					3 2		1	3	1	3
18	Germany	(M) 175 (F) 122	25 17	7 3	3 2	3 2		38 24	13 8	7 5	4 3	9 9	6 8
19	England and Wales	(M) 47 (F) 39	2 5	2 1				4 6	2 1		1	4 2	1 1
20	Canada	(M) 44 (F) 31	8 7	1 1	1	1		11 8	3 1	4 1	3 3	5 3	3 1
21	Scandinavia	(M) 227 (F) 232	30 32	10 13	5 6	1 2	3	49 53	5 13	3 9	10 12	7 16	14 13
22	Scotland	(M) 17 (F) 9											
23	Italy	(M) 5 (F) 1	2 1					2 1			1		1
24	France	(M) 4 (F) 4		1			1	1					1
25	Russia and Poland	(M) 145 (F) 120	48 32	6 12	8 7	12 4	5 8	79 63	20 11	7 5	5 6	3 4	2 4
26	Other foreign countries	(M) 49 (F) 46	8 5			1	1	9 6	1 4	2 1	1 2	3 1	3 2
27	Unknown	(M) 64 (F) 33	3 2		2			5 2			2	1 1	1 3
TENNESSEE.													
28	Total	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061	1,743
29	Males	15,354	2,977	1,136	509	313	221	5,156	607	452	794	981	787
30	Females	15,218	2,569	998	514	290	202	4,573	678	566	940	1,080	956
31	White	21,029	3,935	1,479	705	384	280	6,783	809	574	960	1,219	1,150
32	Males	10,568	2,103	789	351	191	155	3,589	398	273	443	571	505
33	Females	10,461	1,832	690	354	193	125	3,194	411	301	517	648	645
34	Native	20,257	3,919	1,474	704	381	280	6,758	799	568	952	1,203	1,113
35	Both parents native	(M) 8,755 (F) 8,974	1,905 1,638	718 624	332 315	167 175	141 117	3,263 2,869	345 359	249 264	395 478	490 568	399 545
36	One or both parents foreign	(M) 122 (F) 130	15 17	3 6	1 7	3 3	3 2	25 35	6 5	3 2	4 7	5 4	10 8
37	Foreign	511		1				1	2	2	2	5	20
38	Males	330		1				1	1	1	1	4	11
39	Females	181							1	1	1	1	9
40	Colored	9,543	1,611	655	313	219	143	2,946	476	444	774	842	593
41	Males	4,786	874	347	158	122	66	1,567	209	179	351	410	282
42	Females	4,757	737	308	160	97	77	1,379	267	265	423	432	311
Birthplaces of mothers (white).													
43	United States	(M) 8,808 (F) 9,050	1,913 1,645	719 628	332 319	169 175	142 117	3,275 2,884	349 359	251 267	395 483	493 569	402 550
44	Ireland	(M) 113 (F) 76	2 1					2 4	1 2	1		2 2	6 3
45	Germany	(M) 64 (F) 55	1 1		2	1		1 4	1 2		1	1	3 3
46	England and Wales	(M) 30 (F) 19	1 3	1 1		1		2 5		1			1 1
47	Canada	(M) 8 (F) 6		1				1			1		1
48	Scandinavia	(M) 4 (F) 3	1		1			1					
49	Scotland	(M) 19 (F) 10									1		
50	Italy	(M) 6 (F) 2	1 1					1 2					
51	France	(M) 3 (F) 4											1
52	Russia and Poland	(M) 13 (F) 7	2 2	1 1			1	2 4	1 1				2
53	Other foreign countries	(M) 28 (F) 9	1 1	1	1	1	2	6 1			1		1
54	Unknown	(M) 801 (F) 746	99 104	39 27	11 17	9 9	4 3	162 160	25 21	9 23	27 19	44 44	37 41

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
105	103	134	111	86	126	120	139	122	110	80	24	10	3	29	1
46 59	46 57	63 71	61 50	50 36	77 49	71 49	87 52	70 52	62 48	49 31	15 9	4 6	1 2	19 10	2 3
87	88	121	101	80	115	110	125	108	96	66	20	9	2	29	4
34 53 50	38 50 43	56 65 50	57 44 50	47 33 25	71 44 41	66 44 45	79 46 52	65 43 43	58 38 37	46 20 18	15 5 10	4 5 3	1 1 1	19 10 10	5 6 7
9 8 15 14 37	11 9 7 12 44	9 11 10 16 71	13 16 9 7 51	4 7 5 5 55	22 9 2 1 73	19 15 1 1 64	25 17 3 2 70	18 16 3 3 64	15 11 4 4 59	5 4 3 2 47	4 3 2 10	2 1 1 6	1 1 1 1	1 1 1 4	8 9 10
7 30 18	18 26 15	36 35 13	32 19 10	36 19 6	41 32 11	41 23 10	45 25 14	42 22 14	37 22 14	33 14 14	8 2 4	2 4 1	1 1 1	2 2 1	11 12 13
12 6	8 7	7 6	4 6	3 3	6 5	5 5	8 6	5 9	4 10	3 11	4 4	1 2	1 1	1 1	14 15
10 12 3	11 10 2 4	9 15 6 5	15 20 5 4	5 9 6 2	22 10 2 2	21 16 9 3	25 18 8 5	20 18 9 1	15 11 4 6	7 4 8 3	4 3 3	2 2 1	1 1 1	1 1 1	16 17 18
5 10 2 3	5 7 2 3	7 5 3 2	10 6 1 2	7 3 3 1	10 8 6 2	11 6 2 2	9 7 4 1	6 5 1 2	12 4 5 1	12 1 3 2	1 1 1 1	1 1 1 1	1 1 1 1	2 1 1 1	19 20 21 22
2 9 16	4 9 8	2 11 23 2 3 2	2 12 8 3	1 14 4 1	2 17 16 2	2 12 10	2 18 8 2	2 17 7 4	2 10 10 2	2 7 5 1	2 2 1 1	2 1 1 1	2 1 1 1	2 1 1 1	23 24 25 26
1 5	2 6 3	8 4 3	2 3 4	4 3 3	3 3 1	1 4 2	2 1 3	1 1 4	3 1 5	1 1 2	1 1 1	1 1 1	1 1 1	1 1 1	27
5 4	3 3	3 1 2	3 3 1	5 1 1	6 1 1	5 4	6 2	6 2	4 4	4 4	1 1	1 1	1 1	15 7	28
1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316	29
577 659	568 665	546 575	577 529	648 584	566 484	575 556	619 560	624 558	481 445	358 343	201 156	54 79	31 68	152 164	30
836	836	776	792	855	806	842	964	936	758	554	275	91	40	173	31
387 449 793	381 455 795	372 404 735	422 370 754	442 413 794	423 383 748	428 414 760	497 467 866	482 454 867	387 371 708	290 264 518	153 122 272	39 52 86	11 29 37	75 98 131	32 33 34
270 390 4 5 22	278 378 3 9 27	267 335 6 6 27	320 303 7 4 25	337 331 6 4 45	304 318 6 3 51	321 347 1 7 68	366 369 6 8 78	387 381 6 5 60	310 308 8 7 41	243 213 6 6 23	129 108 8 1 2	33 39 3	9 18 2 1	40 53 1 1	35 36 37
16 6 400	15 12 397	20 7 345	19 6 314	26 19 377	36 15 244	49 19 289	49 29 215	39 21 246	28 13 168	10 13 147	1 1 82	3 3 42	59	143	38 39 40
190 210	187 210	174 171	155 159	206 171	143 101	147 142	122 93	142 104	94 74	68 79	48 34	15 27	20 89	77 66	41 42
272 392 5 3 2 1 2	279 382 5 6 5 2	268 337 4 3 2 4 2	324 304 3 4 4 1	341 333 5 6 3 1	306 321 10 4 3	323 353 9 6 5	368 379 24 12 4 5	392 387 15 8 12 2	312 311 14 6 5 3	244 219 7 7 3 2	130 108 3 1 3	34 41 2 1	9 18 1 1	41 53 1 1	43 44 45 46
1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	47
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	48
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	49
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	52
49 31	31 36	45 37	37 33	41 34	47 30	40 35	57 43	38 30	36 36	26 25	15 11	4 7	1 10	30 40	53 54

TABLE 6. DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
TEXAS.													
1	Total	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011	1,742
2	Males	18,015	4,086	1,729	782	435	364	7,396	887	586	802	991	783
3	Females	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020	959
4	White	26,216	5,912	2,509	1,162	679	531	10,793	1,361	867	1,103	1,386	1,284
5	Males	14,011	3,196	1,345	599	340	283	5,763	672	441	558	693	581
6	Females	12,175	2,716	1,164	563	339	248	5,030	689	426	545	693	703
7	Native	23,526	5,889	2,461	1,145	667	523	10,635	1,322	835	1,031	1,243	1,143
8	Both parents native	(M) 9,543	2,532	1,098	472	269	222	4,593	519	315	441	457	355
		(F) 8,780	2,103	943	463	263	199	3,971	546	329	411	493	477
9	One or both parents foreign	(M) 1,178	358	123	65	39	34	619	77	52	54	72	52
		(F) 1,050	347	111	51	41	33	583	74	48	51	68	59
10	Foreign	2,136	16	17	7	5	4	49	24	24	63	111	113
11	Males	1,292	10	8	2	2	3	25	16	13	30	57	63
12	Females	844	6	9	5	3	1	24	8	11	33	54	50
13	Colored	7,944	1,692	695	363	198	147	3,095	433	325	512	625	458
14	Males	4,004	890	384	183	95	81	1,633	215	145	244	298	202
15	Females	3,940	802	311	180	103	66	1,462	218	180	268	327	256
Birthplaces of mothers (white).													
16	United States	(M) 9,933	2,637	1,145	491	282	233	4,788	545	368	456	478	372
		(F) 9,110	2,211	977	485	277	209	4,159	566	339	426	508	491
17	Ireland	(M) 144	3	2	2		1	8			2	4	6
		(F) 63	3		2	2		7	3	1	1	2	9
18	Germany	(M) 571	79	22	6	8	6	121	13	13	19	26	20
		(F) 460	59	22	12	10	4	107	19	9	15	27	20
19	England and Wales	(M) 103	8	2	1	1		12	2	2		5	1
		(F) 59	3	2	2		1	8	2	1		4	2
20	Canada	(M) 20	3					3				1	
		(F) 12	2			1		3				1	1
21	Scandinavia	(M) 64	10	5	1	1	2	19		1	1	2	5
		(F) 41	11	5	1	2	1	20	3	4	1		2
22	Scotland	(M) 31	1					1				2	
		(F) 20	1	1				2					1
23	Italy	(M) 27	7		2		2	11	4	2			
		(F) 20	1	3	2	2		8	1	1	1	1	
24	France	(M) 34									3	1	
		(F) 25	2					2	1	2	1	1	3
25	Russia and Poland	(M) 39	4	6	4		1	15	1	1	3	2	2
		(F) 34	12	2	1	1	3	19	4		2	2	
26	Other foreign countries	(M) 898	155	53	36	19	19	282	45	25	39	61	54
		(F) 762	162	53	16	12	17	260	35	31	48	62	46
27	Unknown	(M) 1,549	179	71	45	19	14	328	44	19	25	85	85
		(F) 1,110	164	60	29	24	9	286	34	26	33	53	85
UTAH.													
28	Total	3,079	580	183	77	53	41	934	145	92	142	158	171
29	Males	1,821	324	104	39	27	14	508	64	52	88	86	108
30	Females	1,258	256	79	38	26	27	426	81	40	54	72	63
31	White	2,972	571	173	72	52	38	906	132	86	133	158	169
32	Males	1,764	319	101	36	26	13	495	59	50	86	81	108
33	Females	1,208	252	72	36	26	25	411	73	36	47	72	61
34	Native	1,934	570	169	71	52	38	900	127	81	105	112	109
35	Both parents native	(M) 509	184	49	21	13	7	274	27	21	19	11	18
		(F) 452	144	42	24	12	16	238	40	14	11	33	12
36	One or both parents foreign	(M) 424	118	44	14	12	4	192	29	24	43	31	29
		(F) 358	99	27	11	14	7	158	29	20	25	26	34
37	Foreign	983		4	1			5	4	5	28	38	58
38	Males	645		3				3	1	4	19	28	47
39	Females	338		1	1			2	3	1	9	10	11
40	Colored	107	9	10	5	1	3	28	13	6	9	5	2
41	Males	57	5	3	3	1	1	13	5	2	2	5	
42	Females	50	4	7	2		2	15	8	4	7		2
Birthplaces of mothers (white).													
43	United States	(M) 637	227	63	27	18	9	344	38	26	27	18	25
		(F) 556	178	49	26	18	21	292	51	25	16	38	21
44	Ireland	(M) 50		1				1	1			1	4
		(F) 19	1					1	1			1	2
45	Germany	(M) 42	5	4				9	2		1		3
		(F) 17	1	3				4			2	1	1
46	England and Wales	(M) 419	33	12	4	3	1	53	7	7	26	25	26
		(F) 299	30	9	7	4	1	51	10	5	19	13	16
47	Canada	(M) 9				1		1					
		(F) 15	3	1				4	1				1
48	Scandinavia	(M) 194	26	13	4	1	2	46	7	10	9	15	6
		(F) 170	22	5	3	3	3	36	8	3	5	12	10
49	Scotland	(M) 92	3	1		1		5	1	6	12	4	7
		(F) 39	3	1				4			1	3	3
50	Italy	(M) 17	3	1				4					5
		(F) 1											
51	France	(M) 8										1	
		(F) 3										2	
52	Russia and Poland	(M) 3											
		(F) 1											
53	Other foreign countries	(M) 109	5	1		1		7	1		6	5	19
		(F) 31	5	2		1		8		2			3
54	Unknown	(M) 184	17	5	1	1	1	25	2	1	5	11	13
		(F) 57	9	2				11	1	1	2	3	4

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377	1
651	634	623	687	682	515	588	562	534	410	263	134	57	38	222	2
759	635	584	465	460	362	390	389	359	284	248	132	45	51	155	3
1,075	989	991	918	916	727	783	788	735	568	399	212	65	28	228	4
500	502	517	558	560	446	481	472	449	336	210	109	40	9	144	5
575	487	474	360	356	281	302	316	286	232	189	103	25	19	84	6
897	824	805	749	730	554	567	590	559	434	300	153	45	8	102	7
302	270	277	325	314	232	232	254	239	181	117	51	20	1	18	8
387	322	315	239	237	186	186	186	176	130	106	46	6	6	25	9
23	39	29	21	25	26	14	14	20	18	10	5	1	1	7	10
30	15	26	21	14	10	7	11	8	8	5	6	2	2	4	
139	139	155	145	169	156	187	172	157	122	86	52	19	19	35	
73	69	92	95	113	107	125	123	108	72	43	25	12	8	28	11
66	70	63	50	56	49	62	49	54	50	43	27	7	11	7	12
335	280	216	234	226	150	195	163	158	126	112	54	37	61	149	13
151	132	106	129	122	69	107	90	85	74	53	25	17	29	78	14
184	148	110	105	104	81	88	73	73	52	59	29	20	32	71	15
307	281	284	334	323	242	243	259	251	188	121	53	21	1	18	16
401	328	324	245	240	191	190	192	178	133	109	47	6	6	28	17
2	6	5	12	18	20	18	13	10	9	4	4	4	3	3	18
1	2	8	8	6	3	5	3	3	1	3	3	3	3	3	19
25	29	32	27	33	31	34	48	38	23	14	5	7	1	7	20
23	27	21	20	19	19	22	21	26	21	19	15	6	3	1	21
1	4	2	4	11	9	14	11	7	6	5	4	1	1	2	22
5	3	4	3	3	3	3	3	4	2	5	4	1	1	1	23
2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	24
3	5	6	1	2	1	5	3	3	1	1	1	1	1	1	25
1	2	2	1	3	1	2	6	8	1	1	1	1	1	1	26
1	1	1	1	1	1	1	3	3	2	1	1	1	1	1	27
1	2	1	3	7	3	2	1	4	1	5	1	1	1	1	28
2	1	4	2	1	1	1	1	2	1	2	1	1	1	1	29
1	3	3	2	1	2	1	4	11	1	1	1	1	1	1	30
3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	31
1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	32
40	35	44	41	36	38	29	26	22	19	18	12	5	6	21	33
43	41	36	20	25	19	18	16	17	13	12	6	2	4	8	34
71	92	88	99	91	72	88	71	76	58	39	26	6	6	86	35
64	61	54	42	35	32	44	65	45	41	29	22	9	2	43	36
131	157	136	103	92	107	115	131	146	119	88	39	17	1	55	37
89	105	94	64	64	74	78	85	83	64	45	16	5	1	49	38
42	52	42	39	28	33	37	46	63	55	43	23	12	1	6	39
129	133	130	96	86	105	109	121	146	118	88	39	17	1	55	40
88	102	90	61	62	72	73	76	83	63	45	16	5	1	49	41
41	51	40	35	24	33	36	45	63	55	43	23	12	1	6	42
72	90	52	43	31	30	33	31	35	26	27	10	6	1	14	43
13	21	3	11	7	18	16	11	12	8	11	3	2	2	3	44
13	13	8	16	4	1	3	7	13	8	10	3	1	1	3	45
18	18	13	3	5	1	4	4	3	2	10	3	2	2	5	46
17	21	11	5	3	2	2	2	2	1	1	1	1	1	2	47
52	55	74	47	52	71	74	89	109	91	60	29	11	1	30	48
43	42	55	35	37	43	46	55	61	51	32	11	3	1	29	49
9	13	19	12	15	28	28	34	48	40	28	18	8	1	1	50
2	4	6	7	6	2	6	10	10	1	1	1	1	1	1	51
1	3	4	3	2	2	5	9	1	1	1	1	1	1	1	52
1	1	2	4	4	4	1	1	1	1	1	1	1	1	1	53
16	26	6	14	8	18	17	11	14	9	11	3	2	2	4	54
16	15	8	16	5	1	3	8	13	10	10	3	2	2	3	55
3	4	9	2	6	6	4	2	3	3	1	1	1	1	1	56
1	1	1	1	1	3	5	2	2	5	1	1	1	1	1	57
2	4	1	1	1	1	2	4	3	1	1	1	1	1	1	58
1	1	1	1	1	2	2	2	2	1	1	1	1	1	1	59
17	26	30	14	17	17	16	27	36	34	20	7	3	3	11	60
11	13	13	12	11	14	19	21	23	21	13	11	3	3	3	61
3	1	2	1	1	1	2	1	1	1	1	1	1	1	1	62
9	5	6	6	12	9	8	13	10	10	9	2	2	2	2	63
4	9	10	6	1	8	6	9	17	12	6	6	3	3	1	64
7	3	9	5	2	6	5	7	5	1	3	3	2	2	1	65
2	4	3	1	2	1	2	1	4	1	6	2	2	2	1	66
3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	67
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	68
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	69
14	10	7	4	2	2	6	3	6	3	1	1	1	1	13	70
1	2	2	1	1	1	1	1	4	1	1	1	1	1	1	71
13	21	20	12	13	10	7	7	6	2	2	2	2	2	12	72
2	4	3	2	2	2	3	2	2	4	5	2	2	2	1	73

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
VERMONT.													
1	Total	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males	2,936	490	90	35	17	14	643	55	47	85	104	91
3	Females	2,893	335	79	38	14	19	488	64	47	65	107	134
4	White	5,804	821	167	73	31	32	1,124	119	94	149	210	224
5	Males	2,920	487	89	35	17	14	642	55	47	84	104	91
6	Females	2,884	334	78	38	14	18	482	64	47	65	106	133
7	Native	4,885	818	164	71	29	32	1,114	107	83	135	191	196
8	Both parents native	M											
9	One or both parents foreign	F											
10	Foreign	844	2	2	2	2		8	9	11	14	25	26
11	Males	424	2	2	1	2		5	5	6	5	13	11
12	Females	420	2		1			3	4	5	9	12	15
13	Colored	25	4	2			1	7			1	1	1
14	Males	16	3	1				4			1		
15	Females	9	1	1			1	3				1	1
Birthplaces of mothers (white).													
16	United States	M											
17	Ireland	F											
18	Germany	M											
19	England and Wales	F											
20	Canada	M											
21	Scandinavia	F											
22	Scotland	M											
23	Italy	F											
24	France	M											
25	Russia and Poland	F											
26	Other foreign countries	M											
27	Unknown	F											
VIRGINIA.													
28	Total	25,252	4,921	1,462	677	392	296	7,748	943	639	1,189	1,565	1,147
29	Males	13,112	2,717	746	366	207	148	4,184	472	294	573	811	529
30	Females	12,140	2,204	716	311	185	148	3,564	471	345	616	754	618
31	White	14,070	2,607	769	329	201	157	4,063	481	300	504	690	599
32	Males	7,802	1,433	396	177	98	76	2,180	255	147	235	343	273
33	Females	6,768	1,174	373	152	103	81	1,883	226	153	269	347	326
34	Native	13,472	2,599	767	327	200	157	4,050	478	300	499	678	583
35	Both parents native	M	5,384	1,139	314	157	83	64	1,757	216	133	196	278
36	One or both parents foreign	F	5,305	948	299	125	96	71	1,539	193	130	228	274
37	Foreign	M	102	24	4	1	1	1	31	8	1	2	4
38		F	63	14	5	2	1		22	1	3	5	4
39			439			2			2	1		4	12
40	Colored		11,182	2,314	693	348	191	139	3,685	462	339	685	875
41	Males	5,810	1,284	350	189	109	72	2,004	217	147	338	468	256
42	Females	5,372	1,030	343	159	82	67	1,681	245	192	347	407	292
Birthplaces of mothers (white).													
43	United States	M	5,440	1,151	315	158	83	65	1,772	219	134	198	279
44	Ireland	F	5,340	957	302	126	96	71	1,552	194	131	229	276
45	Germany	M	96	3					3	2		1	2
46	England and Wales	F	34	1					1	1		1	1
47	Canada	M	74	4	1				5	1		2	1
48	Scandinavia	F	20	3			1		4			2	1
49	Scotland	M	52	6			1		7	1			2
50	Italy	F	20	3					3				
51	France	M	8	2					2				1
52	Russia and Poland	F	3	1	2				3				
53	Other foreign countries	M	15	1					1				1
54	Unknown	F	377	39	15	4	2	2	62	3	1	8	13
			241	26	13	5		46	8	3	6	10	16

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	1
73	81	114	86	94	147	174	192	271	273	242	90	43	13	15	2
91	116	103	91	131	145	187	190	204	266	208	141	78	21	19	3
164	196	215	176	225	290	356	381	474	539	450	231	121	34	32	4
73	81	112	85	94	146	170	191	270	273	242	90	43	13	14	5
91	115	103	91	131	144	186	190	204	266	208	141	78	21	18	6
130	159	169	145	158	231	279	303	380	435	361	181	98	22	18	7
															8
															9
33	33	42	30	61	55	72	76	90	95	81	46	21	12	4	10
18	14	24	14	28	28	38	36	52	41	50	21	8	5	2	11
15	19	18	16	33	27	34	40	38	54	31	25	13	7	2	12
	1	2	1		2	5	1	1						2	13
		2	1		1	4	1	1						1	14
	1				1	1								1	15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
															27
1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306	28
473	444	457	463	544	489	608	635	680	516	420	215	76	47	182	29
531	499	496	416	465	431	555	530	559	435	358	202	97	74	124	30
527	524	516	509	579	606	747	803	870	701	538	305	97	30	79	31
258	240	249	279	315	322	393	439	461	369	281	156	45	16	46	32
269	284	267	230	264	284	354	366	409	332	257	149	52	14	33	33
507	499	488	489	537	550	691	721	789	641	500	293	93	28	58	34
173	149	163	178	211	186	243	284	316	277	218	134	42	13	25	35
205	211	206	173	189	195	272	260	326	256	195	124	43	12	22	36
2	2	5	6	1	3	4	8	5	4	5	5				
4	3		2	2	2	2	3	2	2	5					
10	18	21	13	34	41	49	67	65	52	31	12	2	2	3	37
9	15	15	9	25	27	40	47	49	38	21	6	1	2	3	38
1	3	6	4	9	14	9	20	16	14	10	6	1			39
477	419	437	370	430	314	416	360	369	250	240	112	76	91	227	40
215	204	208	184	229	167	215	196	219	147	139	59	31	31	136	41
262	215	229	186	201	147	201	164	150	103	101	53	45	60	91	42
174	150	168	181	212	188	245	289	321	279	220	137	42	13	25	43
207	211	207	173	191	197	273	262	327	257	198	124	43	12	22	44
4	1	2	2	7	10	13	12	12	12	9	3				45
	5	3	2	2	3	2	6	4	5	3	1				46
2	1		1	2	3	5	13	15	6	4	3				47
2	1	3	1	4	2	4	8	5	1	3	1				48
1	3	1	1	1	1	1	3	1		3					49
2		1	1			1									50
	1	1			1			2							51
								3							52
															53
1	1		2	2	2			1	1					3	54
8	12	11	21	19	44	43	47	34	14	16	3	1	1	5	
10	13	11	10	13	18	10	16	18	10	11	3	1	1	7	

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
WASHINGTON.													
1	Total	4,910	629	178	89	81	73	1,050	177	154	214	298	251
2	Males	3,148	379	105	48	39	38	609	113	72	104	166	145
3	Females	1,762	250	73	41	42	35	441	64	82	110	127	106
4	White	4,591	595	160	78	72	64	969	167	132	203	268	228
5	Males	2,955	363	95	41	33	33	565	107	64	100	153	130
6	Females	1,639	232	65	37	39	31	404	60	68	103	115	98
7	Native	3,065	388	155	76	70	62	951	159	113	175	202	147
8	Both parents native	(M) 975 (F) 701	180 131	51 34	23 22	17 23	21 14	292 224	45 22	29 23	48 56	71 50	27 45
9	One or both parents foreign	(M) 500 (F) 377	145 88	39 24	15 13	13 12	7 15	219 152	50 34	25 28	32 29	19 33	20 21
10	Foreign	1,211	6	2	2	2	2	14	4	13	24	47	63
11	Males	895	5	1	2		1	9	2	5	15	35	46
12	Females	316	1	1		2	1	5	2	8	9	12	17
13	Colored	316	34	18	11	9	9	81	10	22	11	25	23
14	Males	193	16	10	7	6	5	44	6	8	4	13	15
15	Females	123	18	8	4	3	4	37	4	14	7	12	8
Birthplaces of mothers (white).													
16	United States	(M) 1,115 (F) 834	234 160	64 43	24 28	24 26	21 21	367 278	54 29	36 31	56 68	77 57	30 54
17	Ireland	(M) 191 (F) 62	5 2					7 6	1 2	2 2	6 2	6 4	8 3
18	Germany	(M) 226 (F) 102	20 10	7 2	4 1	2 2	1 1	34 16	10 5	4 5	7 4	10 3	9 8
19	England and Wales	(M) 160 (F) 90	10 8	3 3		2 2		13 15	4 1	2 3	4 3	6 6	11 3
20	Canada	(M) 147 (F) 77	15 12	4 4	4 1		1 2	24 23	6 6	7 4	8 6	11 7	5 4
21	Scandinavia	(M) 252 (F) 122	25 16	8 2	2 2	3 1	2 4	40 23	15 7	5 9	8 5	3 11	10 7
22	Scotland	(M) 69 (F) 36	2 3	1 3				3 2				3 3	1 2
23	Italy	(M) 34 (F) 9	3 1				1	4 4		2		1	5
24	France	(M) 20 (F) 10		2	1		1	1 8			1		
25	Russia and Poland	(M) 30 (F) 14	5 2	1 1	1		1	5 4	3 4	3 1	1 1		5
26	Other foreign countries	(M) 104 (F) 38	12 9	3 2	4 1		1	20 13	4 2	4 2	5 1	8 2	8 2
27	Unknown	(M) 607 (F) 245	32 11	4 4	2 2	2 2	4 1	44 20	10 2	5 9	5 11	28 21	38 15
WEST VIRGINIA.													
28	Total	9,588	1,956	610	311	180	130	3,187	373	267	509	601	480
29	Males	5,046	1,098	319	167	95	59	1,738	183	128	261	279	243
30	Females	4,542	858	291	144	85	71	1,449	190	139	248	322	237
31	White	9,074	1,853	573	298	167	125	3,016	348	246	475	552	447
32	Males	4,756	1,043	299	160	87	58	1,647	171	115	239	253	223
33	Females	4,318	810	274	138	80	67	1,369	177	131	236	299	224
34	Native	8,651	1,852	570	296	166	124	3,008	348	242	471	538	435
35	Both parents native	(M) 4,060 (F) 3,798	988 773	283 264	149 131	84 78	56 64	1,560 1,310	165 165	104 118	217 214	218 282	200 197
36	One or both parents foreign	(M) 186 (F) 151	21 15	7 6	3 2	3 1		34 25	5 7	6 4	13 7	15 4	10 12
37	Foreign	338		2				2		3	1	11	7
38	Males	201		1				1		1	1	9	4
39	Females	137		1				1		2		2	3
40	Colored	514	103	37	13	13	5	171	25	21	34	49	33
41	Males	290	55	20	7	8	1	91	12	13	22	26	20
42	Females	224	48	17	6	5	4	80	13	8	12	23	13
Birthplaces of mothers (white).													
43	United States	(M) 4,113 (F) 3,858	991 782	286 264	149 132	85 79	56 65	1,567 1,322	165 166	107 121	222 216	224 282	203 201
44	Ireland	(M) 99 (F) 67	1 1		1			2 1	2 1		1	9 4	4 2
45	Germany	(M) 146 (F) 109	4 4	2 1	1 1	1		8 6	2 1	3 2	7 2	4 3	3 6
46	England and Wales	(M) 53 (F) 35	9 2	2 2	1			12 4	1 2	1	1	1 2	2 2
47	Canada	(M) 3 (F) 1								1		1	
48	Scandinavia	(M) 3 (F) 1				1		1					
49	Scotland	(M) 10 (F) 9		1 1				1 1			1	1	1
50	Italy	(M) 1 (F) 2											
51	France	(M) 2 (F) 4										1	1
52	Russia and Poland	(M) 4 (F) 4	2					2 3		1			
53	Other foreign countries	(M) 17 (F) 10	3	2				3 2	1 1		1 1	2 1	1 1
54	Unknown	(M) 305 (F) 223	33 22	8 3	8 5		2 1	51 33	1 5	3 6	7 15	10 11	9 10

111

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
261	349	312	284	270	239	245	228	235	122	101	28	19	6	72
166 26 95	239 110	218 94	215 69	194 76	174 65	185 60	157 71	151 84	75 47	74 27	15 13	15 4	4 2	57 15
240	332	292	274	257	224	233	220	226	116	93	27	17	5	71
152 88 122	227 105 153	204 88 154	207 67 122	188 69 115	161 63 105	176 57 121	150 70 128	145 81 139	71 45 65	68 25 47	14 13 16	13 4 12	4 1 3	56 15 16
33 27 16 16 96	43 28 19 16 143	47 28 22 15 119	47 22 19 6 119	46 22 12 4 126	33 22 13 1 96	55 30 9 7 89	51 25 9 7 80	50 42 6 6 67	29 13 3 1 47	17 12 3 1 40	3 4 3 2 11	4 3 2 2 4	1 1 2 2 2	4 2 2 1 7
68 28 21	108 35 17	90 29 20	94 25 10	96 30 13	71 25 15	71 18 12	58 22 8	54 13 9	24 23 6	31 9 8	6 5 1	3 1 2	2 1 1	7 1 1
14 7	12 5	14 6	8 2	6 7	13 2	9 3	7 1	6 3	4 2	6 2	1	2		1
34 37 11 4 4 7 13 8 12 4 19 5 2 1 3	48 33 26 7 14 5 16 12 16 2 27 12 2 5 1 7	54 33 21 6 21 9 6 7 14 1 26 10 2 1 1	48 23 16 2 19 7 12 6 8 4 33 7 10 2 1 3	49 23 16 4 15 5 12 5 12 8 22 6 9 3 3	34 23 10 4 11 5 5 4 3 16 5 12 3 2 1	58 31 15 5 22 3 11 7 4 8 2 10 3 3	57 29 8 1 15 8 11 7 4 7 2 3 1 5	53 45 18 2 14 3 7 5 2 9 2 4 3	31 15 4 8 7 6 3 4 3 1 3 2 3	17 12 7 2 6 3 7 6 1 1 5 5 1	3 5 3 2 3 3 1 1 1 1 1	4 3 3 2 1 1 1 1 1 1 1	1 1 1 2 1 1 1 1 1 1 1	4 4 2 2 2 1 1 1 1 1 1 1
1 2 1 1 1 13 3 39 16	1 2 3 1 1 5 1 61 24	2 1 1 10 5 46 14	3 1 1 6 3 49 15	5 3 1 5 37 14	1 1 3 5 51 13	3 1 3 4 41 9	2 1 1 4 34 17	1 1 4 4 33 21	3 3 3 8	1 18 3	1 5 2	4 4 4	1 1 1	44 11
368	324	353	302	300	349	309	403	444	392	292	139	47	31	118
189 179	165 159	171 182	164 138	154 146	183 166	168 141	230 173	232 212	228 164	159 133	65 74	22 25	15 16	69 49
347	302	332	288	292	333	296	391	434	382	286	135	46	29	97
178 169 334	153 149 285	160 172 320	157 131 265	148 144 271	176 157 302	158 138 267	221 170 345	227 207 393	221 161 320	157 129 260	63 72 115	22 24 38	14 15 24	53 44 70
143 145 11 11 10	123 132 6 4 9	128 146 9 12 8	116 111 10 8 18	117 122 4 4 20	134 122 9 12 26	122 108 7 5 27	169 135 8 5 42	184 165 12 9 38	151 120 9 9 58	120 98 8 7 23	43 50 6 6 18	13 20 3 2 6	8 12 1 2 2	25 26 3 2 9
7 3 21	7 2 22	6 2 21	12 6 14	14 6 8	16 10 16	14 13 13	25 17 12	21 17 10	36 22 10	11 12 6	6 12 4	2 4 1	2 3 2	6 3 21
11 10	12 10	11 10	7 7	6 2	7 9	10 3	9 3	5 5	7 3	2 4	2 2	1 1	1 1	16 5
147 148 3 5 7 4 3 1	125 134 5 4 4 5 2 2 1	130 148 4 4 7 5 2 3 1	120 114 4 3 9 6 4 2 1											

TABLE 6.—DEATHS AT EACH AGE, BY SEX, COLOR, GENERAL NATIVITY, PARENT

AREAS.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
WISCONSIN.													
1	Total	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060	958
2	Males	13,815	2,950	513	240	178	128	4,009	433	274	341	503	481
3	Females	11,113	2,263	457	245	155	112	3,232	391	272	391	557	477
4	White	24,747	5,187	961	480	330	238	7,196	810	538	719	1,052	954
5	Males	13,724	2,938	508	239	177	126	3,988	426	273	339	499	478
6	Females	11,023	2,249	453	241	153	112	3,208	384	265	380	553	476
7	Native	15,298	5,156	950	471	326	230	7,133	785	508	621	826	713
8	Both parents native	(M. 3,392 F. 2,948)	(1,258 904)	(203 178)	(93 102)	(66 72)	(51 44)	(1,671 1,300)	(155 137)	(93 87)	(96 110)	(103 135)	(77 110)
9	One or both parents foreign	(M. 4,137 F. 3,665)	(1,539 1,233)	(283 268)	(131 132)	(105 75)	(68 62)	(2,129 1,770)	(249 221)	(154 153)	(185 200)	(256 290)	(252 236)
10	Foreign	8,974	20	6	2	3	6	37	20	30	88	202	214
11	Males	5,173	8	4	2	2	4	20	11	15	39	101	112
12	Females	3,801	12	2	1	1	2	17	9	15	49	101	102
13	Colored	181	26	9	5	3	2	45	14	8	13	8	4
14	Males	91	12	5	1	1	2	21	7	1	2	4	3
15	Females	90	14	4	4	2	1	24	7	7	11	4	1
Birthplaces of mothers (white).													
16	United States	(M. 4,395 F. 3,818)	(1,666 1,270)	(277 242)	(125 138)	(97 88)	(65 64)	(2,230 1,802)	(213 189)	(136 119)	(142 158)	(171 191)	(116 142)
17	Ireland	(M. 910 F. 687)	(11 10)	(7 1)	(2 1)	(4 1)	(1 1)	(25 12)	(3 2)	(4 2)	(6 6)	(19 24)	(36 37)
18	Germany	(M. 4,106 F. 3,292)	(619 488)	(111 97)	(56 59)	(39 32)	(29 29)	(854 705)	(115 86)	(65 75)	(95 106)	(123 173)	(152 144)
19	England and Wales	(M. 520 F. 363)	(16 18)	(3 1)	(3 2)	(3 2)	(2 2)	(24 22)	(2 4)	(3 2)	(7 7)	(6 10)	(17 19)
20	Canada	(M. 365 F. 296)	(53 50)	(15 6)	(8 8)	(6 1)	(2 2)	(84 67)	(16 11)	(9 5)	(8 7)	(17 25)	(24 18)
21	Scandinavia	(M. 1,157 F. 941)	(148 124)	(40 45)	(15 14)	(9 10)	(7 5)	(219 198)	(28 44)	(30 31)	(28 45)	(70 59)	(59 50)
22	Scotland	(M. 131 F. 106)	(2 3)	(1 3)	(1 1)	(2 1)	(2 1)	(5 9)	(1 1)	(1 1)	(1 2)	(4 3)	(1 1)
23	Italy	(M. 32 F. 6)	(10 2)	(3 1)	(1 1)	(2 1)	(1 1)	(15 2)	(1 1)	(1 1)	(1 1)	(2 3)	(2 1)
24	France	(M. 36 F. 34)	(2 1)	(1 1)	(1 1)	(1 1)	(1 1)	(3 3)	(1 1)	(1 1)	(1 1)	(3 2)	(1 1)
25	Russia and Poland	(M. 454 F. 361)	(196 128)	(22 34)	(14 10)	(10 9)	(9 4)	(251 185)	(21 16)	(11 5)	(9 14)	(12 15)	(6 10)
26	Other foreign countries	(M. 622 F. 540)	(103 79)	(14 18)	(5 4)	(8 4)	(6 2)	(136 107)	(16 18)	(3 14)	(22 13)	(35 24)	(26 27)
27	Unknown	(M. 996 F. 579)	(112 79)	(15 4)	(9 7)	(3 4)	(3 5)	(142 99)	(12 13)	(10 11)	(19 21)	(37 27)	(39 27)
WYOMING.													
28	Total	767	142	37	31	12	10	232	53	37	34	37	53
29	Males	452	76	22	13	9	4	124	27	21	25	19	34
30	Females	315	66	15	18	3	6	108	26	16	9	18	19
31	White	651	122	32	25	7	6	192	38	29	28	33	45
32	Males	395	67	18	12	6	3	106	20	18	23	18	30
33	Females	256	55	14	13	1	3	86	18	11	5	15	15
34	Native	474	122	31	25	7	6	191	37	28	23	23	30
35	Both parents native	(M. 148 F. 99)	(30 28)	(8 5)	(8 9)	(5 1)	(3 1)	(54 44)	(12 12)	(7 3)	(10 1)	(4 5)	(8 6)
36	One or both parents foreign	(M. 96 F. 73)	(31 23)	(8 8)	(4 3)	(1 1)	(1 2)	(44 36)	(6 5)	(11 5)	(8 3)	(3 7)	(4 5)
37	Foreign	187	1	1	1	1	1	1	1	1	3	5	11
38	Males	82	1	1	1	1	1	1	1	1	2	2	10
39	Females	55	1	1	1	1	1	1	1	1	1	3	1
40	Colored	116	20	5	6	5	4	40	15	8	6	4	8
41	Males	57	9	4	1	3	1	18	7	3	2	1	4
42	Females	59	11	1	5	2	3	22	8	5	4	3	4
Birthplaces of mothers (white).													
43	United States	(M. 164 F. 121)	(36 35)	(9 10)	(9 9)	(5 1)	(3 2)	(62 57)	(15 13)	(8 6)	(11 1)	(5 5)	(10 7)
44	Ireland	(M. 26 F. 16)	(3 1)	(1 1)	(1 1)	(1 1)	(1 1)	(3 1)	(1 1)	(1 1)	(1 1)	(2 2)	(1 1)
45	Germany	(M. 27 F. 13)	(2 3)	(1 1)	(2 1)	(1 1)	(1 1)	(5 3)	(1 1)	(3 1)	(1 1)	(2 1)	(2 1)
46	England and Wales	(M. 28 F. 24)	(4 4)	(2 1)	(1 1)	(1 1)	(1 1)	(6 5)	(1 1)	(2 1)	(2 1)	(1 1)	(1 1)
47	Canada	(M. 11 F. 8)	(3 1)	(1 1)	(1 1)	(1 1)	(1 1)	(4 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
48	Scandinavia	(M. 23 F. 17)	(3 3)	(1 1)	(1 1)	(1 1)	(1 1)	(3 2)	(1 3)	(1 1)	(3 2)	(2 1)	(3 1)
49	Scotland	(M. 14 F. 12)	(3 3)	(1 1)	(2 1)	(1 1)	(1 1)	(3 5)	(1 2)	(1 1)	(2 1)	(1 1)	(1 1)
50	Italy	(M. 4 F. 3)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(2 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
51	France	(M. 3 F. 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
52	Russia and Poland	(M. 1 F. 2)	(1 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
53	Other foreign countries	(M. 24 F. 9)	(6 3)	(4 1)	(1 1)	(1 1)	(1 1)	(11 3)	(1 1)	(1 1)	(1 1)	(1 1)	(3 1)
54	Unknown	(M. 70 F. 29)	(6 4)	(1 1)	(1 1)	(1 1)	(1 1)	(7 6)	(1 1)	(2 1)	(4 1)	(9 1)	(8 3)

NATIVITY, AND BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
848	937	936	802	894	999	1,122	1,394	1,677	1,688	1,212	632	211	79	136	1
455	489	534	476	534	604	624	813	990	957	711	350	104	37	96	2
393	448	402	326	360	395	498	581	687	731	501	282	107	42	40	3
845	931	927	795	892	989	1,114	1,386	1,670	1,682	1,200	631	206	78	132	4
453	487	528	471	533	598	618	807	986	953	704	349	102	37	95	5
392	444	399	324	359	391	496	579	684	729	496	282	104	41	37	6
527	519	466	338	305	324	319	372	458	491	300	174	68	21	30	7
64	45	73	58	75	92	96	147	168	162	127	52	26	5	7	8
59	74	66	55	68	89	110	108	112	159	86	51	19	8	5	
184	200	151	99	59	37	27	34	30	41	15	18	6	1	10	9
175	160	137	88	54	34	33	14	31	29	15	15	2	4	4	
286	382	428	434	569	642	774	985	1,184	1,157	869	443	136	56	38	10
152	197	254	276	355	400	450	554	692	672	507	249	66	29	22	11
134	185	174	158	214	242	324	431	492	485	362	194	70	27	16	12
3	6	9	7	2	10	8	8	7	6	12	1	5	1	4	13
2	2	6	5	1	6	6	6	4	4	7	1	2		1	14
1	4	3	2	1	4	2	2	3	2	5		3	1	3	15
91	65	92	74	89	102	114	158	180	182	136	59	30	5	10	16
81	90	81	63	74	101	116	114	121	182	98	59	22	10	5	
42	64	45	45	46	61	67	73	94	108	84	52	20	10	6	17
29	37	44	32	37	27	52	70	91	69	56	33	15	7	5	
139	177	183	175	187	211	231	303	371	349	221	104	33	9	9	18
138	156	136	102	122	141	185	201	253	248	176	92	34	10	9	
18	22	22	24	25	22	24	42	67	87	66	35	4	1	2	19
13	15	19	17	25	18	22	26	35	47	37	19	4	1	1	
23	10	19	13	21	18	17	22	24	15	12	8		2	3	20
20	19	19	22	4	6	15	13	26	7	7	4		1		
59	59	62	55	74	58	59	67	73	63	61	21	4	2	6	21
43	48	46	33	44	34	37	54	46	54	35	28	8	1	3	
4	6	6	3	5	11	10	16	20	17	18	6	2	1		22
2	4	5	7	4	5	5	12	13	9	10	7	2	1		
1	4	1			1	1		2		1					23
1															
2	2	3	4	3	2	3		7	7	4		1			24
10	10	20	21	11	10	13	9	12	9	10	10		1	1	
18	13	13	7	3	10	4	15	7	9	9	4	2	1	1	25
17	26	26	20	26	35	37	43	39	43	39	23	4	4	2	
18	27	12	12	20	23	32	46	44	44	31	15	5	7	1	26
51	46	51	38	44	68	43	73	98	78	56	30	3	2	56	
26	31	21	25	22	24	27	25	48	53	33	21	11	2	12	27
46	61	26	36	30	20	26	24	15	5	8	3	2		19	28
39	33	20	25	19	13	14	10	6	2	5	1	1		14	29
7	28	6	11	11	7	12	14	9	3	3	2	1		5	30
41	58	23	30	25	19	24	20	14	4	7	2			19	31
36	31	18	20	15	12	14	8	5	1	5	1			14	32
5	27	5	10	10	7	10	12	9	3	2	1			5	33
23	34	16	12	14	9	9	11	7	1	3				3	34
11	8	9	6	5	4	4	2	2	1	1					35
1	9	1	2	3	2	3	2	3		1				1	
6	6	2	1	1	1	1	2	2							36
	5	1	2		1		3								
15	21	7	16	11	8	14	6	5	3	4	2			3	37
12	13	5	10	5	4	8	1	2		3	1			2	38
3	8	2	6	6	4	6	5	3	3	1	1			1	39
5	3	3	6	5	1	2	4	1	1	1	1	2			40
3	2	2	5	4	1		2	1	1			1			41
2	1	1	1	1		2				1	1				
11	8	9	6	5	4	4	2	2	1	1					43
1	9	2	3	3	2	3	4	3		1				1	
4	3	1	4	1	1	3		2		1				1	44
	3		2	1	1	2			1						
6	6		2	1			1				1				45
1	3			2										1	
1	3	3	2	2	1	1	1	1		1					46
1	2	1	2			3	3	1		1					
1	1									1					47
1	2	1	1	1	1										48
	5	1	1	1		1									
2	1	1		1		1	1			1					49
					1			2	1		1				
1	1														50
1			1		1										51
			1		1										52
2	2	1	1	1		1		1						1	53
			1						1						
7	4	2	3	4	3	1	3	1		1				12	54
1	5	1		1	1	1	2	3						3	

TABLE 7.

DEATHS IN THE UNITED STATES, EACH STATE, STATE GROUP AND REGISTRATION CITY,
DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH REPORTED CAUSE.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
		Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
1 All causes.....	1,039,094	25,699	507	995	10,241	13,956	1,223	22,518	3,831	18,687
2 Abortion.....	578	21			3	18	2	20	7	13
3 Abscess.....	1,053	19	1		7	11	1	27	4	23
4 Abscess, lumbar and psoas.....	98	1			1			2		2
5 Absorbent system, disease of.....	135	5			4	1		2		2
6 Accidents and injuries (not specified).....	8,126	138	6	1	60	71	22	118	22	96
7 Addison's disease.....	173	1				1		1		1
8 Adenitis.....	109	1				1		3		3
9 Alcoholism.....	2,811	20		3	9	8	6	16	7	9
10 Anemia.....	2,235	20			12	8		13	2	11
11 Aneurism.....	754	11			4	7		5		5
12 Angina.....	1,412	57	3		17	37	1	69	9	60
13 Angina pectoris.....	2,785	20	1		7	12		15	2	13
14 Aphthae.....	908	52			15	37		42	9	33
15 Apoplexy.....	26,901	176	7	18	55	96	10	93	5	88
16 Appendicitis.....	5,111	50	4	1	19	26	5	46	4	42
17 Arteries, disease of.....	1,268							1		1
18 Ascites.....	1,305	83	1		28	54	2	51	6	45
19 Asthma.....	3,006	58		1	17	40	3	29	8	21
20 Atrophy.....	320									
21 Bile passages, disease of.....	141							3		3
22 Birth, causes incident to.....	1,546	13	1		7	5		10	1	9
23 Bites.....	95	7			3	4		4		4
24 Bladder, disease of.....	2,463	29	4		11	14	3	20	4	16
25 Bones, disease of.....	625	9			5	4		5	1	4
26 Bowels, disease of.....	3,302	130		2	55	73	1	124	24	100
27 Bowels, obstruction of.....	3,745	42	2	3	18	19	2	27	4	23
28 Brain, disease of.....	11,141	285	4	22	99	160	4	466	58	408
29 Breast, disease of (puerperal).....	6									
30 Bright's disease.....	32,170	371	17	56	103	195	25	201	26	175
31 Bronchitis.....	20,223	275	9	17	131	118	8	263	24	239
32 Burns and scalds.....	6,772	328	7	10	85	226	5	159	27	132
33 Calculus biliary.....	804	13		1	6	6		4		4
34 Calculus urinary.....	431	27			10	17		11	3	8
35 Cancer (not specified).....	7,539	81	1	1	24	55	6	59	4	55
36 of abdomen.....	1,584	8			3	5	1	4		4
37 of bladder.....	241	2		1	1					
38 of brain.....	41	1				1				
39 of breast.....	2,278	36	1	1	11	23		15	3	12
40 of eye.....	56									
41 of genitals.....	122	2			1	1				
42 of head, face, and neck.....	1,733	25	1	2	11	11		16	2	14
43 of kidneys.....	144	1			1			2		2
44 of larynx.....	76									
45 of liver.....	2,583	21	1	7	8	5		3		3
46 of lower extremities.....	79	1				1				
47 of lungs.....	111							1		1
48 of mouth, tongue, and throat.....	984	11			1	10		8	1	7
49 of ovaries.....	100									
50 of penis.....	37	2			1	1				
51 of rectum.....	746	7			3	4				
52 of stomach.....	7,423	48	1	7	11	29	5	31	2	29
53 of testicle.....	13									
54 of upper extremities.....	59	2				2				
55 of uterus.....	3,526	92	1	8	28	55		32	5	27
56 Carbuncle.....	268	8			2	6		6		6
57 Catalepsy.....	8									
58 Cerebro-spinal fever.....	4,174	50	3	6	26	15	4	180	20	160
59 Chicken pox.....	97	2			1	1		8	3	5
60 Childbirth.....	4,527	181	4	3	52	122	10	142	29	113
61 Cholera infantum.....	25,576	428	12	11	213	192	24	319	30	289
62 Cholera morbus.....	6,409	137	4	1	66	66	14	132	29	103
63 Chorea.....	179	2			2		1	3		3
64 Circulatory system, disease of.....	165	2				2				
65 Colic.....	1,776	60		2	20	38	2	32	10	22
66 Colitis.....	1,421	56		7	26	23	2	15	3	12
67 Constipation.....	408	18	1		11	6		10	3	7
68 Consumption.....	109,750	2,666	46	159	1,136	1,325	152	1,889	335	1,554
69 Convulsions.....	15,505	221	7	31	82	101	9	99	25	74
70 Croup.....	12,484	579	3	1	296	279	10	561	67	494
71 Cyanosis.....	1,059	9		1	5	3	3	5		5
72 Debility.....	16,962	199	13	44	85	57	7	83	12	71
73 Dentition.....	2,643	205		6	58	141	4	69	21	48
74 Diabetes.....	4,672	30	2	3	8	17	2	21	1	20
75 Diarrhea.....	7,710	286	4	8	148	126	11	167	31	136
76 Digestive system, disease of.....	3,200	110	1	2	57	50	4	76	10	66

CAUSE OF DEATH.

117

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900.

CALIFORNIA.											COLORADO.						
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.	
22,506	5,049	187	724	5,571	224	1,857	1,121	399	7,040	334	7,428	1,956	2,484	648	1,989	351	1
27	4		1	2	1	1	1	1	15	1	11	5	4	1	1		2
18	9			2			2		4	1	11	1	9		1		3
5	1			2		2											4
271	105	1	2	92	2	27	12	1	23	6	132	20	42	13	37	20	5
9				3	1	1	2		2								6
1	1																7
207	51	2	5	27		17	3	1	98	3	61	12	29	2	18		8
53	16		1	14		3	4		15		7		3	1	3		9
54	8		1	14	1	6	2	1	21		2		2				10
27	3	1		12		3			8		10	2	1		6	1	12
87	12		3	22		9	4		32	5	25	8	9		5	3	13
8	5			1					1	1	2				1		14
766	145	5	28	159	9	70	40	14	286	10	118	24	64	9	16	5	15
153	36	1	10	34	3	9	9	2	46	3	70	22	20	1	25	2	16
75	4		3	14		1	5		48		3		3				17
11	6			5							4	3			1		18
75	28	1		21		3	4	2	14	2	31	7	15	4	5		19
3		2				1											20
5	1				2				2								21
13	3		1	3		4	1		1		6	1	1		4		22
1				1							3	2	1				23
67	18		1	21	1	1	6	2	17		12	3	3	1	5		24
10	1		1	2		1			4	1	3	1	1		1		25
46	15		2	14		5		1	9		19	4	10	1	4		26
92	19	1	5	22	1	3	3	1	34	3	42	6	26	1	9		27
304	72	1	9	83	2	12	28	8	85	4	75	16	30	8	20	1	28
849	130	2	25	183	17	91	33	19	336	13	207	44	85	7	60	11	29
397	49	2	14	63	2	22	25	8	202	10	70	7	34	3	22	4	30
83	22	1	4	26	1	11	2	2	13	1	20	6	4	5	5		31
19	7		2	4			1		5		12	2	5		4	1	32
10	3		1	2			1		3		2	1			1		33
199	50	3	6	73	2	23	4	5	28	5	52	14	22	3	12	1	34
72	10		3	11	2	4	4	2	35	1	6		4	1	1		35
13	2		1	3		1	1		5		1		1				36
1						1											37
56	6	1		13	1	3	9		21	2	9	3	2		3	1	38
2	1								1								39
7	1			1			1	1	3								40
60	12			16	1	4	1	7	19		10	4	3		3		41
9	1				1		2		5		1		1				42
5	1		1			1			2								43
88	10	1	2	20	2	7	4	1	39	2	22	1	15	1	5		44
2	2																45
6				1					5		1		1				46
46	12			6		3			25		1			1			47
2	1			1					1								48
54	4		2	8	1		2		36	1	4		4				49
295	67	2	9	85	6	24	16	1	83	2	56	9	19		25	3	50
1									1								51
3				1					2								52
105	18	1	3	13	3	2	13	1	48	3	21	3	15		3		53
4	1			1			1		1								54
101	19	2	5	25		10	10	2	27	1	27	11	4	1	11		55
2	1			1													56
43	10	1		20		4	3	2	3		29	14	3	1	11		57
201	59	6	8	80		15	3	2	25	3	153	45	51	22	28	7	58
121	51		1	48		3	3	3	11	1	67	32	5	4	24	2	59
1						1					1		1				60
2				1		1					2						61
7	1			5					1		9	2	1	1			62
15	1		1	4		2		2	4	1	9	2	4		3		63
9	4			5							1	1					64
3,480	705	26	108	906	28	380	141	63	1,059	64	874	210	436	91	133	4	65
172	26	2	10	48	2	16	21	2	44	1	82	13	41	15	12	1	66
95	31	1		29		17	1	1	14	1	58	16	10	7	22	3	67
13	1			4	1	2			5		12	3	4	2	3		68
223	74	4	10	52	2	18	4		57	2	91	12	50	17	12		69
20	2			11		2	1		4		8	4	1	1	2		70
143	25		6	43	1	11	12	5	38	2	38	8	15	3	12		71
82	16	2	1	34		5	5	1	18		25	13	3		8	1	72
44	8		5	16	1	2		1	10	1	14	2	6		6		73

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
			Total.	Group 1, rur. l.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
77	Diphtheria	16,475	87	2	1	54	30	15	108	16	92
78	Dislocations	162	5			3	2		4		4
79	Dropsy	11,264	549	5	4	183	357	8	403	91	309
80	Drowning	5,387	95	24	9	21	41	1	44	5	39
81	Dysentery	11,710	861	11	20	482	348	22	541	69	472
82	Ear, disease of	297	7			3	4		9	3	6
83	Electricity	178	5	1	1	1	2		3		3
84	Elephantiasis	18	1				1				
85	Embolism	445	2			1	1		1		1
86	Enteritis	19,657	352	9	22	139	182	22	354	61	293
87	Epilepsy	3,326	98	1	1	33	63	5	61	9	52
88	Erysipelas	2,861	56			28	28	5	71	18	53
89	Esophagus, obstruction and stricture of	154	3			1	2				
90	Execution	175	3		1	2			1	1	
91	Explosion	469	7			3	4		3	1	2
92	Exposure and neglect	922	44	1		10	33		23	1	22
93	Extra-uterine pregnancy	188	2			2					
94	Eye, disease of	31									
95	Falling bodies	642	29	1	1	13	14	6	21		21
96	Falls	3,075	65	2	4	13	46	1	35	5	30
97	Female organs of generation, disease of	645	41			10	31	1	36	4	32
98	Fever	2,817	195	1		73	121	29	81	20	61
99	Foreign bodies in esophagus	244	9			5	4		3	1	2
100	Fractures	3,343	24	1	4	7	12	1	19	4	15
101	Frozen	171	4			2	2		2		2
102	Gangrene	2,000	19		5	5	9		10	3	7
103	Gastritis	8,342	146	2	1	60	83	6	118	17	101
104	General disease (not specified)	36	3			1	2		1		1
105	Goiter	94									
106	Goiter, exophthalmic	176									
107	Gout	27	2			2					
108	Gunshot wounds	4,060	252	10	8	82	152	21	113	33	80
109	Heart disease	68,439	1,111	37	83	332	659	39	601	83	518
110	Hemophilia	79	1				1		1		1
111	Hemorrhage	2,555	57	2	3	24	28	1	39	12	27
112	Hernia	1,979	31	1		8	22	1	15	3	12
113	Hip joint, disease of	231	3			2	1		3		3
114	Homicide	1,829	96	4	1	41	50	14	46	16	30
115	Hydrocephalus	4,302	34	1	2	16	15	3	33	2	31
116	Hydrophobia	123	12			1	11		1	1	
117	Inanition	11,382	111	3	2	54	52	11	68	10	58
118	Infanticide	47							1		1
119	Inflammation and abscess of liver	2,913	72		2	30	40	7	77	14	63
120	Inflammation of brain	6,241	167	2	2	99	64	12	243	45	198
121	Influenza	16,645	778	2	6	270	500	8	319	61	258
122	Injuries by machinery	385	10		1	3	6		14	2	12
123	Jaundice	2,485	57	1		34	22	2	37	4	33
124	Joints, disease of	296	7		1	1	5		6	1	5
125	Kidneys, disease of	4,554	98	2	2	45	49	4	87	7	80
126	Laryngitis	860	26			20	6		12	1	11
127	Larynx, disease of	298	1			1			1		1
128	Lead poison	113	4			2	2				
129	Leprosy	17									
130	Leucocythemia	303	1			1					
131	Lightning	480	25	1		7	17	2	5	2	3
132	Liver, disease of	6,851	95	1	4	34	56	8	69	13	56
133	Locomotor ataxia	712	4		1	1	2		3		3
134	Lost at sea	25									
135	Lungs, disease of	8,354	91	1	7	40	43	6	142	18	124
136	Lymphangitis	29									
137	Malarial fever	14,874	1,005	15	23	348	619	17	1,730	341	1,389
138	Male organs of generation, disease of	18									
139	Malformation	2,705	23			12	11	2	33	9	24
140	Malignant pustule	42									
141	Measles	12,866	428	5	1	244	178	69	1,274	246	1,028
142	Meningitis	19,423	342	6	8	219	109	19	571	55	516
143	Mental disease	3,617	43		1	5	37	4	13	2	11
144	Mining accidents	1,303	54			48	6	14	8		8
145	Mumps	144	7			2	5	1	3	1	2
146	Nervous system, disease of	2,321	42		1	21	20	3	44	3	41
147	Noma	120	2				2	1	6		6
148	Nose, disease of	23									

119

CALIFORNIA.											COLORADO.					
Total.	Group 1, rural.	Fresno.	Sacra-mento.	Group 2, rural.	Alameda.	Los Angeles.	Oak-land.	San Diego.	San Fran-cisco.	San Jose.	Total.	Group 1, rural.	Den-ver.	Pueblo.	Group 2, rural.	Lead-ville.
227	40	9	9	43	2	28	8	1	77	10	148	83	35	9	21	77
3	1		1			1					6		3		2	78
131	48	2	4	58		4	1	2	12		69	19	18	1	19	79
186	37		14	52	7	7	11	6	51	1	40	10	12	1	17	80
135	32	2	1	28		5	5	2	58	2	28	8	8	6	6	81
2	1			1							1	1				82
7	3			1		2			1		1		1			83
1	1															84
15	4			1		1	2		7		8	1	6		1	85
371	50	2	7	47	5	44	19	4	189	4	67	12	33	5	14	86
74	23		2	21	1	2	3		20	2	21	7	7	4	3	87
46	15	1		4		7	1	1	17		28	9	11	1	7	88
5	3			2							2	1	1			89
6	3			3							1			1		90
19	7			8		1	1		2		7	3	1		2	91
16	7			1		1	4		2	1	14	4	3	1	6	92
6			1	1			1		3		2		1		1	93
1				1												94
27	4		1	14		3			5		15		1		14	95
117	18		4	19			7		69		19	6	2		7	96
8	6								2							97
32	9			11					12		33	24	1		7	98
4	1			2					1		1				1	99
63	16		2	20	1	7	5	3	8	1	34	9	19		6	100
1				1							10	3	2		4	101
54	14		2	7	3	3		1	24		5		3	2		102
178	37	3	3	46		17	11	3	55	3	56	14	20	8	12	103
5	3			2			1									104
2				1												105
5				2					2	1						106
1	1															107
108	44		5	36	1	11	6	2	2	1	62	21	19	5	12	108
2,078	396	3	53	495	23	122	160	40	755	31	433	114	144	28	126	109
4			2	1					1							110
58	14	1	1	21		6	1	2	12		44	11	11	11	9	111
43	12	1	1	15		2	2		9	1	15	1	3	3	8	112
9	3			1		1	1		3		1		1			113
82	15	1	1	14		8	1	2	40		19	2	1	2	11	114
172																

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	The United States.	ALABAMA.					Arizona.	ARKANSAS.		
		Total.	Group 1, rural.	Mobile.	Group 2.	Group 3.		Total.	Group 1.	Group 2.
149 Obesity	9									
150 Old age	29,222	505	28	32	139	306	9	193	48	145
151 Ovarian tumor	478	6			3	3		1		1
152 Ovaries, disease of	145	1			1					
153 Pancreas, disease of	45									
154 Paralysis	22,562	466	9	16	162	279	12	242	33	209
155 Paralysis general (of insane)	1,303	15		1		14	5	4		4
156 Parasites	17	1				1		1		1
157 Pelvic abscess (female)	302	5			2	3		1	1	
158 Pericarditis	876	11	1		6	4	1	7	1	6
159 Peritonitis	7,501	78	2	5	43	28	2	60	6	54
160 Pharyngeal abscess	61							1		1
161 Pharynx, disease of (not specified)	1									
162 Phlebitis	154						1	2	2	
163 Phlegmasia dolens	46	1				1				
164 Pleurisy	2,806	69		1	21	47	4	45	9	36
165 Pneumonia	105,971	2,459	35	68	1,030	1,326	105	2,688	514	2,174
166 Poisons (not specified)	3,390	74		5	32	37	4	81	13	68
167 Pregnancy, affections connected with	237	3	1			2		5		5
168 Premature birth	14,720	248	2	16	122	108	6	187	22	165
169 Prostate, disease of	710	12	2	1	3	6		6	1	5
170 Puerperal convulsions	825	24	2		14	8		8	2	6
171 Puerperal mania	55	2	1			1				
172 Puerperal septicemia	3,207	100	2	1	39	58		82	9	73
173 Purpura	269	4			2	2		1		1
174 Railroad accidents	6,930	106	5	9	58	34	9	50	7	43
175 Respiratory system, disease of	100	4			2	2		1		1
176 Rheumatism	5,067	125	2	4	48	71	6	115	16	99
177 Rickets	351	4			2	2		2		2
178 Roseola	77	1				1		7	1	6
179 Rupture of bladder	77	2			1	1				
180 Sarcoma	1,058	4			1	3		1		1
181 Scarlet fever	6,333	34			21	13	18	59	4	55
182 Scrofula	1,410	81	1		41	39		49	6	43
183 Septicemia	6,776	155	2	12	53	88	6	132	21	111
184 Skin, disease of	819	21			11	10		38	2	36
185 Smallpox	3,484	224	1	1	79	143	5	195	75	120
186 Spinal cord, disease of	1,577	22		5	10	7		29		29
187 Spine, disease of	1,771	43		1	28	14	1	51	4	47
188 Spleen, disease of	174	5			1	4		6		6
189 Stomach, disease of	5,142	104		1	53	50	5	338	43	295
190 Suffocation	2,448	83		3	27	53		96	7	29
191 Suicide by cutting throat	206	1			1			1		1
192 drowning	241	1			1			1		1
193 hanging	879	3	1		2			2		2
194 poison	1,225	9		3	4	2		5	1	4
195 shooting	1,293	10		3	5	2	4	4		4
196 (not specified)	1,654	6			3	3	4	14	1	13
197 Sunstroke	731	9		1	2	6	1	12	3	9
198 Surgical operations	704	9		1	3	5	4	2	1	1
199 Tabes mesenterica	2,079	80	2	2	54	22	2	44	9	35
200 Tetanus	1,664	61	6	21	10	24	3	10	2	8
201 Trismus nascentium	595	23	8	17	2	1		1		1
202 Tuberculosis (unclassified)	1,309	16		3	8	5		9	1	8
203 Tubes, disease of	352	3			2	1				
204 Tumor	2,369	56		3	17	36	3	39	4	35
205 Tumor of uterus	657	8			3	5	1	8		8
206 Typhoid fever	35,379	1,713	12	31	662	1,008	41	1,172	127	1,045
207 Typhus fever	110	5		1	2	2		1		1
208 Unknown	40,539	2,173	43	9	725	1,396	171	2,604	511	2,093
209 Uremia	4,185	62		15	23	24	1	17		17
210 Urethra, stricture of	68	3				3		2		2
211 Urinary organs, disease of	342	7		1	3	3		38	22	16
212 Uterine hemorrhage	208	7	1		1	5		3	2	1
213 Uterus, disease of	406	25		1	3	21		7	4	3
214 Venereal disease	1,591	99	3	8	21	67	2	29	7	22
215 Vomiting in pregnancy	76	2	1			1				
216 Whooping cough	9,958	494	7	13	219	255	22	316	54	262
217 Worms	534	42	1		11	30	1	36	15	21
218 Wounds	752	9			6	3	2	8		8
219 Yellow fever	181	3				3		2		2

121

CALIFORNIA.											COLORADO.					
Total.	Group 1, rural.	Fresno.	Sacramento.	Group 2, rural.	Alameda.	Los Angeles.	Oakland.	San Diego.	San Francisco.	San Jose.	Total.	Group 1, rural.	Denver.	Pueblo.	Group 2, rural.	Leadville.
699	209	2	33	203	10	45	23	11	155	8	129	26	56	11	30	6
10				2			1	2	5		4	1	1		2	
4						2			2		1				1	
3	1			1					1							
464	146	2	19	178	3	27	24	25	33	7	135	29	28	20	54	4
65	26			31		2	1		4	1	11	4	2	5		
1							1									
19	1		2	2		3			11		8	1	3	1	2	1
37	4	1		3		1	1	4	23		4	1	3			
193	33	1	14	37	3	26	8	4	62	5	89	16	34	12	23	4
2	1							1								
2	1								1		1		1			
1									1							
49	7			6	1	7		1	27		17	1	9		4	2
1,723	379	13	51	367	17	128	87	28	633	20	1,016	313	257	75	296	75
139	36	1	12	15	1	5	5	1	61	2	41	5	23	4	6	3
2	1					1					2		1		1	
180	33	3	9	34		36	16	1	37	11	122	26	52	14	23	7
15	2		2	7		1		1	2		1		1			
13			1	3		1	1	1	6		4				2	
1	1										1		1			
26	3	1		3		2	2		15		13	4	3	2	4	
11	1			2	1	2	1		4		2				1	1
165	49	1	9	34	2	21	21	1	26	1	77	14	27	15	19	2
93	24	1	8	28	1	5	6	1	18	1	45	10	19	2	14	
10			1		1	1			7		1	1				
41	3			7		3	4	1	22	1	6		5	1		
74	34		2	7	2	5	3		21		79	20	17	4	36	2
3				1		1			1		3		1	1	1	
151	43		4	38	4	12	5	4	38	3	105	30	24	13	32	6
11	3			1		3	1		3		7	2	2	1	2	
14	1			2		1	2		8		54	19	4	1	26	4
42	7		2	9		8	4	1	8	3	7	3	3		1	
23	9			9		3	1		1		5	1	1		3	
3	2								1		1	1				
109	31		5	33	2	5	8	2	21	2	33	12	8		12	1
36	13			6		1		1	15		23	8	9	1	5	
7	2		1				3		1							
9			1													

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	CONNECTICUT.										
	Total.	Group 1. rural.	Ansonia town.	Bridge- port.	Danbury town.	Green- wich town.	Meriden town.	Middle- town town.	Naugatuck town.	New Haven town.	New London.
1 All causes	15, 122	2, 487	227	1, 226	320	206	409	290	179	1, 862	345
2 Abortion	9	1		1						3	
3 Abscess	19			2	1			1		2	
4 Abscess, lumbar and psoas	3	2									
5 Absorbent system, disease of	3	2								1	
6 Accidents and injuries (not specified)	93	15	1	5	1		4	3		14	4
7 Addison's disease	4				1					2	
8 Adenitis											
9 Alcoholism	68	9	1	4	1		3	3		3	1
10 Anemia	33	5			2	1	3		1	5	1
11 Aneurism	12		2	1		1			1	2	
12 Angina	18	5			1			2		3	
13 Angina pectoris	60	12	2	2		1	3			5	1
14 Aphthae	10	4			1						
15 Apoplexy	823	156	9	43	23	11	29	27	11	75	18
16 Appendicitis	66	6		6	1	1			1	9	1
17 Arteries, disease of	27	4		2	1			2	2	8	
18 Ascites	5	1								2	
19 Asthma	38	6	1		2		1			11	1
20 Atrophy	8									1	
21 Bile passages, disease of	2							1			
22 Birth, causes incident to	49	4	1	3			1		1	6	
23 Bites											
24 Bladder, disease of	78	21		7	2	3	3	1	1	4	
25 Bones, disease of	16			2			1			3	
26 Bowels, disease of	9	1					1			3	
27 Bowels, obstruction of	74	14	2	9	3	2			3	10	2
28 Brain, disease of	145	23	2	10	2		5	1	1	14	5
29 Breast, disease of (puerperal)											
30 Bright's disease	767	143	10	74	14	15	12	18	5	106	15
31 Bronchitis	444	64	7	38	9	9	6	9	3	71	8
32 Burns and scalds	80	8	2	7		3	1		2	3	5
33 Calculus biliary	10	2			1		1			2	
34 Calculus urinary	3			1	1						
35 Cancer, not specified	111	23	1	6	1	2	3	1	1	16	3
36 of abdomen	47	6		2	4		1		1	10	1
37 bladder	6	1					2				1
38 brain											
39 breast	57	8	1	5	1	2	2	2		8	
40 eye											
41 genitals	4				1						
42 head, face, and neck	31	6		3	1			1		5	
43 kidneys	2	1									
44 larynx											
45 liver	70	4		3			7	1		6	
46 lower extremities											
47 lungs	2	1									
48 mouth, tongue, and throat	19	2		1	1					4	3
49 ovaries	3	2					1				
50 penis											
51 rectum	14	4		1						4	
52 stomach	95	20		8	5	1	4	2		15	
53 testicle	1										
54 upper extremities	1									1	
55 uterus	92	22		6	6	2	3		1	9	1
56 Carbuncle	1										
57 Catalepsy											
58 Cerebro-spinal fever	67	5	1	5	5		2		1	4	4
59 Chicken pox	2						1				
60 Childbirth	21	3		1	1	1	1			3	
61 Cholera infantum	501	73	10	57	5	7	14	3	10	49	9
62 Cholera morbus	39	13	1	6	2		2	1			
63 Chorea	4	3									
64 Circulatory system, disease of											
65 Colic	6		1						1		
66 Colitis	22	5		1						3	4
67 Constipation	7	1		2						1	
68 Consumption	1, 529	196	22	144	39	17	48	32	15	204	38
69 Convulsions	200	18	4	28	4	2	8			39	2
70 Croup	73	10	1	9	1	6	2		1	4	
71 Cyanosis	24	2		2			1			5	
72 Debility	236	30	3	16	6	5	7	6		37	6
73 Dentition	22			3			2		1	5	
74 Diabetes	121	18	3	7	4	1	3	4		20	5
75 Diarrhea	176	29	3	5		2	4	6	4	23	3
76 Digestive system, disease of	58	13	1	4		1	1	1	2	7	2

CAUSE OF DEATH.

123

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

CONNECTICUT—continued.														DELAWARE.			
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
299	405	319	144	138	869	2,911	149	1,546	126	483	182	127	173	3,075	1,480	1,595	1
					1	2					1						2
1						5		4		2			1	7	2	5	3
1																	4
1	1				6	28	2	5		2	1			21	8	13	5
	1																6
																	7
2	3			1	4	16		14		1	2			6	1	5	8
1	2				1	8		2		1	2			6	4	2	9
				1		4								2	1	1	10
																	11
	1				2	3		1						6	5		12
2	3	3	1	1	2	17		1	1		1		2	10	3	7	13
				1		2		1						2			14
20	22	30	9	8	30	170	3	79	7	15	10	8	10	94	42	52	15
2		2	1	1	5	12	1	13		2	2			10	3	7	16
1	1					3		2					1				17
	1					1		1						2	1	1	18
	1	2			5	3		2		2	1			8	3	5	19
	1				1	1		2	1				2				20
																	21
			1	2	10	10	1	2		4	2	1		4	1	3	22
														1	1		23
1	4	3	3		1	15	1	5		2			1	3	1	2	24
					2	4	1			2	1						25
			1			1		2						7	3	4	26
	2	1	2	3	1	8	1	9				1	1	12	5	7	27
	5	4	1	3	4	33	3	10		6	1	5		31	12	19	28
																	29
18	18	19	6	2	37	130	3	80	3	13	9	9	8	100	42	58	30
5	17	3	6	2	46	84	1	33	2	13	4	1	3	48	26	22	31
5	4				4	20	1	8		3	2	1	1	22	11	11	32
			1			2					1						33
														4	4		34
5	1	6			2	23		12		4	1			39	14	25	35
	2				2	9	1	4	1	3				3	3		36
	1									1							37
																	38
1	5	2	2		4	10		3			1			4	3	1	39
					1	2											40
1			2		1	9		2						6	4	2	41
																	42
											1			2	2		43
2	1	5		1	2	20		16		1	1			1	2	1	44
						1								5		3	45
														1		1	46
1					2	4					1			4	1	3	47
																	48
																	49
																	50
2	5	1	3		2	14		8		1		4		9	3	6	51
					1												52
																	53
7	3	5	1	2	2	7		11		1	1	1	1	1	1		54
										1				1	1		55
																	56
																	57
2		3		3	3	12		10		4	2		1	14	7	7	58
						1											59
	1			1	1	6		2						13	9	4	60
8	14	10	5	5	50	86	11	33	5	18	11	3	5	94	55	39	61
	1		1		3	6	1		1		1			9	6	3	62
												1					63
														1		1	64
	1				1		1			1	1			1	1		65
		2				3		1						5		4	66
				1						2							67
25	41	26	20	25	94	257	7	164	24	42	14	12	23	382	188	194	68
6	6	5	3	1	10	22	1	17	3	11	6	3	1	70	20	50	69
	2				4	15		8	3	3	2	2		33	16	17	70
			1		2	4	1	4		1	1			10	4	6	71
1	1	6	3	3	11	32		50	3	7	1		2	163	101	62	72
					1	4			1	1	1	2	1	5	5		73
3	8	3			3	21	1	9		6			2	8	4	4	74
3	2	2		4	10	43		19	1	5	1	7		5	3	2	75
	2	1	1		2	11	1	4	3	1				3	1	2	76

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	CONNECTICUT.										
		Total.	Group 1, rural.	Ansonia town.	Bridge- port.	Danbury town.	Green wich town.	Meriden town.	Middle- town town.	Nauga- tuck town.	New Haven town.	New London.
77	Diphtheria	253	20	1	9	12	3	2	5		19	10
78	Dislocations	5	2									
79	Dropsy	20	6									
80	Drowning	125	33	2	13	4	1	1	2	6	4	
81	Dysentery	166	34	5	4	1	2	8	2	14	5	
82	Ear, disease of	6			1			1				
83	Electricity	5			1							
84	Elephantiasis	1										
85	Embolism	6	1		2						2	
86	Enteritis	368	45	8	45	5	8	7	10	9	37	14
87	Epilepsy	34	6		1	1						
88	Erysipelas	45	9	1	2		1	1	3	1	4	1
89	Esophagus, ob- struction and stricture of	2									8	
90	Execution	1										
91	Explosion	1										
92	Exposure and neglect	8	3		1							
93	Extra-uterine pregnancy	3					1				1	
94	Eye, disease of	5	2		1							
95	Falling bodies	2	1									1
96	Falls	62	3	1	5	3		4			11	
97	Female organs of generation, disease of	10	2								2	
98	Fever	3	1									
99	Foreign bodies in esophagus	5	1								1	
100	Fractures	115	13		9	3	1	5	1		9	8
101	Frozen	7	1								2	
102	Gangrene	47	9		2	2		2	1	3	6	1
103	Gastritis	150	21	2	10		1	5	8	3	31	3
104	General disease (not specified)	1										
105	Goiter											
106	Goiter, exophthalmic	1			1							
107	Gout	2	1									
108	Gunshot wounds	22	4	1	1							2
109	Heart disease	1,153	235	9	74	41	7	25	27	9	135	32
110	Hemophilia	2									1	
111	Hemorrhage	36	5	2	2	1	1		2	1	4	
112	Hernia	30	7	1				2			5	1
113	Hip joint, disease of	2	1									
114	Homicide	5	2								2	
115	Hydrocephalus	82	11	2	11	3		4	1		15	1
116	Hydrophobia	1									1	
117	Inanition	87	16	3	7	1	4	2			11	4
118	Infanticide											
119	Inflammation and abscess of liver	45	9	1	7			1	1		2	
120	Inflammation of brain	23	3			1		1		2	2	
121	Influenza	644	145	7	41	14	8	22	9	6	45	
122	Injuries by machinery											
123	Jaundice	14	1				1		3		1	
124	Joints, disease of	10	2								1	
125	Kidneys, disease of	65	5	1	4	2		1	1		9	2
126	Laryngitis	20	4		4			1			3	
127	Larynx, disease of	3									1	
128	Lead poison	3	1								2	
129	Leprosy											
130	Leucocythemia	4									1	
131	Lightning	1										
132	Liver, disease of	128	17	2	16	2	5	2	3	2	13	4
133	Locomotor ataxia	19	2	1	1						7	
134	Lost at sea											
135	Lungs, disease of	114	13	8	10	1	2	4	2	2	12	
136	Lymphangitis	1	1									
137	Malarial fever	110	27		9	1		7	1	2	19	
138	Male organs of generation, disease of											
139	Malformation	58	11	3	4			1	2	4	3	1
140	Malignant pustule	2										1
141	Measles	161	25	6	29		1	1	1		4	2
142	Meningitis	327	51	15	27	9	3	3	3	10	41	7
143	Mental disease	65	13		2		3		1		11	
144	Mining accidents											
145	Mumps	1	1									
146	Nervous system, disease of	33	5		1			3			7	1
147	Noma	1										
148	Nose, disease of	1										

125

CONNECTICUT—continued.														DELAWARE.		
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.
5	9				10	53	4	68	3	18			2	111	34	77
	1					2										
	1					9										
4	1	3			4	25	1	15	2	1				47	36	11
1	6	2	1	1	4	38		11	1	8	2		4	21	11	10
		3	1	2	14									24	13	11
						3		1								
		1			1			2		1						
						1										
9	7	5		2	28	40	1	56	2	18	7	1	4	40	12	28
1	1				1	13		1		1	1	1		5	5	
	4	1			4	5		3		1		1		4	3	1
						1		1								
								1								
	2					1				1				2	2	
						1								4	3	1
						1		1						1		1
	3	1	2		4	11		11		2			1	3	1	
			1		2	1		1	1				1	1		2
						1								2	2	1
2	9	7	1		9	20	2	1								
				1		3		11	1	2		2		5	1	4
	3	1	1	1	2	10				1		1	1	4	3	1
8	2	1	2	2	8	28	1	6		5	2	1	1	33	16	17
								1								
	1															
	1				2	9		1					1	1	1	3
16	42	28	16	3	46	224	10	102	4	25	5	12	26	227	107	120
1	1	2			4	1										
		1				5		4			1			9	3	6
						3		4		1	1		4	6	4	2
1																
	1	1		2	4	1				4	2			1	1	
						17		3						5	2	3
														1	1	
2	4	4			3	12	3	7		4				56	8	48
1	1	1	1	1	3	6	1	4	2		1		2	3	2	1
31	2					10					1		1	20	18	2
	6	10	7	6	16	165	10	31	4	31	4	12	14	29	13	16
	1					6		1						5	1	4
						4		2			1			2	2	
	1</															

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

		CONNECTICUT.										
CAUSE OF DEATH.		Total.	Group 1, rural.	Ansonia town.	Bridge- port.	Danbury town.	Green- wich town.	Meriden town.	Middle- town town.	Nauga- tuck town.	New Haven town.	New London.
149	Obesity	1										
150	Old age	864	78	4	12	4	3	9	5	2	24	14
151	Ovarian tumor	11	1		1						1	
152	Ovaries, disease of	1			1							
153	Pancreas, disease of											
154	Paralysis	221	46		10	2	5	7	1		23	
155	Paralysis general (of insane)	11					1		1		1	
156	Parasites											
157	Pelvic abscess (female)	3								1	1	
158	Pericarditis	11	3				1				4	
159	Peritonitis	114	27	1	10	3	2	2	3	1	11	1
160	Pharyngeal abscess	2						1			1	
161	Pharynx, disease of (not specified)											
162	Phlebitis	5	2		1							
163	Phlegmasia dolens	1		1								
164	Pleurisy	49	5	1	4			1	1		12	
165	Pneumonia	1,469	174	18	152	21	24	44	28	28	212	31
166	Poisons (not specified)	54	8		5		1	2		2	10	1
167	Pregnancy, affections connected with	11	2					1				
168	Premature birth	400	64		37	7	9	6	4	3	48	11
169	Prostate, disease of	25	5		1	1		1	1			
170	Puerperal convulsions	12	1		1						2	1
171	Puerperal mania	1										
172	Puerperal septicemia	55	8	3	5	1	3			1	4	3
173	Purpura	8	1					1			2	
174	Railroad accidents	136	42	2	12	3		2	2		16	2
175	Respiratory system, disease of	1						1				
176	Rheumatism	71	14		4	1	1	2			10	2
177	Rickets	6		1							1	
178	Roseola											
179	Rupture of bladder											
180	Sarcoma	14	1		1						2	
181	Scarlet fever	61	9	4	5	2		2	1		4	2
182	Scrofula	4	2									
183	Septicemia	70	10	2	8	2	1	3	1	2	7	3
184	Skin, disease of	9	1								2	
185	Smallpox											
186	Spinal cord, disease of	16	4					1			5	
187	Spine, disease of	9	2		2					1		
188	Spleen, disease of	2	1									
189	Stomach, disease of	45	11		4				2		4	2
190	Suffocation	42	4	1	5	1			6	1	3	2
191	Suicide by cutting throat	5						1			2	
192	drowning	7	2						1			1
193	hanging	21	4		1			3			2	1
194	poison	37	4	1	7	1					13	1
195	shooting	13	4		1	1					1	
196	(not specified)	12	4		1	1					3	
197	Sunstroke	8							1		1	
198	Surgical operations	5	1		2						1	
199	Tabes mesenterica	22	1		1	1		2			2	
200	Tetanus	16	3		1	1				1	2	
201	Trismus nascentium	9	2						1		4	
202	Tuberculosis (unclassified)	13	6	1	1						2	
203	Tubes, disease of	1									1	
204	Tumor	31	5		1				1		4	3
205	Tumor of uterus	15	2	1					1		3	1
206	Typhoid fever	249	35	2	11	3	3	5	5	5	33	3
207	Typhus fever											
208	Unknown	54	8	1	2	2	1		1	1		4
209	Uremia	39	6	1	1		1				2	1
210	Urethra, stricture of	1									1	
211	Urinary organs, disease of	4			1							
212	Uterine hemorrhage	4	1								1	1
213	Uterus, disease of	5			2							
214	Venereal disease	24			1				1		4	
215	Vomiting in pregnancy	3			1							
216	Whooping cough	119	13	8	11		1	4	3	4	7	
217	Worms	2									1	
218	Wounds	11	2			1			1		1	
219	Yellow fever											

127

CONNECTICUT—continued.															DELAWARE.		
Norwalk town.	Norwich town.	Stamford town.	Stonington town.	Wallingford town.	Waterbury town.	Group 2, rural.	Bristol town.	Hartford.	Manchester town.	New Britain town.	Torrington town.	Vernon town.	Windham town.	Total.	Rural.	Wilmington.	
11	9	11	7	2	16 3	1 70 3	2	53	6	13 1	1	2	6 1	93 2	53 1	40 1	
8	11	8 1	2	5	9	50 6	3	18	1	8				121	65	56	
									1					1		1	
4	4	2	1		2 4	1 16	3	14	1	3	1			1 15 1	1 5 1	10	
						1		1									
19	2 36	1 30	5	6	101	10 259	1 15	10 157	14	53	20	11	11	4 304	1 154	3 156	
			1		6	7		8	1		2			8	4	4	
7	9	6	2	10	33 3	3 68 8	1 4	1 39 4	2	1 21 1	5	2	1 3	43	9	34	
					2	2		3						3	2	1	
		1	1	3	5	10 4		2		2	1	1	1	6	3	3	
2	1	1	2	3	4	22	2	10	1	3	1		3	23	5	18	
	1			1	4	16	2	5	3	3	1		1	17	7	10	
		1				1	1	1									
2				1	7 1 3 1	7 13 13 2	1 1	1 1 5 1	1	7 3		1 1		4 4 4 17 3	3 2 2 9 2	1 2 2 8 1	
	2	3 1	1														
				1	1	3 2 1 5		1					1 1	1 4 2	2		
	4				5	5	3	2		1	2			12	11	1	
1	2	1			5	5		4		1	1			10 1	6	4 1	
	2			1 1													
					2	8 7		1				1	1				
	2				3	3 1 3							2	10 2		10 1	
								1									
1		2		1		9 2 1 3	1	1 1 1		1	2	1	1	4 2	3 2	1	
					1												
1	2 1 1	1 1	2 1		1 2 21	6 1 52		3 3 45				1		9 1 1	7 1 40	2 50 1	
3	1	2		1	1 3	18 8	1 1	3 5		9 2		1	2	58 8	43 4	15 4	
	1					1		1									
				1		1		1					1	1	1		
			1		1	7	1	7 1					1	8	1	7	
		2	2	1	2 1 2	24	7	16	2	7	3		2	15	9	6	
1								3						3	1	2	

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
		Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
1 All causes.....	6,364	6,482	5,171	825	486	26,941	2,207	1,862	5,386	2,387	15,099
2 Abortion.....	7	5	5			19	2	1	2		14
3 Abscess.....	2	9	9			25	4	1	4	2	14
4 Abscess, lumbar and psoas.....	4					1				1	
5 Absorbent system, disease of.....	1					1			1		
6 Accidents and injuries (not specified).....	14	49	41	6	2	126	12	9	16	9	80
7 Addison's disease.....						1					1
8 Adenitis.....	3					4			2		2
9 Alcoholism.....	20	7	5	2		28	3	5	1	6	13
10 Anemia.....	14	11	9	1	1	38		2	2	24	10
11 Aneurism.....	5	4	3	1		17	2	2	2	4	7
12 Angina.....	1	11	10	1		60	6	2	10	8	34
13 Angina pectoris.....	18	11	4	1	6	26		3	4	7	12
14 Aphthae.....		17	15	1	1	92	11	8	10	3	60
15 Apoplexy.....	292	86	67	12	7	252	8	33	22	59	130
16 Appendicitis.....	25	10	8	2		56	5	6	7	8	30
17 Arteries, disease of.....	7	4	3		1	9	1	6		2	
18 Ascites.....	2	14	14			82	7	2	28		45
19 Asthma.....	5	15	11	3	1	84	10	18	15	5	36
20 Atrophy.....		1		1							
21 Bile passages, disease of.....	1					1					1
22 Birth, causes incident to.....	13	7	5		2	26	3		7		16
23 Bites.....		4	4			7		1	4		2
24 Bladder, disease of.....	19	9	7	2		45	5	2	15	1	22
25 Bones, disease of.....	5	1	1			11		1	4	2	4
26 Bowels, disease of.....	3	30	27	3		134	9	3	46	7	69
27 Bowels, obstruction of.....	27	18	14	3	1	44	5	2	6	7	24
28 Brain, disease of.....	101	107	83	17	7	341	19	19	59	57	187
29 Breast, disease of (puerperal).....											
30 Bright's disease.....	275	102	75	22	5	382	17	57	54	75	179
31 Bronchitis.....	141	50	29	19	2	274	5	37	82	36	114
32 Burns and scalds.....	35	73	63	5	5	371	39	19	56	10	247
33 Calculus biliary.....	6					9			1	3	5
34 Calculus urinary.....	3	6	4		2	26	1	1	4	1	19
35 Cancer (not specified).....	21	34	24	4	6	130	9	2	24	14	81
36 of abdomen.....	11	4	4			11		2	3	1	5
37 bladder.....	7	1			1						
38 brain.....	1										
39 breast.....	26	1	1			48	5	2	14	4	23
40 eye.....						2					2
41 genitals.....	1										
42 head, face, and neck.....	9	4	4			25	1	1	13		10
43 kidneys.....	3										
44 larynx.....	1										
45 liver.....	20	1	1			13	2		2	2	7
46 lower extremities.....	1					1			1		
47 lungs.....	1										
48 mouth, tongue, and throat.....	10	2	2			17	1	4	2	1	9
49 ovaries.....	1										
50 penis.....						1					1
51 rectum.....	7					5		4			1
52 stomach.....	40	19	16	2	1	30	1	4	6	2	17
53 testicle.....											
54 upper extremities.....						2			1		1
55 uterus.....	40	17	11	4	2	88	7	5	11	11	54
56 Carbuncle.....	4	1	1			17	1	1	2	1	12
57 Catalepsy.....											
58 Cerebro-spinal fever.....	24	13	10	2	1	45	3	1	17	1	23
59 Chicken pox.....		1	1			4			1		3
60 Childbirth.....	13	70	68		2	242	37	3	37	10	155
61 Cholera infantum.....	130	123	97	10	16	580	55	14	105	96	310
62 Cholera morbus.....	10	54	43	11		174	15	6	51	10	92
63 Chorea.....	2					2	1		1		
64 Circulatory system, disease of.....	2	1	1			2	2				
65 Colic.....	1	30	28	1	1	76	6	4	10	3	53
66 Colitis.....	8	11	7	3	1	26	1		5	5	15
67 Constipation.....		2	2			21	2	1	8		10
68 Consumption.....	851	557	381	119	57	2,651	181	213	543	300	1,414
69 Convulsions.....	134	66	46	18	2	264	26	31	38	31	138
70 Croup.....	17	56	52	4		686	29	1	295	31	330
71 Cyanosis.....	1					5	1		1	1	2
72 Debility.....	213	101	41	33	27	292	14	98	14	30	136
73 Dentition.....	25	46	35	11		393	33	5	62	24	269
74 Diabetes.....	15	8	5	2	1	49	3	1	13	8	24
75 Diarrhea.....	85	52	43	3	6	232	12	5	61	28	126
76 Digestive system, disease of.....	29	17	16	1		170	12	17	43	12	86

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belle- ville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Gales- burg.	Jackson- ville.	Ottawa.	Spring- field.	
1,242	61,229	1,818	27,533	7,410	269	556	21,223	362	312	355	270	329	150	642	1
2	57		46	5			6								2
3	74	3	35	6		1	27		1			1			3
	4		1	1			2								4
	11		6	1			4								5
32	458	14	109	62	1	7	238	1	8	4	3	4	2	5	6
	13	1	4	1			5			1	1				7
	4	1	2				1								8
5	245	5	183	13	1	1	33	2		2	2	1	1	1	9
	148	8	59	10	1		61	1	1	1	2	1	2	1	10
3	64	5	41	3			14				1				11
	86	2	24	19		1	35	2	1					2	12
	190	3	103	16		1	59	3	1	3		1			13
	30		17	6			7								14
11	1,249	42	572	126	12	18	402	17	6	5	16	10	8	15	15
8	478	12	276	40		3	135	2		3		1		6	16
	131	5	96	3			22	2				1		2	17
3	51	3	8	9		2	28		1						18
6	183	4	50	26	1	4	86	5	1			1		5	19
	4		1				2	1							20
	13		3	1	1		7			1					21
5	88	3	50	8			22	3			1	1			22
	1						1								23
7	135	11	40	12	1		63	1		1	2	2		2	24
	45	3	21	5			14		1					1	25
5	175	4	32	35		2	99	2	1						26
	287	3	149	37	2	4	72		1	4	3	4	3	5	27
8	570	6	164	91	4	8	269	6	4	4	1	4	1	8	28
															29
24	1,916	55	1,114	143	9	18	490	13	12	12	14	13	3	20	30
8	1,619	30	1,151	115	1	16	263	8	3	5	7	5	2	13	31
6	315	6	136	38	1	13	108	2	1	3		2	1	4	32
	110		52	12			44					2			33
	22		12	1		1	6			1			1		34
5	414	17	83	65	2	9	206	3	5	3	4	4	4	9	35
	128	3	68	9			42	2		2		1		1	36
	22		14	3			3	1						1	37
	4		2				2								38
	137	4	65	8	1		55	1	1	1	1				39
	5		1	1			2								40
	11		10					1							41
2	119	1	53	11	1	1	48	1		1		2			42
	18		8				8	1		1					43
															44
4	179	2	98	16	1	2	52	3	2	1	2				45
1	6		1				4				1				46
	8	2	3	1			2								47
2	107	3	64	8	1		27		1	1			1	1	48
	9		8						1						49
	4		2				2								50
1	41	1	22	1		1	15		1						51
9	676	26	320	71	3	6	222	4	2	7	6	2	1	6	52
	1		1				1								53
1	2	1													54
3	211	3	146	15		2	39	2	1	1	2				55
	15		4	2			9								56
															57
12	177	1	14	36		1	115	1	1	2		3		3	58
	6			2			3			1					59
14	209	8	50	44	1		100				2		1	3	60
22	1,707	31	881	174	6	14	527	16	8	12	5	4	3	26	61
22	307	22	47	83		5	198	3		5	1	1	1	1	62
1	14		6				7	1							63
1	16		5				9		1					1	64
2	91	5	36	13			37								65
	57	5	32	4		2	13					1			66
3	6	1		2			2				1				67
86	6,786	417	3,034	700	27	64	2,281	29	36	43	28	38	16	73	68
8	1,162	19	711	109	5	14	263	13	3	3	4	3	4	11	69
15	563	8	88	100	4	9	329	5	2	2	6	3	1	6	70
	28		10	2		1	11		3			1			71
18	378	9	41	77	14	5	178	6	8	9	2	7	2	20	72
1	34	4	4	5			19				2				73
6	291	6	110	29	1	6	127	3	3		1	2		3	74
4	250	10	69	48	1	1	111	1	2	2		3		2	75
2	104	6	9	21	2		58		2	2		2		2	76

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
		Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
77 Diphtheria	193	27	16	3	8	133	19	10	83	9	62
78 Dislocations		2	2			7	1		2	1	3
79 Dropsy	12	154	131	17	6	758	87	45	145	37	444
80 Drowning	30	60	48	12		84	19	19	6	4	36
81 Dysentery	38	112	88	13	11	781	59	22	187	81	432
82 Ear, disease of	1	1	1			12	2		2		8
83 Electricity	2	1	1			1				1	
84 Elephantiasis											
85 Embolism	7	1	1			5				2	3
86 Enteritis	218	127	91	14	22	306	16	72	32	72	174
87 Epilepsy	18	21	17	3	1	109	3	1	20	4	81
88 Erysipelas	7	11	11			41	6	5	9	1	20
89 Esophagus, obstruction and stricture of											
90 Execution	1					14	2	1	1	1	9
91 Explosion						16			9	1	6
92 Exposure and neglect	1	11	11			45	3	7	3	4	28
93 Extra-uterine pregnancy	3	2	2			4				3	1
94 Eye, disease of						1				1	
95 Falling bodies	1	5	5			24	2			3	19
96 Falls	21	22	20	1	1	65	9		11	7	38
97 Female organs of generation, disease of	3	9	9			40	5	2	10	1	22
98 Fever		55	55			296	49	1	30	4	212
99 Foreign bodies in esophagus		2	1	1		9	1	1	3	1	3
100 Fractures	29	10	6	4		35	4	6	4	9	12
101 Frozen						4					4
102 Gangrene	8	7	3	3	1	9	1		1	1	6
103 Gastritis	55	45	33	11	1	228	5	7	74	23	119
104 General disease (not specified)											
105 Goiter						3			1	1	1
106 Goiter, exophthalmic		1	1			1			1		
107 Gout											
108 Gunshot wounds	12	84	74	7	3	208	29	16	34	12	117
109 Heart disease	557	380	302	56	22	1,350	98	81	245	131	795
110 Hemophilia						1					1
111 Hemorrhage	17	17	17			56	7	3	6	1	39
112 Hernia	10	8	7	1		36	5	4	7	2	18
113 Hip joint, disease of	1					2		1	1		
114 Homicide	14	36	33	2	1	109	11	3	19	5	71
115 Hydrocephalus	39	9	6	2	1	29	3	3	4	3	16
116 Hydrophobia						4	2		2		
117 Inanition	28	142	54	64	24	178	14	16	12	57	79
118 Infanticide	1					3					3
119 Inflammation and abscess of liver	18	27	15	9	3	64	4		16	15	29
120 Inflammation of brain	4	30	26	3	1	138	8	4	46	11	69
121 Influenza	115	265	247	14	4	667	79	37	113	35	403
122 Injuries by machinery		1	1			12	1		3	2	6
123 Jaundice	12	18	18			90	4	5	18	9	54
124 Joints, disease of	4					9	2		2		5
125 Kidneys, disease of	24	30	23	5	2	82	7	5	22	6	42
126 Laryngitis	5	4	4			9			3	1	5
127 Larynx, disease of	3	1	1			1					1
128 Lead poison						2	1				1
129 Leprosy											
130 Leucocythemia	2	1	1			2				2	
131 Lightning		4	4			13	3		3		7
132 Liver, disease of	38	46	41	3	2	90	8	12	22	7	41
133 Locomotor ataxia	5	4	3		1	2	1			1	
134 Lost at sea											
135 Lungs, disease of	92	41	30	9	2	137	8	14	22	19	74
136 Lymphangitis											
137 Malarial fever	63	366	315	39	12	1,011	122	110	89	39	651
138 Male organs of generation, disease of						1					1
139 Malformation	15	7	5	2		33	3	3	6	5	16
140 Malignant pustule											
141 Measles	38	50	49		1	201	11	3	78	9	100
142 Meningitis	88	89	46	16	27	258	8	16	85	27	122
143 Mental disease	37	8	6		2	48	1	7	5	4	31
144 Mining accidents		1	1			3			1		1
145 Mumps		1	1			6				2	4
146 Nervous system, disease of	9	10	9		1	88	5	4	22	9	48
147 Noma						4		1			3
148 Nose, disease of	1	1	1			1					1

131

Idaho.	ILLINOIS.													
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belle- ville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Gales- burg.	Jackson- ville.	Ottawa.	Spring- field.
30	1,504	32	1,013	107	3	5	300	5	6	2	5	1	1	24
14	474	21	27	115	1	7	288	1	2		1	1		10
18	308	8	148	48	1	5	88	1	2			1	1	5
13	357	7	75	66	1	3	195	1		2		5		2
	18		6	7			5							
	8		6			1	1							
	1		1											
	44	1	29	1		1	8		1			1	2	
4	1,751	25	1,451	66	9	7	155	4	6	2	5	9	1	11
4	185	7	55	37		1	76							2
1	172	6	61	22		2	69	2	1	1		5	1	2
	9		5	1			3							
	8		2	3			2							1
1	33		10	3	1	1	17							1
3	25	3	7	5		1	9							
	18		14	1			3							
	1		1											
	31		14	1		1	14							1
5	313	3	232	24	2	2	46	1	1	1				1
2	30	1	9	5			14					1		
4	34		4	13			16		1					
	4		1	1			2							
4	97	4	22	10	2	4	44		2	1	1		1	6
2	10	1		3			6							
1	95	6	24	9		1	49	3	2				1	
9	478	9	215	52	3	8	170	2	4	1	2	2	2	8
	2		1					1						
	6						6							
	19		4	3		1	11							
	3			3										
14	170	3	32	42		3	77	1	1		1	2		8
64	3,905	144	1,635	438	12	38	1,461	28	11	32	23	27	12	44
2	4		3				1							
4	107	2	33	15	2	2	46	3		1		2		1
	146	3	62	23	1	2	48		1		2	2		2
	9		4	3			2							
1	152	4	104	12	2		29		1					
5	226	5	149	14	2	2	48		1	2		2		1
	14	1	11				2							
3	988	14	716	47	10	6	166	3	2	2	4	2	2	14
	1						1							
6	189	6	69	40	3	5	59	2		1	4			
13	452	13	40	130		3	257	1	2	3	1			2
11	454	15	149	65	1	2	195	6		2	2	6		11
	30		20	4			4						1	1
	158	1	69	27	1	</								

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	District of Columbia.	FLORIDA.				GEORGIA.					
			Total.	Rural.	Jacksonville.	Key West.	Total.	Group 1, rural.	Savannah.	Group 2, rural.	Atlanta.	Group 3.
149	Obesity											
150	Old age	154	110	110	19	11	459	38	51	52	24	294
151	Ovarian tumor	7					7			4		3
152	Ovaries, disease of	2	1	1			5	1			1	3
153	Pancreas, disease of											
154	Paralysis	61	116	100	12	4	695	58	54	169	66	348
155	Paralysis general (of insane)	11	2	2			16				2	14
156	Parasites						1			1		
157	Pelvic abscess (female)	7					2					1
158	Pericarditis	7	1		1		19	1	1	1	10	6
159	Peritonitis	50	26	13	9	4	116	5	10	16	36	49
160	Pharyngeal abscess	2	1	1								
161	Pharynx, disease of (not specified)											
162	Phlebitis						3	1			2	
163	Phlegmasia dolens											
164	Pleurisy	18	23	22	1		97	8	3	23	7	56
165	Pneumonia	518	407	352	42	13	2,598	188	148	536	189	1,537
166	Poisons (not specified)	19	31	27	3	1	102	10	9	19	12	52
167	Pregnancy, affections connected with	3					5			2		3
168	Premature birth	147	56	49	4	3	388	16	78	69	76	149
169	Prostate, disease of	3	1			1	6			4		2
170	Puerperal convulsions	2	11	8	2	1	15	2	3	2		8
171	Puerperal mania											
172	Puerperal septicemia	14	17	15	2		87	8	1	14	6	58
173	Purpura	4	1			1	2		1	1		
174	Railroad accidents	25	32	27	5		89	3	11	13	17	45
175	Respiratory system, disease of											
176	Rheumatism	30	28	24	3	1	125	15	5	30	9	66
177	Rickets	2	4	2		2	10		1	2	2	5
178	Roseola						7			2		5
179	Rupture of bladder	1					1		1			
180	Sarcoma	10					9		1	3	3	2
181	Scarlet fever	25	8	8			44	2	3	17	14	8
182	Scrofula	2	6	5	1		56	2	1	15	3	35
183	Septicemia	16	31	20	6	5	141	18	19	20	8	76
184	Skin, disease of	3	16	15		1	31	3	2	8	1	17
185	Smallpox	5	16	16			46	6	3	5		32
186	Spinal cord, disease of	11	4	4			12	1	1	3	1	6
187	Spleen, disease of	3	4	4			38	2	1	15	2	18
188	Spleen, disease of		1	1			2					
189	Stomach, disease of	25	17	13	4		73	3	1	21	11	37
190	Suffocation	12	13	10	3		112	2	4	16	15	75
191	Suicide by cutting throat	3					2					2
192	drowning		1		1		1					1
193	hanging	4	1			1	4			1	2	1
194	poison	8	2	1		1	8		1		2	5
195	shooting	6	1	1			12		2	3	1	6
196	(not specified)	7	6	3	3		21	2	1		1	17
197	Sunstroke	9	2	2			18	3	3	2		10
198	Surgical operations	2	1	1			9	2		2		5
199	Tabes mesenterica	12	19	14	3	2	65	3	8	20	5	29
200	Tetanus	3	74	46	10	18	46	7	15	2	6	16
201	Trismus nascentium	9	26	10	1	15	19		12		1	6
202	Tuberculosis (unclassified)	20	2	2			17		2	1	9	5
203	Tubes, disease of	10					2					2
204	Tumor	6	20	18	2		69	6	3	22	4	34
205	Tumor of uterus	8	1	1			13		1	4	3	5
206	Typhoid fever	225	290	264	19	7	1,585	107	21	439	98	920
207	Typhus fever		5	4		1	9	1				8
208	Unknown	26	454	445	5	4	2,209	273	134	383	41	1,378
209	Uremia	19	21	13	8		59		6	5	20	28
210	Urethra, stricture of	1					3			1	1	1
211	Urinary organs, disease of	4	5	5			3	1	1			1
212	Uterine hemorrhage	1	2	2			10			3		7
213	Uterus, disease of	1	8	8			24			2		22
214	Venereal disease	24	19	13	6		85	4	12	8	8	53
215	Vomiting in pregnancy	1	1	1			2					2
216	Whooping cough	38	90	83	5	2	222	22	10	70	16	104
217	Worms	1	15	14	1		51	7	1	12		31
218	Wounds	4	2	2			17	3	4	2	2	6
219	Yellow fever		80	20		60	2	1				1

CAUSE OF DEATH.

133

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

Idaho.	ILLINOIS.														
	Total.	Group 1, rural.	Chicago.	Group 2, rural.	Belle- ville.	Quincy.	Group 3, rural.	Aurora.	Danville.	Decatur.	Gales- burg.	Jackson- ville.	Ottawa.	Spring- field.	
35	1,586 31 18	68 1	464 11 11	248 6 1	8	30	672 11 6	9	16	14	5 2	18	16	18	149 150 151 152
26	1 1,328	37	1 278	228	2	10	708	7	12	10	3	9	5	19	153
2	170	13	13	22	1		114					7			154
1	2 31		1 30	1											155 156 157
1	90	1	59	4		3	20	1				1		1	158
8	346 9	11	140 8	34	3	9	117 1	4	6	4	3	2	4	9	159 160 161
	11 4		8 1				3 2								162 163
2	155	3	95	16		1	38	1	1						164
176	6,942	169	3,611	810	21	50	2,119	38	17	22	25	18	11	31	165
7	192 10	4	64 9	22	1	4	79 1	1		6	3	3		5	166
13	681 35	8	311 12	76 5	3 2	12	238 12	1 1	9 1	11	2 2	2	2	11	167 168 169
1	40 6		22 4	7 1		2	9 1								170 171
6	240 13	12 1	152 10	22	1	1	57 2	1	1	2		1			172 173
6	667 6	18	330	74	2	3	181 6	7	12	16	9	2	2	11	174 175
11	295	8	101	44		2	129	2	2	2				5	176
	42	1	34	2			4			1					177 178 179
	2		1				1								
2	116	4	71	9		1	24	2	2	1	1			1	180
19	643	18	453	33		4	121	2	2	3	1	1		5	181
2	34		9	6			18							1	182
8	387	12	90	71	2	4	193	3	3	6		2			183
1	53	1	22	10		1	18				1		1		184
6	25		4	8		1	12								185
	108	6	49	7		1	43				1				186
7	110	1	9	29			69			1		1			187
1	13	1	4	2			6								188
11	419	9	65	86	3	3	235	1	4	3		1	1	8	189
2	148	1	92	16		1	32			2		2		2	190
1	3		2				1								191
	18		14	2			2								192
1	73	1	43	7	5		17								193
	156		135	6	1		12	1				1			194
1	163	1	111	10	1		37					2		1	195
7	172	6	66	24		3	65		2	2				4	196
1	61		37	8			15			1					197
	54	2	20	14			11		1	4				2	198
	157	3	64	16	1	1	62	3	2		2	2	1		199
	90		23	16			40	1			1	2	1	6	200
	36	1	29	2			2				2				201
1	89	2	55	3			17	5	1		2			4	202
	57		55				2								203
3	156	8	37	28			81	1				1			204
1	49	1	34	5		1	7								205
37	1,897	40	470	368	14	8	926	10	17	1	4	10	3	19	206 207
	2			1			1								
108	1,345	52	85	296	2	7	868	4	9	7	2	4	1	8	208
	223	8	118	24	2		57			1	4	3	3	3	209
	2		2												210
	11		3	5		1	2								211
1	8		1	1			6								212
1	23		10	2			11								213
	176	9	137	6			23							1	214
	1		1												215
38	497	3	153	93	7	1	231		1	1	1	1	5		216
	9	1		2			6								217
	43		30	2		1	7		1					2	218
	3		1				2								219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

		INDIANA.										
CAUSE OF DEATH.		Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
1	All causes	33,586	957	210	5,679	1,045	227	20,696	162	2,817	296	286
2	Abortion	26	1		5			18		1		
3	Abscess	27	2		2			20			1	
4	Abscess, lumbar and psoas	6	1		2			3				
5	Absorbent system, disease of	5						4		1		
6	Accidents and injuries (not specified)	296	16	1	43	9		208		7	7	1
7	Addison's disease	7			1			5		1		
8	Adenitis	2						2				
9	Alcoholism	55	1		7	4		37		2		1
10	Anemia	96	7		15	2	1	53		8	1	2
11	Aneurism	13	2		1			7		8		
12	Angina	67			7			54		4		
13	Angina pectoris	132	9	1	19	5		81	1	10	1	1
14	Aphthae	30	1		5	2		17		4	1	
15	Apoplexy	743	15	6	91	22	10	467	5	83	8	8
16	Appendicitis	145	2	1	21	9	2	88		15	2	
17	Arteries, disease of	43	1		3	3		26		6	1	
18	Ascites	33	2		4			22		4		1
19	Asthma	114	7	1	24	13	1	52	1	8	3	1
20	Atrophy	6						6				
21	Bile passages, disease of	7						7				
22	Birth, causes incident to	25			5	1		15		1		2
23	Bites											
24	Bladder, disease of	100	3	2	23	4		54		9	1	
25	Bones, disease of	19	2		1		1	14				
26	Bowels, disease of	109	5		18	3		73	2	4		1
27	Bowels, obstruction of	164	2	2	37	8	1	88	2	18		2
28	Brain, disease of	432	9		62	10	2	277	3	39	2	6
29	Breast, disease of (puerperal)											
30	Bright's disease	928	33	11	136	36	8	566	2	80	4	9
31	Bronchitis	551	35	3	96	30	5	312	4	44	2	5
32	Burns and scalds	173	4	1	33		1	104	1	14		3
33	Calculus biliary	52			8		2	36		3	1	
34	Calculus urinary	4	1		2			1				
35	Cancer (not specified)	399	24	3	53	18	2	225	1	56	5	
36	of abdomen	42	2	2	4	1		26		3	1	1
37	bladder	5						3		1	1	
38	brain	1						1				
39	breast	59	2		11	1	1	34		7		
40	eye	2	1					1				
41	genitals	2						2				
42	head, face, and neck	57	3		14			37			2	
43	kidneys	9						6		2		
44	larynx	3		1				2				
45	liver	101	1		14	2	1	66		11	1	1
46	lower extremities	1			1							
47	lungs	3			1			2				
48	mouth, tongue, and throat	21	1	1	2	1		12				1
49	ovaries	1						1				
50	penis	1						1				
51	rectum	24			1			17		5		
52	stomach	214	12	2	30	4	2	140	2	10	1	
53	testicle											
54	upper extremities	1						1				
55	uterus	90	2	1	15	2		53		11		1
56	Carbuncle	7	1		1			3		2		
57	Catalepsy											
58	Cerebro-spinal fever	192	3		41	8		126	1	6	1	
59	Chicken pox	2			1			1				
60	Childbirth	75	2		18	1		46	1	3		1
61	Cholera infantum	762	18	10	120	21	8	517		34	7	9
62	Cholera morbus	272	11	4	63	8	1	169		9	2	
63	Chorea	7	2		2			3				
64	Circulatory system, disease of	19			1			13			1	
65	Colic	11	1		3			7				
66	Colitis	60		1	10			38	1	7	1	1
67	Constipation	10	1		2			6		1		
68	Consumption	4,232	88	11	795	143	39	2,563	21	342	39	42
69	Convulsions	404	32	20	84	23	3	194		33	3	3
70	Croup	318	6	3	67	6		199	2	18	7	1
71	Cyanosis	50			5	3		31		7		1
72	Debility	477	10	10	70	27	1	260	4	56	6	4
73	Dentition	20	2		6			10		1		
74	Diabetes	197	5	3	29	4	4	128		17		1
75	Diarrhea	214	3	1	46	10	1	127	4	12	8	1
76	Digestive system, disease of	92	1		12			70		4		

CAUSE OF DEATH.

135

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.					IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.	Indian Territory.	Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscataine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
136	292	587	196	5,286	19,573	2,573	384	562	279	240	12,698	181	167	317	1,737	435	1
			1	8	7						7						2
		1	1	7	26	3				2	20					1	3
				1	1						1						4
					5	1		1			3						5
1	2	1		21	251	23	6	3	6		167	5	7	14	17	3	6
					7	2	1				4						7
					2	1									1		8
1		1	1	2	25	2	2				19			1	1		9
1	1	3	2		56	3	4				42			1	4	2	10
					16	1				1	10			2		2	11
		2		17	40	5			1		26				5	3	12
	2	2		5	60	9		6	1		38		1		4	1	13
				13	9	1				1	5				2		14
4	10	11	3	12	503	78	15	32	5	6	313	9	5	10	23	7	15
		5		6	160	19	1	6	3	1	101	2		2	19	6	16
1	2				34	5	1	3		3	19			1	1	1	17
					29	4					21				4		18
		3		9	66	10					46	2	1		7		19
				7	1										1		20
					4	1	1									2	21
		1		2	24	2					16		2	1	1	2	22
				1	1						1						23
2	1	1		3	63	15	3	3	2		37	1			1	1	24
			1	4	15		1				13					1	25
1		2		45	91	11	1	1	1		69	1	1		5	1	26
	2	2		4	103	18	3	7	2	1	59			1	8	4	27
2	3	12	5	105	213	31	6	4		2	146	3	1		13	7	28
4	15	21	3	29	574	82	17	19	4	4	375	4	5	5	44	15	29
4	1	7	3	49	262	44	5	24	5	2	143		1	1	28	9	30
2	1	8	1	35	91	9	1	1	1	1	57	5			13	3	31
1		1		1	38	5	1	2		1	22	1		2	4		32
				3	9	1					6				1	1	33
1	5	4	2	13	212	25	6	5	3	1	138	5	3	5	15	6	34
		2		1	41	9	1	4	1		20	1		1	3	1	35
					6	2					4						36
					1												37
1		1	1	1	60	10	2	1		1	1			2	3		38
					3	1					41						39
	1			2	53	6					2			1	4		40
											42						41
	1																42
		4		1	55	9	1	3		1	37			1	5		43
					2			1					1				44
					6	1					5						45
	1	2			17	2		1			12				2		46
					2						2						47
		1			1						1						48
1	2	8		6	273	39	1	5	3	5	193			2	21	4	49
					1										1		50
1		3	1	4	58	1		4	1	3	27	2	1	3	7	1	51
				1	4						3				1		52
		5	1	60	93	16	3	2	2	1	54		3	2	9	1	53
	1	2		54	1	9	2	1	1		1						54
2	2	6	8	188	471	50	1	15	8	2	68	1	7	7	13	2	55
2		2	1	48	254	25	1	4		1	301	4	3	1	63	14	56
					4						4						57
		4		11	37	10		3			9		1				58
		1		4	24	3		2	1		21	1		2	3		59
				1	6	4			1		14				1		60
14	37	70	28	345	1,805	209	41	51	23	15	1,205	13	15	34	160	39	61
3	1	4	1	24	242	50	7	16	1	7	137	3	2	1	13	5	62
	3	4	2	161	162	29	3			1	95	1	3		20	10	63
	2		1		14	1	1				11	1					64
2	8	15	4	14	168	33	3	3	3	5	107		1	4	6	3	65
		1		23	11	4					5				2		66
1	1	3	1	7	150	22	2	3	1	2	107	1		1	10	1	67
	1	4	1	47	79	13	3		4	1	50			2	6		68
		3	1	15	66	4		1			52	1			6	2	69

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	INDIANA.										
		Total.	Group 1, rural.	Michigan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
77	Diphtheria	523	30	10	51	7		342	1	46	9	2
78	Dislocations	2						2				
79	Dropsy	377	11		79	6		254	1	16	2	2
80	Drowning	127	5	1	36	12	1	54	2	10	4	
81	Dysentery	479	6	4	80	13		337	2	25	3	3
82	Ear, disease of	13			3			10				
83	Electricity	6						4	1	1		
84	Epileptitis	2						1		1		
85	Embolism	10	1			1		7		1		
86	Enteritis	480	11		65	32	6	244	2	89	3	7
87	Epilepsy	131	3		22	2		91	1	9		
88	Erysipelas	101		1	15	2	1	67	2	11		
89	Esophagus, obstruction and stricture of	6				1		1		3	1	
90	Execution	4		1	1			2				
91	Explosion	37	6		1	1		28				
92	Exposure and neglect	19	1		3	1		13				
93	Extra-uterine pregnancy	5						4		1		
94	Eye, disease of	4	2			1		1				
95	Falling bodies	22			6			15		1		
96	Falls	49	1		8	3		36		1		
97	Female organs of generation, disease of	28	2		7			15		2		
98	Fever	13	1		4	1		4		2		
99	Foreign bodies in esophagus	8	1		3			3				
100	Fractures	84	4		11	1		51		11	1	3
101	Frozen	6			1	1		3		1		
102	Gangrene	67	3	1	8	1	1	41		6		4
103	Gastritis	313	9	4	54	8	6	194		20	2	4
104	General disease (not specified)	1						1				
105	Goiter	4						3		1		
106	Goiter, exophthalmic	14			2	1		10		1		
107	Gout	1						1				
108	Gunshot wounds	134	3	2	24	1	1	89		7	2	
109	Heart disease	2,150	48	20	347	48	12	1,378	11	159	28	25
110	Hemophilia	1						1				
111	Hemorrhage	87	2		11	1	1	59		11	2	
112	Hernia	55	2		5	1	3	35		2	1	1
113	Hip joint, disease of	11			1			10				
114	Homicide	43			5	6		23		8		1
115	Hydrocephalus	162			55	5	1	97	1	13	3	2
116	Hydrophobia	4					1	2				
117	Inanition	652	19	1	94	29	8	343	1	110	7	9
118	Infanticide	2						2				
119	Inflammation and abscess of liver	133	2	1	15	3		91	1	12	3	1
120	Inflammation of brain	295	9	2	56	4		202	2	13	1	1
121	Influenza	456	15		75	9		288	5	47	5	1
122	Injuries by machinery	7	1					6				
123	Jaundice	81	2		7	2		61		7		
124	Joints, disease of	7			3			4				
125	Kidneys, disease of	141	5	1	28	2		85	2	7	4	2
126	Laryngitis	39			3	1		29		6		
127	Larynx, disease of	9			1			5		3		
128	Lead poison	1			1							
129	Leprosy	1						1				
130	Leucocythemia	15			1			11		2		
131	Lightning	20			4			16				
132	Liver, disease of	245	9	2	44	8		140		23	5	4
133	Locomotor ataxia	35			4	3	2	22		3		
134	Lost at sea											
135	Lungs, disease of	315	17	1	31	6	3	223	3	18	3	1
136	Lymphangitis	3	1		1			1				
137	Malarial fever	340	9	1	78	22	6	198		14	4	1
138	Male organs of generation, disease of	2						2				
139	Malformation	122	4	1	17			89	1	4	1	1
140	Malignant pustule	1								1		
141	Measles	107			12	10	3	72		5	1	2
142	Meningitis	619	11	4	95	22	3	354	9	81	6	9
143	Mental disease	102	1	1	12	12	1	62		10	1	
144	Mining accidents	12				1		11				
145	Mumps	4			1					2		
146	Nervous system, disease of	100	1		10	1		70		9		1
147	Noma	1						1				
148	Nose, disease of	2			1			1				

137

INDIANA—continued.				Indian Territory.	IOWA.												
Peru.	Richmond.	Terre Haute.	Vincennes.		Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.	
1	9	12	3	24	255	44	4	1	1		148		10		36	11	77
	1	2		1	6						6						78
		2		53	240	33	7	6	1	3	159		1		28	2	79
		2		10	119	26	9	3	2	1	57	1	1		13	4	80
1	1	2	2	171	150	21		4	7		94	1	2	5	16		81
				2	2						2						82
					5			1			4						83
				1	11	1		1			8					1	84
6		9	6	81	121	19	6	2	5	6	58	1		5	13	6	85
	1	1	1	8	79	11		2	2		45				19		87
		1	1	13	50	7	1		1	1	31				5	4	88
				3	3	1					2						89
					4	1					3						90
	1				7						7						91
		1			11	3		1			7						92
				1	7	1					5				1		93
																	94
				2	7	1					5				1		95
		1	1	13	61	10		4	1	1	39				6		96
			1	53	8	2					4		1		1		97
					7					1	6						98
			1	2	4						4						99
		2		2	54	6	2	5			29	1	1	2	2	6	100
				1	2						2						101
1	1	2	3	2	32	6	2				20			1	3		102
2	5			52	186	34	1	8	1	7	121		2	1	6	5	103
					2	1					1						104
					8	4					3						105
1	2	2		40	61	5		1	2	1	45			3	3	1	106
13	18	34	9	113	1,689	228	29	36	20	21	1,129	11	11	33	138	33	107
																	108
	1	1	3	11	49	7			1		33			1	6	1	110
					46	7	1		2	1	32				2	1	111
																	112
					9	1		1			6				1		113
1		4		12	23			1		1	12	3	3		1	2	114
				9	69	8	1	4		1	48	2		2	2	1	115
	1				2	1					1						116
2	11	15	3	26	199	24											

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	INDIANA.										
	Total.	Group 1, rural.	Michlgan City.	Group 2, rural.	Evans- ville.	Jefferson- ville.	Group 3, rural.	Colum- bus.	Indian- apolis.	Lafay- ette.	Muncie.
149 Obesity.....	1						1				
150 Old age.....	1,004	34	4	159	12	6	627	2	100	10	5
151 Ovarian tumor.....	23			4			15	1	2		
152 Ovaries, disease of.....	11			2	1		4		3		
153 Pancreas, disease of.....											
154 Paralysis.....	1,065	31	6	164	19	8	727	3	71	6	6
155 Paralysis general (of insane).....	36	1		2	1		30		2		
156 Parasites.....	1						1				
157 Pelvic abscess (female).....	22						14		7		
158 Pericarditis.....	41	1		4	1		23		5	2	
159 Peritonitis.....	312	7	1	44	22	1	159	2	46	2	9
160 Pharyngeal abscess.....	3						3				
161 Pharynx, disease of (not specified).....											
162 Phlebitis.....	3				1		2				
163 Phlegmasia dolens.....											
164 Pleurisy.....	59			7	2		38		5	1	1
165 Pneumonia.....	2,919	81	9	603	89	26	1,696	28	234	22	18
166 Poisons (not specified).....	121	6	1	20	3	1	70		16		2
167 Pregnancy, affections connected with.....	3						3				
168 Premature birth.....	705	8	5	109	42	3	370	2	117	4	9
169 Prostate, disease of.....	27			5	1		20		1		
170 Puerperal convulsions.....	29			2			20		3		
171 Puerperal mania.....											
172 Puerperal septicemia.....	124	5		20	3		84		4		4
173 Purpura.....	10	1					8		1		
174 Railroad accidents.....	266	11	2	21	5		151	2	40	4	4
175 Respiratory system, disease of.....	6	1					4				
176 Rheumatism.....	221	6	1	43	6	1	145		9	3	1
177 Rickets.....	12			2			7		3		
178 Roseola.....	5	1		1			3				
179 Rupture of bladder.....	2						2				
180 Sarcoma.....	25	1		4	2	1	13		3		
181 Scarlet fever.....	164	10	3	14	1		105		24		1
182 Scrofula.....	44			7	1		34		2		
183 Septicemia.....	279	11		39	8	1	173		34		3
184 Skin, disease of.....	18			3		1	14				
185 Smallpox.....	19	2		8			8		1		
186 Spinal cord, disease of.....	69	2		10			46		6		1
187 Spine, disease of.....	68			7	1		56	1	2	1	
188 Spleen, disease of.....	11	1		1			9				
189 Stomach, disease of.....	252	4		46	4		185	1	7		1
190 Suffocation.....	138	7	1	24	1		87	1	9	1	
191 Suicide by cutting throat.....	13			2			10				
192 drowning.....	6			2	1		2		1		
193 hanging.....	17	1	3	1			10				
194 poison.....	49	5	1	1	1		24		12		3
195 shooting.....	47	1		4	1	1	30		5		1
196 (not specified).....	54	3	1	6	3	1	30		6	1	
197 Sunstroke.....	16	1		3			10		2		
198 Surgical operations.....	25	1		4	1		16		2		
199 Tabes mesenterica.....	105		1	20	3	3	64		4	1	3
200 Tetanus.....	56	5	1	7	4		26		6		
201 Trismus nascentium.....	11			2	1		2	1	3		
202 Tuberculosis (unclassified).....	51	1		12	1	1	31		3		1
203 Tubes, disease of.....	4			1			3				
204 Tumor.....	70	2		7	1		49		3	2	1
205 Tumor of uterus.....	24		1	1	1		11	1	9		
206 Typhoid fever.....	1,496	21	3	363	45	10	908	3	77	6	10
207 Typhus fever.....	4			1			2		1		
208 Unknown.....	621	21		109	3	3	444	2	20	10	1
209 Uremia.....	161		3	23	8	1	82	3	27	2	
210 Urethra, stricture of.....	1						1				
211 Urinary organs, disease of.....	14			2	1		11				
212 Uterine hemorrhage.....	4		2				2				
213 Uterus, disease of.....	15			1			12		1		
214 Venereal disease.....	51	1		9	2		26	1	8		
215 Vomiting in pregnancy.....	5			2			3				
216 Whooping cough.....	201	4		38	6	1	133	1	7		2
217 Worms.....	6			3			3				
218 Wounds.....	19	2		4			11	1			
219 Yellow fever.....	3			1			2				

CAUSE OF DEATH.

139

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

INDIANA—continued.					IOWA.											
Peru.	Richmond.	Terre Haute.	Vincennes.	Indian Territory.	Total.	Group 1, rural.	Burlington.	Davenport.	Keokuk.	Muscatine.	Group 2, rural.	Marshalltown.	Oskaloosa.	Ottumwa.	Group 3, rural.	Sioux City.
2	23	18	2	30	862	132	30	47	20	30	491	12	8	11	70	11
1		1		1	7	1					6					
				1	6						5	1				
					1						1					
	10	12	2	42	723	102	10	16	11	1	505	9	4	4	45	16
					57	2		1	1	1	47		1		3	1
					1	1										
1					7		1				3			1	2	
1	2	2		2	14	2	1	1			7			2	1	
2	3	11	3	10	171	21	5	10	8	2	93	2	3	2	16	9
					2						1			1		
				1	4						4					
				3	3						3					
		4	1	5	51	8			1		33		1	3	4	1
8	23	56	26	612	1,826	225	33	37	30	34	1,189	12	14	41	182	29
1		1		20	72	8	2	1	1		45	1		1	9	4
					5						2				1	
2	2	24	8	70	230	21	5	11	1	4	136	12	3	3	25	9
				1	24	3				1	17			1	1	
1	1	1	1	2	12	3					6				2	1
					1	1										
	1	1	2	19	55	9		1			38		2		2	3
				1	7	1					4				1	1
4	5	16	1	7	153	19	9	3	2	1	88	3		2	22	4
		1		1	2						2					
	1	5		20	141	14	4	6	3		92		3	2	15	2
					1	1										
					1	1										
					1						1					
		1	2	26	18	4	1	2			10				1	
1	1	2	2	15	99	14	1	1			69				11	3
				14	14	4		1			9					
1	2	5	2	39	198	23		2			137	3			28	5
				7	11			1	1		8				1	
						1					12	1			3	
		4		33	17	4	1	1			35		1	2	3	
				2	47											
				16	51	2					43				6	
				1	4						4					
1			3	80	147	18	1		3	2	107	4	1		10	1
		5	2	5	42	5	2			1	28			1	3	2
		1			7	1		1		1	4					
					8	1		1			5				1	
	1		1	1	19	3		1		1	12				2	
	1	1			18	4					9		1		4	
		2	1	2	26	6	1	1		1	13				4	
		1	2	3	41	3	2	1		1	25			2	7	
				2	22	2	2	1			14				2	1
	1			1	27	3			1		17				4	2
1	2	2	1	14	41	4		1			26		1	2	6	1
	2	5		3	38	3		2			28				3	2
	1	1														
	1				36	4	1		1		23			1	5	1
				2	2			1							1	
1	2	2		4	82	9		2			57		1		12	1
					10	1					7			1	1	
10	10	22	8	321	549	60	14	23	15	13	338	18	4	18	33	13
		2	2	537	720	85		7	19	2	527	2	2	3	67	6
1	5	6		4	66	7	9	3	1	1	43			1	1	
					1	1										
				2	9			2			7					
					2						1					
	1			3	6	1					4			1		
1	1	1	1	2	10	1				1	5		1	1		1
					1			1								
2	1	5	1	113	103	6	5	1	3	1	59		3	7	18	
				5	4	1					3					
			1	1	16	1			1		9				2	3
				1	1						1					

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

		KANSAS.							KENTUCKY.			
CAUSE OF DEATH.		Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
1	All causes	16,261	13,268	189	179	419	390	1,816	27,091	4,080	4,083	869
2	Abortion	11	10					1	13	4	2	
3	Abscess	20	19				1		27	4	4	
4	Abscess, lumbar and psoas	1	1						1		1	
5	Absorbent system, disease of	2					1	1	3			
6	Accidents and injuries (not specified)	187	147	3	2	2	4	29	178	23	28	11
7	Addison's disease	2	1					1	4			
8	Adenitis	1	1						4		1	
9	Alcoholism	17	15			1		1	36	7	2	1
10	Anemia	15	10			1	1	3	33	1	9	3
11	Aneurism	10	9					1	18	3	5	
12	Angina	25	20					5	44	10	9	
13	Angina pectoris	34	30		1			3	58	4	9	1
14	Aphthae	16	13					3	34	8	7	
15	Apoplexy	246	196	4	4	7	12	23	312	11	48	25
16	Appendicitis	109	94		2		2	11	92	6	12	2
17	Arteries, disease of	5	4					1	18		2	4
18	Ascites	35	30					5	34	9	2	
19	Asthma	67	54			4	3	6	116	9	17	4
20	Atrophy	1	1						3			1
21	Bile passages, disease of								1			
22	Birth, causes incident to	15	15						14	2	4	2
23	Bites	6	2					4	2	1		
24	Bladder, disease of	35	30	1	2	1	1		41	3	7	2
25	Bones, disease of	9	8				1		23	6	3	
26	Bowels, disease of	59	49	2		1	1	6	153	32	26	2
27	Bowels, obstruction of	70	54	1	2	2	3	8	57	4	10	1
28	Brain, disease of	118	100		2	2	2	12	278	18	53	7
29	Breast, disease of (puerperal)											
30	Bright's disease	376	316	5	4	9	10	32	591	19	101	53
31	Bronchitis	163	130	1	1	15	4	12	420	57	54	17
32	Burns and scalds	73	58		2	4	1	8	212	51	28	7
33	Calculus biliary	28	22	2		1		3	20	2	3	
34	Calculus urinary	7	5				1	1	8	3	1	
35	Cancer (not specified)	180	145	5	3	2	5	20	185	16	23	7
36	of abdomen	19	16		1	1		1	20	2	4	1
37	bladder	4	3		1				2	1		
38	brain	1	1									
39	breast	33	28					5	47	6	9	
40	eye	3	3						3		1	
41	genitals											
42	head, face, and neck	40	33					7	33	1	9	1
43	kidneys	1	1						3		1	
44	larynx								1		1	
45	liver	34	27		1	1	2	3	45	1	8	1
46	lower extremities	2	2						3	1	1	
47	lungs	3	3						4			
48	mouth, tongue, and throat	7	7						10		3	
49	ovaries	2	1					1	1			
50	penis	2	2									
51	rectum	8	7		1				4	1		
52	stomach	143	122	1	2	3	2	13	126	11	26	6
53	testicle											
54	upper extremities	2	2						1			
55	uterus	38	31		1		1	5	60	10	3	1
56	Carbuncle	4	4						7	1	1	
57	Catalepsy								2	1		
58	Cerebro-spinal fever	82	64			6	3	9	121	15	27	
59	Chicken pox	4	4						3	1		
60	Childbirth	81	67	1	1		1	11	120	25	10	1
61	Cholera infantum	603	468	9		9	21	96	424	40	95	17
62	Cholera morbus	220	161	2	2	5	8	42	162	28	36	8
63	Chorea	6	5					1	5	1	1	
64	Circulatory system, disease of	10	8	2					3			
65	Colic	23	16					7	28	4	4	
66	Colitis	24	20	1	1			2	24	3	3	1
67	Constipation	9	8					1	32	3	3	
68	Consumption	1,414	1,160	20	23	41	45	125	3,916	528	565	100
69	Convulsions	149	121	1	1	10	3	13	296	8	42	33
70	Croup	234	200	1	3	1	4	25	768	359	74	5
71	Cyanosis	6	5	1					6			
72	Debility	124	96		1	2	13	12	298	8	33	66
73	Dentition	13	8					5	45	5	4	1
74	Diabetes	84	73		1	1	1	8	65	4	7	4
75	Diarrhea	121	106	1	2	2	1	9	195	45	23	1
76	Digestive system, disease of	56	49	1		1	1	4	62	7	7	

CAUSE OF DEATH.

141

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.						
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.	
4,092	572	541	675	12,179	20,955	5,481	8,287	1,648	4,811	728	12,148	6,364	308	146	375	1,100	1
3		1	1	6	10	5	2	1	2		5	2					2
			2	13	14	3	2		8	1	15	6	1				3
					3		2										4
1	1			1													5
24	1	3	8	80	88	29	22	8	22	7	96	50	1	1		12	6
1				3							4	2		1			7
		1	1	1	4	1	2		1		2		1				8
10	1			14	46	8	33	2	1	2	15	9	1			3	9
5		2	1	12	18	1	12	4	1		57	20	2	1	7	5	10
5	1	1		3	21	1	17		3		6	4					11
3	1	2		19	27	18	1		8		8	1		1		1	12
24	2	1	1	16	21	6	12		2	1	80	52	2		3	1	13
				19	27	15	3	2	6	1	2						14
88	16	5	2	117	300	55	194	15	26	10	602	343	12	10	12	70	15
21		2	3	46	36	6	20	1	9		45	19	1		1	5	16
5	4			3	36	1	34	1			10	6				1	17
3		1		19	48	20	9	4	14	1	9	5	1				18
36		5		45	56	17	24	6	9		20	9					19
2					2		2				2	2					20
					2		2										
1				5	16	6	2		2	2	17	10				5	21
1				1	2	1											22
12	2	2		13	23	4	7	3	7	2	55	31				6	23
																	24
5	1			13	8	2	5		1		9	5					25
20	4	1	10	77	75	43	7	5	19	1	17	8	2			1	26
61	9	6	9	115	55	15	33	20	7	12	52	30		1	1	6	27
					285	56	132		65		172	87	4	1	2	17	28
134	15	15	6	248	637	65	478	14	58	22	486	293	8	8	12	54	29
112	14	6	8	152	335	64	217	5	40	9	228	143	3	2	11	16	30
23	1	2	8	92	163	44	38	17	62	2	41	17	1			6	31
																	32
9				6	1		1				7	3		1			33
				3	12	2	3		3		5	3					34
51	6	2	1	78	78	31	27	4	10	7	67	38	2			7	35
3			2	10	12	3	6	1	1	1	58	32	1	1		4	36
	1				1			1			2	2					37
4	2			26	33	10	19		4		56	31	1	1	1	5	38
				2	1	1					2	1				1	39
					1		1				5	3					40
3	1		1	17	23	5	14	2	2		34	26					41
																	42
2					1		1				1	1					43
					1		1				1						44
18	4			13	14	1	13				69	42	1	1	3	8	45
				1	1		1				1						46
	2			2	1		1				3	1					47
4				3	20	5	11		4		23	15	1			1	48
				1	1		1				3					1	49
					1												50
1				2	9	2	6	1			14	10				1	51
17	4	2		60	64	8	36	2	15	3	158	82	2	1	3	9	52
					1		1				1	1					53
17		1		28	52	14	27	2	8	1	83	49	1	3		8	54
	1			4	16	8	7		1		2	1				1	55
					1												56
																	57
12	5		9	53	77	12	44	3	12	6	44	21	2				58
2					6	4			2		1	1					59
9			4	71	175	70	9	28	67	1	34	15			1		60
34	14	15	9	200	363	92	200	4	59	8	440	198	14	3	35	9	61
12	5	5	6	62	151	69	27	10	36	9	51	25			1		62
				3							1						63
2				1	4	2	2										64
2			2	16	59	14		14	28	3	8	2					65
7		1	1	8	12	1	8		3		14	7		3			66
			4	22	3		2		1		10	2					67
478	52	53	68	2,072	2,016	430	1,027	143	333	83	1,145	618	23	11	33	116	68
108	13	7	2	83	193	35	82	21	35	20	115	65	2	2	6	5	69
18	6	7	13	286	201	72	10	8	109	2	65	46		1	3	5	70
2	1			3	14	1	12		1		18	5				1	71
105	17	14	3	52	377	59	279	7	18	14	205	92	4		25	28	72
5		1	1	28	130	59	37	8	17	9	2						73
15	5	2		28	27	4	13		8	2	99	62			1	9	74
30	1	6	2	87	314	96	137	23	34	24	75	37	3	1	7	4	75
4	2		3	39	24	8	7	2	5	2	27	10			1	3	76

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
		Total.	Group 1, rural.	Hutchin- son.	Lawrence.	Leaven- worth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Coving- ton.
77	Diphtheria	243	151	1	1		1	89	222	59	38	9
78	Dislocations	2				1	1		4	1		
79	Dropsy	255	204	9	2	4	8	28	402	99	59	10
80	Drowning	96	89		2	1	2	2	90	6	14	8
81	Dysentery	218	193	2	6	2	3	12	440	119	82	10
82	Ear, disease of	7	6					1	13	2	4	
83	Electricity	2	1	1					9		1	
84	Elephantiasis	1			1							
85	Embolism	3	1					2	6			
86	Enteritis	136	104	1	1	14	3	13	232	6	25	16
87	Epilepsy	77	66			1	2	8	99	24	22	1
88	Erysipelas	57	51	1			1	4	85	24	14	1
89	Esophagus, obstruction and stricture of	5	4					1	3	1		
90	Execution	2	2						4	3		
91	Explosion	13	13						12	4	1	
92	Exposure and neglect	14	12			1		1	30	11	3	
93	Extra-uterine pregnancy	3	3						4			
94	Eye, disease of											
95	Falling bodies	8	8						21	6	1	
96	Falls	32	26	1		1	3	1	47	7	5	
97	Female organs of generation, disease of	11	8	1			2		33	10	4	1
98	Fever	41	23	4				14	136	73	1	
99	Foreign bodies in esophagus	9	9						6	1	1	
100	Fractures	32	28			1	1	2	36		8	8
101	Frozen	2	2						8	2	1	
102	Gangrene	26	19				2	5	26	2	4	
103	Gastritis	127	104		5		2	16	186	21	21	6
104	General disease (not specified)	1					1		1			
105	Goiter	3	3						2		1	
106	Goiter, exophthalmic	2	2						2			
107	Gout	1	1									
108	Gunshot wounds	109	84	2	2	3	4	14	222	74	23	3
109	Heart disease	1,120	910	13	15	27	29	126	1,330	140	243	70
110	Hemophilia	1						1	1			
111	Hemorrhage	49	38	2		1	1	7	62	3	15	10
112	Hernia	34	31					3	35	1	2	2
113	Hip joint, disease of	6	3			1		2	8	1	1	1
114	Homicide	35	31			2	1	1	58	17	7	1
115	Hydrocephalus	33	29	1		1		2	86	1	14	1
116	Hydrophobia	8	8						2	1		
117	Inanition	179	137		8	16	5	13	334	12	34	12
118	Infanticide	1	1						1		1	
119	Inflammation and abscess of liver	66	54	2		2	1	7	84	8	11	1
120	Inflammation of brain	195	163			1	1	30	433	80	75	1
121	Influenza	175	146		1	3	2	23	477	168	41	5
122	Injuries by machinery	2	2						8	2	4	
123	Jaundice	44	37				1	6	80	17	11	
124	Joints, disease of	5	2		1		1	1	1			
125	Kidneys, disease of	94	76	1		3		14	152	20	27	
126	Laryngitis	5	5						14	1	2	4
127	Larynx, disease of	3	2					1	3			
128	Lead poison	3	3									
129	Leprosy											
130	Leucocythemia	4	4						2			
131	Lightning	15	10					5	13	1	2	2
132	Liver, disease of	78	62		1	3	4	8	137	20	21	10
133	Locomotor ataxia	10	9				1		11		1	
134	Lost at sea											
135	Lungs, disease of	108	89	3	1	1	4	10	159	25	10	3
136	Lymphangitis											
137	Malarial fever	261	229	1	3	6		22	344	27	67	2
138	Male organs of generation, disease of	1	1						1	1		
139	Malformation	40	35	1	1	1	1	1	34	8	3	
140	Malignant pustule	1	1						1			
141	Measles	220	158	4	2		2	54	335	70	28	
142	Meningitis	277	234		2	12	5	24	575	58	96	48
143	Mental disease	105	98		2		1	4	97	1	48	
144	Mining accidents	46	44			1	1		11	10	1	
145	Mumps	2	2			1			1	1		
146	Nervous system, disease of	45	40		1		1	3	69	8	16	
147	Noma	3	3						4	2		
148	Nose, disease of											

143

KENTUCKY—continued.					LOUISIANA.						MAINE.					
Louisville.	Newport.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreveport.	Total.	Group 1, rural.	Augusta.	Bath.	Biddeford.	Portland.
29	13	2	2	70	90	39	20	6	24	1	103	59	1		8	18
1				2	3		3				1					
23	5	10	11	185	267	109	17	50	87	4	68	29	3	1	1	2
24	2	3	1	32	141	36	69	9	26		112	55	1	2	4	9
34	3	13	8	171	385	161	82	39	85	18	74	25			1	3
	1			6	7	2	1	2	1	1	1				1	
3				5	3		3				2	1				1
2		1		3	1		1				10	5				1
84	18	12	2	69	501	78	316	19	60	28	137	56	6	5	5	35
3	1		5	43	70	14	17	18	21		26	10	4			3
5	2	4	5	30	31	12	10		7	2	26	12				2
2		1			1	4	1				2	1				
1				6	2		1		1		4	2			1	
2		3		11	28	14	8	6			4	1				
2				2	2		2									
					1		1									
1				13	6	4		1	1		10	6				
17			1	17	37	13	5	5	14		25	14	1		2	4
1	1		1	15	17	6	3	4	4		5	2		1		2
		2	5	55	182	100	3	31	48		3					
2				2	7	1		3	3		2			1		
4	3		1	12	57	8	42	2	3	2	46	17	1	2	2	6
				5	1		1				1					
7		1		12	25	1	16	1	5	2	56	31		1	1	8
24	8	4	5	97	78	13	37	5	21	2	89	55	1	1	5	1
1																
	1										3					1
2					1		1				2			1		
13	1	8	3	97	194	42	74	32	31	15	19	11			1	
218	27	27	18	587	1,149	249	584	70	193	53	1,128	636	16	21	16	79
1					2	1			1		2	1				
8		2	2	22	32	9	8	4	8	3	23	11		1	2	8
11	1			18	25	6	13	1	3	2	25	15				2
5					6	1	3		1	1	6	5				
21	1		1	10	54	20	5	9	20		8	5				1
26	8		2	34	32	9	16	3	4		78	36	3	1		12
				1	2		2									
206	8	5	2	55	214	17	168	7	8	14	78	43	1		2	15

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	KANSAS.							KENTUCKY.			
	Total.	Group 1, rural.	Hutchinson.	Lawrence.	Leavenworth.	Wichita.	Group 2.	Total.	Group 1.	Group 2, rural.	Covington.
149 Obesity.....	1		1								
150 Old age.....	497	391	12	9	25	17	43	699	37	96	19
151 Ovarian tumor.....	7	7						9			
152 Ovaries, disease of.....	4	1	3					1			
153 Pancreas, disease of.....	1	1									
154 Paralysis.....	478	399	3	1	13	5	57	588	62	97	15
155 Paralysis general (of insane).....	30	29					1	23		15	
156 Parasites.....											
157 Pelvic abscess (female).....	2	2						5			
158 Pericarditis.....	7	7						10		2	1
159 Peritonitis.....	106	78	3	1	7	7	10	151	5	20	11
160 Pharyngeal abscess.....								1	1		
161 Pharynx, disease of (not specified).....											
162 Phlebitis.....	1	1						2			
163 Phlegmasia dolens.....	3	2					1	2	1		
164 Pleurisy.....	28	23		1		1	3	54	14	4	3
165 Pneumonia.....	1,436	1,164	13	19	73	27	140	2,427	209	416	57
166 Poisons (not specified).....	63	45	2		2	5	9	72	9	13	3
167 Pregnancy, affections connected with.....								1	1		
168 Premature birth.....	139	114			3	7	15	284	36	51	27
169 Prostate, disease of.....	8	7					1	9		2	4
170 Puerperal convulsions.....	11	10					1	11	2	1	
171 Puerperal mania.....	1						1	1			
172 Puerperal septicemia.....	59	46				2	11	64	15	5	
173 Purpura.....	6	4		1		1		3			
174 Railroad accidents.....	119	102	2	1	7	5	2	113	14	12	4
175 Respiratory system, disease of.....	2	2						6	4	1	
176 Rheumatism.....	96	80	1	1	2	1	11	160	30	24	2
177 Rickets.....	1	1						8		1	
178 Roseola.....	1					1					
179 Rupture of bladder.....								1			
180 Sarcoma.....	11	7			1	2	1	19		2	
181 Scarlet fever.....	68	58				1	9	47	9	7	1
182 Scrofula.....	16	13				1	2	101	20	13	1
183 Septicemia.....	166	136	1	2	4	5	18	170	20	31	6
184 Skin, disease of.....	11	8		1			2	22	7	7	
185 Smallpox.....	73	68		1		2	2	52	2	18	2
186 Spinal cord, disease of.....	27	24				1	2	20	6	2	
187 Spine, disease of.....	31	23	1				7	155	63	7	
188 Spleen, disease of.....	5	4					1	5	1	2	
189 Stomach, disease of.....	154	139	1	1	1	2	10	178	27	23	1
190 Suffocation.....	36	30			1	1	4	61	7	11	5
191 Suicide by cutting throat.....								2			
192 drowning.....	6	5			1			5			
193 hanging.....	17	15				1	1	14		2	
194 poison.....	11	8			3			22	2	4	2
195 shooting.....	21	15		1		1	4	25	1	3	2
196 not specified.....	68	58	2		1		7	43	5	8	2
197 Sunstroke.....	11	10			1			13	1	2	
198 Surgical operations.....	17	14	1				2	19	1	2	2
199 Tabes mesenterica.....	34	30			1	3		99	9	21	
200 Tetanus.....	23	19	1			2	1	33	1	4	
201 Trismus nascentium.....	3	3						11	1		
202 Tuberculosis (unclassified).....	13	11					2	18	1	3	
203 Tubes, disease of.....	1	1									
204 Tumor.....	59	47			1		11	61	8	8	4
205 Tumor of uterus.....	5	4			1			9			
206 Typhoid fever.....	688	578	11	3	8	17	71	1,669	229	260	17
207 Typhus fever.....	2	2						8			
208 Unknown.....	897	740	11	2	5	6	133	1,733	464	198	19
209 Uremia.....	49	33		1		7	8	85		12	14
210 Urethra, stricture of.....								2	1		
211 Urinary organs, disease of.....	5	4					1	7	1	2	
212 Uterine hemorrhage.....	2	1					1	3	1	1	
213 Uterus, disease of.....	2	2						10	4	1	
214 Venereal disease.....	9	8			1			32	2	4	
215 Vomiting in pregnancy.....											
216 Whooping cough.....	243	194	4	8	12	2	23	279	44	79	2
217 Worms.....	4	3					1	13	5		
218 Wounds.....	2	2						16	5		
219 Yellow fever.....								3			

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

KENTUCKY—continued.					LOUISIANA.						MAINE.					
Louis-ville.	New-port.	Paducah.	Group 3.	Group 4.	Total.	Group 1, rural.	New Orleans.	Group 2.	Group 3, rural.	Shreve-port.	Total.	Group 1, rural.	Au-gusta.	Bath.	Bidde-ford.	Port-land.
209 2	30	3 1	5	300 6 1	522 10	91 2	301 4	58	57 4	15	653 9 2	367 5 1	6	2	2	41 1
90 5	19	7	10	288 3	1 189 21	1 47 1	1 92 13	12 6	33 1	5	1 358 23	174 8	4 8	5	8	28
3				2	3		2		1		3	1			1	1
5 44	1 3	4	3	1 61	19 89	2 10	16 54	5	9	1 11	15 107 1	10 53	3		1	15
2					4 2		4 2									
11 388	1 57	57	136	1,107	65 1,945	30 494	20 693	7 187	8 508	63	27 1,139	19 603	23	11	54	6 106
12	1	7	1	26	56 2	18 1	19 1	2	14	3	24 2	8 1	1 1			3
46	11	11	4	98 3	184 11	22 1	95 8	7 1	53	7 1	198 14	92 7	4	4	14	22 1
				8 1	21 2	4 1	11 1		5 1	1	6 2	3 1				170 171
4	1		1	38 3	74 2	14	36 2		18	6	35 3	14 1		1	2	3 1
37	1	6	3	36 1	69 5	9 1	52 1	1 1	4 3	3	38	16		4	1	9 174
11	3	1	4	85	89	40	14	8	24	3	34	24				2 176
4				3	7 2		7				2					1 177
				1					2		1	1				178 179
12 3	2	1	1	2 26	14 97	1 45	10 4			3 5	11 54	4 19		1	1 2	2 180
33 2	5	3	9	66 63 6	23 95 15	5 15 5	8 36 7	2 11 2	8 28 1	5	17 85 5	14 45 3	4 2			181 182 183 184
		2	7	21	708	216	387	41	29	35	5					2 185
3 4	1 1			8 80	29 10	3 4	20 2		4 4	2	25 14	12 7	2		1	4 186
10	4	2	13	2 98	2 59		2 12		2 22	3	2 39	1 13				187 188 189
13 1 3 4 7	2	1		22 1 2 8 7	54 4 6 3 14	11 1 1 1 1	9 3 4 1 13	7	25 1 1 2	2	23 8 8 18 16	13 3 5 10 7	1 1			2 190 191 192 193 194
5 2 6 10	4	1 1	1 2	12 19 4 4	25 11 39 12	4 4 9 4	17 4 21 5	2 3 1	4 4 1	1 2 1	17 8 4 8	11 3 4 4	1 1	1 1		2 195 196 197 198
6 12 5 7	1 1		3 2	60 13 4 7	26 185 106 27	10 54 4	15 96 101 26		1 16 1		29 9	13 9	1	1	1	1 199 200 201
					9		6		2	1	42	24	1			4 202 203
13 3 150		1 31		28 5 914 8	27 13 1,077 4	15 2 417	6 10 191	1 1 44	5 1 395 4		22 8 200 2	15 5 86 2	1 1 5 2			2 204 205 206 207
124 34	29 3	16 4	43 2	840 16 1	1,281 38 12	478 7	38 24 12	165 2	589 1	11 4	220 96	100 42	7 4		3	8 22
				4 1 4	9 5 17	4 2 3	1 2 3	3 3	1 1 8		2 1 3					211 212 213
19				7	36 2	2	15 2	4	9	5	3 4	2 1				214 215
44	3	10	16	81 8 9	180 43 20	62 18 4	8 3 12	26 12	83 10 2	1 2	97 1 4	46 3	5		8	11 216 217 218
2				1	36	11	25				2	1				1 219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MAINE--continue l.			MARYLAND.						MASSACHUSETTS.		
		Rock-land.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Balti-more.	Group 2, rural.	Fred-erick.	Total.	Group 1, rural.	Ames-bury town.
1	All causes	146	3,355	354	20,422	7,354	170	10,679	2,034	185	49,756	6,813	144
2	Abortion	1	2		15	4		11			13	1	
3	Abscess		7	1	23	6		14	3		48	5	
4	Abscess, lumbar and psoas				2			2			7	1	
5	Absorbent system, disease of				5			4	1		6	2	
6	Accidents and injuries (not specified)	3	25	4	124	69	2	27	25	1	248	34	
7	Addison's disease	1			1			1			13	2	
8	Adenitis		1		2			1	1		6	1	
9	Alcoholism			2	51	12	2	31	6		191	17	
10	Anemia		19	3	36	8		24	4		195	33	
11	Aneurism		2		24	3		20	1		33	5	
12	Angina		5		13	6		6	1		35	4	
13	Angina pectoris	2	18	2	54	17		30	6	1	181	42	
14	Aphthae				15	11		4			12	1	
15	Apoplexy	8	133	14	548	156	4	345	36	7	2,190	382	11
16	Appendicitis	1	16	2	95	20	2	67	6		229	24	
17	Arteries, disease of		2	1	49	1		47		1	155	21	
18	Ascites		2	1	24	15		5	4		21	4	
19	Asthma		10	1	61	20		32	9		59	11	
20	Atrophy				8	1		4	3		71	4	
21	Bile passages, disease of				1			1			12		
22	Birth, causes incident to		2		44	6		35	3		140	6	
23	Bites												
24	Bladder, disease of		14	4	30	7	1	16	6		180	36	1
25	Bones, disease of	1	3		11	3		7		1	41	4	1
26	Bowels, disease of		6		21	14		6	1		58	12	
27	Bowels, obstruction of		14		55	9		40	5	1	213	31	
28	Brain, disease of	3	54	4	146	71	1	57	16	1	450	67	
29	Breast, disease of (puerperal)												
30	Bright's disease	4	100	7	1,008	308	3	626	55	16	1,755	253	9
31	Bronchitis	1	51	1	403	68	4	301	28	2	1,424	150	4
32	Burns and scalds	1	15	1	139	42	1	81	14	1	218	20	
33	Calculus biliary		3		10	2		8			41	2	
34	Calculus urinary		1	1	7	2		5			8		
35	Cancer (not specified)		19	1	100	45	2	38	12	3	590	134	3
36	of abdomen		18	2	25	7		14	3	1	148	23	
37	bladder				2			2			16	5	
38	brain				1	1					1		
39	breast	1	16		49	14		31	4		113	16	
40	eye				1	1					3		
41	genitals		2		4	2		2			16	2	
42	head, face, and neck		8		40	15		19	6		68	13	
43	kidneys				2	1			1		5	1	
44	larynx		1								3	1	
45	liver		10	4	37	8		28	1		209	36	3
46	lower extremities		1		2	1		1			4		
47	lungs		1	1	1	1					9	2	
48	mouth, tongue, and throat		4	2	19	6		13			71	8	
49	ovaries		2		6			6			10	2	
50	penis										4	1	
51	rectum		2	1	12	2		10			54	9	
52	stomach	2	50	9	164	41	2	102	19		347	52	
53	testicle				1			1			2		
54	upper extremities												
55	uterus	1	17	4	82	15		62	4	1	191	27	
56	Carbuncle				3			3			11	2	
57	Catalepsy										1		
58	Cerebro-spinal fever	1	16	4	74	24		46	4		211	23	2
59	Chicken pox										1	1	
60	Childbirth		17	1	83	51		18	13	1	78	7	
61	Cholera infantum	3	172	6	695	250	5	370	65	5	1,964	133	7
62	Cholera morbus	1	24		48	19		20	9		113	11	
63	Chorea			1	3	2		1			8	1	
64	Circulatory system, disease of				7	2		3	2		3		
65	Colic		6		24	14		6	4		8	1	
66	Colitis		4		17	8		8	1		71	10	
67	Constipation	1	7		3	1		1	1		5	2	
68	Consumption	10	300	34	2,318	975	23	1,121	189	10	5,224	718	16
69	Convulsions	3	26	6	473	105	6	281	73	8	697	91	1
70	Croup		10		162	81		59	17	5	204	21	
71	Cyanosis	1	10	1	17	4	2	9	1	1	48	3	
72	Debility	1	47	8	609	159	10	381	50	9	1,464	189	7
73	Dentition	1			38	19		19			39	5	
74	Diabetes		23	4	74	26		40	6	2	318	64	
75	Diarrhea		19	4	158	61	1	87	9		316	29	
76	Digestive system, disease of		12	1	63	21		30	11	1	136	13	

CAUSE OF DEATH.

147

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.															
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.
133	160	205	11,277	529	260	1,699	636	152	386	2,345	190	388	561	215	1,262
			4	1									1		
		1	19			3		1				1	1		
			1												
			67	3	1	10	3			11	5	2	2	3	4
			3							1					
			3			1									
			80	3		4	1	1	1	7	1	1	5		3
2	1	3	40			8	2	1	1	2	2	3	3		6
			12				1			1		1		1	1
			2	2						3					1
1			33	1	2	3		2	5	3		1	5	1	2
			3												
9	9	5	485	26	16	73	23	6	11	51	6	16	17	9	25
1		1	60	3	1	11	3		2	2	3	1	2		4
	1		51		2	2	2	3		1		1	3		5
1			1		1					3					
1	1		7		1	1	2			6		1	1		4
			39		1	4	5			2	1	1			
			6	1											1
			68	2		6				2					5
		1	19	3	1	6			1	7		2	3	1	4
			22			1						1			1
			12	1	2	2				1					1
1	2	2	53	2		12	2		4	6	1	1	1		5
4		4	69	2	4	13	5	3	3	15		8	10	1	4
6	7	13	348	22	12	46	21	4	14	54	5	10	19	10	35
5	2	6	312	7	3	61	18	4	7	122	7	7	8	5	45
1			45	1	1	7	5	2	2	13	1	1	3		7
		1	15		1	1	1			1		1	3		
			2												1
2	4	3	68	8	4	17	8	4	6	16		6	2	6	7
1		1	41	1	1	6	2	2	2	3	1	1	1		4
			6			1				1					
		1													
			35	4	1	4	1			1	2	1	3	1	
			1												
			10												
			18			1				1		1	2		1
			1					1		1					
	1	5	41	1	2	6	4	1		8		1	5	1	5
			2												
			3						1						
1			20			5			1	1			4	1	3
			3												
								1							
1		1	15		1	2									
			76	3		6	10		5	13	1	4	1	1	8
			1												
1		1	47	1		11	5	1		6		3	4	2	2
			2												2
1	1	1	72	3		5	5		3	2		1	3		2
			20	1	1	2		2		1	1		4	1	1
3	14	9	282	14	6	69	17	1	12	231	3	16	19	8	118
			22	1		4		1		5					5
			2												
			1						1						
			1			1				1					1
1		1	21			1						2	2		1
			3												
13	14	18	1,374	63	25	193	76	14	42	206	19	44	53	22	125
4	1	2	85	10	3	20	12		9	72	2	6	10	4	28
	1		33	1	1	8	4		4	6		2	2	1	7
			7			2	1		1	2		3	1		
4	7	8	260	7	2	46	33	2	18	153	7	10	11	9	47
			13			1	1			3					5
1	1	4	67	4	3	8	5		1	14		3	4	3	7
	1	2	82	1	2	9	5	1	3	22		5	3	2	2
	1	2	41		1	6	1		2	4	1	3	3		3

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
		Rock-land.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Balti-more.	Group 2, rural.	Fred-erick.	Total.	Group 1, rural.	Ames-bury town.
77	Diphtheria		17		551	164	2	315	68	2	1,072	53	1
78	Dislocations			1	2	1		1			5		
79	Dropsy	1	31		177	115	3	26	33		56	15	1
80	Drowning	1	31	9	126	69		55	2		284	54	3
81	Dysentery		45		165	80		65	15	5	267	56	1
82	Ear, disease of				12	1		9	2		17		
83	Electricity				2			1	1		10		
84	Elephantiasis												
85	Embolism		4		4			4			42	6	
86	Enteritis	2	26	2	475	69	3	395	6	2	1,169	100	2
87	Epilepsy	1	8		45	23	1	15	6		133	22	
88	Erysipelas		10	2	53	13		32	8		156	18	
89	Esophagus, obstruction and stricture of		1		2			2			9	4	
90	Execution				9	1		5	3		1		
91	Explosion		1		1	1					4		
92	Exposure and neglect		3		11	8		2	1		23	6	
93	Extra-uterine pregnancy				2			2			19	1	
94	Eye, disease of										3	1	
95	Falling bodies		4		4	3		1			2		
96	Falls		3	1	29	14	1	12	2		149	12	2
97	Female organs of generation, disease of				4	1		3			7		
98	Fever		3		3	1			2		6	1	
99	Foreign bodies in esophagus			1	3	1			2		4		
100	Fractures		15	3	86	8	1	74	3		242	27	
101	Frozen		1		4	3			1				
102	Gangrene		15		38	8	1	21	8		141	30	
103	Gastritis		22	4	171	44	1	104	19	3	291	33	1
104	General disease (not specified)				1			1			2	1	
105	Goiter		2		1			1			6	2	
106	Goiter, exophthalmic		1								15	2	
107	Gout										2		
108	Gunshot wounds		7		50	31		14	5		35	7	
109	Heart disease	31	288	41	1,261	472	8	605	156	20	4,266	774	15
110	Hemophilia		1		3			3			9	1	
111	Hemorrhage		5	1	65	30		22	13		101	17	
112	Hernia		7	1	43	10		30	3		92	10	
113	Hip joint, disease of			1	5	2		3			8		
114	Homicide		2		24	13		10	1		19		
115	Hydrocephalus	1	23	2	79	12		62	5		445	33	
116	Hydrophobia				2	1		1					
117	Inanition	1	16		269	33	6	224	6		902	82	1
118	Infanticide				1			1			7		
119	Inflammation and abscess of liver	1	6		37	7	1	25	3	1	84	13	
120	Inflammation of brain		6		89	49	2	12	26		69	10	
121	Influenza	2	78	4	221	94	6	95	24	2	1,120	205	1
122	Injuries by machinery		3		1			1			6		
123	Jaundice		4	1	41	17		22	2		72	8	
124	Joints, disease of				4	1		2	1		22	6	
125	Kidneys, disease of	1	11		78	37		33	8		151	22	
126	Laryngitis		2		11	6		3	2		53	7	
127	Larynx, disease of				3			2	1		14	2	
128	Lead poison										9		
129	Leprosy				1			1					
130	Leucocythemia				7	1		6			26	10	
131	Lightning				11	9		2			8	4	
132	Liver, disease of	1	21	2	104	25		74	4	1	338	53	
133	Locomotor ataxia		3		11	2		8	1		47	5	
134	Lost at sea	2									17		
135	Lungs, disease of	1	28	4	162	44	2	97	18	1	445	56	
136	Lymphangitis				1			1			3		
137	Malarial fever		7		131	63	1	58	8	1	70	8	
138	Male organs of generation, disease of												
139	Malformation		7	2	46	9		36		1	191	21	1
140	Malignant pustule										3		
141	Measles		33		102	40	3	32	24	3	311	12	1
142	Meningitis		55	10	312	90		181	37	4	1,206	122	8
143	Mental disease	1	20	1	82	64		9	8	1	240	46	
144	Mining accidents				4				4				
145	Mumps				2	1		1			2		
146	Nervous system, disease of		10		29	7	3	14	5		77	16	
147	Noma		1		1			1			8	1	
148	Nose, disease of												

149

MASSACHUSETTS—continued.															
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.
2	7	5	391 1	19	10	73	21	1	11 1	20		5	11	3	49
			4	2		2	1								77
	3	2	63	1	1	11		2		6					78
	1	1	30	11	1	7	6		2	6	3	4	4	1	79
										13			1		80
			8		1	1									81
			4			1							1		82
															83
			10		5	35	11	4	1	2					84
	2	3	304	6					4	141	2	8	17	4	85
															86
1	1	1	20	6	1	3	1	1		3			6		87
			46	1	1	3	1		1	2		1	2	2	88
			2			1							1		89
															90
															91
			1		1					1					92
			7	1											93
															94
			1												95
	1		45			8			1			1	3		96
			2			1				1					97
															98
			1										1		99
3		1	64	1	7	10	2	1	1	10			2		100
															101
	1	1	20	1	1	2	1			8		1	4		102
	2	1	68	3	2	8			3	16		2	4		103
			1												104
					1	1									105
			5							1					106
			2	1		2	1					1			107
															108
12	7	18	900	34	28	149	51	16	32	142	14	37	59	13	95
			2			1									110
	1		20	2		1				7	2	1	2		111
1	1		28			1	1			5			2		112
															113
			2			1									114
	1	2	152	6	3	24	1	1	4	14	2	3	13	3	10
															115
															116
3		1	160	13	1	49	5	3	1	72	3	2	5	3	35
			4												117
		1	18		3	3				2				2	4
															118
			9							4					5
	2	6	213	25	7	23	15	3	13	32	8	18	17		

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MAINE—continued.			MARYLAND.						MASSACHUSETTS.		
	Rock-land.	Group 2, rural.	Bangor.	Total.	Group 1, rural.	Annapolis.	Balti-more.	Group 2, rural.	Fred-erick.	Total.	Group 1, rural.	Ames-bury town.
149 Obesity				1	1					1		
150 Old age	13	202	19	744	232	7	416	78	11	1,703	368	2
151 Ovarian tumor		3		10	3		4	3		21	1	
152 Ovaries, disease of				1			1			5	1	
153 Pancreas, disease of		1		1			1			6	1	
154 Paralysis	8	118	13	624	280	7	213	111	13	842	202	5
155 Paralysis general (of insane)		7		25	20		2	3		47	14	
156 Parasites										1		
157 Pelvic abscess (female)				3			3			17	1	
158 Pericarditis		5		10	1		8	1		56	6	1
159 Peritonitis		31	4	153	40	2	94	15	2	470	50	1
160 Pharyngeal abscess		1		1			1			1		
161 Pharynx, disease of (not specified)												
162 Phlebitis				1			1			11		
163 Phlegmasia dolens				1	1							
164 Pleurisy	1		1	55	16		36	3		128	18	
165 Pneumonia	14	294	34	2,167	730	10	1,221	198	8	5,268	626	8
166 Poisons (not specified)	1	11		46	15		26	5		118	7	
167 Pregnancy, affections connected with				2	1			1		21	3	
168 Premature birth	3	53	6	297	53	5	216	17	6	1,164	72	7
169 Prostate, disease of		6		7	4		2		1	74	11	
170 Puerperal convulsions		2	1	25	8		16	1		44	3	
171 Puerperal mania		1		1			1			1		
172 Puerperal septicemia		16		25	7		12	6		92	6	
173 Purpura				7	3		4			16	2	
174 Railroad accidents	1	6	1	91	29		37	25		265	46	
175 Respiratory system, disease of				2	1		1			1		
176 Rheumatism		8		129	35	2	80	10	2	177	25	2
177 Rickets		1		9	2		6		1	16		
178 Roseola												
179 Rupture of bladder				10	1		9			5		
180 Sarcoma		3		10	1		9			78	22	
181 Scarlet fever		28	1	39	19		17	3		384	26	2
182 Scrofula		3		15	8		5	2		14		
183 Septicemia		21	3	145	45	1	83	11		256	44	1
184 Skin, disease of				12	3		8	1		35	8	
185 Smallpox	1	2		1				1		15		
186 Spinal cord, disease of	1	6	1	17	2		12	1	2	83	20	
187 Spine, disease of		3	1	24	11		5	7	1	36	7	
188 Spleen, disease of		1		2			1	1		6	1	
189 Stomach, disease of		19	2	78	29	1	29	19		133	26	1
190 Suffocation		5	2	50	20	1	24	4	1	114	13	
191 Suicide by cutting throat	1	3		1			1			11	1	
192 drowning	1	2		3			3			29	12	
193 hanging		5		15	8		6	1		65	15	
194 poison		8		20	1		19			34	3	
195 shooting		2		17	2		15			75	9	
196 (not specified)		3	1	35	11		17	7		48	5	
197 Sunstroke				23	4		19			9	2	
198 Surgical operations		2		10	1		8	1		29	4	
199 Tabes mesenterica		11	1	27	12		11	3	1	50	11	
200 Tetanus				48	14	1	28	5		28	3	
201 Trismus nascentium				16	3		12		1	3		
202 Tuberculosis (unclassified)		11	2	35	11	1	20	3		156	28	1
203 Tubes, disease of				7			7			33	1	
204 Tumor		3	1	34	17		12	4	1	89	19	
205 Tumor of uterus		1		9			8	1		40	8	
206 Typhoid fever	1	61	13	510	264	2	177	63	4	625	74	5
207 Typhus fever				2				2				
208 Unknown	1	92	9	806	646	5	36	117	2	350	81	1
209 Uremia		23	1	60	10		44	4	2	218	32	1
210 Urethra, stricture of				1			1			3		
211 Urinary organs, disease of		2		4	1	1	2			12	1	1
212 Uterine hemorrhage		1		3			2	1		8	1	
213 Uterus, disease of		1		2			1	1		8		
214 Venereal disease		1		48	9		37	2		49	13	
215 Vomiting in pregnancy		2		1			1			2		
216 Whooping cough		26	1	102	54	8	35	5		375	25	
217 Worms		1		4	4					1		
218 Wounds		1		21			20	1		31	4	
219 Yellow fever				1			1					

151

MASSACHUSETTS—continued.															
Arlington town.	Attleboro town.	Beverly.	Boston.	Brockton.	Brookline town.	Cambridge.	Chelsea.	Danvers town.	Everett.	Fall River.	Framingham town.	Gloucester.	Haverhill.	Hyde Park town.	Lawrence.
6	5	3	258	18	17	47	10	4	8	44	12	14	14	10	36
			9		1	1					1				
			3			1									
4	2	5	86	8	3	21	23	14	6	41	2	2	5	8	15
			8			1				1				1	4
			6							1					1
	1	1	15	2						2		1			1
		3	106	5	2	13	6	2	6	18	1	8	4	2	9
		1	5							1					
1		1	38	2	1			1	1	6	2	2	2	1	2
15	21	13	1,401	56	21	198	76	22	53	219	30	27	68	30	126
	1	1	45	2	1	1			1	5		1	3	2	
			3	1	1	1									
3	6	7	249	16	9	34	20	4	12	104	3	12	15	1	36
			18	2	1	1	3			2			2		2
			13	1	1	2							1		
			24			3			1	4	1	2	4		4
			6			2				1		1			
		1	52	1		2	6		4		5	1	3	4	5
			38	1		1									
						2	1		3	13		2	2	2	2
1			7			1									1
			3						1						
2	1		18			3				1	1		1		2
		2	172	1		9	2		6	5		3	2	2	6
			2							3					
1		1	53	1	1	9	4		3	9	1	1	3	2	2
			7	1		2				1		1			2
			4				7			1				1	
			15			5	1			2					
	1		5	1		1	1		1	2	1	1			
						2				2					
	1	1	24	1	1	2	3			7			2	1	9
		1	21	3	1	2	5			6	1				
			5												
			3					1		1		1	3		2
			13												3
			14	1			1	1	1	1					
			26			2	3					1	2		
			20							2					
		1	1												
			12			2									1
			6			4	2					1		1	1
			9			1				3			1		

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MASSACHUSETTS—continued.											
	Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
1 All causes	1,876	1,124	486	219	262	191	133	1,154	312	479	185	173
2 Abortion			1									
3 Abscess	1	3		1				1				
4 Abscess, lumbar and psoas	1	1								1		
5 Absorbent system, disease of												
6 Accidents and injuries (not specified) ..	5	1	4		2	1	3	3	2	1		
7 Addison's disease		1						1		1		
8 Adenitis												
9 Alcoholism	2	14	1					4	2			
10 Anemia	13	5	2	4	3		1	4	1	3	1	1
11 Aneurism	4	1							1			
12 Angina					2	1				1	1	
13 Angina pectoris	2	3	1	1		1	1	1	1	5	2	
14 Aphthae				1								
15 Apoplexy	67	49	21	2	16	9	9	46	11	26	12	5
16 Appendicitis	7	12		1		1	1	2	2	2		2
17 Arteries, disease of	2		3		1			3	1		3	
18 Ascites												1
19 Asthma	2	1						2			1	
20 Atrophy	2									4	2	
21 Bile passages, disease of					1							
22 Birth, causes incident to		7				2		3	2	3		
23 Bites												
24 Bladder, disease of	6	5	3	1	3	2	2	3	2	1	1	1
25 Bones, disease of				1				1				
26 Bowels, disease of		2		1						1		
27 Bowels, obstruction of	8	6	2	1		2	1	5	2	5		
28 Brain, disease of	22	16	5	1	1	1	2	13	1	5		4
29 Breast, disease of (puerperal)												
30 Bright's disease	46	41	23	6	12	11	5	52	13	13	1	5
31 Bronchitis	81	26	14	4	7	5	2	37	4	13	7	3
32 Burns and scalds	10	6					2	2	1	6	1	1
33 Calculus biliary	1	2	1				1					
34 Calculus urinary												
35 Cancer (not specified)	24	20	8	2	2	4	1	11	1	9	2	5
36 of abdomen	1	2			1	1		5	1	2	4	1
37 bladder												
38 brain								1				
39 breast	1	6	1	3	1							
40 eye					1							
41 genitals		1										
42 head, face, and neck	2	3						2	2		1	
43 kidneys												
44 larynx												
45 liver	4	3	2	1	1	2	1	6	4	2	1	
46 lower extremities												
47 lungs												
48 mouth, tongue, and throat			2		1			2				
49 ovaries												
50 penis												
51 rectum	5	1	2	1	1			3		1		
52 stomach	9	11	3		3		1	13	1	2	3	1
53 testicle												
54 upper extremities												
55 uterus	2	11	2	1		2		5	3	1		
56 Carbuncle							1					
57 Cataplexy												
58 Cerebro-spinal fever	4			3				6	1	8	1	1
59 Chicken pox												
60 Child birth	5	1		1	1			2	1			
61 Cholera infantum	172	50	17	11	6		2	74	6	14	5	3
62 Cholera morbus	6	3	6					1	2			
63 Chorea												
64 Circulatory system, disease of												
65 Colic												
66 Colitis	4							1	1	5		1
67 Constipation												
68 Consumption	181	133	56	21	20	17	12	118	25	38	33	16
69 Convulsions	37	9	15	1	4			28	8	8	4	3
70 Croup	13	6	4	1				5	1			2
71 Cyanosis	6			3	2				1	1		
72 Debility	73	17	17	4	3	7	2	23	8	9	6	5
73 Dentition	1											
74 Diabetes	7	3	3	1	2			3	1	3	1	1
75 Diarrhea	4	7			2			2		1		
76 Digestive system, disease of	2				1			1	1	3		

CAUSE OF DEATH.

153

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.															
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Waltham.	Watertown.	Weymouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chicopee.	Fitchburg.	Gardner town.
366	162	787	946	615	135	329	143	203	241	4,696	179	224	399	428	205
				1	1					2		1			
				1						8					
1		2	4	4	1	1				29	1	2		7	1
		1												1	
3		1	2	2			1			12	1	1	1	2	1
1		2	2	1		1		1	3	19		1	1	2	1
			1							1					
2		6	3			1		1	2	12	2	1			1
	1									23					
15	9	31	56	28	6	13	10	11	10	3	7		15	8	8
3	1	5	7	3		3		1	1	251		9		2	
										22		2			
5			2	5		6				13				2	
1										5		1			
										5	1	2	1		
			2	1		1			2						
			1						1						
2	1					1			1	5	1		1	4	
2	1	1	5	2	1	2	1			26	2	1	2	1	
		1	1			1	1		1	1				1	
1		3	2	1	1		1		2	3		1	1		
	2	5	1	2					1	23		1	1	2	
4	1	12	10	18	4	2	5	4	1	48	2		5	2	2
6	3	26	34	21	8	13	7	7	6	209	4	4	10	11	6
17	5	30	34	16	4	4	2	5	5	118	1		22	7	10
2	1	3	4	2	2	1	1	2	2	22	1	5	1	2	1
	1		1						1	6					
3	2	18	8	8	2	3	1	2	2	88	2	1	3	5	2
		2	3	1	1	1	3		1	13			1	3	1
										1					
	1	2	6							12		1			
				1	1					1					
1			2	1			1			6	1				
										2					
1		7	2	1		5	3	2		17			1		
										1					
	1	1	3		1	1			1	4		1		1	
		1	1												
3	1	6	10	1	1	1		3	1	3		1		1	1
										42	1		1	4	
										1					
	2	2	4			2				11		1	2		
						1				2					
5	1		3		1	1	1			17			1	2	1
1			1		1					9	1		1		1
17	4	53	24	23		5	2	3	11	133	10	14	37	19	12
1		3	3	1		1	1		1	14	1	2		1	4
										2				1	
1						1			1	2					
										7	4			1	
43	17	56	110	66	20	38	11	26	28	375	18	18	39	34	14
2	1	17	14	16				2	6	58	8	5	9	2	6
1	1	7	3	1			1	3	1	22	4		2	6	2
		2	1							6					1
9	15	65	22	35	5	9	3	5	18	92	4	6	11	6	14
				1						6			1		
2	1	3	6	3	1	3	1	1	2	25		1	1	1	1
2		18	6	1	1	1		1	1	28	6	7	7	4	
		6	3	1			1	1	1	16					

CAUSE OF DEATH.		MASSACHUSETTS—continued.											
		Lowell.	Lynn.	Malden.	Marl- boro.	Medford.	Melrose.	Natick town.	New Bedford.	New buryport.	Newton.	Peabody town.	Plym- outh town.
77	Diphtheria	22	19	8	3	12	4	1	10	1	13	1	1
78	Dislocations	1											
79	Dropsy	3											
80	Drowning	6	4	2	2	4			7	5	1	1	2
81	Dysentery	2	12	6	7		1		5	2	12	1	
82	Ear, disease of	1											
83	Electricity												
84	Elephantiasis												
85	Embolism	4							1		1		
86	Enteritis	80	21	13	1	10	2	4	37	4	10		1
87	Epilepsy	5					1	1	2	1	1		
88	Erysipelas	1	4	1		11			5	1	1	1	1
89	Esophagus, obstruction and stricture of												
90	Execution												
91	Explosion	1							1				
92	Exposure and neglect		1										
93	Extra-uterine pregnancy		3			1							
94	Eye, disease of												
95	Falling bodies												
96	Falls	7	2	2		2		1		1	1		
97	Female organs of generation, disease of	1	1										
98	Fever												
99	Foreign bodies in esophagus												
100	Fractions	11	8	6		1	1	1	6	1	1	1	
101	Frozen												
102	Gangrene	4	2					3	4	1	1	1	
103	Gastritis	9	4	3	2	2			7		2	2	3
104	General disease (not specified)												
105	Goiter												
106	Goiter, exophthalmic	1	1						1	1			1
107	Gout												
108	Gunshot wounds	1					1	1	2	1	1		
109	Heart disease	169	86	45	16	17	24	16	92	25	41	13	19
110	Hemophilia		2	1									
111	Hemorrhage	4	3	1		1			3		1	1	1
112	Hernia	9	2	1	1		1						
113	Hip joint, disease of								1				
114	Homicide												
115	Hydrocephalus	8	13	1		2	2	1	6	4	7	2	3
116	Hydrophobia												
117	Inanition	43	21	8	4	2	2		65	6	3	3	4
118	Infanticide												
119	Inflammation and abscess of liver	3			1	1	2		4				
120	Inflammation of brain	4	1	1					4				
121	Influenza	33	29	16	1	13	9	1	11	13	14	11	3
122	Injuries by machinery												
123	Jaundice	1		1	1				1				
124	Joints, disease of									1	3		
125	Kidneys, disease of	8	9	2	2	2			3	1	2		1
126	Laryngitis	2	1		1	1				1	1		2
127	Larynx, disease of	3	1										
128	Lead poison	1											
129	Leprosy												
130	Leucocythemia	1		1					1				2
131	Lightning												
132	Liver, disease of	16	9	6		2		2	4	1	2	1	3
133	Locomotor ataxia	1	1		1	1							
134	Lost at sea												
135	Lungs, disease of	22	13	6		2	1	1	12	1	3	1	
136	Lymphangitis		1										
137	Malarial fever	1	1		1	1	1	1		2			
138	Male organs of generation, disease of												
139	Malformation	5	5		2			2	1	2			
140	Malignant pustule		1										
141	Measles	11	6			1	1		2		1	1	5
142	Meningitis	61	22	17	10	3	3	2	43	10	11	6	7
143	Mental disease	7	1		1		1	1	5	3	4		1
144	Mining accidents												
145	Mumps												
146	Nervous system, disease of	2	1			1			1		1		
147	Noma	1							1				
148	Nose, disease of												

CAUSE OF DEATH.

155

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—continued.															
Quincy.	Revere town.	Salem.	Somerville.	Taunton.	Wakefield town.	Wal-tham.	Water-town town.	Wey-mouth town.	Woburn.	Group 2, rural.	Adams town.	Clinton town.	Chic-opee.	Fitch-burg.	Gardner town.
13	6	9	23	4	1	12	3	4	1	71	3	4	6	6	
4 3	1	5 7	5 5	2 2	1	2 1		1 1	4 2	12 31 27	1 1	1 1 3	1 3 1	1 2 3	
			1				1	1		2					
1 18	3	8	2 16	1 26	2	6	1	3	4	3 58	3	2	14	10	2
1 4	1	4 3	3 3	2 2		2 1			2	24 11 1	1 1		1	2 1	
1		1				1				1 5					
			2			1				1					
1	1		3	1						1 19			1	2	
		1		1											
2	1	2	4	2	1	4	4			24				2	
3		3 2	4 5	1 3		3		1 2	4 3	21 29			1 1	1	1
			1							1					
				4						1 1 6				1 1	
32	19	57	90 1 1 2	52	20	23	14	31	15	455	16 1	9	15	34	9
	1	2		2		2				14 10		1	2	2 1	
									1	2 4				1 5	
8	3	6	6	1		3		3	4	30			4		1
1	1	10	16	6	1	4	1		1	62 2	9	7	10	28	1
				1			1		2	12	1		2		
6	1 4	3 21	30	8	4	11	4	6	7	12 120			2 8		2 7
	1	1	1	1					2	10 1		3		1	
3	1	2	1		1			1		16		1		2	
			1 1 1			1				4 1					
				1											
1 2								1	1	1 2 34 6					
	1 1	7 1	3	1		3	1	5			1	1	1 3	4	2
5	2	12	5	10		1	1	1	1	51	1	1	6	4	1
			1	2					2	14					
1		8	4	1		4			1	15 1		1		1	
1	3	1	2	6		2				27		2	1	2	6
9	5	22 2	20 4	9 20	10	6 3	7	7	7 1	92 41	2	12	29 1	11 1	22 1
										1					
1		2	2		1	1				16 1			2		

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MASSACHUSETTS—continued.											
		Lowell.	Lynn.	Malden.	Marlboro.	Medford.	Melrose.	Natick town.	New Bedford.	Newburyport.	Newton.	Peabody town.	Plymouth town.
149	Obesity												
150	Old age	42	50	16	13	9	5	4	32	11	20	3	17
151	Ovarian tumor		1										
152	Ovaries, disease of												
153	Pancreas, disease of										1		
154	Paralysis	30	25	8	9	4	8	2	19	7	6	10	
155	Paralysis general (of insane)	1							2	1			
156	Parasites												
157	Pelvic abscess (female)	2	2						1				
158	Pericarditis	1	2		2	1	1						1
159	Peritonitis	20	9	8	4	3	2	2	7	4	10	1	5
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)												
162	Phlebitis											1	
163	Phlegmasia dolens												
164	Pleurisy												
165	Pneumonia	201	103	35	34	21	17	20	112	44	49	14	15
166	Poisons (not specified)	5	3			1	3		5				
167	Pregnancy, affections connected with		2										
168	Premature birth	29	24	13	2	2	3	3	38	4	11	4	2
169	Prostate, disease of	1	2			1		1		3	1		
170	Puerperal convulsions	1	2						2		1		
171	Puerperal mania												
172	Puerperal septicemia	3	3	1		1	1		1				
173	Purpura										1		
174	Railroad accidents	4	3	1		2	2	1	1	1		2	
175	Respiratory system, disease of												
176	Rheumatism	4	9	1		4	1		4				
177	Rickets				1				1				
178	Roseola												
179	Rupture of bladder												
180	Sarcoma	1	3	1			1		1				
181	Scarlet fever	7	3	2	1		4		15		3	1	
182	Scrofula	1											
183	Septicemia	6	8	3	1	2	1	2	3	2	1	1	
184	Skin, disease of		1				1				2	1	1
185	Smallpox	1											
186	Spinal cord, disease of	2	3	1			1		2	1	1		
187	Spleen, disease of	3				1			1				
188	Spleen, disease of	1											
189	Stomach, disease of	5	3	2		1	1			1	1		
190	Suffocation	7	4	1	1	1	2		3	2	2		
191	Suicide by cutting throat									1			
192	drowning												
193	hanging	2	2	1	1	1							
194	poison	3							1				
195	shooting	1	1	2					1				
196	not specified	4	2	1							1	1	1
197	Sunstroke					1							
198	Surgical operations						1		1		1		
199	Tabes mesenterica		2						2				
200	Tetanus	1				1			1				
201	Trismus nascentium												
202	Tuberculosis (unclassified)	2	3			3	2	2	1	1	3		
203	Tubes, disease of		3		1		1						
204	Tumor	3	2	1	1			1	1				1
205	Tumor of uterus	3	4	1					2				
206	Typhoid fever	18	13	5	1	7	6	5	16	4	7	1	1
207	Typhus fever												
208	Unknown	10	2	5	3	1			10	21	6		1
209	Uremia	7	5	5	1		1	1	11	1	9	2	
210	Urethra, stricture of												
211	Urinary organs, disease of	2			1						1		
212	Uterine hemorrhage					1							
213	Uterus, disease of												
214	Venereal disease		2						2				
215	Vomiting in pregnancy												
216	Whooping cough	13	11	2	4				6		3	3	
217	Worms												
218	Wounds		2	1									
219	Yellow fever												

CAUSE OF DEATH.

157

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

[illegible]

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	Northampton.	Pittsfield.	Southbridge town.	Springfield.	Ware town.	Webster town.	Westfield town.	Worcester.
1	All causes	820	176	207	334	281	328	204	1,057	112	146	236	1,838
2	Abortion								1				
3	Abscess			1			1						
4	Abscess, lumbar and psoas	1											
5	Absorbent system, disease of												
6	Accidents and injuries (not specified)	7	1	2	1	2			2		2	2	9
7	Addison's disease					1							1
8	Adenitis										1		
9	Alcoholism	2		1			2		5			1	6
10	Anemia	3		1	1			2	2	1			5
11	Aneurism	1					1						1
12	Angina	3							1				
13	Angina pectoris	3	1		1		1		6			3	5
14	Aphthae									1			
15	Apoplexy	25	9	17	15	17	21	6	43	5	3	12	77
16	Appendicitis	4	2						14				11
17	Arteries, disease of						1	2	5			1	8
18	Ascites		1		1								1
19	Asthma			2		1							3
20	Atrophy								1				
21	Bile passages, disease of												2
22	Birth, causes incident to	1			2	1	3		1			1	9
23	Bites												
24	Bladder, disease of	2			1		2		4	1		2	6
25	Bones, disease of								1		1		
26	Bowels, disease of	4			2				1				
27	Bowels, obstruction of	3			1	1	1		3		3	2	6
28	Brain, disease of	12	3	2	2	4	3	2	6	2	1	2	8
29	Breast, disease of (puerperal)												
30	Bright's disease	21	7	11	10	11	14	13	86	5	7	8	71
31	Bronchitis	37	6	3	7	13	8	5	21	3	5	5	50
32	Burns and scalds	2	1	3	1	1	3	1	8		3	2	8
33	Calculus biliary												1
34	Calculus urinary		1					1		1			1
35	Cancer (not specified)		5	2	1	4	2	3	13	1			22
36	of abdomen						1		4				6
37	bladder												1
38	brain												
39	breast	1				1	1		1	1			4
40	eye											1	
41	genitals												
42	head, face, and neck	2	1		1		1		4				
43	kidneys												
44	larynx												
45	liver	4	2	1	3		1		6			1	5
46	lower extremities								1				
47	lungs		1										1
48	mouth, tongue, and throat			1	1		1		2			1	2
49	ovaries				1		1	1	1				
50	penis	1											
51	rectum					1			1				2
52	stomach	7		1			4	1	7	1	1		17
53	testicle												
54	upper extremities												
55	uterus	5	1		2	1		1	5			3	11
56	Carbuncle	1											
57	Catalepsy	1											
58	Cerebro-spinal fever	6	2	5	2	2	1		6	1			5
59	Chicken pox												
60	Childbirth	3	1				2		2	1	1		1
61	Cholera infantum	53	3	9	16	6	24	16	24	10	19	12	83
62	Cholera morbus		1		2		2				1	1	6
63	Chorea												
64	Circulatory system, disease of	1							1				
65	Colic								1				
66	Colitis		1				1		2			1	
67	Constipation												
68	Consumption	83	21	22	36	34	25	13	108	5	17	24	218
69	Convulsions	10	4	6	3	6	3	2	6	2	5	6	21
70	Croup	5				1	2		10		2	2	3
71	Cyanosis	1						2	1				
72	Debility	28	4	1	16	5	7	16	18	1	6	8	36
73	Dentition								2				
74	Diabetes	7		2	4	4	3	1	6	1		2	19
75	Diarrhea	13	1		6		5		5	1	1		16
76	Digestive system, disease of	3			4			2	2	1			6

CAUSE OF DEATH.

159

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.															
Total.	Group 1, rural.	Bay City.	Detroit.	Esca- naba.	Iron Moun- tain.	Iron- wood.	Ishpem- ing.	Mar- quette.	Menom- inee.	Muske- gon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.
33,572	11,788	351	4,893	188	122	126	196	167	179	255	238	560	163	148	196
19	6		1	1											
42	9		5	1						1				1	
6	2										1				
10	3		1								1				
322	114	10	24	9	4	8	6		2	4	5	3	3		3
13	6														
6	2		3												
85	35	3	18	4								1	2		2
171	62	1	22				1				1	3		1	1
19	7		4					1							
30	12	1	2									1			
178	47	2	28	1	2				1						
24	12		3								1	3			
1,149	350	11	146	3		1	4	4	2	11	10	17	3	9	4
242	85	1	33	5	2		1	1				5	1		2
77	24	1	10							1	2				1
20	5		3												
107	38		28									3		1	
4	4														
13	4		3												
72	31		14		2			3		1		1			2
2			1												
141	40		19				2					4		1	
34	12	2	6		1							2			
83	29	2	2				1			1	4			1	
184	71	1	26	2		1		1			3	3			2
385	115		39				1		1	4	4	8	1	2	5
1,054	307	10	151	5	4	3	4	8	3	11	10	18	2	6	7
834	298	18	191	7	1	4	14	8	2	6	5	10	11	3	3
161	58	1	25	3		2				5	1	4	2	1	
45	19	1	4						1						
23	7		5							1					
246	68	3	26	1	1					2	2	2		2	3
92	29		11							2	1	3			
16	4		3									2			
1	1														
132	30	1	20	1			1		1			2		1	
3															
6	2		1												
85	29	2	6		1					2	2	2			
4	1		1												
3	1		2												
108	43		15					1				1			
5	1														
3	2														
59	22	1	6									1		1	
4	1											1			
3	1		1									1			
44	13	2	6					1		1					1
411	164	6	63	2	1		3	4	2	1	4	6	1	1	
2															
3	2														
174	47	5	24					2	1		1	8		1	
6	1	1	2								1				
294	122	2	29	2		2	2	3	7	2	1	6		1	5
3	2		1												
109	42	1	21	2		1	1		1			2	1		1
1,114	431	8	223	2	12	6	4	13	18	3	7	10	13	4	5
238	96	2	27	2			2	3		1	4	2	1		1
16	10		1							1				1	
10	2									1		1			
66	34	2	13	1		2			2			1			
79	30		12				1	1		2	1	1		2	
9	4		2									1			
2,438	827	19	357	18	8	6	11	14	14	22	21	41	15	13	20
568	218	9	148	4	6	3	4	3	4	5	4	15	8	2	
161	48	2	21	1	1	2				1	1	4	3		5
35	8		8	1				1				2			
527	155	9	155	5	1	4		6	2	6	3	8	2	3	1
21	8		10			1									1
246	69		24			1			1	2		8	2	1	1
325	137	1	45	1	2	2		2	3	2	2	6	1	1	3
153	58	5	14		1	2				1	3	3	4	2	2

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MASSACHUSETTS—continued.											
		Holyoke.	Leominster town.	Milford town.	North Adams.	North-ampton.	Pitts-field.	South-bridge town.	Spring-field.	Ware town.	Webster town.	Westfield town.	Worcester.
77	Diphtheria	22	3	1	2	6	1	1	50			1	42
78	Dislocations				1				1				
79	Dropsy				1		2				1		
80	Drowning	4		1		3	1	2	4		1	2	5
81	Dysentery	6	1	1	1		1	1	1			3	9
82	Ear, disease of	2	1		1								
83	Electricity												
84	Elephantiasis												
85	Embolism		1		1								5
86	Enteritis	31	2	8	10		4	5	25		6	8	33
87	Epilepsy	4	1			2		2	2				4
88	Erysipelas	5	1	1			1		5				7
89	Esophagus, obstruction and stricture of												
90	Execution	1											
91	Explosion					1							
92	Exposure and neglect	1			1			1	1				1
93	Extra-uterine pregnancy	1	1				1						1
94	Eye, disease of												
95	Falling bodies												
96	Falls	5			1	5	1	1	1			1	8
97	Female organs of generation, disease of	1											
98	Fever	1						1					
99	Foreign bodies in esophagus	1											1
100	Fractures	2	2		4	2	2		4		1	3	8
101	Frozen												
102	Gangrene	2											
103	Gastritis	7	1	1	4	1	2	2	6				7
104	General disease (not specified)						2		3			1	14
105	Goiter												
106	Goiter, exophthalmic					1							
107	Gout												
108	Gunshot wounds									1			
109	Heart disease	38	25	13	19	21	35	11	81	8	6	13	146
110	Hemophilia												
111	Hemorrhage	2			1	1			4		1		
112	Hernia			1	1		3		2				2
113	Hip joint, disease of												
114	Homicide	1							1				
115	Hydrocephalus	8	2		2		1	1	15	1		2	18
116	Hydrophobia												
117	Inanition	12	7	5	10	3	4	1	14	2	3	7	76
118	Infanticide				1								
119	Inflammation and abscess of liver	3					1	1	1		1		1
120	Inflammation of brain	1			2		1			1			6
121	Influenza	15		6	4	7	2		32	6	4	2	28
122	Injuries by machinery												1
123	Jaundice	2			1	1	1	3		1			
124	Joints, disease of						1		1				1
125	Kidneys, disease of	2					2	1	1			3	3
126	Laryngitis				1			1				1	1
127	Larynx, disease of	1							1				
128	Lead poison						1						
129	Leprosy												
130	Leucocythemia								1				
131	Lightning												
132	Liver, disease of	8	2	2		2	2	2	6		1	4	9
133	Locomotor ataxia	1			1				1			1	1
134	Lost at sea												
135	Lungs, disease of	8	2	2	4	3	3	1	10	2		1	10
136	Lymphangitis												
137	Malarial fever	3		3		1	2		3	2	1	1	5
138	Male organs of generation, disease of												
139	Malformation	1	1	1	3	1	1		3	1	2	1	7
140	Malignant pustule								1				
141	Measles	19			1		1	7	14		1	2	15
142	Meningitis	32	1	3	12	3	4	12	27	4	2	10	48
143	Mental disease	3		3		5	1	1	4	1	1		10
144	Mining accidents												
145	Mumps												
146	Nervous system, disease of	1		1	1				1		1		2
147	Noma												
148	Nose, disease of												

CAUSE OF DEATH.

161

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MICHIGAN.															
Total.	Group 1, rural.	Bay City.	Detroit.	Esca- naba.	Iron Moun- tain.	Iron- wood.	Ishpem- ing.	Mar- quette.	Menom- inee.	Muske- gon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.
378	120	19	113	1	4	1	6	1		3	2	3	4	1	3
6	3							1							
249	89	5	30	1		2			1	2	1	8			1
231	102	7	21		2	2	1	2	1	1	4	11	5		4
201	66		19	1				1		6	2	1			
13	4			1								1			
8	3		2									2			
20	8		1					1		1					
560	242	2	106	4	3		22	3	6	8		4	2	5	6
152	64		23									3		5	1
123	44	1	27	1				1	2	1		4	1		1
9	5		1									1			
4	1		2					1							
34	14		6					1							
22	15							1							
8	1		1							1		1			
1															
62	30		1			2	2	1							
117	46	1	18			3	1	1	1	2		1			
19	8		2									2			
9	5		2												
11	4	1	1												
165	56	2	22					2	1	1		5			
5	4														
115	40		13				1			1			1	2	
339	122	4	44	3	1		1			2	3	2	2	4	2
1															
8	5														
17	4		4												
1	1														
97	34		10	1						1	1	1			
2,740	818	45	306	8	7	6	14	5	6	9	18	63	10	12	9
3	2														
74	32		12	2						1			1		
74	35		6						1		1	2	1		1
10	4													1	
17	6		2				2				1				
163	59	2	26		1		2	2	3	3	2	2	1		3
1															
380	139	3	76		2	3	4			2	4	10	1	3	3
123	39		10					1	1	1	2		1		1
144	56	2	14				1		3	5		3			1
419	157	3	23		2	4				2	2	3	2	1	1
15	5									1	1	1			1
97	36		15	1			1			1				1	2
13	7		1												
150	56		15							1		6			
38	14	1	3								1				
14	3		4												1
2			1												
1															
29	12		5					1							
21	12														
344	122	3	43	1			1	2	2	3	3	4	3	2	2
37	13	1	4						1	1		2			
309	110	4	28		1	1	4	1	2	2	2	8		1	2
5	2	1	1							1					
168	57	2	9							2		2			3
1	1														
186	77	1	35		2				3	1		1			
1	1														
373	151	3	81				5	1			1	4			4
464	158	5	80	1		1	2	6	6	2	4	3	1	1	4
125	46		25					1		1	1			3	1
57	49				1	1	4					2			
4	2	1													
86	25	1	11				1			1					1
5	3														
2	1														

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MASSACHUSETTS—continued.										
		Holyoke.	Leominster town.	Milford town.	North Adams.	North-ampton.	Pitts-field.	South-bridge town.	Spring-field.	Ware town.	Webster town.	Westfield town.
149	Obesity											
150	Old age	6	8	6	1	19	15	6	21	3	4	10
151	Ovarian tumor	1			1				1			
152	Ovaries, disease of											
153	Pancreas, disease of											
154	Paralysis	7	4	1	11	7	6	2	14	7	1	5
155	Paralysis general (of insane)								1			1
156	Parasites											
157	Pelvic abscess (female)				1							
158	Pericarditis											
159	Peritonitis	6	1	3	8	2	5	1	6	1	4	4
160	Pharyngeal abscess											
161	Pharynx, disease of (not specified)											
162	Phlebitis						1					1
163	Phlegmasia dolens											
164	Pleurisy	2		4	1	2	1	2	3	1		3
165	Pneumonia	72	12	31	37	21	32	32	107	15	15	18
166	Poisons (not specified)					2	1		2			1
167	Pregnancy, affections connected with	2							3	1		
168	Premature birth	27	2		4	10	8	2	35	2	1	3
169	Prostate, disease of	1		1					1			5
170	Puerperal convulsions		1				2		1			
171	Puerperal mania											
172	Puerperal septicemia	1	1	1				1	1			
173	Purpura											
174	Railroad accidents	4	1	1		3	7	1	5	1	1	1
175	Respiratory system, disease of											
176	Rheumatism	2			3	2	1		3		1	2
177	Rickets				1							
178	Roseola											
179	Rupture of bladder											
180	Sarcoma	2		2					1			
181	Scarlet fever	7	4	1		4	3		2			
182	Scrofula	1										
183	Septicemia	3	1		2	2	3	1	5	2	1	1
184	Skin, disease of											
185	Smallpox											
186	Spinal cord, disease of				2	1	1		4			
187	Spine, disease of	1			2		1				1	
188	Spleen, disease of											
189	Stomach, disease of	2			1	1		1	4			1
190	Suffocation	2	2		1	1	2		1		1	1
191	Suicide by cutting throat								1			
192	drowning			1	1							
193	hanging		1			1	1		3			
194	poison		1		1				1			
195	shooting	2			1		1	1	3			2
196	(not specified)	1										
197	Sunstroke											
198	Surgical operations			1		1			1			
199	Tabes mesenterica	4			1				4		2	
200	Tetanus						1					
201	Trismus nascentium											
202	Tuberculosis (unclassified)	4			1		1		8			1
203	Tubes, disease of	2							4			
204	Tumor	1			2		2				1	
205	Tumor of uterus	1					2		1			
206	Typhoid fever	13	2	3	6	6	2	1	18		1	2
207	Typhus fever											
208	Unknown	9	1	2	1	3			1		2	
209	Uremia	3		2	5	1	6		6	2		
210	Urethra, stricture of	1										
211	Urinary organs, disease of											
212	Uterine hemorrhage	1										
213	Uterus, disease of									1		
214	Venereal disease	2										
215	Vomiting in pregnancy											
216	Whooping cough	4		1	3	3	1	1	7			2
217	Worms											
218	Wounds				1							
219	Yellow fever											

163

MICHIGAN.															
Total.	Group 1, rural.	Bay City.	Detroit.	Escanaba.	Iron Mountain.	Ironwood.	Ishpeming.	Marquette.	Menominee.	Muskegon.	Port Huron.	Saginaw.	Sault Ste. Marie.	Traverse City.	West Bay City.
1,229	454	6	164		1	1	3	4	4	6	8	17	3	6	2
31	8		3									3			150
6	2											1		1	151
9	1		1												152
950	266	7	93	1					2	8	8	17	3	3	153
64	8		5											5	154
22	8	1	3	1								2			155
45	20		6									1			156
389	124	5	75	1	1		3	5	2	4		7		3	157
2	1	1					1								158
5	1		2												159
4															160
68	24		14			1					2	3			161
2,647	941	13	465	20	9	15	13	11	22	34	27	50	14	9	162
142	47	4	25	2				2	1	1	2	2			163
19	8						1				1	1			164
694	255	11	127	3	10	7	7	4	3	6	7	13	2	2	165
68	16	1	6								1	3			166
43	14		8	1											167
4	1		1									1			168
200	76		34	1			5	1	2					1	169
11	5		2	1											170
270	85	4	43	15	4	2	1	2	2		1	5	2		171
193	59		27	1	2					1		3	1		172
7	4		1												173
48	20	1	4						1	1			1		174
220	126	10	16	6	5	1	2	1							175
22	8		2			1									176
218	70	2	27	1			2	3	1	3	1	3		1	177
37	10	1	3											1	178
8	3		1												179
104	36		7					2			1				180
42	16		4			1							1		181
7	5		1												182
156	60	1	21									1		2	183
86	30		12					1		1	1	1	1		184
7	2	1	1												185
12	7	1	1												186
54	19		10												187
50	13	1	13												188
56	15		6	1					2	1					189
32	11		6			1			1						190
8	2		3												191
31	5		7									1			192
81	25		4		1		2	1							

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MICHIGAN--continued.										MINNESOTA.		
	Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jack- son.	Kala- mazoo.	Lan- sing.	Owos- so.	Pon- tiac.	Total.	Group 1, rural.	Minne- apolis.
1 All causes	10,879	185	250	185	1,258	338	416	232	121	138	17,005	3,092	2,183
2 Abortion	10					1					10		2
3 Abscess	22				3						16	1	4
4 Abscess, lumbar and psoas	3										2		
5 Absorbent system, disease of	3				2						5		
6 Accidents and injuries (not specified)	106	2	5	3	4	2	3	1	1		187	41	18
7 Addison's disease	5		2								3	1	1
8 Adenitis	1										2		
9 Alcoholism	9		1		7	3					46	5	15
10 Anemia	57	2	4	1	7	3	2	1	2		55	8	14
11 Aneurism	5				2						15	3	6
12 Angina	12			1	1						25	1	3
13 Angina pectoris	82			5	2	2	3		2	1	20	2	4
14 Aphthae	4				1						3	3	
15 Apoplexy	447	3	8	7	47	14	33	7	3	5	386	77	63
16 Appendicitis	81	3	2	3	7	1	6	3			157	32	19
17 Arteries, disease of	27	3		3	3		2				13	1	5
18 Ascites	10		1				1				10	2	1
19 Asthma	28			1	3		5				67	16	
20 Atrophy											2		
21 Bile passages, disease of	5									1	2		1
22 Birth, causes incident to	14	1			1	1	1				21	6	1
23 Bites	1										1		
24 Bladder, disease of	63	1	1	1	4	2			1	2	54	9	16
25 Bones, disease of	6	1			1	1			2		7	1	
26 Bowels, disease of	37		1		2	1	2				41	9	3
27 Bowels, obstruction of	54	3		2	8	2	1	1	2	1	85	20	10
28 Brain, disease of	161	1	1	3	13	5	12	3	2	4	131	20	28
29 Breast, disease of (puerperal)													
30 Bright's disease	386	5	15	6	44	11	16	8	8	6	579	74	89
31 Bronchitis	190	6	1	2	31	2	11	2	5	3	274	56	38
32 Burns and scalds	42		2		6	3	2	3		1	100	17	14
33 Calculus biliary	16				3			1			14	1	5
34 Calculus urinary	8	1				1					2		
35 Cancer (not specified)	109	7	1		10	3	2	2	2		138	32	5
36 of abdomen	82	3	1	2	3	1	2	1		1	26	7	3
37 of bladder	4		1		2						2		
38 brain													
39 breast	67				5		2		1		45	6	9
40 eye	3												
41 genitals	3												
42 head, face, and neck	37				2				1	1	39	5	8
43 kidneys	1				1						2		
44 larynx											2		
45 liver	88			2	1	3		1	2	1	64	15	8
46 lower extremities	3				1						1		
47 lungs	1										6	1	1
48 mouth, tongue, and throat	18	2	3		2	1	1			1	18	4	8
49 ovaries	1				1						2		1
50 penis													
51 rectum	16	1			2				1		13	3	2
52 stomach	110	9	8	2	10	8	3	1	2		251	48	36
53 testicle	1	1											
54 upper extremities	1												
55 uterus	61		4	1	9	6	2	2			50	2	9
56 Carbuncle	1										4		1
57 Catalepsy													
58 Cerebro-spinal fever	90		2	1	9	3	1	3	1		83	11	15
59 Chicken pox											3	1	1
60 Childbirth	32	1			2				1		104	20	2
61 Cholera infantum	291	5	4	5	33	2	5	5	1	4	377	57	47
62 Cholera morbus	77	1	2		6	5		5	1		212	42	5
63 Chorea	2						1				1		1
64 Circulatory system, disease of	4				1	1					2		
65 Colic	10										201	45	3
66 Colitis	24			1	3				1		8	2	1
67 Constipation	2								1		6		
68 Consumption	781	18	20	20	94	31	33	19	8	8	1,844	296	264
69 Convulsions	94	2	1	1	21	3	7	2	3	1	323	57	58
70 Croup	40		1	1	25	3		1		1	131	28	4
71 Cyanosis	11				2	1		1			14	2	4
72 Debility	111		7	3	22	9	8	3	1	3	187	22	70
73 Dentition	1										24	6	
74 Diabetes	112		3	3	8	5	4				125	34	11
75 Diarrhea	101	1	3	4	4	1	3	2		1	83	19	5
76 Digestive system, disease of	43		1	1	11		1	1			25	4	1

CAUSE OF DEATH.

165

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.			
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.
1,574	276	6,092	159	2,931	698	20,251	412	13,630	5,724	485	38,084	4,970	10,320	10,198
		3		4	1	19		13	6		14	3	1	6
	1	9		1		15		6	8	1	36	5	12	10
1		1									9	1	4	1
2		2		1							1			
8		63	1	38	18	96	5	57	32	2	487	32	264	97
					1						4	1	2	
		2				1		1			8	1	4	2
1		11		9	5	6	1	1	4		53	5	24	3
9	2	10	1	8	3	7		6	1		78	7	34	12
1		1	1	2	2	4		4			34	2	17	4
		11		9	1	28	2	23	3		70	7	11	27
4		7	1	2		7		5	2		67	3	15	14
						43		26	17		47	6	2	23
56	6	118	5	49	12	94	9	62	15	8	548	51	225	70
12	2	62	1	20	9	38	2	25	6	5	204	25	68	34
											26	1	19	2
3		4				34		15	17	2	62	10	10	22
	1	32		15	3	56	3	28	23	2	144	13	66	32
		2									5		3	
					1	1		1			5			1
1		7		6		10		6	4		27	4	1	9
		1				3		2	1		1			1
3		15	3	6	2	28		15	11	2	68	6	21	18
		5		1		7		6	1		20	3	4	6
3		16		8	2	107	5	77	25		171	15	14	92
6	1	34		12	2	17		9	6	2	130	20	42	20
19	1	42	4	14	3	244	8	181	49	6	516	66	153	144
						1		1						
83	7	218	3	69	36	238	9	136	73	20	1,058	79	500	184
28	5	95	3	30	19	205	4	158	34	9	713	74	324	120
7		35		21	6	242	3	170	64	5	158	12	27	63
2	1	4			1	3		1	2		31	1	12	6
		1			1	21		17	4		10	1	3	2
9		63	1	23	5	94	4	73	15	2	213	26	66	34
4		6		5	1	10	1	7	1	1	38	1	17	7
		1		1							7	1	3	1
7	1	9	2	10	1	15		11	3	1	2	2		
											61	8	15	11
											3			
1	2	15		6	2	27		17	8	2	70	7	13	27
1		1									6	1		2
		2									3		2	1
9	1	18	2	6	5	9		5	1	3	78	4	38	11
1						1				1	4		2	
3		1									5		2	1
2		3			1	8	1	6		1	41	5	13	13
		1									3		2	
											3		1	1
1		4	1	2		3		1	1	1	29	2	10	5
25	7	99	1	20	15	39	2	22	6	9	229	22	72	47
											4		1	3
12		19	3	3	2	52		41	8	3	107	6	47	22
		2		1		7		7			16	1	4	6
20	1	23	3	8	2	35		26	7	2	261	47	36	103
		1				5		4	1		5		1	3
2	1	54		24	1	187	3	116	68		160	42	13	52
25	8	142	2	64	32	170	29	116	23	2	855	124	120	285
3	2	113		45	2	114	1	83	30		271	52	19	79
						3		3			9	2	1	4
		2				5		1			5	1	1	1
	1	105		46	1	61		29	32		33	6	3	6
2		3				10	1	5	3	1	48	2	10	10
		3		3		7		7			18	1		7
206	24	609	12	384	49	2,129	52	1,435	562	80	4,107	399	1,168	993
67	12	88	4	20	17	188		108	77	3	410	40	204	62
14	1	46		35	3	409	3	331	71	4	630	100	60	277
		5			3						61	1	44	5
37	1	30	3	18	6	63	5	37	19	2	476	31	332	44
		11		7		107	1	73	29	4	78	16	33	16
10	2	49		17	2	18	1	14	3		121	14	25	32
5	10	33		9	2	214	6	101	94	13	252	56	44	74
1		14		4	1	71		36	34	1	104	17	8	43

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		MICHIGAN—continued.										MINNESOTA.		
		Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jack- son.	Kala- mazoo.	Lan- sing.	Owos- so.	Pon- tiac.	Total.	Group 1, rural.	Minne- apolis.
77	Diphtheria	61	1		2	12	1	4	6	7	3	357	73	63
78	Dislocations	2										2	1	
79	Dropsy	98		1	1	5	3		1			159	51	2
80	Drowning	51	1	1	2	4	1	3	3	2		119	20	16
81	Dysentery	87	2	4		6		3	2	1		47	6	5
82	Ear, disease of	6				1						2		
83	Electricity									1				
84	Elephantiasis													
85	Embolism	7				1		1				7		1
86	Enteritis	98		7		26	4	6	4	1	1	200	18	56
87	Epilepsy	42	1	1	1	3		7			1	83	9	5
88	Erysipelas	32		1		3	2		2			70	17	8
89	Esophagus, obstruction and stricture of	1				1						5		
90	Execution													
91	Explosion	12		1								9		
92	Exposure and neglect	4				1		1				22	4	
93	Extra-uterine pregnancy	2	1			1						1	1	
94	Eye, disease of	1												
95	Falling bodies	24								2		14	4	
96	Falls	35			1	3	2	1			1	42	10	3
97	Female organs of generation, disease of	6		1								3		
98	Fever	2										15	2	1
99	Foreign bodies in esophagus	4					1					7	3	
100	Fractures	53		4	2	8	5	4				69	10	17
101	Frozen	1										4		1
102	Gangrene	47	2	1	1	1	1	1	2		1	25	6	5
103	Gastritis	119		3		11	4	5	5	1	1	137	25	14
104	General disease (not specified)	1												
105	Goiter	1		1		1								
106	Goiter, exophthalmic	7				1	1					6	2	
107	Gout													
108	Gunshot wounds	40			1	5	1	1	1			60	8	5
109	Heart disease	1,148	13	20	17	96	31	28	28	6	17	1,182	232	154
110	Hemophilia		1									1		
111	Hemorrhage	19			1	2	1	1	1	1		33	4	7
112	Hernia	20			1	2	1	1	1		1	39	8	3
113	Hip joint, disease of	2				3						3		1
114	Homicide	4				1						22	3	2
115	Hydrocephalus	43	1			9	1	2	1			108	18	23
116	Hydrophobia	1							1			1		
117	Inanition	85	1	1	4	30	1	1		3	4	322	59	41
118	Infanticide											1	1	
119	Inflammation and abscess of liver	48	2	3		8	2	3	1			35	5	6
120	Inflammation of brain	40	1	1	1	11	1	1			1	134	22	2
121	Influenza	183		4	1	14	4	4	2	4	3	152	33	14
122	Injuries by machinery	7										7		
123	Jaundice	37				1	2					31	5	3
124	Joints, disease of	4				1						3		
125	Kidneys, disease of	58	2	1	1	4	1	2	1	1	1	102	22	18
126	Laryngitis	15				2	1			1		15	1	4
127	Larynx, disease of	5				1						7		2
128	Lead poison	1												
129	Leprosy	1										1		
130	Leucocythemia	9				1		1				7	3	1
131	Lightning	9										35	6	
132	Liver, disease of	128		2	5	6	4	5	1	1	1	107	21	12
133	Locomotor ataxia	12				2			1			12	1	2
134	Lost at sea													
135	Lungs, disease of	114	2	2	2	16	2	2	3			161	27	32
136	Lymphangitis													
137	Malarial fever	76		1	3	8	3	2				9	4	2
138	Male organs of generation, disease of													
139	Malformation	51	1	3		4	1	4	1	1		49	13	4
140	Malignant pustule													
141	Measles	99		1	1	20			2			79	21	3
142	Meningitis	134	1	4	2	30	5	7	4	2	1	317	44	65
143	Mental disease	37	1			1		5			3	32	7	2
144	Mining accidents											9		
145	Mumps	1										4	1	
146	Nervous system, disease of	36		1		3		1	3	2		32	9	3
147	Noma	2										1		
148	Nose, disease of	1												

167

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.			
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.
37	1	77	3	98	5	85	2	57	23	3	494	43	243	41
2	3	1				3		2	1		5			3
3	3	80		21		427	3	258	158	8	373	61	25	136
3		23	4	39	11	63		31	31	1	108	12	55	19
		17		15	1	350	3	283	84	10	390	63	30	167
		2				6	1	1	4		15	5		3
						2			2		7		2	1
						1			1		1			
1	1	4				168	11	121	30	6	650	2	6	58
47		31	4	24	20							45	401	
4		49		15	1	71	4	43	20	2	118	25	21	30
5		23	1	10	6	29		21	7	1	120	12	32	38
3		2									3		2	1
						2		2			4	1	1	
		3		6		3		3			16	3	1	8
		8		9	1	47	1	27	11	8	16	1	2	8
											3		1	1
		3		5	2	18		12	6		21	5		13
3	1	19		5	1	73	1	48	23	1	68	10	3	23
1	1	1				25		18	7		30	3	4	12
1		4		7		144	3	95	46		62	10	2	32
		2		2		11		10	1		7	1		1
3		15	1	11	12	23	2	16	4	1	60	4	16	11
		1		2		3		1	2		7	2		4
		8		1	1	8		3	1	4	56	9	16	7
10	3	47	5	26	7	107	1	81	19	6	369	46	96	96
						1			1		1			
						1			1		3		1	2
		3	1			1		1			4	1	1	
1		26	1	18	1	185	3	87	88	7	162	16	32	55
117	10	439	9	180	41	876	23	590	218	45	2,061	209	604	429
1											3			
2		13		6	1	42		26	16		88	10	25	16
2		20		6		25		14	11		86	6	27	20
		1		1		3		3			7	2	2	2
2		10		5		86		63	23		111	13	70	114
20	1	26	1	13	6	11		7	4		109	6	46	25
1						2		2			3			1
50	23	72	3	53	21	38	5	14	11	8	640	33	352	59
						2		2						
3	1	10	1	9		61		43	18		140	11	42	38
5	1	58		44	2									

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MICHIGAN—continued.										MINNESOTA.		
		Group 2, rural.	Ann Arbor.	Battle Creek.	Flint.	Grand Rapids.	Jack- son.	Kala- mazoo.	Lan- sing.	Owo- so.	Pon- tiac.	Total.	Group 1, rural.	Minne- apolis.
149	Obesity													
150	Old age	459	4	8	5	43	11	8	9	3		832	181	63
151	Ovarian tumor	15		1					1			7	1	1
152	Ovaries, disease of	2										1		1
153	Pancreas, disease of	7										3	2	
154	Paralysis	463	5	9	3	19	12	5	15	3	4	823	89	11
155	Paralysis general (of insane)	15		1	1	1		14			14	16	1	
156	Parasites													
157	Pelvic abscess (female)	5				1	1					16		5
158	Pericarditis	15				1	1	1				17	2	8
159	Peritonitis	105	7	4	2	20	6	7	4	1	1	208	28	32
160	Pharyngeal abscess											1		
161	Pharynx, disease of (not specified)													
162	Phlebitis	2										7		1
163	Phlegmasia dolens	4												
164	Pleurisy	20				1	1	2				38	6	5
165	Pneumonia	738	13	17	11	110	23	41	17	5	15	1,379	246	195
166	Poisons (not specified)	44	1		1	5	1	2	1		1	60	8	4
167	Pregnancy, affections connected with	6				2						1		1
168	Premature birth	155	2	2	1	38	6	16	1	2	4	187	49	6
169	Prostate, disease of	37	1			1	1		1			14	4	1
170	Puerperal convulsions	15		1		1					1	16	1	1
171	Puerperal mania	1										2	1	
172	Puerperal septicemia	64	3		1	5	1	3	1			66	12	13
173	Purpura	2				1						7		3
174	Railroad accidents	78	4	2	2	9	4	3				115	21	14
175	Respiratory system, disease of											6	2	
176	Rheumatism	84	3		2	5	1	2	2			87	16	3
177	Rickets	2										6		1
178	Roseola													
179	Rupture of bladder											8	2	1
180	Sarcoma	15		1		3						25	4	3
181	Scarlet fever	40		2		7			2			92	27	10
182	Scrofula	8				3						6	2	
183	Septicemia	84	2	1	1	7	1	1	3	2	1	165	24	22
184	Skin, disease of	20				1				1		15	5	2
185	Smallpox	2				2						22	1	7
186	Spinal cord, disease of	43	2	3		4	1	2		1		21	3	4
187	Spine, disease of	17				1		1	1			30	4	4
188	Spleen, disease of	1										4		
189	Stomach, disease of	53	1	2	3	5	2		3	1		90	18	5
190	Suffocation	28			2	7			1		1	49	6	7
191	Suicide by cutting throat	3										5	1	1
192	drowning	3										5	3	
193	hanging	20		1		1	1	2				21	2	4
194	poison	15				7						26	3	6
195	shooting	22				4	2	1		1	1	26	4	5
196	not specified	7	1			2				1	1	39	6	4
197	Sunstroke	2					1					3		
198	Surgical operations	7	5	2		2		1			1	14	3	2
199	Tabes mesenterica	29	2	2	1	6	2			2		24	6	4
200	Tetanus	8			1	2	1					36	9	6
201	Trismus nascentium	1				1						2	2	2
202	Tuberculosis (unclassified)	27	1	1		3	1	2			1	53	4	13
203	Tubes, disease of	1					2	2				7	1	
204	Tumor	28	1	1	2	2	1		2		1	49	13	4
205	Tumor of uterus	16	3			1	1			1	1	12	1	5
206	Typhoid fever	223	3	7	5	34	16	7	4	4	1	386	55	83
207	Typhus fever											4		
208	Unknown	172	1	2	2	5	4	1	5		2	788	148	16
209	Uremia	40	1	1	1	2	3		1		1	76	17	11
210	Urethra, stricture of											1	1	
211	Urinary organs, disease of	1			1							5		1
212	Uterine hemorrhage	5				1						6	2	1
213	Uterus, disease of	6	1			1						3		1
214	Venereal disease	10				1	1					26	1	16
215	Vomiting in pregnancy	2												
216	Whooping cough	72		2	2	17	2	10	2	1		164	29	15
217	Worms	1										1		1
218	Wounds	6		1								12	2	1
219	Yellow fever													

CAUSE OF DEATH.

169

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

MINNESOTA—continued.						MISSISSIPPI.					MISSOURI.			
St. Paul.	Winona.	Group 2, rural.	Mankato.	Group 3, rural.	Duluth.	Total.	Group 1.	Group 2.	Group 3, rural.	Natchez.	Total.	Group 1, rural.	St. Louis.	Group 2.
35	30	371	5	135	12	329	15	190	110	14	1,038	97	503	129
	1	3		1		2		1	1		17		11	1
						3		3			3	1	1	
1														
15	6	154	2	38	8	236	9	180	42	5	824	88	132	229
1		11		2		5		5			33	2	15	5
						1		1			1	1		
2		6		1	2	2		2			16	1	8	
1		3		2	1	7	1	2	2	2	38	4	20	1
36	4	61	3	27	17	44	4	23	10	7	288	14	106	48
1						1		1			3	1		1
		3		2	1	2		2			2			1
											2	1		1
2		13		10	2	48		32	16		83	6	33	20
133	23	467	19	214	82	2,168	29	1,456	644	39	4,442	795	1,106	1,142
6		25	2	10	5	37	1	23	13		145	13	24	38
						2		1	1		2		1	
7	5	73	1	34	12	97	5	67	21	4	423	34	123	104
		8		1		6		4	1	1	22		3	5
4	2	4		4		10		10			29	4	10	5
		1									2			
4	1	25		10	1	40	1	28	11		144	23	37	48
1		1		2							10		3	1
9	8	32	4	20	7	57	1	45	11		188	25	9	44
		4				4		3	1		3		1	2
5		42		19	2	124		83	39	2	196	23	33	66
		5				1		1			13	2	6	2
						7		5	2		2		1	1
		5				1		1			1			1
6	1	4	1	2	4	1		1			25	1	14	3
9		15	2	26	3	44	1	25	18		134	9	54	24
		2		2		84		64	20		42	7	5	14
12	1	74	2	25	5	89		69	16	4	310	41	60	72
1		5		1	1	20		12	8		30	2	6	12
1														
1		13				782		462	316	4	66	5	2	36
3	1	5	1	2	2	4		2	2		89	22	21	27
1		15		5	1	21		20	1		138	25	3	68
1		3				7		4	3		11	1	2	4
7		43		13	4	110		89	20	1	311	57	24	128
6		21		6	3	71		59	12		59	8	8	19
				1	2						10	2	2	
	1			5		2		2			6	2	2	2
2		8				1		1			22	2	4	4
2	3	9	2		1	2		1	1		26	1	10	5
2		6	1	5	3	8		7	1		42	7	4	8
2	1	20	1	5		8		4	4		148	9	88	13
2		1				10	1	6	3		29	3	19	1
		7		2		5	1	2	2		69	2	29	1
2		8		1	3	47	1	37	9		51	6	9	9
5	2	11		3		20	1	16	3		43	7	17	6
						2		2			57	1	53	
9		11	1	12	3	14		1			16	3	1	3
1	1	4									13		10	
5		17		8	2	52	3	35	13	1	86	14	9	34
2		1	1	1	1	3	1	2			24	1	11	7
36	5	102	6	76	23	1,370	23	1,016	314	17	1,790	268	190	728
		3		1		8		5	3		6			1
9	6	361	2	238	8	1,989	26	1,346	590	27	1,382	334	36	625
16	2	20	1	5	4	12		11	1		228	4	150	13
						1		1			4		4	
		2		2		52		32	20		2	1		
1				2		5		5			5		3	1
		1		1		11		5	6		15		3	4
3		2	1	3		36	1	19	9	7	47	2	27	8
											1			
18		69		27	6	175	6	117	46	6	380	60	30	182
						46		29	17		17	5	1	11
		3		4	2	14		6	6	2	17	1	1	3
						13	1	12			1		1	

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
	Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
1 All causes.....	4,062	4,749	2,852	933	2,188	200	1,831	154	8,264	3,883	476
2 Abortion.....	1	2	1		2			2	6	4	
3 Abscess.....	4	2	3		6		6		9	6	
4 Abscess, lumbar and psoas.....		3									
5 Absorbent system, disease of.....		1							1		
6 Accidents and injuries (not specified).....	26	31	30	7	47	5	39	3	109	51	4
7 Addison's disease.....		1							3		2
8 Adenitis.....		1									
9 Alcoholism.....	4	1	13	3	28		25	3	16	3	
10 Anemia.....	5	12	6	2	1	1			17	8	1
11 Aneurism.....	2	3	4	2	2		2		7	4	
12 Angina.....	13	8	3	1	2	1	1		17	11	1
13 Angina pectoris.....	10	13	8	4	2		2		18	6	
14 Aphthae.....	6	8		2					6	3	
15 Apoplexy.....	54	60	64	24	37		30	7	144	65	15
16 Appendicitis.....	35	18	13	11	14		14		93	53	6
17 Arteries, disease of.....		1	2	1	2		2		1		
18 Ascites.....	2	13	4	1	4	1	2	1	12	9	
19 Asthma.....	9	12	8	4	9	3	6		30	12	1
20 Atrophy.....	1		1								
21 Bile passages, disease of.....	1	1		2					1		1
22 Birth, causes incident to.....	4	2	5	2	4		4		6	2	
23 Bites.....									3	1	
24 Bladder, disease of.....	7	7	6	3	1		1		15	8	1
25 Bones, disease of.....	4	1	2		1	1			6	3	
26 Bowels, disease of.....	16	21	5	8	7	3	4		37	16	3
27 Bowels, obstruction of.....	12	16	12	8	10	2	6	2	36	12	1
28 Brain, disease of.....	34	68	37	14	25	1	23	1	81	38	10
29 Breast, disease of (puerperal).....											
30 Bright's disease.....	103	100	74	18	47	2	40	5	212	97	15
31 Bronchitis.....	49	56	60	30	34	2	32		99	38	6
32 Burns and scalds.....	24	18	10	4	11	1	9	1	54	18	1
33 Calculus biliary.....	5	6		1	1	1			10	8	
34 Calculus urinary.....	2		2						4	1	
35 Cancer (not specified).....	24	29	29	5	7		6	1	72	40	5
36 of abdomen.....	1	3	8	1					9	6	1
37 of bladder.....	2				1			1			
38 of brain.....									1		
39 of breast.....	10	12	4	1	3		3		18	8	2
40 of eye.....		3									
41 of genitals.....	2								1		
42 of head, face, and neck.....	9	12	1	1	2		1	1	18	12	
43 of kidneys.....	1	2							3	2	
44 of larynx.....											
45 of liver.....	4	13	6	2	7		5	2	17	9	2
46 of lower extremities.....	1	1									
47 of lungs.....			1	1					2		1
48 of mouth, tongue, and throat.....	6	2	2		2	1	1		12	8	
49 of ovaries.....		1			1		1		2		
50 of penis.....	1										
51 of rectum.....	2	2	6	2	1		1		8	7	1
52 of stomach.....	35	37	15	1	22	2	18	2	82	45	3
53 of testicle.....											
54 of upper extremities.....											
55 of uterus.....	5	9	10	8	9		9		15	7	3
56 Carbuncle.....	5								1	1	
57 Catalepsy.....											
58 Cerebro-spinal fever.....	26	25	18	6	22		22		36	20	1
59 Chicken pox.....		1							4	2	
60 Childbirth.....	20	28	5		16		14	2	53	29	1
61 Cholera infantum.....	119	114	61	32	47	7	40		314	161	24
62 Cholera morbus.....	42	56	15	8	24	2	20	2	121	55	5
63 Chorea.....	1	1							2	1	
64 Circulatory system, disease of.....	1	1							2	1	
65 Colic.....	5	13			3		3		33	21	2
66 Colitis.....	5	4	9	8	1		1		10	5	
67 Constipation.....	5	2	3				1		3	3	
68 Consumption.....	521	601	334	91	164	16	134	14	592	255	51
69 Convulsions.....	23	34	35	12	22		20	2	106	44	1
70 Croup.....	72	72	32	17	27	1	26		66	37	3
71 Cyanosis.....	1	5	5		2		1	1	12	3	
72 Debility.....	13	22	24	10	32		31	1	63	20	6
73 Dentition.....	4	6	1	2	5	1	2		6	3	
74 Diabetes.....	22	16	7	5	12		6	6	62	37	4
75 Diarrhea.....	25	33	10	10	20	1	18	1	54	28	3
76 Digestive system, disease of.....	13	16	6	1	5	2	3		32	18	1

CAUSE OF DEATH.

171

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEBRASKA—continued.			Nevada.	NEW HAMPSHIRE.												
Group 2, rural.	Omaha.	Group 3.		Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Man- chester.	Nashua.	Ports- mouth.	Roches- ter.	Group 2, rural.	Berlin.		Keene.
1,524	1,382	999	438	7,400	2,515	357	257	163	1,092	479	180	188	1,895	149	125	1
2				1					1							2
1	2		1	2	1			1								3
				1									1			4
				1									1			5
1				1									1			6
29	6	19	13	76	26	6	6	1	7	4		1	22	3		7
	1			1	1											8
2	10	1	2	9	2		1		2	1		1	2			9
2	4	2		50	20	3			6	2		2	13		4	10
	3			1				1								11
																12
3	1	1	1	4	1					1			2			13
5	3		4	40	16	2	1	1	3	1			16			14
2		1														15
12	42	10	7	367	153	20	9	3	31	13	11	5	111	4	7	16
6	19	9	3	21	7			3	2	2			5		2	17
	1			7	2					1			3		1	18
3				3	1			1		1						19
6	5	6	1	9	5				1				3			20
				1						1						21
																22
	3	1		2									2			23
1	4	1	1	32	15	3		1		2	1		10			24
																25
1	1	1		2	1				2				1			26
7	3	8		7	4				4				1			27
7	13	3	2	28	8	2				1	1	2	9		1	28
6	17	10	4	88	44	7	6		11	4	1	3	8	2	2	29
																30
26	45	29	8	233	91	14	11	6	27	7	5	4	65	2	1	31
20	25	10	4	213	63	17	3	3	59	15		2	46		5	32
15	15	5	2	16	4				3		2	1	4		2	33
																34
1		1		7	2				1				3		1	35
		2														36
12	1	7	3	132	43	5	5	1	7	4	4		59	2	2	37
1	8	1	1	24	6	3	3	1	1				10			38
			1	4	2						1		1			39
																40
2	1															41
	2			14	3			1	1	2			7			42
																43
2	1	2		1	1		1						1			44
				4												45
																46
2		4	1	21	7	2			3	1		1	6		1	47
																48
	1															49
2	2			10	2				3				5			50
	2			1					1							51
																52
15	11	8	4	46	16	2	1	1	2	2	2	1	18		1	53
			1													54
																55
1	3	1	3	14	6	2	1			1	2		2			56
			1	3	2				1							57
																58
5	2	8	3	39	8	1	1	3	6	3	1	1	14		1	59
1	1			1					1							60
8	3	12	1	10	4								4	1	1	61
42	36	51	4	293	89	4	11	7	75	36	6	7	39	16	3	62
33	11	17	10	34	15	1	1		3	1	2	1	8	1	1	63
																64
																65
1																66
6	1															67
1	4			8		3			3				2			68
				1				1								69
																70
114	110	62	56	627	194	25	21	22	117	39	16	20	153	7	13	71
18	33	10	8	104	28	4	2	2	39	8	5	3	10	3		72
15	3	8	5	42	9	1	2		6	8	3	2	8	3		73
2	7			6	3	1							2			74
																75
																76
5	26	6	3	239	62	7	5	3	54	37	5	5	51	7	3	77
	1	2		15	2				11	1			1	1		78
4	5	12	5	55	23	2	1	2	4	3		1	17	1	1	79
11	5	7	3	43	21	3	4		7		1	3	4			80
8	4	1		16	3				3	2	1	1	6			81

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
		Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
77	Diphtheria	74	46	23	24	24	8	15	1	162	68	3
78	Dislocations	2								2	1	
79	Dropsy	61	55	19	16	21	3	15	3	110	68	4
80	Drowning	8	5	7	2	14	1	12	1	45	21	2
81	Dysentery	49	60	17	4	4	3	1		72	37	
82	Ear, disease of	3	2	1	1	1		1		5	2	
83	Electricity		1	2	1	5		5		4		
84	Elephantiasis	1								1	1	
85	Embolism	2	2	2		1		1		2	1	
86	Enteritis	23	24	87	12	12	3	9		47	16	5
87	Epilepsy	13	21	6	2	11		11		30	19	
88	Erysipelas	9	22	5	2	4		3	1	25	10	
89	Esophagus, obstruction and stricture of									3		
90	Execution	1	1			1		1		1		
91	Explosion	3	1			2		2		3	1	1
92	Exposure and neglect	1	2	1	1	5	1	3	1	23	4	
93	Extra-uterine pregnancy		1			2		2		4	1	1
94	Eye, disease of									1		
95	Falling bodies	1	1		1	3		3				
96	Falls	11	14	4	3	7		7		29	11	
97	Female organs of generation, disease of	2	4	2	3					3	1	
98	Fever	6	11	1		2		2		13	3	1
99	Foreign bodies in esophagus	1	3		1	1		1		4	1	
100	Fractures	7	6	13	3	17	2	12	3	26	11	1
101	Frozen		1			7		7		2		1
102	Gangrene	8	7	8	1	4		3	1	12	9	1
103	Gastritis	57	42	24	8	15		13	2	61	29	6
104	General disease (not specified)		1			1	1					
105	Goiter					1		1		2	1	
106	Goiter, exophthalmic	1		1						1	1	
107	Gout											
108	Gunshot wounds	11	20	24	4	18	3	12	3	39	15	2
109	Heart disease	244	297	216	62	112	14	90	8	566	293	31
110	Hemophilia	1	2							1		
111	Hemorrhage	6	6	20	5	5		3	2	36	24	2
112	Hernia	8	11	9	5	8	3	3	2	20	10	1
113	Hip joint, disease of		1			1		1			1	
114	Homicide	5	9		1	17	3	14		9	1	
115	Hydrocephalus	11	8	8	5	3		3		25	8	3
116	Hydrophobia	1			1					1		
117	Inanition	28	33	116	19	17	2	15		76	21	8
118	Infanticide									1		
119	Inflammation and abscess of liver	20	16	10	3	7	1	6		15	12	
120	Inflammation of brain	58	70	5	8	17	1	15	1	96	52	1
121	Influenza	49	58	16	4	17	1	16		122	71	7
122	Injuries by machinery	2	2		2					3	1	
123	Jaundice	13	13	8	1	1		1		18	11	1
124	Joints, disease of		1		1					1		
125	Kidneys, disease of	35	28	12	3	7	1	6		59	35	3
126	Laryngitis	1	3	1	1	1		1				
127	Larynx, disease of		1	1								
128	Lead poison			1		2		2		3	1	1
129	Leprosy											
130	Leucocythemia		1	1						2		
131	Lightning	3	2	1		3		3		18	10	1
132	Liver, disease of	28	25	8	10	5		4	1	63	36	5
133	Locomotor ataxia	2	2	4	1	2		2		11	5	
134	Lost at sea											
135	Lungs, disease of	35	35	25	15	10	2	7	1	74	36	5
136	Lymphangitis									1		
137	Malarial fever	53	114	24	6	5	1	4		32	14	1
138	Male organs of generation, disease of		1									
139	Malformation	3	7	2		2		2		20	6	1
140	Malignant pustule											
141	Measles	29	46	13	2	17	1	16		50	24	1
142	Meningitis	68	96	92	18	43	4	35	4	138	63	11
143	Mental disease	4	13	8	3	20		20		19	12	1
144	Mining accidents	3	3									
145	Mumps	1				25		24	1	1		
146	Nervous system, disease of	21	10	2	4	4		4		24	12	4
147	Noma	1	1							1		1
148	Nose, disease of											

173

NEBRASKA—continued.			Nevada.	NEW HAMPSHIRE.											
Group 2, rural.	Omaha.	Group 3.		Total.	Group 1, rural.	Concord.	Dover.	Laconia.	Man- chester.	Nashua.	Ports- mouth.	Roches- ter.	Group 2, rural.	Berlin.	Keene.
39	30	22	1	65	20	4	3	2	8	17	2	1	5	2	1
26	3	9	8	29	10	1		1	4	2	2	8			1
7	6	9	1	38	11	4	2		3	1	1	13			2
10	11	14	6	29	8	1			4	4		10	1		1
		3		2	1				1						
	4														
	1			2		1									
2	21	3		98	25	3	3	3	24	5	4		17	12	2
6	3	2	4	19	8	2		1			1		6		1
3	6	6	1	11	6		1	1			1		2		
1	2														
		1													
1			1	1					1						
15	2	2	2	8	3				1						
	2		1												
1				1											
			1												
5	5	8	1	12	4		1	1	1						1
2				1					1						
7		2													
1	2			2			1								
5	7	2	1	37	10	1		3	5	2			14	2	
		1	1	1	1										
	2			41	17	1	2		1				15		
13	7	6	3	59	19	1	1	1	9	2	4		18		1
											5	2			
1															
				1											
9	7	6	2	9	2	1									
89	77	76	25	738	283	33	32	15	76	41	20	15	207	2	14
1															
3	5	2	2	8	7										
4	4	1	4	13	5				3	1	1		2		1
				2	1										
3	1	4		1											
2	7	5		34	13	1		3	10	2					
1															
12	31	4	4	92	23	3	6		33	6	2	2	13	2	2
1				1									1		
1		2	1	20	6	1	1		5	4		1	2		
28	4	11	2	20	5	1		1	4	3	1	3		1	
16	1														

	CAUSE OF DEATH.	MISSOURI—continued.				MONTANA.				NEBRASKA.		
		Group 3.	Group 4, rural.	Kansas City.	St. Joseph.	Total.	Group 1.	Group 2, rural.	Helena.	Total.	Group 1, rural.	Lincoln.
149	Obesity											
150	Old age	103	118	62	26	36	1	33	2	261	112	15
151	Ovarian tumor	1	3	1		1		1		4		
152	Ovaries, disease of		1							2		
153	Pancreas, disease of											
154	Paralysis	148	145	63	19	27	2	22	3	229	117	14
155	Paralysis general (of insane)	1	10			1		1		45	39	
156	Parasites											
157	Pelvic abscess (female)	1	2	3	1	3		3		4	3	
158	Pericarditis	2	4	6	1	1		1		4	1	2
159	Peritonitis	23	34	48	15	22	4	15	3	79	29	4
160	Pharyngeal abscess				1					1		
161	Pharynx, disease of (not specified)											
162	Phlebitis		1							2	1	
163	Phlegmasia dolens											
164	Pleurisy	11	6	5	2	5	1	4		20	11	1
165	Pneumonia	450	560	316	73	407	28	359	20	823	350	48
166	Poisons (not specified)	10	15	37	8	19	1	16	2	51	19	2
167	Pregnancy, affections connected with		1			1		1		1	1	
168	Premature birth	44	43	68	7	27	8	18	1	95	25	9
169	Prostate, disease of	4	7	3						8	3	
170	Puerperal convulsions	4	2	4		2		2		4	3	
171	Puerperal mania			2								
172	Puerperal septicemia	16	10	8	2	10		10		25	15	2
173	Purpura	2	1	2	1	1	1			2		1
174	Railroad accidents	29	25	46	10	23	2	20	1	55	15	6
175	Respiratory system, disease of									1	1	
176	Rheumatism	27	31	10	6	11	1	10		52	28	
177	Rickets		2	1						1		
178	Roseola					1		1				
179	Rupture of bladder									1	1	
180	Sarcoma		1	6		1			1	7	3	1
181	Scarlet fever	19	23	5		26	6	18	2	83	54	5
182	Scrofula	2	10	2	2	3		3		5	1	
183	Septicemia	43	44	39	11	27	2	22	3	90	45	2
184	Skin, disease of	6	3		1	1		1		3	1	
185	Smallpox	8	6	8	1	4		4		5	3	1
186	Spinal cord, disease of	3	6	6	4					17	7	2
187	Spine, disease of	21	19		2	2	2			22	7	
188	Spleen, disease of	3	1							6	3	
189	Stomach, disease of	51	42	6	3	11	2	8	1	56	32	1
190	Suffocation	9	6	7	2	2	1	1		11	7	
191	Suicide by cutting throat	1	1	3	1					5		
192	drowning									2	1	
193	hanging	4	7	1						9	5	1
194	poison	2	3	4	1	8		7	1	16	6	
195	shooting	8	11	1	3	7	2	5		13	3	
196	(not specified)	14	19	1	4	17	2	15		24	14	3
197	Sunstroke	1	3	1	1	1		1		5	1	
198	Surgical operations	3		33	1	7		6	1	26	3	2
199	Tabes mesenterica	9	7	7	4	2		2		20	8	3
200	Tetanus	3	7	3		1		1		13	4	2
201	Trismus nascentium		3							3	1	
202	Tuberculosis (unclassified)	4	2	1	2	2		2		12	3	
203	Tubes, disease of		1	1	1	1		1		4	1	
204	Tumor	15	12	1	1	5	1	4		38	21	2
205	Tumor of uterus		2		3					7	3	1
206	Typhoid fever	213	287	67	37	42	2	36	4	260	125	14
207	Typhus fever	2	3									
208	Unknown	141	210	29	7	101	12	80	9	458	229	12
209	Uremia	9	13	30	9	6		5	1	22	7	4
210	Urethra, stricture of											
211	Urinary organs, disease of				1					4	4	
212	Uterine hemorrhage	1								3	1	
213	Uterus, disease of	1	1	2	4	1		1				
214	Venereal disease	2	4	4		4		4		9		
215	Vomiting in pregnancy	1										
216	Whooping cough	38	38	23	9	19	3	16		105	47	7
217	Worms											
218	Wounds	2	4	5	1	1		1		7	3	
219	Yellow fever									1	1	

175

[illegible]

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW JERSEY.										
	Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridge- ton.	Camden.	Eliza- beth.	Harrison town.	Hobob- ken.	Jersey City.	Mill- ville.
1 All causes	32,735	9,358	466	545	200	1,235	911	234	1,253	4,277	176
2 Abortion	6	1		1						1	
3 Abscess	17	5				1			1		
4 Abscess, lumbar and psoas	1										
5 Absorbent system, disease of	4	1									
6 Accidents and injuries (not specified)	146	31	2		1	9	2		11	33	2
7 Addison's disease	4				1					1	
8 Adenitis	3										
9 Alcoholism	101	21	1			5	2		6	17	
10 Anemia	79	31	1	2		2	3		1	5	
11 Aneurism	15	4		2		2					
12 Angina	27	19	2			2					1
13 Angina pectoris	127	38				3	2	1	5	17	
14 Aphthae	7	5							1		
15 Apoplexy	1,470	447	21	26	9	46	43	10	30	178	5
16 Appendicitis	129	41	1			6	1		6	9	
17 Arteries, disease of	59	25	1			1	2		2	9	1
18 Ascites	7	3				1					
19 Asthma	35	11	1			3			1	4	
20 Atrophy	21	5	4	4						2	
21 Bile passages, disease of	7	2			1		1			1	
22 Birth, causes incident to	115	21	3	4			4		1	19	
23 Bites	1										
24 Bladder, disease of	80	31			3		3		6	9	1
25 Bones, disease of	26	5			1	2	1		1	2	
26 Bowels, disease of	49	14			1	1	3	1	2	5	3
27 Bowels, obstruction of	136	34	6	2		2	7		3	13	2
28 Brain, disease of	348	115	9	1	7	19	5	1	10	41	5
29 Breast, disease of (puerperal)											
30 Bright's disease	1,533	400	26	27	14	73	41	6	42	181	7
31 Bronchitis	881	202	19	10	1	8	18	6	59	138	2
32 Burns and scalds	188	47	1	3	2	9	5		5	25	
33 Calculus biliary	11	7		1						1	
34 Calculus urinary	7	1		1							
35 Cancer (not specified)	176	71	2	2	3	5	5		4	12	
36 of abdomen	67	25	1	1	1	6	2		3	2	
37 of bladder	11	5					1			2	
38 brain	2	1									1
39 breast	63	22			2	4	1			5	
40 eye	3	2									
41 genitals	8	2							2		
42 head, face, and neck	46	16		1		2			2	2	
43 kidneys	6										
44 larynx	5	1								1	
45 liver	102	29	1	2	1	3	6	1	3	13	
46 lower extremities	2	1									
47 lungs	5	2			1						
48 mouth, tongue, and throat	30	10	1				1		4	3	
49 ovaries	2										
50 penis											
51 rectum	34	4				2			1	8	
52 stomach	260	74	5	4	3	6	3	1	8	25	3
53 testicle											
54 upper extremities	2	1									
55 uterus	125	37	2	2		4	3	2	2	11	
56 Carbuncle	9	2				1				1	
57 Catalepsy											
58 Cerebro-spinal fever	142	36	2	6		4	7		3	18	
59 Chicken pox	1							1			
60 Childbirth	61	33			1	1	2	1		7	1
61 Cholera infantum	842	279	6	9	4	24	33	2	29	87	3
62 Cholera morbus	93	37	2	1	2	1	5		2	10	2
63 Chorea	6	1						1			
64 Circulatory system, disease of	3	1								1	
65 Colic	13	5	1							2	
66 Colitis	70	30	3	2		1	2			12	1
67 Constipation	6	1		2							
68 Consumption	3,392	917	40	53	28	120	90	26	133	490	26
69 Convulsions	885	217	15	18	4	33	38	7	47	124	6
70 Croup	241	62	2	6	1	21	3	1	18	38	7
71 Cyanosis	49	22	1			3		5		2	1
72 Debility	1,033	260	20	7	7	47	38	12	58	127	3
73 Dentition	30	13				1			2	4	2
74 Diabetes	156	42	2	2	1	4	2		4	17	
75 Diarrhea	189	64	4	7	1	5	5	1	7	7	1
76 Digestive system, disease of	66	23		1			2		2	15	1

177

NEW JERSEY—continued.													NEW MEXICO.		
Montclair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plainfield.	Town of Union.	Group 2, rural.	Morris-town town.	Passaic.	Pater-son.	Phillips-burg.	Trenton.	Total.	Group 1.	Group 2.
217	4,866	425	490	250	242	207	3,294	191	563	2,000	161	1,174	2,674	739	1,935
		1	1									1	8	4	4
	2	1	1				3			2	1		1	1	3
	2						1								4
2	8	1	2	1			21	1	1	13		5	37	7	30
	2														7
	15	3	2				1			1		1			8
	11	1	1	2			9	1	5	10	2	2	2		9
	1		2			1	9	1	3	2		4			10
							2			1			1		11
1	21		3	1	2	1	17	2	2	5	1	6	6		6
		1											1		12
14	243	22	13	4	12	12	163	17	13	70	14	58	9	1	13
1	12	1	3	2	3	2	11	4	1	18		7			15
	4	1			1		5	1		1		5			16
	1			1			1								17
	5						3						19	9	10
	2		1									7	8	3	15
										3					20
2	23	2	1	2	2	1	7	1	3	1		1			21
										8		11	1		22
	10	2		1			8	1		3		1	1		23
												2	3	1	24
	4	1	2	1			2		1	2		1			25
	10	1			1		3	1		1		2	20	9	11
2	22		3	1	1		8	2	4	11	2	6	1	1	27
2	33	5	1	1	2	1	55	2	5	17	2	9	9	5	28
7	267	27	33	12	14	9	155	13	8	99	10	62	22	8	29
6	178	8	14	12	2	6	83	2	11	56	4	36	17	4	30
2	35	3	5	3	1	1	13		5	18		5	6	1	31
	2														32
1	1						1					2			33
1	13	2	1		3		30	1	1	9	2	9	2		34
	8		1	1			7	1	1	3		4	1	1	35
	2									1					36
															37
1	12		1		2	2	8	1	1			1	11	2	38
							1								39
	2						2								40
	5	1	4				9		1	1		2	7		41
															42
	2						2					2			43
	1		1				1								44
	13		1	2	1	1	15								

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW JERSEY.										
	Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridge- ton.	Camden.	Eliza- beth.	Harrison town.	Hobo- ken.	Jersey City.	Mill- ville.
77 Diphtheria	678	172	14	7		69	15	10	15	74	3
78 Dislocations	1										
79 Dropsy	77	38	2	1		2	2			5	
80 Drowning	228	94	4	9	3	7	5	4	15	29	
81 Dysentery	172	65	4	2		1	10		8	15	1
82 Ear, disease of	2			1							
83 Electricity	9	3		1					1		
84 Elephantiasis	1	1									
85 Embolism	7	5									
86 Enteritis	1,141	259	7	23	2	24	42	6	40	244	4
87 Epilepsy	61	21	2			1		1		5	1
88 Erysipelas	121	26	1	3	1	3		1	12	15	
89 Esophagus, obstruction and stricture of	7	2					2				
90 Execution	5	1								2	
91 Explosion	9				1						
92 Exposure and neglect	11	4				2		1		1	
93 Extra-uterine pregnancy	5									1	
94 Eye, disease of											
95 Falling bodies	1	1									
96 Falls	103	37		6			5		5	16	1
97 Female organs of generation, disease of	6	1								1	1
98 Fever	4									3	
99 Foreign bodies in esophagus	4	1					1				
100 Fractures	168	54	4	2		12	6	2	3	4	1
101 Frozen	5	2				1				1	
102 Gangrene	91	20	3	1	1	3	1		3	11	
103 Gastritis	316	118	4	2	1	17	6	1	10	42	1
104 General disease (not specified)	1	1									
105 Goiter	1										1
106 Goiter, exophthalmic	7	4									
107 Gout	1			1							
108 Gunshot wounds	50	18	2			1	1		1	2	
109 Heart disease	2,519	834	36	34	19	99	54	11	87	312	12
110 Hemophilia	6	1					1		1	2	
111 Hemorrhage	50	18	1			3	2		2	4	
112 Hernia	80	21	1		1	4			1	8	
113 Hip joint, disease of	9	3	1								
114 Homicide	16	1				1				4	
115 Hydrocephalus	230	49	7	4	1	3	13	5	11	41	1
116 Hydrophobia	7	1								2	
117 Inanition	334	115	7	3	2	42	9	5	5	48	
118 Infanticide	2	1									
119 Inflammation and abscess of liver	41	13	2			3	1	3	1	3	1
120 Inflammation of brain	60	23	3		1	7				4	1
121 Influenza	443	150	10	5		14	7	10	7	29	
122 Injuries by machinery	3	2									
123 Jaundice	62	13	2	1	2	2	2	2	3	11	
124 Joints, disease of	9	5					1				
125 Kidneys, disease of	126	31		4	2	6	2	1	4	17	3
126 Laryngitis	53	17	2	4		1				8	1
127 Larynx, disease of	10								2		
128 Lead poison	5	1							1	2	
129 Leprosy											
130 Leucocythemia	6	1				2					
131 Lightning	3	1								1	
132 Liver, disease of	281	83	5	6	1	9	7	3	20	41	5
133 Locomotor ataxia	32	11	1						1	6	
134 Lost at sea	1	1									
135 Lungs, disease of	392	90	8	17	2	20	13	3	21	42	1
136 Lymphangitis											
137 Malarial fever	110	46				1	2	6	1	19	
138 Male organs of generation, disease of	2	1	1								
139 Malformation	151	34	2	3		11	1	3	10	36	2
140 Malignant pustule	1										
141 Measles	206	42	2	6	3	8	2	2	14	24	
142 Meningitis	909	201	13	21	3	34	16	8	64	147	
143 Mental disease	106	30				1	3	1	1	3	
144 Mining accidents	10										
145 Mumps	2										
146 Nervous system, disease of	41	13	1		2				1	8	
147 Noma	3	1									
148 Nose, disease of	2				1						

CAUSE OF DEATH.

179

GROUPS, AND REGISTRATION CITIES : CENSUS YEAR 1900—Continued.

NEW JERSEY—continued.													NEW MEXICO.		
Mont-clair town.	Newark.	New Brunswick.	Orange.	Perth Amboy.	Plain-field.	Town of Union.	Group 2, rural.	Morris-town town.	Passaic.	Pater-son.	Phillips-burg.	Trenton.	Total.	Group 1.	Group 2.
7	111	1	8	8	3	4	44		8	92	1	12	56	12	44
	1														
	4	1					8		1	4	4	5	58	23	35
	19	3		4			18		2	4		8	6		6
	22	3	7		1		18	3	1	9		2	2	1	1
	1														
	1			1			1		1						
7	150	14	21	22	7	15	70	6	48	90	4	36	10	2	8
	8				1		14		2	3		2	4		4
1	22	1					17		2	8		8	5	4	1
	2						1					1			
							1								
							7			1			1		1
							1						1	1	
	1	2													
	12	2	1	1			13		2	1		1	1	1	
									1	2		1	4	2	2
													194	30	164
1	34	2	1	1	2		9	1	2	18		9	3	2	1
	1												2	1	1
	8	4	1		1		17	1		7	2	7			
	26	8	4	4	1	1	28	1	12	14	3	12	18	9	9
	1	1								1			1		1
	7	1	1				4		3	5	1	3	19	8	11
14	291	47	24	19	29	14	340	12	23	120	13	75	67	27	40
							1								
1	7			1	1		4	1		4		1	6	1	5
	13	1	1		1	1	15	1		5		6	3	1	2
	2			1			2			2					
	6									2			8	4	4
1	43	1	4	1	3	1	13	3	8	10	1	6	2	1	1
1	2										1				
2	20	2	6	3	6		25		9	9	1	15	9	5	4
	1														
	8		1		2		3						20	7	13
	7						9			3	1	1	39	16	23
3	63	9	1	1	3		86	2	5	9	2	27	26	11	15
							1								
	6			1		1	7	1	1	5		2	3	2	1
								1		1	1				
3	18	2	3				16	1		8		5	9	6	3
	7		2			1	4			5		1			
	2			1			2			2		1			
	1														
		1					2								
							1								
1	39	3	5	3		1	18		6	16	2	8	7	6	1
				1			4			2			9	1	8
1	5														
1	86	7	7				35	2	10	13	4	10	22	15	7
1	13			1			15			4			89	15	74
1	16		1	2	4		16	2	1	2		4			
										1					
1	62	1	2	2	2	2	12		7	6		6	71	7	64
6	154	8	22	9	7	7	59	3	11	79	3	34	12	1	11
	10	1		1	1		49			3		2	1		1
							10						9		9
	2														
	4						5	1		2		4	2		2
1		1													
							1								

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		NEW JERSEY.										
		Total.	Group 1, rural.	Atlantic City.	Bayonne.	Bridge- ton.	Camden.	Eliza- beth.	Harrison town.	Hobo- ken.	Jersey City.	Mill- ville.
149	Obesity	1									1	
150	Old age	620	267	10	5	2	14	11	1	17	44	3
151	Ovarian tumor	9	4									
152	Ovaries, disease of	1										
153	Pancreas, disease of	2									1	
154	Paralysis	632	298	6	2	6	32	8	1	7	30	1
155	Paralysis general (of insane)	73	13		1		2		1	3	2	4
156	Parasites											
157	Pelvic abscess (female)	11	2	2						2	1	
158	Pericarditis	32	8					1	1	1	11	
159	Peritonitis	355	86	3	6		16	6	3	23	48	1
160	Pharyngeal abscess	3			1			1				
161	Pharynx, disease of (not specified)											
162	Phlebitis	6	1		1						2	
163	Phlegmasia dolens	1										1
164	Pleurisy	98	21	1	2		3	3		4	15	
165	Pneumonia	3,668	906	34	77	17	115	128	22	170	562	14
166	Poisons (not specified)	94	31	3	1	1	1	4			4	
167	Pregnancy, affections connected with	15	6					1			2	
168	Premature birth	587	146	4	8	5	39	26	4	18	78	9
169	Prostate, disease of	26	10				1			1	5	
170	Puerperal convulsions	36	9	1	2			1		2	11	
171	Puerperal mania	2	1									
172	Puerperal septicemia	112	25	1	3		5	2	1	4	15	1
173	Purpura	12	3				1	1			2	
174	Railroad accidents	353	90	4	11	1	8	16	7	9	68	1
175	Respiratory system, disease of	1	1									
176	Rheumatism	80	17	3	2			1	1	6	10	
177	Rickets	19	4					1			3	1
178	Roseola	3	3									
179	Rupture of bladder											
180	Sarcoma	54	9	1	1	1	1	4			8	
181	Scarlet fever	232	46	1			1	13	4	3	43	
182	Scrofula	7		1							1	
183	Septicemia	175	40	4		1	8	3	2	10	27	
184	Skin, disease of	12	2							1	3	
185	Smallpox	8	3									
186	Spinal cord, disease of	75	26		1	1	2	1		1	10	1
187	Spine, disease of	17	9					1		1	1	
188	Spleen, disease of	5							1		1	
189	Stomach, disease of	70	26	2			2	1		2	8	
190	Suffocation	98	21	2	2		7	3		1	10	1
191	Suicide by cutting throat	6	2							1	2	
192	drowning	9	2	1		1				1		
193	hanging	25	8							1	5	
194	poison	64	10		1		1	3		9	9	
195	shooting	53	18				2			4	11	
196	(not specified)	15	8							2	1	
197	Sunstroke	46	10		3	1	2	1		3	8	
198	Surgical operations	18	4				1	1			2	
199	Tabes mesenterica	32	14	2			2	3		1		
200	Tetanus	56	21		2		3	5	1	1	4	
201	Trismus nascentium	33	10			1	1	4		1	6	
202	Tuberculosis (unclassified)	47	15	1		3	1			2	8	
203	Tubes, disease of	11	2							1	4	
204	Tumor	60	22	1	1		3			1	5	
205	Tumor of uterus	13	4					1			2	
206	Typhoid fever	398	133	5	5	3	22	5	3	19	46	5
207	Typhus fever											
208	Unknown	186	72	3		2	8	5	2	7	25	
209	Uremia	185	60	6	1	1	17	7		8	20	
210	Urethra, stricture of											
211	Urinary organs, disease of	4	1									
212	Uterine hemorrhage	8	2	1							2	
213	Uterus, disease of	6	1								1	2
214	Venereal disease	26	4	1		2	1			3	2	
215	Vomiting in pregnancy	1										
216	Whooping cough	329	77	2	29	1	4	15	4	8	31	
217	Worms	3	1									
218	Wounds	19	6				2				1	
219	Yellow fever											

181

NEW JERSEY—continued.													NEW MEXICO.		
Mont-clair town.	Newark.	New Bruns-wick.	Orange.	Perth Amboy.	Plain-field.	Town of Union.	Group 2, rural.	Morris-town town.	Passaic.	Pater-son.	Phillips-burg.	Trenton.	Total.	Group 1.	Group 2.
3	48	5	6	4	3	1	100	6	2	39	5	24	39	10	29
	2				1				1			1			
4	1														
	39	16	8	4	4	3	93	3	3	27	3	31	40	11	29
	16						30			1					
		1					1			2					
6	6	1	6	2	1	2	2			1			1		
	41	7					31		6	26	1	14	6	5	1
	1														
	2												1		1
41	23	2	3				4		9	7		1	14	7	
	627	35	52	25	39	37	314	18	73	233	13	116	232	70	162
1	18		1	1	1	1	11		2	5		8	9	5	4
	4		1								1				
3	68	7	7	8	5	7	36	3	15	59	3	29	3		3
	2	1					5				1				
				1			2					1			
	6						1								
4	14	2		1	2	1	10		3	13	1	4	1	4	1
	1	1					2			1			8		4
2	27	8	2	2	2		50		3	24	5	13	12	5	7
1	5	1	2			2	20	1		3	1	4	16	3	13
	3						5			1					
													1	1	
1	8		1		3		7		3	5		2			
	59	2	13		3	1	16		3	14	2	7	44	10	34
		2					1			1		1			
1	26	1	4	1	2	1	14	2	6	20		2	5	3	2
	2					1	1		1	1			9	5	4
1	2						2	1					287	56	231
	13	3		2			6		2	2		3			
	1						4						5	1	4
							2		1						
	16	2					4		1	2	1	3	12	3	9
1	19	1	2												
							5	1	4	16	1	1			
							1								
	1						1			2			1		1
	3														

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK.											
	Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.						Peeka- kill.	Yonk- ers.
					Total.	Bronx borough.	Brooklyn borough.	Manhat- tan borough.	Queens borough.	Rich- mond borough.		
1 All causes -----	130,268	4,207	411	246	70,229	3,624	23,263	39,331	2,642	1,369	206	781
2 Abortion -----	55	2	-----	1	41	1	14	25	1	-----	-----	-----
3 Abscess -----	117	4	-----	-----	67	1	12	48	6	-----	-----	-----
4 Abscess, lumbar and psoas -----	14	-----	-----	-----	4	-----	2	2	-----	-----	-----	-----
5 Absorbent system, disease of -----	20	-----	-----	-----	8	2	1	5	-----	-----	-----	-----
6 Accidents and injuries (not specified) -----	488	18	4	-----	120	11	31	70	4	4	-----	5
7 Addison's disease -----	41	-----	1	-----	12	-----	3	9	-----	-----	-----	-----
8 Adenitis -----	17	-----	-----	-----	11	-----	2	8	-----	1	-----	-----
9 Alcoholism -----	609	12	-----	1	450	21	97	323	7	2	1	1
10 Anemia -----	349	14	1	1	94	6	27	47	10	4	1	1
11 Aneurism -----	111	6	-----	1	70	6	10	52	1	1	-----	-----
12 Angina -----	82	3	-----	-----	26	2	10	13	-----	1	-----	-----
13 Angina pectoris -----	442	11	-----	1	141	4	40	87	4	6	1	3
14 Aphthae -----	42	2	-----	-----	19	2	9	5	3	-----	-----	-----
15 Apoplexy -----	5,712	238	12	12	2,412	167	869	1,241	121	44	9	29
16 Appendicitis -----	736	16	3	2	429	14	117	272	13	13	3	3
17 Arteries, disease of -----	186	6	-----	-----	96	4	15	77	-----	-----	-----	1
18 Ascites -----	21	1	-----	-----	1	-----	-----	1	-----	-----	-----	-----
19 Asthma -----	169	2	-----	2	92	2	51	29	9	1	-----	2
20 Atrophy -----	39	2	-----	-----	19	-----	12	7	-----	-----	-----	2
21 Bile passages, disease of -----	24	2	-----	-----	13	2	4	6	-----	1	-----	-----
22 Birth, causes incident to -----	350	10	1	6	154	4	67	71	7	5	1	6
23 Bites -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
24 Bladder, disease of -----	364	14	1	1	92	2	40	39	3	8	-----	3
25 Bones, disease of -----	94	1	-----	-----	68	1	19	46	1	1	-----	-----
26 Bowels, disease of -----	150	4	1	-----	44	-----	17	24	3	-----	-----	2
27 Bowels, obstruction of -----	596	20	-----	2	264	16	100	137	8	3	2	6
28 Brain, disease of -----	1,068	54	5	3	385	27	145	189	19	5	2	2
29 Breast, disease of (puerperal) -----	1	-----	-----	-----	1	-----	-----	1	-----	-----	1	-----
30 Bright's disease -----	7,446	190	21	8	4,847	227	1,592	2,760	166	102	14	30
31 Bronchitis -----	4,072	101	10	9	2,700	91	974	1,524	78	33	9	21
32 Burns and scalds -----	561	15	2	2	342	16	104	196	20	6	-----	5
33 Calculus biliary -----	86	3	-----	1	38	-----	11	27	-----	-----	1	1
34 Calculus urinary -----	28	3	-----	-----	14	1	4	8	-----	1	-----	-----
35 Cancer (not specified) -----	911	37	3	1	285	6	69	155	6	49	1	1
36 of abdomen -----	265	9	-----	-----	130	7	39	81	2	1	3	1
37 bladder -----	40	1	-----	-----	23	2	9	10	2	-----	-----	1
38 brain -----	14	-----	-----	-----	6	-----	1	5	-----	-----	-----	-----
39 breast -----	401	12	2	-----	201	14	71	111	5	-----	1	3
40 eye -----	3	-----	-----	-----	2	-----	1	1	-----	-----	-----	-----
41 genitals -----	28	2	-----	-----	19	2	4	13	-----	-----	-----	-----
42 head, face, and neck -----	185	2	2	-----	77	3	26	44	3	1	-----	2
43 kidneys -----	30	1	-----	1	15	1	3	11	-----	-----	-----	-----
44 larynx -----	27	-----	-----	-----	24	-----	9	13	1	1	-----	-----
45 liver -----	471	10	1	1	239	12	95	128	4	-----	-----	1
46 lower extremities -----	7	-----	-----	-----	4	-----	2	2	-----	-----	-----	-----
47 lungs -----	22	-----	-----	-----	12	-----	2	10	-----	-----	-----	1
48 mouth, tongue, and throat -----	149	5	-----	-----	86	2	20	61	3	-----	1	-----
49 ovaries -----	13	-----	-----	-----	8	1	-----	7	-----	-----	-----	-----
50 penis -----	5	-----	-----	-----	4	-----	1	2	1	-----	-----	-----
51 rectum -----	174	5	1	-----	105	3	31	66	4	1	1	-----
52 stomach -----	1,097	30	1	2	505	26	187	273	18	1	-----	6
53 testicle -----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
54 upper extremities -----	9	-----	-----	-----	5	-----	4	1	-----	-----	-----	-----
55 uterus -----	596	14	4	2	310	21	89	183	16	1	1	5
56 Carbuncle -----	18	-----	-----	-----	11	-----	3	5	3	-----	-----	1
57 Catalepsy -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
58 Cerebro-spinal fever -----	517	7	1	1	289	23	82	176	4	4	-----	1
59 Chicken pox -----	4	1	-----	-----	2	-----	-----	2	-----	-----	-----	-----
60 Childbirth -----	235	3	-----	-----	130	10	36	78	4	2	1	-----
61 Cholera infantum -----	3,016	124	2	3	1,653	79	747	697	88	42	5	20
62 Cholera morbus -----	334	7	-----	-----	93	5	49	34	3	2	-----	2
63 Chorea -----	20	2	-----	-----	6	-----	3	2	1	-----	-----	-----
64 Circulatory system, disease of -----	15	-----	-----	-----	5	-----	1	4	-----	-----	-----	-----
65 Colic -----	51	2	-----	-----	22	-----	13	7	2	-----	-----	-----
66 Colitis -----	297	14	2	-----	171	1	50	97	4	19	-----	1
67 Constipation -----	27	1	-----	-----	22	6	12	4	-----	-----	-----	-----
68 Consumption -----	14,110	447	30	14	8,349	504	2,613	4,842	245	145	22	102
69 Convulsions -----	1,464	50	10	3	670	34	163	405	48	15	3	6
70 Croup -----	619	17	-----	-----	356	11	172	157	12	4	-----	-----
71 Cyanosis -----	264	4	2	-----	189	9	142	36	2	-----	-----	1
72 Debility -----	3,282	145	30	8	2,033	75	725	1,100	95	38	-----	13
73 Dentition -----	192	3	-----	-----	157	2	101	52	1	1	-----	-----
74 Diabetes -----	761	26	4	1	353	24	96	215	9	9	1	2
75 Diarrhea -----	1,063	58	2	1	591	7	260	300	15	9	3	2
76 Digestive system, disease of -----	884	17	-----	-----	165	2	83	77	1	2	-----	3

183

NEW YORK—continued.																
Group 2, rural.	Glens Falls.	Ogdens- burg.	Group 3, rural.	Kings- ton.	Middle- town.	New- burg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	James- town.	Lock- port.	Niagara Falls.	Roches- ter.	Water- town.	
4,062	242	204	3,556	442	253	500	149	6,958	5,207	172	288	259	297	2,446	356	1
2			2					1								2
6			6	1		1		3	6	1				4		3
2			1					3								5
								3			1				1	6
28	1	1	19	4		2		51	18	1	2	1	4	14	3	8
2			1					6	2						1	7
1	1		9	3				1	1					1		8
28	1	2	16	1		4		15	28		1	1	1	6		9
3			1					33	15	1	2	3		13	3	10
								3	2					4		11
5		1	6	1				8	4							12
20	2		26	2		4	1	49	20	2	1	4	3	1	7	13
3			1					3						1		14
182	18	8	225	17	24	27	9	382	185	6	11	7	5	131	12	15
25	1	1	12	3		1	3	41	31			1	1	16	2	16
2			6					12	12	1				15		17
2			2					1	1					1		18
4	1		5			1		10	5					4	2	19
1								3	9							20
1																
12	2	4	1		1			1	1					1		21
			7					21	31				1	2	2	22
19	1		8	4		1		43	10	1	2	1		7	2	23
2																24
9	1		1	2				2	3							25
21	1	2	8			1	1	11	9	1			1	3		26
56	3	4	9	1	1			33	36	6			3	20	2	27
			41	5	2	5	1	68	39	3	1	4	2	11	3	28
169	5	17	136	15	15	30	11	269	227	8	11	10	14	131	8	30
69	6	5	99	14	1	14	1	101	231	6	7	10	5	84	7	31
13	1		10	1	1	3		30	24	3				2		32
2			3					4	2							33
2			1		1			2	1			1		4		34
53			34	4		5		86	30			6		15	3	35
14	2	3	7	2				10	12	2	6	1	4	9		36
								3			1			1		37
13			12	1		3	1	1	14			1		1		38
1								1						9	1	39
10																

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NEW YORK.											
	Total.	Group 1, rural.	Mount Vernon.	New Rocheile.	New York.						Peeks- kill.	Yonk- ers.
					Total.	Bronx borough.	Brooklyn borough.	Manhat- tan borough.	Queens borough.	Rich- mond borough.		
77 Diphtheria	2,673	47	3	4	1,922	97	670	1,058	61	36	8	6
78 Dislocations	21				3		1	2				
79 Dropsy	383	7	1		18		9	9				
80 Drowning	846	50		1	373	21	115	179	34	24	2	2
81 Dysentery	676	57			304	21	119	139	22	3		3
82 Ear, disease of	35	1			25	1	5	18		1		
83 Electricity	24				11		6	4	1			
84 Elephantiasis	2				2	1		1				
85 Embolism	92	2			37	2	9	22	2	2	1	2
86 Enteritis	4,664	139	35	8	3,623	193	1,224	1,929	199	78	9	68
87 Epilepsy	322	30	1		110	4	28	71	6	1		2
88 Erysipelas	426	12		1	272	9	66	183	12	2	1	
89 Esophagus, obstruction and stricture of	27	1			8		1	6	1			3
90 Execution	19	4			3		1			2		
91 Explosion	27	6			9		1	8				1
92 Exposure and neglect	44				13	2	3	4	2	2		
93 Extra-uterine pregnancy	36		1		26		8	18				
94 Eye, disease of	5				3	1	1	1				
95 Falling bodies	38	1			15	2	2	11				
96 Falls	552	10			426	27	67	328	1	3		1
97 Female organs of generation, disease of	34	2			10		1	9				
98 Fever	18				2		1	1			1	
99 Foreign bodies in esophagus	16				13		4	9				
100 Fractures	842	15	1	1	510	13	164	271	49	13	3	5
101 Frozen	9	1			1			1				
102 Gangrene	379	18	1		105	4	40	57	3	1	1	2
103 Gastritis	1,045	42	10	2	461	21	184	233	17	6	2	12
104 General disease (not specified)	2				1			1				
105 Goiter	13	2			1		1					
106 Goiter, exophthalmic	27	1			11		1	10				
107 Gout	5				1			1				
108 Gunshot wounds	225	16	2	2	101	8	50	36	6	1		8
109 Heart disease	9,668	362	15	17	4,339	239	1,535	2,340	140	85	10	72
110 Hemophilia	13				8		3	5				1
111 Hemorrhage	331	17	4	1	69	5	27	32	6	1		2
112 Hernia	302	6			167	8	55	94	4	6		2
113 Hip joint, disease of	30				18	2	5	11				
114 Homicide	91				72	4	7	55	4	2		
115 Hydrocephalus	1,013	22	5		764	36	217	473	28	10	2	16
116 Hydrophobia	8	1			2			2				
117 Inanition	985	27	2	2	401	33	128	197	20	23		4
118 Infanticide	2				1			1				
119 Inflammation and abscess of liver	287	6			148	8	53	79	7	1	1	1
120 Inflammation of brain	148	6			26	1	11	12	1	1		
121 Influenza	1,453	72	1	2	535	16	199	291	20	9	3	9
122 Injuries by machinery	10				2			2				
123 Jaundice	215	14	1		84	2	29	47	5	1		5
124 Joints, disease of	46	1		1	29	1	6	21		1		
125 Kidneys, disease of	499	16	3		281	12	97	163	5	4	1	3
126 Laryngitis	171	6		1	87	5	39	39	4		1	2
127 Larynx, disease of	37	4	1		13		11	2			1	
128 Lead poison	20	1			13	6	5	1	1		1	1
129 Leprosy	3				3		2	1				
130 Leucocythemia	55	4			30	3	6	17	2	2		
131 Lightning	13											
132 Liver, disease of	1,220	39	1	1	690	39	222	376	40	13	2	5
133 Locomotor ataxia	113	2	1		42	6	11	22		3		3
134 Lost at sea	1	1										
135 Lungs, disease of	1,433	52	8	7	662	24	246	350	24	18	5	19
136 Lymphangitis	3				1				1			
137 Malarial fever	308	23		6	168	30	56	53	27	2	1	2
138 Male organs of generation, disease of	3				2		1	1				
139 Malformation	447	16	1		218	13	91	106	6	2		4
140 Malignant pustule	4				2		2					
141 Measles	1,174	13	8	11	801	73	258	443	12	15	8	1
142 Meningitis	2,602	89	5	4	1,407	66	497	767	50	27	7	27
143 Mental disease	445	18		1	168	7	54	98	7	2		3
144 Mining accidents	2											
143 Mumps	10				5		2	3				
146 Nervous system, disease of	191	7			46	6	13	25	1	1		1
147 Noma	14	1	1		9	1	4					
148 Nose, disease of	1				1			1				

185

NEW YORK—continued.															
Group 2, rural.	Glens Falls.	Ogdens- burg.	Group 3, rural.	Kings- ton.	Middle- town.	New- burg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	James- town.	Lock- port.	Niagara Falls.	Roches- ter.	Water- town.
44	4		40	2	3	5	1	76	70	5		3	3	37	
22		1	1	1				1	4				1	1	
42	1	3	34	5	2			50	12		3	2	3	7	
30		1	29	5		4		61	34		2	4	5	11	1
			24	1		1	2	43	32	1	1	2	4	15	
			1					2	3						
								2	1				2	1	
5			4					5	2	2				2	
34	1	1	54	2	3	11	1	75	157	3	5	2	6	44	8
31	2		19		1			23	18	1	3			4	
14	2	1	14	5		1	1	14	7		1			6	1
1								3	1					1	
1			1					2							
1															
1			3					2							
6			2					3							
2									5						
1									1						
5			2					2							1
6			15					23	12				1	6	
4			1					2	1						
								7	2		1				
1															
17	1	1	20	3	1	4	2	26	1						
			1					4	40			1	3	3	2
20			14	1			1	38	17	3	1	2	3	4	2
21	3	1	32	8	4	3	1	75	42	5	1	3		17	1
			1												
								2	2						
5								3	2						
								1							
13			8	1		1	2	15	2				2	6	
359	20	25	284	44	26	57	11	769	380	9	34	24	15	243	34
11		1	11	2	2			21	13		1	2	3	2	
6		2	10		2	1		21	13	2	1			13	4
														1	
1			1												1
1								2	2		1			1	
26	1	1	12	1	2	1		18	28		3	2	1	18	1
								2	2						
38	3		33	1	2	9	1	69	94	1	1	1	5	19	12
														1	
7			4		1	1	1	27	9		3	1	1	8	1
21	2		8	1	1	1		21	6			2		4	
62	5		84	6	1	1	4	155	39	3	2	4			

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		NEW YORK.										Peeks-kill.	Yonkers.
		Total.	Group 1, rural.	Mount Vernon.	New Rochelle.	New York.							
						Total.	Bronx borough.	Brooklyn borough.	Manhattan borough.	Queens borough.	Richmond borough.		
149	Obesity	1											
150	Old age	3,658	141	7	7	878	51	291	444	41	51	2	7
151	Ovarian tumor	80				44		12	31	1			1
152	Ovaries, disease of	32				24		9	13	2			
153	Pancreas, disease of	9				5		1	4				
154	Paralysis	2,083	113	4	2	469	20	153	249	26	16		8
155	Paralysis general (of insane)	131	11			55	3	29	21	1	1		1
156	Parasites												
157	Pelvic abscess (female)	60				32		9	23				
158	Pericarditis	168	6		1	80	2	33	38	4	3	1	2
159	Peritonitis	1,111	40	5	1	376	16	102	224	22	12	1	12
160	Pharyngeal abscess	14				11	1	4	6				
161	Pharynx, disease of (not specified)	1											
162	Phlebitis	31				24	1	5	16	2			
163	Phlegmasia dolens	1				1	1						
164	Pleurisy	405	6	1	1	259	12	73	166	6	2	1	2
165	Pneumonia	16,604	386	89	30	11,132	539	3,371	6,697	359	166	20	78
166	Poisons (not specified)	528	10		5	361	7	144	196	11	3	1	5
167	Pregnancy, affections connected with	56	4	1		26	1	13	11	1			
168	Premature birth	2,263	65	6	5	1,287	69	318	830	45	25	5	18
169	Prostate, disease of	110	4			32	1	9	22				
170	Puerperal convulsions	140	2			75	5	16	50	3	1		
171	Puerperal mania	7	1			4		3	1				
172	Puerperal septicemia	452	6	1		323	18	127	167	8	3		4
173	Purpura	43	2			23	1	8	13	1			
174	Railroad accidents	615	30		1	124	26	25	64	3	6	2	2
175	Respiratory system, disease of	4											
176	Rheumatism	493	14	2		204	21	60	109	10	4	2	4
177	Rickets	44	1			27	3	5	18	1			1
178	Roseola	1				1			1				
179	Rupture of bladder	8				5		3	2				
180	Sarcoma	205	4			97	6	24	61	4	2		3
181	Scarlet fever	812	13		4	572	25	192	331	24			2
182	Scrofula	36	1			15	1	2	10	2			
183	Septicemia	572	20	7	1	161	10	48	95	2	6		2
184	Skin, disease of	77	2			36		16	20				1
185	Smallpox	16	1			13	4	1	8				
186	Spinal cord, disease of	245	3	1		103	6	41	48	4	4		
187	Spine, disease of	87	3			46	2	9	30	4	1		
188	Spleen, disease of	11				1			1				
189	Stomach, disease of	362	13	1	1	149	6	46	91	4	2	2	1
190	Suffocation	282	19	3		111	4	20	66	7	14		
191	Suicide by cutting throat	37	1			18	1	3	13	1			
192	drowning	27	2		1	4	1		3				
193	hanging	165	5			69	2	24	33	10			
194	poison	258	2			191	16	7	156	11	1		
195	shooting	157	1			99	8	5	76	7	3		1
196	(not specified)	127	5			72	1	2	66	1	2		
197	Sunstroke	112	3			88	4	33	42	6	3		3
198	Surgical operations	71	1			21	1	3	16		1		
199	Tabes mesenterica	158	5			65	4	42	18	1			
200	Tetanus	147	9	1	1	63	8	20	29	5	1	2	5
201	Trismus nascentium	57	9			42		27	13	1	1		
202	Tuberculosis (unclassified)	196	4	1		133	20	35	76	2			3
203	Tubes, disease of	84			1	70	1	19	49	1			
204	Tumor	199	2			72	3	21	48				2
205	Tumor of uterus	131	3	1		66	1	27	37	1			2
206	Typhoid fever	1,776	40	1	1	594	21	245	275	36	17		6
207	Typhus fever												
208	Unknown	580	48	3	10	89	1	24	56		8	3	1
209	Uremia	638	23	3	1	196	10	60	111	12	3	1	6
210	Urethra, stricture of	9				8			8				
211	Urinary organs, disease of	35				14	1	3	9	1			
212	Uterine hemorrhage	16				6	1	1	3		1		1
213	Uterus, disease of	31				18	1	4	12	1			
214	Venereal disease	208	2			152	11	30	104	4	3		
215	Vomiting in pregnancy	7				5		1	4				
216	Whooping cough	988	19	2	8	666	52	287	291	26	10	5	1
217	Worms	6	1			2			2				
218	Wounds	80	1			54		21	33				
219	Yellow fever	1				1			1				

CAUSE OF DEATH.

187

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.															
Group 2, rural.	Glens Falls.	Ogdens- burg.	Group 3, rural.	Kings- ton.	Middle- town.	New- burg.	Port Jervis.	Group 4, rural.	Buffalo.	Dunkirk.	James- town.	Lock- port.	Niagara Falls.	Roches- ter.	Water- town.
230	7	6	139	12	1	16	11	402	125	2	12	10	5	86	15
1			3		4	1		3	2	1				1	
								1	1						
135	2		102	11	7	11	5	2	53	2	4	14	1	50	5
15			2		3			232	10	1	1	2		1	
								6							
3			1		1			2	4						1
4								12	9	1		1		6	
49	4		43	3	2	6	4	75	60	4	8	3	7	67	5
								1						1	
2															
9			3		1			12	14		2			9	
365	26	14	353	28	16	77	11	523	559	14	20	15	34	217	34
11	1		6	1		1	1	20	16		2		1	1	2
3			1					2	5					2	
51	4	5	46	9	9	5	2	116	155	4	8	3	6	3	12
9	1		3		1		1	13	11		1			2	
9	2		6					5	1				1	4	
			1												
7	1		8	2	1			17	17	1				3	
2		1	1	1				2	5						
9			26	4	5	2	5	78	59	1	2	2	4	20	2
1															
13	1		26	4	1			25	13		1	1	1	5	2
1								2	1					2	
6	1	1	4	1		2		13	9					4	
17	13	7	21	2				23	29	2	1	1		6	1
3								5	1						
18	3		24	9		4	1	55	20	2		1	3	28	1
6			3	1			1	5	4						
13			12	2	2			16	9		1			2	
7	1		2					5	3			1			
1								3	1						
10	1	2	13	1			1	39	11		1	2	1	6	
9		3	8	2		1		16	11	1			1	5	
			3					1			1			5	
1								4	4				1	1	
3			4					17	4					6	
2			2					7	10					6	3
2			2				1	8	6		1			7	
5			3					15	2	1				7	
				2					4			1	1		
1			2					7	6	1	1			8	
7		1	7		1	1		19	10	1	1	1		2	1
2	1	1	8		1	2	1	4	6		3			2	
1									3						
3	1		2					12	10		1			4	
1								2	3	1				1	
13	1	2	7	1			1	15	5		1	1		5	
4			3		1		2	7	8			1		4	
104	5	11	61	5	3	10	3	134	88	6	16	3	24	38	18
60	2	1	30	6		5		59	24		2	4	2	6	1
26	2	1	16	3		6		40	47	6	4	1	2	25	1
2			1					2	1						
			1	1					1						
1								4							
2			1					5	16					8	2
25	2		32	8	2		3	40	29	3		2	1	8	1
								1							
1			1					1	4		1			3	

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

		NEW YORK—continued.											
CAUSE OF DEATH.		Group 5, rural.	Albany.	Amster- dam.	Auburn.	Bing- hamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers- ville.	Hudson.
1	All causes	17,123	1,813	336	521	698	484	199	120	550	153	217	208
2	Abortion	2		2		1							
3	Abscess	7	3							1			
4	Abscess, lumbar and psoas	2											
5	Absorbent system, disease of	3	1				1						
6	Accidents and injuries (not specified)	128	10	4	1	3	1	1	1	3		1	
7	Addison's disease	11	1										
8	Adenitis	2	1										
9	Alcoholism	42	11		2	2				2	2		
10	Anemia	79	6		1					3	1	2	
11	Aneurism	14						1					1
12	Angina	14	1		2				1			1	
13	Angina pectoris	104	10	2	2	3		2		2			
14	Aphthae	7				2	1						
15	Apoplexy	1,112	82	14	35	44	21	12	10	25	9	8	14
16	Appendicitis	78	9	5	2	10	2			2		2	1
17	Arteries, disease of	27	2								1		1
18	Ascites	10											
19	Asthma	28	2			2							
20	Atrophy		2										
21	Bile passages, disease of	2								1			
22	Birth, causes incident to	42	3			1	10	1	1	3		2	1
23	Bites												
24	Bladder, disease of	110	6	1		3	2	1	1	1			1
25	Bones, disease of	8		1									
26	Bowels, disease of	41	1		1	3	1				1		1
27	Bowels, obstruction of	107	5	1	1	4		1	2	5	3		2
28	Brain, disease of	238	36	2	9	7	3		2	2	2	3	2
29	Breast, disease of (puerperal)												
30	Bright's disease	752	92	7	14	26	16	6	1	32	7	14	6
31	Bronchitis	292	38	7	14	26	9	1	2	19	4	7	8
32	Burns and scalds	62	6	2	4		7			4		1	
33	Calculus biliary	19	1										
34	Calculus urinary	3											
35	Cancer (not specified)	234	12	9	1	3	1	1		4	3	4	2
36	of abdomen	40	5		2	2			1		1	1	
37	bladder	5	1				1						
38	brain	4								1			
39	breast	57	4	1	2	4	1			2	1	1	
40	eye												
41	genitals	2	1		1								
42	head, face, and neck	31	3	1		1				1			
43	kidneys	5											
44	larynx												
45	liver	68	4	1	5	1	4	1	1	4	2	1	1
46	lower extremities	1	1										
47	lungs	3	1										
48	mouth, tongue, and throat	14	3			1	1						
49	ovaries	2											
50	penis												
51	rectum	15	3		1			1		1	1		
52	stomach	201	17	4	11	5	2	2	1	2		1	1
53	testicle		1										
54	upper extremities	1											
55	uterus	76	8		2	1	1	1		3	1	2	2
56	Carbuncle	2											
57	Catalepsy												
58	Cerebro-spinal fever	48	12		3		2	2		1	1		
59	Chicken pox		1										
60	Childbirth	39	2	1	2	1		1					
61	Cholera infantum	275	22	14	15	14	31	6	2	2	1	8	2
62	Cholera morbus	65	5	1	1	6	1	1		2	1	1	
63	Chorea	8			1								
64	Circulatory system, disease of	2	1										
65	Colic	10								1		1	
66	Colitis	21	5	1			1		1				1
67	Constipation	3											
68	Consumption	1,402	236	39	46	68	57	19	10	63	11	18	15
69	Convulsions	162	46	10	6	11	8	1	1	12	2	2	4
70	Croup	68	6	1	4	8	5	2		3	1	1	2
71	Cyanosis	22	1			1				1			
72	Debility	255	90	5	6	22	30	2		9	3	9	7
73	Dentition	3	1		1						1		
74	Diabetes	125	9	3	1	3	2	2	1	8	2	1	3
75	Diarrhea	122	10	3	2	6	1		3	3			6
76	Digestive system, disease of	52	7	2		2		2		1		2	1

CAUSE OF DEATH.

189

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.		
Ithaca.	Johns- town.	Lansing- burg.	Olean.	Pough- keepsie.	Rome.	Saratoga Springs.	Schenec- tady.	Syracuse.	Troy.	Utica.	Water- vliet.	Total.	Group 1, rural.	Wilmington.
214	135	248	119	496	267	265	479	1,494	1,393	990	275	21,063	5,313	565
1	1				1	1	3	2			1	12	2	2
								1				24	5	3
												2	1	4
												2		5
1	2		2	3	2	3	3	10	5	7	1	89	17	3
								1	2	1		2	1	7
												1		8
1			1	1	1	1		4	2	6		31	6	9
		1	1	2	2	1	2	6	5	1	2	19	4	10
								2	1	2		8	1	11
				1					2			22	5	12
3			1	1	2		1	7	6			28	6	13
				1			1					54	18	14
12	13	9	10	36	12	18	30	73	60	52	1	187	51	15
	1	2		1	2	1	8	8	2	6	10	52	14	16
									4			2		17
								1				51	14	18
			1				4		1	1		61	26	19
								1						20
										1		1		21
1		4		6		1	2	4	2	1	3	13		22
												5	1	23
3	3		1	4		3	1	6	1	6		28	6	24
1		1						2	1			6	1	25
								4	1			149	49	26
2			2	1			2	10	6	11	1	37	9	27
1	1	1	2	14	2	1	6	19	6	10		148	45	28
														29
10	8	20	1	11	4	24	17	70	56	53	13	243	61	30
5		7	5	9	7	4	14	39	26	15	4	290	54	31
2				1	2	3	3	5	3	2		281	81	32
						1		3	2			7	2	33
									1			43	11	34
4	1	1		10	2	4	2	9	13	12	3	118	23	35
1			2				2	3	1	1		6		36
			1					2				1		37
		1										1		38
	1	2		4	1		2	8	4	3	1	47	18	39
												3		40
							1					3	1	41
1			1					5	2	2		38	12	42
												1		43
														44
	1	1	1		4	1	1	13	3	5	1	9	2	45
			1									4		46
												2		47
		1	1	1	1			4				11	5	48
								1						49
												1		50
							1	1				1		51
2	1	1	1	3	2		1	24	8	8	1	47	9	52
														53
				1								2		54
2			3	1	2	4		11	5	8		55	16	55
												7	2	56
												1		57
1		2		2	3	2		9	6	1		46	14	58
														59
1				5			1	2	4	2		167	72	60
1	2	6	2	5	5	7	17	35	53	10	11	439	140	61
		1	2	5	1	1		7				124	20	62
														63
												1		64
												1		65
		1		4	1				1			71	18	66
								2	8	3	2	34	10	67
												22	4	
24	10	29	7	60	22	29	35	143	208	119	27	2,350	520	54
2	5	4	4	16	3	1	12	22	24	14	3	157	36	68
		4				1	2	3	13	2	7	503	41	69
	1					2		3	1			2		70
														71
4	4	6	1	18	2	11	27	19	72	37	11	126	15	72
		1		1								92	23	73
	2		1	2								55	3	74
2		1		2	8		3	11	4	8		257	65	75
				1			1	6	1	2	1	120	38	76

CAUSE OF DEATH.		NEW YORK—continued.											
		Group 5, rural.	Albany.	Amster- dam.	Auburn.	Bing- hamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers- ville.	Hudson.
77	Diphtheria	139	46	6	14	33	14	6	1	5	1		1
78	Dislocations	7	1										
79	Dropsy	177	1	4	2		5	2		4			
80	Drowning	143	10	7	2		4	2		2	1		
81	Dysentery	115	5	2	3	3	1		1	1		4	
82	Ear, disease of	2											
83	Electricity	2	1		1								
84	Elephantiasis												
85	Embolism	21	2	1		1							
86	Enteritis	185	20	5	9	18	7	1		9	6	6	5
87	Epilepsy	63	4		2	2	1	1					
88	Erysipelas	33	5	2	2	1	1	1		1			1
89	Esophagus, obstruction and stricture of	3	2	1									
90	Execution	5			3								
91	Explosion	4								1			
92	Exposure and neglect	14								1			
93	Extra-uterine pregnancy	2	2			1							
94	Eye, disease of	1											
95	Falling bodies	10				1							
96	Falls	33				1		1	1	1	1		
97	Female organs of generation, disease of	9				1	1						
98	Fever	5											
99	Foreign bodies in esophagus	1											
100	Fractures	91	26	1	4	6	3		1	3	3	1	1
101	Frozen	1											
102	Gangrene	109	1		7	1	2		2	1			
103	Gastritis	194	29	1	4	7	2	1		3	3	1	3
104	General disease (not specified)	1											
105	Goiter	4				1							
106	Goiter, exophthalmic	4			1								
107	Gout	1											
108	Gunshot wounds	32	2			2	1			1	1		
109	Heart disease	1,652	140	23	39	47	20	13	9	35	20	26	17
110	Hemophilia	1											
111	Hemorrhage	91	7	1		3		1		4	1		2
112	Hernia	48	5	1	2	1				1			
113	Hip joint, disease of	4			1		2						
114	Homicide	8			1	2							
115	Hydrocephalus	47	7		4		1					1	1
116	Hydrophobia	1											
117	Inanition	149	9	7	4	5	3	2	2	1	2		1
118	Infanticide												
119	Inflammation and abscess of liver	36	8	2	2	3	1			1			1
120	Inflammation of brain	32	1	1	3					3			
121	Influenza	313	21	6	2	5	4	4	1	13		2	6
122	Injuries by machinery	3		1									
123	Jaundice	29	5		4		1			1			
124	Joints, disease of	4											
125	Kidneys, disease of	68	7	1		3	2	1		3	2		1
126	Laryngitis	21	2			1		1		2			1
127	Larynx, disease of	3				1							
128	Lead poison												
129	Leprosy												
130	Leucocythemia	4										1	
131	Lightning	7											
132	Liver, disease of	160	17		6	5	4	4		4			4
133	Locomotor ataxia	23	1		1	2				1		2	
134	Lost at sea												
135	Lungs, disease of	192	36	5	7	14	8	4	3	15	1	2	5
136	Lymphangitis	1											
137	Malarial fever	36	1		4	3		2					1
138	Male organs of generation, disease of	1											
139	Malformation	61	2		5	4	1		2	2	2	2	
140	Malignant pustule						1			1			
141	Measles	58	22		1		6			1			2
142	Meningitis	245	41	14	12	19	20	6		15		4	4
143	Mental disease	77	9	2	1	2		1	1	7			
144	Mining accidents	1											
145	Mumps	1			1							1	
146	Nervous system, disease of	55	5		1	1	1			1			
147	Noma	2											
148	Nose, disease of												

191

NEW YORK—continued.												NORTH CAROLINA.		
Ithaca.	Johns-town.	Lansing-burg.	Olean.	Pough-keepsie.	Rome.	Saratoga Springs.	Schenec-tady.	Syracuse.	Troy.	Utica.	Water-vliet.	Total.	Group 1, rural.	Wilmington.
4		12		4		1	13	20	20	47	3	120	22	4
	3		1	1	3			2	4	6	1	1	1	77
		1	2	2	3		6	13	6	6	6	501	162	7
						1	1	6	6	2	1	81	34	7
												514	122	80
		1												81
								2		1		3		82
												2	1	83
						2	1	1		1		2		83
1	5	5	2	10	2	2	12	29	14	16	3	150	29	25
		2	2	1	1		2	9	3	3		120	30	1
								3		4	2	63	17	2
												1		87
												2		88
														89
												2		90
												39	11	91
								1				2	2	92
														93
														94
2				1			1	6	1	1	2	16	8	95
							1	2			1	49	11	96
												14	4	97
												123	39	98
												9	4	99
1		5			1		12	9	8	7		22	1	100
												3		101
	2	1		3		1	3	2	5	5	2	10	2	102
		1		1	7	2	6	13	7	7	5	164	39	103
												4	1	104
														105
					2		2	4	1			75	14	106
22	15	13	4	48	30	23	35	101	94	68	25	1,135	285	107
			1	2		2	3	9	14	7	1	1		108
		2					1	3	1	3	6	60	18	109
					1			1				30	5	110
												4	1	111
1		2	1		1	1	1	6	5	8	2	48	14	112
												26	3	113
												4		114
	2		3	2	5	7	4	34	7	10	1	64	12	115
							1	3	3	5	1	1		116
		1	6	3	1	3	2	3		4	9	150	27	117
6	2	6	6					11	12	13		799	179	118
												13	3	119
	1			1		1		1	1	1	1	70	10	120
							1			2		5	1	121
1			1	1		1	2	7	4	2		97	22	122
			1	2	1		1	4	4	1	1	9	2	123

CAUSE OF DEATH.		NEW YORK—continued.											
		Group 5, rural.	Albany.	Amster- dam.	Auburn.	Bing- hamton.	Cohoes.	Corning.	Cortland.	Elmira.	Geneva.	Glovers- ville.	Hudson.
149	Obesity												
150	Old age	1,134	57	7	17	39	4	5	3	22	5	11	8
151	Ovarian tumor	11	1			1				1		1	
152	Ovaries, disease of	2								1			
153	Pancreas, disease of		1				1						
154	Paralysis	595	33	7	9	18	14	5	6	19	5	6	13
155	Paralysis general (of insane)	15	2	1									
156	Parasites												
157	Pelvic abscess (female)	5	1			1		1			1	1	
158	Pericarditis	16	4		1		1	1			1		
159	Peritonitis	191	19	4	11	11	7	1	4	8		2	1
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)									1			
162	Phlebitis	3											
163	Phlegmonia dolens												
164	Pleurisy	48	6			1	2	1		4	2		1
165	Pneumonia	1,431	167	34	55	60	46	29	10	39	9	15	23
166	Poisons (not specified)	44	13	1	1	4	2		1	1	1		
167	Pregnancy, affections connected with	9	1			1							
168	Premature birth	216	13	10	3	9	16	4	2	20	3	8	6
169	Prostate, disease of	27								2			
170	Puerperal convulsions	26	2		2					1		1	
171	Puerperal mania												
172	Puerperal septicemia	37	4	3	4	1		1	1				
173	Purpura	3	1										
174	Railroad accidents	176	3	2	1	1		8	1	5	1	2	
175	Respiratory system, disease of	2											
176	Rheumatism	114	4	2	2	1	3	1	4	6		2	
177	Rickets	3					1			1			1
178	Roseola												
179	Rupture of bladder		1			1							
180	Sarcoma	36	2	4	1	2			1	3			1
181	Scarlet fever	54	11	3	1	7		3	3	2	2	1	
182	Scrofula	11											
183	Septicemia	113	19	3	3	4		1	1	6	2	3	1
184	Skin, disease of	10	1							1	1		
185	Smallpox		1										
186	Spinal cord, disease of	58	3	4	2							2	
187	Spine, disease of	9	2	2	1						2		
188	Spleen, disease of	5											
189	Stomach, disease of	74	2			1	1		3	3		1	1
190	Suffocation	60	3			1	2	1	1		1	1	
191	Suicide by cutting throat	8											
192	drowning	4								1			
193	hanging	43	3			1							
194	poison	26		1		2		1					
195	shooting	21		1						1		1	
196	(not specified)	10			2			2		1			
197	Sunstroke	6	1				1						
198	Surgical operations	12	2		1					1	2		
199	Tabes mesenterica	29											
200	Tetanus	16	1			3	1		1	1		1	1
201	Trismus nascentium	1											
202	Tuberculosis (unclassified)	11			3			1		1			
203	Tubes, disease of	4	1										
204	Tumor	55	2					1		1	2	1	
205	Tumor of uterus	12	2		1	1			1		1	1	
206	Typhoid fever	320	41	3	12	13	35	5	5	13	5	3	5
207	Typhus fever												
208	Unknown	143	4	1	16	2	1	2		2		3	2
209	Uremia	131	17	1	2	1	3		2	8	1	1	1
210	Urethra, stricture of	1											
211	Urinary organs, disease of	8	2									1	
212	Uterine hemorrhage	2	1					1					
213	Uterus, disease of	3								1			
214	Venereal disease	7	3		1	1						1	
215	Vomiting in pregnancy	1											
216	Whooping cough	62	5	4	13	11	3		2				1
217	Worms	2											
218	Wounds	9	1										
219	Yellow fever												

CAUSE OF DEATH.

193

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

NEW YORK—continued.												NORTH CAROLINA.		
Ithaca.	Johns-town.	Lansing-burg.	Olean.	Pough-keepsie.	Rome.	Saratoga Springs.	Schenec-tady.	Syracuse.	Troy.	Utica.	Water-vliet.	Total.	Group 1, rural.	Wilming-ton.
5	12	6	3	25	18	13	8	62	33	29	8	393	114	11
		1						5		1		7	1	
								1						
6	1	8		14	9	4	7	29	27	13	5	552	148	11
1				3					2			2	1	
			1				1	3		1		4		
		1		1	1	1	1	3	4	2		6	2	
4		5	1	3	3	2	8	20	11	19	1	43	4	5
										2				
												3	2	
16	5	27	7	48	21	29	37	136	179	107	33	2,127	524	42
		2		1				4	4	3	1	44	11	3
2	3	5	3	11	2	5	11	40	24	19	4	3	17	1
1					1					1		8	3	2
			1				1	1				20	4	2
												1		
1		2			1		2	1	1		2	62	15	2
								1		1		2		
3	1		3	3	3	2	2	11	4	5		66	11	2
2	2	1		2	1		3	12	9	3		4	3	
												111	32	3
								2	1			8	2	1
												1		
												3		
						1	2	3	3	1		2	1	
1					1	1	2	4		1	1	24	3	1
												79	10	1
6	4		1	2	3	1	4	12	10	12	1	109	25	2
1			1					1	1	1		28	6	
									1					
1				2		1	2	4		2		51	10	
1								1		1		5		
												41	12	
1		2		3	2		3	6	2	2		1		
												55	8	3
		1	1	2	1		1	2	8	6		55	20	4
			1											
							1			2		2	1	
1	1			1	2		1	1	2	2		2		
								1		3		6		1
						1			1	2				
1	1											5		
		1							1			12	1	
1						1		1				11	4	
									2			2		
1		1						5				93	40	2
						1		4	4	1		38	22	10
								1				8	4	2
		1						4			1	4		2
												1		203
1	1				1		1	2	2			58	14	1
1								5	1	3		5	1	
4	3	8	3	7	6	6	10	25	53	8	12	1,250	239	10
												3		
3	4	1		1	9		1	16	7	5	1	2,105	645	20
2		1	3	3	3	1	4	17	12	13	1	27	8	2
												2	1	1
				1				2		1		6	1	
						1		1				8	3	
				1			1	1			1	25	11	
							1	2	2	2		20	6	
								1				2		1
	1	2		4	2	3		14	2	1	1	270	87	1
												42	20	
							1		2	1		12	1	
												2		

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
	Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta- bula.	Cleve- land.	Toledo.	Group 2, rural.
1 All causes	11,051	371	3,768	2,287	2,002	285	53,362	3,800	219	6,521	2,112	10,957
2 Abortion	6		4	1	1		22			2	6	1
3 Abscess	14	1	3	4	4		53	9	1	3	3	9
4 Abscess, lumbar and psoas	1						4			1		
5 Absorbent system, disease of	2			1		1	7					
6 Accidents and injuries (not specified)	56	3	10	31	29	2	479	65	6	76	9	77
7 Addison's disease	1						4					2
8 Adenitis	1						1					
9 Alcoholism	17	2	5	3	1	2	119	1		10	4	16
10 Anemia	10	3	2	3	3		120	8		14	4	18
11 Aneurism	3		1	1	1		41			3	3	6
12 Angina	9	1	7	6	4	2	63	10		4	2	13
13 Angina pectoris	14	1	3	1	1		192	11	1	15	9	32
14 Aphthae	29		5				24	2		1	1	11
15 Apoplexy	97	4	19	26	24	2	1,523	102	7	191	70	232
16 Appendicitis	26		12	25	24	1	281	24	2	39	11	44
17 Arteries, disease of	2						66	5		20	3	7
18 Ascites	24	2	9	3	3		102	14		5	1	31
19 Asthma	24	1	5	12	12		224	6	1	38	8	50
20 Atrophy							57			4		48
21 Bile passages, disease of	1						11				1	2
22 Birth, causes incident to	9		4	2	2		74	6		3	6	12
23 Bites	3		1				2					
24 Bladder, disease of	16		6	2	2		193	13		9	9	48
25 Bones, disease of	4		1	2	1	1	29	2			2	4
26 Bowels, disease of	81	1	16	10	10		176	11	3	6	4	49
27 Bowels, obstruction of	17	1	7	13	12	1	232	11		16	8	49
28 Brain, disease of	63	6	30	9	7	2	613	53	8	62	20	127
29 Breast, disease of (puerperal)												
30 Bright's disease	121	6	45	37	30	7	1,539	105	2	139	43	299
31 Bronchitis	167	11	50	23	21	2	889	34	1	135	42	116
32 Burns and scalds	161	3	29	10	8	2	289	13	3	39	15	65
33 Calculus biliary	5			3	1	2	69	5		4	1	20
34 Calculus urinary	25		7	2	1	1	14			2	2	5
35 Cancer (not specified)	61	2	32	17	14	3	638	48	6	107	25	115
36 of abdomen	4		2	2	2		107	9		4	8	19
37 of bladder			1				12	1			1	2
38 brain			1				1					1
39 breast	22	1	4	3	3		118	11		5	3	23
40 eye	2		4				1					1
41 genitals	1		1				3				2	
42 head, face, and neck	17		9	5	4	1	109	10		3	2	33
43 kidneys	1						8					4
44 larynx							6					1
45 liver	5		1	4	4		175	14		10	8	24
46 lower extremities	3		1				2					1
47 lungs	1		1				4					1
48 mouth, tongue, and throat	5			2	2		65	2		4	1	16
49 ovaries							4			1		
50 penis	1						1					1
51 rectum							34	2		3		9
52 stomach	30	1	5	15	14	1	490	60		39	13	81
53 testicle												
54 upper extremities	1		1				2					2
55 uterus	26	2	10	2	2		163	8		9	6	25
56 Carbuncle	4		1				20	3		2	2	2
57 Cataplexy							1					1
58 Cerebro-spinal fever	21		11	2	1	1	249	9		18	11	59
59 Chicken pox							5	1		1		1
60 Childbirth	67	1	24	33	27	6	154	20		10	4	35
61 Cholera infantum	223	2	51	50	44	6	1,260	109	8	170	62	243
62 Cholera morbus	61	1	39	35	34	1	357	44	3	29	15	65
63 Chorea			1	1	1		16	1		1		5
64 Circulatory system, disease of	1						13			2	1	
65 Colic	39		11	21	19	2	78	6		50	4	2
66 Colitis	21	1					59	2		3	10	7
67 Constipation	14		4	2	2		5	1			1	
68 Consumption	1,317	34	425	246	224	22	5,789	334	20	503	184	1,362
69 Convulsions	87	8	11	60	39	21	1,085	59	7	334	58	126
70 Croup	211		250	29	24	5	554	34	1	74	49	166
71 Cyanosis			1				53	3		6		6
72 Debility	38	42	8	9	9		950	38	3	383	18	99
73 Dentition	59		10	6	6		43	1	1	7	3	10
74 Diabetes	34	1	16	12	12		266	22		15	4	48
75 Diarrhea	132	7	46	22	18	4	271	15		12	20	55
76 Digestive system, disease of	61		18	9	8	1	161	9		13	6	42

CAUSE OF DEATH.

195

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.															
Bellaire.	Chilli- cothe.	Cincin- nati.	Dayton.	Hamil- ton.	Iron- ton.	Marietta.	Middle- town.	Ports- mouth.	Group 3, rural.	Canton.	Colum- bus.	Findlay.	Lima.	Massil- lon.	Newark.
167	277	6,214	1,405	349	221	182	145	328	15,929	408	1,983	275	377	197	269
		2	1	1					6	1		1		1	
	1	7	1						15		1	1	1		
		1							2						
		2							5						
4	2	31	15	7				2	146	4	12	1	2	1	2
									2						
2		23	8	2	1				35	1	4		2	2	1
		13	1	1					53		7				
		13	3		1				8		2				
		4	2						26				1		
	1	21	7	2	1	2			79	1	4				1
		3						1	5						
4	14	184	63	8	3	9	12	8	467	16	67	18	7	6	9
		26	9	1			3		87	6	17	1	4	1	
		20	1						6		2				
		5	3						39		1	1			
	1	27	8	1	1	1	1	2	57	4	10		1	1	
		3							1		1				
		4	1						2						
		27	4	1				1	8	3	1				1
	4	31	4		1	1			58	1	1			3	
										3		2			
		9	2						9		1				
1		5							73		8	2	9		1
	2	38	13	2		1		1	70	2	10	1	1	2	1
2	1	77	16	5	5	3	1	5	173	6	24	2	6	4	6
4	10	262	55	10	7	4	4	9	457	10	66	7	10	6	7
1	6	253	22	9	12	4	5	12	167	4	18	5	3	3	5
2	1	20	10	2	1		3	5	69	2	24	4	2		1
		8			1				24	1	4	1			
	1	1							3						
	5	49	15	5	3	7	2	2	201	5	15	1	4	5	4
		7	11	3	1	1		1	35		5		1		2
		3							4		1				
1		15	2	2					47	1	5	1		1	
		7	2	2					46		2		2		
		1	1						1		1				
		4	1												
		27	12	1			2		60	1	12	1			3
		1							3						
		10	4						25		1				1
		1	1						1						
2		7	2	1					6	1	3				
		48	15	2	2	2	4	1	177	4	29		4	3	
1	3	32	7	1			1		46	3	15		1		3
		8	1					1	1						
4	3	22	23	3	1				76	1	13		1	3	1
		1							1						
		8			2				67	1	4		1	1	
	2	58	18	3	1	3	1	5	447	6	47	9	12	2	9
1	2	23	5	4	3	2			136		15	1	1	1	3
		1						1	5		1				
									7			1			
									9						
	1	3	2		3		1	1	16		1		1		
		5							9		7				
		1							2						
22	37	767	172	42	20	16	19	48	1,743	43	269	33	37	15	27
3	6	141	19	6	4	2	2	9	221	20	31	4	1	3	2
1	1	38	2	1				5	153	9	10	2	1	1	1
		11	2			1			14	2	3	1	1		71
5	3	152	20		2	1		2	159	1	19	5	9	5	11
		15		1					3					1	
1	3	34	10	2	2	2		2	105	3	7		2		2
	1	48	2		7				79	1	26			1	
		4	3	2		1		1	62	2	4		3		4

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
		Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta- bula.	Cleve- land.	Toledo.	Group 2, rural.
77	Diphtheria	42	3	49	120	86	34	698	55	4	123	104	110
78	Dislocations							13	1		2		3
79	Dropsy	245	3	84	13	10	3	677	61	3	46	10	178
80	Drowning	26	2	12	10	6	4	231	17	4	32	20	43
81	Dysentery	305	3	79	6	6		399	30	6	22	7	109
82	Ear, disease of	1		2	1	1		15	1		2	3	1
83	Electricity							5	1	1	1		1
84	Elephantiasis	1						2					
85	Embolism	1		1				22			4	4	3
86	Enteritis	59	20	17	12	12		792	22		189	63	78
87	Epilepsy	66		23	14	13	1	197	14		8	11	77
88	Erysipelas	27		17	1	1		140	3	1	19	11	29
89	Esophagus, obstruction and stricture of							15			2		3
90	Execution	2						4	1				
91	Explosion			2				24					11
92	Exposure and neglect	18	3	5	6	6		20		1	6		3
93	Extra-uterine pregnancy				2	2		6			1		
94	Eye, disease of							1					1
95	Falling bodies	4		4				19		2			5
96	Falls	28	1	9	8	7	1	145	9	2	2	5	40
97	Female organs of generation, disease of	4		6	3	2	1	22	1	1	2		6
98	Fever	61		21	7	7		15	3	2	2		3
99	Foreign bodies in esophagus	5			2	2		28				1	7
100	Fractures	13		6	10	8	2	164	9		40	5	33
101	Frozen	1		2				8	2			1	1
102	Gangrene	5		1				142	9	3	8	9	34
103	Gastritis	79	3	38	14	11	3	497	41	1	67	15	92
104	General disease (not specified)							5	1			1	
105	Goiter	3						5					2
106	Goiter, exophthalmic				1	1		10	1		1	2	3
107	Gout							1					
108	Gunshot wounds	40		18	6	5	1	125	7		6	3	27
109	Heart disease	620	29	164	114	101	13	4,210	363	14	443	109	1,004
110	Hemophilia							1			1		
111	Hemorrhage	31	1	7	11	10	1	165	12		49	13	18
112	Hernia	18	1	5	8	7	1	128	13		10	2	22
113	Hip joint, disease of	1		2	1	1		11				2	2
114	Homicide	18	1	15	4	1	3	66	5		8	1	16
115	Hydrocephalus	16		4	11	10	1	157	3		7	14	38
116	Hydrophobia	2		2				10			4		
117	Inanition	33	3	10	15	11	4	875	32	8	298	70	76
118	Infanticide			1				2					
119	Inflammation and abscess of liver	24		17	6	5	1	139	10		17	7	26
120	Inflammation of brain	76		47	42	41	1	411	31	2	18	12	127
121	Influenza	405	8	189	25	24	1	605	56	3	26	34	144
122	Injuries by machinery	5		5				6	2			1	2
123	Jaundice	46	1	13	8	8		123	5		10	3	26
124	Joints, disease of	3		1				12					4
125	Kidneys, disease of	52	1	17	10	9	1	276	22		13	5	73
126	Laryngitis	1		3	3	3		54	1		15	2	13
127	Larynx, disease of	1		1				9					3
128	Lead poison	2			1	1		8	1				2
129	Leprosy												
130	Leucocythemia	1			1	1		14	1		2	2	2
131	Lightning	5	1	3	3	2	1	19	2		1		2
132	Liver, disease of	44	2	17	18	13	5	419	21	3	36	28	83
133	Locomotor ataxia	3		1	1	1		42	2		2		9
134	Lost at sea	1											
135	Lungs, disease of	31	1	22	20	18	2	424	19	3	57	18	80
136	Lymphangitis							3					1
137	Malarial fever	234	6	9	4	4		156	16		6	11	36
138	Male organs of generation, disease of							3			2		1
139	Malformation	17	1	5	4	3	1	110	9		8	14	17
140	Malignant pustule				1	1		4					1
141	Measles	134		31	16	10	6	166	11	1	7	7	58
142	Meningitis	188	8	58	36	29	7	1,189	45	2	174	48	194
143	Mental disease	18		10	14	12	2	232	14		20	34	43
144	Mining accidents	3						52					30
145	Mumps	2			1		1	7	1		1	1	1
146	Nervous system, disease of	30		14	1		1	203	12		12	8	52
147	Noma							2					1
148	Nose, disease of							1			1		

197

OHIO—continued.															
Bellaire.	Chilli- cothe.	Cincin- nati.	Dayton.	Hamil- ton.	Ironton.	Marietta.	Middle- town.	Ports- mouth.	Group 3, rural.	Canton.	Colum- bus.	Findlay.	Lima.	Massil- lon.	Newark.
2	2	70	10	4	2	-----	1	5	139	16	22	3	4	2	-----
-----	-----	1	-----	-----	-----	-----	-----	-----	6	-----	-----	-----	-----	-----	77
-----	2	30	13	2	4	2	-----	-----	294	9	5	1	6	5	1
2	2	39	13	1	4	2	-----	-----	38	1	4	2	-----	1	2
-----	4	33	11	-----	6	1	1	3	134	-----	11	1	11	-----	1
-----	-----	2	-----	-----	-----	2	-----	-----	3	-----	-----	-----	-----	-----	82
-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	83
-----	-----	5	2	-----	-----	-----	-----	-----	3	-----	1	-----	-----	-----	85
4	10	249	16	2	3	-----	4	1	71	5	38	3	-----	-----	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	86
-----	1	16	2	-----	1	-----	-----	1	53	1	8	-----	1	-----	87
1	-----	18	7	-----	-----	-----	-----	-----	40	-----	7	-----	-----	1	88
-----	-----	3	1	-----	-----	-----	1	-----	2	-----	2	-----	-----	1	89
-----	-----	1	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	90
-----	-----	-----	-----	-----	-----	1	-----	-----	11	-----	1	-----	-----	-----	91
-----	-----	1	-----	-----	-----	-----	-----	-----	8	-----	1	-----	-----	-----	92
-----	-----	1	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	-----	93
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	94
-----	-----	1	-----	-----	-----	-----	-----	-----	10	-----	1	-----	-----	-----	95
-----	-----	29	4	-----	-----	1	1	1	43	-----	3	-----	1	-----	96
-----	-----	2	-----	-----	-----	-----	-----	-----	7	1	1	-----	-----	-----	97
-----	-----	1	-----	-----	1	-----	-----	-----	3	-----	-----	-----	-----	-----	98
-----	-----	17	-----	-----	-----	-----	-----	-----	2	-----	1	-----	-----	-----	99
-----	1	8	10	-----	2	1	2	-----	27	2	14	2	-----	-----	100
-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	101
1	-----	12	3	2	-----	1	-----	-----	48	2	4	-----	1	2	2
2	3	85	2	2	2	1	1	2	135	2	17	3	1	5	4
-----	-----	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	103
-----	-----	-----	-----	1	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	104
-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----	105
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	106
1	1	5	6	-----	3	-----	2	2	44	1	9	-----	1	-----	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	107
10	28	402	137	29	13	15	18	35	1,259	18	139	18	20	33	27
-----	-----	8	10	-----	-----	1	-----	-----	42	1	2	-----	2	-----	109
-----	-----	14	6	1	-----	-----	-----	-----	49	1	5	1	-----	-----	110
-----	-----	2	1	-----	-----	-----	-----	-----	1	-----	2	-----	-----	-----	111
-----	-----	18	-----	-----	-----	-----</									

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

	CAUSE OF DEATH.	NORTH CAROLINA—continued.			NORTH DAKOTA.			OHIO.					
		Group 2, rural.	Raleigh.	Group 3.	Total.	Group 1.	Group 2.	Total.	Group 1, rural.	Ashta- bula.	Cleve- land.	Toledo.	Group 2, rural.
149	Obesity.....							1					1
150	Old age.....	215	9	44	46	41	5	1,958	197	6	210	49	399
151	Ovarian tumor.....	4		2	2	2		29	1		2	2	4
152	Ovaries, disease of.....							8			1		1
153	Pancreas, disease of.....							1					
154	Paralysis.....	308	6	79	27	25	2	1,939	155	5	104	33	554
155	Paralysis general (of insane).....	1			1	1		72		1	7	23	19
156	Parasites.....				1	1		1					
157	Pelvic abscess (female).....	4						23			5	2	
158	Pericarditis.....	1	3					34			10	2	3
159	Peritonitis.....	20	5	9	19	18	1	524	29	2	96	22	71
160	Pharyngeal abscess.....							2					1
161	Pharynx, disease of (not specified).....												
162	Phlebitis.....							7	1		2		1
163	Phlegmasia dolens.....			1				1					
164	Pleurisy.....	44	1	32	8	7	1	134	13		13	4	24
165	Pneumonia.....	1,230	20	311	212	193	19	4,606	369	19	709	148	907
166	Poisons (not specified).....	23	1	6	9	8	1	131	12		10	7	14
167	Pregnancy, affections connected with.....	1		1	1	1		9	1		2	2	
168	Premature birth.....	87		37	25	25		677	19		97	49	97
169	Prostate, disease of.....	1		2	1	1		32	1			2	9
170	Puerperal convulsions.....	11	1	2	2	2		27	3		5	2	3
171	Puerperal mania.....			1				4	1				1
172	Puerperal septicemia.....	32		13	5	5		134	15	1	15	16	14
173	Purpura.....	2			1	1		19	2		2		2
174	Railroad accidents.....	33	5	15	5	3	2	558	44	9	68	28	71
175	Respiratory system, disease of.....	1						6	1				1
176	Rheumatism.....	55		21	17	17		307	27		22	6	70
177	Rickets.....	5			1	1		12	1			2	1
178	Roseola.....			1									
179	Rupture of bladder.....	3						2			1		
180	Sarcoma.....	1						71	2		12	4	5
181	Scarlet fever.....	10		10	17	14	3	334	43	2	45	24	50
182	Scrofula.....	45	1	22	5	5		43	3		3	1	21
183	Septicemia.....	59	5	18	31	28	3	466	35	1	71	20	89
184	Skin, disease of.....	13		9	2	2		30		1	3	6	9
185	Smallpox.....	38		3	4	4		35	4		10		3
186	Spinal cord, disease of.....	3		2	2	2		100	18	1	7	7	16
187	Spine, disease of.....	14		15	5	3	2	135	13	1	2		48
188	Spleen, disease of.....			1				9				2	3
189	Stomach, disease of.....	30	2	12	9	7	2	279	29		12	7	68
190	Suffocation.....	21		10	2	2		119	10	1	25	1	15
191	Suicide by cutting throat.....				4	3	1	15	4		2		3
192	drowning.....			1				18	2		1	1	4
193	hanging.....	1		1	3	3		59	8		4	1	10
194	poison.....	4		1				74	6	2	8	4	6
195	shooting.....	5			1		1	86	4		7	3	20
196	(not specified).....	9		2	9	8	1	115	17		20		16
197	Sunstroke.....	5		2				32			2	1	5
198	Surgical operations.....	1		1	1		1	34	5		6		2
199	Tabes mesenterica.....	41		10	5	5		157	9	2	9	3	46
200	Tetanus.....	4	1	1	1	1		76	5		12	4	17
201	Trismus nascentium.....	1	1		1	1		10			1		1
202	Tuberculosis (unclassified).....	2			5	4	1	54	3		1	7	20
203	Tubes, disease of.....	1			1	1		23				4	1
204	Tumor.....	29		14	11	10	1	155	25		9	3	35
205	Tumor of uterus.....	1		3	1	1		34			6	1	2
206	Typhoid fever.....	730	6	265	65	62	3	1,795	121	5	184	53	424
207	Typhus fever.....			3	3	1	2	6				1	2
208	Unknown.....	1,037	50	353	252	227	25	1,269	116	8	65	10	359
209	Uremia.....	9	2	6	4	4		298	11		59	8	51
210	Urethra, stricture of.....							2					
211	Urinary organs, disease of.....	4		1				9	2				3
212	Uterine hemorrhage.....	3	1	1				9			1	1	2
213	Uterus, disease of.....	10		4				13	1			1	4
214	Venereal disease.....	11		3				63	2		9	3	19
215	Vomiting in pregnancy.....	1						8					3
216	Whooping cough.....	125		57	25	22	3	401	22	1	32	3	101
217	Worms.....	14		8	2	2		6			1		4
218	Wounds.....	7		4	1	1		53	2		18		6
219	Yellow fever.....	1		1				4	2		1		

CAUSE OF DEATH.

199

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

OHIO—continued.															
Bellaire.	Chilli- cothe.	Cincin- nati.	Dayton.	Hamil- ton.	Iron- ton.	Marietta.	Middle- town.	Ports- mouth.	Group 3, rural.	Canton.	Colum- bus.	Findlay.	Lima.	Massil- lon.	Newark.
8	25	227	64	14	8	15	1	18	576	18	50	11	16	5	7
		6	1	1					8	1	2				
		1			1				1	1	1	1			
4	7	79	34	9	2	4	2	9	806	17	45	14	16	13	6
		5		1					15			1			
									1						
		5	1		1				7		1		1		
		10		1					6		1				
5	3	86	20	3	5	1	5	4	113	5	39	4	2	2	3
									1		1				
		2							1						
									1						
		14	4		1		1	1	51		6	1	1		
16	11	512	66	29	10	14	15	20	1,364	26	159	27	36	15	13
		8	15	1	2	2	1		38		11	1	4		
		3													
5	6	148	37	13	2	3		11	115	1	17		14		9
1		3							11	2	3				
		5	1		1				4	1					1
									1						
									1						
		29	1	2					28		4	1	1	1	
		3					1		6						
3	4	56	6	8	6		2	4	162	10	26	2	9	6	13
		1						1	2						
1	2	16	4	1				1	133	4	14		3	1	1
		1			1			1	5						
									1						
		18	3			1			11		12				1
2	1	27	5			2			120		6		2		2
		1	1			1			10		2				
	1	27	13			2		2	151	7	18	2	6	1	3
		1	1						9		1				
		6		1					11						
		7	2	2					35		2				
		3	1	2		1			61	1	1	1	1		1
									3						
2		17	4			2	1		115	4	10	2	1		2
1		18	4	2			1		35	1	2	1			1
		2							3				1		
		6	1						3						
1		5	3			3			18	1	3		1	1	
		21		1		1			16		7				1
1		16	1			2		1	16	2	4	5	2		
	1	10			1			1	43		1		1		3
		10				1			11		1				
	2	6							8		4		1		
		11		1	5		1	2	57	1	8	2			
		15				1			15		1	1			2
		4		2			1				1				
1		2	2						12	1	4			1	
		12		1					1		4				
	1	9	4	1				1	64		2				
		15		1					6	1	2				
7	9	106	45	4	12	8	1	9	622	19	68	19	8	5	5
									3						
1		68	10	3	9	2	2	4	540	13	15	6	17	2	7
3	2	65	17	2	2	1			56	2	11	1	3		1
		1							1						
									3						
		1	1						2		1				
		2							4						1
		11	2						15		1				
		2							2		1				
7	7	23	1	3	3			3	162	5	13	4	3		1
	1	2	5					1	13		3	1	1		
									1						

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	OHIO—continued.				OREGON.				PENNSYLVANIA.		
	Tiffin.	Warren.	Youngs-town.	Oklahoma.	Total.	Group 1.	Group 2, rural.	Portland.	Total.	Group 1, rural.	Altoona.
1 All causes	139	143	745	3,181	3,396	778	1,762	856	90,199	20,001	752
2 Abortion				1	4	1	3		25	2	
3 Abscess			1	3	5		4	1	86	23	4
4 Abscess, lumbar and psoas									7	2	
5 Absorbent system, disease of					2		1	1	11	2	
6 Accidents and injuries (not specified)		4	13	32	34	10	15	9	1,144	224	25
7 Addison's disease									13	1	
8 Adenitis	1								12		1
9 Alcoholism		1	6	2	5		2	3	256	30	3
10 Anemia	1			2	10		3	7	175	25	4
11 Aneurism			2	2	5	3	2		82	16	
12 Angina			1	14	6	4	2		99	28	
13 Angina pectoris		2	3	4	15	7	4	4	267	49	2
14 Aphthae				5	3		2	1	33	6	
15 Apoplexy	4	4	18	13	95	15	50	30	3,035	612	26
16 Appendicitis	1		5	10	46	9	19	18	413	94	6
17 Arteries, disease of			1		2	1	1		131	6	
18 Ascites			1	4	4	1	3		92	37	
19 Asthma			6	7	6		3	3	438	169	
20 Atrophy									44	6	
21 Bile passages, disease of			1	1	3	1	2		11	1	
22 Birth, causes incident to			1	1	4		4		117	33	
23 Bites				2					3		
24 Bladder, disease of	3		3	4	8		5	3	157	31	
25 Bones, disease of				1	4		2	2	47	9	
26 Bowels, disease of		1	3	17	10	3	4	3	203	53	1
27 Bowels, obstruction of			4	5	23	2	14	7	311	49	9
28 Brain, disease of	1	1	5	41	37	9	19	9	940	197	7
29 Breast, disease of (puerperal)											
30 Bright's disease	4	6	13	43	84	10	50	24	2,774	477	16
31 Bronchitis	4	7	21	30	28	9	6	13	1,513	255	12
32 Burns and scalds	1	1	6	13	17	5	9	3	641	165	3
33 Calculus biliary				2	3		3		39	8	1
34 Calculus urinary				1					21	7	
35 Cancer (not specified)	2	2	10	12	30	7	12	11	610	189	14
36 of abdomen					6	1	3	2	136	30	
37 of bladder									27	3	
38 brain					1		1		3	1	
39 breast			1	6	8	1	6	1	212	48	1
40 eye									6	2	
41 genitals									8		
42 head, face, and neck				7	12	3	7	2	169	47	2
43 kidneys				1	2	1		1	9	3	
44 larynx									6		
45 liver				1	12	1	6	5	263	44	3
46 lower extremities					1		1		6	1	
47 lungs				2					4	1	
48 mouth, tongue, and throat			1	1	6		5	1	59	16	
49 ovaries									16	3	
50 penis									4		
51 rectum					1			1	59	6	
52 stomach	1	1	2	14	52	7	29	16	688	166	3
53 testicle									2	1	
54 upper extremities									6		
55 uterus			2	5	12		4	8	314	38	1
56 Carbuncle				1					23	7	
57 Cataplexy											
58 Cerebro-spinal fever			1	21	14	3	9	2	250	75	2
59 Chicken pox									8	2	
60 Childbirth			1	37	11	7	4		306	121	
61 Cholera infantum	3	2	40	145	51	13	23	15	2,503	718	31
62 Cholera morbus	1		3	51	32	7	19	6	638	201	3
63 Chorea			1		1		1		16	4	
64 Circulatory system, disease of									10	1	
65 Colic				7	9	3	6		94	45	2
66 Colitis			1	4	7	5	2		98	9	
67 Constipation				5					10	3	
68 Consumption	11	11	54	288	433	97	236	100	7,791	1,441	56
69 Convulsions	1		26	25	12	4	5	3	2,727	595	38
70 Croup	1	3	1	66	18	7	8	3	1,064	360	12
71 Cyanosis			3		2			2	200	23	
72 Debility	2	2	10	11	13	2	6	5	2,482	288	27
73 Dentition				9					127	24	
74 Diabetes			2	7	31		19	12	427	103	5
75 Diarrhea		1	3	37	16	9	4	3	417	137	2
76 Digestive system, disease of		1	4	7	3	1		2	231	50	4

CAUSE OF DEATH.

201

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.															
Carbon- dale.	Carlisle.	Dubois.	Harris- burg.	Hazel- ton.	Johns- town.	Lebanon.	Maha- noy.	Mount Carmel.	Pittston.	Plym- outh.	Potts- ville.	Scranton.	Steelton.	Wilkes- barre.	Williams- port.
295	207	131	895	205	710	326	360	295	274	286	244	2,111	213	857	345
			2												
1			1	2			1					3			1
					1	1								1	
15			3		17	5	12	17	3	7	3	21	3	33	3
	1														
1		3			1					1	2			2	1
1			4	2		2	1					8		1	2
						1			1			1			
1	1		1			1				1		3		1	
	1		2		2	2	1			2		10		2	2
7	8		43	12	14	18	6	3	8	3	23	58	6	29	19
4	1		3		4	1	1	2	1	1	1	4	1	4	4
		2		1	1						2	2			
						1									
3			1		2	1	8			2			1	1	
		2				2	1				1	3		9	6
												4			
2			1		2										
1	1	1	1		1				1					1	1
												1			
	2	1	5		3	2	2			2		1		2	
1	2	1	5	3			1					2		7	2
2	2	1	11	3	5	7	2	5	3	3	7	13	2	9	4
												6			
4	4	1	28	8	11	6	6	1	7	2	12	68	6	25	9
17		5	11	7	6		6	11	13	7	7	68		19	6
		2	5	1	11	4	10	5	4		4	24		15	
			2		1								1	1	
6	2		10	3	7	3	4				1			1	
			2		1	1	2		3		2	14	1	13	7
											1	1		5	
											1			1	
			7				2							1	2
1			1	1			1					2			1
1															
2		1	1	1	1	1	1		1		1	3		3	1
												2			

203

[illegible]

205

PENNSYLVANIA—continued.															
Carbon- dale.	Carlisle.	Dubois.	Harris- burg.	Hazel- ton.	Johns- town.	Lebanon.	Maha- noy.	Mount Carmel.	Pittston.	Plym- outh.	Potts- ville.	Scrán- ton.	Steelton.	Wilkes- barre.	Williams- port.
9	19	3	37	3	15	2	6		4	3	11	30	3	9	11
			1												
6	6	2	19 11	4	7	7	5	1	4	3	4 1	28 3	1 1	9	14
1						2			1						
3	2		7	3	5	6	5	3	5	4	1	1 37	1 3	10	
			1												
24	17	12	1 79	26	110	2 30	3 40	31	3 32	4 41	1 31	13 225	26	2 100	1 26
1			2	1	4	1			1	1	1	4 1	1	3 1	
3	7	2	6	2	6	7	5	6	3	3	6	28 1	6 1	21	3 1
1			1		2							1 1		1	
			1		2				2			5 1	1	1	
8	3	1	22	1	24	5	4	3		1	5	20	2	8	5
2		1		2		1	1		3	1		8	1	2	
			1							1		1			
													1		
1			2	1 4	8			7	4	4		1 119	1 1	1 7	1 4
3	1		3	2	3 1	1	3		4		2	17	2	7 1	1
1					1 2	1 1			1		1	4		2	2
	1		2	2	11			1	2	1		9		2	2
	1		5			2	2	3			1	9		2 1	1
			1 1			1	1					1			1
	1		2	1		2		1				1 3 1 2			1
		1	1 3				1					2 2		4	1
	1		1							1					
			1	1				1	1		1				1
5	5	4	20	3	35	8	3	2	2	7	3	3 30	3	1 14	11
6	3 6	7	22 9	5 2	28 6	15	3 3	6 2	3 1	2 2		19 19	7 2	5 9	6 2
				1	1										1
1												1			
													3	2	
2		2	8		9				5			3	4	1	11
			12	4		1			1		1	1	1	1	

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	PENNSYLVANIA—continued.											
	Group 2, rural.	Alle- gheny.	Allen- town.	Colum- bia.	Easton.	Erie.	Lancas- ter.	McKees- port.	Mead- ville.	New- castle.	Norris- town.	Oil City.
1 All causes	18,547	2,385	646	239	421	801	724	592	185	437	524	199
2 Abortion	4	4	1							2		
3 Abscess	16	3			2			1				
4 Abscess, lumbar and psoas	2											
5 Absorbent system, disease of	3											
6 Accidents and injuries (not specified)	164	16	8	4	8	1	3		4	6	5	
7 Addison's disease	5											
8 Adenitis	5									1		
9 Alcoholism	31	12		1	1	1	2	2		1	2	
10 Anemia	36	2			1	3	2		1	1	1	
11 Aneurism	11	1				1			1			
12 Angina	25	3		2				1			2	
13 Angina pectoris	63	7	1	1	5	2	8		2		2	3
14 Aphthae	2							1				
15 Apoplexy	724	64	41	8	18	35	36	12	8	7	30	13
16 Appendicitis	94	4	3	1	3	2	6	1		3		1
17 Arteries, disease of	14	2			1			2			2	1
18 Ascites	34	1										
19 Asthma	83	13		1	1	2	1	1		2		
20 Atrophy		2										
21 Bile passages, disease of	4											
22 Birth, causes incident to	19	2				1		2		1		
23 Bites		1					1					
24 Bladder, disease of	39	2			1		2		3		1	
25 Bones, disease of	10	1										
26 Bowels, disease of	63	3	2	1		1	1		1	2	1	
27 Bowels, obstruction of	51	6	1			6	3	3	1	2	3	2
28 Brain, disease of	186	21	2	2	6	5	20	7	1	4	6	2
29 Breast, disease of (puerperal)												
30 Bright's disease	471	36	15	7	11	32	37	15	12	6	20	2
31 Bronchitis	198	65	4	1	7	21	13	15	5	16	4	7
32 Burns and scalds	140	20	3	4	2	2	2	6	1	4	3	
33 Calculus biliary	7		2			1					1	
34 Calculus urinary	9	1										
35 Cancer (not specified)	165	11	7	1	5	2	4	1	3	4	3	2
36 of abdomen	26	1					1	1			1	1
37 of bladder	4											
38 of brain												
39 of breast	53	4		1	1	2					1	
40 of eye	3						1					
41 of genitals	1											
42 of head, face, and neck	52	2	1			1	1	1				1
43 of kidneys										1		
44 of larynx												
45 of liver	69	4	1		1		2	2		3	3	
46 of lower extremities	3					1						
47 of lungs												
48 of mouth, tongue, and throat	13					1						
49 of ovaries	3	1				1						
50 of penis												
51 of rectum	11	1			1	1				1	1	
52 of stomach	184	11	3	1	4	5	6	2	1	2	6	2
53 of testicle	1											
54 of upper extremities	3											
55 of uterus	60	8		1		5	2	1	1		2	
56 Carbuncle	9											
57 Catalepsy												
58 Cerebro-spinal fever	67	5			2	1	7	5		1	1	2
59 Chicken pox	3		1								1	
60 Childbirth	65	4	2			4	1	4	1	1	3	
61 Cholera infantum	492	108	27	9	12	23	14	25	7	10	7	8
62 Cholera morbus	178	13	4	1	7	3	8	4	2	1	1	
63 Chorea	4					2						
64 Circulatory system, disease of	5									1		
65 Colic	26	1			2			1			1	
66 Colitis	7	3			1	2	1			1		1
67 Constipation	3											
68 Consumption	1,583	209	49	15	41	77	56	36	12	20	72	21
69 Convulsions	452	77	17	11	21	21	12	40		5	8	5
70 Croup	230	7	5	9	2	4	4	9		4	1	
71 Cyanosis	9	3	4	1		1				1	4	
72 Debility	264	87	26	16	21	19	42	11	2	10	13	2
73 Dentition	19	2	1		1		5	1				
74 Diabetes	108	5	3		2	2	1		2	4	2	1
75 Diarrhea	100	16	1				2	5		5		
76 Digestive system, disease of	63	13				6	3	1		7		

CAUSE OF DEATH.

207

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.			
Phila- delphia.	Phoenix- ville.	Pitts- burg.	Potts- town.	Reading.	South Bethle- hem.	Total.	Rural.	Central Falls.	Newport.	Paw- tucket.	Provi- dence.	Woon- socket.	Total.	Group 1, rural.	Charles- ton.	
27,456	203	6,436	240	1,401	256	8,176	2,735	290	421	723	3,491	516	17,166	4,416	2,094	1
3		7				3	1				2		8	2		2
20		6	1	1		7	2				5		26	9	5	3
3																4
2		1				2	1				1					5
481	8	32	3	7	3	16	6	1			8	1	70	15	8	6
3		4														7
2		2				2			1		1		3		1	8
103	6	45	2	3		45	19		2	1	23		13	5	6	9
62	1	8	1	4	2	26	13		1	1	7	4	12	2	1	10
47		2				7				1	6		10	2	2	11
18		9		2		2	1				1		15	6		12
81		11	1	5		32	14		2	2	12	2	12	5	4	13
14		7											59	18		14
914	11	110	14	86	9	356	142	8	24	35	139	8	190	31	53	15
135	1	24		2	1	35	11		5		19		40	6	11	16
89		5		1		14	7			1	6		3		3	17
15		1		1									53	16		18
73	1	49	1	2	1	13	2			3	5	3	48	21	2	19
20		7				3	1			2						20
2		2		1		2	1				1					21
24		26		2		22	10		2	1	7	2	15	5		22
													3	1		23
50	1	13		5		25	6	1	2	4	12		23	7	4	24
20		3		2		8	3	1		1	3		8	2	2	25
39		12		3		10	5				4	1	86	28		26
106	1	26	2	1	2	30	6	3		3	15	3	27	4	4	27
326	1	54	7	13	1	69	30	4	6	4	18	7	121	31	20	28
1,219	5	143	6	40	6	455	164	13	17	27	209	25	1		1	29
481	3	208		12	3	286	76	26	14	31	124	15	425	36	231	30
142		49	1	8	1	38	16		2	3	14	3	160	21	34	31
12		2				9	1						284	56	18	32
3						5	1		1	1	6		6			33
89	3	15	3	11	1	15	5			3	3		7	3		34
54		6	1	1		29	9			4	6	1	76	12	16	35
16		1		1		4	1		1		16		5	2		36
											2		2			37
2						1	1									38
77		10		2		36	17	2	3	1	12	1	20	2	5	39
5		1		1		1	1						1			40
47		6		1		22	9		2	1	10		18	7	2	41
2		1				1	1						1			42
4		1				1					1					43
93	1	15		6		32	13		3	3	11	2	8		3	44
1						1	1						5	1		45
3						2					2					46
25		2				9	3			1	5					47
7		1				3					8		9	3	1	48
3						2		1								49
26		5		2		13	5				8		2		2	50
209	1	34	1	8	1	57	26		2	5	23	1	18	3	5	51
																52
3						1	1						3	3		53
140		19	2	8		37	14	2		4	15	2	63	6	10	54
4		1		1		1		1					4	1		55
																56
44		17		1		34	13		1	8	10	2	42	7	12	57
1						1					1		1			58
48		28	1	2	1	13	3	1	1	4	4		193	68	9	59
486	8	162	4	33	11	448	139	31	13	40	132	93	347	64	25	60
113	1	25	1	9	6	21	9	3	1	2	6		87	16	15	61
3		1				1					1		1			62
2						1	1									63
4		4				1				1			78	44	1	64
45	1	18				5	3				2		18	3	4	65
3				1		4	2				2		10	4		66
																67
2,990	12	436	26	136	26	837	247	23	47	71	398	51	2,133	440	259	68
786	8	175	8	49	24	46	10	2	3	3	22	6	198	61	35	69
215	2	23	5	33	5	54	25	1	4	3	18	3	214	36		70
125		8	1	14		15	5	5			5		5	1	1	71
1,106	7	161	8	70	13	208	50	15	31	20	78	14	144	23	86	72
43	1	24	1	3		7					6	1	240	37	24	73
129	3	15		8		41	21	1	4	4	9	2	42	19	5	74
119		84	1	8	1	86	29	3	1	3	35	15	157	39	26	75
37		37	1	1		83	7	10		13	49	4	82	28	1	76

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.		PENNSYLVANIA—continued.											
		Group 2, rural.	Alle- gheny.	Allen- town.	Colum- bia.	Easton.	Erie.	Laucas- ter.	McKees- port.	Mead- ville.	New- castle.	Norris- town.	Oil City.
77	Diphtheria	534	30	26	8	9	23	48	19	2	13	8	2
78	Dislocations	4									1		
79	Dropsy	353	18	16	4	1	7	2	1		2	5	1
80	Drowning	67	7	1	1	2	4		4	1		4	4
81	Dysentery	118	5	4	1	2	2	5	4	2	1	22	
82	Ear, disease of	1	1					1	1				
83	Electricity	2											
84	Elephantiasis												
85	Embolism	4	2										2
86	Enteritis	90	79	7	1	4	25	20	22		1	6	4
87	Epilepsy	85	3	2		1	4	1	1		2	12	1
88	Erysipelas	50	2	3	1	1			2	2	2	5	
89	Esophagus, obstruction and stricture of	1									1	1	
90	Execution	2	2	1		1	1	1					
91	Explosion	24	4				2				1		1
92	Exposure and neglect	3	2	1		1	1		1		1		
93	Extra-uterine pregnancy	2	1			1					1		
94	Eye, disease of	1											
95	Falling bodies	25	2				1		1		1		2
96	Falls	52	5	2		1	5	4	4	1	1	3	
97	Female organs of generation, disease of	8											
98	Fever	4		1									
99	Foreign bodies in esophagus	3											
100	Fractures	50	5	3	1	5	2	1	3	1		6	1
101	Frozen	4											
102	Gangrene	65	5	1	2	1	2		2			4	
103	Gastritis	193	25	3	3	1	5	10	4	1	8	9	1
104	General disease (not specified)												
105	Goiter	2											
106	Goiter, exophthalmic	2				1							
107	Gout												
108	Gunshot wounds	28	2	3	1		1	1	1		3	1	1
109	Heart disease	1,485	153	58	16	34	89	87	29	11	23	47	16
110	Hemophilia	2					1						
111	Hemorrhage	42	4	6			1	1	2		2	3	
112	Hernia	47	2		1		3	3			1		
113	Hip joint, disease of	3	1										
114	Homicide	11	1	1			1						2
115	Hydrocephalus	50	7		2	2	4	7	1		1	1	1
116	Hydrophobia	2											
117	Inanition	98	30	6	2	3	29	18	12	1	4	8	
118	Infanticide	2											
119	Inflammation and abscess of liver	51	2						1	2	2		1
120	Inflammation of brain	147	7	5	3		3	3	3				4
121	Influenza	212	28	5		3	4	16	3	5	9	9	4
122	Injuries by machinery	23	6				2				3		
123	Jaundice	50	9			3	1	5	1	1	3		1
124	Joints, disease of	6					1						
125	Kidneys, disease of	106	8	1	2	2			1	1	3	2	
126	Laryngitis	13					1		1				1
127	Larynx, disease of	3					2						
128	Lead poison	2											
129	Leprosy	1											
130	Leucocythemia	6	1	2				3					
131	Lightning	19											
132	Liver, disease of	114	20	3	4	4	11	5	1	3	6	2	
133	Locomotor ataxia	20	7	1			1	1			1		
134	Lost at sea						1						
135	Lungs, disease of	135	29	4	1	6	1	5	6	4	2	6	4
136	Lymphangitis	1											
137	Malarial fever	30	2	1		2	1	3	3	2			
138	Male organs of generation, disease of												
139	Malformation	51	6	1	4	2	2		1		2	2	1
140	Malignant pustule												
141	Measles	144	11				2				2	1	
142	Meningitis	233	57	15	6	3	17	2	12	2	11	13	1
143	Mental disease	111	1			2	3		1	3		5	
144	Mining accidents	47	1										
145	Mumps												
146	Nervous system, disease of	83		1	1	2	2	1		2		5	
147	Noma												
148	Nose, disease of	1											

CAUSE OF DEATH.

209

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.		
Phila- delphia.	Phoenix- ville.	Pitts- burg.	Potts- town.	Reading.	South Bethle- hem.	Total.	Rural.	Central Falls.	Newport.	Paw- tucket.	Provi- dence.	Woon- socket.	Total.	Group 1, rural.	Charles- ton.
1,040	3	102	3	48	18	73	21	2	4	6	33	7	83	16	1
88		2											3		
116	1	25	4	10	5	5	4					1	461	203	6
80		42	1	7		47	27		3	5	9	3	74	49	6
		9		8		46	12		6	3	12	13	578	126	25
2		7				1					1		4	1	1
5		7													
1															
17		2		1		4	2	1			1		4		2
687		337	3	17	3	187	58	5	4	4	100	16	233	17	122
49		10		1		22	16	1	1		4		58	15	1
79		17	1	1		22	8		3		8	3	20	4	2
8													4		1
3		2			1								4		4
3		14				3	2					1	3	1	91
10		2		2		4	2				2		59	23	1
13		2				3					3				93
						1					1		1		94
		13				8	4		1	1	2		8	1	95
10		47	1	4		71	15	3	2	4	42	5	48	11	4
3		3				5	2				3		12	3	96
		4				1	1						308	199	2
															98
1		5		1		3				1	2		4	1	99
57		47	1	7		11	5		1	2	3		20	3	5
2													5		100
															101
59		5	1	11		21	10			2	8	1	9	1	3
236	4	95	2	10	6	42	19	2	2	7	9	3	109	26	15
2															103
2		1				1					1		1		104
															105
2		1		1		3	1		1	1					106
		1													107
17		7	1	2		3			1	1	1		134	28	15
															108
1,938	19	292	21	119	16	571	211	14	39	67	218	22	843	189	115
5		1											1		109
41	1	9	2	1	2	14	5		1	2	5	1	44	18	5
43	1	9	1	1		21	9	1	2	2	7		23	4	5
															111
13		2				4	1				3				112
13		12				7	4				3		48	10	6
132	1	21		2	2	86	18	1	4	10	41	12	36	11	3
		1		2									5		1
															116
515	7	99	7	9		18	5		2	1	9	1	65	21	4
		2				4	1				3				117
39	1	23	1	1		15	3			1	10	1	36	8	3
															118
59		11	3	2		6	3				2	1	110	32	120
253	6	66	2	16	1	324	100	9	12	70	127	6	492	163	66
2		14		1	1	3	1				2		6	1	121
															122
64	1	20	2	4		24	12	1	1	1	7	2	72	18	7
13		2				3	1				2		4	2	123
															124
108		16		2	2	32	15	1	1	2	10	3	79	21	14
															125
23		13		1		16	6	1	1	1	6	1	7		1
7		2				3					3		2		126
11		1				3	1	1		1					127
		1													128
															129
8		1	1												
															130
228	4	50		4	2	59	19	1	10	2	25	2	20	1	10
37		6		2		9	3			1	5		47	17	10
													1		132
															133
394	4	59	1	13	2	45	20	4		4	14	3	59	11	20
															134
24	1	10	1	1		24	5	2	1	1	12	3	749	362	50
1															137
69	1	14		3		37	17	1	2	2	13	2	80	2	60
1		1													138
290	3	87	7			204	67	4		12	119	2	102	68	6
															139
538	3	128	2	37	7	156	48	12	16	15	50	15	112	15	7
67		25	1	2		22	14		1		7		35	5	5
1		5													142
5		1													143
															144
33		8		9	2	11	6		1	1	3		5		145
7						3					3		37	6	3
1											3		3		1
															146
															147
															148

CAUSE OF DEATH.		PENNSYLVANIA—continued.											
		Group 2, rural.	Alle- gheny.	Allen- town.	Colum- bia.	Easton.	Erie.	Lancas- ter.	McKees- port.	Mead- ville.	New- castle.	Norris- town.	Oil City.
149	Obesity												
150	Old age	700	71	16	10	15	39	17		6	13	12	5
151	Ovarian tumor	10	1				1		2		1		
152	Ovaries, disease of	2											
153	Pancreas, disease of												
154	Paralysis	725	24	7	5	14	13	8	5	11	7	12	3
155	Paralysis general (of insane)	40	2			1						8	
156	Parasites												
157	Pelvic abscess (female)	4	1				1		1		2		
158	Pericarditis	8		1			1	1	1			1	
159	Peritonitis	92	30	15	2	1	11	3	5	1	8	5	3
160	Pharyngeal abscess	1											
161	Pharynx, disease of (not specified)												
162	Phlebitis	3	1								1		
163	Phlegmasia dolens												
164	Pleurisy	77	7	1	2	1	1	1	2				1
165	Pneumonia	1,888	357	64	19	38	58	51	92	10	32	19	15
166	Poisons (not specified)	34	4	4	3	1	4	3			3	1	
167	Pregnancy, affections connected with	3											
168	Premature birth	136	70	26	3	8	8		21	4	8	6	2
169	Prostate, disease of	6					1		1				
170	Puerperal convulsions	9	2		1		1	1					1
171	Puerperal mania	1											
172	Puerperal septicemia	43	5	2		1	2		1	1			1
173	Purpura	3						1	1		1	1	
174	Railroad accidents	230	41	10	2	10	11	4	25	10	16	12	3
175	Respiratory system, disease of	3									1		
176	Rheumatism	99	23				1	4	5	3	3	5	
177	Rickets	7	2										
178	Roseola	2											
179	Rupture of bladder									1			
180	Sarcoma	9			1		1	1					1
181	Scarlet fever	185	17	9		1	7	2	5		2		1
182	Scrofula	20	1						1		1		
183	Septicemia	153	8	5	1	3	6	3	3	1	2	4	
184	Skin, disease of	18											
185	Smallpox	13	1						1				
186	Spinal cord, disease of	27	4				5	1			1	1	
187	Spine, disease of	37	1	1			1	1					
188	Spleen, disease of	3						1					
189	Stomach, disease of	94	6	1	1	1	3	3		3	2	2	1
190	Suffocation	24	3	3	1	2	1	1	1	1		3	
191	Suicide by cutting throat	4							1				1
192	drowning	4	1										
193	hanging	21	5	2		1	1	2			1	1	
194	poison	10	6			1	1		1				1
195	shooting	18	5	2		1	3		3				2
196	(not specified)	23	1	2			1				1		
197	Sunstroke	11	4										
198	Surgical operations	14	3			1		1	1			1	1
199	Tabes mesenterica	35				1	3		2		3		
200	Tetanus	46	2		2		3	2	2				
201	Trismus nascentium	3					1						
202	Tuberculosis (unclassified)	9	3			1		1				1	
203	Tubes, disease of	3									1		
204	Tumor	60	3			2	2	4	3				
205	Tumor of uterus	10			1		2			1			
206	Typhoid fever	746	134	17	6	4	18	23	15	10	42	9	11
207	Typhus fever												
208	Unknown	592	30	27	6	13	6	6	5	2	18	4	12
209	Uremia	46	7	5	1	4	5	10	3	1	5	8	
210	Urethra, stricture of												
211	Urinary organs, disease of	4	1		1				1				
212	Uterine hemorrhage	5			1		1						
213	Uterus, disease of	1	1										
214	Venereal disease	13	3				1		1		2	1	
215	Vomiting in pregnancy												
216	Whooping cough	166	10	7			3	3	15	1	2	3	1
217	Worms	2	1										
218	Wounds	13	2		6	3	2				4		
219	Yellow fever												

211

PENNSYLVANIA—continued.						RHODE ISLAND.							SOUTH CAROLINA.		
Phila- delphia.	Phoenix- ville.	Pitts- burg.	Potts- town.	Reading.	South Bethle- hem.	Total.	Rural.	Central Falls.	Newport.	Paw- tucket.	Provi- dence.	Woon- socket.	Total.	Group 1, rural.	Charles- ton.
906 12 8	1	103 10	6	20	6	188 5 1	81 1	4	14	21	58 4 1	10	261 3	52 1	48
2 387 39	8	74 2	3	24 3	3	1 78 21	32 18	2 1	3	1 4	26 2	11	363 16	66	32
9		4				3	1				2				
38 276	7	9 59 2	1	4 7	2	8 32 2	12	2	1 1	1 4	4 8 2	2 5	7 50	1 3	1 14
9 2 79 3,143	25	1 28 833				1 1 16 899	1 7 302	1 26					2 1 107 1,324	1	
66 4 698 14		19 1 126 3	1	4 77	4	23 8 148 10	4 2 41 4	1 2		2 2 17 1	15 3 76 5	1 1 5	44 4 149 6	10 25 1	
25		3 1 13		2 1 1		11	4				7		23 2 56 1	4 10	8
72 10					1	34 3	9 1		1 1	3	16 1	5			
55		182	3	31	4	41	13	2		7	16	3	64 5 60	11 2 17	10
58	1	34	1	3		34	11	3	3	3	14				
6		8				2	2						4 5		1
4															
70 194 9 168 11	1 1 1	10 51 1 23 10	2 3	3 2	2	8 35 1 12 6	3 11 1 2 2	1 2	1 3	1 2	2 13 7 4		4 27 50 102 20		3 3 10 1
39 14 2 60	1 1 1	8 2 3 14	1			2 11 8	2 3 3		1	2	4 5	1	85 10 13	63 3 3	1 1 1
39 7 5 15 19		9 3 1 3 8		3 1 2	1	27 4 1 10 5	5 1 4 1	3	3 1	3 1	15 2	1 1	34 1	7	1
21 91 54 6	1	12 3 15 7		1 1 1		9 10 2 1	4 2 2		3		2 7		7 7 11 4		1 4
47 40 10 33 8		13 8 7 2 6	1 3 1	4 5 1	1 1	17 7 2 47 4	6 3 2 19	2		2 1 3	4 3 24 4	3 1	39 32 67 27	6 15 1 2	2 7 66 203
50 11 489	1 4	8 8 474		1 35		11 15 102	4 3 23		4 12	1 7	6 7 52		56 7 970 8	16 178 2	7 3 70 207
92 520	1	65 29	5 4	28 12	3 3	61 25 3	21 11 2	2 3	5	9 1	21 10 1	3	1,304 24 5	424	15 8 3
7 3 1		2 1 4	1	1		1 3 2			1		1 2 2		3 9 24	2 3 4	211 212 213
27 2		8 1				16	3		1	3	8	1	50 3	8	18
175 1 6	1	54 23	5	9 1	1	111 1 2	28 1	9		10	60 2	4	176 50 10	42 27 5	24 2

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Mem- phis.	Group 4, rural.	Nash- ville.
1 All causes.....	375	10,281	3,088	1,694	845	549	30,572	10,625	4,638	2,843	2,572	7,852	2,042
2 Abortion.....	1	5	1	1			15	6	3	1		4	1
3 Abscess.....	1	11	9	7	1	1	25	8	8	2		4	3
4 Abscess, lumbar and psoas.....							1						1
5 Absorbent system, disease of.....			2	2			1						1
6 Accidents and injuries (not specified).....	1	46	60	37	12	11	152	37	19	17	17	45	17
7 Addison's disease.....							4	3				1	
8 Adenitis.....		2					3	2				1	
9 Alcoholism.....		2	5	3	2		39	7	5	2	14	4	7
10 Anemia.....		9	3	3			32	21		1	6	2	2
11 Aneurism.....	2	4	1	1			9	1				5	3
12 Angina.....		9	4	4			49	22	3	4	3	15	2
13 Angina pectoris.....		3	2	1		1	34	15	1	2	2	8	6
14 Aphthae.....		40	3	2	1		33	10	7	2	1	13	
15 Apoplexy.....	4	102	37	23	10	4	227	71	24	11	31	55	35
16 Appendicitis.....		23	15	10	3	2	70	24	9	4	10	17	6
17 Arteries, disease of.....							2	1					1
18 Ascites.....	2	35	5	3		2	89	35	17	6	4	24	3
19 Asthma.....		25	16	9	7		53	18	7	4	8	12	4
20 Atrophy.....			1	1									
21 Bile passages, disease of.....			1	1			1						1
22 Birth, causes incident to.....		10	4	2	2		17	9			1	5	2
23 Bites.....		2	1	1			2	2					
24 Bladder, disease of.....		12	4	1	2	1	26	11	2	3	1	6	3
25 Bones, disease of.....		4	5	1		4	14	4	2	5		2	1
26 Bowels, disease of.....	4	54	10	7	2	1	173	66	29	15	7	53	3
27 Bowels, obstruction of.....	2	17	8	3	5		48	10	5	4	12	7	10
28 Brain, disease of.....	3	67	23	16	5	2	371	88	60	48	26	97	52
29 Breast, disease of (puerperal).....													
30 Bright's disease.....	2	156	63	46	12	5	335	127	32	11	87	46	32
31 Bronchitis.....	4	101	22	13	4	5	433	166	55	61	33	87	31
32 Burns and scalds.....	6	204	16	9	6	1	226	79	30	22	12	66	17
33 Calculus biliary.....	1	5	2	2			11	7	1			2	1
34 Calculus urinary.....		4	1	1			18	11	2	1		3	1
35 Cancer (not specified).....	2	46	24	20	4		148	62	28	7	8	40	3
36 of abdomen.....		3	1	1			13	4	2	1	2	3	1
37 bladder.....	1	1					2	1					1
38 brain.....													
39 breast.....	1	12	6	4		2	48	24	4	1	1	15	3
40 eye.....		1					1	1					
41 genitals.....							2					1	1
42 head, face, and neck.....		9	7	3	1	3	45	26	8	1		9	1
43 kidneys.....		1					2	2					
44 larynx.....							1	1					
45 liver.....		5	6	6			23	13		1	2	2	5
46 lower extremities.....		4											
47 lungs.....							1	1					
48 mouth, tongue, and throat.....		5	1			1	12	4	2			5	1
49 ovaries.....							1					1	
50 penis.....													
51 rectum.....			1	1			17	4			7	4	2
52 stomach.....	2	8	24	19	5		66	23	8	7	5	18	5
53 testicle.....													
54 upper extremities.....													
55 uterus.....	1	46	7	5	2		65	28	5	3	3	13	13
56 Carbuncle.....	1	2					8	3	1	1		1	2
57 Cataplexy.....													
58 Cerebro-spinal fever.....		23	10	7	2	1	102	42	7	10	7	31	5
59 Chicken pox.....		1					1	1					
60 Childbirth.....	6	110	33	12	15	6	153	49	31	20	6	42	5
61 Cholera infantum.....	7	251	58	30	16	12	453	180	64	29	34	122	24
62 Cholera morbus.....	3	53	64	41	12	11	169	63	22	13	10	49	12
63 Chorea.....		1					7	3	1	2		1	
64 Circulatory system, disease of.....		1	2	1		1	1					1	
65 Colic.....	1	32	40	18	15	7	40	17	7			15	1
66 Colitis.....		11	3	3			57	4	5	2	18	13	15
67 Constipation.....		6					38	12	2	2		18	4
68 Consumption.....	40	1,394	425	171	138	116	4,451	1,588	667	361	278	1,252	305
69 Convulsions.....	2	100	57	26	21	10	240	42	28	19	26	67	58
70 Croup.....	20	158	39	23	12	4	958	521	124	48	8	238	19
71 Cyanosis.....		3					11	3	2		1	1	4
72 Debility.....		35	20	16	3	1	165	48	11	9	11	23	63
73 Dentition.....	6	173	13	3	9	1	100	36	12	8	8	32	4
74 Diabetes.....	1	17	22	13	3	1	52	32	7	1	6	5	1
75 Diarrhea.....	3	89	25	8	9	8	311	166	21	29	29	45	21
76 Digestive system, disease of.....	3	50	7	5	1	1	115	41	25	16	4	25	4

213

TEXAS.					UTAH.			VERMONT.					
Total.	Group 1.	Group 2. rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Benning- ton town.	Burling- ton.	Rutland.
34,160	3,781	27,576	1,257	1,546	3,079	2,225	854	5,829	5,007	158	127	347	190
18	1	16		1									
45	4	49		1	3	2	1	4	4				
3		5						3	2				1
1		1						1	1				
214	26	160	6	22	39	25	14	68	63		2	2	1
1		1			1		1	4	3	1			
3		2	1					1	1				
40	10	27	1	2	7	5	2	11	6	3	1	1	
21	2	13	3	3	8	3	5	39	36		1	2	
16	3	12		1				4	3			1	
142	14	119	3	6	3	3		3	3				
33	3	24	6		9	3	6	33	31	2			
33	7	25		1				1	1				
240	42	165	23	10	47	34	13	319	293	2	7	7	10
133	14	101	3	15	42	27	15	42	37			1	4
4	2		2		2		2	9	7			2	
53	7	42	2	2	6	6		2	2				
80	8	69	1	2	20	14	6	8	8				
								2	2				
1		1						2	2				
15	5	5	2	3	7	7		16	14			2	
23	5	16	1	1									
46	5	33	5	3	9	6	3	31	29			1	1
20		15	2	3				3	3				
227	12	210	3	2	12	10	2	8	7			1	
82	5	69	3	5	12	3	9	29	21		2	4	2
631	52	552	10	17	14	9	5	71	64	1		5	1
448	98	291	41	18	94	59	35	210	181	3	7	10	9
477	37	395	26	19	51	37	14	139	108	5	2	12	12
271	30	225	7	9	6	4	2	18	11	1	2	3	1
15	3	12			1		1	7	6		1		
19	1	17	1		2	1	1						
153	16	122	6	9	22	11	11	105	96	5	1	2	1
12	2	8	1	1	5	5		10	9			1	
1		1			2	2		4	4				
1		1											
24	2	19	2	1	2	2		18	16		1	1	
3	1	2											
1	1												
40	2	34	3	1	6	5	1	9	8				1
					1	1		1	1				
18	4	11	3		6	2	4	2	2				
								29	24			3	2
1		1											
17	4	10	1	2	1		1	8	7			1	
3	1		2					2	2	</			

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Mem-phis.	Group 4, rural.	Nash-ville.
77 Diphtheria.....	3	63	89	60	27	2	198	74	66	2	10	25	21
78 Dislocations.....		2					2				1		1
79 Dropsy.....	14	238	39	26	8	5	561	189	97	53	27	172	23
80 Drowning.....	1	18	21	14	6	1	54	18	2	5	10	12	7
81 Dysentery.....	6	421	17	9	6	2	663	220	96	82	58	178	29
82 Ear, disease of.....		2					13	2	3	2	1	3	2
83 Electricity.....							2	1			1		
84 Elephantiasis.....							1						1
85 Embolism.....		2	1			1	7	3		1	2	1	
86 Enteritis.....	3	91	9	5	3	1	300	71	39	24	83	34	49
87 Epilepsy.....		42	13	6	4	3	87	40	17	8	3	17	2
88 Erysipelas.....	1	13	12	8	1	3	79	36	15	5	5	18	
89 Esophagus, obstruction and stricture of.....		3					2						2
90 Execution.....			1		1		5	5					
91 Explosion.....	1	1	4	2		2	14	4	1	5		4	
92 Exposure and neglect.....	2	33	6	4	1	1	35	12	7	3	3	8	2
93 Extra-uterine pregnancy.....							1						1
94 Eye, disease of.....		1											
95 Falling bodies.....		7					20	10	4	3		2	1
96 Falls.....	2	31	15	9	1	5	79	35	6	4	7	23	4
97 Female organs of generation, disease of.....		9	4	4			48	16	12	4	2	13	1
98 Fever.....	1	106	11	2	9		153	55	15	14	2	66	1
99 Foreign bodies in esophagus.....	1	2					7	3				3	1
100 Fractures.....	1	11	5	2	3		45	16	3	1	9	9	7
101 Frozen.....		5	1			1	9	5	2			2	
102 Gangrene.....		5	4		2	2	20	3		1	6	4	6
103 Gastritis.....	2	66	23	13	7	3	206	75	17	12	12	73	17
104 General disease (not specified).....													
105 Goiter.....		1					5	1		1		3	
106 Goiter, exophthalmic.....			1	1			3	1	1		1		
107 Gout.....							1		1				
108 Gunshot wounds.....	3	88	13	10	3		170	63	10	15	25	36	21
109 Heart disease.....	17	522	166	108	44	14	1,245	501	126	100	103	306	109
110 Hemophilia.....		1											
111 Hemorrhage.....	1	20	9	6	1	2	44	14	3	5	4	13	5
112 Hernia.....	1	13	12	9	1	2	26	11	4	3		6	2
113 Hip joint, disease of.....							5	2		1		2	
114 Homicide.....	1	31					92	28	12	6	18	24	4
115 Hydrocephalus.....		22	13	9	4		61	25	2	2	4	15	13
116 Hydrophobia.....		4					1		1				
117 Inanition.....	4	36	18	9	7	2	187	55	8	7	49	24	44
118 Infanticide.....							2		1	1			
119 Inflammation and abscess of liver.....	1	24	8	4		4	92	31	16	6	10	22	7
120 Inflammation of brain.....	9	69	24	11	10	3	256	95	47	25	8	67	14
121 Influenza.....	15	248	26	13	10	3	1,049	489	158	71	33	254	44
122 Injuries by machinery.....		5	2			2	6	2	1	1		2	
123 Jaundice.....	3	44	2		2		85	37	13	4	5	20	6
124 Joints, disease of.....		2	1			1	10	2	3	2		3	
125 Kidneys, disease of.....	1	43	27	23	3	1	127	39	24	12	7	40	5
126 Laryngitis.....		6	3	3			10	7			1	1	1
127 Larynx, disease of.....		2					2				2		
128 Lead poison.....							2	1					1
129 Leprosy.....													
130 Leucocythemia.....							3	1	1				1
131 Lightning.....		10	14	10	4		11	3	6			2	
132 Liver, disease of.....		20	3	2	1		132	52	14	9	23	23	11
133 Locomotor ataxia.....		1	3	3			5	1		1	1	1	1
134 Lost at sea.....													
135 Lungs, disease of.....	1	27	24	15	8	1	189	53	20	18	23	54	21
136 Lymphangitis.....													
137 Malarial fever.....	1	336	2	2			987	132	163	183	272	196	41
138 Male organs of generation, disease of.....													
139 Malformation.....	2	16	5	3	1	1	39	15	9		2	12	1
140 Malignant pustule.....							1			1			
141 Measles.....		23	39	8	14	17	794	226	161	112	45	240	10
142 Meningitis.....	3	87	40	28	3	9	595	279	71	48	42	127	28
143 Mental disease.....		25	7	1	6		31	17	5		2	7	
144 Mining accidents.....		1	1			1	14	13				1	
145 Mumps.....		5	1	1			4	2		1		1	
146 Nervous system, disease of.....	1	27	13	7	3	3	87	35	10	3	4	27	8
147 Noma.....		2					4	1		3			
148 Nose, disease of.....			1	1			2					2	

215

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Bennington town.	Burlington.	Rutland.	
345	30	285	15	15	26	18	8	42	25	13		2	2	77
9	1	7		1				5	5					78
392	34	341	9	8	23	23		12	9	2	1			79
149	26	116	2	5	21	14	7	30	28			2		80
794	53	701	19	21	8	6	2	33	30	1	1		1	81
10		9	1		1		1	1	1					82
10	2	5	3					2	1			1		83
7	3	4			1		1	9	7	1			1	84
741	87	541	65	48	15	5	10	48	34	1	2	10	1	85
110	6	97	4	3	15	14	1	18	14	1		2	1	87
101	7	91	1	2	11	10	1	14	12				2	88
4	1	2	1		2	1	1							89
6		6												90
10		9		1	7	7		3	3					91
34	8	24	2		1	1		3	3					92
1				1										93
														94
18		16	2					3	3					95
88	10	74	1	3	10	7	3	11	9	1			1	96
37	4	29	1	3										97
347	48	269		30				1	1					98
12		12			1	1								99
34	7	19	6	2	15	1	14	27	22	1		3	1	100
6	2	3		1				1	1					101
27	4	19	3	1	3	1	2	32	31				1	102
237	27	186	9	15	24	17	7	61	55	1	2	3		103
1		1												104
1		1												105
					1		1	1	1					106
264	29	210	5	20	10	7	3	11	9			1	1	107
1,254	185	954	55	60	214	139	75	605	540	9	14	19	23	108
86	11	67	7	1	8	5	3	10	8	1	1			109
26	5	18	2	1	12	7	5	14	14					110
6	1	4	1					1	1					111
113	10	93	2	8	10	7	3	2		1		1		112
54	6	43	3	2	8	7	1	22	16	1		4	1	113
12	1	10		1										114
347	48	260	26	13	18	14	4	54	44	2		2	6	115
2		1	1											116
159	20	125	9	5	6	3	3	10	9			1		117
201	19	155	10	17	23	23		13	10	2		1		118
397	41	327	14	15	35	31	4	129	121	1		4	3	119

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	SOUTH CAROLINA— continued.		SOUTH DAKOTA.				TENNESSEE.						
	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3.	Total.	Group 1.	Group 2.	Group 3, rural.	Memphis.	Group 4, rural.	Nashville.
149 Obesity													
150 Old age	1	160	57	47	29	11	525	149	55	33	48	160	75
151 Ovarian tumor		2	1	1			10	5	1			3	1
152 Ovaries, disease of							1				1		
153 Pancreas, disease of													
154 Paralysis	10	255	49	32	12	5	496	195	83	28	22	141	27
155 Paralysis general (of insane)	1	15	3		3		28	3	6	9		10	
156 Parasites													
157 Pelvic abscess (female)			1	1			5	1			2		2
158 Pericarditis		5	2	1	1		9	3			3	2	1
159 Peritonitis	1	32	20	15	4	1	110	22	6	2	47	14	19
160 Pharyngeal abscess													
161 Pharynx, disease of (not specified)													
162 Phlebitis		1					2					2	
163 Phlegmasia dolens		1					2		1			1	
164 Pleurisy	1	53	5	3	2		62	25	2	1	10	15	9
165 Pneumonia	37	884	280	169	71	40	3,185	825	629	383	373	740	235
166 Poisons (not specified)		34	18	10	3	5	74	24	8	7	17	16	2
167 Pregnancy, affections connected with		2					6	2				1	1
168 Premature birth	4	90	23	19	1	3	249	118	26	9	29	44	23
169 Prostate, disease of		2	1		1		8	4	2			2	
170 Puerperal convulsions		11	2	1	1		21	9	2		5	5	
171 Puerperal mania		2	1	1									
172 Puerperal septicemia	2	39	15	10	5		89	33	13	8	9	25	1
173 Purpura		1	1	1			6	2				2	2
174 Railroad accidents	1	42	8	4	2	2	116	57	16	3	17	17	6
175 Respiratory system, disease of		3					4			1		3	
176 Rheumatism	4	37	21	14	5	2	195	77	21	15	15	57	10
177 Rickets		3	2	2			9	5				3	1
178 Roseola		5					1		1				
179 Rupture of bladder			2	2			2	1				1	
180 Sarcoma		1					6				4	2	
181 Scarlet fever		4	21	15	6		37	18	6	1	3	9	
182 Scrofula	2	42	8		1	7	208	76	33	15	4	77	3
183 Septicemia	3	58	37	25	9	3	197	63	19	6	32	49	28
184 Skin, disease of	1	10	2		2		23	9	7	2	2	3	
185 Smallpox	1	20	1		1		94	11	21	39	4	18	1
186 Spinal cord, disease of		6	1		1		21	6	4		4	5	2
187 Spine, disease of	3	6		1		3	104	49	18	1	1	34	1
188 Spleen, disease of			2	2			3	2				1	
189 Stomach, disease of		26	16	9	3	4	213	64	53	19	13	51	13
190 Suffocation	1	25	9	3	5	1	68	27	9	8	4	17	3
191 Suicide by cutting throat			1	1			9	3			2	2	2
192 drowning		1					1	1					
193 hanging			1	1			9	2	2			4	1
194 poison		4	3	1	1	1	13	4	1	1	2	3	2
195 shooting	1	5	8	5		3	9		3	1	1	3	1
196 (not specified)		7	6	1	5		16	8	2		1	4	1
197 Sunstroke		6	4	2	2		9	1	1	3		2	2
198 Surgical operations		4	1	1			9	3		1	1		4
199 Tabes mesenterica	1	30	5	2	3		146	67	27	8	5	30	9
200 Tetanus		10	2	2			41	10	7		10	7	7
201 Trismus nascentium							6				4	2	
202 Tuberculosis (unclassified)		25	2	2			18	11	2		2	1	2
203 Tubes, disease of							5				4		1
204 Tumor		33	10	6	2	2	60	19	6	6	3	24	2
205 Tumor of uterus		4					10	3			3	2	2
206 Typhoid fever	21	701	73	53	15	5	1,709	550	326	147	51	593	42
207 Typhus fever		6	3	3			2	1		1			
208 Unknown	38	827	284	95	74	115	2,279	769	463	322	93	593	39
209 Uremia	1	15	7	5		2	87	19	3	2	24	15	24
210 Urethra, stricture of		2					2			1			1
211 Urinary organs, disease of		1	3	1	2		9	5	1	2		1	
212 Uterine, hemorrhage	1	5	4	3		1	4	3		1			
213 Uterus, disease of		19					16	11		1		2	2
214 Venereal disease		24	2		2		63	29	3	15	6	9	1
215 Vomiting in pregnancy		3											
216 Whooping cough	1	109	53	19	25	9	425	174	31	42	15	139	24
217 Worms	3	20	1	1			30	13	5	6	1	5	
218 Wounds		3					13	1	3	1		6	2
219 Yellow fever							1					1	

CAUSE OF DEATH.

217

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

TEXAS.					UTAH.			VERMONT.						
Total.	Group 1.	Group 2, rural.	San Antonio.	Group 3.	Total.	Rural.	Salt Lake.	Total.	Rural.	Barre.	Benning- ton town.	Burling- ton.	Rutland.	
590	105	430	37	18	127	85	42	347	309	4	4	23	7	149
17	2	14	1		1	1		5	5					150
3		2	1					1	1					151
														152
423	44	348	13	18	57	41	16	116	103	1	1	9	2	153
15	4	10	1		4	3	1	1	1					154
1		1												155
6	1	4	1		5	2	3	3	2	1				156
														157
15	2	13			3	1	2	7	6	1				158
122	15	84	16	7	41	22	19	72	56	2	2	11	1	159
1			1											160
														161
4		4			2		2	2	2					162
4		4			1	1								163
47	2	42	2	1	7	6	1	11	10		1			164
2,832	249	2,398	43	142	347	246	101	631	531	16	16	39	29	165
148	25	109	7	7	15	11	4	15	14				1	166
2		2			2	2		5	5					167
497	43	397	29	28	74	51	23	106	82	4	4	10	6	168
11	1	10			1	1		6	6					169
19	1	16	2		6	4	2	6	6					170
1		1			2	1	1							171
144	21	106	8	9	10	8	2	16	10		3	1	2	172
4	2	2			3		3	5	5					173
133	30	80	12	11	27	20	7	20	19				1	174
10		9		1	1	1								175
148	15	121	6	6	22	19	3	19	16			2	1	176
4		3	1					2	1			1		177
24	2	21		1										178
1	1													179
14	4	8	2		1		1	9	9					180
707	115	553	11	28	62	47	15	14	10	1		1	2	181
52	3	46	2	1				2	1					182
293	31	244	2	16	31	22	9	33	29	3		1		183
24	3	19	1	1	1	1		7	5		1	1		184
146	29	93	2	22	3	3								185
19	2	15	2		2	2		16	16					186
49	6	42	1		13	13		8	6		2			187
10	1	9						1	1					188
314	15	278	2	19	11	7	4	23	20		2	1		189
91	8	81	2		8	3	5	9	8				1	190
3		3			1	1		2	1		1			191
3		3						1	1					192
14	1	12	1		4	4		7	7					193
35	4	28		3	4	3	1	2	2					194
36	2	28	4	2	4	2	2	11	8	1		1	1	195
41	4	31	3	3	6	6		11	10				1	196
35	2	30	1	2	2	1	1	1	1					197
20	4	14		2	3	1	2	2	1			1		198
47	6	37	3	1	1	1		15	15					199
125	41	67	12	5	3	2	1	3	1			1	1	200
11	3	8			1									201
15	2	6	7		2	1	1	9	9					202
8	3	3	2		1		1							203
77	7	65		5	5	5		20	18			1	1	204
14	2	12			1		1	5	4		1			205
2,014	147	1,756	44	67	73	57	16	107	94	3	2	4	4	206
10		10												207
2,941	302	2,489	59	91	125	120	5	95	90		3	2		208
65	9	53	1	2	10	3	7	40	33		4	1	2	209
1		1												210
12	1	10	1					4	4					211
10		10						3	3					212
29	6	20		3										213
32	4	19	5	4				3	2			1		214
3		2		1	1		1	2	2					215
576	43	489	2	42	61	54	7	40	36	1		2	1	216
18	7	10		1										217
26	5	13	2	6	1	1		3	3					218
3	2	1						1	1					219

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE

CAUSE OF DEATH.	VIRGINIA.									WASHINGTON.		
	Total.	Group 1, rural.	Norfolk.	Group 2, rural.	Alexan- dria.	Lynch- burg.	Peters- burg.	Rich- mond.	Group 3.	Total.	Group 1, rural.	Spokane.
1 All causes	25,252	5,073	1,173	7,459	351	523	678	2,523	7,472	4,910	1,234	511
2 Abortion	11	4		2					5	4	3	
3 Abscess	21	3		7	1	1	1	2	6	7	4	2
4 Abscess, lumbar and psoas	5	2		1		1			1	2		
5 Absorbent system, disease of	5	3	1					1		1		
6 Accidents and injuries (not specified)	96	18	1	31	2		2	8	34	99	19	22
7 Addison's disease										3		
8 Adenitis	2			1					1			
9 Alcoholism	46	7	7	10	1	1	3	3	14	26	1	2
10 Anemia	21	2		6	1		1	6	5	12	2	1
11 Aneurism	10	3	2	1			1	1	2	10	1	
12 Angina	28	1		10	1			1	15	12	4	1
13 Angina pectoris	43	4	3	9	1		4	11	11	11	4	2
14 Aphthae	58	26	2	13				3	14	2		
15 Apoplexy	383	74	26	87	7	9	23	87	70	92	11	8
16 Appendicitis	80	13	4	20		1		13	29	51	15	7
17 Arteries, disease of	8		1		1			2	4			
18 Ascites	47	7	3	17			1	5	14	5	1	1
19 Asthma	109	27	3	39	3	1	2	16	18	12	2	2
20 Atrophy	12			4			2	6		3		3
21 Bile passages, disease of												
22 Birth, causes incident to	14	2	3	3		3	2		1	6	1	2
23 Bites										1		
24 Bladder, disease of	45	18	1	7	1		2	7	9	15	4	4
25 Bones, disease of	10	2		3				2	3	4		
26 Bowels, disease of	100	24		33		1	2	6	34	14	7	1
27 Bowels, obstruction of	53	8	11	9	1	2	1	10	11	25	6	5
28 Brain, disease of	209	47	10	47	3	4	10	50	38	54	15	2
29 Breast, disease of (puerperal)												
30 Bright's disease	492	86	39	96	23	12	38	81	117	140	35	16
31 Bronchitis	361	42	28	95	6	11	4	61	114	50	11	8
32 Burns and scalds	271	69	10	94	1	1	6	12	78	30	8	1
33 Calculus biliary	6			2				1	3	2		
34 Calculus urinary	14			9					5			
35 Cancer (not specified)	133	17	7	36	5	7	4	12	45	63	18	5
36 of abdomen	15	3	1	5					6	4	1	
37 bladder	4							3	1	4	1	
38 brain	1					1						
39 breast	57	9	3	20	1		3	6	15	6	1	
40 eye										3	2	
41 genitals												
42 head, face, and neck	40	7	2	9			1	8	13	7	4	1
43 kidneys	2			1					1	1		
44 larynx												
45 liver	15	4	2	3		1		2	3	16	3	
46 lower extremities	5	1		2					2	1	1	
47 lungs	2	1					1					
48 mouth, tongue, and throat	10	3		3			1		3	5	1	
49 ovaries												
50 penis	2			2								
51 rectum	7	1	2	2				1	1	7	2	2
52 stomach	91	10	2	23	1	1	1	8	45	47	8	5
53 testicle												
54 upper extremities	3								3			
55 uterus	74	6	2	25	1	2	4	10	24	21	3	2
56 Carbuncle	10	1		6			1		2	1		
57 Catalepsy												
58 Cerebro-spinal fever	82	15	6	16		1	2	9	33	16	3	1
59 Chicken pox												
60 Childbirth	162	55	2	61		1	4	6	33	23	13	
61 Cholera infantum	570	172	37	120	10	4	17	64	146	84	35	29
62 Cholera morbus	105	19	6	34	1	2	4	5	34	45	21	2
63 Chorea	1	1								1		1
64 Circulatory system, disease of										1		
65 Colic	69	18	5	32		1		2	11	4	3	
66 Colitis	36	12	2	8	1	1	1	10	1	3		2
67 Constipation	14	1		3					10	2	1	
68 Consumption	3,223	588	165	1,019	36	59	71	308	977	563	135	48
69 Convulsions	355	42	31	128	5	18	17	64	50	42	5	9
70 Croup	362	43	3	74	4	4	1	4	229	45	13	1
71 Cyanosis	10	1	3	2	1			1	2	1		
72 Debility	335	27	21	72	12	12	49	126	16	38	5	6
73 Dentition	200	44	25	79		7	7	24	14	2	1	
74 Diabetes	66	8	2	21	1		1	3	30	30	6	3
75 Diarrhea	241	62	18	71	1		10	44	35	20	2	2
76 Digestive system, disease of	82	14	7	23		5	2	8	23	7	2	

CAUSE OF DEATH.

219

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheel- ing.	Total.	Group 1, rural.	Green Bay.	Manito- woc.	Milwau- kee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
1,842	898	425	9,588	5,082	3,952	554	24,928	3,679	315	168	4,550	2,389	7,414	152	216	1
1			6	3	2	1	17	4			7	2	1			2
1			10	6	3	1	35	7			5	7	7			3
1	1		1			1										4
		1					3						3			5
35	21	2	81	52	27	2	436	39	4	5	63	86	102	5	1	6
2		1					5					1	2			7
			1	1			4						2		1	8
10	9	4	16	7	3	6	59	11	1		26	1	12			9
3	5	1	16	11	3	2	55	3	3		9	2	24		1	10
4	5		7	5	2		12	3	1	1	1	1	3			11
6	1		5	4	1		24	2		1	2	2	4			12
3	1	1	19	5	11	3	58	8	1		17	6	20			13
1	1		8	3	5		7	1			1	1	3			14
36	26	11	96	50	31	15	679	138	10	3	105	64	235	5	4	15
14	9	6	20	8	8	4	217	21	5	1	45	21	69	1	5	16
			2	1	1		45	6	1	1	13	4	15		1	17
3			29	16	13		13	3			2		3			18
5	3		34	16	13	5	127	24		1	26	11	43	1	1	19
							16	8			7		1			20
							2						2			21
2		1	15	3	12		65	15			13	10	14		1	22
1			1	1												23
4	2	1	16	9	6	1	87	17	1	1	18	6	24		2	24
2	2		5	2	3		17	5			2		3			25
5	1		49	19	30		59	11			2	5	17	2		26
2	9	3	25	9	12	4	113	13	3	1	12	13	47	1	1	27
18	16	3	58	28	28	2	194	24		1	26	25	73			28
																29
53	20	16	172	82	68	22	575	88	1	5	97	73	199	4	7	30
19	6	6	82	39	27	16	578	107	3	3	182	33	148	5	2	31
13	5	3	93	45	42	6	123	13	3	1	25	12	28			32
	1	1	10	3	2	5	22	3		1	3	3	6			33
			6	2	2	2	6	1				1	3			34
20	13	7	43	22	19	2	358	42	11	2	59	32	125	5	6	35
1	1	1	7	2	4	1	32	3		1	5	3	9			36
1	2		1			1	5				1					37
																38
3	2		15	6	5	4	48	8	1		4	6	19	1	2	39
1							2					1	1			40
							2				1					41
2			20	9	10	1	38	6	1	1	7	3	13			42
1			2	1	1		1					1				43
							1									44
4	7	2	14	7	7		82	9	2	1	17	4	37	3		45
			3	2		1	1						1			46
							1									47
1	3		2	1	1		20	2	2		3		7			48
			2		1	1										49
1	1	1	2	1	1		12	1	1		3	2	2			50
18	10	6	54	26	23	5	313	42	2	2	61	35	102	1	3	51
																52
							1	1								53
							2									54
8	5	3	23	8	12	3	61	9			15	2	16		1	55
1			2		2		2						2			56
							1	1								57
9	3		25	15	8	2	40	16	4		2	5	7			58
			1		1		2									59
8	1	1	49	33	13	3	107	8			12	9	31			60
15	5		254	136	110	8	675	107	18	3	131	54	131	2	6	61
17	5		55	28	24	3	247	24	3		11	37	84		1	62
																63
			5	3	2		1	1								64
	1		1	1			3						1			65
1			2		2		169	29		2	12	15	36			66
1			3			1	19	1			5		9			67
1			5	2	1		5						4			68
225	99	56	1,273	620	596	57	2,350	368	24	23	426	205	759	14	17	69
12	10	6	83	43	34	6	834	146	15	7	261	57	197	4	4	70
27	4		326	169	155	2	159	18			30	20	36	1		71
	1		4	1	3		9				3		2			72
11	11	5	53	23	25	5	471	75	6	4	110	13	166	6	6	73
1			11	7	4		34	9			5	3	6			74
12	4	5	23	13	8	2	149	14	3		14	16	60	1	3	75
11	3	2	66	27	30	9	153	21	1		45	18	29		3	76
2	1	2	29	19	10		95	11	1	2	22	11	25	1	1	77

CAUSE OF DEATH.

221

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.								
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheel- ing.	Total.	Group 1, rural.	Green Bay.	Manito- woc.	Milwau- kee.	Group 2.	Group 3, rural.	Beloit.	Madison.
37	10		162	83	74	5	352	44	6	8	93	12	73	3	77
1	1						1						1		78
14	4	7	176	106	69	1	331	42	4	1	41	63	103		5
54	27	4	35	17	17	1	192	28	6	5	29	18	43	3	80
10	5	1	126	65	58	3	116	16	2	2	8	14	43		1
			5	1	2	2	2				1	1			82
1	2						1						1		83
1			1			1	17	6	1		2	2	5		84
7	11	3	39	13	13	13	409	57	4	7	193	9	71	6	85
															86
4	2		51	20	29	2	82	9	1		5	5	43		2
3		1	27	9	17	1	50	7		1	10	5	13		
							2		1						
		1	3		3										
1	2		13	4	7	2	18	1			1	5	6		91
5			10	8	2		32	5			3	1	12		92
			3		1	2	1				1				93
							1								94
9	1	1	14	10	3	1	21					1	6		95
13	1	2	23	10	11	2	45	6			5	9	16		96
1			9	6	3		8				1	3			97
5		1	30	16	14		18	4			2	1	4		98
			2	1	1		3	1				1			99
6	5	1	20	8	7	5	87	18	2		12	8	23	1	100
			2	1	1		3				1				101
2	2		16	11	2	3	32	7			5	5	8	1	102
15	5		114	70	39	5	231	37	3		52	18	78		4
			3		2	1	5					2	1		
			1		1		2				1				
							1								
25	6	3	46	28	17	1	58	6		1	2	10	14		
144	83	39	479	240	202	37	2,105	324	11	8	282	217	758	13	16
	1						2						1	1	
5	1		23	15	7	1	176	18	3	1	47	9	64	1	3
6	2	1	16	9	5	2	54	6	1		10	4	17	1	1
1			1		1		4	1					1		
7	1	6	17	9	7	1	24	5	1		6	2	4		1
7	13	2	14	7	7		68	14	3		21	4	12		
			2		2										
16	18	15	34	13	13	8	379	48	9	1	139	23	72	3	1
							1								
3			32	15	16	1	33	3			5	6	10		1
7	2	1	150	78	72		151	32	2		15	16	36		1
28	6	6	186	118	60	8	241	26	2		5	26	101	5	1
1			5	2	3		6	2							
5	2		22	14	8		50	7			8	3	17		
			1	1			5	1			1	1	1		
6		3	61	31	29	1	123	18	1		25	15	38		
	3	1	2	2			26	1			9	4	5		2
			1	1			2						2		
	1		1		1		1	1							
							1					1			
1	1		1			1	11	1			1	1	5		
1			5	4	1		11	1				1	5		
10	8	6	51	18	20	13	135	24			18	11	60		
2		1	3	2		1	16	2			2	3	8		
21	3	4	59	25	30	4	209	28	2	1	36	16	72		5
							1				1				
2	1	1	34	17	17		37	5			3	7	14		1
6	2	3	22	6	9	7	67	12	2		6	6	27		
2	1						1								
7	1		228	143	82	3	103	10			18	4	22		1
28	13	10	183	90	75	18	449	58	13	6	114	42	85	6	6
40	3		51	26	25		103	24			18	7	46		1
40	1		46	38	6	2	2								
			3	2	1		7	2			1	2			
6			38	17	20	1	44	9			3	3	24		
							1						1		
							2	2							

CAUSE OF DEATH.

223

GROUPS, AND REGISTRATION CITIES: CENSUS YEAR 1900—Continued.

WASHINGTON—continued.			WEST VIRGINIA.				WISCONSIN.									
Group 2, rural.	Seattle.	Tacoma.	Total.	Group 1.	Group 2, rural.	Wheel- ing.	Total.	Group 1, rural.	Green Bay.	Manito- woc.	Milwau- kee.	Group 2.	Group 3, rural.	Beloit.	Madison.	
60	19	14	184	103	67	14	1,316	1	23	7	130	160	433	8	12	149
2	1	1	1	1			5	272			1		3			150
																151
																152
43	13	8	278	151	116	11	567	62	4		2	77	262	3	5	153
5			4	3	1		7	4			37		3			154
																155
			2		2		5	1			1		1			156
																157
1	1		4	1	2	1	13				6		3	1		158
12	14	13	29	11	12	6	253	26	1		58	16	75	3		159
																160
																161
1	1		1			1	2	1					1			162
			3	2	1											163
5	3	2	32	21	11		58	6	2		18	2	14			164
116	117	26	722	413	255	54	2,022	240	17	14	432	164	596	10	18	165
																166
5	8	5	27	14	13		73	10	1		15	3	20		1	167
			1		1		3				2	1				168
18	7	14	114	54	51	9	426	60	13	2	154	23	65	7	6	169
2			2		1	1	18	2	2		4	1	8			170
																171
1	1		7	1	4	2	13			1	1		3			172
																173
8		1	33	19	9	5	48	4			11	8	6			174
	1		4	4			4			1		1	1			175
																176
21	13	7	103	63	29	11	219	44	4		42	19	45	1	2	177
1			2	1	1		1	1								178
5	1	4	67	29	34	4	152	19		1	18	23	58		1	179
																180
2		1	2	1	1		19	7		2	3	1	2			181
							1									182
							6	1			1	1	2			183
							27	2			9	32	59		1	184
																185
2	5		5	1	1	3	31	2		2	9		9	1		186
24	4	7	60	43	16	1	200	35	2	4	76	14	43	1	8	187
1			38	24	14		10	2					6			188
16	11	5	55	30	23	2	208	31	1	1	20	32	59	2		189
2			9	6	2	1	27	2			9	1	11			190
																191
1		1	4	3	1		7	1			1	1	1			192
3	3	1	26	11	15		51	11			7	5	22			193
3	1	1	72	29	43		39	3			3	8	16	1		194
			1	1			4	1			1		1			195
4	2	2	73	31	41	1	116	18	1		8	21	44	2	2	196
																197
5	3	1	19	13	6		77	13	1	1	29	4	13			198
2							2					1				199
3	1		3	2		1	13	4			6	1				200
6	1		4	3		1	32	3		1	8	3	11			201
4	4	1	3	1	1	1	17	1	1		8	2	3			202
																203
6	2	3	3	2	1		32	6		1	13	1	5			204
7	2	4	8	3	5		72	10	1		25	2	20	1	1	205
1			3	2	1		15	1			3	7	7			206
1		1	1		1		24	9	1	1	3	3	4			207
																208
3	2	2	17	7	9	1	22	2		1	4	2	8			209
1			5	2	3		21	5		1	2	7	7		1	210
							7	1			3	1	2			211
1	3		2	2			11	2			1	1	4			212
			2			2	5	1					1	1		213
																214
4		1	24	10	13	1	89	21			7	14	22		4	215
			6		5	1	10	1	1		3	2			1	216
47	31	7	586	328	232	26	365	40	6	3	52	46	75		3	217
			3	3			1	1								218
																219
65	10	7	671	433	233	5	916	120	14	5	38	124	239	2	8	220
11	5	1	22	7	13	2	61	8		1	13	4	23	1	3	221
2																222
																223
1			2		2		4	2					2			224
			2	1	1		2			1	1	1	1			225
			6	3	3		9	2	1		1	1	1			226
																227
2	3		9	4	5		18	1			11		4			228
			3			3	1								1	229
																230
18	7		152	90	54	8	218	26	6		9	14	45			231
			13	7	6		2				1		1			232
13	9	2	11	6	5		25	6		1	3	1	2		1	233

VITAL STATISTICS.

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES:
CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
All causes	4,929	175	100	257	232	352	767	103	664
Abortion	1					2	2		2
Abscess	9						2		2
Abscess, lumbar and psoas									
Absorbent system, disease of									
Accidents and injuries (not specified)	109	4	2	2	3	11	15	3	12
Addison's disease	2								
Adenitis		1							
Alcoholism	6				1	1	4		4
Anemia	10	1	1		1		3		3
Aneurism	1				1				
Angina	12			1					
Angina pectoris	5					1	2		2
Aphthae	1								
Apoplexy	94	3	1	8	4	5	7	2	5
Appendicitis	35	1	2	3	4	4	8	3	5
Arteries, disease of	2				2				
Ascites	4				1		3		3
Asthma	19			1			2		2
Atrophy									
Bile passages, disease of									
Birth, causes incident to	10		1			1			
Bites									
Bladder, disease of	16			1		1			
Bones, disease of	5	1			1				
Bowels, disease of	17	1		2		2	6	1	5
Bowels, obstruction of	17			1	1	3	7		7
Brain, disease of	38	1		2	1	3	3		3
Breast, disease of (puerperal)									
Bright's disease	81	4	1	4	4	7	8	1	7
Bronchitis	72	3	2	4	7	7	33	7	26
Burns and scalds	37	1		1		2	4	1	3
Calculus biliary	5		1						
Calculus urinary	1								
Cancer (not specified)	53	1	2	6	1	13	5		5
of abdomen	11								
bladder	4								
brain									
breast	6				1		1	1	
eye									
genitals									
head, face, and neck	4	1		2			1		1
kidneys									
larynx	1								
liver	8					1	1		1
lower extremities	1								
lungs									
mouth, tongue, and throat	5		1						
ovaries									
penis									
rectum	2		1				1	1	
stomach	56	2	2	2	3		6	2	4
testicle									
upper extremities									
uterus	11	1					1		1
Carbuncle									
Catalepsy									
Cerebro-spinal fever	6						3		3
Chicken pox	2								
Childbirth	39	3		2	1	2	12	1	11
Cholera infantum	166	9	1	9	7	31	11	1	10
Cholera morbus	78	1		2	2	4	12		12
Chorea									
Circulatory system, disease of	2								
Colic	70	1	1	1	2				
Colitis	4								
Constipation	1								
Consumption	408	18	8	28	21	31	51	4	47
Convulsions	126	4	4	4	2	3	13	3	10
Croup	45	2			5	2	5	2	3
Cyanosis	4								
Debility	63	6	1	8	6	1	4	2	2
Dentition	10					1			
Diabetes	31	2	2	1		2	1		1
Diarrhea	34	1			1		2		2
Digestive system, disease of	18	1		2			2		2

CAUSE OF DEATH.

225

TABLE 7.—DEATHS FROM EACH REPORTED CAUSE, BY STATES, STATE GROUPS, AND REGISTRATION CITIES:
CENSUS YEAR 1900—Continued.

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
Diphtheria	103	1	1	3		5	23	8	15
Dislocations									
Dropsy	58	5	2	6	1		10	3	7
Drowning	46		1	8	1	4	5	1	4
Dysentery	26	1		2		1	4		4
Ear, disease of							1		1
Electricity									
Elephantiasis									
Embolism	1								
Enteritis	44		1	5	8	1	2		2
Epilepsy	14				1	2			
Erysipelas	9	1	1	1	1	1	2		2
Esophagus, obstruction and stricture of	1								
Execution									
Explosion	3	2					2		2
Exposure and neglect	10	1					5		5
Extra-uterine pregnancy									
Eye, disease of					1				
Falling bodies	12				1	1	1		1
Falls	8						2	1	1
Female organs of generation, disease of	4								
Fever	6					1	1		1
Foreign bodies in esophagus	1								
Fractures	15	1	1	2		4	1		1
Frozen	2						1		1
Gangrene	4	1	1						
Gastritis	35		1	2		1	5		5
General disease (not specified)									
Goiter	2								
Goiter, exophthalmic	1								
Gout	1								
Gunshot wounds	23			1	1		10	1	9
Heart disease	396	16	14	20	14	16	39	6	33
Hemophilia									
Hemorrhage	25		2		1	2	3		3
Hernia	11		1		2		1		1
Hip joint, disease of	1					1	1		1
Homicide	4					1	3		3
Hydrocephalus	11	2		1					
Hydrophobia									
Inanition	53	4	5	2	11	8	9		9
Infanticide	1						1	1	1
Inflammation and abscess of liver	8						2	1	1
Inflammation of brain	43			2		4	7	3	4
Influenza	66	1			1	7	20	1	19
Injuries by machinery	4								
Jaundice	13			1	1		1		1
Joints, disease of				1					
Kidneys, disease of	21	2				3	3		3
Laryngitis	4		1				1		1
Larynx, disease of									
Lead poison									
Leprosy									
Leucocythemia	3								
Lightning	2			2					
Liver, disease of	18			3		1	4		4
Locomotor ataxia				1					
Lost at sea									
Lungs, disease of	41	2		1	3	2	8	1	7
Lymphangitis									
Malarial fever	6					1			
Male organs of generation, disease of									
Malformation	12				1	1	1		1
Malignant pustule	1								
Measles	37		1		10		20	4	16
Meningitis	96	3	3	2	3	12	11	1	10
Mental disease	7						1		1
Mining accidents	2						24		24
Mumps	1				1				
Nervous system, disease of	3	1				1	1		1
Noma									
Nose, disease of									

CAUSE OF DEATH.	WISCONSIN—continued.						WYOMING.		
	Group 4, rural.	Appleton.	Chippewa Falls.	Eau Claire.	Marinette.	Superior.	Total.	Group 1.	Group 2.
Obesity									
Old age	224	12	7	8	12	8	13	2	11
Ovarian tumor			1						
Ovaries, disease of									
Pancreas, disease of									
Paralysis	105	4	1	2	1	4	10	2	8
Paralysis general (of insane)									
Parasites									
Pelvic abscess (female)	2								
Pericarditis	3								
Peritonitis	63	4			3	4	7		7
Pharyngeal abscess									
Pharynx, disease of (not specified)									
Phlebitis									
Phlegmasia dolens									
Pleurisy	15			1			1		1
Pneumonia	415	13	5	15	25	58	109	8	101
Poisons (not specified)	21		1			1	7		7
Pregnancy, affections connected with									
Premature birth	75	2	4	1	9	5	2		2
Prostate, disease of	1								
Puerperal convulsions	6			1	1		1		1
Puerperal mania									
Puerperal septicemia	17					2	4		4
Purpura	1								
Railroad accidents	56	2		1	1	2	22	2	20
Respiratory system, disease of									
Rheumatism	24	2		5		1	3		3
Rickets	4								
Roseola	1								
Rupture of bladder	1								
Sarcoma	7	1							
Scarlet fever	11	1			1	4	10	7	3
Scrofula	2						26		26
Septicemia	55	3		2		2	5	1	4
Skin, disease of	2	1							
Smallpox	2					1	3		3
Spinal cord, disease of	5					1	1	1	1
Spine, disease of	8						2		2
Spleen, disease of	1								
Stomach, disease of	18			1		1	1		1
Suffocation	13			1	1	1			
Suicide by cutting throat	1								
drowning	2								
hanging	4				2				
poison	2						5	1	4
shooting	6								
(not specified)	9	1	1	1			2	1	1
Sunstroke	2		2						
Surgical operations	2		1						
Tabes mesenterica	4					1	1		1
Tetanus	3								
Trismus nascentium									
Tuberculosis (unclassified)	3								
Tubes, disease of	2								
Tumor	19		1			1	3	2	1
Tumor of uterus	1			1					
Typhoid fever	91	3	3	5	19	19	16	4	12
Typhus fever									
Unknown	298	6	2	42	7	11	27	4	23
Uremia	6	1			1		1		1
Urethra, stricture of									
Urinary organs, disease of									
Uterine hemorrhage									
Uterus, disease of	3								
Venereal disease	1			1			4		4
Vomiting in pregnancy									
Whooping cough	105	1	1	6	3	2	4	2	2
Worms									
Wounds	10					1			
Yellow fever									

TABLE 8.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND
IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE.

NOTE.—This table is presented with full details of age for the United States and the registration summaries, states and state groups,
and with a more condensed statement of age for the nonregistration states.

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
UNITED STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males.....	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females.....	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	Unknown cause.....	40,539	18,998	2,380	1,126	633	493	23,630	1,302	820	953	1,080	952
5	Males.....	21,318	10,421	1,260	599	337	244	12,861	671	389	442	469	397
6	Females.....	19,221	8,577	1,120	527	296	249	10,769	631	431	511	611	555
7	1. General diseases.												
	General diseases—A.....	209,819	55,756	25,383	11,449	7,277	5,369	105,234	15,235	7,929	9,471	9,860	7,660
8	Males.....	107,704	30,044	13,190	5,770	3,599	2,671	55,214	7,355	3,585	4,482	5,338	4,031
9	Females.....	102,115	25,712	12,193	5,679	3,758	2,698	50,020	7,880	4,344	4,989	4,522	3,629
10	Measles.....	(M. 6,231 F. 6,635)	(M. 1,592 F. 1,420)	(M. 1,492 F. 1,376)	(M. 688 F. 688)	(M. 359 F. 403)	(M. 222 F. 225)	(M. 4,353 F. 4,112)	(M. 541 F. 569)	(M. 256 F. 295)	(M. 258 F. 351)	(M. 248 F. 241)	(M. 119 F. 205)
11	Scarlet fever.....	(M. 3,135 F. 3,198)	(M. 325 F. 246)	(M. 447 F. 417)	(M. 466 F. 455)	(M. 458 F. 454)	(M. 334 F. 374)	(M. 2,030 F. 1,946)	(M. 782 F. 821)	(M. 149 F. 197)	(M. 58 F. 93)	(M. 37 F. 43)	(M. 22 F. 25)
12	Diphtheria.....	(M. 8,070 F. 8,405)	(M. 648 F. 491)	(M. 1,107 F. 997)	(M. 1,168 F. 1,086)	(M. 1,048 F. 1,047)	(M. 872 F. 920)	(M. 4,843 F. 4,541)	(M. 2,210 F. 2,588)	(M. 563 F. 729)	(M. 189 F. 220)	(M. 86 F. 86)	(M. 35 F. 68)
13	Whooping cough.....	(M. 4,601 F. 5,357)	(M. 2,688 F. 2,799)	(M. 1,009 F. 1,257)	(M. 372 F. 558)	(M. 186 F. 272)	(M. 107 F. 149)	(M. 4,362 F. 5,035)	(M. 151 F. 222)	(M. 26 F. 41)	(M. 15 F. 15)	(M. 3 F. 3)	(M. 5 F. 5)
14	Malarial fever.....	(M. 7,497 F. 7,377)	(M. 910 F. 835)	(M. 620 F. 617)	(M. 345 F. 350)	(M. 238 F. 278)	(M. 215 F. 220)	(M. 2,328 F. 2,330)	(M. 710 F. 777)	(M. 452 F. 473)	(M. 558 F. 590)	(M. 589 F. 528)	(M. 426 F. 410)
15	Influenza.....	(M. 7,718 F. 8,927)	(M. 1,066 F. 815)	(M. 269 F. 235)	(M. 116 F. 126)	(M. 66 F. 70)	(M. 48 F. 54)	(M. 1,565 F. 1,300)	(M. 145 F. 145)	(M. 79 F. 114)	(M. 130 F. 174)	(M. 171 F. 180)	(M. 157 F. 215)
16	Typhoid fever.....	(M. 18,881 F. 16,498)	(M. 564 F. 525)	(M. 522 F. 505)	(M. 355 F. 392)	(M. 304 F. 341)	(M. 257 F. 237)	(M. 2,002 F. 2,000)	(M. 1,226 F. 1,346)	(M. 1,212 F. 1,772)	(M. 2,361 F. 2,670)	(M. 3,065 F. 2,165)	(M. 2,241 F. 1,402)
17	Cholera morbus.....	(M. 3,370 F. 3,039)	(M. 993 F. 744)	(M. 401 F. 345)	(M. 238 F. 187)	(M. 86 F. 85)	(M. 55 F. 46)	(M. 1,773 F. 1,407)	(M. 185 F. 137)	(M. 126 F. 91)	(M. 86 F. 91)	(M. 85 F. 101)	(M. 61 F. 101)
18	Colitis.....	(M. 770 F. 651)	(M. 323 F. 255)	(M. 127 F. 118)	(M. 42 F. 35)	(M. 27 F. 9)	(M. 8 F. 3)	(M. 527 F. 420)	(M. 13 F. 12)	(M. 2 F. 5)	(M. 4 F. 3)	(M. 8 F. 11)	(M. 13 F. 8)
19	Diarrhea.....	(M. 4,272 F. 3,438)	(M. 1,356 F. 1,119)	(M. 520 F. 464)	(M. 190 F. 156)	(M. 46 F. 58)	(M. 33 F. 20)	(M. 2,145 F. 1,817)	(M. 182 F. 181)	(M. 60 F. 59)	(M. 40 F. 27)	(M. 46 F. 36)	(M. 57 F. 54)
20	Dysentery.....	(M. 6,112 F. 5,598)	(M. 1,213 F. 1,038)	(M. 1,260 F. 1,032)	(M. 470 F. 417)	(M. 201 F. 157)	(M. 126 F. 86)	(M. 3,270 F. 2,730)	(M. 270 F. 194)	(M. 103 F. 66)	(M. 93 F. 67)	(M. 139 F. 91)	(M. 113 F. 104)
21	Enteritis.....	(M. 10,258 F. 9,399)	(M. 5,979 F. 4,829)	(M. 1,565 F. 1,396)	(M. 411 F. 374)	(M. 149 F. 165)	(M. 114 F. 107)	(M. 8,218 F. 6,871)	(M. 223 F. 234)	(M. 97 F. 84)	(M. 90 F. 90)	(M. 89 F. 118)	(M. 100 F. 147)
22	Cholera infantum.....	(M. 13,662 F. 11,914)	(M. 9,922 F. 8,467)	(M. 3,068 F. 2,754)	(M. 485 F. 489)	(M. 125 F. 129)	(M. 55 F. 69)	(M. 13,655 F. 11,908)					
23	Fever.....	(M. 1,392 F. 1,425)	(M. 383 F. 381)	(M. 215 F. 182)	(M. 88 F. 68)	(M. 50 F. 53)	(M. 39 F. 39)	(M. 775 F. 723)	(M. 108 F. 119)	(M. 47 F. 66)	(M. 63 F. 80)	(M. 79 F. 77)	(M. 49 F. 74)
24	Cerebro-spinal fever.....	(M. 2,322 F. 1,852)	(M. 611 F. 475)	(M. 314 F. 244)	(M. 162 F. 131)	(M. 105 F. 108)	(M. 86 F. 61)	(M. 1,278 F. 1,019)	(M. 270 F. 235)	(M. 148 F. 158)	(M. 158 F. 102)	(M. 96 F. 70)	(M. 86 F. 65)
25	Smallpox.....	(M. 2,116 F. 1,368)	(M. 219 F. 180)	(M. 60 F. 75)	(M. 54 F. 36)	(M. 25 F. 39)	(M. 38 F. 28)	(M. 396 F. 358)	(M. 97 F. 105)	(M. 72 F. 64)	(M. 167 F. 117)	(M. 281 F. 165)	(M. 230 F. 116)
26	Erysipelas.....	(M. 1,582 F. 1,279)	(M. 422 F. 399)	(M. 46 F. 51)	(M. 20 F. 11)	(M. 12 F. 9)	(M. 6 F. 6)	(M. 506 F. 476)	(M. 24 F. 21)	(M. 27 F. 20)	(M. 35 F. 40)	(M. 41 F. 35)	(M. 58 F. 45)
27	Septicemia.....	(M. 3,033 F. 3,743)	(M. 341 F. 288)	(M. 64 F. 70)	(M. 51 F. 52)	(M. 29 F. 37)	(M. 36 F. 32)	(M. 521 F. 479)	(M. 143 F. 104)	(M. 128 F. 80)	(M. 121 F. 212)	(M. 174 F. 490)	(M. 152 F. 509)
28	Venereal diseases.....	(M. 934 F. 657)	(M. 369 F. 306)	(M. 33 F. 24)	(M. 12 F. 14)	(M. 7 F. 8)	(M. 1 F. 3)	(M. 422 F. 355)	(M. 5 F. 5)	(M. 5 F. 4)	(M. 20 F. 29)	(M. 41 F. 39)	(M. 57 F. 34)
29	Others of this group.....	(M. 1,748 F. 1,355)	(M. 120 F. 100)	(M. 51 F. 34)	(M. 37 F. 24)	(M. 18 F. 16)	(M. 19 F. 19)	(M. 245 F. 193)	(M. 67 F. 45)	(M. 33 F. 26)	(M. 36 F. 27)	(M. 59 F. 43)	(M. 55 F. 39)
30	General diseases—B.....	18,247	10,331	777	395	226	128	11,857	268	89	197	384	517
31	Males.....	11,048	5,709	418	211	121	79	6,538	130	48	87	211	317
32	Females.....	7,199	4,622	359	184	105	49	5,319	138	41	110	173	200
33	Alcoholism.....	(M. 2,388 F. 423)	(M. 2 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 2 F. 1)	(M. 5 F. 3)	(M. 6 F. 1)	(M. 1 F. 3)	(M. 4 F. 18)	(M. 46 F. 52)	(M. 164 F. 52)
34	Parasitic diseases.....	(M. 265 F. 286)	(M. 29 F. 28)	(M. 56 F. 63)	(M. 53 F. 55)	(M. 36 F. 43)	(M. 31 F. 20)	(M. 205 F. 209)	(M. 41 F. 58)	(M. 2 F. 5)	(M. 2 F. 3)	(M. 3 F. 1)	(M. 1 F. 1)
35	Lead poison.....	(M. 85 F. 28)	(M. 2 F. 7)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 5 F. 10)	(M. 1 F. 1)		(M. 3 F. 3)	(M. 3 F. 6)	(M. 1 F. 1)
36	Other poisons.....	(M. 2,102 F. 1,288)	(M. 111 F. 78)	(M. 156 F. 94)	(M. 106 F. 82)	(M. 58 F. 33)	(M. 25 F. 20)	(M. 456 F. 307)	(M. 62 F. 55)	(M. 37 F. 26)	(M. 74 F. 97)	(M. 151 F. 142)	(M. 137 F. 134)
37	Inanition.....	(M. 6,208 F. 5,174)	(M. 5,565 F. 4,509)	(M. 204 F. 201)	(M. 51 F. 45)	(M. 27 F. 28)	(M. 20 F. 7)	(M. 5,867 F. 4,790)	(M. 21 F. 24)	(M. 8 F. 10)	(M. 4 F. 7)	(M. 8 F. 13)	(M. 9 F. 12)
38	General diseases—C.....	65,484	29,434	1,169	287	106	61	31,057	119	71	79	123	127
39	Males.....	33,230	16,553	568	150	64	28	17,363	56	38	46	56	47
40	Females.....	32,254	12,881	601	137	42	33	13,694	63	33	33	67	80
41	Old age.....	(M. 13,362 F. 15,860)											
42	Premature birth.....	(M. 8,390 F. 6,330)	(M. 8,390 F. 6,330)					(M. 8,390 F. 6,330)					
43	Malformation.....	(M. 1,448 F. 1,227)	(M. 1,414 F. 1,170)	(M. 19 F. 25)	(M. 9 F. 7)	(M. 4 F. 6)	(M. 2 F. 3)	(M. 1,448 F. 1,211)	(M. 8 F. 5)	(M. 5 F. 5)	(M. 3 F. 1)	(M. 2 F. 1)	(M. 1 F. 1)
44	Debility and atrophy.....	(M. 9,097 F. 8,185)	(M. 5,850 F. 4,733)	(M. 549 F. 576)	(M. 141 F. 130)	(M. 59 F. 36)	(M. 26 F. 30)	(M. 6,625 F. 5,505)	(M. 48 F. 58)	(M. 33 F. 28)	(M. 43 F. 32)	(M. 54 F. 66)	(M. 47 F. 79)
45	Others of this group.....	(M. 903 F. 652)	(M. 899 F. 648)			(M. 1 F. 1)		(M. 900 F. 648)					

229

UNITED STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
43, 857	44, 367	41, 439	40, 201	42, 666	43, 169	48, 178	52, 190	53, 073	46, 039	33, 786	17, 247	6, 135	2, 721	7, 440	1
22, 349 21, 508	23, 296 21, 071	22, 428 19, 011	22, 529 17, 672	23, 915 18, 751	24, 024 19, 145	26, 269 21, 909	28, 563 23, 627	28, 761 24, 312	24, 627 21, 412	17, 525 16, 261	8, 457 8, 790	2, 616 3, 519	1, 045 1, 676	4, 385 3, 055	2 3
785	848	873	819	922	899	1, 024	1, 146	1, 095	1, 001	771	381	172	117	949	4
341 444	376 472	426 447	416 403	480 442	485 414	552 472	616 530	598 497	568 433	430 341	183 198	74 98	44 73	500 449	5 6
5, 988	5, 400	4, 634	4, 234	4, 178	3, 850	4, 396	4, 861	5, 074	4, 560	3, 544	1, 821	595	255	1, 037	7
3, 047 2, 941	2, 758 2, 642	2, 422 2, 212	2, 394 1, 840	2, 235 1, 943	2, 016 1, 834	2, 192 2, 204	2, 407 2, 457	2, 486 2, 588	2, 241 2, 319	1, 725 1, 819	887 934	240 355	91 164	558 479	8 9
86 194	73 166	65 139	73 91	58 84	15 51	17 31	18 29	8 24	16 14	6 10	2 6	1 1	1 1	19 21	}10
17 22	8 21	7 9	1 1	2 2	4 2	4 4	2 2	2 2	2 2	1 2	1 1	1 1	1 1	7 5	
36 41	18 30	12 16	12 18	15 18	10 10	6 10	6 5	4 5	3 5	4 2	4 1	1 1	1 1	13 12	}12
2 7	2 2	5 4	4 1	3 2	3 2	2 1	1 1	3 2	2 1	3 3	1 1	1 1	1 1	12 12	
314 290	262 241	264 250	272 219	240 203	214 179	188 196	178 196	170 179	157 117	70 77	42 41	11 7	4 15	4 59	}14
156 216	183 217	232 246	250 240	263 372	319 417	467 627	627 769	816 991	797 1, 010	747 881	399 458	127 203	42 95	46 57	
1, 578 1, 043	1, 288 868	945 668	828 539	584 481	421 395	331 334	245 281	216 215	135 106	57 68	31 25	7 6	2 5	106 109	}16
54 94	60 106	66 87	85 58	105 81	105 98	114 95	121 118	121 113	97 102	61 76	30 33	11 13	5 3	19 14	
10 14	8 12	23 13	20 13	21 16	12 13	21 24	22 28	23 18	21 18	11 11	6 6	2 3	2 3	3 3	}18
44 62	55 56	43 57	75 55	121 72	172 86	198 126	252 141	232 183	217 154	160 123	79 81	18 22	11 12	65 34	
118 101	117 101	114 124	151 138	184 156	151 148	223 234	244 313	252 324	233 314	184 203	87 111	17 42	11 12	38 25	}20
80 122	100 135	108 124	127 126	118 126	122 135	146 181	171 250	150 229	142 205	94 120	45 64	7 11	5 6	26 21	
														7 6	}22
32 43	35 38	23 28	27 26	26 25	15 15	22 20	21 18	21 16	13 16	19 15	4 13	2 3	1 1	11 9	
49 42	57 35	45 31	38 25	24 17	23 13	17 10	9 3	8 8	6 7	4 3	1 1	1 1	1 1	5 5	}24
174 89	139 67	126 62	81 45	80 45	49 25	48 24	29 24	42 13	19 5	12 5	3 2	2 1	1 2	68 34	
65 32	61 61	77 49	75 48	81 58	106 63	76 71	106 65	80 63	75 56	53 47	23 17	6 5	1 1	6 6	}26
143 442	194 416	160 240	161 139	198 110	176 115	189 104	194 72	117 81	120 53	78 39	32 19	4 10	2 2	26 27	
51 48	52 37	57 31	52 25	45 16	35 7	34 10	21 8	9 5	10 1	1 3	1 1	1 1	1 1	17 9	}28
38 39	46 33	50 34	62 34	70 60	64 60	89 103	140 134	212 117	178 135	160 131	99 56	22 26	7 9	16 11	
642	759	624	608	528	429	318	295	195	187	80	54	14	11	191	30
467 175	594 165	502 122	488 120	421 107	334 95	242 76	213 82	120 75	122 65	44 36	30 24	7 7	4 7	129 62	}31
274 52	403 71	334 65	301 48	276 34	202 21	121 18	114 12	44 8	39 6	6 1	4 2	1 1	1 1	44 9	
	1 2	2 2	1 1	2 1	1 2		1 1	1 1		1 1		1 1			}34
11 4	15 2	7	12	9 2	4 3	3 1	3 2	2 2	2 2						
175 105	168 82	150 46	161 54	120 53	106 46	94 35	70 39	43 29	47 16	13 9	1 6		2 1	30 10	}36
7 14	7 8	9 9	13 17	14 17	21 23	24 22	25 30	30 35	34 43	24 26	20 21	6 5	2 5	55 43	
141	152	161	169	275	407	890	1, 722	4, 139	6, 247	8, 568	6, 090	2, 988	1, 538	421	33
65 76	68 84	73 88	88 81	123 152	188 219	387 503	813 909	1, 972 2, 167	2, 910 3, 337	4, 087 4, 481	2, 815 3, 275	1, 264 1, 724	568 970	203 218	}39
						191 303	546 656	1, 672 1, 865	2, 576 3, 018	3, 825 4, 180	2, 675 3, 119	1, 213 1, 647	554 932	110 140	
															}42
1					2									9 1	
64 76	68 82	73 88	88 81	122 151	186 218	195 200	267 252	300 301	333 319	262 301	140 156	51 77	14 38	84 77	}44
	2			1	1	1		1	1						
					1			1							}45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—continued.												
	General diseases—D.....	176,072	5,171	2,891	1,599	1,018	704	11,833	2,986	3,663	10,617	17,765	17,606
2	Males.....	83,600	2,788	1,537	858	519	371	6,073	1,438	1,884	4,016	7,629	7,904
3	Females.....	92,472	2,383	1,354	741	499	333	5,810	1,548	2,279	6,631	10,136	9,702
4	Anemia.....	948	138	28	8	10	6	190	29	18	27	30	31
	(M.....)	1,287	121	31	14	14	8	188	25	31	76	98	90
5	Diabetes.....	2,650	15	22	18	14	13	82	90	119	133	109	112
	(F.....)	2,022	9	15	14	22	8	68	69	96	76	79	77
6	Rheumatism.....	2,669	38	22	18	15	21	114	127	153	145	106	104
	(M.....)	2,398	37	13	18	11	18	97	111	139	124	103	84
7	Scrofula and tabes.....	1,707	280	154	83	45	32	594	113	58	91	113	91
	(F.....)	1,782	221	142	64	41	31	499	112	101	115	129	114
8	Hydrocephalus.....	2,356	854	466	223	122	77	1,742	220	74	62	50	34
	(M.....)	1,946	707	376	169	128	74	1,454	186	67	71	35	36
9	Tuberculosis, general.....	712	42	25	16	11	10	104	28	20	42	69	88
	(F.....)	597	53	26	9	8	4	100	26	35	39	68	57
10	Consumption.....	53,626	1,042	604	326	189	149	2,310	525	719	3,274	6,839	7,154
	(M.....)	56,124	969	564	296	186	129	2,144	762	1,591	5,830	9,192	8,657
11	Cancer.....	11,436	36	12	16	10	10	84	33	35	48	82	134
	(F.....)	18,039	34	12	16	8	9	79	33	30	58	120	272
12	Tumor.....	1,305	70	19	26	19	10	144	48	29	50	47	43
	(M.....)	2,122	50	19	19	18	9	115	29	31	51	77	91
13	Dropsy.....	5,600	92	124	93	69	35	413	196	138	117	163	98
	(F.....)	5,664	66	105	93	46	30	340	173	138	172	210	204
14	Others of this group.....	591	181	61	31	15	8	296	29	21	27	21	15
	(F.....)	491	116	51	29	17	13	226	22	20	19	25	20
15	2. Diseases of the nervous system.....	117,579	24,155	6,778	2,985	1,846	1,299	37,063	3,820	2,383	2,505	2,373	2,442
16	Males.....	64,189	13,883	3,612	1,583	961	667	20,706	2,074	1,269	1,327	1,254	1,287
17	Females.....	53,390	10,272	3,166	1,402	885	632	16,357	1,746	1,114	1,178	1,119	1,155
18	Inflammation of the brain.....	3,493	1,143	500	243	127	90	2,103	277	136	135	121	69
	(M.....)	2,748	881	416	169	112	86	1,664	216	136	123	91	78
19	Meningitis.....	10,787	3,573	1,630	737	462	293	6,695	983	475	442	336	287
	(F.....)	8,636	2,660	1,416	686	415	313	5,490	845	466	320	260	221
20	Apoplexy.....	14,312	163	32	17	11	12	235	38	29	67	125	185
	(M.....)	12,589	131	42	20	19	6	218	35	42	74	102	147
21	Paralysis.....	11,800	133	54	36	32	19	274	95	61	80	74	110
	(F.....)	10,762	97	53	37	25	19	231	77	48	87	112	115
22	Paralysis, general (of insane).....	947							1	2	1	4	22
	(M.....)	356							1	1		3	11
23	Tetanus and trismus nascentium.....	1,516	685	18	8	15	12	738	116	195	92	62	59
	(F.....)	743	477	12	3	5	6	508	33	27	25	22	20
24	Chorea.....	63	3		3	3	1	10	9	3	7	3	3
	(M.....)	116	3	1	1	2	3	10	7	33	32	7	1
25	Epilepsy.....	1,915	194	31	15	16	6	262	70	106	214	180	190
	(F.....)	1,411	169	26	22	14	10	241	52	78	137	131	120
26	Convulsions.....	8,548	6,662	857	316	145	92	8,072	148	57	21	23	25
	(F.....)	6,957	4,896	783	285	167	85	6,216	146	42	90	86	94
27	Mental diseases.....	1,910							3	6	25	72	85
	(M.....)	1,707							2	6	25	64	89
28	Diseases of the brain.....	6,479	1,181	438	182	129	129	2,059	282	166	190	198	182
	(F.....)	4,990	844	361	160	113	89	1,567	279	193	192	157	160
29	Diseases of the spinal chord.....	870	97	39	20	13	12	181	36	26	23	28	26
	(F.....)	707	74	44	16	11	10	155	33	24	24	15	16
30	Locomotor ataxia.....	537	1		2			3		2	2	5	9
	(F.....)	175		1	1			2	1			4	2
31	Others of this class.....	1,012	48	13	4	8	1	74	16	5	23	23	35
	(F.....)	1,493	40	11	2	2	5	60	19	18	49	65	81
32	3. Diseases of the circulatory system.....	75,791	4,172	306	194	170	219	5,061	1,184	1,378	1,535	2,009	2,151
33	Males.....	40,804	2,404	170	105	100	120	2,899	565	579	697	830	967
34	Females.....	34,987	1,768	136	89	70	99	2,162	619	799	838	1,179	1,184
35	Pericarditis.....	457	12	5	1	4	3	25	20	31	31	27	24
	(M.....)	419	11	2	2	5	10	30	27	35	32	26	16
36	Diseases of the heart.....	36,500	1,689	157	100	89	111	2,146	531	530	646	772	881
	(F.....)	31,939	1,302	129	85	63	84	1,663	581	747	780	1,064	1,074
37	Angina pectoris.....	1,595							4	4	13	15	30
	(M.....)	1,190							5	9	14	48	44
38	Diseases of the arteries.....	817	2					2	1		1		5
	(F.....)	451	1	1				2		1		1	2
39	Aneurism.....	515							2	7	3	12	23
	(M.....)	239							3	5	5	12	20
40	Embolism.....	192	18		1	1	1	21	5	5	3	4	3
	(F.....)	253	2		1		1	4	1		6	26	24
41	Others of this class.....	728	683	8	3	6	5	705	2	2			1
	(F.....)	496	452	4	1	2	4	463	2	2	1	2	4

CAUSE, SEX, AND AGE.

231

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15,053	13,706	12,209	11,216	10,911	10,263	9,955	9,515	7,965	5,415	2,960	1,143	291	131	1,259	1
7,139	6,682	5,921	5,487	5,389	5,025	4,889	4,819	4,105	2,763	1,536	574	129	61	637	2
7,914	7,024	6,288	5,729	5,522	5,238	5,066	4,696	3,860	2,682	1,424	569	162	70	622	3
31	32	52	56	78	75	82	82	47	49	27	6	-----	1	5	} 4
72	82	88	76	94	83	79	74	61	39	15	6	2	1	7	
116	115	152	150	189	188	259	285	248	177	80	23	9	2	12	} 5
65	84	96	111	186	246	247	209	158	90	44	12	3	1	5	
100	114	114	150	152	204	199	234	255	189	126	46	8	9	20	} 6
90	112	104	121	156	154	197	229	219	176	100	49	13	7	13	
75	69	55	67	62	64	74	69	47	26	17	1	2	2	17	} 7
112	86	72	69	80	59	58	50	47	35	20	7	1	2	14	
51	31	27	22	11	6	5	5	4	4	1	-----	-----	-----	7	} 8
25	17	17	11	6	6	4	3	4	2	-----	-----	-----	-----	2	
60	63	48	50	43	37	16	23	12	7	2	-----	-----	-----	-----	} 9
62	40	31	37	23	19	19	15	8	8	3	3	-----	-----	4	
6,285	5,686	4,547	3,736	3,216	2,608	2,066	1,753	1,291	755	308	99	25	11	419	} 10
6,520	5,147	3,829	2,720	2,249	1,816	1,586	1,440	1,105	704	307	115	24	12	374	
229	361	615	897	1,188	1,364	1,572	1,607	1,388	955	502	203	52	13	74	} 11
573	1,056	1,559	2,046	2,179	2,288	2,174	1,973	1,524	1,082	580	225	67	17	104	
62	63	96	95	104	106	111	115	90	58	30	6	1	1	6	} 12
123	149	211	198	181	193	205	170	145	89	32	14	1	1	16	
113	131	182	244	330	356	493	630	710	533	437	188	32	21	75	} 13
244	237	265	320	355	357	484	514	577	454	321	137	51	29	82	
17	17	33	20	16	17	12	16	13	10	6	2	-----	1	2	} 14
28	14	16	20	13	17	13	19	12	3	2	1	-----	-----	1	
2,622	3,221	3,654	4,385	5,250	5,945	7,182	8,582	9,169	8,045	5,285	2,202	599	170	682	15
1,460	1,848	2,102	2,392	2,872	3,291	3,831	4,740	4,928	4,238	2,772	1,065	245	65	423	16
1,162	1,373	1,552	1,693	2,378	2,654	3,351	3,842	4,241	3,807	2,513	1,137	354	105	259	17
70	68	64	68	65	61	46	58	58	36	24	16	2	-----	16	} 18
54	47	50	47	44	39	33	37	27	28	17	7	4	1	5	
250	260	188	191	169	118	80	96	79	60	24	9	4	-----	41	} 19
167	136	136	135	87	79	84	62	53	40	26	8	3	3	15	
270	398	603	785	1,108	1,390	1,692	2,003	2,022	1,665	1,092	405	89	16	95	} 20
198	309	470	768	1,002	1,193	1,461	1,632	1,769	1,511	973	452	142	40	51	
189	321	401	494	665	844	1,118	1,588	1,879	1,723	1,177	471	103	37	96	} 21
143	199	306	414	591	757	1,082	1,378	1,673	1,649	1,111	519	153	47	70	
79	113	148	146	109	85	72	55	44	23	13	11	2	-----	17	} 22
30	24	38	24	31	26	31	38	39	31	14	6	3	-----	5	
54	27	29	30	27	26	21	14	11	8	-----	1	-----	-----	6	} 23
23	20	20	6	8	15	10	3	4	2	1	-----	-----	1	-----	
3	-----	3	3	6	2	2	2	2	2	1	-----	1	-----	1	} 24
-----	2	-----	6	2	1	4	4	1	3	2	1	-----	-----	-----	
133	130	109	91	64	69	72	58	57	49	26	10	2	1	22	} 25
89	113	63	70	61	47	54	36	45	27	16	5	4	3	19	
24	24	15	21	23	11	8	8	17	5	7	1	1	1	36	} 26
67	51	32	17	13	9	15	16	10	9	8	1	2	-----	33	
96	147	140	122	143	156	164	211	179	169	104	40	12	-----	36	} 27
111	139	149	134	132	111	148	144	142	135	96	40	17	2	21	
223	250	263	263	302	308	332	368	380	339	228	78	20	5	43	} 28
160	181	161	204	220	190	232	296	275	239	170	65	20	5	24	
21	42	52	52	73	63	66	77	40	37	17	2	-----	1	2	} 29
26	41	30	42	44	56	50	48	44	31	17	3	3	-----	5	
20	34	38	70	62	72	70	71	39	24	10	1	-----	-----	5	} 30
4	14	10	15	22	29	25	15	14	8	6	2	-----	1	1	
28	34	49	56	56	86	88	131	121	98	49	20	9	4	7	} 31
90	97	87	111	121	102	122	133	145	94	56	28	3	2	10	
2,588	3,226	3,588	3,966	5,158	5,934	7,423	8,475	8,517	6,863	4,038	1,653	412	128	504	32
1,203	1,572	1,738	2,073	2,826	3,357	4,194	4,824	4,896	3,955	2,237	855	190	50	297	33
1,385	1,654	1,850	1,893	2,332	2,577	3,229	3,651	3,621	2,908	1,801	798	222	78	207	34
20	35	27	17	39	35	24	37	25	26	7	3	2	-----	2	} 35
28	18	29	24	16	27	25	34	18	11	15	4	2	-----	2	
1,099	1,396	1,549	1,880	2,532	3,020	3,779	4,353	4,490	3,600	2,024	779	173	45	275	} 36
1,255	1,546	1,711	1,734	2,183	2,371	3,006	3,364	3,343	2,684	1,632	739	197	70	195	
38	65	76	84	145	162	238	248	192	159	86	25	2	-----	9	} 37
47	52	57	93	90	112	135	161	139	94	66	15	6	-----	3	
3	6	14	18	36	66	87	126	140	136	105	47	13	5	6	} 38
2	4	6	6	13	27	35	55	89	80	70	32	16	7	3	
34	62	63	60	56	58	50	34	25	18	3	-----	-----	-----	5	} 39
23	15	25	23	15	18	15	16	14	16	7	4	1	1	1	
8	8	8	12	15	16	12	24	24	14	9	1	-----	-----	-----	} 40
27	17	21	12	13	22	12	18	17	20	7	4	-----	-----	2	
1	-----	1	2	3	-----	4	2	-----	2	3	-----	-----	-----	-----	} 41
3	2	1	1	2	-----	1	3	1	3	4	-----	-----	-----	1	

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	154,035	34,841	14,650	7,087	4,001	2,492	63,071	5,553	2,555	4,070	5,107	4,846
2	Males	83,672	19,673	7,884	3,741	2,061	1,249	34,608	2,816	1,258	2,271	2,972	2,755
3	Females	70,363	15,168	6,766	3,346	1,940	1,243	28,463	2,737	1,302	1,799	2,135	2,091
4	Croup	(M-- 6,808 F-- 5,676)	(M-- 2,960 F-- 2,454)	(M-- 1,092 F-- 845)	(M-- 880 F-- 689)	(M-- 651 F-- 556)	(M-- 412 F-- 358)	(M-- 5,995 F-- 4,902)	(M-- 714 F-- 643)	(M-- 51 F-- 56)	(M-- 9 F-- 11)	(M-- 7 F-- 10)	(M-- 6 F-- 3)
5	Pneumonia	(M-- 58,340 F-- 47,631)	(M-- 11,143 F-- 8,419)	(M-- 5,249 F-- 4,547)	(M-- 2,270 F-- 2,079)	(M-- 1,120 F-- 1,069)	(M-- 650 F-- 660)	(M-- 20,432 F-- 16,774)	(M-- 1,671 F-- 1,651)	(M-- 998 F-- 1,044)	(M-- 1,985 F-- 1,489)	(M-- 2,625 F-- 1,701)	(M-- 2,368 F-- 1,709)
6	Laryngitis	(M-- 467 F-- 393)	(M-- 76 F-- 52)	(M-- 58 F-- 61)	(M-- 34 F-- 36)	(M-- 44 F-- 49)	(M-- 30 F-- 24)	(M-- 242 F-- 222)	(M-- 71 F-- 63)	(M-- 16 F-- 13)	(M-- 5 F-- 11)	(M-- 6 F-- 8)	(M-- 8 F-- 11)
7	Bronchitis	(M-- 10,031 F-- 10,192)	(M-- 4,043 F-- 3,212)	(M-- 1,214 F-- 1,087)	(M-- 419 F-- 430)	(M-- 169 F-- 182)	(M-- 110 F-- 134)	(M-- 5,955 F-- 5,045)	(M-- 192 F-- 224)	(M-- 65 F-- 81)	(M-- 74 F-- 113)	(M-- 105 F-- 140)	(M-- 114 F-- 123)
8	Pleurisy	(M-- 1,579 F-- 1,227)	(M-- 50 F-- 38)	(M-- 50 F-- 37)	(M-- 36 F-- 26)	(M-- 26 F-- 13)	(M-- 11 F-- 10)	(M-- 173 F-- 124)	(M-- 47 F-- 47)	(M-- 41 F-- 26)	(M-- 65 F-- 41)	(M-- 76 F-- 50)	(M-- 87 F-- 77)
9	Asthma	(M-- 1,679 F-- 1,327)	(M-- 56 F-- 38)	(M-- 15 F-- 14)	(M-- 9 F-- 6)	(M-- 3 F-- 7)	(M-- 8 F-- 3)	(M-- 86 F-- 68)	(M-- 15 F-- 13)	(M-- 7 F-- 7)	(M-- 16 F-- 9)	(M-- 12 F-- 24)	(M-- 21 F-- 30)
10	Others of this class	(M-- 4,768 F-- 3,917)	(M-- 1,345 F-- 955)	(M-- 206 F-- 175)	(M-- 98 F-- 80)	(M-- 48 F-- 64)	(M-- 33 F-- 54)	(M-- 1,725 F-- 1,328)	(M-- 106 F-- 96)	(M-- 72 F-- 75)	(M-- 117 F-- 125)	(M-- 141 F-- 172)	(M-- 151 F-- 138)
11	5. Diseases of the digestive system	60,229	10,455	3,534	1,245	733	570	16,537	2,194	1,968	2,301	2,792	2,837
12	Males	31,457	5,849	1,855	632	366	287	8,989	1,148	1,083	1,172	1,306	1,257
13	Females	28,772	4,606	1,679	613	367	283	7,548	1,046	885	1,129	1,486	1,580
14	Dentition	(M-- 1,369 F-- 1,274)	(M-- 615 F-- 576)	(M-- 665 F-- 599)	(M-- 68 F-- 87)	(M-- 16 F-- 9)	(M-- 3 F-- 3)	(M-- 1,367 F-- 1,274)					
15	Angina	(M-- 703 F-- 709)	(M-- 138 F-- 102)	(M-- 78 F-- 72)	(M-- 67 F-- 60)	(M-- 55 F-- 46)	(M-- 43 F-- 51)	(M-- 381 F-- 331)	(M-- 98 F-- 143)	(M-- 33 F-- 56)	(M-- 16 F-- 28)	(M-- 26 F-- 13)	(M-- 17 F-- 20)
16	Gastritis	(M-- 4,052 F-- 4,290)	(M-- 692 F-- 556)	(M-- 222 F-- 238)	(M-- 80 F-- 94)	(M-- 52 F-- 61)	(M-- 33 F-- 38)	(M-- 1,079 F-- 987)	(M-- 115 F-- 116)	(M-- 40 F-- 54)	(M-- 48 F-- 89)	(M-- 87 F-- 146)	(M-- 95 F-- 207)
17	Diseases of the stomach	(M-- 2,699 F-- 2,443)	(M-- 407 F-- 343)	(M-- 149 F-- 133)	(M-- 64 F-- 66)	(M-- 40 F-- 36)	(M-- 39 F-- 37)	(M-- 699 F-- 615)	(M-- 107 F-- 107)	(M-- 65 F-- 63)	(M-- 55 F-- 80)	(M-- 66 F-- 116)	(M-- 86 F-- 121)
18	Obstruction of the bowels	(M-- 1,894 F-- 1,851)	(M-- 340 F-- 201)	(M-- 41 F-- 34)	(M-- 40 F-- 23)	(M-- 22 F-- 40)	(M-- 17 F-- 15)	(M-- 460 F-- 313)	(M-- 90 F-- 61)	(M-- 68 F-- 40)	(M-- 94 F-- 55)	(M-- 84 F-- 77)	(M-- 96 F-- 104)
19	Appendicitis	(M-- 3,282 F-- 1,829)	(M-- 22 F-- 14)	(M-- 10 F-- 13)	(M-- 13 F-- 11)	(M-- 23 F-- 10)	(M-- 26 F-- 16)	(M-- 94 F-- 64)	(M-- 215 F-- 190)	(M-- 439 F-- 280)	(M-- 466 F-- 282)	(M-- 468 F-- 204)	(M-- 365 F-- 185)
20	Hernia	(M-- 1,157 F-- 822)	(M-- 132 F-- 47)	(M-- 17 F-- 6)	(M-- 4 F-- 2)	(M-- 5 F-- 1)	(M-- 2 F-- 3)	(M-- 160 F-- 59)	(M-- 11 F-- 4)	(M-- 11 F-- 2)	(M-- 30 F-- 6)	(M-- 32 F-- 2)	(M-- 30 F-- 5)
21	Other diseases of the bowels	(M-- 1,810 F-- 1,492)	(M-- 513 F-- 395)	(M-- 202 F-- 158)	(M-- 67 F-- 54)	(M-- 31 F-- 33)	(M-- 15 F-- 12)	(M-- 828 F-- 652)	(M-- 61 F-- 49)	(M-- 40 F-- 42)	(M-- 55 F-- 46)	(M-- 65 F-- 42)	(M-- 46 F-- 64)
22	Jaundice	(M-- 1,358 F-- 1,127)	(M-- 676 F-- 443)	(M-- 28 F-- 14)	(M-- 14 F-- 19)	(M-- 6 F-- 6)	(M-- 4 F-- 10)	(M-- 728 F-- 492)	(M-- 37 F-- 27)	(M-- 16 F-- 18)	(M-- 36 F-- 27)	(M-- 32 F-- 42)	(M-- 40 F-- 35)
23	Inflammation and abscess of the liver	(M-- 1,550 F-- 1,363)	(M-- 91 F-- 71)	(M-- 20 F-- 27)	(M-- 18 F-- 14)	(M-- 7 F-- 13)	(M-- 14 F-- 13)	(M-- 150 F-- 143)	(M-- 37 F-- 20)	(M-- 31 F-- 25)	(M-- 29 F-- 35)	(M-- 74 F-- 66)	(M-- 85 F-- 60)
24	Other diseases of the liver	(M-- 4,226 F-- 2,625)	(M-- 156 F-- 125)	(M-- 35 F-- 27)	(M-- 27 F-- 19)	(M-- 15 F-- 8)	(M-- 12 F-- 7)	(M-- 245 F-- 186)	(M-- 39 F-- 33)	(M-- 33 F-- 23)	(M-- 34 F-- 21)	(M-- 61 F-- 52)	(M-- 105 F-- 70)
25	Peritonitis	(M-- 2,845 F-- 4,656)	(M-- 203 F-- 162)	(M-- 70 F-- 63)	(M-- 59 F-- 49)	(M-- 34 F-- 39)	(M-- 30 F-- 32)	(M-- 396 F-- 345)	(M-- 225 F-- 188)	(M-- 228 F-- 222)	(M-- 259 F-- 401)	(M-- 240 F-- 637)	(M-- 209 F-- 618)
26	Ascites	(M-- 628 F-- 677)	(M-- 16 F-- 16)	(M-- 15 F-- 10)	(M-- 10 F-- 7)	(M-- 6 F-- 7)	(M-- 11 F-- 4)	(M-- 58 F-- 44)	(M-- 17 F-- 20)	(M-- 27 F-- 18)	(M-- 8 F-- 23)	(M-- 21 F-- 30)	(M-- 16 F-- 25)
27	Others of this class	(M-- 3,884 F-- 3,614)	(M-- 1,848 F-- 1,555)	(M-- 303 F-- 285)	(M-- 101 F-- 104)	(M-- 54 F-- 57)	(M-- 38 F-- 42)	(M-- 2,344 F-- 2,043)	(M-- 96 F-- 88)	(M-- 52 F-- 42)	(M-- 42 F-- 36)	(M-- 50 F-- 59)	(M-- 67 F-- 66)
28	6. Diseases of the urinary system and male organs of generation.	44,941	868	293	236	207	179	1,783	677	583	805	1,439	1,754
29	Males	27,869	518	159	117	119	95	1,008	368	273	367	645	822
30	Females	17,072	350	134	119	88	84	775	309	310	438	794	932
31	Bright's disease	(M-- 18,997 F-- 13,173)							(M-- 275 F-- 244)	(M-- 197 F-- 254)	(M-- 281 F-- 327)	(M-- 486 F-- 602)	(M-- 639 F-- 678)
32	Calculus, urinary	(M-- 342 F-- 89)	(M-- 12 F-- 12)	(M-- 2 F-- 2)	(M-- 2 F-- 2)	(M-- 1 F-- 3)	(M-- 1 F-- 1)	(M-- 18 F-- 17)	(M-- 9 F-- 5)	(M-- 5 F-- 4)	(M-- 8 F-- 5)	(M-- 8 F-- 3)	
33	Diseases of the kidney	(M-- 2,947 F-- 1,607)	(M-- 345 F-- 255)	(M-- 140 F-- 117)	(M-- 109 F-- 102)	(M-- 104 F-- 78)	(M-- 83 F-- 78)	(M-- 781 F-- 630)	(M-- 42 F-- 31)	(M-- 28 F-- 23)	(M-- 39 F-- 37)	(M-- 55 F-- 57)	(M-- 56 F-- 58)
34	Diseases of the bladder	(M-- 2,172 F-- 291)	(M-- 18 F-- 18)	(M-- 7 F-- 2)	(M-- 1 F-- 1)	(M-- 3 F-- 1)	(M-- 29 F-- 21)	(M-- 4 F-- 2)	(M-- 6 F-- 5)	(M-- 6 F-- 5)	(M-- 24 F-- 6)	(M-- 22 F-- 11)	
35	Others of this class	(M-- 3,411 F-- 1,912)	(M-- 143 F-- 65)	(M-- 10 F-- 17)	(M-- 6 F-- 13)	(M-- 13 F-- 7)	(M-- 8 F-- 5)	(M-- 180 F-- 107)	(M-- 38 F-- 32)	(M-- 37 F-- 33)	(M-- 37 F-- 69)	(M-- 72 F-- 124)	(M-- 97 F-- 182)
36	7. Diseases of the female organs of generation.	3,253	14	2		1	2	19	2	35	174	328	410
37	Ovarian tumors	478		1				1	2	1	13	29	37
38	Ovarian diseases	145	1					1		1	5	17	24
39	Diseases of the tubes	352	1					1			21	58	84
40	Uterine tumors	657					1	1		1	4	17	33
41	Uterine diseases	406								3	30	56	66
42	Others of this class	1,215	12	1		1	1	15		29	101	151	166

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,804	5,360	5,280	5,375	5,889	6,033	6,976	7,508	7,586	6,301	4,227	1,967	566	203	758	1
2,704	3,139	3,203	3,293	3,480	3,372	3,627	3,794	3,731	3,053	1,955	896	203	80	467	2
2,100	2,221	2,077	2,082	2,409	2,661	3,349	3,714	3,855	3,248	2,272	1,071	363	123	291	3
1	3	1	1	1	1	2	1	2	1	2	1	1	1	8	} 4
7	5	5	4	5	4	4	4	1	1	3	2	2	2	8	
2,333	2,710	2,738	2,745	2,823	2,531	2,720	2,700	2,567	2,029	1,252	567	124	52	370	} 5
1,732	1,822	1,693	1,655	1,877	2,035	2,478	2,625	2,589	2,141	1,473	662	212	63	206	
15	7	17	15	13	11	12	9	4	6	6	2	2	2	2	} 6
14	5	5	1	3	8	5	2	8	7	3	2	2	2	2	
84	108	121	156	211	313	311	444	544	537	403	198	54	16	26	} 7
119	102	117	172	214	302	428	607	728	691	510	299	108	42	27	
88	93	88	86	90	96	113	116	122	103	53	25	4	2	11	} 8
61	70	63	67	66	57	87	85	109	77	50	20	12	2	6	
28	28	53	82	126	168	207	232	245	166	111	42	8	6	20	} 9
26	47	50	57	88	90	162	176	177	141	92	34	13	10	13	
155	190	185	209	216	253	262	292	247	212	128	61	13	3	30	} 10
141	170	144	126	156	165	185	215	243	190	141	54	18	6	29	
2,549	2,771	2,890	2,827	3,007	3,202	3,308	3,427	3,041	2,317	1,276	536	136	38	275	11
1,153	1,266	1,515	1,558	1,633	1,776	1,819	1,798	1,597	1,232	665	259	63	23	145	12
1,396	1,505	1,375	1,269	1,374	1,426	1,489	1,629	1,444	1,085	611	277	73	15	130	13
														2	} 14
24	10	14	11	12	6	10	13	14	8	7		1	1	1	
17	8	9	15	13	16	3	11	7	6	8	3			2	} 15
120	129	170	206	248	282	304	320	322	258	144	49	15	7	14	
159	200	181	173	232	249	296	327	324	256	179	75	23	3	14	} 16
71	103	134	152	159	182	185	203	170	146	70	29	2	3	12	
93	128	91	107	121	126	147	159	163	106	54	27	9		10	} 17
72	72	68	94	100	102	97	107	123	99	33	19	6		10	
80	93	129	107	100	126	118	141	120	91	49	27	4	2	14	} 18
245	217	197	151	106	86	76	56	47	30	14	2			8	
127	112	85	76	53	48	36	35	19	17	9			1	6	} 19
36	47	52	61	53	91	95	100	110	113	70	31	7	4	13	
25	41	58	69	90	87	89	98	84	56	21	20	2		4	} 20
49	50	48	40	61	80	64	74	87	72	51	23	8		8	
58	57	41	38	38	49	48	65	65	56	33	21	6	6	13	} 21
34	27	29	32	45	67	43	50	55	43	27	12	2		3	
32	34	28	29	46	51	50	70	61	35	26	11	5		8	} 22
99	96	113	122	140	113	138	104	92	66	38	8	2	2	11	
63	82	93	103	87	102	121	127	101	74	40	15	2		4	} 23
173	280	378	398	427	479	475	467	309	207	69	21	7	1	18	
112	163	196	209	256	259	270	262	239	162	73	28	1		10	} 24
164	152	173	162	105	124	113	93	84	53	30	12	3		20	
535	478	327	186	147	135	117	118	87	54	17	14	5		25	} 25
11	13	38	28	40	47	56	68	59	53	36	20	3	3	6	
25	30	32	36	41	48	52	61	70	60	36	14	2	1	9	} 26
55	70	101	101	137	117	163	143	125	84	76	33	7	2	19	
70	79	105	118	150	130	142	155	104	112	66	22	14	2	11	} 27
1,931	2,363	2,604	2,846	3,427	3,748	4,365	4,683	4,690	3,729	2,084	920	180	61	249	28
953	1,189	1,445	1,613	2,097	2,357	2,830	3,196	3,332	2,760	1,592	690	128	39	165	29
978	1,194	1,159	1,233	1,330	1,391	1,535	1,487	1,358	969	492	230	52	22	84	30
747	965	1,165	1,299	1,684	1,854	2,135	2,225	2,137	1,635	803	301	50	13	106	} 31
751	923	952	1,035	1,130	1,179	1,309	1,217	1,130	769	383	183	36	17	54	
5	8	9	11	14	23	34	53	50	34	26	11	7	2	3	} 32
4	3	7	6	5	3	5	8	8	7	6	1		1	1	
72	65	89	92	121	139	193	263	286	309	190	84	20	4	19	} 33
70	72	65	65	72	62	63	95	72	68	40	13	5	2	7	
18	26	34	46	75	99	188	292	436	373	281	167	22	11	13	} 34
6	19	7	10	8	26	31	24	37	89	18	13	7	1	1	
111	125	148	165	203	242	280	363	423	409	292	127	29	9	24	} 35
147	177	128	117	115	121	127	143	111	86	45	20	4	1	23	
393	406	411	355	215	132	121	99	61	45	16	6	3	2	20	36
45	47	51	61	48	33	30	34	20	14	6	1	1	1	3	37
31	23	14	10	4	7	2	4	2							38
72	61	33	14	4	1		1	2							39
50	85	131	101	76	46	45	29	18	12	4	1			3	40
51	59	29	22	16	10	20	11	10	9	4		1		9	41
144	131	153	147	67	35	24	20	9	10	2	4	1	1	5	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
UNITED STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	9,699								32	1,041	2,185	2,147
2	Abortion	578								1	51	113	150
3	Childbirth	4,527								22	515	924	872
4	Puerperal septicemia	3,207								7	299	810	808
5	Extra-uterine pregnancy	188									2	27	53
6	Others of this class	1,199								2	174	311	264
7	9. Diseases of the bones and joints	3,021	623	204	121	71	75	1,094	238	201	191	155	114
8	Males	1,717	333	113	67	41	47	601	132	126	116	93	73
9	Females	1,304	290	91	54	30	28	493	106	75	75	62	41
10	Diseases of the spine	{M-- 958 F-- 813	{M-- 282 F-- 251	{M-- 88 F-- 80	{M-- 61 F-- 43	{M-- 28 F-- 26	{M-- 29 F-- 19	{M-- 488 F-- 419	{M-- 80 F-- 59	{M-- 59 F-- 35	{M-- 51 F-- 39	{M-- 36 F-- 35	{M-- 29 F-- 17
11	Abscess, lumbar and psoas	{M-- 63 F-- 35	{M-- 2 F-- 2	{M-- 1 F-- 1	{M-- F-- 1	{M-- F--	{M-- F--	{M-- 3 F-- 3	{M-- 1 F-- 4	{M-- 3 F-- 1	{M-- 1 F-- 1	{M-- 12 F-- 3	{M-- 8 F-- 2
12	Diseases of the bones	{M-- 395 F-- 230	{M-- 36 F-- 19	{M-- 16 F-- 10	{M-- 4 F-- 4	{M-- 7 F-- 3	{M-- 13 F-- 7	{M-- 76 F-- 43	{M-- 22 F-- 21	{M-- 34 F-- 23	{M-- 35 F-- 16	{M-- 25 F-- 15	{M-- 22 F-- 9
13	Diseases of the hip-joint	{M-- 149 F-- 82	{M-- 4 F-- 8	{M-- 1 F-- 1	{M-- F-- 3	{M-- 4 F-- 1	{M-- 3 F-- 1	{M-- 12 F-- 13	{M-- 21 F-- 15	{M-- 24 F-- 10	{M-- 20 F-- 13	{M-- 12 F-- 4	{M-- 12 F-- 7
14	Others of this class	{M-- 152 F-- 144	{M-- 9 F-- 10	{M-- 7 F--	{M-- 2 F-- 3	{M-- 2 F-- 1	{M-- 2 F-- 1	{M-- 22 F-- 15	{M-- 8 F-- 7	{M-- 6 F-- 6	{M-- 9 F-- 6	{M-- 8 F-- 5	{M-- 2 F-- 6
15	10. Diseases of the skin	2,158	581	118	42	26	15	782	52	45	47	64	73
16	Males	1,204	318	63	26	12	9	428	30	24	21	32	36
17	Females	954	263	55	16	14	6	354	22	21	26	32	37
18	Abscess	{M-- 582 F-- 471	{M-- 111 F-- 104	{M-- 28 F-- 15	{M-- 10 F-- 6	{M-- 6 F-- 6	{M-- 7 F-- 3	{M-- 162 F-- 134	{M-- 25 F-- 19	{M-- 19 F-- 13	{M-- 16 F-- 15	{M-- 23 F-- 24	{M-- 25 F-- 27
19	Carbuncle	{M-- 180 F-- 88	{M-- 8 F-- 4	{M-- 1 F--	{M-- 1 F-- 3	{M-- F--	{M-- F--	{M-- 10 F-- 7	{M-- 1 F-- 1	{M-- 4 F-- 1	{M-- 2 F-- 1	{M-- 4 F-- 3	{M-- 6 F-- 5
20	Others of this class	{M-- 442 F-- 395	{M-- 199 F-- 155	{M-- 34 F-- 40	{M-- 15 F-- 7	{M-- 6 F-- 8	{M-- 2 F-- 3	{M-- 256 F-- 213	{M-- 4 F-- 3	{M-- 1 F-- 7	{M-- 3 F-- 10	{M-- 5 F-- 5	{M-- 5 F-- 5
21	11. Diseases of the absorbent system	714	56	26	9	9	7	107	28	22	25	38	43
22	Males	385	38	15	5	9	4	71	19	14	15	16	22
23	Females	329	18	11	4		3	36	9	8	10	22	21
24	Addison's disease	{M-- 94 F-- 79	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 2 F-- 1	{M-- 2 F-- 1	{M-- 4 F-- 3	{M-- 4 F-- 6	{M-- 7 F-- 5
25	Diseases of the spleen	{M-- 98 F-- 76	{M-- 8 F-- 4	{M-- 3 F-- 2	{M-- F-- 1	{M-- 5 F--	{M-- 1 F-- 2	{M-- 17 F-- 9	{M-- 3 F-- 2	{M-- 3 F-- 2	{M-- 4 F-- 1	{M-- 5 F-- 7	{M-- 7 F-- 6
26	Others of this class	{M-- 193 F-- 174	{M-- 30 F-- 14	{M-- 12 F-- 9	{M-- 5 F-- 3	{M-- 4 F--	{M-- 3 F-- 1	{M-- 54 F-- 27	{M-- 14 F-- 7	{M-- 9 F-- 5	{M-- 7 F-- 6	{M-- 7 F-- 9	{M-- 8 F-- 10
27	12. Accidents and injuries	57,513	3,870	1,363	1,361	1,314	941	8,854	3,090	2,726	4,068	5,302	5,014
28	Males	43,414	2,142	755	794	693	469	4,853	1,858	2,131	3,270	4,401	4,258
29	Females	14,099	1,728	613	567	621	472	4,001	1,232	595	798	901	756
30	Burns and scalds	{M-- 2,750 F-- 4,022	{M-- 186 F-- 141	{M-- 377 F-- 312	{M-- 451 F-- 364	{M-- 414 F-- 435	{M-- 191 F-- 341	{M-- 1,649 F-- 1,593	{M-- 239 F-- 729	{M-- 74 F-- 229	{M-- 53 F-- 197	{M-- 87 F-- 176	{M-- 79 F-- 147
31	Drowning	{M-- 4,723 F-- 664	{M-- 29 F-- 14	{M-- 111 F-- 73	{M-- 89 F-- 41	{M-- 60 F-- 28	{M-- 64 F-- 14	{M-- 353 F-- 170	{M-- 501 F-- 71	{M-- 620 F-- 57	{M-- 568 F-- 88	{M-- 518 F-- 42	{M-- 401 F-- 31
32	Exposure and neglect	{M-- 500 F-- 422	{M-- 224 F-- 239	{M-- 25 F-- 23	{M-- 9 F-- 13	{M-- 2 F-- 8	{M-- 7 F-- 7	{M-- 267 F-- 290	{M-- 6 F-- 8	{M-- 9 F-- 3	{M-- 8 F-- 15	{M-- 9 F-- 17	{M-- 9 F-- 9
33	Gunshot wounds	{M-- 3,571 F-- 489	{M-- 8 F-- 9	{M-- 10 F-- 7	{M-- 14 F-- 10	{M-- 15 F-- 11	{M-- 18 F-- 8	{M-- 65 F-- 45	{M-- 114 F-- 50	{M-- 301 F-- 58	{M-- 553 F-- 80	{M-- 596 F-- 86	{M-- 490 F-- 45
34	Homicide	{M-- 1,533 F-- 296	{M-- F--	{M-- F-- 1	{M-- 4 F-- 7	{M-- 1 F-- 3	{M-- 6 F-- 3	{M-- 11 F-- 14	{M-- 22 F-- 15	{M-- 35 F-- 9	{M-- 110 F-- 32	{M-- 248 F-- 51	{M-- 256 F-- 43
35	Infanticide	{M-- 23 F-- 24	{M-- 23 F-- 24	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 23 F-- 24	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--
36	Injuries by machinery	{M-- 320 F-- 13	{M-- F-- 1	{M-- 1 F--	{M-- 1 F--	{M-- 1 F--	{M-- F--	{M-- 2 F-- 2	{M-- 7 F-- 3	{M-- 10 F-- 1	{M-- 46 F-- 2	{M-- 51 F-- 1	{M-- 38 F-- 1
37	Railroad accidents	{M-- 6,376 F-- 554	{M-- 13 F-- 5	{M-- 11 F-- 9	{M-- 21 F-- 10	{M-- 15 F-- 13	{M-- 25 F-- 13	{M-- 85 F-- 50	{M-- 211 F-- 64	{M-- 268 F-- 36	{M-- 519 F-- 45	{M-- 899 F-- 47	{M-- 830 F-- 29
38	Suffocation	{M-- 1,454 F-- 994	{M-- 847 F-- 690	{M-- 39 F-- 47	{M-- 22 F-- 18	{M-- 9 F-- 12	{M-- 10 F-- 13	{M-- 927 F-- 780	{M-- 19 F-- 26	{M-- 25 F-- 11	{M-- 34 F-- 16	{M-- 51 F-- 13	{M-- 41 F-- 18
39	Suicide by shooting	{M-- 1,190 F-- 103	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 3 F-- 1	{M-- 23 F-- 12	{M-- 127 F-- 23	{M-- 124 F-- 11
40	Suicide by drowning	{M-- 157 F-- 84	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 4 F-- 6	{M-- 9 F-- 12	{M-- 9 F-- 11
41	Suicide by poison	{M-- 761 F-- 464	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 3 F-- 6	{M-- 22 F-- 77	{M-- 73 F-- 91	{M-- 83 F-- 67
42	Other suicides	{M-- 2,205 F-- 534	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F--	{M-- 10 F-- 5	{M-- 58 F-- 44	{M-- 129 F-- 67	{M-- 165 F-- 64
43	Sunstroke	{M-- 535 F-- 196	{M-- 48 F-- 41	{M-- 11 F-- 10	{M-- 4 F-- 5	{M-- 2 F-- 4	{M-- 4 F-- 2	{M-- 69 F-- 62	{M-- 14 F-- 6	{M-- 8 F-- 7	{M-- 15 F-- 4	{M-- 33 F-- 7	{M-- 33 F-- 5
44	Surgical operations	{M-- 241 F-- 463	{M-- 16 F-- 7	{M-- 4 F--	{M-- 3 F-- 2	{M-- F-- 1	{M-- 3 F-- 1	{M-- 26 F-- 11	{M-- 10 F-- 5	{M-- 2 F-- 5	{M-- 12 F-- 13	{M-- 16 F-- 63	{M-- 24 F-- 63
45	Wounds	{M-- 690 F-- 62	{M-- 5 F-- 10	{M-- 4 F-- 2	{M-- 4 F-- 1	{M-- 12 F-- 1	{M-- 4 F--	{M-- 29 F-- 14	{M-- 25 F-- 9	{M-- 18 F-- 3	{M-- 65 F-- 3	{M-- 85 F-- 4	{M-- 83 F-- 4
46	Others of this class	{M-- 16,385 F-- 4,715	{M-- 743 F-- 547	{M-- 162 F-- 129	{M-- 143 F-- 95	{M-- 162 F-- 105	{M-- 137 F-- 70	{M-- 1,347 F-- 946	{M-- 689 F-- 246	{M-- 745 F-- 164	{M-- 1,180 F-- 164	{M-- 1,470 F-- 201	{M-- 1,593 F-- 208

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,745	1,523	783	121	17	9	4	3	1	5					83	1
112	100	39	2	1	1				1					7	2
807	791	448	74	11	7	3	1	1	1					50	3
597	436	197	30	5		1	1		3					13	4
50	41	11	1		1									2	5
179	155	88	14				1							11	6
108	121	105	112	103	92	98	92	93	55	26	15	4	1	3	7
52	75	68	62	57	44	59	55	44	36	10	9	2	1	2	8
56	46	37	50	46	48	39	37	49	19	16	6	2		1	9
13	32	27	22	20	18	21	19	15	17	6	4			1	10
25	31	14	27	22	24	21	15	12	10	3	3	1		1	
8	7		3	3	2	4	2	3	2					1	11
2	1	3	3	6	3			3							
20	20	18	18	20	13	20	21	12	12	4	3				12
16	6	10	10	11	7	9	7	14	3	8	2				
8	9	11	5	5	4	2	2	1	1						13
6	5	1	2	1			1	2		2					
3	7	12	14	9	7	12	11	13	4		2	2	1		14
7	3	9	8	6	14	9	14	18	6	3	1	1			
71	94	91	89	106	108	113	121	100	83	66	27	7	4	15	15
30	51	48	53	67	68	58	76	61	52	41	15	3		10	16
41	43	43	36	39	40	55	45	39	31	25	12	4	4	5	17
22	35	32	27	42	34	24	30	25	16	16	3	2		4	18
25	30	25	20	16	22	26	28	14	13	11	4	2		3	
5	7	8	15	13	21	20	21	18	12	9	2			2	19
1	4	9	6	11	5	11	3	10	3	6			1	1	
3	9	8	11	12	13	14	25	18	24	16	10	1		4	20
15	9	9	10	12	13	18	14	15	15	8	8	2	3	1	
52	47	54	55	49	50	43	38	30	17	7				4	21
29	22	27	32	22	23	28	20	13	7	3				2	22
23	25	27	23	27	27	20	18	17	10	4				2	23
6	9	10	13	10	10	9	3	2	2					1	24
6	10	8	4	9	9	6	5	2	3	1				1	
8	7	7	8	4	3	10	6	3	2	1					25
8	8	7	2	6	6	2	4	3	2	1					
15	6	10	11	8	10	9	11	8	3	2				1	26
9	7	12	17	12	12	12	9	12	5	2				1	
4,385	4,350	3,478	3,024	2,631	2,068	1,957	1,620	1,317	1,139	838	432	168	62	990	27
3,706	3,656	2,938	2,580	2,213	1,688	1,561	1,192	878	690	428	179	68	19	847	28
679	694	540	444	418	380	396	428	439	449	410	253	100	43	143	29
85	77	71	52	47	34	39	30	28	25	31	11	3	5	31	30
142	120	81	75	65	63	80	64	72	70	55	21	12	9	22	
302	319	272	187	156	131	100	74	48	32	10	4	2	1	124	31
41	31	21	19	18	14	14	15	8	10	1				13	
16	14	13	22	15	13	22	19	10	18	10	7		1	9	32
6	11	5	2	3	10	3	6	5	10	7	4	3		5	
349	307	200	175	110	80	74	27	18	12	6	3	3		88	33
31	34	15	11	10	8	3	2		2	1	1			7	
201	191	119	90	81	45	42	15	18	5	4	1			39	34
29	29	21	14	8	5	1	4	2	3	3				13	
40	37	26	18	20	6	6	9	1	2					1	36
1	1	1													
721	629	454	379	353	238	233	126	100	74	47	14		3	193	37
28	27	33	29	31	24	21	25	24	21	8	1	1	1	9	
45	57	46	34	21	28	30	26	12	17	4	3	1		33	38
11	12	7	8	8	10	11	8	9	9	6	1			30	
123	152	148	126	109	75	53	45	32	19	7	3			21	39
15	12	7	11	3	4		1	1	1		1				
12	13	13	11	21	14	14	11	6	14	4				2	40
8	7	5	5	9	7	6	2	4	2						
91	79	94	77	81	39	46	31	21	8	2	1			10	41
49	51	35	24	15	14	10	7	8	3	1		1		5	
203	221	242	248	217	188	164	130	92	64	28	5	3		37	42
54	59	56	40	35	30	21	26	11	6	7	4	1		4	
42	55	36	38	46	32	24	25	29	17	5	3	3	1	7	43
4	9	10	9	14	7	15	10	14	9	3				1	
12	22	17	12	12	21	16	18	8	2	5				6	44
62	68	54	34	30	21	13	9	3	3	2	1			3	
69	59	42	38	30	33	19	11	8	5	3	3	1		20	45
3	2	1	47	2	2	4	3	3	1	1	1	1		1	
1,395	1,424	1,145	1,064	886	714	665	587	444	373	260	121	49	8	226	46
195	221	188	161	169	161	194	246	275	299	315	218	81	33	30	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION RECORD.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360	23,936
2	Males.....	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
3	Females.....	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
4	Unknown cause.....	4,849	1,678	166	72	56	31	2,003	103	65	96	120	161
5	Males.....	2,677	940	87	37	30	16	1,110	55	30	47	55	79
6	Females.....	2,172	738	79	35	26	15	893	48	35	49	65	82
7	1. General diseases.												
8	General diseases—A.....	88,227	29,298	9,888	4,667	3,273	2,421	49,547	6,041	2,167	2,308	3,043	2,704
9	Males.....	45,525	15,913	5,117	2,343	1,642	1,195	26,210	2,915	994	1,124	1,661	1,470
10	Females.....	42,702	13,385	4,771	2,324	1,631	1,226	23,337	3,126	1,173	1,184	1,382	1,234
11	Measles.....	1,872	498	620	272	124	79	1,593	143	36	16	30	14
12	Scarlet fever.....	1,929	446	612	280	130	77	1,545	177	49	35	23	25
13	Diphtheria.....	1,688	111	216	268	288	179	1,062	457	79	29	20	14
14	Whooping cough.....	1,639	73	191	258	260	219	1,001	464	79	35	20	13
15	Males.....	5,022	344	749	796	707	594	3,190	1,357	270	71	40	23
16	Females.....	5,179	252	703	752	705	602	3,014	1,559	334	99	54	33
17	Males.....	1,718	1,005	400	149	72	30	1,656	36	2	3	2	2
18	Females.....	1,951	985	470	211	112	58	1,836	77	9	4	1	2
19	Males.....	1,303	117	58	30	36	30	271	77	40	72	117	93
20	Females.....	1,223	99	62	57	36	24	278	93	52	79	105	72
21	Males.....	2,950	256	60	22	23	13	374	43	23	39	64	67
22	Females.....	3,932	218	54	38	19	21	350	41	36	51	66	93
23	Males.....	5,620	45	36	41	48	59	229	283	291	629	996	845
24	Females.....	4,129	42	47	45	62	45	241	277	378	620	643	468
25	Males.....	914	197	65	72	30	12	376	46	29	17	24	20
26	Females.....	879	166	66	64	18	9	323	30	24	28	24	23
27	Males.....	483	243	56	18	16	4	337	10	2	2	4	10
28	Females.....	433	189	66	17	6	2	280	7	4	3	6	7
29	Males.....	1,965	822	170	57	12	13	1,074	61	13	15	22	17
30	Females.....	1,712	697	142	40	12	7	898	59	23	8	14	25
31	Males.....	1,497	247	153	64	41	28	533	50	21	21	50	44
32	Females.....	1,509	213	112	47	31	13	416	23	10	10	27	27
33	Males.....	7,887	5,050	1,112	253	92	65	6,572	113	45	39	50	66
34	Females.....	7,230	4,021	1,031	236	95	64	5,447	123	44	43	72	103
35	Males.....	7,381	5,956	1,166	168	58	27	7,375					
36	Females.....	6,377	5,102	1,033	159	50	28	6,372					
37	Males.....	61	15	5	1		1	22	2	1	4	4	1
38	Females.....	52	18	3	3	2	1	27	5	2	3	3	3
39	Males.....	1,127	297	175	82	65	38	657	135	75	62	45	36
40	Females.....	912	227	112	72	58	33	502	114	81	55	27	28
41	Males.....	363	14	7	7	3	1	32	8	11	26	66	58
42	Females.....	230	14	11	6	4	2	37	12	12	19	49	32
43	Males.....	847	217	17	3	4	3	244	5	7	17	17	35
44	Females.....	629	206	17	6	4	2	235	3	4	10	18	24
45	Males.....	1,316	140	22	17	12	13	204	61	35	41	78	72
46	Females.....	1,551	122	19	15	17	12	185	45	22	66	200	219
47	Males.....	529	300	19	6	5	1	331	2	2	5	8	24
48	Females.....	418	264	11	8	5	2	290	1	2	9	17	16
49	Males.....	982	39	11	17	6	5	78	26	12	16	24	31
50	Females.....	788	31	9	10	5	5	60	16	8	7	13	21
51	General diseases—B.....	11,823	7,108	364	115	81	31	7,699	76	25	94	225	368
52	Males.....	7,158	3,911	204	62	38	22	4,237	38	14	33	115	229
53	Females.....	4,665	3,197	160	53	43	9	3,462	38	11	61	110	139
54	Males.....	1,693							1	1	1	32	130
55	Females.....	368			1			1			1	14	49
56	Males.....	21	3	6	3		2	14	2				
57	Females.....	21	2	3	3	9	1	18	3				
58	Males.....	46	1		1			2				2	2
59	Females.....	23	5	1	1			7	1			1	1
60	Males.....	1,138	45	57	35	20	10	167	21	8	29	78	92
61	Females.....	654	24	27	21	14	6	92	15	5	53	87	79
62	Males.....	4,260	3,862	141	23	18	10	4,054	14	5	3	3	5
63	Females.....	3,599	3,166	129	27	20	2	3,344	19	6	7	9	10
64	General diseases—C.....	41,145	21,441	903	205	76	47	22,672	78	38	41	68	78
65	Males.....	20,691	12,096	443	110	48	20	12,717	36	19	22	29	27
66	Females.....	20,454	9,345	460	95	28	27	9,955	42	19	19	39	51
67	Males.....	6,673											
68	Females.....	8,855											
69	Males.....	5,556	5,556					5,556					
70	Females.....	4,134	4,134					4,134					
71	Males.....	946	919	7	5	1		932	4	2	1		
72	Females.....	764	742	11	2	1	1	757	2	2		1	
73	Males.....	6,885	4,992	436	105	46	20	5,599	32	17	21	29	27
74	Females.....	6,223	4,023	449	98	27	26	4,618	40	17	19	38	51
75	Males.....	631	629			1		630					
76	Females.....	448	446					446					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,185	24,833	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	1
12,559 10,626	13,540 10,793	12,650 9,636	12,495 9,424	13,004 10,118	13,197 10,910	13,787 12,368	14,414 13,355	14,032 13,360	12,055 11,862	8,350 9,041	4,041 4,959	1,216 1,996	371 729	1,127 737	2 3
139	202	192	196	199	212	221	220	206	166	118	54	19	2	155	4
79 60	110 92	115 77	125 71	109 90	128 84	133 88	128 92	111 95	83 83	58 60	24 30	9 10	1 1	88 67	5 6
2,237	2,056	1,727	1,597	1,605	1,666	1,931	2,201	2,279	2,078	1,654	847	270	78	191	7
1,211 1,026	1,111 945	947 750	905 692	871 734	846 820	922 1,009	1,016 1,185	1,059 1,220	918 1,160	732 922	378 469	94 176	32 46	109 82	8 9
11 18	7 19	3 9	2 10	8 2	1 7	2 2	2 2	1 1	3 1	2 1	1 1	1 1	1 1	3 1	10
11 8	6 8	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	11
25 24	11 15	1 7	11 9	7 10	5 5	3 5	2 2	1 2	1 3	1 2	1 2	1 1	1 1	3 2	12
2 6	2 2	3 3	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 7	13
67 72	70 50	64 42	76 48	57 39	55 49	51 54	54 57	49 53	44 30	22 29	12 13	3 1	2 2	9 5	14
90 98	89 101	127 117	118 122	119 178	145 221	226 336	264 400	334 452	315 498	300 423	152 219	42 98	11 21	8 11	15
642 345	511 281	323 223	259 142	197 127	143 108	109 92	63 74	51 61	19 21	6 12	5 4	1 1	1 1	19 12	16
22 31	19 40	31 26	38 19	40 35	40 32	36 43	51 44	50 51	35 41	18 36	12 17	3 8	3 2	4 2	17
6 8	6 9	15 8	10 10	10 11	8 8	8 15	12 20	14 12	15 11	7 6	4 4	2 3	1 1	1 1	18
20 27	26 22	26 24	24 27	49 29	78 52	81 65	105 79	112 95	102 102	75 87	36 47	10 15	6 6	13 8	19
45 35	48 33	42 42	51 63	61 59	44 76	89 91	92 141	94 139	77 141	76 95	38 58	7 17	4 3	10 3	20
53 87	71 89	65 89	88 93	79 98	92 99	109 135	116 202	110 181	101 155	66 101	35 49	5 9	4 5	8 6	21
														6 5	22
3	2	6	5 1	5	1	1	4	1	1 1	1	1 2	1			23
18 20	24 18	18 20	19 19	10 5	9 7	6 4	5 2	4 4	2 3	1 1				1 1	24
38 18	38 13	22 13	21 6	15 7	12 7	5 2	4 3	3 3	3 3					1	25
41 12	40 41	55 22	41 19	54 30	64 35	48 44	54 32	46 35	40 31	24 21	8 8	4 3	1 1	2 1	26
80 177	92 167	89 100	80 69	93 54	88 67	72 48	93 32	49 37	45 27	31 13	9 10			4 9	27
20 19	24 16	23 15	19 10	21 9	17 3	13 1	4 2	3 3	4 1	1 1				8 3	28
20 18	25 21	29 15	41 24	46 39	43 44	60 74	91 91	136 92	112 94	102 91	65 37	16 15	3 6	6 2	29
470	576	452	409	351	285	196	188	114	111	45	27	7	6	99	30
351 119	450 126	353 99	323 86	272 79	213 72	147 49	135 53	71 43	66 45	23 22	17 10	4 3	1 5	66 33	31 32
223 44	319 66	233 60	217 43	189 32	130 21	69 15	77 8	23 5	19 4	4 1				21 4	33
		1	1	1	1		1								34
5 4	11 2	5	6	5 1	1 3	3 1	3	2	1						35
119 64	115 53	107 33	93 31	64 36	69 31	61 17	39 26	29 11	25 10	7 9	4			11 2	36
4 7	5 5	7 6	6 12	13 10	12 17	14 16	15 19	19 25	21 31	12 12	9 10	4 3	1 4	34 27	37
84	103	94	92	150	253	534	1,061	2,288	3,372	4,507	3,256	1,604	662	110	38
38 46	48 55	40 54	46 46	65 85	107 146	224 310	478 583	1,019 1,269	1,528 1,844	2,013 2,494	1,375 1,881	596 1,008	212 450	52 58	39 40
						101 190	329 417	872 1,074	1,362 1,667	1,896 2,318	1,316 1,785	573 970	207 433	17 31	41
															42
1														6 1	43
37 46	48 55	40 54	46 46	65 85	107 145	123 120	149 165	147 194	165 177	117 176	59 96	23 38	5 17	29 26	44
									1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—continued.												
	General diseases—D	86,919	2,839	1,386	712	497	324	5,758	1,237	1,345	4,315	8,035	9,087
2	Males	43,342	1,586	734	399	236	166	3,121	601	499	1,776	3,843	4,520
3	Females	43,577	1,253	652	313	261	158	2,637	636	846	2,539	4,192	4,567
4	Anemia	(M) 618 (F) 890	78 75	16 23	4 11	6 11	2 6	106 126	17 13	9 16	13 52	22 63	21 54
5	Diabetes	(M) 1,404 (F) 1,289	7 4	5 4	5 2	2 10	5 3	24 23	33 33	57 41	56 32	50 47	67 44
6	Rheumatism	(M) 966 (F) 985	11 19	6 7	7 4	6 6	6 4	36 40	53 48	42 53	37 54	35 36	47 34
7	Scrofula and tabes	(M) 491 (F) 549	127 88	35 31	15 16	4 7	4 10	185 152	23 18	7 20	21 43	38 40	30 42
8	Hydrocephalus	(M) 1,747 (F) 1,426	624 505	349 297	174 128	94 104	65 61	1,306 1,095	164 137	51 39	38 47	37 22	25 23
9	Tuberculosis, general	(M) 513 (F) 423	40 46	20 20	15 7	8 6	9 4	92 83	25 19	17 25	24 32	50 44	66 38
10	Consumption	(M) 29,192 (F) 24,770	518 402	256 221	140 113	89 94	58 52	1,061 882	216 313	265 596	1,520 2,208	3,498 3,818	4,147 4,116
11	Cancer	(M) 6,388 (F) 10,908	8 10	4 1	3 1	3 3	4 1	22 16	10 12	9 12	16 18	48 47	67 145
12	Tumor	(M) 694 (F) 973	19 14	5 6	10 9	10 9	4 5	48 43	19 12	11 14	24 22	29 37	30 36
13	Dropsy	(M) 948 (F) 1,031	22 11	8 7	7 4	5 3	2 3	44 28	21 17	18 18	13 20	25 24	12 19
14	Others of this group	(M) 381 (F) 333	132 79	30 35	19 18	9 8	7 9	197 149	20 14	13 12	14 11	11 14	8 16
15	2. Diseases of the nervous system	62,563	13,112	3,341	1,452	857	590	19,352	1,514	905	891	971	1,234
16	Males	33,680	7,557	1,827	782	444	296	10,906	824	501	482	509	662
17	Females	28,883	5,555	1,514	670	413	294	8,446	690	404	409	462	572
18	Inflammation of the brain	(M) 617 (F) 464	162 110	74 46	51 29	15 16	13 13	315 214	45 26	15 23	16 18	20 20	15 22
19	Meningitis	(M) 6,113 (F) 4,832	2,125 1,604	974 796	443 384	263 241	159 176	3,964 3,201	481 431	202 209	172 129	164 128	178 120
20	Apoplexy	(M) 9,809 (F) 9,364	125 95	26 21	7 11	8 9	8 4	174 140	19 17	15 17	38 33	65 53	124 98
21	Paralysis	(M) 4,566 (F) 4,295	53 33	10 21	11 12	12 7	5 8	91 81	28 17	20 8	24 27	23 40	48 50
22	Paralysis, general (of insane)	(M) 413 (F) 176							1	2	1	1	15 5
23	Tetanus and trismus nascentium	(M) 907 (F) 411	435 292	9 5	5	7 2	6 2	462 301	60 7	125 12	52 8	31 9	34 9
24	Chorea	(M) 32 (F) 54		1	1	2	1	4 6	3 3	1 13	6 15	2 4	1
25	Epilepsy	(M) 680 (F) 542	44 32	10 6	4 8	3 5	2 1	63 52	19 20	30 32	68 40	45 38	65 54
26	Convulsions	(M) 5,275 (F) 4,247	4,108 3,030	559 500	208 175	89 105	55 58	5,019 3,868	81 87	26 16	7 27	13 38	15 53
27	Mental diseases	(M) 981 (F) 992							2	2	7	36	35
28	Diseases of the brain	(M) 2,991 (F) 2,366	458 325	153 106	43 43	39 24	36 25	729 523	72 61	55 60	64 71	83 71	97 68
29	Diseases of the spinal cord	(M) 504 (F) 430	37 20	11 10	5 7	5 4	10 4	68 45	8 16	5 6	19 11	12 10	14 15
30	Locomotor ataxia	(M) 371 (F) 122	1		1			2		1	1	3	4
31	Others of this class	(M) 421 (F) 588	9 12	1 2	3	1	1 1	15 15	5 4	2 5	7 18	11 22	17 36
32	3. Diseases of the circulatory system	43,233	2,243	121	86	91	120	2,661	702	805	832	1,061	1,248
33	Males	22,884	1,294	68	50	50	58	1,520	324	310	389	464	602
34	Females	20,349	949	53	36	41	62	1,141	378	495	443	597	646
35	Pericarditis	(M) 335 (F) 329	9 10	5 1		4 3	2 9	20 25	18 20	27 26	26 24	18 19	21 11
36	Diseases of the heart	(M) 19,783 (F) 18,161	757 599	58 49	46 32	41 37	52 49	954 766	300 351	277 460	354 405	427 533	535 569
37	Angina pectoris	(M) 1,055 (F) 784							2 3	1 5	6 8	8 27	22 30
38	Diseases of the arteries	(M) 658 (F) 400	2 1					2 2	1		1	1	2 2
39	Aneurism	(M) 369 (F) 119							2	3		8	18
40	Embolism	(M) 144 (F) 188	13 2		1		1	15 4	2 1	1	2 4	3 14	3 20
41	Others of this class	(M) 540 (F) 368	513 337	5 2	3 1	5 1	3 3	529 344	1 1	1 1		2	1 4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8,327	7,738	6,591	6,012	5,708	5,406	4,962	4,577	3,449	2,403	1,186	436	104	30	213	1
4,416	4,157	3,497	3,144	2,922	2,627	2,360	2,178	1,658	1,138	538	185	47	12	103	2
3,911	3,581	3,094	2,868	2,786	2,779	2,602	2,399	1,791	1,265	648	251	57	18	110	3
20	24	41	37	57	57	54	54	29	30	19	5		1	2	} 4
53	62	57	54	67	69	59	59	41	26	10	4	2	1	2	
67	68	95	87	128	114	159	156	113	82	35	6	3	1	3	} 5
34	51	62	76	126	163	180	154	115	71	26	6	2		3	
50	47	48	61	62	90	71	84	81	61	39	12	2	1	7	} 6
50	44	50	54	65	63	80	94	78	66	46	20	5	2	3	
22	27	15	21	11	19	23	22	14	5	4			1	3	} 7
43	31	25	27	30	15	18	16	9	10	9				1	
28	22	22	16	10	5	4	1	1	2	1				4	} 8
13	13	12	8	4	4		2	4	2					1	
48	46	29	36	31	15	10	12	5	6	1					} 9
42	28	24	28	15	10	11	12	3	4	2	1			2	
3,975	3,613	2,752	2,208	1,757	1,338	1,018	779	519	309	110	31	7	2	67	} 10
3,219	2,578	1,741	1,189	983	829	696	613	435	296	125	57	10	4	62	
127	220	370	536	749	836	871	889	721	516	238	93	31	5	14	} 11
335	657	972	1,258	1,336	1,449	1,359	1,225	905	641	338	120	29	6	28	
34	40	53	69	61	65	53	63	49	28	16	2				} 12
58	76	92	90	87	94	91	84	64	43	19	8			3	
24	37	50	60	46	77	88	109	118	92	73	35	4		2	} 13
38	28	46	71	64	73	98	128	130	103	72	35	9	5	5	
11	13	22	13	10	11	9	9	8	7	2	1		1	1	} 14
26	13	13	13	9	10	10	12	7	3	1					
1,407	1,858	2,024	2,529	3,038	3,496	4,225	4,816	5,003	4,492	2,942	1,231	360	91	184	15
817	1,073	1,188	1,372	1,648	1,894	2,178	2,510	2,589	2,268	1,447	539	130	33	110	16
590	785	836	1,157	1,390	1,602	2,047	2,306	2,414	2,224	1,495	692	230	58	74	17
17	20	21	13	21	15	16	17	24	13	10	4				} 18
17	11	18	15	19	15	6	14	9	7	5	1	1		3	
148	150	112	130	102	73	53	64	45	39	13	9	2		12	} 19
92	80	69	86	54	46	49	50	34	22	17	5	3	1	6	
197	279	429	535	779	976	1,174	1,337	1,364	1,164	760	268	62	11	39	} 20
123	220	334	560	739	919	1,125	1,237	1,299	1,152	754	371	117	32	24	
107	180	208	244	307	358	436	543	671	637	415	157	34	17	18	} 21
64	89	113	173	217	295	437	563	661	663	479	210	74	18	16	
36	47	59	60	42	39	34	26	18	15	8	6	2		1	} 22
14	12	19	5	16	14	13	21	22	18	11	3	2			
33	15	18	19	17	14	7	7	6	5					2	} 23
14	13	12	4	2	8	9	1	1	1						
3		1	1	4	1	1	2	1	1						} 24
		2	2	2	1	3	2	2	2	1					
51	69	50	41	23	28	32	25	29	22	10	6	2		2	} 25
32	54	30	34	34	22	36	20	18	14	8	2	2			
11	13	7	14	12	3	7	7	13	4	4	1	1		17	} 26
38	29	19	8	7	6	12	10	5	6	2	1	2		13	
56	79	63	52	57	75	93	131	101	91	59	29	8		5	} 27
55	70	71	67	67	65	105	96	96	99	68	34	13	2	1	
115	145	131	142	163	174	190	203	212	196	140	52	16	3	9	} 28
83	123	88	121	122	108	153	189	170	166	112	53	13	4	7	
16	33	38	35	51	39	46	52	28	26	11	1		1	1	} 29
16	33	21	26	34	45	36	38	34	26	12	2	2		2	
13	23	26	57	44	60	47	41	25	18	4	1			1	} 30
2	9	6	12	17	20	16	12	10	8	5	2				
14	20	25	29	26	40	42	55	52	37	13	5	2	1	3	} 31
40	42	36	44	60	38	47	53	55	40	21	8	1	1	2	
1,527	1,946	2,162	2,448	3,069	3,589	4,267	4,739	4,741	3,820	2,245	942	221	57	151	32
766	1,022	1,120	1,272	1,674	1,995	2,363	2,581	2,591	2,083	1,166	460	81	19	82	33
761	924	1,042	1,176	1,395	1,594	1,904	2,158	2,150	1,737	1,079	482	140	38	69	34
16	26	22	13	29	25	17	22	15	15	4				1	} 35
26	15	24	19	11	21	21	26	15	10	10	3	2		1	
687	882	974	1,128	1,464	1,743	2,054	2,286	2,306	1,838	1,011	403	71	17	72	} 36
674	850	951	1,058	1,291	1,447	1,748	1,950	1,947	1,572	946	433	115	31	64	
29	47	55	57	98	109	174	135	127	104	57	19	1		4	} 37
28	37	32	65	63	79	86	108	81	61	51	13	6		1	
3	5	12	16	29	60	71	106	112	102	85	37	9	2	3	} 38
1	4	5	6	12	22	34	50	84	65	60	28	16	7		
24	54	52	48	38	46	33	16	15	11	1				2	} 39
8	8	15	16	6	9	7	11	7	9	5	1	1			
6	8	4	10	14	12	11	16	16	13	7	1				} 40
21	9	14	11	10	16	8	12	16	17	5	4			2	
1		1		2		3				1					} 41
3	1	1	1	2			1		3	2				1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	80,504	18,166	8,286	3,739	2,034	1,216	33,471	2,582	846	1,344	2,103	2,422
2	Males.....	42,872	10,351	4,486	1,953	1,021	607	18,418	1,301	392	733	1,210	1,410
3	Females.....	37,632	7,815	3,800	1,786	1,013	639	15,053	1,281	454	611	893	1,012
4	Croup.....	1,527	230	314	309	227	143	1,223	277	12	3	3	3
	{M.....	1,303	172	253	218	203	137	988	273	21	3	1	
	{F.....	224	58	61	91	24	6	235					
5	Pneumonia.....	29,898	6,183	3,180	1,272	615	343	11,593	777	295	594	1,019	1,193
	{M.....	25,398	4,689	2,697	1,192	599	369	9,516	764	346	470	677	788
	{F.....	4,500	1,494	503	680	276	174	2,077	113	60	124	342	405
6	Laryngitis.....	324	49	49	24	35	20	177	53	9	1	4	3
	{M.....	273	32	45	29	40	18	164	43	7	6	4	8
	{F.....	51	17	4	5	15	2	13	10	2	5		
7	Bronchitis.....	6,844	2,948	807	272	102	69	4,198	109	37	39	54	64
	{M.....	7,059	2,274	689	294	115	78	3,450	114	32	62	77	77
	{F.....												
8	Pleurisy.....	793	26	38	20	18	8	110	27	15	44	49	46
	{M.....	621	19	25	17	8	7	76	29	10	18	49	44
	{F.....	172	7	13	3	10	1	34	8	5	26	1	2
9	Asthma.....	650	26	3	1	1		31	8	1	8	9	11
	{M.....	582	19	5		1		25	7	2	1	9	12
	{F.....												
10	Others of this class.....	2,836	889	95	55	23	24	1,086	50	23	44	72	90
	{M.....	2,396	610	86	36	42	30	804	46	36	51	76	83
	{F.....												
11	5. Diseases of the digestive system.....	23,379	3,950	857	331	215	194	5,547	835	864	1,075	1,410	1,604
12	Males.....	14,459	2,265	446	174	99	94	3,078	426	479	532	618	685
13	Females.....	13,920	1,685	411	157	116	100	2,469	409	385	543	792	919
14	Dentition.....	392	225	151	12	2	2	392					
	{M.....	363	211	137	12	1	2	363					
	{F.....												
15	Angina.....	203	20	26	16	16	8	86	31	9	4	13	7
	{M.....	184	16	17	14	7	15	69	42	19	4	6	7
	{F.....												
16	Gastritis.....	1,992	397	77	22	22	8	526	31	14	21	29	53
	{M.....	2,263	296	93	32	33	19	473	42	15	31	68	95
	{F.....												
17	Diseases of the stomach.....	823	64	10	3	3	6	86	8	6	10	16	33
	{M.....	665	44	13	3		4	64	7	5	19	39	40
	{F.....												
18	Obstruction of the bowels.....	1,130	218	20	16	7	11	272	43	31	41	46	63
	{M.....	1,208	129	15	11	17	8	180	38	16	27	48	74
	{F.....												
19	Appendicitis.....	1,791	9	5	4	10	12	40	110	236	244	255	206
	{M.....	1,067	7	5	5	4	8	29	104	142	158	120	129
	{F.....												
20	Hernia.....	570	69	6			1	76	3	5	15	13	16
	{M.....	501	20	2			2	24	4		3	1	2
	{F.....												
21	Other diseases of the bowels.....	380	108	15	4	2	1	130	5	5	10	15	17
	{M.....	355	81	14	2	4	3	104	6	8	14	9	26
	{F.....												
22	Jaundice.....	526	293	3	7	2	1	306	4	2	4	5	13
	{M.....	460	186	3	8	1	5	203	5	3	4	8	9
	{F.....												
23	Inflammation and abscess of the liver.....	679	37	5	2	2	8	54	11	10	9	31	40
	{M.....	591	26	1	2	6	4	39	7	13	9	23	28
	{F.....												
24	Other diseases of the liver.....	2,682	37	5	6	1	2	51	8	11	12	28	69
	{M.....	1,606	31	7	5	2	2	47	10	7	7	27	45
	{F.....												
25	Peritonitis.....	1,838	136	39	46	19	17	257	141	142	155	150	145
	{M.....	3,190	95	39	30	22	19	205	122	144	256	428	426
	{F.....												
26	Ascites.....	91	2	1				3	1	5	2	2	2
	{M.....	121	3					3			1	1	8
	{F.....												
27	Others of this class.....	1,362	650	83	36	18	17	799	25	3	5	15	21
	{M.....	1,346	540	65	33	19	9	666	22	13	10	14	30
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	29,447	497	159	136	134	122	1,048	450	325	460	911	1,234
29	Males.....	17,159	296	82	61	75	65	579	240	151	203	390	579
30	Females.....	12,288	201	77	75	59	57	469	210	174	252	521	655
31	Bright's disease.....	12,385							204	120	178	320	461
	{M.....	9,891							186	153	203	414	487
	{F.....												
32	Calculus, urinary.....	101	2					2		3	2	5	2
	{M.....	38	7					7				2	2
	{F.....												
33	Diseases of the kidney.....	1,075	195	74	60	67	58	454	12	4	9	16	28
	{M.....	773	150	68	64	53	54	389	4	3	9	21	27
	{F.....												
34	Diseases of the bladder.....	1,277	10	2			1	13	3	5	4	6	16
	{M.....	179	5		2			7	1		1	3	6
	{F.....												
35	Others of this class.....	2,321	89	6	1	8	6	110	21	19	15	43	72
	{M.....	1,407	39	9	9	6	3	66	19	13	34	81	133
	{F.....												
36	7. Diseases of the female organs of generation.....	1,812	9	1		1	1	12	1	9	68	188	258
37	Ovarian tumors.....	284							1	1	8	16	26
38	Ovarian diseases.....	100									2	12	18
39	Diseases of the tubes.....	308									17	51	76
40	Uterine tumors.....	479					1	1		1	2	8	24
41	Uterine diseases.....	117									11	21	27
42	Others of this class.....	524	9	1		1		11		7	23	80	87

CAUSE, SEX, AND AGE.

241

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,539	2,957	2,755	2,835	3,201	3,431	3,881	4,228	4,194	3,494	2,437	1,152	353	102	177	1
1,474	1,788	1,704	1,728	1,831	1,826	1,872	1,962	1,919	1,557	1,022	478	121	31	95	2
1,065	1,169	1,051	1,107	1,370	1,605	2,009	2,266	2,275	1,937	1,415	674	232	71	82	3
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
1,242	1,510	1,413	1,426	1,460	1,332	1,372	1,353	1,283	991	617	277	67	17	67	5
553	946	831	848	1,030	1,198	1,448	1,532	1,471	1,206	855	378	125	35	51	6
11	6	12	10	10	6	7	6	2	3	4	1	1	1	1	7
9	4	2	1	3	7	3	1	4	5	1	1	1	1	1	8
50	71	81	95	129	219	215	289	368	352	275	140	40	11	8	9
76	63	67	116	148	220	324	458	519	495	396	232	89	31	13	10
56	65	55	53	48	48	41	42	38	30	16	7	1	1	2	11
45	40	37	37	34	25	44	32	40	33	17	8	2	1	1	12
13	16	25	33	53	71	88	94	79	50	37	14	3	1	5	13
11	17	24	24	46	43	74	96	73	66	36	13	3	1	1	14
102	119	117	111	131	150	148	177	149	131	72	40	10	2	12	15
70	96	88	80	108	110	116	147	167	132	110	42	13	5	16	16
1,501	1,645	1,713	1,631	1,664	1,747	1,732	1,735	1,506	1,146	593	262	75	13	81	17
666	749	911	911	885	963	921	872	743	567	270	113	32	6	32	18
835	896	802	720	779	784	811	863	763	579	323	149	43	7	49	19
12	2	7	5	6	2	4	2	5	3	4	1	1	1	1	20
6	1	5	5	5	4	1	4	4	4	1	1	1	1	1	21
66	77	93	109	119	148	141	165	152	124	77	31	10	3	3	22
83	120	101	95	134	136	165	168	194	151	120	46	18	2	6	23
35	56	57	84	73	79	74	70	56	50	14	11	3	1	1	24
46	49	24	53	53	42	55	51	55	32	15	11	1	1	1	25
52	44	38	63	67	71	52	68	72	65	17	12	4	1	1	26
58	67	86	79	65	87	73	101	80	60	35	21	1	2	1	27
157	128	118	86	63	50	33	25	21	10	6	1	1	1	1	28
82	75	50	47	30	26	20	25	10	9	7	1	1	1	1	29
20	28	32	38	29	47	48	43	57	53	29	13	3	1	1	30
14	28	36	35	52	53	65	64	52	38	16	11	2	1	1	31
16	12	19	12	18	23	18	21	26	17	11	1	3	1	1	32
21	22	17	11	9	18	11	24	21	16	4	9	1	1	1	33
12	5	11	13	15	26	22	24	26	19	11	5	1	1	1	34
13	13	9	15	18	23	24	35	38	19	10	4	3	1	1	35
50	53	57	59	68	45	60	48	42	25	15	1	1	1	1	36
23	34	49	40	42	56	56	58	47	36	20	8	2	1	1	37
113	200	295	290	302	329	324	282	183	128	36	14	5	1	1	38
79	116	151	145	179	162	163	163	135	105	41	18	1	1	1	39
114	106	129	109	65	88	70	63	43	29	14	7	3	1	1	40
379	333	228	136	111	102	96	82	68	40	12	8	5	1	1	41
4	7	9	5	9	8	9	10	8	5	1	1	1	1	1	42
19	31	46	38	51	47	66	51	52	39	31	16	2	1	1	43
27	35	40	51	75	64	66	70	51	57	35	11	6	1	1	44
1,385	1,752	1,923	2,091	2,445	2,655	2,936	2,925	2,767	2,142	1,221	548	106	34	89	45
682	873	1,052	1,149	1,459	1,582	1,763	1,844	1,764	1,459	864	377	69	18	57	46
703	879	871	942	986	1,073	1,173	1,081	1,003	683	357	171	37	16	32	47
565	719	863	946	1,203	1,290	1,395	1,345	1,179	908	447	167	30	7	38	48
550	710	736	805	847	923	1,027	907	869	565	298	143	28	13	17	49
2	5	6	4	10	10	9	11	12	11	3	2	1	1	1	50
3	1	2	2	2	2	3	4	3	3	3	1	1	1	1	51
23	36	39	35	46	44	48	76	67	68	40	25	2	1	1	52
36	34	33	31	35	31	24	36	21	20	13	3	1	1	1	53
9	14	22	26	50	56	113	180	236	216	181	100	18	7	2	54
4	11	4	5	4	17	23	16	24	25	11	11	5	1	1	55
83	99	122	138	150	182	198	232	270	256	193	83	19	8	13	56
110	123	96	99	98	102	96	118	86	70	32	13	4	1	13	57
255	239	244	183	112	65	56	47	32	23	11	2	2	1	4	58
26	23	31	37	29	20	17	21	14	7	5	1	1	1	1	59
24	18	10	6	4	1	1	3	2	1	1	1	1	1	1	60
63	53	30	13	3	1	1	1	1	1	1	1	1	1	1	61
40	64	102	77	57	30	29	15	13	11	4	1	1	1	1	62
18	12	9	6	2	2	2	3	2	2	1	1	1	1	1	63
84	69	62	44	17	12	8	4	3	3	2	2	1	1	3	64

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3,772								5	259	813	926
2	Abortion	258									15	48	73
3	Childbirth	996								1	49	156	210
4	Puerperal septicemia	1,619								4	114	400	426
5	Extra-uterine pregnancy	140									2	22	36
6	Others of this class	759									79	187	181
7	9. Diseases of the bones and joints	1,050	75	28	12	26	19	160	96	82	81	76	46
8	Males	600	40	14	6	18	16	94	45	47	56	49	30
9	Females	450	35	14	6	8	3	66	51	35	25	27	16
10	Diseases of the spine.....{M.....	192	20	5	2	7	6	40	19	16	18	16	11
	{F.....	149	16	6	3	6		31	20	12	5	11	4
11	Abscess, lumbar and psoas.....{M.....	36	1					1		2	1	8	5
	{F.....	24	2					2	4	1		2	
12	Diseases of the bones.....{M.....	209	16	4	3	7	8	38	11	14	20	12	9
	{F.....	146	11	8	2	1	3	25	14	13	8	10	7
13	Diseases of the hip-joint.....{M.....	90	1	1		3	1	6	12	13	15	9	5
	{F.....	42	3		1			4	11	5	11	1	1
14	Others of this class.....{M.....	73	2	4	1	1	1	9	3	2	2	4	
	{F.....	89	3			1		4	2	4	1	3	4
15	10. Diseases of the skin	920	261	31	16	10	4	322	22	11	9	28	26
16	Males	512	138	17	10	4	1	170	16	6	5	13	15
17	Females	408	123	14	6	6	3	152	6	5	4	15	11
18	Abscess.....{M.....	274	55	12	6	3	1	77	15	6	4	9	11
	{F.....	204	53	6	3	3	2	67	6	3	2	9	9
19	Carbuncle.....{M.....	72	2		1			3			1	1	1
	{F.....	35	1		1			2			1	3	1
20	Others of this class.....{M.....	166	81	5	3	1		90	1			3	3
	{F.....	169	69	8	2	3	1	83		2	1	3	1
21	11. Diseases of the absorbent system	377	33	17	1	6	2	59	10	9	11	15	23
22	Males	193	20	10	1	6	2	39	8	4	7	8	10
23	Females	184	13	7				20	2	5	4	7	13
24	Addison's disease.....{M.....	61							1	2		1	3
	{F.....	55									2	2	4
25	Diseases of the spleen.....{M.....	29	4			2		6				2	3
	{F.....	28	2	1				3		1		2	4
26	Others of this class.....{M.....	103	16	10	1	4	2	33	7	2	5	5	4
	{F.....	101	11	6				17	2	4	2	3	5
27	12. Accidents and injuries	27,649	1,510	438	476	468	368	3,260	1,298	1,084	1,536	2,293	2,517
28	Males	21,067	844	233	287	261	204	1,829	878	833	1,244	1,867	2,100
29	Females	6,582	666	205	189	207	164	1,431	420	191	292	426	417
30	Burns and scalds.....{M.....	1,075	48	108	164	135	68	523	82	27	19	45	47
	{F.....	1,470	44	106	102	124	106	482	212	69	63	59	83
31	Drowning.....{M.....	2,857	16	28	23	27	34	128	309	358	277	286	244
	{F.....	295	9	19	11	13	4	56	25	24	35	21	11
32	Exposure and neglect.....{M.....	158	44	1	1		2	48	4	2	1	5	3
	{F.....	93	44	6	2			52		1	1	5	
33	Gunshot wounds.....{M.....	965	3	1	1	2	1	8	18	75	132	150	130
	{F.....	138	2		4	4	3	13	9	8	11	31	13
34	Homicide.....{M.....	499			1		3	4	8	10	30	80	92
	{F.....	134		1	2	2	2	7	9	5	7	18	23
35	Infanticide.....{M.....	12	12					12					
	{F.....	12	12					12					
36	Injuries by machinery.....{M.....	107		1				1			12	15	16
	{F.....	5	1					1		1		1	
37	Railroad accidents.....{M.....	3,443	6	8	10	14	21	59	140	147	228	405	429
	{F.....	349	5	6	8	7	12	38	46	19	28	24	18
38	Suffocation.....{M.....	747	357	16	12	6	6	397	10	11	20	32	26
	{F.....	472	289	17	8	5	8	327	17	3	11	9	12
39	Suicide by shooting.....{M.....	764									10	63	88
	{F.....	53									5	7	6
40	Suicide by drowning.....{M.....	112									3	6	7
	{F.....	52									2	7	6
41	Suicide by poison.....{M.....	551									13	45	62
	{F.....	364									54	72	58
42	Other suicides.....{M.....	1,203								3	23	65	84
	{F.....	301								2	16	35	34
43	Sunstroke.....{M.....	298	42	6	4		2	54	9	1	8	17	19
	{F.....	144	35	9	4	1		49	4	1	2	4	3
44	Surgical operations.....{M.....	129	7	1	1		1	10	6		5	9	15
	{F.....	285	3		2			5	2	3	6	38	36
45	Wounds.....{M.....	404	2	1	3	4	4	14	11	10	37	44	61
	{F.....	34	1	1				2	6	2	3	3	3
46	Others of this class.....{M.....	7,743	307	62	67	73	62	571	281	249	426	600	777
	{F.....	2,381	221	40	46	51	29	387	90	49	48	92	111

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
790	621	303	28	4	1	1	1		3					17	1
50	52	17			1				1					1	2
227	213	119	11	2					1					7	3
337	220	97	12	2		1			1					5	4
37	32	9	1											1	5
139	104	61	4				1							3	6
58	55	63	53	55	45	39	46	47	24	15	6	3			7
33	34	40	32	32	22	19	26	18	16	3	3	1			8
25	21	23	21	23	23	20	20	29	8	12	3	2			9
6	11	11	8	8	7	3	6	5	6	1					}10
7	11	6	6	11	5	7	5	3	1	2	1	1			
5	2		2	2	2	2	1	2	1						}11
2	1	2	2	3	2			3							
13	12	12	11	13	7	8	11	6	8	2	2				}12
10	4	6	8	4	6	6	4	10	2	7	2				
8	4	8	1	4	3	1	1								}13
2	4	1						1		1					
1	5	9	10	5	3	5	7	5	1		1	1			}14
4	1	8	5	5	10	7	11	12	5	2		1			
37	48	49	43	44	54	59	53	36	41	19	12	4		3	15
16	26	28	26	28	36	29	29	19	25	15	7	1		2	16
21	22	21	17	16	18	30	24	17	16	4	5	3		1	17
11	20	18	14	16	19	15	13	9	8	7		1		1	}18
14	13	12	10	7	11	11	14	5	6	2	1	2			
4	2	4	8	6	8	8	9	5	7	2	2			1	}19
	1	3	2	5	2	5	2	5	2	1					
1	4	6	4	6	9	6	7	5	10	6	5				}20
7	8	6	5	4	5	14	8	7	8	1	4	1		1	
28	21	32	33	22	28	28	25	17	12	2				2	21
16	11	16	16	11	12	13	10	7	3	1				1	22
12	10	16	17	11	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						}24
4	7	6	2	4	7	6	5	2	3					1	
4	2	3	3	1		1	1	1	1						}25
4	1	2	2	2	1	1	2	1	2	1					
9	2	7	5	3	5	4	6	4	1					1	}26
4	2	8	13	5	8	8	8	7	4	1					
2,401	2,516	1,962	1,739	1,455	1,174	1,087	907	713	590	396	225	84	24	388	27
1,994	2,088	1,639	1,446	1,197	946	843	645	464	344	198	85	31	6	330	28
407	428	323	293	258	228	244	262	249	246	198	140	53	18	58	29
51	52	51	33	27	21	27	20	16	11	9	3			11	}30
78	72	51	51	33	38	47	34	37	29	17	8	4		3	
214	240	198	141	115	92	68	48	31	21	7	3			77	}31
24	21	14	12	12	8	7	9	5	2					9	
10	9	9	11	8	7	11	7	4	10	3	2		1	3	}32
2	4	2	2	1	4	2		1	4	5	3	1		3	
110	91	60	48	36	30	24	11	9	6	1	1	2		23	}33
17	17	7	4	3		2			2	1					
79	71	34	30	19	12	10	5	4	1	2				8	}34
19	14	10	5	5	3	1	2							6	
															}35
16	14	11	6	6	2	3	5								}36
1		1													
377	399	274	222	192	154	130	70	57	34	19	9		1	97	}37
20	17	17	20	17	17	12	15	15	16	5	1	1		3	
31	44	30	27	15	20	22	19	8	8	2	2			23	}38
8	8	3	6	6	9	8	6	7	4	4	1				
87	96	94	90	71	51	34	33	18	12	6	2			9	}39
12	7	3	5	3	2		1	1	1						
9	10	10	10	15	10	8	7	5	9					1	}40
6	3	3	4	6	5	4	1	3	2	2					
65	66	65	52	59	33	31	26	17	7	1				9	}41
36	46	26	20	12	10	6	5	7	3	1		1		3	
108	125	136	143	130	112	89	65	53	37	15	3	2		10	}42
30	39	37	29	18	14	12	14	7	5	5	3			1	
24	39	22	23	24	17	9	6	10	10	3	1			2	}43
2	7	6	6	10	7	13	8	12	7	3					
11	13	10	9	8	11	9	8	2	1	1				1	}44
41	39	35	24	19	17	6	8	2	2	2					
48	40	24	32	21	17	19	9	2	2	4	1	1		7	}45
1	2	1	2		2	3	1	1	1	1					
754	779	611	569	451	357	349	306	228	175	123	58	26	4	49	}46
110	132	107	103	113	92	121	158	151	168	154	124	46	18	7	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males.....	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females.....	187,551	37,615	10,541	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Unknown cause.....	3,396	1,061	126	56	42	26	1,311	80	43	64	94	132
5	Males.....	1,885	596	66	30	25	13	730	42	21	32	41	69
6	Females.....	1,511	465	60	26	17	13	581	38	22	32	53	63
7	1. General diseases. General diseases—A.....	71,339	24,407	8,464	4,047	2,782	2,125	41,825	5,104	1,676	1,791	2,485	2,280
8	Males.....	36,907	13,269	4,360	2,041	1,399	1,030	22,099	2,456	771	873	1,355	1,253
9	Females.....	34,432	11,138	4,104	2,006	1,383	1,095	19,726	2,648	905	918	1,130	1,027
10	Measles.....	(M) 1,539 (F) 1,552	407 366	546 532	245 242	110 115	65 68	1,373 1,323	111 138	18 26	4 18	16 12	5 11
11	Scarlet fever.....	(M) 1,415 (F) 1,381	94 60	185 160	239 223	242 219	156 196	916 868	374 386	64 57	15 27	14 15	12 10
12	Diphtheria.....	(M) 4,433 (F) 4,631	313 230	707 665	738 688	648 645	528 558	2,934 2,786	1,194 1,375	212 264	46 73	24 41	15 27
13	Whooping cough.....	(M) 1,357 (F) 1,555	760 754	336 400	131 178	60 92	27 51	1,314 1,475	29 55	1 6	3 4	1	2
14	Malarial fever.....	(M) 1,108 (F) 1,031	99 87	52 59	27 53	32 34	26 22	236 255	75 81	34 43	61 69	103 89	84 63
15	Influenza.....	(M) 1,861 (F) 2,550	185 147	35 40	16 28	13 14	10 18	259 247	25 25	17 22	28 35	52 56	54 75
16	Typhoid fever.....	(M) 4,604 (F) 3,321	35 39	33 38	39 36	41 50	52 37	200 200	237 234	232 301	503 497	821 533	715 392
17	Cholera morbus.....	(M) 628 (F) 634	136 121	37 48	57 51	17 13	7 6	254 239	32 18	20 16	13 19	14 19	18 21
18	Colitis.....	(M) 373 (F) 339	194 159	47 54	13 12	11 5	3 2	268 232	8 5	2 4	1 3	3 4	8 6
19	Diarrhea.....	(M) 1,433 (F) 1,320	674 565	145 118	52 38	7 8	13 6	891 735	42 49	6 21	14 5	16 13	14 19
20	Dysentery.....	(M) 1,151 (F) 1,065	188 148	117 70	51 27	27 15	15 10	398 270	41 15	15 8	18 7	48 25	39 25
21	Enteritis.....	(M) 7,067 (F) 6,435	4,612 3,660	1,013 933	219 212	79 77	58 58	5,981 4,940	97 109	41 40	35 35	38 62	62 94
22	Cholera infantum.....	(M) 5,787 (F) 5,039	4,708 4,044	915 839	106 111	37 24	19 19	5,785 5,037					
23	Fever.....	(M) 47 (F) 39	12 12	3 3	1 2	1	1	17 19	1 5		3 2	3 2	1 3
24	Cerebro-spinal fever.....	(M) 833 (F) 679	221 178	120 86	63 56	49 44	29 24	482 388	105 85	55 55	42 34	36 18	27 20
25	Smallpox.....	(M) 353 (F) 225	14 14	7 11	7 6	3 4	1 2	32 37	8 12	11 11	24 19	65 48	58 32
26	Erysipelas.....	(M) 670 (F) 507	186 180	16 15	3 4	2 3	3 1	210 203	4 3	7 3	14 9	14 11	30 20
27	Septicemia.....	(M) 1,020 (F) 1,186	118 100	21 15	13 11	10 11	12 10	174 147	50 39	26 16	31 49	58 154	63 178
28	Venereal diseases.....	(M) 490 (F) 388	287 253	18 9	6 8	5 4	1 2	317 276	2 1	2 2	5 7	8 16	21 15
29	Others of this group.....	(M) 638 (F) 555	26 21	7 9	15 10	6 5	4 4	58 49	21 13	8 8	13 6	21 11	27 14
30	General diseases—B.....	10,258	6,249	313	90	65	25	6,742	67	17	87	202	321
31	Males.....	6,194	3,430	173	45	35	19	3,702	32	8	31	101	197
32	Females.....	4,064	2,819	140	45	30	6	3,040	35	9	56	101	124
33	Alcoholism.....	(M) 1,485 (F) 331			1			1		1	1	26 14	119 47
34	Parasitic diseases.....	(M) 13 (F) 16	2 2	3 3	1 2	5	2 1	8 13	1 3				
35	Lead poison.....	(M) 42 (F) 20	1 5		1 1			2 6				2	2 1
36	Other poisons.....	(M) 943 (F) 545	33 14	45 20	22 16	17 7	7 4	124 61	19 13	5 4	27 51	70 79	74 69
37	Inanition.....	(M) 3,711 (F) 3,152	3,394 2,798	125 117	21 25	18 18	10 1	3,568 2,959	12 18	2 5	3 4	3 8	2 7
38	General diseases—C.....	31,545	17,960	823	182	69	41	19,075	66	33	37	59	67
39	Males.....	15,802	10,110	405	97	45	16	10,673	29	19	21	26	25
40	Females.....	15,743	7,850	418	85	24	25	8,402	37	14	16	33	42
41	Old age.....	(M) 4,147 (F) 6,095											
42	Premature birth.....	(M) 4,569 (F) 3,415	4,569 3,415					4,569 3,415					
43	Malformation.....	(M) 702 (F) 564	686 550	2 7	4 2	1	1	692 561	1 1	2 1	1	1	
44	Debility and atrophy.....	(M) 5,891 (F) 5,313	4,363 3,530	403 411	93 83	44 23	16 24	4,919 4,071	28 36	17 13	20 16	26 32	25 42
45	Others of this group.....	(M) 493 (F) 356	492 355			1		493 355					

245

REGISTRATION CITIES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19,633	20,551	18,538	17,983	18,742	18,760	19,710	19,788	18,460	14,664	10,053	5,014	1,686	678	1,334	1
10,881 8,752	11,627 8,924	10,743 7,795	10,442 7,541	10,751 7,991	10,372 8,888	10,388 9,322	10,188 9,600	9,185 9,275	6,994 7,670	4,515 5,538	2,074 2,940	560 1,126	225 453	803 531	2 3
115	168	151	159	157	157	156	154	139	91	61	27	8	2	127	4
64 51	93 75	91 60	106 53	86 71	96 61	91 65	88 66	78 61	41 50	32 29	13 14	2 6	1 1	68 59	5 6
1,865	1,706	1,395	1,268	1,321	1,288	1,456	1,562	1,443	1,203	925	436	127	45	138	7
1,029 836	935 771	778 617	728 540	717 604	660 628	689 767	711 851	644 799	498 705	387 538	188 248	36 91	19 26	81 57	8 9
4 7	2 7	1 3	1 2	3 1	1 1					1				3	10
10 5	5 6	3 4	1	1		1	1			1					11
19 20	10 12	1 6	7 6	6 7	5 3	3 4	1	1 2		1 1		1		3 2	12
1 5	1 1	1 2		1	1	1				1		1		3 2	13
56 65	67 44	59 32	64 38	52 34	46 43	37 43	44 43	31 38	30 16	12 19	8 9	2 1		7 4	14
75 76	73 74	99 84	82 89	89 138	102 154	155 249	175 262	186 279	155 280	144 232	66 110	13 47	7 10	5 6	15
545 278	426 228	258 180	207 106	160 100	113 80	78 67	41 51	34 43	11 11	4 7	4 3			15 10	16
15 21	15 37	25 19	27 15	31 33	30 23	22 29	38 33	31 25	18 32	7 16	10 12	3 3	3 2	2 2	17
5 6	5 8	12 8	10 8	6 8	5 7	6 4	9 15	8 8	7 6	4 3	3 2	2 1		1 1	18
18 23	25 19	23 20	19 24	39 22	60 42	55 54	64 56	66 60	55 59	38 56	18 26	6 7	3 5	11 5	19
38 30	44 27	38 32	47 52	52 48	37 66	78 72	77 107	68 93	44 85	41 60	17 28	3 10	1 2	7 3	20
47 79	61 76	55 74	76 82	74 84	77 86	91 119	92 172	76 141	79 121	46 71	27 35	2 7	3 4	7 4	21
														2 2	22
	2	5	5 1	5	1	1	3	1		1					23
3															
14 15	17 15	13 15	14 13	9 5	6 6	6 3	2	2 3	1 2	1 1				1 1	24
38 17	37 12	21 13	19 6	13 6	11 7	5 2	4 3	3	3					1	25
35 10	32 36	42 20	33 17	45 25	49 23	39 30	41 24	25 27	23 24	18 13	4 6	2 3	1	2	26
72 142	72 136	75 82	59 51	76 49	70 48	53 32	62 17	27 17	23 10	20 5	5 4			4 8	27
19 17	19 15	21 11	18 9	20 8	15 3	11 1	1	1 2	3 1	1 1				6 3	28
18 17	22 18	26 12	39 21	37 35	31 36	47 58	57 67	85 60	46 56	50 50	26 12	1 10	1 1	4 1	29
432	534	398	344	298	227	164	147	75	72	27	13	4	4	83	30
316 116 208 44	419 115 297 61	316 82 209 54	272 72 186 36	235 63 165 24	173 54 110 19	125 39 59 12	111 36 62 7	51 24 18 4	32 40 7 4	10 17 2	7 6 3	2 2	1 3	53 30 17 3	31 32 83
		1	1	1	1										34
4 4	11 2	5	4	4 1	1 3	3 1	3		1						35
106 61	106 48	96 23	75 26	55 30	54 21	51 16	34 18	18 5	15 9	4 9				10 2	36
3 7	5 4	5 5	6 10	10 8	7 11	12 10	12 11	15 15	9 27	4 8	4 6	2 2	1 2	26 25	37
68	83	81	78	122	209	461	865	1,782	2,346	2,828	1,904	894	406	81	38
32 36	44 39	33 48	37 41	49 73	90 119	188 273	389 476	769 1,013	1,010 1,336	1,174 1,654	731 1,173	295 599	127 279	41 40	39 40
						87 172	276 348	659 865	908 1,208	1,099 1,536	702 1,106	284 572	122 268	10 20	41
															42
1														5	43
31 36	44 39	33 48	37 41	49 73	90 118	101 101	113 128	110 148	102 128	75 118	29 67	11 27	5 11	26 20	44
					1										45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
2	General diseases—D	68,597	2,312	1,155	607	428	267	4,769	1,027	1,076	3,442	6,671	7,589
3	Males	35,113	1,293	614	356	209	141	2,613	505	404	1,442	3,246	3,858
4	Females	33,484	1,019	541	251	219	126	2,156	522	672	2,000	3,425	3,731
5	Anemia	412	53	10	2	5	2	72	12	8	10	15	17
6	Diabetes	581	38	12	8	8	4	70	10	11	36	44	41
7	Rheumatism	946	3	5	2	2	3	15	17	32	34	28	46
8	Scrofula and tubercles	932	2	2	2	5	1	10	19	21	17	30	29
9	Hydrocephalus	690	8	4	5	6	4	27	41	33	26	32	36
10	Tuberculosis, general	739	17	6	3	4	4	34	35	39	49	27	30
11	Consumption	370	103	27	14	4	2	150	19	6	17	30	21
12	Cancer	392	68	26	13	6	9	122	13	15	28	26	30
13	Tumor	1,492	505	300	160	83	59	1,107	148	44	33	32	20
14	Dropsy	1,191	430	252	104	91	48	925	117	28	37	21	18
15	Others of this group	416	34	16	14	7	9	80	19	14	20	44	48
16	Consumption	304	38	19	5	5	4	71	14	22	18	32	26
17	Cancer	24,635	439	216	125	77	52	909	185	223	1,248	2,965	3,574
18	Tumor	19,741	332	188	94	79	43	736	265	494	1,765	3,146	3,379
19	Dropsy	4,647	3	1	3	2	2	11	9	6	12	46	58
20	Others of this group	7,983	8	3	2	1	1	11	11	10	12	38	121
21	Tumor	543	16	3	9	9	2	39	18	10	20	22	22
22	Dropsy	690	10	4	7	9	3	33	12	12	14	29	29
23	Others of this group	652	17	5	7	5	1	35	21	16	11	22	11
24	Others of this group	671	7	4	2	3	3	19	14	12	17	21	18
25	Others of this group	310	112	27	15	9	5	168	16	12	11	10	5
26	Others of this group	260	69	30	13	7	6	125	12	8	7	11	10
27	2. Diseases of the nervous system	46,673	11,101	2,812	1,206	722	494	16,335	1,235	696	693	785	975
28	Males	25,211	6,359	1,531	647	376	239	9,152	680	387	373	422	534
29	Females	21,462	4,742	1,281	559	346	255	7,183	555	309	320	363	441
30	Inflammation of the brain	450	113	60	39	13	8	233	34	13	11	16	11
31	Meningitis	329	83	36	22	14	10	165	17	12	12	13	15
32	Apoplexy	5,088	1,770	824	374	233	130	3,331	395	157	136	143	153
33	Paralysis	4,010	1,357	675	321	201	156	2,710	358	170	106	108	93
34	Paralysis, general (of insane)	6,907	107	21	7	6	6	147	18	13	29	50	103
35	Tetanus and trismus nascentium	6,586	71	14	10	8	4	107	15	14	24	41	78
36	Chorea	2,859	36	7	8	10	3	64	23	16	22	21	35
37	Epilepsy	2,752	28	16	9	6	6	65	14	7	24	32	40
38	Convulsions	298	114	1	1	1	1	1	1	1	1	1	9
39	Paralysis, general (of insane)	811	409	7	5	4	5	430	53	107	45	29	31
40	Tetanus and trismus nascentium	374	274	4	1	2	2	281	6	10	7	7	8
41	Chorea	21	2	1	2	2	2	3	3	1	4	1	3
42	Epilepsy	31	22	7	2	2	1	34	14	12	44	31	40
43	Convulsions	358	15	1	4	2	1	23	14	22	31	29	37
44	Mental diseases	4,508	3,526	475	171	71	48	4,291	72	22	6	10	15
45	Diseases of the brain	3,660	2,624	444	150	91	53	3,362	70	14	21	29	42
46	Diseases of the spinal cord	713	1	1	1	1	1	1	1	2	6	30	30
47	Locomotor ataxia	727	1	1	1	1	1	1	1	2	11	22	31
48	Others of this class	2,220	346	120	33	30	30	559	58	39	52	71	78
49	Others of this class	1,741	269	84	37	21	19	430	47	44	55	54	55
50	Others of this class	344	22	9	4	4	7	46	4	2	14	9	13
51	Others of this class	299	9	6	5	2	1	23	11	1	9	7	14
52	Others of this class	279	1	1	1	1	1	2	1	1	2	2	4
53	Others of this class	94	7	1	2	1	1	12	4	1	4	9	12
54	Others of this class	283	10	1	1	1	1	12	2	4	12	15	25
55	3. Diseases of the circulatory system	31,538	1,666	95	67	74	111	2,013	616	689	678	893	1,083
56	Males	16,418	955	50	40	43	54	1,142	288	262	312	390	533
57	Females	15,120	711	45	27	31	57	871	328	427	366	503	550
58	Pericarditis	270	9	3	2	4	2	18	16	24	21	14	18
59	Diseases of the heart	263	9	1	2	2	9	23	17	20	22	17	10
60	Angina pectoris	14,060	513	43	36	35	48	675	267	233	235	361	474
61	Diseases of the arteries	13,465	419	41	23	29	45	557	305	401	334	451	488
62	Aneurism	689	1	1	1	1	1	1	1	1	1	1	1
63	Embolicism	515	1	1	1	1	1	1	1	1	1	1	1
64	Others of this class	525	1	1	1	1	1	1	1	1	1	1	1
65	Others of this class	331	1	1	1	1	1	1	1	1	1	1	1
66	Others of this class	329	1	1	1	1	1	1	1	1	1	1	1
67	Others of this class	95	1	1	1	1	1	1	1	1	1	1	1
68	Others of this class	98	1	1	1	1	1	1	1	1	1	1	1
69	Others of this class	147	1	1	1	1	1	1	1	1	1	1	1
70	Others of this class	447	423	4	3	4	3	437	1	1	1	1	1
71	Others of this class	304	281	2	1	1	2	236	1	1	1	1	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,020	6,533	5,475	4,893	4,584	4,094	3,653	3,094	2,240	1,386	616	218	42	22	153	1
3,852	3,617	2,986	2,649	2,434	2,058	1,793	1,519	1,056	633	262	82	18	9	77	2
3,168	2,916	2,489	2,244	2,150	2,036	1,860	1,575	1,184	753	354	136	24	13	76	3
17	17	32	26	36	41	36	30	17	17	5	2	1	1	1	4
39	40	45	33	46	46	35	35	26	13	6	2	1	1	1	
52	54	67	62	94	81	118	114	69	45	11	4	1	1	1	5
28	40	50	52	97	132	139	111	82	50	18	4	1	1	2	
39	41	41	54	50	64	50	55	40	30	21	5	1	1	4	6
41	38	35	47	54	44	60	68	55	40	28	8	3	2	2	
19	20	12	15	10	9	18	8	7	4	2			1	2	7
28	23	18	21	20	11	11	13	7	4	2					
33	16	19	14	9	5	4	1		2	1				4	8
10	10	9	6	2	3		1	3	1						
37	38	23	30	25	10	9	9	4	6						9
29	20	18	19	11	5	6	8	2	1					2	
3,479	3,172	2,397	1,906	1,500	1,063	796	568	346	167	60	19	4	2	52	10
2,622	2,118	1,423	931	772	610	502	398	261	163	70	32	5	3	46	
112	185	292	429	618	664	649	614	461	293	122	38	11	4	10	11
279	534	785	999	1,034	1,062	978	805	619	399	189	67	9	4	17	
33	31	44	56	50	55	45	42	33	14	9				3	12
43	59	63	68	62	68	61	52	42	23	11	6				
22	33	42	47	33	58	62	70	72	51	30	13	1		2	13
30	23	33	57	47	47	63	74	82	57	29	17	5	3	3	
9	10	17	10	9	8	6	8	4	4	1	1			1	14
19	11	10	11	5	8	5	10	5	2	1					
1,147	1,510	1,646	2,015	2,364	2,610	3,063	3,259	3,175	2,571	1,593	659	165	47	130	15
680	877	986	1,113	1,294	1,419	1,579	1,701	1,625	1,239	747	259	55	14	75	16
467	633	660	902	1,070	1,191	1,484	1,558	1,550	1,332	846	400	110	33	55	
15	17	15	10	15	12	11	10	17	2	7	1			3	18
12	8	13	14	15	8	5	8	4	2	3					
131	130	101	115	82	53	46	42	27	22	10	5			9	19
71	66	50	65	45	35	38	37	20	16	10	3	3	1	5	
160	231	365	430	631	748	855	949	905	659	425	133	32		20	20
94	185	275	456	582	707	832	858	860	724	421	223	52	19	19	
88	133	169	190	237	251	305	335	363	332	173	66	12	9	15	21
48	70	86	124	160	213	295	361	406	367	278	107	38	8	9	
28	39	47	49	30	28	23	14	15	8	3	2			1	22
12	11	13	3	11	12	8	10	11	11	6	1	1			
30	15	15	18	12	8	4	5	4	3					2	23
12	11	10	4	2	7	7	1	1							
2		1	1	2		1		1	1						24
				1		2	1								
37	41	37	31	16	21	22	14	13	11	7	3	1		1	25
24	36	21	23	21	13	28	11	12	8	3	2				
9	10	7	12	10	2	7	6	9	2	4				14	26
29	21	16	6	6	6	11	4	5	5	1	1	1		10	
42	70	46	41	49	59	75	94	63	50	27	20	3		5	27
46	59	58	52	49	43	78	66	72	65	41	22	7	2	1	
103	126	113	124	123	139	139	138	137	110	74	24	6	1	6	28
71	103	67	98	94	70	111	136	100	90	66	36	6	2	6	
14	27	29	28	34	27	30	30	20	11	5	1				29
13	27	18	21	24	33	24	25	23	17	5	2	1		1	
12	21	23	41	33	45	35	29	16	10	3	1			1	30
2	7	5	10	16	17	12	8	5	5	4	1				
9	17	18	23	20	26	26	35	35	18	9	3	1		1	31
33	29	28	26	44	27	33	32	31	21	8	2	1	1	1	
1,317	1,684	1,815	2,036	2,455	2,772	3,121	3,256	3,049	2,178	1,162	489	109	34	89	32
683	897	973	1,075	1,357	1,523	1,701	1,704	1,588	1,119	554	221	33	10	53	33
634	787	842	961	1,098	1,249	1,420	1,552	1,461	1,059	608	268	76	24	36	
16	23	20	11	24	20	13	14	7	10					1	35
20	15	20	17	11	14	18	16	11	5	4	1	2			
610	775	845	952	1,191	1,323	1,466	1,498	1,401	966	473	185	26	9	45	36
569	723	771	861	1,012	1,148	1,313	1,403	1,312	945	524	240	56	18	84	
26	37	45	43	70	80	119	78	76	52	10	6			2	37
20	30	23	50	50	50	53	68	47	34	24	4				
3	4	11	15	26	55	64	92	85	76	52	26	7	1	3	38
	4	4	6	10	17	27	45	74	51	50	19	14	6		
22	52	49	47	33	38	29	14	10	6	1				2	39
5	7	12	16	5	7	4	11	4	8	3					
5	6	3	7	11	7	7	8	9	9	5					40
17	7	11	10	8	13	5	8	13	13	1	2			2	
1				2		3				1					41
8	1	1	1	2			1		3	2					

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	66,283	15,608	7,328	3,306	1,792	1,111	29,145	2,158	674	1,052	1,766	2,105
2	Males	35,573	8,894	3,973	1,715	902	548	16,032	1,105	315	572	1,014	1,250
3	Females	30,710	6,714	3,355	1,591	890	563	13,113	1,053	359	480	752	855
4	Croup.....	1,259 1,067	180 133	255 211	261 185	184 176	127 115	1,007 820	232 220	10 14	1 3	2	2
5	Pneumonia.....	24,902 20,684	5,365 4,064	2,861 2,422	1,134 1,066	564 534	315 331	10,239 8,417	674 630	235 279	466 365	853 579	1,051 667
6	Laryngitis.....	253 214	42 23	39 37	18 27	27 33	17 14	143 134	36 37	7 5	1 5	3 3	2 4
7	Bronchitis.....	5,702 5,863	2,553 1,947	707 597	235 266	89 105	62 71	3,646 2,986	91 101	31 27	31 51	47 63	61 63
8	Pleurisy.....	659 522	23 18	34 22	17 17	17 6	7 7	98 70	25 23	13 7	32 15	40 44	43 40
9	Asthma.....	550 491	17 11	2 5	1	1		21 16	7 5	1	6 1	8 7	10 12
10	Others of this class.....	2,248 1,869	714 518	75 61	49 30	20 36	20 25	878 670	40 37	18 27	35 40	61 56	81 69
11	5. Diseases of the digestive system	21,905	3,169	719	263	174	153	4,478	636	671	826	1,178	1,320
12	Males	11,177	1,829	886	138	78	75	2,506	322	367	406	512	562
13	Females	10,728	1,340	833	125	96	78	1,972	314	304	420	666	758
14	Dentition.....	366 331	212 197	138 121	12 11	2	2	366 331					
15	Angina.....	133 133	15 12	19 14	12 11	5	5	63 55	24 27	6 14	1 4	10 6	5 2
16	Gastritis.....	1,494 1,706	331 245	69 77	19 24	19 29	7 14	445 389	24 40	12 13	15 26	23 59	35 73
17	Diseases of the stomach.....	599 466	53 32	10 9	2 2	2	4 3	71 46	8 7	4 4	7 14	14 31	25 34
18	Obstruction of the bowels.....	864 953	187 97	14 9	13 9	5 14	10 6	229 185	29 29	24 13	31 23	42 42	55 64
19	Appendicitis.....	1,448 861	6 5	5 3	2 4	9 4	8 5	30 21	90 87	182 117	194 121	217 101	167 108
20	Hernia.....	423 384	50 14	6 2			1 2	57 18	3 5	5	12 2	12 1	15 2
21	Other diseases of the bowels.....	267 264	78 60	11 11	1 2	1	1 3	91 77	4 5	3 7	8 11	13 9	16 24
22	Jaundice.....	396 340	234 153	3 2	4 6	2	1 4	244 165		1	4 2	3 6	10 6
23	Inflammation and abscess of the liver.....	559 442	32 24	4	2 2	1 5	7 3	46 34	9 7	6 10	9 7	27 22	36 20
24	Other diseases of the liver.....	2,118 1,232	26 24	4 6	3 2	1 2	2 2	36 36	7 7	9 4	9 6	22 25	56 38
25	Peritonitis.....	1,427 2,535	110 73	33 27	39 23	15 18	12 15	209 156	106 87	107 112	112 197	114 350	125 352
26	Ascites.....	66 90	1 3	1				2 3	1 5	5	2	2 1	2 8
27	Others of this class.....	1,012 991	494 401	69 52	29 29	10 18	15 6	617 506	17 13	3 10	2 7	13 13	15 27
28	6. Diseases of the urinary system and male organs of generation.	23,232	407	137	112	125	96	877	376	266	366	772	1,048
29	Males	13,272	239	72	51	68	51	481	204	118	165	343	498
30	Females	9,960	168	65	61	57	45	396	172	148	201	429	550
31	Bright's disease.....	9,834 8,049							171 153	98 135	143 166	283 341	399 413
32	Calculus, urinary.....	75 31	2 7					2 7		3	1	5 1	2 2
33	Diseases of the kidney.....	804 605	157 124	65 57	51 53	62 51	46 43	381 328	11 3	3 2	6 9	15 18	22 21
34	Diseases of the bladder.....	792 125	6 4	2	1		1	9 5	3 1	2	3 1	5 2	14 4
35	Others of this class.....	1,767 1,150	74 33	5 8	7	6 6	4 2	89 56	19 15	12 11	12 25	35 67	61 110
36	7. Diseases of the female organs of generation.	1,507	8	1		1	1	11	1	7	58	163	227
37	Ovarian tumors.....	215							1	1	8	15	22
38	Ovarian diseases.....	89									2	10	17
39	Diseases of the tubes.....	292									17	48	75
40	Uterine tumors.....	389					1	1		1	1	5	19
41	Uterine diseases.....	93									6	17	22
42	Others of this class.....	429	8	1		1		10		5	24	68	72

CAUSE, SEX, AND AGE.

249

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,197	2,538	2,316	2,363	2,670	2,784	3,101	3,293	3,063	2,399	1,547	703	209	72	128	1
1,302 895	1,543 995	1,460 856	1,472 891	1,561 1,109	1,492 1,292	1,496 1,605	1,506 1,787	1,363 1,700	1,036 1,363	613 934	283 420	63 146	21 51	74 54	2 3
1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	4
1,096 715	1,302 806	1,205 682	1,220 680	1,241 823	1,077 953	1,096 1,147	1,010 1,179	901 1,078	631 797	350 532	158 218	32 81	12 24	53 32	5
9	6	10	8	7	5	5	4	2	2	3	3	3	3	3	6
5	2	1	1	1	5	2	1	3	4	1	1	1	1	1	7
45	62	72	79	112	187	184	235	272	255	175	84	22	6	5	8
65	59	56	101	132	189	267	385	410	382	282	157	55	23	9	9
50	59	51	43	41	39	32	32	20	22	12	4	1	2	2	8
38	34	30	29	28	20	32	28	33	30	13	7	3	1	1	9
12	15	22	30	52	67	72	80	68	39	26	7	3	1	3	10
8	16	22	20	37	38	63	86	61	56	29	11	3	4	11	11
90	98	99	92	108	117	107	144	100	87	46	30	5	2	10	10
63	76	63	59	88	85	94	108	114	94	77	27	7	4	11	11
1,281	1,403	1,428	1,325	1,330	1,354	1,277	1,209	975	656	317	137	37	8	59	11
570	651	778	744	731	748	672	601	479	304	129	52	15	4	24	12
711	752	650	581	599	606	605	608	496	352	188	85	22	4	35	13
9	2	5	3	3	2	1	1	1	2	2	2	1	1	1	14
5	1	4	3	4	3	3	3	2	2	2	2	2	2	2	15
58	63	78	83	97	116	101	111	105	71	36	14	4	2	1	16
70	99	86	75	97	101	121	125	133	90	70	26	9	1	3	17
31	48	47	68	55	55	52	45	30	20	6	8	1	1	5	18
34	42	17	44	36	26	33	36	29	15	8	7	1	1	2	19
43	40	33	53	52	54	37	54	42	29	8	4	2	1	3	20
52	61	70	67	52	71	55	74	50	44	26	15	1	1	8	21
134	109	90	66	54	39	27	21	14	7	5	1	1	1	1	22
70	61	36	39	24	21	16	15	9	8	4	1	1	1	2	23
18	26	30	31	21	34	37	30	43	29	13	5	1	1	1	24
13	23	32	29	47	41	53	43	38	23	9	8	2	1	4	25
12	10	18	7	16	16	9	14	16	6	5	5	2	1	1	26
18	16	14	9	7	15	9	16	10	6	3	3	1	1	2	27
9	4	11	12	13	20	15	15	16	8	8	3	1	1	1	28
13	12	7	12	11	15	18	24	20	12	6	3	1	1	2	29
47	48	52	54	59	40	44	35	24	15	7	4	1	1	1	30
17	27	40	29	31	45	42	42	36	19	8	4	1	1	1	31
98	183	259	245	256	262	244	201	120	79	20	7	3	1	1	32
68	103	127	121	142	131	124	111	91	59	25	9	1	1	4	33
97	85	109	90	52	66	51	40	29	14	7	5	1	1	8	34
326	275	182	109	87	81	72	60	43	27	6	3	2	1	8	35
4	3	5	5	6	8	13	13	6	10	3	5	1	1	2	36
14	26	38	28	44	37	49	28	38	22	12	5	3	1	3	37
21	29	30	39	55	48	49	46	31	37	20	5	3	1	1	38
1,212	1,535	1,673	1,823	2,082	2,183	2,323	2,194	1,964	1,357	729	302	56	24	70	39
609	780	924	1,012	1,246	1,300	1,383	1,364	1,212	878	482	188	31	13	41	29
603	755	749	811	836	883	940	830	752	479	247	114	25	11	29	30
503	643	760	832	1,024	1,070	1,112	996	833	562	260	95	17	5	28	31
474	612	639	701	723	762	829	694	647	402	213	101	20	9	15	32
2	4	5	3	9	8	8	9	6	3	2	1	1	1	1	33
3	2	2	2	1	3	3	3	2	2	2	1	1	1	1	34
19	29	33	32	36	33	32	55	41	32	16	5	5	1	3	35
25	29	25	20	26	22	18	25	18	8	6	6	6	1	1	36
9	11	19	22	42	35	79	121	144	124	91	48	7	4	9	37
4	9	4	4	4	11	15	15	18	16	4	5	2	1	1	38
76	93	107	123	135	154	152	183	188	157	113	39	7	3	9	39
97	105	79	84	82	88	75	93	67	51	22	7	3	3	13	40
233	200	217	147	84	43	36	32	18	18	8	8	8	8	4	41
23	16	25	29	21	13	9	16	7	5	4	4	4	4	3	42
23	17	10	3	3	1	1	1	2	2	2	2	2	2	2	43
59	49	30	11	2	2	2	2	2	2	2	2	2	2	2	44
39	50	93	69	43	19	20	9	8	9	2	2	2	2	2	45
15	10	8	5	2	2	2	1	1	2	2	2	2	2	2	46
74	58	51	30	13	8	5	4	2	2	2	2	2	2	2	47

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	S. Affections connected with pregnancy ----	2,917								4	193	634	725
2	Abortions-----	221									12	43	63
3	Childbirth-----	736								1	39	111	155
4	Puerperal septicemia-----	1,271								3	84	314	341
5	Extra-uterine pregnancy-----	131									1	20	35
6	Others of this class-----	558									57	146	131
7	9. Diseases of the bones and joints-----	783	53	23	9	21	16	122	79	69	61	56	35
8	Males-----	451	27	10	4	15	13	69	38	40	41	35	23
9	Females-----	332	26	13	5	6	3	53	41	29	20	21	12
10	Diseases of the spine-----	132 (M) 98 (F)	8 9	3 5	1 2	5 4	6	23 20	16 18	12 9	13 3	9 10	10 2
11	Abscess, lumbar and psoas-----	25 (M) 15 (F)	1 1					1 1		2 3	1 1	5 5	1 1
12	Diseases of the bones-----	175 (M) 116 (F)	15 10	4 8	2 2	6 1	6 3	33 24	10 9	12 12	14 7	11 8	8 6
13	Diseases of the hip-joint-----	67 (M) 38 (F)	1 3		1	3	1	5 4	10 10	12 4	12 9	7 1	4 1
14	Others of this class-----	52 (M) 65 (F)	2 3	3	1	1		7 4	2 1	2 3	1 1	3 2	3 3
15	10. Diseases of the skin-----	715	223	19	14	9	3	268	19	7	7	25	19
16	Males-----	395	114	11	9	4	1	139	13	5	4	11	10
17	Females-----	320	109	8	5	5	2	129	6	2	3	14	9
18	Abscess-----	218 (M) 157 (F)	51 50	10 2	5 3	3 2	1	70 58	12 6	5 1	3 1	7 8	7 8
19	Carbuncle-----	58 (M) 32 (F)	1 1		1			2 2			1 1	1 3	1 1
20	Others of this class-----	119 (M) 131 (F)	62 58	1 6	3 1	1 3	1	67 69	1			3 3	2 2
21	11. Diseases of the absorbent system-----	260	28	15	1	4	1	49	6	6	9	8	22
22	Males-----	134	16	9	1	4	1	31	4	3	6	5	9
23	Females-----	126	12	6				18	2	3	3	3	13
24	Addison's disease-----	44 (M) 33 (F)							1	1	2	1	3
25	Diseases of the spleen-----	16 (M) 18 (F)	4 2			1		5 2				1	3
26	Others of this class-----	74 (M) 75 (F)	12 10	9 6	1	3	1	26 16	3 2	2 2	4 1	3 2	3 5
27	12. Accidents and injuries-----	21,718	1,132	358	377	378	314	2,559	1,055	857	1,175	1,842	2,057
28	Males-----	16,583	638	187	224	207	171	1,427	713	707	940	1,475	1,698
29	Females-----	5,135	494	171	153	171	143	1,132	342	150	235	367	359
30	Burns and scalds-----	880 (M) 1,238 (F)	37 33	85 90	133 83	110 105	62	427 405	68 174	22 62	16 55	38 52	39 73
31	Drowning-----	2,063 (M) 191 (F)	10 8	15 11	9 6	18 8	24	76 35	228 14	267 12	184 22	181 14	166 8
32	Exposure and neglect-----	101 (M) 71 (F)	30 36	1 4	1		1	33 42	3	1	1	4 3	2
33	Gunshot wounds-----	756 (M) 108 (F)	2 1	1		1	1	5 7	13 7	57 6	87 6	124 25	115 12
34	Homicide-----	468 (M) 122 (F)		1	2	2	1	2 6	7 8	10 4	29 6	75 17	89 21
35	Infanticide-----	11 (M) 8 (F)	11 8					11 8					
36	Injuries by machinery-----	82 (M) 4 (F)		1				1			5	14	16
37	Railroad accidents-----	2,680 (M) 261 (F)	5 2	8 5	8 7	11 7	20 11	52 32	129 41	126 14	176 19	314 15	339 12
38	Suffocation-----	595 (M) 353 (F)	270 211	14 14	11 6	4 4	5	304 239	9 12	7 3	16 10	30 8	21 10
39	Suicide by shooting-----	630 (M) 39 (F)									9 2	54 5	73 5
40	Suicide by drowning-----	81 (M) 33 (F)									2 2	4 5	5 6
41	Suicide by poison-----	486 (M) 314 (F)									12 49	38 68	56 56
42	Other suicides-----	934 (M) 239 (F)								2	15 15	57 32	71 28
43	Sunstroke-----	270 (M) 134 (F)	39 31	5 8	4 4	1	2	50 44	7 4		5 2	16 4	17 3
44	Surgical operations-----	112 (M) 247 (F)	7 3	1	1		1	10 4	4 2		2 5	8 38	12 29
45	Wounds-----	341 (M) 31 (F)		1 1	3	4	4	12 2	8 6	8 2	32 3	36 3	50 2
46	Others of this class-----	6,093 (M) 1,742 (F)	227 160	55 37	54 39	59 43	49 29	444 308	237 74	207 39	349 38	482 77	627 94

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
625	482	215	21	3	1	1			2					11	1
42	43	15			1				1					1	2
171	166	78	8	2										5	3
270	173	72	9	1		1			1					2	4
36	28	9	1											1	5
106	72	41	3											2	6
48	45	48	38	36	31	26	31	34	16	5	2	1			7
30	29	29	25	22	14	13	19	12	10	1	1				8
18	16	19	13	14	17	13	12	22	6	4	1	1			9
6	8	9	7	5	2		4	4	4						}10
5	8	4	2	4	4		2	1		1		1			
4	2		2	1	2	1	1	1	1						}11
2		2	1	2	1			2							
13	11	11	9	10	6	7	9	4	5	1	1				}12
6	4	5	6	4	4	5	4	7	2	2	1				
6	3	4		1	2	1									}13
2	4	1						1		1					
1	5	5	7	5	2	4	5	3							}14
3		7	4	4	8	4	6	11	4						
28	36	46	32	38	43	44	37	28	18	10	8	1		1	15
13	20	28	18	25	29	22	21	14	11	8	4				16
15	16	18	14	13	14	22	16	14	7	2	4	1		1	17
9	17	18	8	15	15	10	11	4	3	4					}18
8	10	10	8	5	9	8	10	3	2	1	1				
3		4	7	6	8	7	6	5	4	1	2				}19
	1	3	2	5	2	3	1	5	2	1					
1	3	6	3	4	6	5	4	5	4	3	2				}20
7	5	5	4	3	3	11	5	6	3		3	1		1	
21	13	20	19	18	22	22	10	9	4					2	21
12	7	8	8	8	11	11	4	6						1	22
9	6	12	11	10	11	11	6	3	4					1	23
3	5	4	4	4	6	7	2	1							}24
3	4	5		4	4	3	1		1					1	
2			1	1		1	1	1							}25
2		1	1	1	1	1	2		2						
7	2	4	3	3	5	3	3	4							}26
4	2	6	10	5	6	7	3	3	1					1	
2,024	2,081	1,614	1,422	1,180	942	806	645	466	347	225	116	33	14	258	27
1,689	1,715	1,353	1,183	986	759	625	450	288	183	116	45	10	6	215	28
335	366	261	239	194	183	181	195	178	164	109	71	23	8	43	29
47	47	47	28	23	16	15	13	12	6	6	2			8	}30
68	66	49	45	26	36	34	27	26	23	8	4	3		2	
166	188	153	119	88	74	53	34	18	12	4	1			51	}31
13	16	11	9	8	7	6	6	2	1					7	
7	6	6	5	4	6	9	6	1	3	1			1	2	}32
2	3	1	2		3	2	2		2	4	3			2	
88	76	48	44	23	24	17	7	5	5		1			17	}33
14	16	6	2	2		2		2	2	1					
74	67	33	29	18	11	8	3	3	1	1				8	}34
17	12	9	5	5	3	1	2							6	
															}35
13	9	8	5	5	2	2	2								}36
1		1													
313	298	219	171	154	123	95	48	40	17	12	6		1	47	}37
17	14	13	13	11	13	5	11	12	12	4	1			2	
29	42	28	22	11	16	16	14	5	4	2	2			17	}38
7	8	3	5	4	8	6	4	6	2	3				15	
75	81	81	76	57	40	24	24	13	9	3	2			9	}39
11	5	2	3	3	1			1	1						
8	8	8	9	11	6	5	5	4	3	2				1	}40
6	2	2	2	3		1	1	1	2						
65	63	58	46	54	27	27	20	10	3					7	}41
32	39	19	15	10	6	4	3	4	2	1		1		2	
92	106	115	108	110	85	67	43	26	20	9	1	1		6	}42
23	32	32	22	15	12	7	7	5	4	2	2			1	
22	38	20	21	23	17	8	4	9	8	2	1			2	}43
2	7	4	6	10	7	13	7	11	6	3					
11	11	9	8	8	9	8	6	2	1	1				1	}44
35	35	29	22	15	15	5	5	2	2	2					
45	38	20	25	20	12	16	7	2	1	2	1			6	}45
1	2	1	2		2	2	1	1		1					
634	637	500	466	377	291	255	214	138	90	71	28	9	4	33	}46
86	109	79	86	82	70	93	121	107	105	80	61	19	8	6	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,893
2	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
3	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
4	Unknown cause	2,326	903	70	25	25	11	1,034	44	37	44	47	60
5	Males	1,269	511	37	13	14	6	581	23	15	22	24	27
6	Females	1,057	392	33	12	11	5	453	21	22	22	23	33
7	1. General diseases. General diseases—A	51,379	18,622	5,696	2,620	1,842	1,273	30,053	3,086	1,103	1,075	1,335	1,193
8	Males	26,286	10,143	2,971	1,300	931	631	15,976	1,509	500	516	724	644
9	Females	25,093	8,479	2,725	1,320	911	642	14,077	1,577	603	559	611	549
10	Measles	{M. 1,272 F. 1,311	{351 308	{431 418	{160 169	{84 82	{51 53	{1,077 1,030	{97 115	{24 40	{13 26	{17 18	{10 18
11	Scarlet fever	{M. 967 F. 899	{68 45	{134 110	{156 139	{160 150	{97 108	{615 552	{250 244	{39 42	{21 19	{15 15	{10 7
12	Diphtheria	{M. 2,748 F. 2,782	{201 158	{425 401	{450 443	{378 380	{310 303	{1,764 1,685	{701 763	{145 166	{53 58	{27 34	{17 18
13	Whooping cough	{M. 1,140 F. 1,308	{673 672	{265 306	{93 149	{52 69	{17 36	{1,100 1,232	{21 46	{1 7	{— 3	{— —	{— 1
14	Malarial fever	{M. 482 F. 464	{42 33	{17 13	{13 18	{14 15	{11 8	{97 87	{12 32	{8 16	{18 26	{37 34	{21 24
15	Influenza	{M. 2,120 F. 2,957	{162 155	{40 37	{16 23	{18 13	{6 12	{242 240	{28 27	{14 27	{23 29	{43 39	{42 62
16	Typhoid fever	{M. 2,547 F. 1,884	{19 11	{11 21	{15 19	{20 22	{18 18	{83 91	{108 102	{135 176	{273 271	{438 271	{373 207
17	Cholera morbus	{M. 498 F. 461	{111 85	{38 35	{25 24	{17 7	{6 3	{197 154	{27 18	{17 12	{6 16	{14 11	{9 10
18	Colitis	{M. 299 F. 282	{157 125	{31 37	{11 12	{8 4	{2 1	{209 179	{8 4	{— —	{2 2	{4 5	{3 3
19	Diarrhea	{M. 1,262 F. 1,123	{598 499	{102 87	{22 11	{7 7	{8 3	{737 607	{39 41	{10 15	{4 5	{9 4	{9 14
20	Dysentery	{M. 782 F. 919	{142 127	{80 70	{35 33	{28 22	{19 11	{304 263	{32 16	{16 8	{6 4	{12 15	{14 12
21	Enteritis	{M. 4,455 F. 4,135	{3,004 2,427	{546 529	{119 101	{48 49	{28 33	{3,745 3,139	{59 63	{24 21	{14 15	{22 30	{35 41
22	Cholera infantum	{M. 4,884 F. 4,025	{3,984 3,308	{676 554	{113 102	{38 36	{19 22	{4,830 4,022	{— —	{— —	{— —	{— —	{— —
23	Fever	{M. 22 F. 23	{3 8	{2 2	{1 2	{— 1	{1 1	{7 14	{2 —	{1 1	{2 1	{1 2	{— —
24	Cerebro-spinal fever	{M. 780 F. 611	{225 165	{135 75	{58 55	{43 36	{26 21	{487 352	{85 74	{45 53	{42 34	{27 17	{22 15
25	Smallpox	{M. 35 F. 24	{2 2	{1 —	{— —	{1 —	{— —	{4 4	{1 1	{— 2	{4 2	{5 6	{3 —
26	Erysipelas	{M. 543 F. 408	{151 138	{11 11	{2 5	{3 3	{— 2	{167 159	{2 2	{2 2	{10 7	{6 10	{22 12
27	Septicemia	{M. 699 F. 792	{75 65	{10 11	{4 8	{6 11	{9 4	{104 99	{22 23	{14 13	{17 34	{41 91	{33 89
28	Venereal diseases	{M. 231 F. 188	{146 132	{8 5	{1 4	{3 3	{— 1	{158 145	{— —	{— —	{2 4	{— 5	{11 4
29	Others of this group	{M. 620 F. 497	{29 16	{8 1	{6 3	{3 1	{3 2	{49 23	{15 6	{5 2	{6 3	{5 4	{10 12
30	General diseases—B	5,207	2,702	121	51	32	16	2,922	30	15	46	118	218
31	Males	3,238	1,504	76	29	14	10	1,633	17	9	14	63	142
32	Females	1,969	1,198	45	22	18	6	1,289	13	6	32	55	76
33	Alcoholism	{M. 922 F. 232	{— —	{— —	{1 —	{— —	{— —	{1 —	{1 —	{— —	{1 1	{16 6	{78 30
34	Parasitic diseases	{M. 13 F. 10	{2 1	{5 —	{2 3	{— 6	{— —	{9 10	{1 —	{— —	{— —	{— —	{— —
35	Lead poison	{M. 27 F. 16	{— 1	{— 1	{1 1	{— —	{— —	{1 3	{— —	{— —	{— —	{— —	{1 1
36	Other poisons	{M. 656 F. 373	{27 18	{30 14	{21 11	{11 10	{7 5	{96 58	{10 9	{6 2	{12 28	{47 45	{59 42
37	Inanition	{M. 1,620 F. 1,338	{1,475 1,178	{41 30	{5 6	{3 2	{3 1	{1,527 1,217	{5 4	{3 4	{1 3	{— 4	{4 3
38	General diseases—C	24,674	13,498	463	86	34	26	14,102	30	17	14	25	27
39	Males	12,608	7,663	224	47	23	10	7,967	17	8	9	10	10
40	Females	12,066	5,830	239	39	11	16	6,135	13	9	5	15	17
41	Old age	{M. 4,069 F. 5,196	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —	{— —
42	Premature birth	{M. 3,361 F. 2,468	{3,361 2,468	{— —	{— —	{— —	{— —	{3,361 2,468	{— —	{— —	{— —	{— —	{— —
43	Malformation	{M. 642 F. 510	{623 494	{6 9	{3 —	{1 —	{— 1	{633 504	{3 2	{— 1	{1 —	{— 1	{— —
44	Debility and atrophy	{M. 4,068 F. 3,560	{3,212 2,538	{218 230	{44 39	{22 11	{10 15	{3,506 2,833	{14 11	{8 8	{8 5	{10 14	{10 17
45	Others of this group	{M. 468 F. 332	{467 330	{— —	{— —	{— —	{— —	{467 330	{— —	{— —	{— —	{— —	{— —

253

REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,630	13,142	12,142	12,112	13,262	14,531	16,033	17,385	17,803	16,467	12,305	6,566	2,407	703	856	1
6,601 6,029	7,081 6,061	6,570 5,572	6,568 5,544	7,116 6,146	7,632 6,899	8,227 7,806	8,873 8,512	8,996 8,807	8,375 8,092	5,967 6,338	3,023 3,543	947 1,460	231 472	493 363	2 3
58	86	81	73	91	97	97	105	96	95	81	33	16		51	4
33 25	44 42	45 36	43 30	48 43	55 42	64 33	62 43	47 49	48 47	38 43	12 21	8 8		30 21	5 6
1,100	973	853	828	830	960	1,173	1,402	1,579	1,547	1,255	667	235	56	76	7
555 545	504 469	440 413	450 378	435 395	474 486	527 646	640 762	730 849	666 881	545 710	307 360	85 150	23 33	36 40	8 9
10 15	5 15	3 7	2 10	5 2	1 7	2	2 2	1 1	3 1	2	1			1	10
9 5	3 6	2 5	1				1	1			1			1	11
15 15	6 10	1 4	7 6	5 6	4 5	1 4	2 2	2	1	2				1	12
2 5	2 1	3 3	1		1	2	1	1		1 1		1 1		3 7	13
21 21	14 18	19 16	26 21	11 12	20 19	25 27	22 27	30 31	25 23	13 19	9 8	2	1	2	14
51 64	54 70	80 83	83 85	79 128	103 161	160 241	194 297	249 345	247 415	248 349	130 180	40 88	6 17	4 10	15
300 194	236 134	146 104	133 76	102 57	70 55	56 54	37 36	32 30	12 14	3 6	3 3			7 3	16
10 16	8 14	15 14	19 7	23 10	22 19	23 26	26 25	34 38	23 21	11 28	8 13	2 8	2 1	2	17
2 6	2 3	9 5	5 8	8 8	4 4	2 13	6 13	11 8	12 8	6 6	3 4	2 3		1	18
9 15	11 8	7 11	12 12	22 17	37 29	44 33	67 48	77 64	71 83	55 68	26 31	9 13	5 2	2 3	19
18 19	16 19	13 25	19 25	23 24	17 39	39 53	48 82	58 89	50 100	53 66	31 44	6 13	4 3	3	20
24 43	28 44	35 49	39 53	38 52	56 56	55 78	67 116	72 120	61 103	46 68	25 31	5 7	3 3	2 3	21
														4 3	22
		2	1	2			1		1	1	1				23
11 14	14 10	12 10	13 12	5 2	6 4	2 3	4 2	3 3	2 3	1		1		1	24
3 4	2 1	1 1	3	5 2	3 1		1								25
23 6	28 27	35 10	22 13	27 17	45 25	34 31	28 23	33 21	31 20	18 16	7 3	3 2	1	1	26
32 91	55 75	38 48	41 31	50 32	49 37	44 31	59 23	36 29	39 21	19 12	6 8	2		3	27
6 4	13 6	8 9	7 4	7 1	8 1	3	2 2	2 3	1					2	28
9 7	7 8	11 9	17 14	23 25	28 24	35 52	73 62	90 63	88 67	71 66	57 33	15 11	3 5	3 1	29
279	316	231	216	188	172	115	106	72	71	33	19	4	2	33	30
199 80 135 35	244 72 184 40	174 57 112 37	169 47 102 27	145 43 100 17	125 47 70 18	85 30 36 10	73 33 41 2	40 32 13 3	48 23 16 2	19 14 4 1	13 6 4	2 2 4		24 9 9 2	31 32 33
				1	1		1								34
4 3	4 2	5	4	4 1		2 1	1		1						35
58 39	55 27	55 17	62 17	36 22	47 19	41 8	22 17	21 10	18 6	6 7	4			1	36
2 3	1 8	2 3	1 3	4 3	7 7	6 11	8 14	6 17	13 15	9 6	5 6	2 2		14 7	37
26	40	29	30	60	102	211	465	1,090	1,870	2,811	2,166	1,111	393	55	38
12 14	14 26	15 14	15 15	26 34	37 65	91 120	196 269	485 605	860 1,010	1,306 1,505	951 1,215	429 682	126 267	24 31	39 40
						70 78	135 194	420 513	769 914	1,239 1,404	908 1,162	413 657	126 257	9 17	41
															42
														5 1	43
12 14	14 26	15 14	15 15	26 34	37 64	41 42	61 74	65 91	90 96	67 101	43 53	16 25		10 13	44
					1			1	1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	51,158	1,852	895	449	295	197	3,688	650	732	2,416	4,374	5,151
2	Males	24,954	1,026	485	250	136	96	1,993	311	265	1,018	2,068	2,556
3	Females	26,204	826	410	199	159	101	1,695	339	467	1,398	2,306	2,595
4	Anemia	{M-- 403 F-- 612	{M-- 53 F-- 50	{M-- 12 F-- 17	{M-- 2 F-- 6	{M-- 4 F-- 5	{M-- 2 F-- 6	{M-- 73 F-- 84	{M-- 9 F-- 6	{M-- 4 F-- 9	{M-- 8 F-- 31	{M-- 15 F-- 40	{M-- 10 F-- 36
5	Diabetes	{M-- 972 F-- 879	{M-- 5 F-- 3	{M-- 4 F-- 4	{M-- 5 F-- 1	{M-- 2 F-- 7	{M-- 3 F-- 3	{M-- 19 F-- 18	{M-- 25 F-- 23	{M-- 43 F-- 32	{M-- 38 F-- 22	{M-- 33 F-- 27	{M-- 43 F-- 28
6	Rheumatism	{M-- 554 F-- 596	{M-- 6 F-- 15	{M-- 4 F-- 1	{M-- 2 F-- 2	{M-- 1 F-- 3	{M-- 3 F-- 2	{M-- 16 F-- 23	{M-- 29 F-- 29	{M-- 18 F-- 29	{M-- 22 F-- 26	{M-- 14 F-- 18	{M-- 25 F-- 17
7	Scrofula and tabes	{M-- 260 F-- 286	{M-- 86 F-- 54	{M-- 16 F-- 18	{M-- 5 F-- 9	{M-- 2 F-- 3	{M-- 2 F-- 4	{M-- 111 F-- 88	{M-- 7 F-- 7	{M-- 3 F-- 8	{M-- 7 F-- 23	{M-- 17 F-- 21	{M-- 16 F-- 21
8	Hydrocephalus	{M-- 1,192 F-- 1,000	{M-- 442 F-- 371	{M-- 260 F-- 206	{M-- 123 F-- 96	{M-- 66 F-- 69	{M-- 45 F-- 40	{M-- 936 F-- 782	{M-- 101 F-- 88	{M-- 28 F-- 29	{M-- 21 F-- 28	{M-- 22 F-- 16	{M-- 13 F-- 16
9	Tuberculosis, general	{M-- 327 F-- 289	{M-- 33 F-- 37	{M-- 14 F-- 11	{M-- 11 F-- 6	{M-- 7 F-- 5	{M-- 4 F-- 2	{M-- 69 F-- 61	{M-- 12 F-- 13	{M-- 10 F-- 16	{M-- 14 F-- 24	{M-- 29 F-- 31	{M-- 43 F-- 24
10	Consumption	{M-- 16,395 F-- 14,282	{M-- 305 F-- 233	{M-- 151 F-- 127	{M-- 80 F-- 64	{M-- 42 F-- 56	{M-- 27 F-- 34	{M-- 605 F-- 514	{M-- 100 F-- 157	{M-- 136 F-- 312	{M-- 879 F-- 1,203	{M-- 1,894 F-- 2,097	{M-- 2,346 F-- 2,329
11	Cancer	{M-- 3,847 F-- 6,977	{M-- 6 F-- 6	{M-- 3 F-- 1	{M-- 2 F-- 1	{M-- 2 F-- 2	{M-- 3 F-- 1	{M-- 16 F-- 11	{M-- 7 F-- 3	{M-- 8 F-- 10	{M-- 8 F-- 11	{M-- 19 F-- 25	{M-- 35 F-- 90
12	Tumor	{M-- 387 F-- 591	{M-- 8 F-- 10	{M-- 3 F-- 3	{M-- 5 F-- 5	{M-- 3 F-- 4	{M-- 3 F-- 4	{M-- 25 F-- 26	{M-- 9 F-- 3	{M-- 6 F-- 6	{M-- 11 F-- 15	{M-- 13 F-- 14	{M-- 18 F-- 20
13	Dropsy	{M-- 417 F-- 494	{M-- 10 F-- 7	{M-- 6 F-- 3	{M-- 1 F-- 3	{M-- 1 F-- 3	{M-- 1 F-- 1	{M-- 19 F-- 13	{M-- 5 F-- 4	{M-- 3 F-- 7	{M-- 3 F-- 7	{M-- 6 F-- 7	{M-- 2 F-- 4
14	Others of this group	{M-- 200 F-- 198	{M-- 72 F-- 40	{M-- 12 F-- 19	{M-- 11 F-- 6	{M-- 6 F-- 5	{M-- 3 F-- 5	{M-- 104 F-- 75	{M-- 7 F-- 6	{M-- 6 F-- 9	{M-- 7 F-- 8	{M-- 6 F-- 10	{M-- 5 F-- 10
15	2. Diseases of the nervous system	37,335	6,469	1,782	773	457	307	9,788	776	484	463	490	682
16	Males	19,646	3,762	967	427	222	157	5,535	405	269	263	238	353
17	Females	17,689	2,707	815	346	235	150	4,253	371	215	200	252	329
18	Inflammation of the brain	{M-- 300 F-- 225	{M-- 79 F-- 43	{M-- 29 F-- 18	{M-- 23 F-- 11	{M-- 4 F-- 8	{M-- 9 F-- 3	{M-- 144 F-- 83	{M-- 17 F-- 16	{M-- 8 F-- 16	{M-- 8 F-- 8	{M-- 8 F-- 9	{M-- 8 F-- 10
19	Meningitis	{M-- 3,502 F-- 2,827	{M-- 1,292 F-- 970	{M-- 561 F-- 485	{M-- 281 F-- 216	{M-- 137 F-- 151	{M-- 83 F-- 97	{M-- 2,354 F-- 1,919	{M-- 256 F-- 238	{M-- 103 F-- 114	{M-- 93 F-- 62	{M-- 71 F-- 63	{M-- 96 F-- 63
20	Apoplexy	{M-- 6,620 F-- 6,660	{M-- 81 F-- 72	{M-- 17 F-- 14	{M-- 3 F-- 7	{M-- 6 F-- 6	{M-- 6 F-- 1	{M-- 113 F-- 100	{M-- 10 F-- 11	{M-- 7 F-- 8	{M-- 25 F-- 22	{M-- 32 F-- 28	{M-- 72 F-- 62
21	Paralysis	{M-- 2,837 F-- 2,697	{M-- 31 F-- 15	{M-- 6 F-- 9	{M-- 5 F-- 8	{M-- 4 F-- 3	{M-- 2 F-- 4	{M-- 48 F-- 39	{M-- 11 F-- 10	{M-- 10 F-- 6	{M-- 11 F-- 6	{M-- 12 F-- 22	{M-- 24 F-- 29
22	Paralysis, general (of insane)	{M-- 253 F-- 133	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F-- 1	{M-- 1 F-- 1	{M-- 1 F-- 1	{M-- 11 F-- 5
23	Tetanus and trismus nascentium	{M-- 314 F-- 109	{M-- 102 F-- 67	{M-- 5 F-- 2	{M-- 2 F--	{M-- 3 F-- 2	{M-- 1 F-- 1	{M-- 113 F-- 72	{M-- 22 F-- 3	{M-- 65 F-- 3	{M-- 26 F-- 1	{M-- 13 F-- 3	{M-- 11 F-- 2
24	Chorea	{M-- 25 F-- 34	{M-- F-- 1	{M-- F-- 1	{M-- 1 F--	{M-- 2 F-- 1	{M-- 1 F-- 1	{M-- 4 F-- 3	{M-- 2 F-- 2	{M-- 1 F-- 8	{M-- 4 F-- 10	{M-- 1 F-- 1	{M-- 1 F--
25	Epilepsy	{M-- 438 F-- 367	{M-- 36 F-- 26	{M-- 9 F-- 6	{M-- 4 F-- 8	{M-- 2 F-- 4	{M-- 1 F--	{M-- 52 F-- 44	{M-- 10 F-- 13	{M-- 25 F-- 17	{M-- 41 F-- 25	{M-- 27 F-- 28	{M-- 39 F-- 34
26	Convulsions	{M-- 2,384 F-- 1,896	{M-- 1,859 F-- 1,341	{M-- 263 F-- 217	{M-- 84 F-- 79	{M-- 39 F-- 47	{M-- 25 F-- 26	{M-- 2,270 F-- 1,710	{M-- 35 F-- 34	{M-- 12 F-- 5	{M-- 3 F-- 11	{M-- 6 F-- 23	{M-- 3 F-- 29
27	Mental diseases	{M-- 573 F-- 656	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F-- 2	{M-- 1 F-- 6	{M-- 5 F-- 6	{M-- 21 F-- 18	{M-- 20 F-- 28
28	Diseases of the brain	{M-- 1,633 F-- 1,359	{M-- 256 F-- 148	{M-- 70 F-- 55	{M-- 18 F-- 14	{M-- 22 F-- 10	{M-- 20 F-- 13	{M-- 386 F-- 240	{M-- 34 F-- 32	{M-- 30 F-- 27	{M-- 29 F-- 34	{M-- 32 F-- 38	{M-- 51 F-- 35
29	Diseases of the spinal cord	{M-- 304 F-- 298	{M-- 21 F-- 16	{M-- 7 F-- 6	{M-- 3 F-- 3	{M-- 2 F-- 4	{M-- 8 F-- 4	{M-- 41 F-- 33	{M-- 5 F-- 9	{M-- 4 F-- 5	{M-- 11 F-- 6	{M-- 7 F-- 6	{M-- 7 F-- 11
30	Locomotor ataxia	{M-- 213 F-- 73	{M-- 1 F--	{M-- F-- 1	{M-- F--	{M-- F--	{M-- F--	{M-- 2 F--	{M-- F-- 1	{M-- F-- 1	{M-- F-- 1	{M-- 2 F-- 2	{M-- 1 F--
31	Others of this class	{M-- 250 F-- 355	{M-- 4 F-- 8	{M-- F-- 2	{M-- 2 F--	{M-- 1 F--	{M-- 1 F--	{M-- 8 F-- 10	{M-- 2 F-- 2	{M-- 1 F-- 4	{M-- 5 F-- 9	{M-- 5 F-- 11	{M-- 9 F-- 21
32	3. Diseases of the circulatory system	26,962	1,391	72	44	50	67	1,624	394	443	482	593	672
33	Males	14,044	777	44	21	26	32	900	179	165	213	253	318
34	Females	12,918	614	28	23	24	35	724	215	278	269	340	354
35	Pericarditis	{M-- 177 F-- 177	{M-- 5 F-- 5	{M-- 4 F-- 1	{M-- F-- 1	{M-- 1 F-- 1	{M-- 1 F-- 7	{M-- 11 F-- 15	{M-- 8 F-- 13	{M-- 15 F-- 11	{M-- 14 F-- 13	{M-- 10 F-- 8	{M-- 10 F-- 4
36	Diseases of the heart	{M-- 12,319 F-- 11,626	{M-- 488 F-- 401	{M-- 39 F-- 26	{M-- 19 F-- 22	{M-- 24 F-- 22	{M-- 28 F-- 26	{M-- 598 F-- 497	{M-- 167 F-- 199	{M-- 146 F-- 263	{M-- 191 F-- 248	{M-- 234 F-- 310	{M-- 287 F-- 319
37	Angina pectoris	{M-- 674 F-- 517	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F-- 2	{M-- F-- 2	{M-- 6 F-- 5	{M-- 2 F-- 12	{M-- 15 F-- 15
38	Diseases of the arteries	{M-- 337 F-- 214	{M-- 1 F-- 1	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F-- 1	{M-- 1 F--	{M-- F--	{M-- F--	{M-- 1 F-- 1	{M-- 1 F--
39	Aneurism	{M-- 152 F-- 61	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- F--	{M-- 3 F-- 2	{M-- F-- 1	{M-- 6 F--	{M-- 4 F-- 2
40	Embolism	{M-- 95 F-- 104	{M-- 6 F-- 1	{M-- F--	{M-- F--	{M-- F--	{M-- 1 F-- 1	{M-- 7 F-- 2	{M-- 1 F-- 1	{M-- 1 F--	{M-- 2 F-- 2	{M-- 1 F-- 7	{M-- 1 F-- 10
41	Others of this class	{M-- 290 F-- 219	{M-- 277 F-- 206	{M-- 1 F-- 1	{M-- 2 F-- 1	{M-- 1 F-- 1	{M-- 2 F-- 1	{M-- 283 F-- 209	{M-- 1 F--	{M-- F--	{M-- F--	{M-- 2 F--	{M-- 3 F--

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,780	4,324	3,678	3,387	3,330	3,243	2,994	2,958	2,300	1,721	891	347	85	14	95	1
2,504	2,293	1,897	1,694	1,627	1,471	1,370	1,363	1,069	799	413	157	39	7	40	2
2,276	2,031	1,781	1,693	1,703	1,772	1,624	1,595	1,231	922	478	190	46	7	55	3
14	13	24	23	37	36	34	39	18	22	17	5		1	1	} 4
37	40	38	37	45	58	43	41	32	22	7	3	2		1	
45	33	62	63	82	74	116	110	84	63	28	5	3	1	2	} 5
20	29	39	55	86	110	121	108	84	51	18	5	1		2	
27	27	20	27	28	53	39	54	61	46	33	9	2	1	3	} 6
23	26	29	28	35	45	41	61	59	54	30	18	4		1	
9	14	6	9	2	12	11	17	11	3	3			1	1	} 7
23	13	10	10	16	6	10	8	6	6	9				1	
24	16	13	7	4	3	2								1	} 8
9	8	8	3	4	2		2	3	1					1	
23	32	17	20	26	10	5	7	4	5	1					} 9
28	16	15	19	8	8	9	9	1	4	2	1				
2,270	2,017	1,490	1,190	974	754	576	464	355	207	83	26	5		24	} 10
1,875	1,480	986	707	587	514	442	381	309	215	95	43	8	2	26	
59	106	214	292	418	466	521	575	438	366	181	82	26	2	8	} 11
196	366	579	748	884	927	850	839	631	469	250	92	24	3	19	
20	19	28	38	33	31	27	40	31	25	11	2				} 12
35	37	52	52	55	63	53	62	39	36	16	5			2	
7	8	15	18	17	26	35	52	60	57	54	27	3			} 13
13	8	17	24	27	35	46	75	62	61	50	23	7	2	2	
6	8	8	7	6	6	4	5	6	5	2	1		1		} 14
17	8	8	10	6	4	9	9	5	3	1					
775	978	1,120	1,471	1,815	2,228	2,764	3,171	3,470	3,287	2,188	945	279	74	87	15
423	549	617	769	943	1,177	1,382	1,612	1,766	1,672	1,073	420	103	27	50	} 16
352	429	503	702	872	1,051	1,382	1,559	1,704	1,615	1,115	525	176	47	37	
9	11	9	5	11	6	9	10	15	12	7	3				} 18
11	6	9	5	12	9	4	9	6	6	3	1	1		1	
74	70	52	75	59	46	33	39	32	24	9	7	2		7	} 19
54	36	43	53	28	30	33	32	24	17	8	3	3	1	3	
120	156	241	338	482	645	778	881	972	897	555	215	47	9	25	} 20
79	129	230	358	492	636	804	877	960	860	583	286	95	27	13	
48	107	104	133	156	207	264	333	447	445	314	119	27	13	4	} 21
38	37	55	95	123	175	265	341	427	460	334	159	51	14	11	
25	25	33	30	30	24	19	18	10	13	6	4	2			} 22
11	8	11	5	15	7	9	18	18	11	10	3	2			
14	6	7	8	8	11	3	2	2	3						} 23
3	5	4	1	1	4	4	1	1	1						
2		1		3		1	2	1	1			1			} 24
			2	1	1	1	2	2	2	1					
29	39	29	22	15	21	19	18	22	16	8	4	1		1	} 25
22	35	17	23	23	16	22	12	12	13	8	1	2			
5	5	3	5	2	2	3	4	9	4	4	1	1		7	} 26
22	18	9	4	4	4	4	7	3	3	1		1		4	
30	34	26	26	22	37	53	84	66	66	50	24	7			} 27
30	35	38	39	46	44	71	69	70	65	58	27	8	2		
50	57	64	55	89	91	113	129	127	135	102	39	14	3	3	} 28
46	66	47	70	64	67	99	122	111	128	79	36	12	3	3	
5	20	21	22	31	23	29	34	15	18	9			1	1	} 29
11	21	16	14	23	30	30	28	27	16	9	1	1		1	
3	12	15	31	21	37	31	27	16	12	1					} 30
1	7	4	6	7	8	10	10	8	4	4	1				
9	7	12	19	14	27	27	31	32	26	8	4	1	1	2	} 31
24	26	20	27	33	20	26	31	37	29	17	7			1	
822	1,029	1,157	1,301	1,755	2,210	2,690	3,086	3,201	2,775	1,701	727	176	42	82	32
404	503	528	628	941	1,208	1,465	1,686	1,739	1,539	890	360	70	14	41	} 33
418	526	629	673	814	1,002	1,225	1,400	1,462	1,236	811	367	106	28	41	
6	15	8	7	10	15	8	13	10	12	4				1	} 35
15	7	12	8	4	12	9	14	9	8	10	3	1		1	
363	430	469	558	835	1,078	1,296	1,512	1,569	1,370	782	322	64	13	35	} 36
369	486	580	614	754	911	1,124	1,269	1,344	1,137	718	333	91	22	38	
20	26	24	38	58	62	108	93	75	81	46	15	1		3	} 37
15	23	21	39	39	50	61	74	55	47	40	12	4		1	
	1	5	4	11	27	30	50	66	59	51	22	5	1	2	} 38
1		3	1	7	13	21	26	42	31	36	15	9	6		
10	24	19	16	17	18	13	5	8	8	1					} 39
6	4	7	5	4	6	5	7	4	3	3	1	1			
5	7	2	5	9	8	7	13	11	9	5	1				} 40
11	6	5	6	4	10	5	10	8	10	4	3				
		1		1		3				1					} 41
1		1		2										1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system-----	48,727	11,301	5,189	2,188	1,153	633	20,464	1,388	482	721	1,108	1,313
2	Males-----	25,311	6,390	2,794	1,148	576	296	11,204	690	212	399	632	730
3	Females-----	23,416	4,911	2,395	1,040	577	337	9,260	698	270	322	476	583
4	Croup-----	806	124	175	171	127	63	660	135	4	2	2	1
	{M-----	691	87	147	122	117	72	545	127	11	1	1	
5	Pneumonia-----	17,744	3,757	2,008	751	345	167	7,028	425	160	329	539	633
	{F-----	15,972	2,907	1,717	701	338	193	5,856	444	206	248	361	473
6	Laryngitis-----	206	31	34	13	22	11	111	41	6		3	1
	{F-----	178	25	29	21	26	7	108	26	4	3	2	6
7	Bronchitis-----	4,181	1,846	500	171	55	36	2,608	50	22	20	24	30
	{F-----	4,481	1,476	433	164	67	43	2,183	57	16	30	41	38
8	Pleurisy-----	464	22	22	16	12	5	77	14	8	27	26	25
	{F-----	375	14	18	12	7	4	55	17	6	9	25	22
9	Asthma-----	230	14	2		1		17	2		2	3	2
	{F-----	233	15			1		16	3	2		3	1
10	Others of this class-----	1,680	596	53	26	14	14	703	23	12	19	35	93
	{F-----	1,486	387	51	20	21	18	497	24	25	31	43	43
11	5. Diseases of the digestive system-----	16,215	2,297	427	185	111	122	3,142	484	449	587	715	879
12	Males-----	8,131	1,302	211	95	56	63	1,727	246	254	292	325	374
13	Females-----	8,084	995	216	90	55	59	1,415	238	195	295	390	505
14	Dentition-----	173	106	62	3	1	1	173					
	{F-----	180	110	64	4	1	1	180					
15	Angina-----	112	9	15	9	7	6	46	14	5	3	5	3
	{F-----	98	9	11	8	6	8	42	21	8	2	1	5
16	Gastritis-----	1,105	224	37	8	12	5	286	15	7	10	13	38
	{F-----	1,342	184	47	15	12	10	268	18	8	12	33	55
17	Diseases of the stomach-----	479	26	2	1	1	6	36	4	3	6	9	24
	{F-----	418	22	5			1	29	3	2	12	24	27
18	Obstruction of the bowels-----	661	130	11	11	5	6	163	31	18	20	18	35
	{F-----	708	83	11	10	7	6	117	23	8	16	17	36
19	Appendicitis-----	971	4	2	2	6	10	24	62	124	139	140	109
	{F-----	599	4	4	3	1	7	19	56	71	98	64	71
20	Hernia-----	334	42	2			1	45	2	1	10	6	9
	{F-----	307	10				1	11	4		2	1	
21	Other diseases of the bowels-----	209	63	7	3	2		75	3	4	5	5	6
	{F-----	185	47	7		3		57	4	1	6	2	8
22	Jaundice-----	290	158		6		1	165	4	1	4	3	6
	{F-----	251	93	1	5	1	2	102	4	3	2	2	5
23	Inflammation and abscess of the liver-----	333	17	3	1	1	3	25	5	5	6	15	17
	{F-----	346	11	1	2	2	2	18	4	6	3	11	19
24	Other diseases of the liver-----	1,562	24	4	4	1	1	34	6	5	6	19	42
	{F-----	1,000	13	3	3		1	20	4	4	3	11	31
25	Peritonitis-----	1,008	83	19	28	14	12	156	86	79	78	86	73
	{F-----	1,739	54	22	20	15	13	124	83	78	130	216	230
26	Ascites-----	34	2					2					1
	{F-----	56	2					2			1		3
27	Others of this class-----	840	414	47	19	6	11	497	14	2	5	6	11
	{F-----	855	353	40	19	7	7	426	14	6	8	8	15
28	6. Diseases of the urinary system and male organs of generation-----	18,287	307	88	81	81	77	634	235	191	283	557	738
29	Males-----	10,525	181	51	39	51	42	364	128	90	126	228	325
30	Females-----	7,762	126	37	42	30	35	270	107	101	157	329	413
31	Bright's disease-----	7,744							108	69	110	196	278
	{F-----	6,470							98	95	131	272	325
32	Calculus, urinary-----	57	1					1		3	2	1	
	{F-----	25	5					5				1	1
33	Diseases of the kidney-----	683	129	46	38	47	39	299	8	3	5	6	13
	{F-----	450	93	31	35	28	33	220	1	1	5	9	18
34	Diseases of the bladder-----	890	6				1	7	2	5	2	3	6
	{F-----	115	2		1			3				2	2
35	Others of this class-----	1,151	45	5	1	4	2	57	10	10	7	22	28
	{F-----	702	26	6	6	2	2	42	8	5	21	45	67
36	7. Diseases of the female organs of generation-----	1,026	5	1			1	7		3	30	108	142
37	Ovarian tumors-----	181									1	13	15
38	Ovarian diseases-----	51									1	7	12
39	Diseases of the tubes-----	159									7	27	37
40	Uterine tumors-----	284					1	1			2	5	11
41	Uterine diseases-----	71									8	14	19
42	Others of this class-----	280	5	1				6		3	11	42	48

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,438	1,672	1,561	1,643	1,888	2,145	2,382	2,585	2,658	2,323	1,707	866	274	71	88	1
794	982	923	951	1,015	1,071	1,105	1,176	1,191	1,024	706	352	96	19	39	2
644	690	638	692	873	1,074	1,277	1,359	1,467	1,299	1,001	514	178	52	49	3
	1		1	1	2	1	1	1							4
675	853	787	779	825	800	826	845	823	679	443	202	55	11	27	5
513	568	506	525	663	818	938	941	1,010	838	621	294	94	23	32	
4	1	7	5	5	3	6	6	1	3	3					6
7	3	1		2	6	3	1	1	3	1	1				
28	38	41	54	71	133	125	161	226	224	176	109	30	8	3	7
49	38	43	76	99	140	204	277	315	321	280	172	71	24	7	
33	28	23	36	31	29	23	24	30	15	9	4			1	8
27	26	23	23	20	18	26	17	17	23	12	7	2			
6	1	7	14	13	20	33	34	26	20	18	7	2		3	9
5	4	8	8	23	19	29	37	25	25	18	7				
48	61	58	63	70	86	91	105	85	83	57	30	8		5	10
43	50	57	59	65	71	77	86	98	89	69	33	11	5	10	
744	838	916	905	945	985	1,035	1,064	970	801	448	199	63	10	36	11
321	369	472	491	474	522	539	522	455	417	198	91	26	5	11	12
423	469	444	414	471	463	496	542	515	384	250	108	37	5	25	13
															14
6	2	4	3	4	2	4	1	5	3	2					15
1		2	4	2	2	1	3		2	1	1				
30	39	44	56	58	68	80	94	88	88	58	24	9	3	2	16
36	65	59	54	84	79	106	101	122	102	89	32	15	1	3	
17	27	32	42	45	52	42	47	37	39	10	7				17
32	26	17	26	33	31	34	30	46	23	11	9	3			
29	20	17	32	41	40	36	37	44	50	14	10	4		2	18
31	33	43	45	40	51	41	65	58	38	27	13	1	2	3	
73	67	69	51	35	24	15	16	14	6	2				1	19
43	33	28	30	18	15	15	19	7	6	4				2	
13	11	14	21	19	29	33	30	36	38	22	12	2	1		20
7	11	22	24	27	37	40	43	31	26	13	6	1		1	
6	6	8	7	7	10	10	12	15	15	11	1	2		1	21
7	13	7	8	5	6	7	14	16	12	2	6	1	1	2	
4	2	4	6	5	10	13	14	19	15	8	4	1		2	22
4	7	5	10	14	11	14	17	27	8	7	3	2		4	
21	22	23	27	38	19	33	21	24	18	12	1	1			23
14	22	29	20	22	25	35	35	31	25	19	7	1			
65	106	164	164	165	189	192	171	108	87	25	10	3	1		24
48	73	94	85	113	98	96	104	93	75	32	14	1		1	
46	53	69	52	31	53	40	38	24	23	10	7	3		1	25
188	169	116	75	67	62	58	53	40	24	9	7	5		5	
		3	2	2	1	3	5	7	2	5	1				26
		2	5	3	7	5	7	8	4	5	1	1		2	
11	14	21	28	24	25	38	36	34	33	24	14	1		2	27
12	17	20	28	43	39	44	51	36	39	31	9	6	1	2	
794	1,041	1,103	1,200	1,453	1,646	1,845	1,811	1,821	1,500	888	408	81	21	37	28
381	500	576	620	827	952	1,106	1,108	1,147	1,030	636	292	56	8	25	29
413	541	527	580	626	694	739	703	674	470	252	116	25	13	12	30
331	421	506	536	716	803	891	836	792	649	339	120	23	3	17	31
337	450	457	516	558	617	659	618	600	396	211	94	18	10	8	
1	3	3	1	6	6	4	5	7	11	1	2				32
1	1	1	1	1	1	2	1	3	3	3	1				
13	20	18	13	30	25	31	50	44	52	29	22	2			33
22	19	24	16	18	16	16	23	11	16	10	3			1	
4	6	10	15	26	36	78	118	162	155	144	88	17	4	2	34
2	7	1	3	3	11	17	8	16	15	10	10	4	1		
32	50	39	55	49	82	102	99	142	163	123	60	14	1	6	35
51	64	44	44	46	50	45	53	44	40	18	8	3	1	3	
121	128	130	113	72	46	41	30	25	15	8	2	2	1	2	36
14	13	18	24	19	15	14	13	11	5	4		1	1		37
13	7	1	5	2			2	1							38
29	29	18	8	2			1	1							39
16	33	54	48	39	22	21	10	11	6	4				1	40
11	5	4	3	1	1		2	1	2						41
38	41	35	25	9	8	6	2		2		2	1		1	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	S. Affections connected with pregnancy.....	2,301								2	137	500	558
2	Abortion.....	118									7	18	31
3	Childbirth.....	590									17	95	125
4	Puerperal septicemia.....	1,026								2	67	259	262
5	Extra-uterine pregnancy.....	77									1	13	18
6	Others of this class.....	490									45	115	122
7	9. Diseases of the bones and joints.....	693	57	18	5	18	14	112	55	57	54	49	30
8	Males.....	405	33	8	4	11	12	68	27	35	37	33	18
9	Females.....	288	24	10	1	7	2	44	28	22	17	16	12
10	Diseases of the spine.....	131	17	2	1	5	4	29	13	16	13	12	4
	{M.....	101	11	4	1	5		21	10	8	4	5	2
11	Abscess, lumbar and psoas.....	24	1					1		2		7	4
	{F.....	15	1					1	2			2	
12	Diseases of the bones.....	149	12	3	2	5	7	29	6	8	15	7	8
	{M.....	89	9	6		1	2	18	8	8	6	6	6
13	Diseases of the hip-joint.....	52	1	1				2	7	8	8	5	2
	{F.....	21	1					1	6	3	7		
14	Others of this class.....	49	2	2	1	1	1	7	1	1	1	2	
	{F.....	62	2			1		3	2	3		3	4
15	10. Diseases of the skin.....	529	141	21	6	4	2	174	14	4	7	16	14
16	Males.....	295	78	11	3	2		94	11	1	5	7	10
17	Females.....	234	63	10	3	2	2	80	3	3	2	9	4
18	Abscess.....	159	34	6	3	2		45	11	1	4	4	7
	{F.....	114	24	5	1	1	2	33	3	2	2	7	3
19	Carbuncle.....	40	1					1			1	1	
	{F.....	16	1					1				1	
20	Others of this class.....	96	43	5				48				2	3
	{F.....	104	38	5	2	1		46		1		1	1
21	11. Diseases of the absorbent system.....	251	24	11	1	3	1	40	5	4	5	11	11
22	Males.....	125	13	6	1	3	1	24	4	2	3	6	6
23	Females.....	126	11	5				16	1	2	2	5	5
24	Addison's disease.....	40								1	1	1	1
	{F.....	44									1	2	1
25	Diseases of the spleen.....	15	1			1		2				1	1
	{F.....	19	2	1				3				2	1
26	Others of this class.....	70	12	6	1	2	1	22	4	1	2	4	4
	{F.....	63	9	4				13	1	2	1	1	3
27	12. Accidents and injuries.....	14,600	960	247	283	280	186	1,956	718	553	754	1,044	1,205
28	Males.....	10,908	541	136	170	162	112	1,121	480	449	617	873	1,006
29	Females.....	3,692	419	111	113	118	74	835	238	104	137	171	199
30	Burns and scalds.....	576	27	70	94	80	33	304	38	12	9	17	22
	{F.....	780	25	60	62	69	47	263	119	35	23	18	40
31	Drowning.....	1,776	13	19	17	19	24	92	200	200	157	179	160
	{F.....	196	7	13	6	8	2	36	22	18	19	12	6
32	Exposure and neglect.....	86	23	1			1	25	1	1		4	1
	{F.....	42	18	2				20				3	
33	Gunshot wounds.....	419	2	1	1	1		5	7	36	66	51	40
	{F.....	64	2		2	3	1	8	5	6	7	10	4
34	Homicide.....	128			1		1	2	2	2	8	24	19
	{F.....	52			2	1	2	5	3	2	3	4	10
35	Infanticide.....	10	10					10					
	{F.....	7	7					7					
36	Injuries by machinery.....	40									9	5	1
	{F.....	1	1					1					
37	Railroad accidents.....	1,616	3	1	5	8	8	25	51	64	107	196	186
	{F.....	177	4	2	4	3	2	15	17	7	18	11	11
38	Suffocation.....	418	233	7	10	4	4	258	5	9	9	12	12
	{F.....	292	190	8	5	3	6	212	12		3	2	8
39	Suicide by shooting.....	375									6	25	41
	{F.....	31									3	4	3
40	Suicide by drowning.....	60									1	3	4
	{F.....	36									1	5	2
41	Suicide by poison.....	284									11	28	32
	{F.....	192								3	24	37	24
42	Other suicides.....	594								3	12	25	35
	{F.....	156								2	4	13	17
43	Sunstroke.....	132	31	2	2		1	36	5	1	6	5	11
	{F.....	68	22	4	3			29	2	1	2	2	1
44	Surgical operations.....	50	2					2	2		4	2	5
	{F.....	118	1		1			2		2	3	10	20
45	Wounds.....	177	2	1	2	1	2	8	6	5	12	19	28
	{F.....	21		1				1	3	1	2	2	2
46	Others of this class.....	4,167	195	34	38	49	38	354	163	116	200	278	409
	{F.....	1,459	142	21	28	31	14	236	55	27	25	38	51

CAUSE, SEX, AND AGE.

259

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
489	388	194	17	3	1	1	1		2					8	1
26	23	11			1				1						2
131	129	81	7	1					1					3	3
222	139	63	6	2		1								3	4
18	21	5	1												5
92	76	34	3				1							2	6
35	39	39	33	37	26	23	36	30	16	14	5	3			7
18	27	25	20	22	15	11	20	12	10	3	3	1			8
17	12	14	13	15	11	12	16	18	6	11	2	2			9
1	8	5	4	6	6	3	4	2	4	1					}10
5	7	4	6	9	3	4	5	3	1	2	1	1			
2	1		1	1	1	1	1	2							}11
2	1	1	1	2	1			2							
9	11	8	9	9	5	4	7	5	5	2	2				}12
7	1	3	4		3	3	2	5	2	6	1				
5	2	5	1	3	2	1	1								}13
								1		1					
1	5	7	5	3	1	2	7	3	1		1	1			}14
3	1	6	2	4	4	5	9	7	3	2		1			
24	24	23	28	23	27	33	37	21	32	14	9	3		2	15
11	12	12	17	14	17	16	19	12	18	11	5	1		2	16
13	12	11	11	9	10	17	18	9	14	3	4	2			17
7	8	11	9	7	10	8	7	7	6	5		1		1	}18
8	7	5	4	4	5	7	10	4	6	2		2			
3	2	1	5	4	3	5	5	2	5	1				1	}19
		2	2	2	1	3	1	2	1						
1	2		3	3	4	3	7	3	7	5	5				}20
5	5	4	5	3	4	7	7	3	7	1	4				
16	14	26	22	13	17	19	21	13	12	2					21
9	8	13	13	7	7	7	9	3	3	1					22
7	6	13	9	6	10	12	12	10	9	1					23
1	5	5	6	5	5	4	3	1	1						}24
3	5	5	2	3	6	6	5	2	3						
2	2	3	2						1	1					}25
3	1	2	1	1	1	1		1	2						
6	1	5	5	2	2	3	6	2	1						}26
1		6	6	2	3	5	7	7	4	1					
1,129	1,252	1,001	845	759	626	610	557	457	400	264	173	75	18	204	27
937	1,032	833	688	592	501	459	387	300	241	128	60	31		171	28
192	220	168	157	167	125	151	170	157	159	136	113	44	2	33	29
19	23	27	13	15	13	16	13	13	9	7	2			4	}30
37	38	27	26	22	15	28	22	28	15	13	7	2		2	
131	159	133	83	72	60	34	31	25	12	4	2			42	}31
13	15	9	7	10	6	4	6	4	2					7	
3	5	5	7	5	3	5	3	3	8	3	2			2	}32
1	2	1	2	1	1	2		1	2	2		1		3	
48	41	28	14	23	13	15	8	6	5	1		2		10	}33
6	6	4	3	3		1			1						
25	18	8	5	4	2	3	2	2	1	1					}34
4	11	5	1	3	1										
															}35
5	7	3	2	2		3	3								}36
164	189	116	101	96	77	68	40	33	22	10	6			65	}37
14	9	7	10	11	9	11	7	7	8	3		1		1	
12	18	10	11	9	11	11	10	4	4	1				12	}38
5	3	1	5	4	5	5	5	3	2	1	1			15	
41	46	44	45	34	34	21	17	11	5	3	2				}39
7	5	1	4	1	1		1	1							
6	6	3	3	9	5	4	6	3	7						}40
2	3	2	4	4	5	4	1	2	1						
27	27	32	25	28	19	15	19	10	6	1				4	}41
17	24	17	13	6	9	3	4	5	3	1				2	
49	55	67	81	53	56	47	36	37	21	9	2	2		4	}42
14	15	23	17	13	7	9	12	4	1	3	2				
7	17	10	8	5	4	4	3	1	8	1					}43
	4	4	1	5		5	3	6	3						
3	6	6	4	1	5	3	5	1						1	}44
16	17	12	9	9	6	5	4		1	2					
22	14	11	13	8	10	8	5	1	2	2		1		2	}45
1	1	1	2	2	2	1		1	1						
375	401	330	273	228	189	202	186	150	131	85	44	26	2	25	}46
55	67	54	53	75	58	73	105	95	120	110	103	40	16	3	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CITIES IN REGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	191,667	43,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
2	Males.....	100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629	4,620
3	Females.....	91,626	19,246	5,403	2,444	1,581	1,119	29,793	2,618	1,420	2,143	3,734	4,342
4	Unknown cause.....	873	286	30	9	11	6	342	21	15	12	21	31
5	Males.....	477	167	16	6	9	3	201	10	6	7	10	17
6	Females.....	396	119	14	3	2	3	141	11	9	5	11	14
7	1. General diseases. General diseases—A.....	34,491	13,731	4,272	2,000	1,351	977	22,331	2,149	612	558	777	769
8	Males.....	17,668	7,499	2,214	998	688	466	11,865	1,050	277	265	418	427
9	Females.....	16,823	6,232	2,058	1,002	663	511	10,466	1,099	335	293	359	342
10	Measles.....	(M) 939 (F) 934	260 228	357 338	133 131	70 67	37 44	857 808	65 76	6 17	1 9	3 7	1 4
11	Scarlet fever.....	(M) 694 (F) 641	51 32	103 79	127 114	114 109	74 85	469 419	167 166	24 20	7 11	9 10	8 4
12	Diphtheria.....	(M) 2,209 (F) 2,234	170 136	383 363	392 379	319 320	244 259	1,508 1,457	538 579	87 96	28 32	11 21	9 12
13	Whooping cough.....	(M) 779 (F) 912	428 441	201 236	75 116	40 49	14 29	758 871	14 24	4 4	3 3	1 1	1 1
14	Malarial fever.....	(M) 237 (F) 272	24 21	11 10	10 14	10 13	7 6	62 64	10 20	2 7	7 16	23 18	12 15
15	Influenza.....	(M) 1,031 (F) 1,575	91 84	15 23	10 13	8 8	3 9	127 137	10 11	8 13	12 13	31 29	29 44
16	Typhoid fever.....	(M) 1,531 (F) 1,076	9 8	8 12	13 10	13 10	11 10	54 50	62 59	76 99	147 148	263 161	243 131
17	Cholera morbus.....	(M) 212 (F) 216	50 40	10 17	10 11	4 2	1 2	75 70	13 6	8 4	2 7	4 6	7 8
18	Colitis.....	(M) 189 (F) 188	108 95	22 25	6 7	3 3	1 1	140 131	6 2	1 2	1 2	3 3	1 2
19	Diarrhea.....	(M) 780 (F) 731	450 367	77 63	17 9	2 3	8 2	554 444	20 31	3 13	3 2	3 3	6 8
20	Dysentery.....	(M) 436 (F) 475	83 62	44 28	22 13	14 6	6 8	169 117	23 8	10 6	3 1	10 13	9 10
21	Enteritis.....	(M) 3,635 (F) 3,340	2,566 2,066	447 431	85 77	35 31	21 27	3,154 2,632	43 49	20 17	10 7	10 20	31 32
22	Cholera infantum.....	(M) 3,240 (F) 2,687	2,736 2,250	425 360	51 54	17 10	11 13	3,240 2,687	—	—	—	—	—
23	Fever.....	(M) 8 (F) 10	2 2	2 2	1 1	—	1 1	2 6	1 —	—	1 —	—	—
24	Cerebro-spinal fever.....	(M) 486 (F) 378	149 116	80 49	39 39	27 22	17 12	312 238	55 45	25 27	22 13	18 8	13 7
25	Smallpox.....	(M) 25 (F) 19	2 2	1 2	—	1 —	—	4 4	1 1	—	2 2	4 5	3 —
26	Erysipelas.....	(M) 366 (F) 286	120 112	10 9	2 3	1 2	—	133 127	1 2	2 1	7 6	3 3	17 8
27	Septicemia.....	(M) 403 (F) 427	53 43	9 7	—	4 5	8 2	74 61	11 17	5 7	7 17	21 45	24 48
28	Venereal diseases.....	(M) 192 (F) 158	133 121	7 3	1 4	3 2	—	144 131	—	—	2 2	—	8 3
29	Others of this group.....	(M) 276 (F) 264	16 6	4 1	4 3	3 1	2 1	29 12	10 3	1 2	3 2	2 2	6 5
30	General diseases—B.....	3,642	1,843	70	26	16	10	1,965	21	7	39	95	171
31	Males.....	2,274	1,023	45	12	11	7	1,098	11	3	12	49	110
32	Females.....	1,368	820	25	14	5	3	867	10	4	27	46	61
33	Alcoholism.....	(M) 714 (F) 195	—	—	1	—	—	1	—	—	1	10	67
34	Parasitic diseases.....	(M) 5 (F) 5	1 1	2	—	2	—	3 5	—	—	—	6	28
35	Lead poison.....	(M) 23 (F) 13	1	—	1	—	—	1 2	—	—	—	—	1 1
36	Other poisons.....	(M) 461 (F) 264	15 8	18 7	8 6	8 3	4 3	53 27	8 7	3 1	10 26	39 37	41 32
37	Inanition.....	(M) 1,071 (F) 891	1,007 810	25 18	3 4	3 —	3	1,041 832	3 3	—	1 —	—	1
38	General diseases—C.....	15,074	10,012	383	63	27	20	10,505	18	12	10	16	16
39	Males.....	7,719	5,677	186	34	20	6	5,923	10	8	8	7	8
40	Females.....	7,355	4,335	197	29	7	14	4,582	8	4	2	9	8
41	Old age.....	(M) 1,543 (F) 2,406	—	—	—	—	—	—	—	—	—	—	—
42	Premature birth.....	(M) 2,374 (F) 1,749	2,374 1,749	—	—	—	—	2,374 1,749	—	—	—	—	—
43	Malformation.....	(M) 398 (F) 310	390 302	1 5	2	—	—	393 308	—	—	1	—	—
44	Debility and atrophy.....	(M) 3,074 (F) 2,650	2,583 2,045	185 192	32 29	20 7	6 13	2,826 2,286	10 7	8 4	7 2	7 8	8 8
45	Others of this group.....	(M) 330 (F) 240	330 239	—	—	—	—	330 239	—	—	—	—	—

261

CITIES IN REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,967	2,580	881	281	326	1
4,923 4,155	5,168 4,192	4,663 3,731	4,515 3,661	4,863 4,019	4,807 4,377	4,828 4,760	4,647 4,757	4,149 4,722	3,314 3,900	2,132 2,835	1,056 1,524	291 590	85 196	169 157	2 3
34	52	40	36	49	42	32	39	29	20	24	6	5		23	4
18 16	27 25	21 19	24 12	25 24	23 19	22 10	22 17	14 15	6 14	12 12	1 5	1 4		10 13	5 6
728	623	521	499	546	582	698	763	743	672	526	256	92	23	23	7
373 355	328 295	271 250	273 226	281 265	288 294	294 404	335 428	315 428	246 426	200 326	117 139	27 65	10 13	8 15	8 9
3 4		1 1	1 2		1 1					1				1	}10
8 2	2 4						1								
9 11	5 7	1 3	3 3	4 3	4 3	1 3	1	2		1				1	}12
1 4	1	1 2			1	1						1		1 2	
10 14	11 12	14 6	14 11	6 7	11 13	11 16	12 13	12 16	11 9	3 9	5 4	1	1	1	}14
36 42	38 43	52 50	47 52	49 88	60 94	89 154	105 159	101 172	87 197	92 158	44 71	11 37	2 6	1 5	
203 127	151 51	81 61	81 40	65 30	40 27	25 29	15 13	15 12	4 4	1 1	2 2			3 1	}16
3 6	4 11	9 7	8 3	14 8	12 10	9 12	13 14	15 12	6 12	6 8	6 8	2 3	2 1		
1 4	1 2	6 5	5 6	4 5	1 3		3 8	5 4	4 3	3 3	2 2	2 1		1	}18
7 11	10 5	4 7	7 9	12 10	19 19	18 22	26 25	31 29	24 40	18 37	8 10	5 5	2 1		
11 14	12 13	9 15	15 14	14 13	10 29	28 34	33 48	32 43	17 44	18 31	10 14	2 6	1 2		}20
18 35	18 31	25 34	27 42	33 38	41 43	37 62	43 86	38 80	39 69	26 38	17 17	2 5	2 2	1 1	
															}22
		1	1	2				1							
1 7 9	7 7	7 5	8 6	4 2	3 3	2 2	1	1 2	1 2	1				1	}24
3 3	1		1	3 1	2 1		1								
17 4	20 22	22 8	14 11	18 12	30 13	25 17	15 15	12 13	14 13	12 8	3 1	1 2			}26
24 56	35 44	24 30	20 13	33 27	31 18	25 15	28 8	14 9	17 4	8 4	2 2			2	
5 2	8 5	6 5	6 3	6 6	6 1	1		2							}28
7 6	4 5	8 6	15 11	14 21	16 16	22 36	39 38	39 31	22 29	19 25	18 8	6	1	1	
241	274	177	151	135	114	83	65	33	32	15	5	1	1	17	}30
164 77	213 61	137 40	118 33	108 27	85 29	63 20	49 16	20 13	14 18	6 9	3 2	1	1	11 6	
115 35	162 35	88 31	71 20	76 9	50 16	26 7	26 1	8 2	4 2	2 2	3			5 1	}33
				1	1										
3 3	4 2	5	2	3 1		2 1	1		1						}35
45 36	46 22	44 7	44 12	27 16	32 9	31 7	17 9	10 4	8 5	3 7					
1 3	1 2		1 1	1 1	2 1	4 5	5 6	2 7	1 11	1 2		1		6 5	}37
10	20	16	16	32	58	138	269	584	844	1,132	814	401	137	26	
6 4	10 10	8 8	6 10	10 22	20 38	55 83	107 162	235 349	342 502	467 665	307 507	128 273	41 96	13 13	}39
						36 60	82 125	207 304	315 455	442 622	294 483	124 259	41 92	2 6	
															}42
														4	
6 4	10 10	8 8	6 10	10 22	20 37	19 23	25 37	28 45	27 47	25 43	13 24	4 14		7 7	}44
					1										

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	32,836	1,325	664	344	226	140	2,699	440	463	1,543	3,010	3,653
2	Males	16,725	733	365	207	109	71	1,485	215	170	684	1,471	1,894
3	Females	16,111	592	299	137	117	69	1,214	225	293	859	1,539	1,759
4	Anemia	197	28	6	3	3	2	39	4	3	5	8	6
	(M)	303	13	6	3	2	4	28	3	4	15	21	23
5	Diabetes	514	1	4	2	2	1	10	9	18	16	11	22
	(M)	522	1	1	1	2	1	5	9	12	7	10	13
6	Rheumatism	278	3	2	1	1	1	7	17	9	11	11	14
	(M)	350	13	1	1	1	2	17	16	15	21	9	13
7	Scrofula and tabes	139	62	8	4	2	3	76	3	2	3	9	7
	(M)	129	34	13	6	2	3	58	2	3	8	7	9
8	Hydrocephalus	937	323	211	109	55	39	737	85	21	16	17	8
	(M)	765	296	161	72	56	27	612	68	18	18	15	11
9	Tuberculosis, general	230	27	10	10	6	4	57	6	7	10	23	25
	(M)	170	29	10	4	4	2	49	8	13	10	19	12
10	Consumption	11,838	226	111	65	30	21	453	69	94	607	1,361	1,773
	(M)	9,253	163	94	45	41	25	368	109	210	760	1,425	1,592
11	Cancer	2,106	1	2	1	1	1	5	6	5	4	17	26
	(M)	4,052	4	1	1	1	1	6	2	8	5	16	66
12	Tumor	236	5	1	7	2	1	16	8	5	7	6	10
	(M)	308	6	1	3	4	2	16	3	4	7	6	13
13	Dropsy	121	5	3	1	1	1	10	5	1	1	3	1
	(M)	134	3	1	1	1	1	4	1	1	4	4	3
14	Others of this group	129	52	9	7	6	1	75	3	5	4	5	2
	(F)	125	30	14	1	4	2	51	4	5	4	7	4
15	2. Diseases of the nervous system	21,445	4,458	1,253	527	322	211	6,771	497	275	265	304	423
16	Males	11,177	2,564	671	292	154	100	3,781	261	155	154	151	225
17	Females	10,268	1,894	582	235	168	111	2,990	236	120	111	153	198
18	Inflammation of the brain	133	30	15	11	2	4	62	6	6	3	4	4
	(M)	90	16	8	4	6	4	34	7	5	2	2	3
19	Meuingitis	2,477	937	411	212	107	54	1,721	170	58	57	50	71
	(M)	2,005	723	364	153	111	77	1,428	165	75	39	43	36
20	Apoplexy	3,718	63	12	3	4	4	86	9	5	16	17	51
	(M)	3,882	48	7	6	5	1	67	9	5	13	16	42
21	Paralysis	1,130	14	3	2	2	2	21	6	6	9	10	11
	(M)	1,154	10	4	5	2	2	23	7	5	3	14	19
22	Paralysis, general (of insane)	138											5
	(M)	71											3
23	Tetanus and trismus nascentium	218	76	3	2			81	15	47	19	11	8
	(M)	72	49	1		1	1	52	2	1		1	1
24	Chorea	14			1	2		3	2	1	2		
	(M)	11	1				1	2		4	3		
25	Epilepsy	188	14	6	2	1		23	5	7	17	13	14
	(M)	183	9	1	4	1		15	7	7	16	19	17
26	Convulsions	1,617	1,277	179	47	21	18	1,542	26	8	2	3	3
	(M)	1,309	935	161	54	33	21	1,204	17	3	5	14	18
27	Mental diseases	305								1	4	15	15
	(M)	391								1	5	14	17
28	Diseases of the brain	862	144	37	8	13	14	216	20	14	17	20	32
	(M)	734	92	33	8	7	7	147	18	11	18	21	22
29	Diseases of the spinal cord	144	6	5	2	1	5	19	1	1	6	4	6
	(M)	167	5	2	1	2	1	11	4		4	3	10
30	Locomotor ataxia	121	1		1			2		1		1	1
	(M)	45										2	
31	Others of this class	112	2		1	1	1	5	1		2	3	4
	(M)	154	6	1				7		3	3	4	10
32	3. Diseases of the circulatory system	15,267	814	46	25	33	58	976	308	327	328	425	507
33	Males	7,578	438	26	11	19	28	522	143	117	136	179	249
34	Females	7,689	376	20	14	14	30	454	165	210	192	246	258
35	Pericarditis	112	5	2		1	1	9	6	12	9	6	7
	(M)	111	4	1	1		7	13	10	5	11	6	3
36	Diseases of the heart	6,596	244	24	9	18	24	319	134	102	122	168	226
	(M)	6,930	221	18	13	14	22	288	153	204	177	228	238
37	Angina pectoris	308									3		11
	(M)	248							1		2	7	9
38	Diseases of the arteries	204							1			1	1
	(M)	145											
39	Aneurism	112								2		4	4
	(M)	37								1			1
40	Embolism	49	2				1	3	1	1	2	1	
	(M)	63	1				1	2	1		2	4	7
41	Others of this class	197	187		2		2	191	1				
	(M)	155	150	1				151					

263

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,473	3,119	2,562	2,268	2,206	1,931	1,685	1,475	1,091	704	321	129	23	6	35	1
1,940 1,533	1,753 1,366	1,886 1,176	1,199 1,069	1,139 1,067	902 1,029	803 882	701 771	467 624	294 410	137 184	54 75	10 13	4 2	14 21	2 3
11 23	6 18	15 26	12 16	16 24	20 35	16 19	15 17	6 17	9 9	3 3	2 1	1 1	1 1	1 1	4 5
30 14	19 18	34 27	38 31	48 57	41 79	75 80	68 65	40 51	26 30	4 10	3 3	1 1	1 1	1 1	5 6
16 14	21 20	13 14	20 21	16 24	27 26	18 21	25 35	20 36	15 28	15 12	2 6	1 2	1 1	1 1	6 7
6 8	7 5	3 3	3 4	1 6	2 2	6 3	3 5	4 4	2 2	1 2	1 1	1 1	1 1	1 1	7 8
19 6	10 5	10 5	5 1	3 2	3 1	2 1	2 1	2 2	2 2	2 2	2 2	2 2	2 2	2 2	8 9
12 15	24 8	11 9	14 10	20 4	5 3	4 4	4 5	3 5	5 1	5 1	5 1	5 1	5 1	5 1	9 10
1,774 1,278	1,576 1,020	1,135 668	888 449	717 376	479 295	351 248	253 166	182 135	65 82	33 40	14 18	2 3	1 1	9 10	10 11
44 140	71 243	136 392	185 489	287 532	294 540	299 469	300 419	181 345	143 227	65 101	27 39	6 4	1 1	4 8	11 12
19 20	10 20	19 23	25 30	22 30	21 37	19 23	19 30	15 17	11 16	4 8	3 3	3 3	3 3	3 3	12 13
5 5	4 3	7 4	5 10	4 10	7 9	9 11	13 21	14 14	16 15	11 7	5 5	3 3	3 3	3 3	13 14
4 10	5 6	3 5	4 8	5 2	3 2	1 4	4 7	2 3	2 2	1 1	1 1	1 1	1 1	1 1	14 15
515	630	742	957	1,141	1,342	1,602	1,614	1,642	1,366	839	373	84	30	33	15
286 229	353 277	415 327	510 447	589 552	702 640	783 819	803 811	802 840	643 723	373 466	140 233	28 56	8 22	15 18	16 17
7 6	8 3	3 4	2 4	5 8	3 2	4 3	3 3	8 1	1 1	4 1	4 1	4 1	4 1	4 1	17 18
57 33	50 22	41 24	60 32	39 19	26 19	26 22	17 19	14 10	7 11	6 1	3 1	3 1	3 1	3 1	18 19
83 50	108 94	177 171	233 254	334 335	417 424	459 511	493 498	513 521	392 432	220 250	80 138	17 30	2 14	6 8	19 20
29 22	60 18	65 28	79 46	86 66	100 93	133 123	125 139	139 172	140 164	72 133	28 56	5 15	5 4	1 4	20 21
17 9	17 7	21 5	19 3	18 10	13 5	8 4	6 7	7 7	6 4	1 5	1 1	1 1	1 1	1 1	21 22
11 1	6 3	4 2	7 1	3 1	5 3	5 2	5 1	5 1	5 1	5 1	5 1	5 1	5 1	5 1	22 23
1 1	3 3	2 1	1 1	1 1	3 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	23 24
15 14	11 17	16 8	12 12	8 10	14 7	9 14	7 3	6 6	5 7	5 3	1 1	1 1	1 1	1 1	24 25
3 13	2 10	3 6	3 2	3 3	1 4	3 3	3 1	5 3	2 2	4 2	4 2	4 2	4 2	4 2	25 26
16 21	25 24	9 25	15 24	14 28	21 22	35 44	47 39	28 46	25 31	18 31	15 15	2 2	2 2	2 2	26 27
38 34	38 46	46 26	37 47	49 36	56 29	62 57	64 69	52 41	49 52	36 33	11 19	4 5	1 1	2 2	27 28
3 8	14 15	12 13	15 9	14 13	11 18	13 18	12 15	7 16	3 7	3 2	3 1	3 1	3 1	3 1	28 29
2 1	10 5	12 3	15 4	10 6	22 5	19 6	15 6	7 3	4 1	4 1	4 1	4 1	4 1	4 1	29 30
4 17	4 13	5 12	13 9	8 17	13 9	11 12	11 10	15 13	7 10	4 4	2 1	2 1	2 1	2 1	30 31
612	767	810	889	1,141	1,393	1,544	1,603	1,509	1,133	618	274	64	19	20	32
321 291	378 389	381 429	431 458	624 517	736 657	803 741	809 794	786 773	575 558	278 340	121 153	22 42	5 14	12 8	33 34
6 9	12 7	6 8	5 6	5 4	10 5	4 6	5 4	2 5	7 3	4 4	1 1	1 1	1 1	1 1	35 36
286 261	323 359	340 400	382 417	562 475	658 612	708 689	724 722	664 709	498 510	244 296	104 140	19 32	5 9	8 8	36 37
17 7	16 16	14 12	24 24	30 26	33 21	53 28	36 34	24 21	29 20	11 13	6 5	2 2	2 2	2 2	37 38
8 3	22 3	16 4	15 5	12 3	10 4	9 2	3 7	3 1	3 2	1 1	1 1	1 1	1 1	1 1	38 39
4 7	5 4	1 2	2 5	6 2	3 7	3 2	5 6	4 5	5 6	3 3	3 3	3 3	3 3	3 3	39 40
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	34,506	8,743	4,231	1,755	911	498	16,138	964	310	429	771	996
2	Males.....	18,012	4,933	2,281	910	457	237	8,818	494	135	238	436	570
3	Females.....	16,494	3,810	1,950	845	454	261	7,320	470	175	191	335	426
4	Croup.....	(M. 538 F. 455)	(74 48)	(116 105)	(123 89)	(84 85)	(47 50)	(444 377)	(90 69)	(2 4)	(1 1)	(1 1)	(1 1)
5	Pneumonia.....	(M. 12,748 F. 11,258)	(2,939 2,282)	(1,689 1,442)	(613 575)	(294 273)	(139 155)	(5,674 4,727)	(322 310)	(100 139)	(201 143)	(373 263)	(491 352)
6	Laryngitis.....	(M. 135 F. 119)	(24 16)	(21 21)	(7 19)	(14 3)	(8 3)	(77 78)	(24 20)	(4 2)	(2 2)	(2 2)	(2 2)
7	Bronchitis.....	(M. 3,039 F. 3,285)	(1,451 1,149)	(400 341)	(134 136)	(42 57)	(29 36)	(2,056 1,719)	(32 44)	(16 11)	(12 19)	(17 27)	(27 24)
8	Pleurisy.....	(M. 330 F. 276)	(19 13)	(18 15)	(13 12)	(11 5)	(4 4)	(65 49)	(12 11)	(6 3)	(15 6)	(17 20)	(22 18)
9	Asthma.....	(M. 130 F. 142)	(5 7)	(1 1)	(1 1)	(1 1)	(1 1)	(7 7)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
10	Others of this class.....	(M. 1,092 F. 959)	(421 295)	(33 26)	(20 14)	(11 15)	(10 13)	(495 363)	(13 15)	(7 16)	(10 20)	(24 23)	(29 29)
11	5. Diseases of the digestive system.....	9,741	1,516	289	117	70	81	2,073	285	256	338	483	595
12	Males.....	4,849	866	151	59	35	44	1,155	142	142	166	219	251
13	Females.....	4,892	650	138	58	35	37	918	143	114	172	264	344
14	Dentition.....	(M. 147 F. 148)	(93 96)	(49 48)	(3 3)	(1 1)	(1 1)	(147 148)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)
15	Angina.....	(M. 47 F. 47)	(4 5)	(8 8)	(5 5)	(3 4)	(3 6)	(23 28)	(7 6)	(2 3)	(2 2)	(2 1)	(1 1)
16	Gastritis.....	(M. 607 F. 785)	(158 133)	(29 31)	(5 7)	(9 8)	(4 5)	(205 184)	(8 16)	(5 6)	(4 7)	(7 24)	(20 33)
17	Diseases of the stomach.....	(M. 255 F. 219)	(15 10)	(2 1)	(1 1)	(1 1)	(1 1)	(21 11)	(4 3)	(1 1)	(3 7)	(7 16)	(16 21)
18	Obstruction of the bowels.....	(M. 395 F. 453)	(99 51)	(5 5)	(8 8)	(3 4)	(5 4)	(120 72)	(12 14)	(11 5)	(10 12)	(14 11)	(27 26)
19	Appendicitis.....	(M. 628 F. 393)	(1 2)	(2 2)	(2 2)	(5 1)	(6 4)	(14 11)	(42 39)	(70 46)	(89 61)	(102 45)	(70 50)
20	Hernia.....	(M. 207 F. 190)	(23 4)	(2 1)	(1 1)	(1 1)	(1 1)	(26 5)	(2 1)	(1 1)	(7 1)	(5 1)	(8 1)
21	Other diseases of the bowels.....	(M. 96 F. 94)	(33 26)	(3 4)	(1 1)	(1 1)	(1 1)	(36 30)	(2 3)	(2 3)	(3 3)	(3 2)	(5 6)
22	Jaundice.....	(M. 160 F. 131)	(99 60)	(1 1)	(3 3)	(1 1)	(1 1)	(103 64)	(4 4)	(1 1)	(4 1)	(1 1)	(3 2)
23	Inflammation and abscess of the liver.....	(M. 213 F. 197)	(12 9)	(2 2)	(1 1)	(1 1)	(2 1)	(17 13)	(3 4)	(1 3)	(6 1)	(11 10)	(13 11)
24	Other diseases of the liver.....	(M. 998 F. 626)	(13 6)	(3 2)	(1 1)	(1 1)	(1 1)	(19 9)	(5 1)	(3 1)	(3 2)	(13 9)	(29 24)
25	Peritonitis.....	(M. 597 F. 1,084)	(57 32)	(13 10)	(21 13)	(10 11)	(7 9)	(108 75)	(51 48)	(44 46)	(35 71)	(50 138)	(53 156)
26	Ascites.....	(M. 9 F. 25)	(1 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 2)	(1 1)	(1 1)	(1 1)	(1 1)	(1 3)
27	Others of this class.....	(M. 490 F. 500)	(258 214)	(33 27)	(12 15)	(3 6)	(9 4)	(315 266)	(6 5)	(2 3)	(2 5)	(4 7)	(5 12)
28	6. Diseases of the urinary system and male organs of generation.....	12,072	217	66	57	72	51	463	161	132	189	418	552
29	Males.....	6,638	124	41	29	44	28	266	92	57	83	181	244
30	Females.....	5,434	93	25	28	28	23	197	69	75	106	237	308
31	Bright's disease.....	(M. 5,193 F. 4,628)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(1 1)	(75 65)	(47 72)	(75 89)	(159 199)	(216 251)
32	Calculus, urinary.....	(M. 31 F. 18)	(1 5)	(1 1)	(1 1)	(1 1)	(1 1)	(1 5)	(1 1)	(3 1)	(1 1)	(1 1)	(1 1)
33	Diseases of the kidney.....	(M. 412 F. 282)	(91 67)	(37 20)	(29 24)	(42 26)	(27 22)	(226 159)	(7 1)	(2 1)	(2 5)	(5 6)	(7 12)
34	Diseases of the bladder.....	(M. 405 F. 61)	(2 1)	(1 1)	(1 1)	(1 1)	(1 1)	(3 1)	(2 1)	(2 1)	(1 1)	(2 1)	(4 1)
35	Others of this class.....	(M. 597 F. 445)	(30 20)	(4 5)	(4 4)	(2 2)	(1 1)	(36 32)	(8 4)	(3 3)	(4 12)	(14 31)	(17 44)
36	7. Diseases of the female organs of generation.....	721	4	1	1	1	1	6	1	1	20	83	111
37	Ovarian tumors.....	112	1	1	1	1	1	1	1	1	1	12	11
38	Ovarian diseases.....	40	1	1	1	1	1	1	1	1	1	5	11
39	Diseases of the tubes.....	143	1	1	1	1	1	1	1	1	1	24	36
40	Uterine tumors.....	194	1	1	1	1	1	1	1	1	1	2	6
41	Uterine diseases.....	47	1	1	1	1	1	1	1	1	1	10	14
42	Others of this class.....	185	4	1	1	1	1	5	1	1	7	30	33

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,096	1,253	1,122	1,171	1,357	1,498	1,602	1,600	1,527	1,228	817	417	130	41	39	1
622 474	737 516	679 443	695 476	745 612	737 761	729 873	720 880	635 892	503 725	297 520	157 260	38 92	9 32	18 21	2 3
			1		2		1	1							4
529 375	645 428	579 357	573 357	606 456	545 573	550 637	502 588	441 617	319 429	176 298	83 134	20 50	6 12	13 13	5
2 3	1 1	5	3	2	2 4	4 2	4 1	1 2	2 2	2 1					6
23 38	29 34	32 32	38 61	54 83	101 109	94 147	107 204	130 206	127 208	76 166	53 97	12 37	3 16	3	7
27 20	22 20	19 16	26 15	24 14	20 13	14 14	14 13	12 10	7 20	5 8	1 6	1		1	8
5 2	4 3	4 6	11 4	12 14	16 14	17 18	20 27	15 13	9 15	7 11		2		1	9
36 36	40 30	40 32	44 38	47 45	53 46	50 55	72 47	36 45	39 51	31 36	20 18	3 5		3 5	10
524	596	631	599	611	592	580	538	439	311	172	74	25	5	14	11
225 299	271 325	339 292	324 275	320 291	307 285	290 290	251 287	191 248	154 157	57 115	30 44	9 16	3 2	3 11	12 13
															14
3	2	2 1	1 2	1 1	2 1		2	1							15
22 23	25 44	29 44	30 34	36 47	36 44	40 62	40 58	41 61	35 41	12 39	7 12	3 6	2		16
13 20	19 19	22 10	26 17	27 16	28 15	20 12	22 15	11 20	9 6	2 4	4 5				17
20 25	16 27	12 27	22 33	26 27	23 35	21 23	23 38	14 28	14 22	5 18	2 7	2 1		1 1	18
50 31	48 19	41 14	31 22	26 12	13 10	9 11	12 9	7 6	3 5	1 1				1	19
11 6	9 6	12 18	14 18	11 22	16 25	22 28	17 22	22 17	14 11	6 6	4 3				20
2 4	4 7	7 4	2 6	5 3	3 3	1 5	5 6	5 5	4 2	5 1		1 1		1 1	21
1 4	1 6	4 3	5 7	3 7	4 3	6 8	5 6	9 9	4 1	5 3		2 2			22
18 8	17 15	18 20	22 9	29 11	14 14	17 21	8 19	6 20	8 8	4 7		1			23
50 37	89 60	128 70	119 61	119 76	122 67	112 57	90 52	45 49	38 29	9 16	3 5	1 1	1		24
29 135	32 111	49 70	33 48	18 43	31 41	21 34	15 31	10 15	8 11	3 3	5 2	1 2		1 4	25
		2 1	1 2	2 3	4	2	1 2	2	1 2	1				1	26
6 6	9 11	13 10	18 16	17 23	15 23	21 27	13 27	20 16	16 19	5 16	3 3		1	1	27
621	824	853	932	1,090	1,174	1,232	1,080	1,018	715	396	162	31	11	18	28
308 313	407 417	448 405	483 449	614 476	670 504	726 506	628 452	595 423	449 266	254 142	103 59	18 13	3 8	9 9	29 30
269 261	345 352	408 360	422 412	537 434	583 456	608 461	487 405	416 378	303 233	152 126	48 52	10 10	1 6	7 6	31
1 1	2	2 1	1	5	4	3 2	3	1 2	3 2	2	1 1				32
9 11	13 14	12 16	10 5	20 9	14 7	15 10	29 12	18 8	16 4	5 3	2		1		33
4 2	3 5	7 1	11 2	18 3	15 5	44 9	59 7	70 10	63 6	54 3	36 4	6 1	1 1		34
25 38	44 46	24 27	40 29	34 30	54 36	56 24	50 28	60 25	64 21	43 8	16 2	2 2	1	2 8	35
99	89	103	77	44	24	21	15	11	10	5				2	36
11 12	6 6	12 1	16 2	11 1	8	6	8	4 1	3	3					37 38
25	25	18	6	1			1								39
15	19	45	40	25	11	12	4	6	4	2				1	40
8	3	3	2	1	1				2						41
28	30	24	11	5	4	3	2		1					1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,446								1	71	321	357
2	Abortion	81									4	13	21
3	Childbirth	330									7	50	70
4	Puerperal septicemia	678								1	37	173	177
5	Extra-uterine pregnancy	68										11	17
6	Others of this class	289									23	74	72
7	9. Diseases of the bones and joints	426	35	13	2	13	11	74	38	44	34	29	19
8	Males	256	20	4	2	8	9	43	20	28	22	19	11
9	Females	170	15	9		5	2	31	18	16	12	10	8
10	Diseases of the spine (M)	71	5			3	4	12	10	12	8	5	3
	(F)	50	4	3		3		16	8	5	2	4	
11	Abscess, lumbar and psoas (M)	13	1					1		2		4	
	(F)	6							1				
12	Diseases of the bones (M)	115	11	3	1	4	5	21	5	6	9	6	7
	(F)	59	8	6		1	2	17	3	7	5	4	5
13	Diseases of the hip-joint (M)	29	1					1	5	7	5	3	1
	(F)	17	1					1	5	2	5		
14	Others of this class (M)	28	2	1	1	1		5		1		1	
	(F)	38	2			1		3	1	2		2	3
15	10. Diseases of the skin	324	103	9	4	3	1	120	11		5	13	7
16	Males	178	54	5	2	2		63	8		4	5	5
17	Females	146	49	4	2	1	1	57	3		1	8	2
18	Abscess (M)	103	30	4	2	2		38	8		3	2	3
	(F)	67	21	1	1		1	24	3		1	6	2
19	Carbuncle (M)	26									1	1	
	(F)	13	1					1				1	
20	Others of this class (M)	49	24	1		1		25				2	2
	(F)	66	27	3	1	1		32				1	
21	11. Diseases of the absorbent system	134	19	9	1	1		30	1	1	3	4	10
22	Males	66	9	5	1	1		16		1	2	3	5
23	Females	68	10	4				14	1		1	1	5
24	Addison's disease (M)	23									1	1	1
	(F)	22									1	1	1
25	Diseases of the spleen (M)	2	1					1					1
	(F)	9	2					2					1
26	Others of this class (M)	41	8	5	1	1		15		1	1	2	3
	(F)	37	8	4				12	1				3
27	12. Accidents and injuries	8,669	582	167	184	190	132	1,255	475	326	393	593	745
28	Males	6,424	335	90	107	108	79	719	315	263	313	481	604
29	Females	2,245	247	77	77	82	53	536	160	63	80	112	141
30	Burns and scalds (M)	381	16	47	63	55	27	208	24	7	6	10	14
	(F)	548	14	44	43	50	35	186	81	28	15	11	30
31	Drowning (M)	982	7	6	3	10	14	40	119	109	64	74	82
	(F)	92	6	5	1	3		15	11	6	6	5	3
32	Exposure and neglect (M)	29	9	1				10				3	
	(F)	20	10					10				1	
33	Gunshot wounds (M)	210	1	1				2	2	18	21	25	25
	(F)	34	1		1			2	3	4	2	4	3
34	Homicide (M)	97			2	1	1		1	2	7	19	16
	(F)	40						4	2	1	2	3	8
35	Infanticide (M)	9	9					9					
	(F)	3	3					3					
36	Injuries by machinery (M)	15									2	4	1
	(F)												
37	Railroad accidents (M)	853	2	1	3	5	7	18	40	43	55	105	96
	(F)	89	1	1	3	3	1	9	12	2	9	2	5
38	Suffocation (M)	266	146	5	9	2	3	165	4	5	5	10	7
	(F)	173	112	5	3	2	2	124	7		2	1	6
39	Suicide by shooting (M)	241									5	16	26
	(F)	17										2	2
40	Suicide by drowning (M)	29										1	2
	(F)	17										3	2
41	Suicide by poison (M)	219									10	21	26
	(F)	142								2	19	33	22
42	Other suicides (M)	325								2	4	17	22
	(F)	94									3	10	11
43	Sunstroke (M)	104	28	1	2		1	32	3		3	4	9
	(F)	58	18	3	3			24	2	1	2	2	1
44	Surgical operations (M)	33	2					2			1	1	2
	(F)	80	1					1		1	2	10	13
45	Wounds (M)	114		1	2	1	2	6	3	3	7	11	17
	(F)	18		1				1	3	1	2	2	1
46	Others of this class (M)	2,517	115	27	25	35	25	227	119	74	123	160	259
	(F)	820	81	18	21	23	14	157	39	17	15	23	34

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
324	249	106	10	2	1	1			1					2	1
18	14	9			1				1						2
75	82	40	4	1										1	3
155	92	38	3	1		1									4
17	17	5	1												5
59	44	14	2											1	6
25	29	24	18	18	12	10	21	17	8	4	1	1			7
15	22	14	13	12	7	5	13	6	4	1	1				8
10	7	10	5	6	5	5	8	11	4	3		1			9
1	5	3	3	3	1		2	1	2						10
3	4	2	2	2	2	1	2	1		1		1			
1	1		1		1		1	1							11
2		1		1				1							
9	10	7	7	6	4	3	5	3	2	1	1				12
3	1	2	2		1	2	2	2	2	1					
3	1	1			1	1	1								13
2	2							1		1					
1	5	3	2	3		1	5	1							14
2		5	1	3	2	2	4	6	2						
15	12	20	17	17	16	18	21	13	9	5	5				15
8	6	12	9	11	10	9	11	7	4	4	2				16
7	6	8	8	6	6	9	10	6	5	1	3				17
5	5	11	3	6	6	3	5	2	1	2					18
2	4	3	2	2	3	4	6	2	2	1					
2		1	4	4	3	4	2	2	2						19
		2	2	2	1	1		2	1						
1	1		2	1	1	2	4	3	1	2	2				20
5	2	3	4	2	2	4	4	2	2		3				
9	6	14	8	9	11	13	6	5	4						21
5	4	5	5	4	6	5	3	2							22
4	2	9	3	5	5	8	3	3	4						23
1	3	3	2	2	4	3	2								24
2	2	4		3	3	3	1		1						
1					1	1			2						25
4	1	2	3	2	2	2	1	2							
1		4	3	2	1	4	2	3	1						26
752	817	653	528	484	394	329	295	210	157	93	64	24	8	74	27
632	659	547	425	381	314	241	192	124	80	46	20	10	2	56	28
120	158	106	103	103	80	88	103	86	77	47	44	14	6	18	29
15	18	23	8	11	8	4	6	9	4	4	1			1	30
27	32	25	20	15	13	15	15	17	9	4	3	1		1	
83	107	88	61	45	42	19	17	12	3	1				16	31
2	10	6	4	6	5	3	3	1	1					5	
	2	2	1	1	2	3	2		1	1				1	32
1	1		2			2				1				2	
26	26	16	10	10	7	8	4	2	4					4	33
3	5	3	1	2		1				1					
20	14	7	4	3	1	1		1	1						34
2	9	4	1	3	1										
															35
2	2		1	1		2									36
100	88	61	50	58	46	33	18	16	5	3	3			15	37
11	6	3	3	5	5	4	3	4	4	2					
10	16	8	6	5	7	5	5	1		1				6	38
4	3	1	4	2	4	3	3	2						7	
29	31	31	31	20	23	11	8	6	2		2				39
6	3		2	1				1							
5	4	1	2	5	1	1	4	2	1						40
2	2	1	2			1			1						
27	24	25	19	23	13	11	13	3	2					2	41
13	17	10	8	4	5	1	2	2	2	1				1	
33	36	46	46	33	29	25	14	10	4	3		1			42
7	8	18	10	10	5	4	5	2			1				
5	16	8	6	4	4	3	1		6						43
	4	2	1	5		5	2	5	2						
3	4	5	4	1	3	2	3							1	44
10	13	6	7	5	4	4	1		1	2					
19	12	7	6	7	5	5	3	1	1					1	45
1	1	1	2	2				1							
255	259	219	170	154	123	108	94	60	46	33	14	9	2	9	46
31	44	26	36	44	36	45	63	51	57	36	40	13	6	2	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	110,003	16,836	3,598	1,683	1,139	736	23,992	2,520	1,794	2,681	3,727	3,931
2	Males	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
3	Females	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,032
4	Unknown cause	1,453	617	40	16	14	5	692	23	22	32	26	29
5	Males	792	344	21	7	5	3	380	13	9	15	14	10
6	Females	661	273	19	9	9	2	312	10	13	17	12	19
7	1. General diseases.												
	General diseases—A	16,888	4,891	1,424	620	491	296	7,722	937	491	517	558	424
8	Males	8,618	2,644	757	302	243	165	4,111	459	223	251	306	217
9	Females	8,270	2,247	667	318	248	131	3,611	478	268	266	252	207
10	Measles	{M.. 333 F.. 377	{91 80	{74 80	{27 38	{14 15	{14 9	{220 222	{32 39	{18 23	{12 17	{14 11	{9 14
11	Scarlet fever	{M.. 273 F.. 258	{17 13	{31 31	{29 25	{46 41	{23 23	{146 133	{83 78	{15 22	{14 8	{6 5	{2 3
12	Diphtheria	{M.. 539 F.. 548	{31 22	{42 38	{58 64	{59 60	{66 44	{256 228	{163 184	{58 70	{25 26	{16 13	{8 6
13	Whooping cough	{M.. 361 F.. 396	{245 231	{64 70	{18 33	{12 20	{3 7	{342 361	{7 22	{1 3		{1 2	
14	Malarial fever	{M.. 195 F.. 192	{18 12	{6 3	{3 4	{4 2	{4 2	{35 23	{2 12	{6 9	{11 10	{14 16	{9 9
15	Influenza	{M.. 1,089 F.. 1,382	{71 71	{25 14	{6 10	{10 5	{3 3	{115 103	{18 16	{6 14	{11 16	{12 10	{13 18
16	Typhoid fever	{M.. 1,016 F.. 808	{10 3	{3 9	{2 9	{7 12	{7 8	{29 41	{46 43	{59 77	{126 123	{175 110	{130 76
17	Cholera morbus	{M.. 286 F.. 245	{61 45	{28 18	{15 13	{13 5	{5 3	{122 84	{14 12	{9 8	{4 9	{10 5	{2 2
18	Colitis	{M.. 110 F.. 94	{49 30	{9 12	{5 5	{5 1	{1 1	{69 48	{2 2		{1 2	{1 2	{2 1
19	Diarrhea	{M.. 482 F.. 392	{148 132	{25 24	{5 2	{5 4	{5 1	{183 163	{19 10	{7 2	{1 3	{6 1	{3 6
20	Dysentery	{M.. 346 F.. 444	{59 65	{36 42	{13 20	{14 16	{13 3	{135 146	{9 8	{6 2	{3 3	{2 2	{5 2
21	Enteritis	{M.. 820 F.. 795	{438 361	{99 98	{34 24	{13 18	{7 6	{591 507	{16 14	{4 4	{4 8	{12 10	{4 9
22	Cholera infantum	{M.. 1,594 F.. 1,338	{1,248 1,058	{251 194	{62 48	{21 26	{8 9	{1,590 1,335					
23	Fever	{M.. 14 F.. 13	{3 6	{2 1		{1 1		{5 8	{1 1	{1 1	{1 1	{1 1	
24	Cerebro-spinal fever	{M.. 294 F.. 233	{76 49	{55 26	{19 16	{16 14	{9 9	{175 114	{30 29	{20 26	{20 21	{9 9	{9 8
25	Smallpox	{M.. 10 F.. 5									{2 1	{1 1	
26	Erysipelas	{M.. 177 F.. 122	{31 26	{1 2		{2 1	{1 1	{34 32	{1 1		{3 1	{3 7	{5 4
27	Septicemia	{M.. 296 F.. 365	{22 22	{1 4	{4 4	{2 6	{1 2	{30 38	{11 6	{9 6	{10 17	{20 46	{9 41
28	Venereal diseases	{M.. 39 F.. 30	{13 11	{1 2		{1 1		{14 14			{2 1	{1 3	{3 1
29	Others of this group	{M.. 344 F.. 233	{13 10	{4 2	{2 2		{1 1	{20 11	{5 3	{4 1	{3 1	{3 2	{4 7
30	General diseases—B	1,565	859	51	25	16	6	957	9	8	7	23	47
31	Males	964	481	31	17	3	3	535	6	6	2	14	32
32	Females	601	378	20	8	13	3	422	3	2	5	9	15
33	Alcoholism	{M.. 208 F.. 37							{1 1			{6 1	{11 2
34	Parasitic diseases	{M.. 8 F.. 5	{1 1	{3 1	{2 1			{6 5	{1 1				
35	Lead poison	{M.. 4 F.. 3		{1 1				{1 1					
36	Other poisons	{M.. 195 F.. 109	{12 10	{12 7	{13 5	{3 7	{3 2	{43 31	{2 2	{3 1	{2 2	{8 8	{18 10
37	Inanition	{M.. 549 F.. 447	{468 368	{16 12	{2 2	{2 2	{1 1	{486 385	{2 1	{3 1		{1 1	{3 3
38	General diseases—C	9,600	3,481	80	23	7	6	3,597	12	5	4	9	11
39	Males	4,889	1,986	38	13	3	4	2,044	7		1	3	2
40	Females	4,711	1,495	42	10	4	2	1,553	5	5	3	6	9
41	Old age	{M.. 2,526 F.. 2,790											
42	Premature birth	{M.. 987 F.. 719	{987 719					{987 719					
43	Malformation	{M.. 244 F.. 200	{233 192	{5 4	{1 1			{240 196	{3 1				
44	Debility and atrophy	{M.. 994 F.. 910	{629 493	{33 38	{12 10	{2 4	{4 2	{680 547	{4 4		{1 3	{3 6	{2 9
45	Others of this group	{M.. 138 F.. 92	{137 91					{137 91					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,552	3,782	3,748	3,936	4,380	5,347	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	530	1
1,678 1,874	1,913 1,869	1,907 1,841	2,053 1,883	2,253 2,127	2,825 2,522	3,399 3,046	4,226 3,755	4,847 4,085	5,061 4,192	3,835 3,503	1,967 2,019	656 870	146 276	324 206	2 3
24	34	41	37	42	55	65	66	67	75	57	27	11		28	4
15 9	17 17	24 17	19 18	23 19	32 23	42 23	40 26	33 34	42 33	26 31	11 16	7 4		20 8	5 6
372	350	332	329	284	378	475	639	836	875	729	411	143	33	53	7
182 190	176 174	169 163	177 152	154 130	186 192	233 242	305 334	415 421	420 455	345 384	190 221	58 85	13 20	28 25	8 9
7 11	5 12	2 6	1 8	5 2		2 6	2 2	1 1	3 1		1 1				10
1 3	1 2	2 1						1 1			1 1			1 1	11
6 4	1 3		4 3	1 3			1 2		1 1						12
1 1	1 1	2 1	1 1			1 1		1 1		1 1					13
11 7	3 6	5 10	12 10	5 5	9 6	14 11	10 14	18 15	14 14	10 10	4 4	1 1		2 1	14
15 22	16 27	28 33	36 33	30 40	43 67	71 87	89 138	148 173	160 218	156 191	86 109	29 51	4 11	3 5	15
97 67	85 53	65 43	52 36	37 27	30 28	31 25	22 23	17 18	8 10	2 5	1 1			4 2	16
7 10	4 3	6 7	11 4	9 2	10 9	14 14	13 11	19 26	17 9	11 20	2 5			2 1	17
1 2	1 1	3 2		4 3	3 1	2 11	3 5	6 4	8 5	3 3	1 2				18
2 4	1 3	3 4	5 3	10 7	18 10	26 11	41 23	46 35	47 43	37 31	18 21	4 8	3 1	2 3	19
7 5	4 6	4 10	4 11	9 11	7 10	11 19	15 34	26 46	33 56	35 35	21 30	4 7	3 1	3 1	20
6 8	10 13	10 15	12 11	5 14	15 13	18 16	24 30	34 40	22 34	20 30	8 14	3 2	1 1	1 2	21
														4 3	22
		1					1		1	1	1				23
4 5	7 3	5 5	5 6	1 2	3 1		3 2	2 1	1 1						24
	1 1	1	2	2 1	1							1			25
6 2	8 5	13 2	8 2	9 5	15 12	9 14	13 8	21 8	17 7	6 8	4 2	2 1		1 1	26
8 35	20 31	14 18	21 18	17 5	18 19	19 16	31 15	22 20	22 17	11 8	4 6			1 1	27
1 2	5 1	2 4	1 1	2 1	2 1	2 1	3 2	2 1	1 1					2 2	28
2 1	3 3	3 3	2 3	9 4	12 8	13 16	34 24	51 32	66 38	52 41	39 25	15 5	2 5	2 1	29
38	42	54	65	53	58	32	41	39	39	18	14	3	2	16	30
35 3	31 11	37 17	51 14	37 16	40 18	22 10	24 17	20 19	34 5	13 5	10 4	2 1		13 3	31 32
20	22 5	24 6	31 7	24 8	20 2	10 3	15 1	5 1	12 1	2 1	1			4 1	33
							1								34
1			2	1				2							35
13 3	9 5	11 10	18 5	9 6	15 10	10 1	5 8	11 6	10 1	3	4			1	36
1		2 1	2 2	3 2	5 6	2 6	3 8	4 10	12 4	8 4	5 4	2 1		8 2	37
16	20	13	14	28	44	73	196	506	1,026	1,679	1,352	710	256	29	38
6 10	4 16	7 6	9 5	16 12	17 27	36 37	89 107	250 256	518 508	839 810	644 708	301 409	85 171	11 18	39 40
						14 18	53 69	213 209	454 459	797 782	614 679	289 398	85 165	7 11	41
															42
														1 1	43
6 10	4 16	7 6	9 5	16 12	17 27	22 19	36 37	37 46	63 49	42 58	30 29	12 11		3 6	44
								1	1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	18,322	527	231	105	69	57	989	210	269	873	1,364	1,498
2	Males	8,229	293	120	43	27	25	508	96	95	334	597	662
3	Females	10,093	234	111	62	42	32	481	114	174	539	767	836
4	Anemia	{M 206 F 309	{M 25 F 37	{M 6 F 11	{M 2 F 3	{M 1 F 3	{M 2 F 2	{M 34 F 56	{M 5 F 3	{M 1 F 5	{M 3 F 16	{M 7 F 19	{M 4 F 13
5	Diabetes	{M 458 F 357	{M 4 F 2	{M 4 F 4	{M 3 F 5	{M 2 F 2	{M 2 F 2	{M 9 F 13	{M 16 F 14	{M 25 F 20	{M 22 F 15	{M 22 F 17	{M 21 F 15
6	Rheumatism	{M 276 F 246	{M 3 F 2	{M 2 F 1	{M 2 F 1	{M 2 F 2	{M 2 F 2	{M 9 F 6	{M 12 F 13	{M 9 F 14	{M 11 F 5	{M 3 F 9	{M 11 F 4
7	Scrofula and tubercles	{M 121 F 157	{M 24 F 20	{M 8 F 5	{M 1 F 3	{M 1 F 1	{M 2 F 1	{M 35 F 30	{M 4 F 5	{M 1 F 5	{M 4 F 15	{M 8 F 14	{M 9 F 12
8	Hydrocephalus	{M 255 F 235	{M 119 F 75	{M 49 F 45	{M 14 F 24	{M 11 F 13	{M 6 F 13	{M 199 F 170	{M 16 F 20	{M 7 F 11	{M 5 F 10	{M 5 F 1	{M 5 F 5
9	Tuberculosis, general	{M 97 F 119	{M 6 F 8	{M 4 F 1	{M 1 F 2	{M 1 F 1	{M 1 F 1	{M 12 F 12	{M 6 F 5	{M 3 F 3	{M 4 F 14	{M 6 F 12	{M 18 F 12
10	Consumption	{M 4,557 F 5,029	{M 79 F 70	{M 40 F 33	{M 15 F 19	{M 12 F 15	{M 6 F 9	{M 152 F 146	{M 31 F 48	{M 42 F 102	{M 272 F 443	{M 533 F 672	{M 573 F 737
11	Cancer	{M 1,741 F 2,925	{M 5 F 2	{M 3 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2	{M 11 F 5	{M 1 F 1	{M 3 F 2	{M 4 F 6	{M 2 F 9	{M 9 F 24
12	Tumor	{M 151 F 283	{M 3 F 4	{M 2 F 2	{M 1 F 2	{M 1 F 2	{M 2 F 2	{M 9 F 10	{M 1 F 2	{M 1 F 2	{M 4 F 8	{M 7 F 8	{M 8 F 7
13	Dropsy	{M 296 F 360	{M 5 F 4	{M 3 F 3	{M 2 F 2	{M 2 F 2	{M 1 F 2	{M 9 F 9	{M 3 F 3	{M 2 F 6	{M 2 F 3	{M 3 F 3	{M 1 F 1
14	Others of this group	{M 71 F 73	{M 20 F 10	{M 3 F 5	{M 4 F 5	{M 1 F 1	{M 2 F 3	{M 29 F 24	{M 4 F 2	{M 1 F 4	{M 3 F 4	{M 1 F 3	{M 3 F 6
15	2. Diseases of the nervous system	15,890	2,011	529	246	135	96	3,017	279	209	198	186	259
16	Males	8,469	1,198	296	135	68	57	1,754	144	114	109	87	128
17	Females	7,421	813	233	111	67	39	1,263	135	95	89	99	131
18	Inflammation of the brain	{M 167 F 135	{M 49 F 27	{M 14 F 10	{M 12 F 7	{M 2 F 2	{M 5 F 3	{M 82 F 49	{M 11 F 9	{M 2 F 11	{M 5 F 6	{M 4 F 7	{M 4 F 7
19	Meningitis	{M 1,025 F 822	{M 355 F 247	{M 150 F 121	{M 69 F 63	{M 30 F 40	{M 29 F 20	{M 633 F 491	{M 86 F 73	{M 45 F 39	{M 36 F 23	{M 21 F 20	{M 25 F 27
20	Apoplexy	{M 2,902 F 2,778	{M 18 F 24	{M 5 F 7	{M 1 F 1	{M 2 F 1	{M 2 F 2	{M 27 F 33	{M 1 F 2	{M 2 F 3	{M 9 F 9	{M 15 F 12	{M 21 F 20
21	Paralysis	{M 1,707 F 1,543	{M 17 F 5	{M 3 F 5	{M 3 F 3	{M 2 F 1	{M 2 F 2	{M 27 F 16	{M 5 F 3	{M 4 F 1	{M 2 F 3	{M 2 F 8	{M 13 F 10
22	Paralysis, general (of insane)	{M 115 F 62	{M 11 F 6	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 6 F 2
23	Tetanus and trismus nascentium	{M 96 F 37	{M 26 F 18	{M 2 F 1	{M 3 F 1	{M 1 F 1	{M 1 F 1	{M 32 F 20	{M 7 F 1	{M 18 F 2	{M 7 F 1	{M 2 F 2	{M 3 F 1
24	Chorea	{M 11 F 23	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2	{M 4 F 4	{M 2 F 7	{M 1 F 1	{M 1 F 1
25	Epilepsy	{M 250 F 184	{M 22 F 17	{M 3 F 5	{M 2 F 4	{M 1 F 3	{M 1 F 1	{M 29 F 29	{M 5 F 6	{M 18 F 10	{M 24 F 9	{M 14 F 9	{M 25 F 17
26	Convulsions	{M 767 F 587	{M 582 F 406	{M 84 F 56	{M 37 F 25	{M 18 F 14	{M 7 F 5	{M 728 F 506	{M 9 F 17	{M 4 F 2	{M 1 F 6	{M 3 F 9	{M 11 F 11
27	Mental diseases	{M 268 F 265	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 6 F 4	{M 5 F 11
28	Diseases of the brain	{M 771 F 625	{M 112 F 56	{M 33 F 22	{M 10 F 6	{M 9 F 3	{M 6 F 6	{M 170 F 93	{M 14 F 14	{M 16 F 16	{M 12 F 16	{M 12 F 17	{M 19 F 13
29	Diseases of the spinal cord	{M 160 F 131	{M 15 F 11	{M 2 F 4	{M 1 F 2	{M 1 F 2	{M 3 F 3	{M 22 F 22	{M 4 F 5	{M 3 F 5	{M 5 F 2	{M 3 F 3	{M 1 F 1
30	Locomotor ataxia	{M 92 F 28	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1
31	Others of this class	{M 138 F 201	{M 2 F 2	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 3 F 3	{M 1 F 2	{M 1 F 1	{M 3 F 6	{M 2 F 7	{M 5 F 11
32	3. Diseases of the circulatory system	11,695	577	26	19	17	9	648	86	116	154	168	165
33	Males	6,466	339	18	10	7	4	378	36	48	77	74	69
34	Females	5,229	238	8	9	10	5	270	50	68	77	94	96
35	Pericarditis	{M 65 F 66	{M 1 F 1	{M 2 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2	{M 2 F 3	{M 3 F 6	{M 5 F 2	{M 4 F 2	{M 3 F 1
36	Diseases of the heart	{M 5,723 F 4,696	{M 244 F 180	{M 15 F 8	{M 10 F 9	{M 6 F 8	{M 4 F 4	{M 279 F 209	{M 33 F 46	{M 44 F 59	{M 69 F 71	{M 66 F 82	{M 61 F 81
37	Angina pectoris	{M 366 F 269	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2	{M 3 F 3	{M 2 F 5	{M 4 F 6
38	Diseases of the arteries	{M 133 F 69	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1
39	Aneurism	{M 40 F 24	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 1	{M 1 F 1
40	Embolism	{M 46 F 41	{M 4 F 4	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 4 F 4	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 3 F 3	{M 1 F 3
41	Others of this class	{M 93 F 64	{M 90 F 56	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 92 F 58	{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2	{M 3 F 3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,307	1,205	1,116	1,119	1,124	1,312	1,309	1,483	1,209	1,017	570	218	62	8	60	1
564	540	511	495	488	569	567	659	602	505	276	103	29	3	26	2
743	665	605	624	636	743	742	824	607	512	294	115	33	5	34	3
3	7	9	11	21	16	18	24	12	13	14	3			1	} 4
14	22	12	21	21	23	24	24	15	13	2		1		1	
15	14	28	25	34	33	41	42	44	37	24	2	2		2	} 5
6	11	12	24	29	31	41	43	33	21	8	2	1		1	
11	6	7	7	12	26	21	29	41	31	18	7	1	1	3	} 6
9	6	15	7	11	19	20	26	23	26	18	12	2		1	
3	7	3	6	1	10	5	14	7	1	2				1	} 7
15	8	7	6	10	4	7	3	2	6	7				1	
5	6	3	2	1				1							} 8
3	3	3	2	2	1		1	1	1					1	
11	8	6	6	6	5	1	3	1		1					} 9
13	8	6	9	4	5	5	4	1	3	2	1				
496	441	355	302	257	275	222	211	173	142	50	12	3		15	} 10
597	460	318	258	211	219	194	215	174	133	55	25	5	1	16	
15	35	78	107	131	172	222	275	257	223	116	55	20		4	} 11
56	123	187	259	302	387	381	420	286	242	149	53	20	2	11	
1	9	9	13	11	10	8	21	16	14	7	2				} 12
15	17	29	22	25	26	30	32	22	20	8	2				
2	4	8	13	13	19	26	39	46	41	43	22	3			} 13
8	5	13	14	17	26	35	54	48	46	43	18	4	2	2	
2	3	5	3	1	3	3	1	4	3	1			1		} 14
7	2	3	2	4	2	5	2	2	1						
260	348	378	514	674	886	1,162	1,557	1,828	1,921	1,349	572	195	44	54	15
137	196	202	259	354	475	599	809	964	1,029	700	280	75	19	35	16
123	152	176	255	320	411	563	748	864	892	649	292	120	25	19	17
2	3	6	3	6	3	5	7	7	11	3	3				} 18
5	3	5	1	4	7	1	6	5	5	2	1	1			
17	20	11	15	20	20	7	22	18	17	3	4	2		3	} 19
21	14	19	21	9	11	11	13	14	6	7	2			1	
37	48	64	105	148	228	319	388	459	505	335	135	30	7	19	} 20
29	35	59	104	157	212	293	379	439	428	333	148	65	13	5	
19	47	39	54	70	107	131	208	305	305	242	91	22	8	3	} 21
16	19	27	49	57	82	142	202	255	296	201	103	36	10	7	
8	8	12	11	12	11	11	12	3	7	5	4	2			} 22
2	1	6	2	5	2	5	11	11	7	5	2	1			
3		3	1	5	6	3	2	2	2						} 23
2	2	2		1	2	2		1	1						
1			2	2	1	1	2		1			1			} 24
				1			1								
14	28	13	10	7	7	10	11	16	11	3	3	1		1	} 25
8	18	9	11	13	9	8	9	6	6	5		2			
2	3		2	2	1		1	4	2		1	1		3	} 26
9	8	3	2	1		1	6		1	1		1		3	
14	9	17	11	8	16	18	37	38	41	32	9	5			} 27
9	11	13	15	18	22	27	30	24	34	27	12	6			
12	19	18	18	40	35	51	65	75	86	66	28	10	2	3	} 28
12	20	21	23	28	38	42	53	70	76	46	17	7	2	1	
2	6	9	7	17	12	16	22	8	15	6			1	1	} 29
3	6	3	5	10	12	12	13	11	9	7		1		1	
1	2	3	16	11	15	12	12	9	8	1					} 30
	2	1	2	1	3	4	4	5	3	1	1				
5	3	7	6	6	14	16	20	17	19	4		1	1	2	} 31
7	13	8	18	16	11	14	21	24	19	13	6			1	
210	262	347	412	614	817	1,146	1,483	1,692	1,642	1,083	453	112	23	62	32
83	125	147	197	317	472	662	877	1,003	964	612	239	48	9	29	33
127	137	200	215	297	345	484	606	689	678	471	214	64	14	33	34
6	3	2	2	5	5	4	8	8	5	4					} 35
		4	2		7	3	10	4	5	6	2			1	
77	107	129	176	273	420	588	788	905	872	538	218	45	8	27	} 36
105	127	180	197	279	299	435	547	635	627	422	193	59	13	30	
3	10	10	14	28	29	55	57	51	52	35	9	1		2	} 37
8	7	9	15	13	29	33	40	34	27	27	7	2		1	
	1	1	1	3	5	7	14	27	26	33	11	2	1		} 38
1		1		2	5	7	5	10	14	10	9	2	1		
2	2	3	1	5	8	4	2	5	5						} 39
3	1	3		1	2	3		3	1	2	1	1			
1	2	1	3	3	5	4	8	7	4	2	1				} 40
4	2	3	1	2	3	3	4	3	4	4	2				
		1													} 41
														1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system-----	14,221	2,558	958	433	242	135	4,326	424	172	292	337	317
2	Males-----	7,299	1,457	513	238	119	59	2,386	196	77	161	196	160
3	Females-----	6,922	1,101	445	195	123	76	1,940	228	95	131	141	157
4	Croup-----	268	50	59	48	43	16	216	45	2	2	1	1
	{M-----	236	39	42	33	32	22	168	58	7		1	
5	Pneumonia-----	4,996	818	319	138	51	28	1,354	103	60	128	166	142
	{F-----	4,714	625	275	126	65	38	1,129	134	67	105	98	121
6	Laryngitis-----	71	7	10	6	8	3	34	17	2		1	1
	{F-----	59	9	8	2	7	4	30	6	2	1	1	4
7	Bronchitis-----	1,142	395	100	37	13	7	552	18	6	8	7	3
	{F-----	1,196	327	92	28	10	7	464	13	5	11	14	14
8	Pleurisy-----	134	3	4	3	1	1	12	2	2	12	9	3
	{F-----	99	1	3		2		6	6	3	3	5	4
9	Asthma-----	100	9	1				10	1		2	1	1
	{F-----	91	8			1		9	2	2		2	
10	Others of this class-----	588	175	20	6	3	4	208	10	5	9	11	9
	{F-----	527	92	25	6	6	5	134	9	9	11	20	14
11	5. Diseases of the digestive system-----	6,474	781	138	68	41	41	1,069	199	193	249	232	284
12	Males-----	3,282	436	60	36	21	19	572	104	112	126	106	123
13	Females-----	3,192	345	78	32	20	22	497	95	81	123	126	161
14	Dentition-----	26	13	13				26					
	{F-----	32	14	16	1	1		32					
15	Angina-----	65	5	7	4	4	3	23	7	3	3	3	2
	{F-----	51	4	3	3	2	2	14	15	5			5
16	Gastritis-----	498	66	8	3	3	1	81	7	2	6	6	18
	{F-----	557	51	16	8	4	5	84	2	2	5	9	22
17	Diseases of the stomach-----	224	11		1	1	2	15		2	3	2	8
	{F-----	199	12	4	1		1	18		1	5	8	6
18	Obstruction of the bowels-----	266	31	6	3	2	1	43	19	7	10	4	8
	{F-----	255	32	6	2	3	2	45	9	3	4	6	10
19	Appendicitis-----	343	3		2	1	4	10	20	54	50	38	39
	{F-----	206	2	2	1		3	8	17	25	37	19	21
20	Hernia-----	147	19					19			3	1	1
	{F-----	117	6					6	4		1		
21	Other diseases of the bowels-----	113	30	4	3	2		39	1	2	2	2	1
	{F-----	91	21	3		3		27	1	1	3		2
22	Jaundice-----	130	59		3		1	62	4	1		2	3
	{F-----	120	33	1	2	1		38		3	2	2	3
23	Inflammation and abscess of the liver-----	120	5	1		1	1	8	2	4		4	4
	{F-----	149	2	1		1	1	5		3	2	1	8
24	Other diseases of the liver-----	564	11	1	3			15	1	2	3	6	13
	{F-----	374	7	1	3			11	3	3	1	2	7
25	Peritonitis-----	411	26	6	7	4	5	48	35	35	43	36	20
	{F-----	655	22	12	7	4	4	49	35	32	59	78	74
26	Ascites-----	25	1					1			1		
	{F-----	31											
27	Others of this class-----	350	156	14	7	3	2	182	8		3	2	6
	{F-----	355	139	13	4	1	3	160	9	3	3	1	3
28	6. Diseases of the urinary system and male organs of generation.	6,215	90	22	24	9	26	171	74	59	94	139	186
29	Males-----	3,887	57	10	10	7	14	98	36	33	43	47	81
30	Females-----	2,328	33	12	14	2	12	73	38	26	51	92	105
31	Bright's disease-----	2,551							33	22	35	37	62
	{F-----	1,842							33	23	42	73	74
32	Calculus, urinary-----	26									1		
	{F-----	7										1	
33	Diseases of the kidney-----	271	38	9	9	5	12	73	1	1	3	1	6
	{F-----	168	26	11	11	2	11	61	1	1		3	6
34	Diseases of the bladder-----	485	4					4		3	1	1	2
	{F-----	54	1		1			2				1	2
35	Others of this class-----	554	15	1	1	2	2	21	2	7	3	8	11
	{F-----	257	6	1	2		1	10	4	2	9	14	23
36	7. Diseases of the female organs of generation.	305	1					1		2	10	25	31
37	Ovarian tumors-----	69										1	4
38	Ovarian diseases-----	11										2	1
39	Diseases of the tubes-----	16										3	1
40	Uterine tumors-----	90									1	3	5
41	Uterine diseases-----	24									5	4	5
42	Others of this class-----	95	1					1		2	4	12	15

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
342	419	439	472	531	647	780	935	1,131	1,095	890	449	144	30	49	1
172	245	241	256	270	334	376	456	556	521	409	195	58	10	21	2
170	174	193	216	261	313	404	479	575	574	481	254	56	20	28	3
	1			1		1									4
146	208	208	206	219	255	276	343	382	360	267	119	35	5	14	5
138	140	149	168	207	245	301	353	393	409	323	160	44	11	19	6
2		2	2	3	1	2	2		1	1					7
4	2	1		2	2	1		1			1				8
5	9	9	16	17	32	31	54	96	97	100	56	18	5	3	9
11	4	11	15	16	31	57	73	109	113	114	75	34	8	4	10
6	6	4	10	7	9	9	10	18	8	4	3				11
7	6	7	8	6	5	12	4	7	3	4	1	2			12
1	1	3	3	1	4	16	14	11	11	11	7			2	13
3	1	2	4	9	5	11	10	12	10	7	2				14
12	21	18	19	23	33	41	33	49	44	26	10	5		2	15
7	20	25	21	20	25	22	39	53	38	33	15	6	1	5	16
220	242	285	306	334	393	455	526	531	490	276	125	38	5	22	17
96	98	133	167	154	215	249	271	264	263	141	61	17	2	8	18
124	144	152	139	180	178	206	255	267	227	135	64	21	3	14	19
															20
3		2	2	3		4	1	4	3	2					21
1		1	2	1	1	1	1		2	1	1				22
8	14	15	26	22	32	40	54	47	53	41	17	6	1	2	23
13	21	15	20	37	35	44	43	61	61	50	20	9	1	3	24
4	8	10	16	18	24	22	25	26	30	8	3				25
12	7	7	9	17	16	22	15	26	17	7	4	2			26
9	4	5	10	15	17	15	14	30	36	9	8	2		1	27
6	6	16	12	13	16	18	27	30	16	9	6		1	2	28
23	19	28	20	9	11	6	4	7	3	1					29
12	14	14	8	6	5	4	10	1	1	3				1	30
2	2	2	7	8	13	11	13	14	24	16	8	2	1		31
1	5	4	6	5	12	12	21	14	15	7	3			1	32
4	2	1	5	2	7	9	7	10	11	6	1	1			33
3	6	3	2	2	3	2	8	11	10	1	4				34
3	1		1	2	6	7	9	10	11	3	2	1		2	35
	1	2	3	7	8	6	11	18	7	4	1	2		2	36
3	5	5	5	9	5	16	13	18	10	8	1				37
6	7	9	11	11	11	14	16	11	17	12	4	1			38
15	17	36	45	46	67	80	81	63	49	16	7	2			39
11	13	24	24	37	31	39	52	44	46	16	9			1	40
17	21	20	19	13	22	19	23	14	15	7	2	2			41
53	58	46	27	24	21	24	22	25	13	6	5	3		1	42
		1	1		1	3	4	7	1	5	1				43
		1	3		3	3	5	6	2	4	1	1		1	44
5	5	8	10	7	10	17	23	14	17	19	11	1			45
6	6	10	12	20	16	17	24	20	20	15	6	3		1	46
173	217	250	268	363	472	613	731	803	785	492	246	50	10	19	47
73	93	128	137	213	282	380	480	552	581	382	189	38	5	16	48
100	124	122	131	150	190	233	251	251	204	110	57	12	5	3	49
62	76	103	114	179	220	283	349	346	346	187	72	13	2	10	50
76	98	97	104	124	161	198	213	222	163	85	42	8	4	2	51
	1	1	1	1	2	1	2	6	8	1	1				52
	1			1			1	1	1	1					53
4	7	6	3	10	11	16	21	26	36	24	20	2			54
11	5	8	11	9	9	6	11	3	12	7	3			1	55
	3	3	4	8	21	34	59	92	92	90	52	11	3	2	56
	2	1			6	8	1	6	9	7	6				57
7	6	15	15	15	28	46	49	82	99	80	44	12		4	58
13	18	17	15	16	14	21	25	19	19	10	6	1	1		59
22	39	27	36	28	22	20	15	14	5	3	2	2	1		60
3	7	6	8	8	7	8	5	7	2	1		1	1		61
1	1		3	1			2								62
4	4		2	1				1							63
1	14	9	8	14	11	9	6	5	2	2					64
3	2	1	1				2	1							65
10	11	11	14	4	4	3			1		2	1			66

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	855								1	66	179	201
2	Abortion.....	37									3	5	10
3	Childbirth.....	260									10	45	55
4	Puerperal septicemia.....	348								1	30	86	85
5	Extra-uterine pregnancy.....	9									1	2	1
6	Others of this class.....	201									22	41	50
7	9. Diseases of the bones and joints.....	267	22	5	3	5	3	38	17	13	20	20	11
8	Males.....	149	13	4	2	3	3	25	7	7	15	14	7
9	Females.....	118	9	1	1	2		13	10	6	5	6	4
10	Diseases of the spine.....	60 {M F	12 7	2 1	1 1	2 2		17 11	3 2	4 3	5 2	7 1	1 2
11	Abscess, lumbar and psoas.....	11 {M F	1 1					1 1	1 1			3 2	4 1
12	Diseases of the bones.....	34 {M F	1 1		1 1	1 1	2 2	5 1	1 5	2 1	6 1	1 2	1 1
13	Diseases of the hip-joint.....	23 {M F		1 1				1 1	2 1	1 1	3 2	2 1	1 1
14	Others of this class.....	21 {M F		1 1			1 1	2 1	1 1		1 1	1 1	1 1
15	10. Diseases of the skin.....	205	38	12	2	1	1	54	3	4	2	3	7
16	Males.....	117	24	6	1			31	3	1	1	2	5
17	Females.....	88	14	6	1	1	1	23		3	1	1	2
18	Abscess.....	56 {M F	4 3	2 4	1 1			7 9	3 2	1 2	1 1	2 1	4 1
19	Carbuncle.....	14 {M F	1 3					1 1					
20	Others of this class.....	47 {M F	19 11	4 2		1 1		23 14		1 1			1 1
21	11. Diseases of the absorbent system.....	117	5	2		2	1	10	4	3	2	7	1
22	Males.....	59	4	1		2	1	8	4	1	1	3	1
23	Females.....	58	1	1				2		2	1	4	
24	Addison's disease.....	17 {M F								1 1		1 1	
25	Diseases of the spleen.....	13 {M F		1 1		1 1		1 1				1 2	
26	Others of this class.....	29 {M F	4 1	1 1		1 1	1 1	7 1	4 2		1 1	2 1	1 1
27	12. Accidents and injuries.....	5,931	378	80	99	90	54	701	243	227	361	451	460
28	Males.....	4,484	206	46	63	54	33	402	165	186	304	392	402
29	Females.....	1,447	172	34	36	36	21	299	78	41	57	59	58
30	Burns and scalds.....	195 {M F	11 11	23 16	31 19	25 19	6 12	96 77	14 38	5 7	3 8	7 7	8 10
31	Drowning.....	794 {M F	6 1	13 8	14 5	9 5	10 2	52 21	81 11	91 12	93 13	105 7	78 3
32	Exposure and neglect.....	57 {M F	14 8				1 1	15 10	1 1	1 1		1 2	1 1
33	Gunshot wounds.....	209 {M F	1 1		1 1	1 3		3 6	5 2	18 2	45 5	26 6	15 1
34	Homicide.....	31 {M F			1 1		1 1	2 1	1 1		1 1	5 1	3 2
35	Infanticide.....	1 {M F	1 4					1 4					
36	Injuries by machinery.....	25 {M F	1 1					1 1			7 1	1 1	
37	Railroad accidents.....	763 {M F	1 3		2 1	3 1	1 1	7 6	11 5	21 5	52 9	91 9	90 6
38	Suffocation.....	152 {M F	87 78	2 3	1 2	2 1	1 4	98 88	1 5	4 1	4 1	2 1	5 2
39	Suicide by shooting.....	134 {M F									1 3	9 2	15 1
40	Suicide by drowning.....	31 {M F									1 1	2 2	2 1
41	Suicide by poison.....	65 {M F								1 1	5 1	7 4	6 2
42	Other suicides.....	269 {M F								1 2	8 1	8 3	13 6
43	Sunstroke.....	28 {M F	3 4	1 1				4 5	2 1	1 1	3 1	1 1	2 1
44	Surgical operations.....	17 {M F			1 1			1 1	2 1		3 1	1 1	8 7
45	Wounds.....	63 {M F	2 3					2 3	3 2	2 2	5 5	8 8	11 1
46	Others of this class.....	1,650 {M F	80 61	7 3	13 7	14 8	13 13	127 79	44 16	42 10	77 10	118 15	150 17

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	139	88	7	1			1		1					6	1
8	9	2													2
56	47	41	3						1					2	3
67	47	25	3	1										3	4
1	4														5
33	32	20	1				1							1	6
10	10	15	15	19	14	13	15	13	8	10	4	2			7
3	5	11	7	10	8	6	7	6	6	2	2	1			8
7	5	4	8	9	6	7	8	7	2	8	2	1			9
	3	2	1	3	5	3	2	1	2	1	1				}10
2	3	2	4	7	1	3	3	2	1	1	1				
1				1		1		1							}11
	1		1	1	1			1							
	1	1	2	3	1	1	2	2	3	1	1				}12
4		1	2		2	1		3		5	1				
2	1	4	1	3	1		1								}13
1	1	4	3	1	1	1	2	2	1	2	1	1			}14
		1	1		2	3	5	1	1			1			
9	12	3	11	6	11	15	16	8	23	9	4	3		2	15
3	6		8	3	7	7	8	5	14	7	3	1		2	16
6	6	3	3	3	4	8	8	3	9	2	1	2			17
2	3		6	1	4	5	2	5	5	3		1		1	}18
6	3	2	2	2	2	3	4	2	4	1		2			
1	2		1			1	3		3	1				1	}19
						2	1								
	1		1	2	3	1	3		6	3	3				}20
	3	1	1	1	2	3	3	1	5	1	1				
7	8	12	14	4	6	6	15	8	8	2					21
4	4	8	8	3	1	2	6	1	3	1					22
3	4	4	6	1	5	4	9	7	5	1					23
	2	2	4	3	1	1	1	1	1						}24
1	3	1	2		3	3	4	2	2						
2	2	3	2						1	1					}25
2	1	1	1	1											
2		3	2	3		1	5	1	1						}26
		2	3		2	1	5	4	3	1					
377	435	348	317	275	232	281	262	247	243	171	109	51	10	130	27
305	373	286	263	211	187	218	195	176	161	82	40	21		115	28
72	62	62	54	64	45	63	67	71	82	89	69	30	10	15	29
4	5	4	5	4	5	12	7	4	5	3	1			3	}30
10	6	2	6	7	2	13	7	11	6	9	4	1		1	
48	52	45	22	27	18	15	14	13	9	3	2			26	}31
11	5	3	3	4	1	1	3	3	1					2	
3	3	3	6	4	1	2	1	3	7	2	2			1	}32
	1	1	1	1	1			1	2	1		1		1	
22	15	12	4	13	6	7	4	4	1	1		2		6	}33
3	1	1	2	1											
5	4	1	1	1	1	2	2	1		1					}34
2	2	1													
															}35
3	5	3	1	1		1	3								}36
64	101	55	51	38	31	35	22	17	17	7	3			50	}37
3	3	4	7	6	4	7	4	3	4	1		1		1	
2	2	2	5	4	4	6	5	3	4					6	}38
1			1	2	1	2	2	1	2	1	1			8	
12	15	13	14	14	11	10	9	5	3	3					}39
1	2	1	2		1		1								
1	2	2	1	4	4	3	2	1	6						}40
	1	1	2	3	5	3		2							
	3	7	6	5	6	4	6	7	4	1				2	}41
4	7	7	5	2	4	2	2	3	1		1			1	
16	19	21	35	20	27	22	22	27	17	6	2	1		4	}42
7	7	5	7	3	2	5	7	2	1	3	1				
2	1	2	2	1		1	2	1	2	1					}43
							1	1	1						
	2	1			2	1	2								}44
6	4	6	2	4	2	1	3								
3	2	4	7	1	5	3	2		1	2		1		1	}45
						1			1						
120	142	111	103	74	66	91	92	90	85	52	30	17		16	}46
24	23	28	17	31	22	28	37	44	63	74	63	27	10	1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES IN NONREGISTRATION STATES.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	210,999	41,696	10,885	5,223	3,440	2,587	63,831	7,136	4,009	6,302	10,270	11,043
2	Males.....	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,005	3,124	5,347	5,899
3	Females.....	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
4	Unknown cause.....	2,523	775	96	47	31	20	969	59	28	52	73	101
5	Males.....	1,408	429	50	24	16	10	529	32	15	25	31	52
6	Females.....	1,115	346	46	23	15	10	440	27	13	27	42	49
7	1. General diseases.												
8	General diseases—A.....	36,848	10,676	4,192	2,047	1,431	1,148	19,494	2,955	1,064	1,233	1,708	1,511
9	Males.....	19,239	5,770	2,146	1,043	711	564	10,234	1,406	494	608	937	826
10	Females.....	17,609	4,906	2,046	1,004	720	584	9,260	1,549	570	625	771	685
11	Measles.....	600	147	189	112	40	28	516	46	12	3	13	4
12	Scarlet fever.....	721	43	82	112	128	82	447	207	40	8	5	4
13	Diphtheria.....	740	28	81	119	110	111	449	220	37	16	5	6
14	Whooping cough.....	2,274	143	324	346	329	284	1,426	656	125	18	13	6
15	Malarial fever.....	2,397	94	302	309	325	299	1,329	796	168	41	20	15
16	Influenza.....	578	332	135	56	20	13	556	15	1	3	1	1
17	Typhoid fever.....	643	313	164	62	43	22	604	31	2	1	1	1
18	Cholera morbus.....	871	75	41	17	22	19	174	65	32	54	80	72
19	Cholera infantum.....	759	66	49	39	21	16	191	61	36	53	71	48
20	Enteritis.....	830	94	20	6	5	7	132	15	9	16	21	25
21	Typhoid fever.....	975	63	17	15	6	9	110	14	9	22	27	31
22	Cholera morbus.....	3,073	26	25	26	28	41	146	175	156	356	558	472
23	Cholera infantum.....	2,245	31	26	26	40	27	150	175	202	349	372	261
24	Enteritis.....	416	86	27	47	13	6	179	19	12	11	10	11
25	Typhoid fever.....	418	81	31	40	11	6	169	12	12	12	13	13
26	Cholera morbus.....	184	86	25	7	8	2	128	2	2	1	1	7
27	Cholera infantum.....	151	64	29	5	2	1	101	3	4	1	1	4
28	Enteritis.....	703	224	68	35	5	5	337	22	3	11	13	8
29	Typhoid fever.....	589	198	55	29	5	4	291	18	8	3	10	11
30	Cholera morbus.....	715	105	73	29	13	9	229	18	5	15	38	30
31	Cholera infantum.....	590	86	42	14	9	2	153	7	2	6	12	15
32	Enteritis.....	3,432	2,046	566	134	44	37	2,827	54	21	25	28	31
33	Typhoid fever.....	3,095	1,594	502	135	46	31	2,308	60	23	28	42	62
34	Cholera morbus.....	2,547	1,972	490	55	20	8	2,545					
35	Cholera infantum.....	2,352	1,794	479	57	14	6	2,350					
36	Enteritis.....	39	12	3				15			2	3	1
37	Typhoid fever.....	29	10	1	1	1		13	5	1	2	1	3
38	Cholera morbus.....	347	72	40	24	22	12	170	50	30	20	18	14
39	Cholera infantum.....	301	62	37	17	22	12	150	40	28	21	10	13
40	Enteritis.....	328	12	6	7	2	1	28	7	11	22	61	55
41	Typhoid fever.....	206	12	9	6	4	2	33	11	10	17	43	32
42	Cholera morbus.....	304	66	6	1	1	3	77	3	5	7	11	13
43	Cholera infantum.....	221	68	6	1	1		76	1	2	3	8	12
44	Enteritis.....	617	65	12	13	5	4	100	39	21	24	37	39
45	Typhoid fever.....	759	57	8	7	6	8	86	22	9	32	109	130
46	Cholera morbus.....	298	154	11	5	2	1	173	2	2	3	8	13
47	Cholera infantum.....	230	132	6	4	2	1	145	1	2	5	12	12
48	Enteritis.....	362	10	3	11	3	2	29	11	7	10	19	21
49	Typhoid fever.....	291	15	8	7	4	3	37	10	6	4	9	9
50	General diseases—B.....	6,616	4,406	243	64	49	15	4,777	46	10	48	107	150
51	Males.....	3,920	2,407	128	33	24	12	2,604	21	5	19	52	87
52	Females.....	2,696	1,999	115	31	25	3	2,173	25	5	29	55	63
53	Alcoholism.....	771								1		16	52
54	Parasitic diseases.....	136										8	19
55	Lead poison.....	8	1	1	1		2	5	1				
56	Other poisons.....	11	1	3		3	1	8	3				
57	Inanition.....	19	1					1				2	1
58	Other poisons.....	7	4					4	1				
59	Inanition.....	482	18	27	14	9	3	71	11	2	17	31	33
60	Inanition.....	281	6	13	10	4	1	34	6	3	25	42	37
61	Inanition.....	2,640	2,387	100	18	15	7	2,527	9	2	2	3	1
62	Inanition.....	2,261	1,988	99	21	18	1	2,127	15	2	4	5	7
63	General diseases—C.....	16,471	7,948	440	119	42	21	8,570	48	21	27	43	51
64	Males.....	8,083	4,433	219	63	25	10	4,750	19	11	13	19	17
65	Females.....	8,388	3,515	221	56	17	11	3,820	29	10	14	24	34
66	Old age.....	2,604											
67	Premature birth.....	3,689											
68	Malformation.....	2,195	2,195					2,195					
69	Debility and atrophy.....	1,666	1,666					1,666					
70	Others of this group.....	304	296	1	2			299	1	2			
71	Others of this group.....	254	248	2	2	1		253		1			
72	Others of this group.....	2,817	1,780	218	61	24	10	2,093	18	9	13	19	17
73	Others of this group.....	2,663	1,485	219	54	16	11	1,785	29	9	14	24	34
74	Others of this group.....	163	162			1		163					
75	Others of this group.....	116	116					116					

277

REGISTRATION CITIES IN NONREGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10,555	11,191	10,144	9,807	9,860	9,576	10,122	10,384	9,589	7,450	5,086	2,434	805	397	1,008	1
5,958 4,597	6,459 4,732	6,080 4,064	5,927 3,880	5,888 3,972	5,565 4,011	5,560 4,562	5,541 4,843	5,036 4,553	3,680 3,770	2,383 2,703	1,018 1,416	269 536	140 257	634 374	2 3
81	116	111	123	108	115	124	115	110	71	37	21	3	2	104	4
46 35	66 50	70 41	82 41	61 47	73 42	69 55	66 49	64 46	35 36	20 17	12 9	1 2	1 1	58 46	5 6
1,137	1,083	874	769	775	706	758	799	700	531	399	180	35	22	115	7
656 481	607 476	507 367	455 314	436 339	372 334	395 363	376 423	329 371	252 279	187 212	71 109	9 26	9 13	73 42	8 9
1 3	2 4	2		3										2	}10
2 3	3 2	3	1			1				1					
10 9	5 5	3	4 3	2 4	1	2 1		1		1		1		3 1	}12
									2					2	
1	1			1											}13
46 51	56 32	45 26	50 27	46 27	35 30	26 27	32 30	19 22	19 7	9 10	3 5	1 1	1	7 3	
39 34	35 31	47 34	35 37	40 50	42 60	66 95	70 103	85 107	68 83	52 74	22 39	2 10	5 4	4 1	}15
342 151	275 147	177 119	126 66	95 70	73 53	53 38	26 38	19 31	7 7	3 6	2 1			12 9	
12 15	11 26	16 12	19 12	17 25	18 13	13 17	25 19	16 13	12 20	7 8	4 4	1	1	2 2	}17
4 2	4 6	6 3	5 2	2 3	4 4	6 2	6 7	3 4	3 3	1	1			1	
11 12	15 14	19 13	12 15	27 12	41 23	37 32	38 31	35 31	31 19	20 19	10 16	1 2	1 4	11 5	}19
27 16	32 14	29 17	32 38	38 35	27 37	50 38	44 59	36 50	27 41	23 29	7 14	1 4		7 3	
29 44	43 45	30 40	49 40	41 46	36 43	54 57	49 86	38 61	40 52	20 33	10 18		1 2	6 3	}21
														2 2	
	2	4	4 1	3	1	1	3								}23
2											1				
7 6	10 8	6 10	6 7	5 3	3 3	4 1	1	1 1		1				1	}24
35 14	36 12	21 12	18 6	10 5	9 6	5 2	3 3	3	3					1	
18 6	12 14	20 12	19 6	27 13	19 10	14 13	26 9	13 14	9 11	6 5	1 5	1 1	1	2	}26
48 86	37 92	51 52	39 38	43 22	39 30	28 17	34 9	13 8	6 6	12 1	3 2			4 6	
14 15	11 10	15 6	12 6	14 8	9 2	10 1	1	1	3 1	1 1				6 3	}28
11 11	18 13	18 6	24 10	23 14	15 20	25 22	18 29	46 29	24 27	31 25	8 4	1 4	1	3 1	
191	260	221	193	163	113	81	82	42	40	12	8	3	3	66	30
152 39	206 54	179 42	154 39	127 36	88 25	62 19	62 20	31 11	18 22	4 8	4 4	2 1	1 2	42 24	31 40
88 9	135 26	121 23	115 16	89 15	60 3	33 5	36 6	10 2	3 2					12 2	}33
		1	1												
1 1	7		2	1	1	1	2								}35
61 25	60 26	52 16	31 14	28 14	22 12	20 9	17 9	8 1	7 4	1 2				10 2	
2 4	4 2	5 3	5 9	9 7	5 10	8 5	7 5	13 8	8 16	3 6	4 4	2 1	1 1	20 20	}37
58	63	65	62	90	151	323	596	1,198	1,502	1,696	1,090	493	269	55	
26 32	34 29	25 40	31 31	39 51	70 81	133 190	282 314	534 664	668 834	707 989	424 666	167 326	86 183	28 27	39 40
						51 112	191 223	452 561	593 753	657 914	408 623	160 313	81 176	8 14	}41
1														1	}43
25 32	34 29	25 40	31 31	39 51	70 81	82 78	88 91	82 103	75 81	50 75	16 43	7 13	5 7	19 13	
															}45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	35,761	987	491	263	202	127	2,070	587	613	1,899	3,661	3,936
2	Males.....	18,388	560	249	149	100	70	1,128	290	234	758	1,775	1,961
3	Females.....	17,373	427	242	114	102	57	942	297	379	1,141	1,886	1,972
4	Anemia.....	M..... 215 F..... 278	M..... 25 F..... 25	M..... 4 F..... 6	M..... 2 F..... 5	M..... 2 F..... 6	M..... F.....	M..... 33 F..... 42	M..... 8 F..... 7	M..... 5 F..... 7	M..... 5 F..... 21	M..... 7 F..... 23	M..... 11 F..... 18
5	Diabetes.....	M..... 432 F..... 410	M..... 2 F..... 1	M..... 1 F.....	M..... F..... 1	M..... F..... 3	M..... 2 F.....	M..... 5 F..... 5	M..... 8 F..... 10	M..... 14 F..... 9	M..... 18 F..... 10	M..... 17 F..... 20	M..... 24 F..... 16
6	Rheumatism.....	M..... 412 F..... 389	M..... 5 F..... 4	M..... 2 F..... 6	M..... 5 F..... 2	M..... 5 F..... 3	M..... 3 F..... 2	M..... 20 F..... 17	M..... 24 F..... 19	M..... 24 F..... 24	M..... 15 F..... 28	M..... 21 F..... 18	M..... 22 F..... 17
7	Scrofula and tubercles.....	M..... 231 F..... 263	M..... 41 F..... 31	M..... 19 F..... 13	M..... 10 F..... 7	M..... 2 F..... 4	M..... 2 F..... 6	M..... 74 F..... 64	M..... 16 F..... 11	M..... 4 F..... 12	M..... 14 F..... 20	M..... 21 F..... 19	M..... 14 F..... 21
8	Hydrocephalus.....	M..... 555 F..... 426	M..... 182 F..... 134	M..... 89 F..... 91	M..... 51 F..... 32	M..... 28 F..... 35	M..... 20 F..... 21	M..... 370 F..... 313	M..... 63 F..... 49	M..... 23 F..... 10	M..... 17 F..... 19	M..... 15 F..... 6	M..... 12 F..... 7
9	Tuberculosis, general.....	M..... 186 F..... 134	M..... 7 F..... 9	M..... 6 F..... 9	M..... 4 F..... 1	M..... 1 F..... 1	M..... 5 F..... 2	M..... 23 F..... 22	M..... 13 F..... 6	M..... 7 F..... 9	M..... 10 F..... 8	M..... 21 F..... 13	M..... 23 F..... 14
10	Consumption.....	M..... 12,797 F..... 10,488	M..... 213 F..... 169	M..... 105 F..... 94	M..... 60 F..... 49	M..... 47 F..... 38	M..... 31 F..... 18	M..... 456 F..... 368	M..... 116 F..... 156	M..... 129 F..... 284	M..... 641 F..... 1,005	M..... 1,604 F..... 1,721	M..... 1,801 F..... 1,787
11	Cancer.....	M..... 2,541 F..... 3,931	M..... 2 F..... 4	M..... 1 F.....	M..... 1 F.....	M..... 1 F..... 1	M..... 1 F.....	M..... 6 F..... 5	M..... 3 F..... 9	M..... 1 F..... 2	M..... 8 F..... 7	M..... 29 F..... 22	M..... 32 F..... 55
12	Tumor.....	M..... 307 F..... 382	M..... 11 F..... 4	M..... 2 F..... 3	M..... 2 F..... 4	M..... 7 F..... 5	M..... 1 F..... 1	M..... 23 F..... 17	M..... 10 F..... 9	M..... 5 F..... 8	M..... 13 F..... 7	M..... 16 F..... 23	M..... 12 F..... 16
13	Dropsy.....	M..... 531 F..... 537	M..... 12 F..... 4	M..... 2 F..... 4	M..... 6 F..... 1	M..... 4 F..... 3	M..... 1 F..... 3	M..... 25 F..... 15	M..... 16 F..... 13	M..... 15 F..... 11	M..... 10 F..... 13	M..... 19 F..... 17	M..... 10 F..... 15
14	Others of this group.....	M..... 181 F..... 135	M..... 60 F..... 39	M..... 18 F..... 16	M..... 8 F..... 12	M..... 3 F..... 3	M..... 4 F..... 4	M..... 93 F..... 74	M..... 13 F..... 8	M..... 7 F..... 3	M..... 7 F..... 3	M..... 5 F..... 4	M..... 3 F..... 6
15	2. Diseases of the nervous system.....	25,228	6,643	1,559	679	400	283	9,564	738	421	428	481	552
16	Males.....	14,034	3,795	860	355	222	139	5,371	419	232	219	271	309
17	Females.....	11,194	2,848	699	324	178	144	4,193	319	189	209	210	243
18	Inflammation of the brain.....	M..... 317 F..... 239	M..... 83 F..... 67	M..... 45 F..... 28	M..... 28 F..... 18	M..... 11 F..... 8	M..... 4 F..... 10	M..... 171 F..... 131	M..... 28 F..... 10	M..... 7 F..... 7	M..... 8 F..... 10	M..... 12 F..... 11	M..... 7 F..... 12
19	Meningitis.....	M..... 2,611 F..... 2,005	M..... 833 F..... 634	M..... 413 F..... 311	M..... 162 F..... 168	M..... 126 F..... 90	M..... 76 F..... 79	M..... 1,610 F..... 1,282	M..... 225 F..... 193	M..... 99 F..... 95	M..... 79 F..... 67	M..... 93 F..... 65	M..... 82 F..... 57
20	Apoplexy.....	M..... 3,189 F..... 2,704	M..... 44 F..... 23	M..... 9 F..... 7	M..... 4 F..... 4	M..... 2 F..... 3	M..... 2 F..... 3	M..... 61 F..... 40	M..... 9 F..... 6	M..... 8 F..... 9	M..... 13 F..... 11	M..... 33 F..... 25	M..... 52 F..... 36
21	Paralysis.....	M..... 1,729 F..... 1,598	M..... 22 F..... 18	M..... 4 F..... 12	M..... 6 F..... 4	M..... 8 F..... 4	M..... 3 F..... 4	M..... 43 F..... 42	M..... 17 F..... 7	M..... 10 F..... 2	M..... 13 F..... 21	M..... 11 F..... 18	M..... 24 F..... 21
22	Paralysis, general (of insane).....	M..... 160 F..... 43	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... 1 F..... 1	M..... F.....	M..... F.....	M..... F.....	M..... F.....
23	Tetanus and trismus nascentium.....	M..... 593 F..... 302	M..... 333 F..... 225	M..... 4 F..... 3	M..... 3 F.....	M..... 4 F.....	M..... 5 F..... 1	M..... 349 F..... 229	M..... 38 F..... 4	M..... 60 F..... 9	M..... 26 F..... 7	M..... 18 F..... 6	M..... 23 F..... 7
24	Chorea.....	M..... 7 F..... 20	M..... F..... 1	M..... F.....	M..... F..... 1	M..... F.....	M..... F..... 1	M..... F..... 3	M..... F..... 1	M..... F..... 5	M..... F..... 5	M..... F..... 3	M..... F.....
25	Epilepsy.....	M..... 212 F..... 175	M..... 8 F..... 6	M..... 1 F.....	M..... F.....	M..... 1 F..... 1	M..... 1 F.....	M..... 11 F..... 8	M..... 9 F..... 7	M..... 5 F..... 15	M..... 27 F..... 15	M..... 18 F..... 10	M..... 26 F..... 20
26	Convulsions.....	M..... 2,891 F..... 2,351	M..... 2,249 F..... 1,689	M..... 296 F..... 283	M..... 124 F..... 96	M..... 50 F..... 58	M..... 30 F..... 32	M..... 2,749 F..... 2,158	M..... 46 F..... 53	M..... 14 F..... 11	M..... 4 F..... 16	M..... 7 F..... 15	M..... 12 F..... 24
27	Mental diseases.....	M..... 408 F..... 336	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... 1 F..... 1	M..... 1 F..... 1	M..... 2 F..... 6	M..... 15 F..... 8	M..... 15 F..... 14
28	Diseases of the brain.....	M..... 1,358 F..... 1,007	M..... 202 F..... 177	M..... 83 F..... 51	M..... 25 F..... 29	M..... 17 F..... 14	M..... 16 F..... 12	M..... 343 F..... 283	M..... 38 F..... 29	M..... 25 F..... 33	M..... 35 F..... 37	M..... 51 F..... 33	M..... 46 F..... 33
29	Diseases of the spinal cord.....	M..... 200 F..... 132	M..... 16 F..... 4	M..... 4 F..... 4	M..... 2 F..... 4	M..... 3 F.....	M..... 2 F.....	M..... 27 F..... 12	M..... 3 F..... 7	M..... 1 F..... 1	M..... 8 F..... 5	M..... 5 F..... 4	M..... 7 F..... 4
30	Locomotor ataxia.....	M..... 158 F..... 49	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... 1 F.....	M..... 3 F.....
31	Others of this class.....	M..... 171 F..... 233	M..... 5 F..... 4	M..... 1 F.....	M..... 1 F.....	M..... F.....	M..... 1 F.....	M..... 7 F..... 5	M..... 3 F..... 2	M..... 1 F..... 1	M..... 2 F..... 9	M..... 6 F..... 11	M..... 8 F..... 15
32	3. Diseases of the circulatory system.....	16,271	852	49	42	41	53	1,037	308	362	350	468	576
33	Males.....	8,840	517	24	29	24	26	620	145	145	176	211	284
34	Females.....	7,431	335	25	13	17	27	417	163	217	174	257	292
35	Pericarditis.....	M..... 158 F..... 152	M..... 4 F..... 5	M..... 1 F.....	M..... F..... 1	M..... 3 F..... 2	M..... 1 F..... 2	M..... 9 F..... 10	M..... 10 F..... 7	M..... 12 F..... 15	M..... 12 F..... 11	M..... 8 F..... 11	M..... 11 F..... 7
36	Diseases of the heart.....	M..... 7,464 F..... 6,535	M..... 269 F..... 198	M..... 19 F..... 23	M..... 27 F..... 10	M..... 17 F..... 15	M..... 24 F..... 23	M..... 356 F..... 269	M..... 133 F..... 152	M..... 131 F..... 197	M..... 163 F..... 157	M..... 193 F..... 223	M..... 248 F..... 250
37	Angina pectoris.....	M..... 381 F..... 267	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... 1 F..... 1	M..... 1 F..... 3	M..... F..... 3	M..... 6 F..... 15	M..... 7 F..... 15
38	Diseases of the arteries.....	M..... 321 F..... 186	M..... 1 F.....	M..... F..... 1	M..... F.....	M..... F.....	M..... F.....	M..... 1 F..... 1	M..... F.....	M..... F..... 1	M..... F.....	M..... F.....	M..... 1 F..... 1
39	Aneurism.....	M..... 217 F..... 58	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F.....	M..... F..... 2	M..... F.....	M..... F.....	M..... 2 F..... 1	M..... 14 F..... 8
40	Embolism.....	M..... 49 F..... 84	M..... 7 F..... 1	M..... F.....	M..... 1 F.....	M..... F.....	M..... F.....	M..... 8 F..... 2	M..... F..... 1	M..... F.....	M..... F..... 2	M..... 2 F..... 7	M..... 2 F..... 10
41	Others of this class.....	M..... 230 F..... 149	M..... 236 F..... 131	M..... 4 F..... 1	M..... 1 F..... 1	M..... 4 F.....	M..... 1 F..... 2	M..... 246 F..... 135	M..... F..... 1	M..... 1 F..... 1	M..... F..... 1	M..... F.....	M..... 1 F..... 1

CAUSE, SEX, AND AGE.

279

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,547	3,414	2,913	2,625	2,378	2,163	1,968	1,619	1,149	682	295	89	19	16	118	1
1,912	1,864	1,600	1,450	1,295	1,156	990	815	589	339	125	28	8	5	63	2
1,635	1,550	1,313	1,175	1,083	1,007	978	804	560	343	170	61	11	11	55	3
6	11	17	14	20	21	20	15	11	8	2	1			1	4
16	22	19	17	22	11	16	18	9	4	3			1	1	
22	35	33	24	46	40	43	46	29	19	7	1			1	5
14	22	23	21	40	53	59	46	31	20	8	1	1		1	
23	20	28	34	34	37	32	30	20	15	6	3			4	6
27	18	21	26	30	18	39	33	19	12	16	2	1	2	2	
13	13	9	12	9	7	12	5	3	2	1				2	7
20	18	15	17	14	9	8	8	3	4						
14	6	9	9	6	2	2	1		2	1				3	8
4	5	4	5		2			1	1						
25	14	12	16	5	5	5	5	1	1					2	9
14	12	9	7	2	2	2	3	2							
1,705	1,596	1,262	1,018	788	584	442	315	164	102	27	5	2	2	43	10
1,344	1,098	755	482	396	315	254	232	126	81	30	14	2	2	36	
68	114	156	244	331	370	350	314	233	150	57	11	5	3	6	11
139	291	393	510	502	522	509	386	274	172	88	28	5	3	9	
14	21	25	31	28	34	26	23	18	3	5				1	12
23	39	40	38	32	31	38	22	25	7	3	3				
17	29	35	42	29	51	53	57	58	35	19	8	1		2	13
25	20	29	47	37	38	52	53	68	42	22	12	2	3	3	
5	5	14	6	4	5	5	4	2	2					1	14
9	5	5	3	3	6	1	3	2							
682	880	904	1,058	1,223	1,268	1,461	1,645	1,533	1,205	754	286	81	17	97	15
394	524	571	603	705	717	796	898	823	596	374	119	27	6	60	16
238	386	333	455	518	551	665	747	710	609	330	167	54	11	37	17
8	9	12	8	10	9	7	7	9	1	3	1				18
6	5	9	10	7	6	2	5	3	1	2				2	
74	80	60	55	43	27	20	25	13	15	4	2			5	19
38	44	26	33	26	16	16	18	10	5	9	2			3	
77	123	188	197	297	331	396	456	392	267	205	53	15	2	14	20
44	91	104	202	247	283	321	360	339	292	171	85	22	5	11	
59	73	104	111	151	151	172	210	224	192	101	38	7	4	14	21
26	52	58	78	94	120	172	222	234	203	145	51	23	4	5	
11	22	26	30	12	15	15	8	8	2	2	2			1	22
3	4	8		1	7	4	3	4	7	1					
19	9	11	11	9	3	4	5	4	2					2	23
11	8	8	3	1	4	5									
1			1	1		2									24
22	30	21	19	8	7	13	7	7	6	2	2	1		1	25
10	19	13	11	11	6	14	8	6	1		1				
6	8	4	9	10	1	4	3	4						10	26
16	11	10	4	3	2	8	3	2	3	1	1	1		9	
26	45	37	26	35	38	40	47	35	25	9	5	1		5	27
25	35	33	28	21	21	34	27	26	34	10	7	5		1	
65	88	67	87	74	83	77	74	85	61	38	13	2		6	28
37	57	41	51	58	41	54	67	59	38	33	17	1	1	4	
11	13	17	13	20	16	17	18	13	8	2	1				29
5	12	5	12	11	15	6	10	7	10	3	1	1		1	
10	11	11	26	23	23	16	14	9	6	3	1			1	30
1	2	2	6	10	12	6	2	2	4	1	1				
5	13	13	10	12	13	15	24	20	11	5	1	1		1	31
16	16	16	17	27	18	21	22	18	11	4	1	1	1	1	
705	917	1,005	1,147	1,314	1,379	1,577	1,653	1,540	1,045	544	215	45	15	69	32
362	519	592	644	733	787	898	895	852	544	276	100	11	5	41	33
343	398	413	503	581	592	679	758	688	501	268	115	34	10	28	34
10	11	14	6	19	10	9	9	5	3						35
11	8	12	11	7	9	12	12	6	2			1		2	
324	452	505	570	629	665	758	774	737	468	229	81	7	4	37	36
305	364	371	444	537	536	624	681	603	435	228	100	24	9	26	
9	21	31	19	40	47	66	42	52	23	11	4			1	37
13	14	11	26	24	29	25	34	26	14	11	1	2			
3	4	7	12	13	33	41	56	46	43	34	15	4	1	1	38
	4	2	5	5	9	13	24	42	34	24	13	7	1		
14	30	33	32	21	28	20	11	7	3					2	39
2	4	8	11	2	3	2	4	3	6	2					
1	1	2	5	5	4	4	3	5	4	2					40
10	3	9	5	6	6	3	2	8	7	1	1			2	
1				1											41
2	1		1				1		3	2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system -----	31,777	6,865	3,097	1,551	881	613	13,007	1,194	364	623	995	1,109
2	Males -----	17,561	3,961	1,692	805	445	311	7,214	611	180	334	578	680
3	Females -----	14,216	2,904	1,405	746	436	302	5,793	583	184	289	417	429
4	Croup ----- {M-----	721	106	139	138	100	80	563	142	8	1	1	2
	{F-----	612	85	106	96	91	65	443	151	10	2		
5	Pneumonia ----- {M-----	12,154	2,426	1,172	521	270	176	4,565	352	135	265	480	560
	{F-----	9,426	1,782	980	491	261	176	3,690	320	140	222	316	315
6	Laryngitis ----- {M-----	118	18	15	11	13	9	66	12	3	1	1	2
	{F-----	95	7	16	8	14	11	56	17	3	3	2	2
7	Bronchitis ----- {M-----	2,663	1,102	307	101	47	33	1,590	59	15	19	30	34
	{F-----	2,578	798	256	130	48	35	1,267	57	16	32	36	39
8	Pleurisy ----- {M-----	329	4	16	4	6	3	33	13	7	17	23	21
	{F-----	246	5	7	5	1	3	21	12	4	9	24	22
9	Asthma ----- {M-----	420	12	1	1			14	6	1	6	6	9
	{F-----	349	4	5				9	4		1	6	11
10	Others of this class ----- {M-----	1,156	293	42	29	9	10	383	27	11	25	37	52
	{F-----	910	223	35	16	21	12	307	22	11	20	33	40
11	5. Diseases of the digestive system -----	12,164	1,653	430	146	104	72	2,405	351	415	488	695	725
12	Males -----	6,828	963	235	79	43	31	1,351	180	225	240	293	311
13	Females -----	5,836	690	195	67	61	41	1,054	171	190	248	402	414
14	Dentition ----- {M-----	219	119	89	9	1	1	219					
	{F-----	183	101	73	8		1	183					
15	Angina ----- {M-----	91	11	11	7	9	2	40	17	4	1	8	4
	{F-----	86	7	6	6	1	7	27	21	11	2	5	2
16	Gastritis ----- {M-----	887	173	40	14	10	3	240	16	7	11	16	15
	{F-----	921	112	46	17	21	9	205	24	7	19	35	40
17	Diseases of the stomach ----- {M-----	344	38	8	2	2		50	4	3	4	7	9
	{F-----	247	22	8	2		3	35	4	3	7	15	13
18	Obstruction of the bowels ----- {M-----	469	88	9	5	2	5	109	17	13	21	28	28
	{F-----	500	46	4	1	10	2	63	15	8	11	31	38
19	Appendicitis ----- {M-----	820	5	3	2	4	2	16	48	112	105	115	97
	{F-----	468	3	1	2	3	1	10	48	71	60	56	58
20	Hernia ----- {M-----	216	27	4				31	1	4	5	7	7
	{F-----	194	10	2			1	13			1		2
21	Other diseases of the bowels ----- {M-----	171	45	8	1		1	55	2	1	5	10	11
	{F-----	170	34	7	2	1	3	47	2	7	8	7	18
22	Jaundice ----- {M-----	236	135	3	1	2		141		1		2	7
	{F-----	209	93	2	3		3	101	1		2	6	4
23	Inflammation and abscess of the liver. ----- {M-----	346	20	2	1	1	5	29	6	5	3	16	23
	{F-----	245	15			4	2	21	3	7	6	12	9
24	Other diseases of the liver ----- {M-----	1,120	13	1	2		1	17	2	6	6	9	27
	{F-----	606	18	4	2	2	1	27	6	3	4	16	14
25	Peritonitis ----- {M-----	830	53	20	18	5	5	101	55	63	77	64	72
	{F-----	1,451	41	17	10	7	6	81	39	66	126	212	196
26	Ascites ----- {M-----	57		1				1	1	5	2	2	1
	{F-----	65	1					1				1	5
27	Others of this class ----- {M-----	522	236	36	17	7	6	302	11	1		9	10
	{F-----	491	187	25	14	12	2	240	8	7	2	6	15
28	6. Diseases of the urinary system and male organs of generation.	11,160	190	71	55	53	45	414	215	134	177	354	496
29	Males -----	6,634	115	31	22	24	23	215	112	61	82	162	254
30	Females -----	4,526	75	40	33	29	22	199	103	73	95	192	242
31	Bright's disease ----- {M-----	4,641							96	51	68	124	183
	{F-----	3,421							88	63	77	142	162
32	Calculus, urinary ----- {M-----	44	1					1				4	2
	{F-----	13	2					2				1	1
33	Diseases of the kidney ----- {M-----	392	66	28	22	20	19	155	4	1	4	10	15
	{F-----	323	57	37	29	25	21	169	3	2	4	12	9
34	Diseases of the bladder ----- {M-----	387	4	2				6	1		2	3	10
	{F-----	64	3		1			4	1		1	1	4
35	Others of this class ----- {M-----	1,170	44	1		4	4	53	11	9	8	21	44
	{F-----	705	13	3	3	4	1	24	11	8	13	36	66
36	7. Diseases of the female organs of generation -----	786	4			1		5	1	6	38	80	116
37	Ovarian tumors -----	103							1	1	7	3	11
38	Ovarian diseases -----	49									1	5	6
39	Diseases of the tubes -----	149									10	24	39
40	Uterine tumors -----	195								1		3	13
41	Uterine diseases -----	46									3	7	8
42	Others of this class -----	244	4			1		5		4	17	38	39

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,101	1,285	1,194	1,192	1,313	1,286	1,499	1,693	1,536	1,171	730	286	79	31	89	1
680	806	781	777	816	755	767	786	728	533	316	126	25	12	56	2
421	479	413	415	497	531	732	907	808	638	414	160	54	19	33	3
1	1	1								1				1	} 4
2	2	2												1	
567	657	626	647	635	532	546	508	460	312	174	75	12	6	40	} 5
340	378	325	323	367	380	510	591	461	368	234	84	31	12	19	
7	5	5	5	5	3	1		1		1					} 6
2	1	1	1	1	1			3							
22	33	40	41	58	86	90	128	142	128	99	31	10	3	5	} 7
27	25	24	40	49	80	120	181	204	174	116	60	18	7	6	
23	37	32	17	17	19	18	18	8	15	7	3			1	} 8
18	14	14	14	14	7	18	15	23	10	5	1			1	
7	15	18	19	40	51	55	60	53	30	19	7	1	1	2	} 9
6	13	16	16	23	24	45	59	48	41	18	6	3			
54	58	59	48	61	64	57	72	64	48	15	10	2	2	7	} 10
27	46	31	21	43	39	39	61	69	43	41	9	2		6	
757	807	797	726	719	762	697	671	536	345	145	63	12	3	45	11
345	380	439	420	411	441	382	350	288	150	72	22	6	1	21	12
412	427	358	306	308	321	315	321	248	195	73	41	6	2	24	13
															} 14
6		3	2	2			1			2			1		
5	1	3	1	3	2		1		2						} 15
36	38	49	53	61	80	61	71	64	36	24	7	1		1	
47	55	42	41	50	57	59	67	72	49	31	14	3	1	3	} 16
18	29	25	42	28	27	32	23	19	11	4	4			5	
14	23	7	27	20	11	21	21	9	9	2	2			2	} 17
23	24	21	31	26	31	16	31	28	15	3	2			2	
27	34	43	34	25	36	32	36	22	22	8	8			7	} 18
84	61	49	35	28	26	18	9	7	4	4	1			1	
39	42	22	17	12	11	5	6	3	3	3			1	1	} 19
7	17	18	17	10	18	15	13	21	15	7	1	1		1	
7	17	14	11	25	16	25	21	21	12	3	5	1			} 20
10	6	11	5	11	13	8	9	11	2			1			
14	9	10	3	4	12	4	10	5	4	2	3			1	} 21
8	3	7	7	10	16	9	10	7	4	3	1				
9	6	4	5	4	12	10	18	11	11	3	1	1			} 22
29	31	34	32	30	26	27	27	18	7	3					
9	12	20	20	20	31	21	23	16	11	1	1	1		1	} 23
48	94	131	126	137	140	132	111	75	41	11	4	2		1	
31	43	57	60	66	64	67	59	42	30	9	4			4	} 24
68	53	60	57	34	35	30	25	19	6	4				7	
191	164	112	61	44	40	38	29	28	16	3	1			4	} 25
	7	6	3	7	7	6	5	1	3						
4	3	4	3	3	4	11	11	4	8	2				1	} 26
8	17	25	10	27	22	28	15	18	6	7	2	1		3	
15	18	20	23	32	25	22	19	15	18	4	2				} 27
591	711	820	891	992	1,009	1,091	1,114	946	642	333	140	25	13	52	
301	373	476	529	632	630	657	736	617	429	228	85	13	10	32	29
290	338	344	362	360	379	434	378	329	213	105	55	12	3	20	30
234	298	357	410	487	487	504	509	387	259	108	47	7	4	21	} 31
213	260	279	289	289	306	368	289	269	169	87	49	10	3	9	
1	2	3	3	4	4	5	6	5		2			1	1	} 32
2		1	1	1		1	3								
10	16	21	22	16	19	17	26	23	16	11	3			3	} 33
14	15	9	15	17	15	8	13	10	4	3				1	
5	8	12	11	24	20	35	62	74	61	37	12	1	3		} 34
2	4	3	2	1	6	6	8	8	10	1	1	1			
51	49	83	88	101	100	96	133	128	93	70	23	5	2	7	} 35
59	59	52	55	52	52	51	65	42	30	14	5	1		10	
134	111	114	70	40	19	15	17	7	8	3				2	36
12	10	13	13	10	5	3	8	3	2	1					37
11	11	9	1	2	1		1	1							38
34	24	12	5	1											39
24	31	48	29	18	8	8	5	2	5						40
7	7	5	3	1	1	2	1	1							41
46	28	27	19	8	4	2	2		1	2				2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	1,471								3	122	313	368
2	Abortion	140									8	30	42
3	Childbirth	406								1	32	61	85
4	Puerperal septicemia	593								2	47	141	164
5	Extra-uterine pregnancy	63									1	9	18
6	Others of this class	269									34	72	59
7	9. Diseases of the bones and joints	357	18	10	7	8	5	48	41	25	27	27	16
8	Males	195	7	6	2	7	4	26	18	12	19	16	12
9	Females	162	11	4	5	1	1	22	23	13	8	11	4
10	Diseases of the spine	61 (M) 48 (F)	3 5	3 2	1 2	2 1	2	11 10	6 10		5 1	4 6	7 2
11	Abscess, lumbar and psoas	12 (M) 9 (F)	1					1	2	1		1	1
12	Diseases of the bones	60 (M) 57 (F)	4 2	1 2	1 2	2 1	1	9 7	5 6	6 5	5 2	5 4	1 1
13	Diseases of the hip-joint	38 (M) 21 (F)			1	3	1	4 3	5 5	5 2	7 4	4 1	3 1
14	Others of this class	24 (M) 27 (F)		2				2 1	2	1 1	1 1	2	
15	10. Diseases of the skin	391	120	10	10	6	2	148	8	7	2	12	12
16	Males	217	60	6	7	2	1	76	5	5		6	5
17	Females	174	60	4	3	4	1	72	3	2	2	6	7
18	Abscess	115 (M) 90 (F)	21 29	6 1	3 2	1 2	1	32 34	4 3	5 1		5 2	4 6
19	Carbuncle	32 (M) 19 (F)	1		1			2 1			1	2	1
20	Others of this class	70 (M) 65 (F)	38 31		3	1 2	1	42 37	1			1 2	
21	11. Diseases of the absorbent system	126	9	6		3	1	19	5	5	6	4	12
22	Males	68	7	4		3	1	15	4	2	4	2	4
23	Females	58	2	2				4	1	3	2	2	8
24	Addison's disease	21 (M) 11 (F)							1	1	1		2 3
25	Diseases of the spleen	14 (M) 9 (F)	3			1		4				1	2 3
26	Others of this class	33 (M) 38 (F)	4 2	4 2		2	1	11 4	3 1	1 2	3 1	1 2	
27	12. Accidents and injuries	13,049	550	191	193	188	182	1,804	580	531	782	1,249	1,312
28	Males	10,159	303	97	117	99	92	708	398	444	627	994	1,094
29	Females	2,890	247	94	76	89	90	596	182	87	155	255	218
30	Burns and scalds	499 (M) 690 (F)	21 19	38 46	70 40	55 55	35 59	219 219	44 93	15 34	10 40	28 41	25 43
31	Drowning	1,081 (M) 99 (F)	3 2	9 6	6 5	8 5	10 2	36 20	109 3	158 6	120 16	107 9	84 5
32	Exposure and neglect	72 (M) 51 (F)	21 26		1 2		1	23 32	3	1 1	1 1	1 2	2
33	Gunshot wounds	546 (M) 74 (F)	1		2	1	1	3 5	11 4	39 2	66 4	99 21	90 9
34	Homicide	371 (M) 82 (F)		1		1	2	2 2	6 6	8 3	22 4	56 14	73 13
35	Infanticide	2 (M) 5 (F)	2 5					2 5					
36	Injuries by machinery	67 (M) 4 (F)		1				1			3	10 1	15
37	Railroad accidents	1,827 (M) 172 (F)	3 1	7 4	5 4	6 4	13 10	34 23	89 29	83 12	121 10	209 13	243 7
38	Suffocation	329 (M) 180 (F)	124 99	9 9	2 3	2 2	2	139 115	5 5	2 3	11 8	20 7	14 4
39	Suicide by shooting	389 (M) 22 (F)									4 2	38 3	47 3
40	Suicide by drowning	52 (M) 16 (F)									2 1	3 2	3 4
41	Suicide by poison	267 (M) 172 (F)									2 30	17 35	30 34
42	Other suicides	609 (M) 145 (F)									11 12	40 22	49 17
43	Sunstroke	166 (M) 76 (F)	11 13	4 5	2 1		1	18 20	4 2		2	12 2	8 2
44	Surgical operations	79 (M) 167 (F)	5 2	1	1		1	8 3	4 2		1 3	7 28	10 16
45	Wounds	227 (M) 13 (F)			1	3	2	6 1	5 3	5 1	25 1	25 1	33 1
46	Others of this class	3,576 (M) 922 (F)	112 79	28 19	29 18	24 20	24 15	217 151	118 35	133 22	226 23	322 54	368 60

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
301	233	109	11	1					1					9	1
24	29	6												1	2
96	84	38	4	1										4	3
115	81	34	6						1					2	4
19	11	4												1	5
47	28	27	1											1	6
23	16	24	20	18	19	16	10	17	8	1	1				7
15	7	15	12	10	7	8	6	6	6						8
8	9	9	8	8	12	8	4	11	2	1	1				9
5	3	6	4	2	1	2	2	3	2						}10
2	4	2		2	2	3									
3	1		1	1	1	1			1						}11
		1	1	1	1			1							
4	1	4	2	4	2	4	4	1	3						}12
3	3	3	4	4	3	3	2	5		1	1				
3	2	3		1	1										}13
2	2	1													
		2	5	2	2	3		2							}14
1		2	3	1	6	2	2	5	2						
13	24	26	15	21	27	26	16	15	9	5	3	1		1	15
5	14	16	9	14	19	13	10	7	7	4	2				16
8	10	10	6	7	8	13	6	8	2	1	1	1		1	17
4	12	7	5	9	9	7	6	2	2	2					}18
6	6	7	6	3	6	4	4	1			1				
1		3	3	2	5	3	4	3	2	1	2				}19
	1	1		3	1	2	1	3	1	1					
	2	6	1	3	5	3		2	3	1					}20
2	3	2		1	1	7	1	4	1			1		1	
12	7	6	11	9	11	9	4	4						2	21
7	3	3	3	4	5	6	1	4						1	22
5	4	3	8	5	6	3	3							1	23
2	2	1	2	2	2	4		1							}24
1	2	1		1	1									1	
2			1	1		1	1	1							}25
1		1	1	1			2								
3	1	2		1	3	1		2						1	}26
3	2	2	7	3	5	3	1								
1,272	1,264	961	894	696	548	477	350	256	190	132	52	9	6	184	27
1,057	1,056	806	758	605	445	384	258	164	103	70	25		4	159	28
215	208	155	136	91	103	93	92	92	87	62	27	9	2	25	29
32	29	24	20	12	8	11	7	3	2	2	1			7	}30
41	34	24	25	11	23	19	12	9	14	4	1	2		1	
83	81	65	58	43	32	34	17	6	9	3	1			35	}31
11	6	5	5	2	2	3	3	1						2	
7	4	4	4	3	4	6	4	1	2				1	1	}32
1	2	1			3				2	3	3				
62	50	32	34	13	17	9	3	3	1		1			13	}33
11	11	3	1			1		2	2						
54	53	26	25	15	10	7	3	2		1				8	}34
15	3	5	4	2	2	1	2							6	
															}35
11	7	8	4	4	2		2								}36
1		1													
213	210	158	121	96	77	62	30	24	12	9	3		1	32	}37
6	8	10	10	6	8	1	8	8	8	2	1			2	
19	26	20	16	6	9	11	9	4	4	1	2			11	}38
3	5	2	1	2	4	3	1	4	2	3				8	
46	50	50	45	37	17	13	16	7	7	3				9	}39
5	2	2	1	2	1				1						
3	4	7	7	6	5	4	1	2	2	2				1	}40
4		1		2				1	1						
38	39	33	27	31	14	16	7	7	1					5	}41
19	22	9	7	6	1	3	1	2				1		1	
59	70	69	62	77	56	42	29	16	16	6	1			6	}42
16	24	14	12	5	7	3	2	3	4	2	1			1	
17	22	12	15	19	13	5	3	9	2	2	1			2	}43
2	3	2	5	5	7	8	5	6	4	3					
8	7	4	5	7	6	6	3	1	1	1					}44
25	22	23	15	10	11	1	4	2	1						
26	26	13	19	13	7	11	4	1		2	1			5	}45
	1					2	1			1					
379	378	281	296	223	168	147	120	78	44	38	14		2	24	}46
55	65	53	50	38	34	48	53	56	48	44	21	6	2	4	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NONREGISTRATION RECORD.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	526,425	97,105	33,898	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
2	Males.....	278,792	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421	11,755
3	Females.....	247,633	43,683	16,067	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223	13,002
4	Unknown cause.....	35,690	17,320	2,214	1,054	577	462	21,627	1,199	755	857	960	791
5	Males.....	18,641	9,481	1,173	562	307	228	11,751	616	359	395	414	318
6	Females.....	17,049	7,839	1,041	492	270	234	9,876	583	396	462	546	473
7	1. General diseases.												
	General diseases—A.....	121,592	26,458	15,495	6,782	4,004	2,948	55,687	9,194	5,762	7,163	6,817	4,956
8	Males.....	62,179	14,131	8,073	3,427	1,897	1,476	29,004	4,440	2,591	3,358	3,677	2,561
9	Females.....	59,413	12,327	7,422	3,355	2,107	1,472	26,683	4,754	3,171	3,805	3,140	2,395
10	Measles.....	{M 4,359 F 4,706	{M 1,094 F 974	{M 872 F 764	{M 416 F 408	{M 235 F 273	{M 143 F 148	{M 2,760 F 2,567	{M 398 F 392	{M 220 F 246	{M 242 F 316	{M 218 F 218	{M 105 F 180
11	Scarlet fever.....	{M 1,447 F 1,559	{M 214 F 173	{M 231 F 226	{M 198 F 197	{M 170 F 194	{M 155 F 155	{M 968 F 945	{M 325 F 357	{M 70 F 118	{M 29 F 58	{M 17 F 23	{M 8 F 12
12	Diphtheria.....	{M 3,048 F 3,226	{M 304 F 239	{M 358 F 294	{M 372 F 334	{M 341 F 342	{M 278 F 318	{M 1,653 F 1,527	{M 853 F 1,029	{M 293 F 395	{M 118 F 121	{M 46 F 32	{M 12 F 35
13	Whooping cough.....	{M 2,883 F 3,406	{M 1,683 F 1,814	{M 609 F 787	{M 223 F 347	{M 114 F 160	{M 77 F 91	{M 2,706 F 3,199	{M 118 F 145	{M 24 F 32	{M 12 F 11	{M 2 F 2	{M 3 F 3
14	Malarial fever.....	{M 6,194 F 6,154	{M 793 F 736	{M 562 F 555	{M 315 F 323	{M 202 F 242	{M 185 F 196	{M 2,057 F 2,052	{M 633 F 684	{M 412 F 421	{M 486 F 511	{M 472 F 423	{M 333 F 338
15	Influenza.....	{M 4,768 F 4,995	{M 810 F 597	{M 209 F 181	{M 94 F 88	{M 43 F 51	{M 35 F 33	{M 1,191 F 950	{M 102 F 104	{M 56 F 78	{M 91 F 123	{M 107 F 114	{M 90 F 122
16	Typhoid fever.....	{M 13,261 F 12,369	{M 519 F 483	{M 486 F 458	{M 314 F 347	{M 256 F 279	{M 198 F 192	{M 1,773 F 1,759	{M 943 F 1,069	{M 921 F 1,394	{M 1,732 F 2,050	{M 2,069 F 1,522	{M 1,396 F 934
17	Cholera morbus.....	{M 2,456 F 2,160	{M 796 F 578	{M 336 F 279	{M 166 F 123	{M 56 F 67	{M 43 F 37	{M 1,397 F 1,084	{M 139 F 127	{M 97 F 67	{M 69 F 63	{M 61 F 77	{M 41 F 78
18	Colitis.....	{M 287 F 218	{M 80 F 66	{M 71 F 52	{M 24 F 18	{M 11 F 3	{M 4 F 1	{M 190 F 140	{M 3 F 5	{M 1 F 1	{M 2 F 1	{M 4 F 5	{M 3 F 1
19	Diarrhea.....	{M 2,307 F 1,726	{M 534 F 422	{M 350 F 322	{M 133 F 116	{M 34 F 46	{M 20 F 13	{M 1,071 F 919	{M 121 F 122	{M 47 F 36	{M 25 F 19	{M 24 F 22	{M 40 F 29
20	Dysentery.....	{M 4,615 F 4,089	{M 966 F 825	{M 1,107 F 920	{M 406 F 370	{M 160 F 126	{M 98 F 73	{M 2,737 F 2,314	{M 220 F 171	{M 82 F 56	{M 72 F 57	{M 89 F 64	{M 69 F 77
21	Enteritis.....	{M 2,371 F 2,169	{M 929 F 808	{M 453 F 365	{M 158 F 138	{M 57 F 70	{M 49 F 43	{M 1,646 F 1,424	{M 110 F 111	{M 52 F 40	{M 51 F 47	{M 39 F 46	{M 34 F 44
22	Cholera infantum.....	{M 6,281 F 5,537	{M 3,966 F 3,365	{M 1,902 F 1,721	{M 317 F 330	{M 67 F 79	{M 28 F 41	{M 6,280 F 5,536					
23	Fever.....	{M 1,331 F 1,373	{M 368 F 363	{M 210 F 179	{M 87 F 65	{M 50 F 51	{M 38 F 38	{M 753 F 696	{M 106 F 114	{M 46 F 64	{M 59 F 77	{M 75 F 74	{M 48 F 71
24	Cerebro-spinal fever.....	{M 1,195 F 940	{M 314 F 248	{M 139 F 132	{M 80 F 59	{M 40 F 50	{M 48 F 28	{M 621 F 517	{M 135 F 121	{M 73 F 77	{M 96 F 47	{M 51 F 43	{M 50 F 40
25	Smallpox.....	{M 1,753 F 1,138	{M 205 F 166	{M 53 F 64	{M 47 F 30	{M 22 F 35	{M 37 F 26	{M 364 F 321	{M 89 F 93	{M 61 F 52	{M 141 F 98	{M 215 F 116	{M 172 F 84
26	Erysipelas.....	{M 735 F 650	{M 205 F 193	{M 29 F 34	{M 17 F 5	{M 8 F 5	{M 3 F 4	{M 262 F 241	{M 19 F 18	{M 20 F 16	{M 18 F 30	{M 24 F 17	{M 23 F 21
27	Septicemia.....	{M 1,717 F 2,192	{M 201 F 166	{M 42 F 51	{M 34 F 37	{M 17 F 20	{M 23 F 20	{M 317 F 294	{M 82 F 59	{M 93 F 58	{M 80 F 146	{M 96 F 290	{M 80 F 290
28	Venereal diseases.....	{M 405 F 239	{M 69 F 42	{M 14 F 13	{M 6 F 6	{M 2 F 3	{M 1 F 1	{M 91 F 65	{M 3 F 4	{M 3 F 2	{M 15 F 11	{M 33 F 22	{M 33 F 18
29	Others of this group.....	{M 766 F 567	{M 81 F 69	{M 40 F 25	{M 20 F 14	{M 12 F 11	{M 14 F 14	{M 167 F 133	{M 41 F 29	{M 21 F 18	{M 20 F 20	{M 35 F 30	{M 24 F 18
30	General diseases—B.....	6,424	3,223	413	280	145	97	4,158	192	64	103	159	149
31	Males.....	3,890	1,798	214	149	83	57	2,301	92	34	54	96	88
32	Females.....	2,534	1,425	199	131	62	40	1,857	100	30	49	63	61
33	Alcoholism.....	{M 695 F 55	{M 2 F 1	{M 1 F 1		{M 1 F 1	{M 2 F 1	{M 5 F 2	{M 5 F 2		{M 3 F 2	{M 14 F 4	{M 34 F 3
34	Parasitic diseases.....	{M 244 F 265	{M 26 F 26	{M 50 F 60	{M 50 F 52	{M 36 F 34	{M 29 F 19	{M 191 F 191	{M 39 F 55	{M 2 F 5	{M 2 F 3	{M 3 F 1	{M 1 F 1
35	Lead poison.....	{M 39 F 5	{M 1 F 2	{M 1 F 1			{M 1 F 1	{M 3 F 3			{M 3 F 1		{M 4 F 1
36	Other poisons.....	{M 964 F 634	{M 66 F 54	{M 99 F 67	{M 71 F 61	{M 38 F 19	{M 15 F 14	{M 289 F 215	{M 41 F 40	{M 29 F 21	{M 45 F 44	{M 73 F 55	{M 45 F 55
37	Inanition.....	{M 1,948 F 1,575	{M 1,703 F 1,343	{M 63 F 72	{M 28 F 18	{M 9 F 8	{M 10 F 5	{M 1,813 F 1,446	{M 7 F 5	{M 3 F 4	{M 1 F 1	{M 5 F 4	{M 4 F 2
38	General diseases—C.....	24,339	7,993	266	82	30	14	8,385	41	33	38	55	49
39	Males.....	12,539	4,457	125	40	16	8	4,646	20	19	24	27	20
40	Females.....	11,800	3,536	141	42	14	6	3,739	21	14	14	28	29
41	Old age.....	{M 6,689 F 6,975											
42	Premature birth.....	{M 2,834 F 2,196	{M 2,834 F 2,196					{M 2,834 F 2,196					
43	Malformation.....	{M 532 F 463	{M 495 F 428	{M 12 F 14	{M 4 F 5	{M 3 F 5	{M 2 F 2	{M 516 F 454	{M 4 F 3	{M 3 F 3	{M 2 F 1	{M 2 F 1	{M 1 F 1
44	Debility and atrophy.....	{M 2,212 F 1,962	{M 858 F 710	{M 113 F 127	{M 36 F 37	{M 13 F 9	{M 6 F 4	{M 1,026 F 887	{M 16 F 18	{M 16 F 11	{M 22 F 13	{M 25 F 28	{M 20 F 28
45	Others of this group.....	{M 272 F 204	{M 270 F 202					{M 270 F 202					

285

NONREGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20,672	20,084	19,153	18,282	19,544	19,062	22,023	24,421	25,681	22,122	16,895	8,247	2,923	1,621	5,576	1
9,790 10,882	9,756 10,278	9,778 9,375	10,034 8,248	10,911 8,633	10,827 8,235	12,482 9,541	14,149 10,272	14,729 10,952	12,572 9,550	9,175 7,220	4,416 3,831	1,400 1,523	674 947	3,258 2,318	2 3
646	646	681	623	723	687	803	926	889	835	653	327	153	115	794	4
262 384	266 380	311 370	291 332	371 352	357 330	419 384	488 438	487 402	485 350	372 281	159 168	65 88	43 72	412 382	5 6
3,751	3,344	2,907	2,637	2,573	2,184	2,465	2,663	2,795	2,482	1,890	974	325	177	846	7
1,836 1,915	1,647 1,697	1,475 1,432	1,489 1,148	1,364 1,209	1,170 1,014	1,270 1,195	1,391 1,272	1,427 1,368	1,323 1,159	993 897	509 465	146 179	59 118	449 397	8 9
75 176	66 147	62 130	71 81	50 82	14 44	15 31	16 27	7 23	13 13	6 8	2 5	1	1	19 18	}10
6 14	2 13	2 4	2	2	4	3	2	1	1	1	1	1	1	6 4	
11 17	7 15	11 9	1 9	8 8	5 5	3 5	4 3	3 3	3 2	3	4 1			10 10	}12
		2	3		2		1	2	2	2				7 5	
1		1			2			2	1	2					}13
247 218	192 191	200 208	196 171	183 164	159 130	137 142	124 139	121 126	113 87	48 48	30 28	8 6	4 13	39 54	
66 118	94 116	105 129	132 118	144 194	174 196	241 291	363 369	482 539	482 512	447 458	247 239	85 105	31 74	38 46	}15
936 698	777 587	622 445	569 397	387 354	278 287	222 242	182 207	165 154	116 85	51 56	26 21	7 6	2 5	87 97	
32 63	41 66	35 61	47 39	65 46	65 66	78 52	70 74	71 62	62 61	43 40	18 16	8 5	2 1	15 12	}17
4 6	2 3	8 5	10 3	11 5	4 5	13 9	10 8	9 6	6 7	4 5	2 2			2 2	
24 35	29 34	17 33	51 28	72 43	94 34	117 61	147 62	120 88	115 52	85 36	43 34	8 7	5 6	52 26	}19
73 66	69 68	72 82	100 75	123 97	107 72	134 143	152 172	158 185	156 173	108 108	49 53	10 25	7 9	28 22	
27 35	29 46	43 35	39 33	39 28	30 36	37 46	55 48	40 48	41 50	28 19	10 15	2 2	1 1	18 15	}21
														1 1	
															}22
32 40	33 38	17 28	22 25	21 25	14 15	21 20	17 18	21 15	12 15	18 15	3 11	2 2		11 9	
31 22	33 17	27 11	19 6	14 12	14 6	11 6	4 1	4 4	4 4	3 2		1		4 4	}24
136 71	101 54	104 49	60 39	65 38	37 18	43 22	25 21	39 13	16 5	12 5	3 2	2 1	1 2	67 34	
24 20	21 20	22 27	34 29	27 28	42 28	28 27	52 33	34 28	35 25	29 26	15 9	2 2		4 5	}26
63 265	102 249	71 140	81 70	105 56	88 48	117 56	101 40	68 44	75 26	47 26	23 9	4 6	2 2	22 18	
31 29	28 21	34 16	33 15	24 7	18 4	21 9	17 6	6 2	6 2					9 6	}28
18 21	21 12	21 19	21 10	24 21	21 16	29 29	49 43	76 25	66 41	58 40	34 19	6 11	4 3	10 9	
172	133	172	199	177	144	122	107	81	76	35	27	7	5	92	30
116 56	144 39	149 23	165 34	149 28	121 23	95 27	78 29	49 32	56 20	21 14	13 14	3 4	3 2	63 29	}31
51 8	84 5	101 5	84 5	87 2	72	52 3	37 4	21 3	20 2	2				23 5	
	1 2	1 2	1 1	1 1		2		1 1		1		1			}34
6	4	2	6	4	3			2	1						
				1							1				}35
56 41	53 29	43 13	68 23	56 17	37 15	33 18	31 13	14 18	22 6	6	2		2	19 8	
3 7	2 3	2 3	7 5	1 7	9 6	10 6	10 11	11 10	13 12	12 14	11 11	2 2	1 1	21 16	}37
57	49	67	77	125	154	356	661	1,851	2,875	4,061	2,834	1,384	876	311	
27 30	20 29	33 34	42 35	58 67	81 73	163 193	335 326	953 898	1,382 1,493	2,074 1,987	1,440 1,394	668 716	356 520	151 160	39 40
						90 113	217 239	800 791	1,214 1,351	1,929 1,862	1,359 1,334	640 677	347 499	93 109	}41
															}42
					2									3	}43
27 30	20 27	33 34	42 35	57 66	79 73	72 80	118 87	153 107	168 142	145 125	81 60	28 39	9 21	55 51	
	2			1		1									}45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	89,153	2,332	1,505	887	521	380	5,625	1,749	2,318	6,332	9,730	8,519
2	Males.....	40,258	1,202	803	459	283	205	2,952	837	885	2,240	3,786	3,384
3	Females.....	48,895	1,130	702	428	238	175	2,673	912	1,433	4,092	5,944	5,135
4	Anemia.....	(M..... 330 F..... 397)	(M..... 60 F..... 46)	(M..... 12 F..... 8)	(M..... 4 F..... 3)	(M..... 4 F..... 2)	(M..... 4 F..... 2)	(M..... 84 F..... 62)	(M..... 12 F..... 12)	(M..... 9 F..... 15)	(M..... 14 F..... 24)	(M..... 8 F..... 35)	(M..... 10 F..... 36)
5	Diabetes.....	(M..... 1,246 F..... 733)	(M..... 8 F..... 5)	(M..... 17 F..... 11)	(M..... 13 F..... 12)	(M..... 12 F..... 5)	(M..... 8 F..... 5)	(M..... 58 F..... 45)	(M..... 57 F..... 36)	(M..... 62 F..... 55)	(M..... 77 F..... 44)	(M..... 59 F..... 32)	(M..... 45 F..... 33)
6	Rheumatism.....	(M..... 1,703 F..... 1,413)	(M..... 27 F..... 18)	(M..... 16 F..... 6)	(M..... 11 F..... 14)	(M..... 9 F..... 5)	(M..... 15 F..... 14)	(M..... 78 F..... 57)	(M..... 74 F..... 63)	(M..... 111 F..... 86)	(M..... 108 F..... 70)	(M..... 71 F..... 67)	(M..... 57 F..... 50)
7	Scrofula and tabes.....	(M..... 1,216 F..... 1,233)	(M..... 153 F..... 133)	(M..... 119 F..... 111)	(M..... 68 F..... 48)	(M..... 41 F..... 34)	(M..... 28 F..... 21)	(M..... 409 F..... 347)	(M..... 90 F..... 94)	(M..... 51 F..... 81)	(M..... 70 F..... 72)	(M..... 75 F..... 89)	(M..... 61 F..... 72)
8	Hydrocephalus.....	(M..... 609 F..... 520)	(M..... 230 F..... 202)	(M..... 117 F..... 79)	(M..... 49 F..... 41)	(M..... 28 F..... 24)	(M..... 13 F..... 12)	(M..... 436 F..... 359)	(M..... 56 F..... 49)	(M..... 23 F..... 28)	(M..... 24 F..... 24)	(M..... 13 F..... 13)	(M..... 9 F..... 13)
9	Tuberculosis, general.....	(M..... 199 F..... 174)	(M..... 2 F..... 7)	(M..... 5 F..... 6)	(M..... 1 F..... 2)	(M..... 3 F..... 2)	(M..... 1 F..... 2)	(M..... 12 F..... 17)	(M..... 3 F..... 7)	(M..... 3 F..... 10)	(M..... 18 F..... 7)	(M..... 19 F..... 21)	(M..... 22 F..... 19)
10	Consumption.....	(M..... 24,434 F..... 31,354)	(M..... 521 F..... 567)	(M..... 348 F..... 343)	(M..... 186 F..... 183)	(M..... 100 F..... 92)	(M..... 91 F..... 77)	(M..... 1,249 F..... 1,262)	(M..... 309 F..... 449)	(M..... 454 F..... 995)	(M..... 1,754 F..... 3,622)	(M..... 3,311 F..... 5,374)	(M..... 3,007 F..... 4,541)
11	Cancer.....	(M..... 5,048 F..... 7,131)	(M..... 28 F..... 24)	(M..... 8 F..... 11)	(M..... 13 F..... 15)	(M..... 7 F..... 5)	(M..... 6 F..... 8)	(M..... 62 F..... 63)	(M..... 23 F..... 21)	(M..... 26 F..... 18)	(M..... 32 F..... 40)	(M..... 34 F..... 73)	(M..... 67 F..... 127)
12	Tumor.....	(M..... 611 F..... 1,149)	(M..... 51 F..... 36)	(M..... 14 F..... 13)	(M..... 16 F..... 10)	(M..... 9 F..... 9)	(M..... 6 F..... 4)	(M..... 96 F..... 72)	(M..... 29 F..... 17)	(M..... 18 F..... 17)	(M..... 26 F..... 29)	(M..... 18 F..... 40)	(M..... 13 F..... 55)
13	Dropsy.....	(M..... 4,652 F..... 4,633)	(M..... 70 F..... 55)	(M..... 116 F..... 98)	(M..... 86 F..... 89)	(M..... 64 F..... 43)	(M..... 33 F..... 27)	(M..... 369 F..... 312)	(M..... 175 F..... 156)	(M..... 120 F..... 120)	(M..... 104 F..... 152)	(M..... 138 F..... 186)	(M..... 86 F..... 185)
14	Others of this group.....	(M..... 210 F..... 158)	(M..... 49 F..... 37)	(M..... 31 F..... 16)	(M..... 12 F..... 11)	(M..... 6 F..... 9)	(M..... 1 F..... 4)	(M..... 99 F..... 77)	(M..... 9 F..... 8)	(M..... 8 F..... 8)	(M..... 13 F..... 8)	(M..... 10 F..... 11)	(M..... 7 F..... 4)
15	2. Diseases of the nervous system.....	55,016	11,043	3,437	1,533	989	709	17,711	2,306	1,478	1,614	1,402	1,208
16	Males.....	30,509	6,326	1,785	801	517	371	9,800	1,250	768	845	745	625
17	Females.....	24,507	4,717	1,652	732	472	338	7,911	1,056	710	769	657	583
18	Inflammation of the brain.....	(M..... 2,876 F..... 2,284)	(M..... 981 F..... 771)	(M..... 426 F..... 370)	(M..... 192 F..... 140)	(M..... 112 F..... 96)	(M..... 77 F..... 73)	(M..... 1,788 F..... 1,450)	(M..... 232 F..... 190)	(M..... 121 F..... 113)	(M..... 119 F..... 105)	(M..... 101 F..... 71)	(M..... 54 F..... 56)
19	Meningitis.....	(M..... 4,674 F..... 3,804)	(M..... 1,448 F..... 1,056)	(M..... 656 F..... 620)	(M..... 294 F..... 302)	(M..... 199 F..... 174)	(M..... 134 F..... 137)	(M..... 2,731 F..... 2,289)	(M..... 502 F..... 414)	(M..... 273 F..... 257)	(M..... 270 F..... 191)	(M..... 172 F..... 132)	(M..... 109 F..... 101)
20	Apoplexy.....	(M..... 4,503 F..... 3,225)	(M..... 38 F..... 36)	(M..... 6 F..... 21)	(M..... 10 F..... 9)	(M..... 3 F..... 10)	(M..... 4 F..... 2)	(M..... 61 F..... 78)	(M..... 19 F..... 18)	(M..... 14 F..... 25)	(M..... 29 F..... 41)	(M..... 60 F..... 49)	(M..... 61 F..... 49)
21	Paralysis.....	(M..... 7,234 F..... 6,467)	(M..... 80 F..... 64)	(M..... 44 F..... 32)	(M..... 25 F..... 25)	(M..... 20 F..... 18)	(M..... 14 F..... 11)	(M..... 183 F..... 150)	(M..... 67 F..... 60)	(M..... 41 F..... 40)	(M..... 56 F..... 60)	(M..... 51 F..... 72)	(M..... 62 F..... 65)
22	Paralysis, general (of insane).....	(M..... 534 F..... 180)	(M..... 3 F..... 1)	(M..... 6 F..... 1)	(M..... 10 F..... 2)	(M..... 3 F..... 1)	(M..... 4 F..... 2)	(M..... 61 F..... 78)	(M..... 19 F..... 18)	(M..... 14 F..... 25)	(M..... 29 F..... 41)	(M..... 60 F..... 49)	(M..... 61 F..... 49)
23	Tetanus and trismus nascentium.....	(M..... 609 F..... 332)	(M..... 250 F..... 185)	(M..... 9 F..... 7)	(M..... 3 F..... 3)	(M..... 8 F..... 3)	(M..... 6 F..... 4)	(M..... 276 F..... 202)	(M..... 56 F..... 26)	(M..... 70 F..... 15)	(M..... 40 F..... 17)	(M..... 31 F..... 13)	(M..... 25 F..... 11)
24	Chorea.....	(M..... 31 F..... 62)	(M..... 3 F..... 1)	(M..... 2 F..... 1)	(M..... 2 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 6 F..... 4)	(M..... 6 F..... 4)	(M..... 2 F..... 20)	(M..... 1 F..... 17)	(M..... 1 F..... 3)	(M..... 2 F..... 1)
25	Epilepsy.....	(M..... 1,235 F..... 869)	(M..... 150 F..... 137)	(M..... 21 F..... 20)	(M..... 11 F..... 14)	(M..... 13 F..... 9)	(M..... 4 F..... 9)	(M..... 199 F..... 189)	(M..... 51 F..... 32)	(M..... 76 F..... 46)	(M..... 146 F..... 97)	(M..... 135 F..... 93)	(M..... 125 F..... 66)
26	Convulsions.....	(M..... 3,273 F..... 2,710)	(M..... 2,554 F..... 1,866)	(M..... 298 F..... 283)	(M..... 108 F..... 110)	(M..... 56 F..... 62)	(M..... 37 F..... 27)	(M..... 3,053 F..... 2,348)	(M..... 67 F..... 59)	(M..... 31 F..... 26)	(M..... 14 F..... 63)	(M..... 10 F..... 48)	(M..... 10 F..... 41)
27	Mental diseases.....	(M..... 929 F..... 715)	(M..... 2 F..... 2)	(M..... 4 F..... 3)	(M..... 25 F..... 18)	(M..... 20 F..... 11)	(M..... 14 F..... 11)	(M..... 183 F..... 150)	(M..... 67 F..... 60)	(M..... 41 F..... 40)	(M..... 56 F..... 60)	(M..... 51 F..... 72)	(M..... 62 F..... 65)
28	Diseases of the brain.....	(M..... 3,488 F..... 2,624)	(M..... 723 F..... 519)	(M..... 285 F..... 255)	(M..... 139 F..... 117)	(M..... 90 F..... 89)	(M..... 93 F..... 64)	(M..... 1,330 F..... 1,044)	(M..... 210 F..... 218)	(M..... 111 F..... 133)	(M..... 126 F..... 121)	(M..... 115 F..... 86)	(M..... 85 F..... 92)
29	Diseases of the spinal cord.....	(M..... 366 F..... 277)	(M..... 60 F..... 54)	(M..... 28 F..... 34)	(M..... 15 F..... 9)	(M..... 8 F..... 7)	(M..... 2 F..... 6)	(M..... 113 F..... 110)	(M..... 28 F..... 17)	(M..... 21 F..... 18)	(M..... 9 F..... 13)	(M..... 16 F..... 5)	(M..... 12 F..... 1)
30	Locomotor ataxia.....	(M..... 166 F..... 53)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 2)	(M..... 1 F..... 2)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 2 F..... 2)	(M..... 5 F..... 2)
31	Others of this class.....	(M..... 591 F..... 905)	(M..... 39 F..... 28)	(M..... 12 F..... 9)	(M..... 1 F..... 2)	(M..... 7 F..... 2)	(M..... 4 F..... 4)	(M..... 59 F..... 45)	(M..... 11 F..... 15)	(M..... 3 F..... 13)	(M..... 16 F..... 31)	(M..... 12 F..... 43)	(M..... 18 F..... 45)
32	3. Diseases of the circulatory system.....	32,558	1,929	185	108	79	99	2,400	482	573	703	948	903
33	Males.....	17,920	1,110	102	55	50	62	1,379	241	269	308	366	365
34	Females.....	14,638	819	83	53	29	37	1,021	241	304	395	582	538
35	Pericarditis.....	(M..... 122 F..... 90)	(M..... 3 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 2)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 5 F..... 5)	(M..... 2 F..... 7)	(M..... 4 F..... 9)	(M..... 5 F..... 8)	(M..... 9 F..... 7)	(M..... 3 F..... 5)
36	Diseases of the heart.....	(M..... 16,717 F..... 13,778)	(M..... 932 F..... 703)	(M..... 99 F..... 80)	(M..... 54 F..... 53)	(M..... 48 F..... 26)	(M..... 59 F..... 35)	(M..... 1,192 F..... 897)	(M..... 231 F..... 230)	(M..... 253 F..... 287)	(M..... 292 F..... 375)	(M..... 345 F..... 531)	(M..... 346 F..... 505)
37	Angina pectoris.....	(M..... 540 F..... 406)	(M..... 2 F..... 2)	(M..... 3 F..... 4)	(M..... 7 F..... 6)	(M..... 21 F..... 21)	(M..... 14 F..... 14)	(M..... 8 F..... 14)	(M..... 2 F..... 2)	(M..... 3 F..... 4)	(M..... 7 F..... 6)	(M..... 21 F..... 21)	(M..... 8 F..... 14)
38	Diseases of the arteries.....	(M..... 159 F..... 51)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)
39	Aneurism.....	(M..... 146 F..... 120)	(M..... 2 F..... 1)	(M..... 4 F..... 3)	(M..... 3 F..... 4)	(M..... 4 F..... 4)	(M..... 5 F..... 10)	(M..... 2 F..... 1)	(M..... 1 F..... 3)	(M..... 4 F..... 4)	(M..... 3 F..... 4)	(M..... 4 F..... 11)	(M..... 5 F..... 10)
40	Embolism.....	(M..... 48 F..... 65)	(M..... 5 F..... 5)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 6 F..... 6)	(M..... 3 F..... 3)	(M..... 4 F..... 4)	(M..... 1 F..... 2)	(M..... 1 F..... 12)	(M..... 1 F..... 4)
41	Others of this class.....	(M..... 188 F..... 128)	(M..... 170 F..... 115)	(M..... 3 F..... 2)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 2 F..... 1)	(M..... 176 F..... 119)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)	(M..... 1 F..... 1)

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,726	5,968	5,618	5,204	5,203	4,857	4,993	4,938	4,516	3,042	1,774	707	187	101	1,046	1
2,723	2,525	2,424	2,343	2,467	2,398	2,529	2,641	2,447	1,625	998	389	82	49	534	2
4,003	3,443	3,194	2,861	2,736	2,459	2,464	2,297	2,069	1,417	776	318	105	52	512	3
11	8	11	19	21	18	28	28	18	19	8	1			3	} 4
19	20	31	22	27	14	20	15	20	13	5	2			5	
49	47	57	63	61	74	100	129	135	95	45	17	6	1	9	} 5
31	33	34	35	60	83	67	55	43	19	18	6	1	1	2	
50	67	66	89	90	114	128	150	174	128	87	34	6	8	13	} 6
40	68	54	67	91	91	117	135	141	110	54	29	8	5	10	
53	42	40	46	51	45	51	47	33	21	13	1	2	1	14	} 7
69	55	47	42	50	44	40	34	38	25	11	7	1	2	13	
13	9	5	6	1	1	1	4	3	2					3	} 8
12	4	5	3	2	2	4	1							1	
12	17	19	14	12	22	6	11	7	1	1					} 9
20	12	7	9	8	9	8	3	5	4	1	2			2	
2,310	2,073	1,795	1,528	1,459	1,270	1,048	974	772	446	198	68	18	9	352	} 10
3,301	2,569	2,088	1,531	1,266	987	890	827	670	408	182	58	14	8	312	
102	141	245	361	439	528	701	718	667	439	264	110	21	8	60	} 11
238	399	587	788	843	839	815	748	619	441	242	105	38	11	76	
28	23	43	26	43	41	58	52	41	30	14	4	1	1	6	} 12
65	73	119	108	94	99	114	86	81	46	13	6	1	1	13	
89	94	132	184	284	279	405	521	592	441	364	153	28	21	73	} 13
206	209	219	249	291	284	386	386	447	351	249	102	42	24	77	
6	4	11	7	6	6	3	7	5	3	4	1			1	} 14
2	1	3	7	4	7	3	7	5		1	1			1	
1,215	1,363	1,630	1,856	2,212	2,449	2,957	3,766	4,166	3,553	2,343	971	239	79	498	15
643	775	914	1,020	1,224	1,397	1,653	2,230	2,339	1,970	1,325	526	115	32	313	16
572	588	716	836	988	1,052	1,304	1,536	1,827	1,583	1,018	445	124	47	185	17
53	48	43	55	44	46	30	41	34	23	14	12	2		16	} 18
37	36	32	32	25	24	27	23	18	21	12	6	3	1	2	
102	110	76	61	67	45	27	32	34	21	11		2		29	} 19
75	56	67	49	33	33	35	12	19	18	9	3		2	9	
73	119	174	250	329	414	518	666	658	501	332	137	27	5	56	} 20
75	89	136	208	263	274	336	395	470	359	219	81	25	8	27	
82	141	193	250	358	486	682	1,045	1,208	1,086	762	374	69	20	78	} 21
79	110	193	241	374	462	645	815	1,012	986	632	309	79	29	54	
43	66	89	86	67	46	38	29	26	8	5	5			16	} 22
16	12	19	19	15	12	18	17	17	13	3	3	1		5	
21	12	11	11	10	12	14	7	5	3					4	} 23
9	7	8	2	6	7	1	2	3	1	1	1		1		
	2	2	2	2	2	1	2	1	1	1	1			1	} 24
		4	4			1		1	1	1	1				
82	61	59	50	41	41	40	33	28	27	16	4		1	20	} 25
57	59	33	36	27	25	18	16	27	13	8	3	2	3	19	
13	11	8	7	11	8	1	1	4	1	3			1	19	} 26
29	22	13	9	6	3	3	6	5	3	6				20	
40	68	77	70	86	81	71	80	78	78	45	11	4		31	} 27
56	69	78	67	65	46	43	48	46	36	28	6	4		20	
108	105	132	121	139	134	142	165	168	143	88	26	4	2	34	} 28
77	58	73	83	98	82	79	107	105	73	58	12	7	1	17	
5	9	14	17	22	24	20	25	12	11	6	1			1	} 29
10	8	9	16	10	11	14	10	10	5	5	1	1		3	
7	11	12	13	18	12	23	30	14	6	6				4	} 30
2	5	4	3	5	9	9	3	4		1			1	1	
14	14	24	27	30	46	46	76	69	61	36	15	7	3	4	} 31
50	55	51	67	61	64	75	80	90	54	35	20	2	1	8	
1,061	1,280	1,426	1,518	2,089	2,345	3,156	3,736	3,776	3,043	1,793	711	191	71	353	32
437	550	618	801	1,152	1,362	1,831	2,243	2,305	1,872	1,071	395	109	31	215	33
624	730	808	717	937	983	1,325	1,493	1,471	1,171	722	316	82	40	138	34
4	9	5	4	10	10	7	15	10	11	3	3	2		1	} 35
2	3	5	5	5	6	4	8	3	1	5	1			1	
412	514	575	752	1,068	1,277	1,725	2,067	2,184	1,762	1,013	376	102	28	203	} 36
581	696	760	676	892	924	1,258	1,414	1,396	1,112	686	306	82	39	131	
9	18	21	27	47	53	64	113	65	55	29	6	1		5	} 37
19	15	25	28	27	33	49	53	58	33	15	2			2	
	1	2	2	7	6	16	20	28	34	20	10	4	3	3	} 38
1		1		1	5	1	5	5	15	10	4			3	
10	8	11	12	18	12	17	18	10	7	2			1	3	} 39
15	7	10	7	9	9	8	5	7	7	2	3			1	
2		4	2	1	4	1	8	8	1	2					} 40
6	8	7	1	3	6	4	6	1	3	2					
			2	1		1	2		2	2					} 41
	1					1	2	1		2					

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	73,531	16,675	6,364	3,348	1,967	1,246	29,600	2,971	1,709	2,726	3,004	2,424
2	Males	40,800	9,322	3,398	1,788	1,010	642	16,190	1,515	861	1,538	1,762	1,345
3	Females	32,731	7,353	2,966	1,560	927	604	13,410	1,456	848	1,188	1,242	1,079
4	Croup	(M. 5,281 F. 4,373)	(M. 2,730 F. 2,282)	(M. 778 F. 592)	(M. 571 F. 471)	(M. 424 F. 318)	(M. 269 F. 221)	(M. 4,772 F. 3,914)	(M. 437 F. 365)	(M. 42 F. 35)	(M. 6 F. 8)	(M. 4 F. 9)	(M. 3 F. 3)
5	Pneumonia	(M. 28,442 F. 22,233)	(M. 4,960 F. 3,730)	(M. 2,069 F. 1,850)	(M. 998 F. 887)	(M. 505 F. 470)	(M. 307 F. 291)	(M. 8,839 F. 7,228)	(M. 894 F. 887)	(M. 703 F. 698)	(M. 1,391 F. 1,019)	(M. 1,606 F. 1,024)	(M. 1,175 F. 921)
6	Laryngitis	(M. 143 F. 120)	(M. 27 F. 20)	(M. 9 F. 16)	(M. 10 F. 7)	(M. 9 F. 9)	(M. 10 F. 6)	(M. 65 F. 58)	(M. 18 F. 20)	(M. 7 F. 6)	(M. 4 F. 5)	(M. 2 F. 4)	(M. 5 F. 3)
7	Bronchitis	(M. 3,187 F. 3,133)	(M. 1,095 F. 938)	(M. 407 F. 398)	(M. 147 F. 136)	(M. 67 F. 67)	(M. 41 F. 56)	(M. 1,757 F. 1,595)	(M. 83 F. 110)	(M. 28 F. 49)	(M. 35 F. 51)	(M. 51 F. 63)	(M. 50 F. 46)
8	Pleurisy	(M. 786 F. 606)	(M. 24 F. 19)	(M. 12 F. 12)	(M. 16 F. 9)	(M. 8 F. 5)	(M. 3 F. 3)	(M. 63 F. 48)	(M. 20 F. 18)	(M. 26 F. 16)	(M. 21 F. 23)	(M. 27 F. 31)	(M. 41 F. 33)
9	Asthma	(M. 1,029 F. 745)	(M. 30 F. 19)	(M. 12 F. 9)	(M. 8 F. 6)	(M. 2 F. 6)	(M. 3 F. 3)	(M. 55 F. 43)	(M. 7 F. 6)	(M. 6 F. 5)	(M. 8 F. 8)	(M. 3 F. 15)	(M. 10 F. 18)
10	Others of this class	(M. 1,932 F. 1,521)	(M. 456 F. 345)	(M. 111 F. 89)	(M. 38 F. 44)	(M. 25 F. 22)	(M. 9 F. 24)	(M. 639 F. 524)	(M. 56 F. 50)	(M. 49 F. 39)	(M. 73 F. 74)	(M. 69 F. 96)	(M. 61 F. 55)
11	5. Diseases of the digestive system	31,850	6,505	2,677	914	518	376	10,990	1,359	1,104	1,226	1,382	1,233
12	Males	16,998	3,584	1,409	458	267	193	5,911	722	604	640	688	572
13	Females	14,852	2,921	1,268	456	251	183	5,079	637	500	586	694	661
14	Dentition	(M. 977 F. 911)	(M. 390 F. 365)	(M. 514 F. 462)	(M. 56 F. 75)	(M. 14 F. 8)	(M. 1 F. 1)	(M. 975 F. 911)					
15	Angina	(M. 500 F. 525)	(M. 118 F. 86)	(M. 52 F. 55)	(M. 51 F. 46)	(M. 39 F. 39)	(M. 35 F. 36)	(M. 295 F. 262)	(M. 67 F. 101)	(M. 24 F. 37)	(M. 12 F. 24)	(M. 13 F. 7)	(M. 10 F. 13)
16	Gastritis	(M. 2,060 F. 2,027)	(M. 295 F. 260)	(M. 145 F. 145)	(M. 58 F. 62)	(M. 30 F. 28)	(M. 25 F. 19)	(M. 553 F. 514)	(M. 84 F. 74)	(M. 26 F. 39)	(M. 27 F. 58)	(M. 58 F. 78)	(M. 42 F. 112)
17	Diseases of the stomach	(M. 1,876 F. 1,778)	(M. 343 F. 299)	(M. 139 F. 120)	(M. 61 F. 63)	(M. 37 F. 36)	(M. 33 F. 33)	(M. 613 F. 551)	(M. 99 F. 100)	(M. 59 F. 58)	(M. 45 F. 61)	(M. 50 F. 77)	(M. 53 F. 81)
18	Obstruction of the bowels	(M. 764 F. 643)	(M. 122 F. 72)	(M. 21 F. 19)	(M. 24 F. 12)	(M. 15 F. 23)	(M. 6 F. 7)	(M. 188 F. 133)	(M. 42 F. 23)	(M. 37 F. 24)	(M. 53 F. 28)	(M. 38 F. 29)	(M. 33 F. 30)
19	Appendicitis	(M. 1,491 F. 762)	(M. 13 F. 7)	(M. 5 F. 8)	(M. 9 F. 6)	(M. 13 F. 6)	(M. 14 F. 8)	(M. 54 F. 35)	(M. 105 F. 86)	(M. 203 F. 138)	(M. 222 F. 124)	(M. 213 F. 84)	(M. 159 F. 56)
20	Hernia	(M. 587 F. 321)	(M. 63 F. 27)	(M. 11 F. 4)	(M. 4 F. 2)	(M. 5 F. 1)	(M. 1 F. 1)	(M. 84 F. 35)	(M. 8 F. 2)	(M. 6 F. 3)	(M. 15 F. 3)	(M. 19 F. 1)	(M. 14 F. 3)
21	Other diseases of the bowels	(M. 1,430 F. 1,137)	(M. 405 F. 314)	(M. 187 F. 144)	(M. 63 F. 52)	(M. 29 F. 29)	(M. 14 F. 9)	(M. 698 F. 548)	(M. 56 F. 43)	(M. 35 F. 34)	(M. 45 F. 32)	(M. 50 F. 33)	(M. 29 F. 38)
22	Jaundice	(M. 832 F. 667)	(M. 383 F. 257)	(M. 25 F. 11)	(M. 7 F. 11)	(M. 4 F. 5)	(M. 3 F. 5)	(M. 422 F. 289)	(M. 33 F. 22)	(M. 14 F. 15)	(M. 32 F. 23)	(M. 27 F. 34)	(M. 27 F. 26)
23	Inflammation and abscess of the liver	(M. 871 F. 772)	(M. 54 F. 45)	(M. 15 F. 26)	(M. 16 F. 16)	(M. 5 F. 8)	(M. 6 F. 9)	(M. 96 F. 104)	(M. 26 F. 13)	(M. 21 F. 12)	(M. 20 F. 26)	(M. 43 F. 43)	(M. 45 F. 32)
24	Other diseases of the liver	(M. 1,544 F. 1,019)	(M. 119 F. 94)	(M. 30 F. 20)	(M. 21 F. 14)	(M. 14 F. 6)	(M. 10 F. 5)	(M. 194 F. 139)	(M. 31 F. 23)	(M. 22 F. 16)	(M. 22 F. 14)	(M. 33 F. 25)	(M. 36 F. 25)
25	Peritonitis	(M. 1,007 F. 1,466)	(M. 67 F. 67)	(M. 31 F. 24)	(M. 13 F. 19)	(M. 15 F. 17)	(M. 13 F. 13)	(M. 139 F. 140)	(M. 84 F. 66)	(M. 86 F. 78)	(M. 104 F. 145)	(M. 90 F. 209)	(M. 64 F. 192)
26	Ascites	(M. 537 F. 556)	(M. 14 F. 13)	(M. 14 F. 10)	(M. 10 F. 7)	(M. 6 F. 7)	(M. 11 F. 4)	(M. 55 F. 41)	(M. 16 F. 20)	(M. 22 F. 18)	(M. 6 F. 22)	(M. 19 F. 29)	(M. 14 F. 17)
27	Others of this class	(M. 2,522 F. 2,268)	(M. 1,198 F. 1,015)	(M. 220 F. 220)	(M. 65 F. 71)	(M. 41 F. 38)	(M. 21 F. 33)	(M. 1,545 F. 1,377)	(M. 71 F. 66)	(M. 49 F. 29)	(M. 37 F. 26)	(M. 35 F. 45)	(M. 46 F. 36)
28	6. Diseases of the urinary system and male organs of generation	15,494	371	134	100	73	57	735	227	258	345	528	520
29	Males	10,710	222	77	56	44	30	429	128	122	159	255	243
30	Females	4,784	149	57	44	29	27	306	99	136	186	273	277
31	Bright's disease	(M. 6,612 F. 3,282)							(M. 71 F. 58)	(M. 77 F. 96)	(M. 103 F. 119)	(M. 166 F. 188)	(M. 178 F. 191)
32	Calculus, urinary	(M. 241 F. 51)	(M. 10 F. 5)	(M. 2 F. 2)	(M. 2 F. 2)	(M. 1 F. 3)	(M. 1 F. 1)	(M. 16 F. 10)	(M. 9 F. 2)	(M. 2 F. 2)	(M. 3 F. 3)	(M. 6 F. 1)	(M. 1 F. 1)
33	Diseases of the kidney	(M. 1,872 F. 834)	(M. 150 F. 105)	(M. 66 F. 49)	(M. 49 F. 38)	(M. 37 F. 25)	(M. 25 F. 24)	(M. 327 F. 241)	(M. 30 F. 27)	(M. 24 F. 20)	(M. 30 F. 28)	(M. 39 F. 36)	(M. 28 F. 31)
34	Diseases of the bladder	(M. 895 F. 112)	(M. 8 F. 13)	(M. 5 F. 5)		(M. 1 F. 1)	(M. 2 F. 1)	(M. 16 F. 14)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 2 F. 4)	(M. 18 F. 3)	(M. 6 F. 5)
35	Others of this class	(M. 1,090 F. 505)	(M. 54 F. 26)	(M. 4 F. 8)	(M. 5 F. 4)	(M. 5 F. 1)	(M. 2 F. 1)	(M. 70 F. 41)	(M. 17 F. 13)	(M. 18 F. 20)	(M. 22 F. 35)	(M. 29 F. 43)	(M. 25 F. 49)
36	7. Diseases of the female organs of generation	1,441	5	1			1	7	1	26	106	140	152
37	Ovarian tumors	194		1				1	1		5	13	11
38	Ovarian diseases	45	1					1		1	3	5	6
39	Diseases of the tubes	44	1					1			4	7	8
40	Uterine tumors	178									2	9	9
41	Uterine diseases	289								3	19	35	39
42	Others of this class	691	3				1	4		22	73	71	79

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,265	2,403	2,525	2,540	2,688	2,602	3,095	3,280	3,392	2,807	1,790	815	213	101	581	1
1,230	1,351	1,499	1,565	1,649	1,546	1,755	1,832	1,812	1,496	933	418	82	49	372	2
1,035	1,052	1,026	975	1,039	1,056	1,340	1,448	1,580	1,311	857	397	131	52	209	3
1	2			1		1		2		1	1		1	7	4
6	2	3	3	4	2	4	4		1	3				7	
1,091	1,200	1,325	1,319	1,363	1,199	1,348	1,347	1,284	1,038	635	290	57	35	303	5
879	876	862	807	847	837	1,030	1,093	1,118	935	618	284	87	28	155	
4	1	5	5	3	5	5	3	2	3	2	2			2	6
5	1	3			1	2	1	4	2	2	1			2	
34	37	40	61	82	94	96	155	176	185	128	58	14	5	18	7
43	39	50	56	66	82	104	149	209	196	114	67	19	11	14	
32	28	33	33	42	48	72	74	84	73	37	18	3	2	9	8
16	30	26	30	32	32	43	53	69	44	33	12	10	2	5	
15	12	28	49	73	97	119	133	166	116	74	28	5	5	15	9
15	30	26	33	42	47	88	80	104	75	56	21	10	10	13	
53	71	68	98	85	103	114	115	98	81	56	21	3	1	18	10
71	74	56	46	48	55	69	68	76	58	31	12	5	1	13	
1,048	1,126	1,177	1,196	1,343	1,455	1,576	1,692	1,535	1,171	683	274	61	25	194	11
487	517	604	647	743	813	898	926	854	665	395	146	31	17	113	12
561	609	573	549	595	642	678	766	681	506	288	128	30	8	81	13
														2	14
12	8	7	6	6	4	6	11	9	5	3		1		1	
11	7	4	10	8	12	2	7	7	2	7	2			2	15
54	52	77	97	129	134	163	155	170	134	67	18	5	4	11	
76	80	80	78	98	113	131	159	130	105	59	29	5	1	8	16
36	47	77	68	86	103	111	133	114	96	56	18	2	3	7	
47	79	67	54	68	84	92	108	108	74	39	16	6		8	17
20	28	30	31	33	31	45	39	51	34	16	7	2		6	
22	26	43	28	35	39	45	40	40	31	14	6	3		4	18
88	89	79	65	43	36	43	31	26	20	8	1			6	
45	37	35	29	23	22	16	10	9	8	2				3	19
16	19	20	23	24	44	47	57	53	60	41	18	4	3	12	
11	13	22	34	38	34	24	34	32	18	5	9			3	20
33	38	29	28	43	57	46	53	61	55	40	22	5		7	
37	35	24	30	29	31	37	41	44	40	29	12	5	5	10	21
22	22	18	19	30	41	21	26	29	24	16	7	1		1	
19	21	19	14	28	28	26	35	23	16	7	7	2		4	22
49	43	56	63	72	68	78	56	50	41	23	7	1	2	11	
40	48	44	63	45	46	65	69	54	38	20	7			3	23
60	80	83	108	125	150	151	185	126	79	33	7	2		17	
33	47	45	64	77	97	107	99	104	57	32	10			5	24
50	46	44	53	40	36	43	30	41	24	10	5			12	
156	145	99	50	36	33	21	36	19	14	5	6			16	25
11	6	29	23	31	39	47	58	51	48	31	19	3	3	6	
21	27	26	23	35	37	36	43	58	48	29	13	1	1	6	26
36	39	55	63	86	70	97	92	73	45	45	17	5	2	14	
43	44	65	67	75	66	76	85	53	55	31	11	8	1	9	27
546	631	681	755	982	1,093	1,429	1,753	1,923	1,587	863	372	74	27	160	
271	316	393	464	633	775	1,067	1,352	1,568	1,301	728	313	59	21	108	29
275	315	288	291	344	318	362	406	355	286	135	59	15	6	52	30
182	246	302	353	481	564	740	880	958	727	356	134	20	6	68	31
201	213	216	230	283	256	282	310	261	204	85	40	8	4	37	
3	3	3	7	4	13	25	42	38	23	23	9	7	1	2	32
1	2	5	4	3	3	2	4	5	4	3			1	2	
49	29	50	57	75	95	145	187	219	241	150	59	18	4	16	33
34	38	32	34	37	31	39	59	51	48	27	10	5	1	5	
9	12	12	20	25	43	75	112	200	157	100	67	4	4	11	34
2	8	3	5	4	9	8	8	13	14	7	2	2			
23	26	26	27	53	60	82	131	153	153	99	44	10	6	11	35
37	54	32	18	17	19	31	25	25	16	13	7			10	
138	167	167	172	103	67	65	52	29	22	5	4	1	1	16	36
19	24	20	24	19	13	13	13	6	7	1	1			3	37
7	5	4	4		6	2	1								38
9	8	3	1	1	1			1							39
10	21	29	24	19	16	16	14	5	1		1			2	40
33	47	20	16	14	8	18	8	8	7	4		1		9	41
60	62	91	103	50	23	16	16	9	7		2		1	2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	5,927								27	782	1,372	1,221
2	Abortion	320								1	36	65	77
3	Childbirth	3,531								21	466	768	662
4	Puerperal septicemia	1,588								3	185	410	382
5	Extra-uterine pregnancy	48										5	17
6	Others of this class	440								2	95	124	83
7	9. Diseases of the bones and joints	1,971	548	176	109	45	56	934	142	119	110	79	68
8	Males	1,117	293	99	61	23	31	507	87	79	60	44	43
9	Females	854	255	77	48	22	25	427	55	40	50	35	25
10	Diseases of the spine	766	262	83	59	21	23	448	61	43	33	20	18
		664	235	74	40	20	19	388	39	23	34	24	13
11	Abscess, lumbar and psoas	27	1	1				2	1	1		4	3
		11			1			1			1	1	2
12	Diseases of the bones	186	20	12	1		5	38	11	20	15	13	13
		84	8	2	2	2	4	18	7	10	8	5	2
13	Diseases of the hip-joint	59	3			1	2	6	9	11	5	3	7
		40	5	1	2		1	9	4	5	2	3	6
14	Others of this class	79	7	3	1	1	1	13	5	4	7	4	2
		55	7		3		1	11	5	2	5	2	2
15	10. Diseases of the skin	1,238	320	87	26	16	11	460	30	34	38	36	47
16	Males	692	180	46	16	8	8	258	14	18	16	19	21
17	Females	546	140	41	10	8	3	202	16	16	22	17	26
18	Abscess	308	56	16	4	3	6	85	10	13	12	14	14
		267	51	9	3	3	1	67	13	10	13	15	18
19	Carbuncle	108	6	1				7	1	4	1	3	5
		53	3		2			5		1			4
20	Others of this class	276	118	29	12	5	2	166	3	1	3	2	2
		226	86	32	5	5	2	130	3	5	9	2	4
21	11. Diseases of the absorbent system	337	23	9	8	3	5	48	18	13	14	23	20
22	Males	192	18	5	4	3	2	32	11	10	8	8	12
23	Females	145	5	4	4		3	16	7	3	6	15	8
24	Addison's disease	33							1		2	3	4
		24								1	1	4	1
25	Diseases of the spleen	69	4	3		3	1	11	3	3	4	3	4
		48	2	1	1		2	6	2	1	1	5	2
26	Others of this class	90	14	2	4		1	21	7	7	2	2	4
		73	3	3	3		1	10	5	1	4	6	5
27	12. Accidents and injuries	29,864	2,360	930	885	846	573	5,594	1,792	1,642	2,532	3,009	2,497
28	Males	22,347	1,298	522	507	432	265	3,024	980	1,238	2,026	2,534	2,158
29	Females	7,517	1,062	408	378	414	308	2,570	812	404	506	475	339
30	Burns and scalds	1,675	138	269	317	279	123	1,126	157	47	34	42	32
		2,552	97	206	262	311	235	1,111	517	160	134	117	64
31	Drowning	1,866	13	83	66	33	30	225	192	262	291	232	157
		369	5	54	30	15	10	114	46	33	53	21	20
32	Exposure and neglect	342	180	24	8	2	5	219	2	7	7	4	6
		329	195	17	11	8	7	238	8	2	14	12	9
33	Gunshot wounds	2,606	5	9	13	13	17	57	96	226	421	446	360
		351	7	7	6	7	5	32	41	50	69	55	32
34	Homicide	1,034			3	1	3	7	14	25	80	168	164
		162			5	1	1	7	6	4	25	33	20
35	Infanticide	11	11					11					
		12	12					12					
36	Injuries by machinery	213				1		1	7	10	34	36	22
		8			1			1	3		2		1
37	Railroad accidents	2,933	7	3	11	1	4	26	71	121	291	494	401
		205		3	2	6	1	12	18	17	17	23	11
38	Suffocation	707	490	23	10	3	4	530	9	14	14	19	15
		522	401	30	10	7	5	453	9	8	5	4	6
39	Suicide by shooting	426								3	13	64	36
		50								1	7	16	5
40	Suicide by drowning	45									1	3	2
		32									4	5	5
41	Suicide by poison	210								3	9	28	21
		100								2	23	19	9
42	Other suicides	1,002							1	7	35	64	81
		233								3	28	32	30
43	Sunstroke	237	6	5		2	2	15	5	7	7	16	14
		52	6	1	1	3	2	13	2	6	2	3	2
44	Surgical operations	112	9	3	2		2	16	4	2	7	7	9
		178	4			1	1	6	3	2	7	25	27
45	Wounds	286	3	3	1	8		15	14	8	28	41	22
		28	9	1	1	1		12	3			1	1
46	Others of this class	8,642	436	100	76	89	75	776	408	496	754	870	816
		2,334	326	89	49	54	41	559	156	115	116	109	97

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
955	902	480	93	13	8	3	2	1	2					66	1
62	48	22	2	1										6	2
580	578	329	63	9	7	3	1	1						43	3
260	216	100	18	3			1		2					8	4
13	9	2			1									1	5
40	51	27	10											8	6
50	66	42	59	48	47	59	46	46	31	11	9	1	1	3	7
19	41	28	30	25	22	40	29	26	20	7	6	1	1	2	8
31	25	14	29	23	25	19	17	20	11	4	3			1	9
7	21	16	14	12	11	18	13	10	11	5	4			1	10
18	20	8	21	11	19	14	10	9	9	1	2			1	11
3	5		1	1		2	1	1	1					1	12
7	8		1	3	1										13
6	2	6	7	7	6	12	10	6	4	2	1				14
		4	2	7	1	3	3	4	1	1					15
4	5	3	4	1	1	1	1	1	1	1					16
2	2		2	4	4	7	4	8	3		1	1	1		17
3	2	1	3	1	4	2	3	6	1	1	1				18
34	46	42	46	62	54	54	68	64	42	47	15	3	4	12	19
14	25	20	27	39	32	29	47	42	27	26	8	2		8	20
20	21	22	19	23	22	25	21	22	15	21	7	1	4	4	21
11	15	14	13	26	15	9	17	16	8	9	3	1		3	22
11	17	13	10	9	11	15	14	9	7	9	3			3	23
1	5	4	7	7	13	12	12	13	5	7				1	24
1	3	6	4	6	3	6	1	5	1	5			1	1	25
2	5	2	7	6	4	8	18	13	14	10	5	1		4	26
8	1	3	5	8	8	4	6	8	7	7	4	1	3		27
24	26	22	22	27	22	20	13	13	5	5				2	28
13	11	11	16	11	11	15	10	6	4	2				1	29
11	15	11	6	16	11	5	3	7	1	3				1	30
3	2	4	5	3	3	1			1					1	31
2	3	2	2	5	2					1					32
4	5	4	5	3	3	9	5	2	1						33
4	7	5		4	5	1	2	2		1					34
6	4	3	6	5	5	5	5	4	2	2				1	35
5	5	4	4	7	4	4	1	5	1	1					36
1,984	1,834	1,516	1,285	1,176	894	870	713	604	549	442	207	84	38	602	37
1,712	1,568	1,299	1,134	1,016	742	718	547	414	346	230	94	37	13	517	38
272	266	217	151	160	152	152	166	190	203	212	113	47	25	85	39
34	25	20	19	20	13	12	10	12	14	22	8	3	5	20	40
64	48	30	24	32	25	33	30	35	41	38	13	8	9	19	41
88	79	74	46	41	39	32	26	17	11	3	1	2	1	47	42
17	10	7	7	6	6	7	6	3	8	1				4	43
6	5	4	11	7	6	11	12	6	8	7	5	3		6	44
4	7	3		2	6	1	6	4	6	2	1	2		2	45
239	216	140	127	74	50	50	16	9	6	5	2	1		65	46
14	17	8	7	7	8	1	2				1			7	47
122	120	85	60	62	33	32	10	14	4	2	1			31	48
10	15	11	9	3	2		2	2	3	3				7	49
24	23	15	12	14	4	3	4	1	2					1	50
344	230	180	157	161	84	103	56	43	40	28	5		2	96	51
8	10	16	9	14	7	9	10	9	5	3			1	6	52
14	13	16	7	6	8	8	7	4	9	2	1	1		10	53
3	4	4	2	2	1	3	2	2	5	2				7	54
36	56	54	36	38	24	19	12	14	7	1	1			12	55
3	5	4	6		2										56
3	3	3	1	6	4	6	4	1	5	2				1	57
2	4	2		3	2	2	1								58
26	13	29	25	22	6	15	5	4	1	1	1			1	59
13	5	9	4	3	4	4	2	1						2	60
95	96	106	105	87	76	75	65	39	27	13	2	1		27	61
24	20	19	11	17	16	9	12	4	1	2	1	1		3	62
18	16	14	15	22	15	15	19	19	7	2	2	3	1	5	63
2	2	4	3	4		2	2	2	2					1	64
1	9	7	3	4	10	7	10	6	1	4				5	65
21	29	19	10	11	4	7	1	1	1		1			3	66
21	19	18	15	17	13	14	10	9	6	1	2			13	67
2						1	2	2			1	1		1	68
641	645	534	495	435	357	316	281	216	198	187	63	23	4	177	69
85	89	81	58	56	69	73	88	124	131	161	94	35	15	23	70

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	15,422	3,101	569	280	175	137	4,262	369	213	348	539	604
2	Males.....	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
3	Females.....	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
4	Unknown cause.....	54	23		1			24	1			3	1
5	Males.....	31	13		1			14	1			1	1
6	Females.....	23	10					10				2	
7	1. General diseases.												
7	General diseases--A.....	3,138	1,050	233	112	77	68	1,540	164	45	58	79	7
8	Males.....	1,525	547	109	56	44	32	788	76	23	26	43	38
9	Females.....	1,613	503	124	56	33	36	752	88	22	32	36	36
10	Measles.....(M)	79	20	16	12	3	5	56	7	1		4	2
	(F)	82	23	17	6	6	5	57	12	1	2	1	1
11	Scarlet fever.....(M)	30		1	5	7	2	15	10	2	1		1
	(F)	31	1	2	5	1	5	14	14	2	1		
12	Diphtheria.....(M)	121	6	18	17	12	14	67	35	9	2	3	2
	(F)	132	13	15	14	13	13	73	40	10	4	1	
13	Whooping cough.....(M)	45	30	8	2	2		42	2				
	(F)	74	38	18	8	2	3	69	1				1
14	Malarial fever.....(M)	45	1	4	1	4	3	13		2	3	1	1
	(F)	65	4	4	1	1	2	12	3		1	2	3
15	Influenza.....(M)	281	24	6	1	1	1	33	3	1	4	7	4
	(F)	363	15	7	3		2	27	2	4	5	5	10
16	Typhoid fever.....(M)	140	3		1	2	2	8	5	1	11	22	23
	(F)	109	1		2	2	1	6	6	2	13	20	9
17	Cholera morbus.....(M)	18	4			1		5				1	1
	(F)	21	4				2	6	1			1	1
18	Colitis.....(M)	5	3				1	4					
	(F)	17	6	1				7	1				
19	Diarrhea.....(M)	51	48	6				54	3				
	(F)	95	49	8	1			58					1
20	Dysentery.....(M)	80	14	1	4	5	2	26	4	2	1		
	(F)	86	11	7	2	1		21	2	1	1	1	1
21	Enteritis.....(M)	193	133	15	3	3		154	4	2	1	2	1
	(F)	175	101	16	5	1		123	3	1	3		1
22	Cholera infantum.....(M)	258	223	25	6	3		257					
	(F)	243	213	22	6		2	243					
23	Fever.....(M)	2											
	(F)	1											
24	Cerebro-spinal fever.....(M)	33	14	6	4		1	25	1	1	2	1	
	(F)	34	12	5	3	1	1	22	3				
25	Smallpox.....(M)												
	(F)												
26	Erysipelas.....(M)	26	8	2				10					1
	(F)	19	5	1				6		1		1	
27	Septicemia.....(M)	43	7			1	1	9	1	2	1	2	2
	(F)	27	1					1			1	4	8
28	Venereal diseases.....(M)	16	8					8					
	(F)	8	5	1				6			1		
29	Others of this group.....(M)	29	1	1				2					
	(F)	31	1					1					
30	General diseases--B.....	214	77	8	3	3	1	92		1	1	5	7
31	Males.....	142	46	6	2	1		55		1		2	4
32	Females.....	72	31	2	1	2	1	37			1	3	3
33	Alcoholism.....(M)	53										2	3
	(F)	15										1	1
34	Parasitic diseases.....(M)	1				1							
	(F)	1						1					
35	Lead poison.....(M)	3											
	(F)												
36	Other poisons.....(M)	36	4	4	1			9		1			1
	(F)	15			1	1		2			1	2	2
37	Inanition.....(M)	49	42	2	1	1		46					
	(F)	38	31	2			1	34					
38	General diseases--C.....	1,116	685	8	2			695	1	1			1
39	Males.....	596	408	5				413	1	1			
40	Females.....	520	277	3	2			282					1
41	Old age.....(M)	161											
	(F)	203											
42	Premature birth.....(M)	232	232					232					
	(F)	168	168					168					
43	Malformation.....(M)	36	36					36					
	(F)	22	22					22					
44	Debility and atrophy.....(M)	132	106	5				111	1	1			
	(F)	112	72	3	2			77					1
45	Others of this group.....(M)	35	34					34					
	(F)	15	15					15					

293

CONNECTICUT.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
606	638	554	600	704	754	844	938	995	915	767	428	172	47	120	1
312 294	368 275	296 258	319 281	375 329	377 377	400 444	480 458	483 512	461 454	352 415	186 242	62 110	10 37	63 57	2 3
	2	2	1	3		4	4	3	2	1				3	4
	1 1	1 1	1	1 2		2 2	2 2	2 1	1 1	1				3	5 6
85	66	62	54	73	76	90	130	152	145	128	67	32	8	10	7
39 46	34 32	26 36	32 22	42 31	36 40	38 52	60 70	69 83	63 82	49 79	29 38	10 22	1 7	3 7	8 9
3 4 1	2	1	2	1	2	1			1						10
															11
1 1	1 1		1	1	1										12
												1 1		2	13
1 4	3 2	2 3	3 1	3 1	3 4	2	3 6	3 6	5 6	1 5	1 3			2	14
6 10	7 8	12 8	11 7	13 19	13 20	22 23	27 36	41 43	30 49	26 43	13 26	8 13	5		15
20 13	14 11	4 11	13 4	7 1	5 2	2 3	3	1 6	1 1					1 1	16
		1		2	1	2	1	1	3 1						17
1				1	1		2	1		3		2			18
			2			1	3	1			1	1			19
1	1	1		2 1	3	1	7 6	1 3	6 4	3 8	5 5	1	1		20
1 3	2 2	3	3 1	3 2	4 4	5 9	5 8	7 8	6 7	6 10	4	1 2			21
2 3	1	2 2	1	3 4	1	2 6	2 4	3 9	5 8	6 4	1 1		1	1 1	22
														1	23
				1					1		1				24
3	1	2	2	1			1	1 1							25
															26
2		1 2		1	2 2	1 1	3 1	3	2	1 1		1		1	27
1 2 1	5 3	1 3		6 2	3	1	3 1	3 1		3		1			28
		1	2	2	1	1		1							29
1	1	1 1	1		3 1	1 6	5 3	5 3	4 6	3 5	5 1		1		30
13	20	14	13	16	8	5	4	3	3	2	1				31
10 3 9 2	16 4 12 2	9 5 7 3	11 2 5 1	12 4 8 2	6 2 2 1	4 1 1	3 1 1	2 1 1	2 1 1	1 1 1	1			4 2 1	32 33
				1											34
	1		1						1						35
1 1	3 2	2 2	5 1	3 2	3 1	3	2 1	2		1				1	36
					1					1				1 1	37
4	2	3	2	1	2	11	20	45	59	98	95	50	23	3	38
2 2	2	3	1 1	1 1	1 1	3 8	7 13	22 23	26 33	49 49	44 51	16 34	4 19	1 2	39 40
						2 6	6 8	19 16	24 29	48 44	43 48	14 32	4 18	1 2	41
															42
															43
2 2	2	3	1 1	1 1	1 1	1 2	1 5	3 7	1 4	1 5	1 3	2 2	1		44
									1						45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases--Continued.												
2	General diseases--D	2,520	92	45	19	12	5	173	34	35	117	212	258
3	Males	1,206	51	24	7	7	2	91	12	16	52	100	135
4	Females	1,314	41	21	12	5	3	82	22	19	65	112	123
5	Anemia	12	1				1	2	2		1		1
6	Diabetes	23	3	1			1	5			2	1	1
7	Rheumatism	74							2	5	3		2
8	Scrofula and tabes	47				1		1	1		1	1	2
9	Hydrocephalus	33		1				1	2	1		1	1
10	Tuberculosis, general	38				1		1					
11	Consumption	15	6	3				9		1			1
12	Cancer	11	3		1			4	1		1		
13	Tumor	41	19	8	4	2		33	1	3	1		
14	Dropsy	41	16	12	5	1	1	34	3		1		
15	Others of this group	8				2		2				1	2
16	Consumption	5	1					1	1				2
17	Cancer	803	19	11	3	2	1	36	5	5	46	96	125
18	Tumor	726	16	6	6	1	1	30	13	18	57	104	114
19	Dropsy	186										1	1
20	Others of this group	369									1	1	2
21	Consumption	12							1			1	1
22	Cancer	33					1	1			1	2	
23	Tumor	12											1
24	Dropsy	8	1	1				1					
25	Others of this group	10	6			1		7					
26	Consumption	13	1	2		1		4	1		1		1
27	2. Diseases of the nervous system	1,958	359	62	28	17	16	482	41	16	22	29	29
28	Males	1,012	206	30	14	7	5	262	20	11	14	14	18
29	Females	946	153	32	14	10	11	220	21	5	8	15	11
30	Inflammation of the brain	13	4	1				5	1	1			
31	Meningitis	10		1	1	1	1	4		1	1		
32	Apoplexy	182	83	23	11	7	4	128	12	1	5	3	9
33	Paralysis	145	66	18	9	6	7	106	17	2	1	4	
34	Paralysis, general (of insane)	413	3					3			2	3	4
35	Tetanus and trismus nascentium	410	3					3	1		1	3	3
36	Chorea	107					1	1	1			1	2
37	Epilepsy	114	1	1				2	1				1
38	Convulsions	4								1			
39	Mental diseases	7											
40	Diseases of the brain	17	2					2	3	6	2		1
41	Diseases of the spinal cord	8	8					8					
42	Locomotor ataxia	2							1		1		
43	Others of this class	2											
44	3. Diseases of the circulatory system	1,293	53	4		1		58	11	17	21	22	24
45	Males	634	25	4				29	2	5	10	11	13
46	Females	659	28			1		29	9	12	11	11	11
47	Pericarditis	4	1					1	1	1			
48	Diseases of the heart	7											
49	Angina pectoris	561	14	4				18	2	4	10	11	12
50	Diseases of the arteries	592	16			1		17	8	11	11	10	10
51	Aneurism	36											1
52	Embolism	24											1
53	Others of this class	11											
54	Consumption	16											
55	Cancer	7											
56	Tumor	5											
57	Dropsy	3											
58	Others of this class	3											
59	Consumption	12	11					11					
60	Cancer	12	11					11					

295 .

CONNECTICUT—Continued.

[illegible]

CAUSE, SEX, AND AGE.

297

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	72	67	82	94	117	123	121	123	119	105	57	22	4	8	1
32	48	47	49	53	51	58	58	42	54	43	18	7		3	2
27	24	20	33	41	66	65	63	81	65	62	39	15	4	5	3
															4
28	40	42	39	37	40	46	45	29	34	17	7	4		2	5
19	22	17	24	29	44	48	44	57	39	36	22	7	3	5	5
	1		1	1	1	1			1						6
1	2	5	3	4	4	4	9	9	11	20	9	3			7
2	1		4	8	10	10	13	17	16	24	11	6	1		8
1	1		2	2	2	2	1	2	2	2	1				9
4		1		1	3	1	1	2	4			1			10
1	1		1	3	1	2	1	2	2	1	1				11
			1	2	3	3	1	3	2	2	2				12
1	4		4	6	6	3	2		5	3					13
2		2	4	1	5	3	4	2	3	2	4	1			14
22	42	36	34	56	55	44	52	48	49	32	16	6	2	4	15
10	20	17	16	23	32	20	21	23	21	9	4	3	2	1	16
12	22	19	18	33	23	24	31	25	28	23	12	3		3	17
															18
1	1	1		1					1						19
1	2	2	3	3	7	4	6	3	2	3	1		1		20
5	5	5	5	8	4	3	7	5	7	10	6	2		1	21
1	1	2	2	1	4	3	3	1	2						22
1	1		2	3	3	3	2	1	3	2	1				23
1	2	1	3	1	3		2	3	3						24
1	1	2	1	1	4		7	5	2	2	2	1			25
1	1	1	2	1	2	2									26
1	2	1	1	2	2	1	3	2	2						27
	1		1	1	3	1	3	1	1	2		1			28
	1			1					1	1					29
	1			2		1	1	1							30
4	3	1	1	2	1	2	1	3	2						31
1	1	2		1	1	3		1	3	4	1				32
1	7	7	5	10	12	7	5	8	6	2	2	1	1		33
1	2	2	5	8	5	8	4	5	2	2	2				34
4	5	7	3	4	3		2	2	3		1			1	35
				2		1		1							36
	1	1	2	3		1		2	2	1	1				37
	2			3		3	5	3	7	3	1				38
32	46	50	64	75	85	85	104	105	87	65	30	6	2	9	39
18	27	28	30	45	41	47	67	60	67	45	19	4		5	40
14	19	22	34	30	44	38	37	45	20	20	11	2	2	4	41
17	26	24	25	38	85	35	54	40	46	25	7	1		4	42
13	17	17	32	28	37	34	33	39	17	17	9	1	1	3	43
		1						2							44
1	1	1		1	2	1	2	3	3	2	2				45
	2	3		2	2	1	2	1	1	1					46
		2	2	3	1	7	7	9	9	13	7	3			47
		1		2	2	3	3	1	1	1	2		1		48
1		1	3	3	3	4	4	8	9	5	3			1	49
		2	2	2	3		2	2	2	1		1		1	50
4	4	7	6	2	2	5	2	2	4						51
1	1	2	2			1		1	1						52
	1														53
	1														54
1	1	1	2	1	1	3	2	1	2						55
		2							1						56
2		2	2	1	1	1	1								57

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	115									7	25	28
2	Abortion	9									2	1	1
3	Childbirth	21									1	6	3
4	Puerperal septicemia	55									3	13	16
5	Extra-uterine pregnancy	3											1
6	Others of this class	27									1	5	7
7	9. Diseases of the bones and joints	40				1		1	1	4	4	1	2
8	Males	24				1		1	1	2	3		2
9	Females	16								2	1	1	
10	Diseases of the spine	4 5								1	1		2
11	Abcess, lumbar and psoas	3											
12	Diseases of the bones	14 2				1		1		2	2	1	
13	Diseases of the hip-joint	2											
14	Others of this class	4 6								1			
15	10. Diseases of the skin	30	7	2	1			10	1		2	2	
16	Males	14	5	1				6			1		
17	Females	16	2	1	1			4	1		1	2	
18	Abcess	8 11	1 2	1 1				2 3			1 1		
19	Carbuncle	1											
20	Others of this class	5 5	4		1			4 1					
21	11. Diseases of the absorbent system	10		1		1		2					
22	Males	5				1		1					
23	Females	5		1				1					
24	Addison's disease	1 3											
25	Diseases of the spleen	2		1				1					
26	Others of this class	4				1		1					
27	12. Accidents and injuries	870	71	9	23	10	13	126	42	38	38	51	51
28	Males	612	38	6	14	3	8	69	21	24	29	40	47
29	Females	258	33	3	9	7	5	57	21	14	9	11	4
30	Burns and scalds	31 49	2 1	4 2	8 5		4 3	18 15		8 4			1 1
31	Drowning	98 27	1 1		2 1		1	4 3	12 6	12 6	8 1	6 1	8 1
32	Exposure and neglect	6 2	2 1	1				3 1				1	
33	Gunshot wounds	18 4				1		2	1	5	6	2	
34	Homicide	3 2								1		1 1	
35	Infanticide												
36	Injuries by machinery												
37	Railroad accidents	116 20	1			1		2	2 3	3	2 3	12 2	17 1
38	Suffocation	24 18	20 13		2 1		1	22 15					
39	Suicide by shooting	12 1											1 1
40	Suicide by drowning	3 4									1		1
41	Suicide by poison	22 15								1	2 1	2 3	1
42	Other suicides	31 7								1		1 1	1
43	Sunstroke	6 2	1 1					1 1					
44	Surgical operations	4 1							1				
45	Wounds	11									1	2	2
46	Others of this class	227 106	11 15	1 1	2 2	2 1	3 1	19 20	5 2	3 2	10 3	14 2	15

CAUSE, SEX, AND AGE.

299

OF DISEASES, BY, SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23	21	7		1										3	1
2	3														2
2	4	4												1	3
13	6	1		1										2	4
	2														5
6	6	2													6
1	2	4	1	4	1	1	2	6		1	3	1			7
1	2	2	1	1		1	1	4			2				8
		2		3	1		1	2		1	1	1			9
				2							1				10
				1	1			1							11
1	1	2		1				3			1				12
			1			1		1							13
	1						1	1			1				14
		2					1			1		1			15
1	1	1	2	2	1	2		2		2	1				16
	1		1	1	1	1		1		1					17
1	1			1	1			1		1	1				18
			1	1		1		1							19
			1												20
1		1				1				1	1				21
2		2		1		3									22
1		1		1		2									23
1				1											24
		1				2									25
1						1									26
1		1													27
77	72	44	46	35	34	41	41	38	20	18	19	7	1	31	28
62	61	37	35	29	27	27	29	23	12	5	5	4		26	29
15	11	7	11	6	7	14	12	15	8	13	14	3	1	5	30
	1	2		1	2	1	2	2			1				31
4	3	2	4			2		1		2	2			1	32
5	9	10	8	2	4	1	2	2						5	33
1	1		1	1	1	2								2	34
1	1	1													35
						1									36
1	1			1			1								37
	1														38
	1	1													39
															40
															41
															42
															43
															44
															45
															46
16	15	3	6	6	7	4	4	2	3					12	47
3		1	1	1	1	2	2							1	48
	1														49
1	3	2	1	1	1		1			1					50
															51
	1						1								52
	1	1	1												53
4	1	1		2	1		2	2	1					3	54
2		2	2		2		1							1	55
6	4	2	5	2	1	1	3	4							56
	1				1	2		1	1	1					57
					3										58
															59
	1				1			1							60
1															61
2	1		1			2									62
26	20	15	14	11	10	18	12	10	8	4	4	4		5	63
4	4	1	1	4	2	5	9	12	7	11	12	3	1	1	64

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	9,725	1,943	357	170	102	85	2,657	220	137	204	330	394
2	Males.....	5,021	1,092	190	94	57	39	1,472	115	78	107	155	224
3	Females.....	4,704	851	167	76	45	46	1,185	105	59	97	175	170
4	Unknown cause.....	22	9		1			10	1				1
5	Males.....	14	6		1			7	1				1
6	Females.....	8	3					3					
7	1. General diseases. General diseases—A.....	1,877	650	144	61	43	40	938	87	29	31	37	41
8	Males.....	933	350	65	30	25	19	489	45	18	15	15	20
9	Females.....	944	300	79	31	18	21	449	42	11	16	22	21
10	Measles.....	46	13	12	7	2	3	37	7				
	(F.....)	55	13	15	3	5	3	39	9		1	1	1
11	Scarlet fever.....	22		1	5	4	1	11	8				
	(F.....)	16		1	2	1	3	7	7	1	1		
12	Diphtheria.....	54	3	7	5	6	5	26	13	8	2	3	1
	(F.....)	51	2	6	7	8	4	27	16	6	1		
13	Whooping cough.....	20	10	6		2		18	2				
	(F.....)	38	19	9	5		2	35					1
14	Malarial fever.....	27		3		2	3	8		2	2	1	
	(F.....)	51	3	3	1	1	2	10	2			2	2
15	Influenza.....	170	15	3	1	1	1	21	1	1	2	4	2
	(F.....)	203	7	4	1		2	14		1	3	2	5
16	Typhoid fever.....	77	2		1	1	2	6	3	1	7	4	13
	(F.....)	57				1	1	2	2	2	5	13	6
17	Cholera morbus.....	14	3			1		4				1	
	(F.....)	16	4				1	5	1			1	1
18	Colitis.....	5	3				1	4	1				
	(F.....)	11	3	1				4	1				
19	Diarrhea.....	54	32	5				37	3				
	(F.....)	46	23	5				28					
20	Dysentery.....	51	6		3	4	1	14	2	2			
	(F.....)	51	9	4	2	1		16	1		1		
21	Enteritis.....	114	81	8	1			90	3	1	1		1
	(F.....)	125	69	15	3	1		88	2	1	2		
22	Cholera infantum.....	176	156	14	4	1		175					
	(F.....)	153	132	13	6		2	153					
23	Fever.....	2											
	(F.....)												
24	Cerebro-spinal fever.....	21	9	4	3		1	17	1	1	1	1	
	(F.....)	17	8	2	1		1	12	1				
25	Smallpox.....												
	(F.....)												
26	Erysipelas.....	22	8	2				10					1
	(F.....)	13	5	1				6				1	
27	Septicemia.....	31	6			1	1	8	1	1		1	1
	(F.....)	17									1	2	5
28	Venereal diseases.....	5	3					3					
	(F.....)	3	2					2			1		
29	Others of this group.....	22											
	(F.....)	21	1					1					
30	General diseases—B.....	137	58	5	2	1		66		1	1	4	4
31	Males.....	90	37	4	2			43		1		1	2
32	Females.....	47	21	1		1		23			1	3	2
33	Alcoholism.....	24										1	2
	(F.....)	11										1	1
34	Parasitic diseases.....	1				1		1					
	(F.....)	1											
35	Lead poison.....	3											
	(F.....)												
36	Other poisons.....	23	3	2	1			6		1			
	(F.....)	13									1	2	1
37	Inanition.....	39	34	2	1			37					
	(F.....)	22	21	1				22					
38	General diseases—C.....	676	424	5				429	1	1			
39	Males.....	363	252	4				256	1	1			
40	Females.....	313	172	1				173					
41	Old age.....	94											
	(F.....)	117											
42	Premature birth.....	149	149					149					
	(F.....)	107	107					107					
43	Malformation.....	23	23					23					
	(F.....)	14	14					14					
44	Debility and atrophy.....	73	56	4				60	1	1			
	(F.....)	70	46	1				47					
45	Others of this group.....	24	24					24					
	(F.....)	5	5					5					

301

CONNECTICUT—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
395	419	365	394	477	512	556	598	613	560	457	247	89	32	69	1
206 189	242 177	200 165	201 193	248 229	250 262	255 301	300 298	308 305	272 288	205 252	102 145	38 51	5 27	33 31	2 3
	1	1		1		1	2	1	1					2	4
	1	1						1						2	5 6
				1		1	2		1						
51	39	35	30	47	52	59	92	83	91	78	35	15	3	4	7
24 27	21 18	15 20	17 13	27 20	25 27	23 36	44 48	41 42	39 52	32 46	15 20	5 10	3	3 1	8 9
	1	1													
1			2		1										10
1															11
1															12
			1												
												1		1	13
1 4	1	1	2 1		3 4	2	2 6	3 5	2 5	1 3	3				14
4 5	5 5	7 5	5 2	8 11	7 12	13 16	19 22	24 23	20 29	16 26	6 13	5 6			15
14 7	9 5	2 6	6 2	5	3 1	3	3						3	1	16
		1		2	1	1	1	1	1						17
1				1	1		1	1	1	1		1			18
			2			1	3								19
		1		2	2	1	4 5		5 2	1 4	2 3				20
2	2	1	3 1	3 2	3 3	4 6	4 3	4 3	3 3	6 5	1	2			21
2 3		1 1	1	1 4	1	1 3	2 3	2 7	3 6	3 4	1 1			1	22
														1	23
				1					1						24
2	1		1												25
															26
		1 2			2 2	1 1	2 1	3	1	1					27
1 1	4 3	1 2		5 2	2	1	2 1	1		2					28
			1			1									29
1	1	1 1	1		3 1	1 3	5 3	3 1	2 5	2 3	5				30
10	9	6	8	9	4	2	3	2	2	2				4	31
7 3	8 1	3 3	6 2	6 3	2 2	2	2 1	1 1	2	1 1				3	32
7 2	5	3 2	2 1	2 1	1			1	1					1 1	33
				1											34
	1		1						1						35
1	2 1	1	3 1	3 2	2 1	2	2 1	1		1				1	36
										1				1	37
4	2	1	1		1	7	5	28	35	59	58	26	17		38
2 2	2	1	1		1	2 5	1 4	12 16	16 19	27 32	28 30	10 16	3 14		39 40

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,628	58	27	11	7	2	105	23	19	69	125	170
2	Males	791	32	13	4	6	1	56	10	12	31	58	95
3	Females	837	26	14	7	1	1	49	13	7	38	67	75
4	Anemia	9					1	1	1				1
		13		1			1	2			2	1	
5	Diabetes	49							2	4	2		1
		33							1		1		1
6	Rheumatism	15		1				1		1			1
		25							1	1		1	1
7	Scrofula and tabes	7	3	1				4		1			
		3	1					1			1		
8	Hydrocephalus	25	12	4	4	1		21	1	2			
		31	13	8	4	1		26	2		1		
9	Tuberculosis, general	7				2		2				1	1
		3											2
10	Consumption	544	15	6		2		23	5	4	29	56	90
		442	11	4	3			18	9	6	32	64	71
11	Cancer	113											
		259											
12	Tumor	7							1			1	1
		19											
13	Dropsy	9		1				1					
		2										1	
14	Others of this group	6	2			1		3					
		7	1	1				2			1		
15	2. Diseases of the nervous system	1,235	228	39	18	11	10	306	23	11	13	20	20
16	Males	637	139	22	10	4	3	169	12	8	9	10	13
17	Females	598	98	17	8	7	7	137	11	3	4	10	7
18	Inflammation of the brain	5	1	1				2		1			
		6				1		1		1			
19	Meningitis	115	45	16	7	4	3	75	7		4	2	8
		95	44	9	7	4	5	69	9	1	1	3	
20	Apoplexy	260	3					3			1	1	2
		261	1					1			1	2	2
21	Paralysis	65										1	
		76											1
22	Paralysis, general (of insane)	1											
		4											
23	Tetanus and trismus nascentium	14	2					2	2	6	1		1
		6	6					6					
24	Chorea	2							1				
		1											
25	Epilepsy	10	2					2			1	2	1
		7	1					1			1		
26	Convulsions	81	72	4	3			79	1			1	2
		55	41	5	1	2	2	51					
27	Mental diseases	16									1	1	
		22											1
28	Diseases of the brain	43	4	1				5	2	1		3	
		44	5	2				7	1	1		4	1
29	Diseases of the spinal cord	5									1		1
		6		1				1					
30	Locomotor ataxia	11											
		2											
31	Others of this class	9	1					1					
		13											
32	3. Diseases of the circulatory system	840	32	3		1		36	8	15	13	17	16
33	Males	393	14	3				17	1	5	7	9	9
34	Females	447	18			1		19	7	10	6	8	7
35	Pericarditis	4								1			
		6	1					1	1	1			
36	Diseases of the heart	341	9	3				12	1	4	7	9	8
		404	11			1		12	6	9	6	7	6
37	Angina pectoris	25											1
		13											1
38	Diseases of the arteries	9											
		12											
39	Aneurism	5											
		3											
40	Embolism	3										1	
		2											
41	Others of this class	6	5					5					
		7	6					6					

303

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
156	138	98	105	114	111	104	94	75	58	33	16	4		11	1
79 77	74 64	53 45	54 51	50 64	45 66	40 64	43 51	40 35	26 32	13 20	6 10	3 1		3 8	2 3
1 1		1			1 5	1	2	1			1				} 4
2	2 3	2 2	3 3	1 5	4 2	3 7	7 6	8	4 2	3		1			
3 3	1	1 3	2	1 1	1 3	1	1 1	3 1	1 3	2	1				} 6
	1 1					1									
1				1	1										} 8
	1		2				1								
70 60	67 47	45 26	38 15	32 22	24 21	19 15	14 11	13 9	5 8	6 2	2 1	1		1 5	} 10
2 9	4 11	4 13	10 30	14 32	14 32	14 38	18 29	12 21	11 18	4 15	3 7	1 1		2 3	
1		1	1	4	2	1 2	4	2	1	1	1				} 12
				1	1	1		1	4 1						
1 2						1		2 1							} 14
15	25	39	56	58	89	83	102	121	112	76	41	15	1	9	
2 13	16 9	21 18	28 28	29 29	47 42	31 52	53 49	65 56	59 53	37 33	19 22	7 8		2 7	16 17
		1		1				1	1					1	} 18
1 1	3 1	1	4	5 2	2 4		2				1			2	
2	3 4	14 9	15 10	19 17	30 30	22 33	30 36	42 39	38 38	24 16	13 13	3 6	1	1	} 20
2	2 1	3 3	5 8	1 3	5 3	3 9	8 8	12 9	14 8	6 13	3 5	2 2		1	
			1 1			1		1		1					} 22
		1	1												
				1			1								} 24
					1			1	1	1					
		2	1	1		1									} 26
	1			2	3	1	2	4	1					1 1	
2		1	1	1	1	4		1	3	4	3				} 28
1 4	2 2	2	3	1 1	4 2	4 2	7 2	2 5	1 4	3 4	2	2		1 1	
	1 1			2					1	1					} 30
	4			1 1		2	1	1 1							
				1			1	1	3	2					} 32
2		2	1	3	2	2	1	1							
17	27	32	41	62	52	99	92	110	96	69	21	8	2	7	32
10 7	11 16	10 22	16 25	31 31	27 25	56 43	43 49	59 51	41 55	27 42	8 13	2 6		4 3	33 34
1					1	1	1	1							} 35
9 7	7 16	9 22	13 23	29 29	25 23	46 40	39 42	51 51	34 50	26 33	7 11	2 6		3 3	
	2		2	1 1	1	7 1	2 4	5	4 2	1 3					} 37
						2 1	1 1	2	2 2	2 5	1 1			1	
	1	1	1	1	1										} 39
	1						2								
						1			1 1						} 41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	1,418	337	113	55	22	18	545	27	16	14	28	39
2	Males.....	735	186	66	34	9	7	302	15	7	5	13	26
3	Females.....	683	151	47	21	13	11	243	12	9	9	15	13
4	Croup.....	(M. 22 F. 18)	(4 1)	(4 6)	(10 3)	(4 2)	(4 4)	(22 16)	(2 2)				
5	Pneumonia.....	(M. 484 F. 445)	(89 86)	(47 31)	(14 13)	(5 9)	(5 6)	(160 145)	(12 8)	(3 8)	(5 7)	(10 11)	(22 10)
6	Laryngitis.....	(M. 6 F. 9)	(1 2)	(2 2)				(3 4)	(1 1)	(1 1)	(1 1)		
7	Bronchitis.....	(M. 156 F. 147)	(76 48)	(14 7)	(6 5)		(1 1)	(97 63)	(2 1)	(1 1)		(3 2)	(2 2)
8	Pleurisy.....	(M. 13 F. 14)	(1 1)		(1 1)			(1 1)		(1 1)		(2 2)	(2 2)
9	Asthma.....	(M. 17 F. 13)	(4 1)					(4 1)					
10	Others of this class.....	(M. 37 F. 37)	(12 12)	(1 1)	(2 1)			(15 13)	(1 1)	(1 1)	(1 1)		(1 1)
11	5. Diseases of the digestive system.....	538	83	14	3	4	3	107	15	15	18	15	25
12	Males.....	256	48	9	1	4	3	65	9	9	9	6	13
13	Females.....	282	35	5	2			42	6	6	9	9	12
14	Dentition.....	(M. 4 F. 8)	(1 7)	(3 1)				(4 8)					
15	Angina.....	(M. 7 F. 7)	(1 1)	(2 2)		(1 1)		(2 3)	(1 2)	(1 1)			(1 1)
16	Gastritis.....	(M. 42 F. 65)	(9 4)	(2 1)		(1 1)		(12 5)			(3 3)	(1 1)	
17	Diseases of the stomach.....	(M. 15 F. 17)	(3 1)					(3 1)					(1 1)
18	Obstruction of the bowels.....	(M. 27 F. 27)	(5 3)	(1 1)				(6 3)	(2 2)	(3 3)	(1 1)	(1 1)	(3 3)
19	Appendicitis.....	(M. 18 F. 18)		(1 1)				(1 1)	(3 3)	(3 3)	(4 1)	(2 3)	(2 3)
20	Hernia.....	(M. 10 F. 7)	(2 1)					(2 1)	(1 1)				
21	Other diseases of the bowels.....	(M. 5 F. 1)	(2 1)					(2 1)					
22	Jaundice.....	(M. 5 F. 2)	(1 1)					(1 1)					(1 1)
23	Inflammation and abscess of the liver.....	(M. 17 F. 12)	(1 1)				(2 2)	(3 3)	(2 2)				(1 1)
24	Other diseases of the liver.....	(M. 53 F. 29)	(2 1)			(1 1)		(3 1)	(1 1)				(1 1)
25	Peritonitis.....	(M. 29 F. 47)	(6 2)	(2 1)		(1 1)		(9 3)	(1 2)	(3 2)	(4 4)	(4 4)	(4 7)
26	Ascites.....	(M. 3 F. 3)											
27	Others of this class.....	(M. 24 F. 39)	(15 17)	(1 1)	(1 1)		(1 1)	(18 18)					(1 1)
28	6. Diseases of the urinary system and male organs of generation.....	640	10	1	4	4	2	21	5	3	12	27	22
29	Males.....	370	6	1	2	4	1	14	3	2	6	12	12
30	Females.....	270	4		2		1	7	2	1	6	15	10
31	Bright's disease.....	(M. 276 F. 236)							(3 2)	(2 1)	(5 5)	(11 13)	(12 10)
32	Calculus, urinary.....	(M. 1 F. 1)											
33	Diseases of the kidney.....	(M. 23 F. 13)	(5 4)	(1 1)	(2 2)	(4 4)	(1 1)	(12 7)				(1 1)	
34	Diseases of the bladder.....	(M. 45 F. 9)					(1 1)	(1 1)					
35	Others of this class.....	(M. 25 F. 11)	(1 1)					(1 1)			(1 1)	(1 1)	
36	7. Diseases of the female organs of generation.....	33									2	1	4
37	Ovarian tumors.....	6										(1 1)	(1 1)
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	1											
40	Uterine tumors.....	11											
41	Uterine diseases.....	3									(1 1)		
42	Others of this class.....	11									(1 1)		(3 3)

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	48	48	54	67	82	85	78	72	67	56	35	11	4	2	1
23 17	33 15	32 16	31 23	43 24	35 47	40 45	36 42	24 48	27 40	26 30	12 23	4 7	4	1 1	2 3
															4
20 9	27 13	29 14	25 16	29 15	28 28	34 33	28 29	17 33	18 23	11 21	5 13	1 5	3	1	5
	1			1	1				1						5
1 2	2 1	3	2 4	3 7	2 8	3 8	6 10	4 11	5 11	11 8	6 6	3 2			7
1 4		1	1	1	3		1	1	2	2					8
1	1			3	1	2	1	2	2	1	1			1	9
	3		3	6	4	1	1	2	2	1	2				10
2		1	3		5	3	1	2	1	1	2				
14	35	27	24	40	33	33	31	33	30	21	15	4	2	1	11
6 8	16 19	14 13	10 14	14 26	20 13	15 18	11 20	14 19	12 18	6 15	3 12	2 2	2	1	12 13
															14
	1	1							1						15
1 3	2 5	2 5	2 4	3 7	6 1	3 3	4 7	2 3	2 3	1 7	1 6		1		16
1		1	2	1	3	2	1	1	1		1				17
1 1	1 1	1 1	3	1	2	2	2	2	3						18
1 1	1 1	1		1	2		4	4	2	2	2	1			19
			1	1		2		1							20
	1		1	1	2	1		1	2						21
										2					22
	1			1		1		1		1					23
1	2 1	1 2	1	1	1	2	1	1	2	1	1				24
1	7 1	5 3	3 3	5 7	7 3	6 6	3 1	5 4	3 1	1 2	1	1	1	1	25
3	2 5	1 5	3	3	1		1	1	2		1				26
				1		1		1							27
		1	1					1	5	1 3	1 1				28
24	27	34	38	49	62	50	71	61	56	51	15	4	2	6	29
14 10	17 10	19 15	14 24	28 21	30 32	26 24	50 21	35 26	43 13	33 18	6 9	3 1		3	30
13 9	16 9	17 11	12 24	23 20	24 27	19 22	39 20	24 24	32 13	18 16	3 7	1	1	2	31
		1						1							32
1	1 1				2 2		2	1	1	2					33
		1	2	2	1	5	6	7	6	9 1	3 2	2	1		34
				3	3	2	3	3	4	4 1				1	35
1		1	1	1	1		1	1				1			36
2	3	5	3	2	2	4	2	1	2						37
	1	1	1			1									38
	1														39
		1	1	1	1	3	2	1	1						40
		1						1							41
2		2	1	1	1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy-----	72									3	17	17
2	Abortion-----	6											1
3	Childbirth-----	13									1	2	2
4	Puerperal septicemia-----	38									2	11	10
5	Extra-uterine pregnancy-----	2											1
6	Others of this class-----	13										4	3
7	9. Diseases of the bones and joints-----	22				1		1	1	2	2		2
8	Males-----	16				1		1	1	2	2		2
9	Females-----	6											
10	Diseases of the spine-----{M-----	4								1	1		2
	{F-----	2											
11	Abscess, lumbar and psoas-----{M-----	3											
	{F-----	3											
12	Diseases of the bones-----{M-----	8				1		1		2	1		
	{F-----	2											
13	Diseases of the hip-joint-----{M-----	2											
	{F-----	2											
14	Others of this class-----{M-----	2											
	{F-----	1											
15	10. Diseases of the skin-----	13	4		1			5	1		1	1	
16	Males-----	7	3					3			1		
17	Females-----	6	1		1			2	1			1	
18	Abscess-----{M-----	4	1					1			1		
	{F-----	3	1					1	1			1	
19	Carbuncle-----{M-----												
	{F-----												
20	Others of this class-----{M-----	3	2					2					
	{F-----	3			1			1					
21	11. Diseases of the absorbent system-----	9		1		1		2					
22	Males-----	5				1		1					
23	Females-----	4		1				1					
24	Addison's disease-----{M-----	1											
	{F-----	3											
25	Diseases of the spleen-----{M-----			1				1					
	{F-----	1											
26	Others of this class-----{M-----	4				1		1					
	{F-----												
27	12. Accidents and injuries-----	565	50	5	14	7	10	86	28	25	25	38	33
28	Males-----	411	28	3	10	3	5	49	17	13	22	31	31
29	Females-----	154	22	2	4	4	5	37	11	12	3	7	2
30	Burns and scalds-----{M-----	18	1	1	6		2	10					
	{F-----	26		1		4	3	8	3	4			
31	Drowning-----{M-----	62			1		1	2	10	5	7	2	4
	{F-----	17	1		1			2	5	5		1	
32	Exposure and neglect-----{M-----	5	1	1				2					
	{F-----	1	1					1					
33	Gunshot wounds-----{M-----	11							1	4	1	2	
	{F-----												
34	Homicide-----{M-----	3										1	
	{F-----	1										1	
35	Infanticide-----{M-----												
	{F-----												
36	Injuries by machinery-----{M-----												
	{F-----												
37	Railroad accidents-----{M-----	81	1			1		2	2	2	2	11	14
	{F-----	13							2		1	1	1
38	Suffocation-----{M-----	18	14		2			16					
	{F-----	14	10		1		1	12	1				
39	Suicide by shooting-----{M-----	9											1
	{F-----	1											1
40	Suicide by drowning-----{M-----	3											1
	{F-----	4									1		
41	Suicide by poison-----{M-----	20										2	1
	{F-----	9								1	1	2	
42	Other suicides-----{M-----	21										1	1
	{F-----	5											
43	Sunstroke-----{M-----	2	1					1					
	{F-----	1	1					1					
44	Surgical operations-----{M-----	3							1				
	{F-----	1											
45	Wounds-----{M-----	8									1	2	1
	{F-----												
46	Others of this class-----{M-----	147	10	1	1	2	2	16	3	2	9	10	8
	{F-----	61	9	1	2		1	13		2		2	

CAUSE, SEX, AND AGE.

307

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	15	2		1										3	1
2	3														2
1	4	2												1	3
8	4			1										2	4
	1														5
3	3														6
1		3	1	2	1	1		3			2				7
1		2	1			1		2			1				8
		1		2	1			1			1				9
				1							1				10
				1	1			1							11
1		2						1							12
			1			1									13
								1			1				14
		1													15
		1			1	1		1			1				16
					1	1		1							17
		1									1				18
					1			1							19
							1								20
		1									1				21
1		2		1		3									22
1		1		1		1									23
		1			1										24
						2									25
1		1				1									26
46	50	31	33	24	22	21	26	22	10	12	8	2	1	19	27
37	43	28	24	19	17	17	17	13	7	3	4	2		17	28
9	7	3	9	5	5	7	9	9	3	9	4		1	2	29
	1	2		1	1	1	1				1				30
3	1		3					1		1	1			1	31
4	5	7	6	2	3			2						3	32
1	1		1											1	33
1	1	1													34
															35
															36
8	12	3	3	2	5	4	2	1	2					6	37
2			1	1	1	2	1							1	38
	1														39
1	1	1	1	1	1		1			1					40
	1	1	1				1								41
4	1	1		2	1		2	1	1					2	42
1			1		1		1								43
4	4	2	3	2		1		3							44
1	1				1			1							45
															46
12	12	10	11	8	5	10	9	6	4	2	3	2		5	
1	3	1	1	4	2	3	7	7	3	8	3		1		

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	5,697	1,158	212	110	73	52	1,605	149	81	144	209	210
2	Males.....	2,881	633	104	51	34	23	845	59	37	66	103	102
3	Females.....	2,816	525	108	59	39	29	760	90	44	78	106	108
4	Unknown cause.....	32	11					11				3	
5	Males.....	17	7					7				1	
6	Females.....	15	7					7				2	
7	1. General diseases.												
	General diseases—A.....	1,261	400	89	51	34	28	602	77	16	27	42	33
8	Males.....	592	197	44	26	19	13	299	31	5	11	28	18
9	Females.....	669	203	45	25	15	15	303	46	11	16	14	15
10	Measles.....	{M— 33 F— 27	{7 10	{4 2	{5 3	{1 1	{2 2	{19 18	{3 1	{1 1	{1 1	{4 1	{2 1
11	Scarlet fever.....	{M— 8 F— 15	{1 1	{1 1	{3 3	{3 3	{1 2	{4 7	{2 7	{1 1	{1 1		
12	Diphtheria.....	{M— 67 F— 81	{3 11	{11 9	{12 7	{6 10	{9 9	{41 46	{22 24	{1 4		{1 1	
13	Whooping cough.....	{M— 25 F— 36	{20 19	{2 9	{2 3		{1 1	{24 34	{1 1				
14	Malarial fever.....	{M— 18 F— 14	{1 1	{1 1	{1 1	{2 2		{5 2	{1 1		{1 1		{1 1
15	Influenza.....	{M— 111 F— 160	{9 8	{3 3	{2 2			{12 13	{2 2	{3 3	{2 2	{3 3	{2 5
16	Typhoid fever.....	{M— 63 F— 52	{1 1		{2 2	{1 1		{2 4	{2 4		{4 8	{18 7	{10 3
17	Cholera morbus.....	{M— 4 F— 5	{1 1				{1 1	{1 1					{1 1
18	Colitis.....	{M— F— 6	{3 3					{3 3					
19	Diarrhea.....	{M— 27 F— 49	{16 26	{1 3		{1 1		{17 30					{1 1
20	Dysentery.....	{M— 29 F— 35	{8 2	{1 3	{1 1	{1 1	{1 1	{12 5	{2 1	{1 1		{1 1	{1 1
21	Enteritis.....	{M— 79 F— 50	{52 32	{7 1	{2 2	{3 2		{64 35	{1 1	{1 1		{2 1	{1 1
22	Cholera infantum.....	{M— 82 F— 90	{67 81	{11 9	{2 2	{2 2		{82 90					
23	Fever.....	{M— F— 1											
24	Cerebro-spinal fever.....	{M— 12 F— 17	{5 4	{2 3	{1 2	{1 1		{8 10			{1 1		
25	Smallpox.....	{M— F—											
26	Erysipelas.....	{M— 4 F— 6								{1 1			
27	Septicemia.....	{M— 12 F— 10	{1 1					{1 1		{1 1	{1 1	{1 2	{1 3
28	Venereal diseases.....	{M— 11 F— 5	{5 3	{1 1				{5 4					
29	Others of this group.....	{M— 7 F— 10	{1 1	{1 1				{2 2					
30	General diseases—B.....	77	19	3	1	2	1	26				1	3
31	Males.....	52	9	2		1		12				1	2
32	Females.....	25	10	1	1	1	1	14					1
33	Alcoholism.....	{M— 29 F— 4										1	1
34	Parasitic diseases.....	{M— F—											
35	Lead poison.....	{M— F—											
36	Other poisons.....	{M— 13 F— 5	{1 1	{2 2	{1 1	{1 1		{3 2					{1 1
37	Inanition.....	{M— 10 F— 16	{8 10	{1 1		{1 1	{1 1	{9 12					
38	General diseases—C.....	440	261	3	2			266					1
39	Males.....	233	156	1				157					
40	Females.....	207	105	2	2			109					1
41	Old age.....	{M— 67 F— 86											
42	Premature birth.....	{M— 83 F— 61	{83 61					{83 61					
43	Malformation.....	{M— 13 F— 8	{13 8					{13 8					
44	Debility and atrophy.....	{M— 59 F— 42	{50 26	{1 2	{2 2			{51 30					{1 1
45	Others of this group.....	{M— 11 F— 10	{10 10					{10 10					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
211	219	189	206	227	242	288	340	382	355	310	181	83	15	51	1
106 105	121 98	96 93	118 88	127 100	127 115	145 143	180 160	175 207	189 166	147 163	84 97	24 59	5 10	25 26	2 3
	1	1	1	2		3	2	2	1	1				1	4
				1		2	2	1	1	1				1	5
	1	1	1	1		1		1							6
34	27	27	24	26	24	31	38	69	54	50	32	17	5	6	7
15 19	13 14	11 16	15 9	15 11	11 13	15 16	16 22	28 41	24 30	17 33	14 18	5 12	1 4	6	8 9
3 3	1			1	1	1		1							10
															11
	1			1											12
1	1				1							1		1	13
							1		3		1			2	14
2 5	2 3	5 3	6 5	5 8	6 8	9 7	8 14	17 20	10 20	2 17	7 13	3 7	2		15
6 6	5 6	2 5	7 2	2 1	2 1	2		1 4						1	16
						1	1		1						17
										2		1			18
								1			1	1			19
1	1			1	1		3	1	1	2	3				20
1		2			1	1	5	3	3	4	3	1			21
1		1		2		1		1	2	3			1		22
	1	1	1			3	1	2	2					1	23
											1				24
1		2	1	1			1	1							25
															26
2							1		1					1	27
	1			1	1		1	2		1					28
1		1	1	2	1			1				1			29
						3		2	2	1			1		30
3	11	8	5	7	4	3	1	1	1		1			2	31
3	8	6	5	6	4	2	1	1						1	32
	3	2		1		1			1		1			1	33
2	7	4	3	6	2	1	1								34
	2	1		1											35
															36
1	1	2	2		1	1		1							37
	1	1				1			1		1			1	38
		2	1	1	1	4	15	17	24	39	37	24	6	2	39
		2	1			1	6	10	10	22	16	6	1	1	40
				1	1	3	9	7	14	17	21	18	5	1	41
						1	5	9	8	21	16	5	1	1	42
						3	7	6	13	16	18	17	5	1	43
															44
		2	1		1		1	1	1	1	3	1			45
							2	1							

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	892	34	18	8	5	3	68	11	16	48	87	88
2	Males	415	19	11	3	1	1	35	2	4	21	42	40
3	Females	477	15	7	5	4	2	33	9	12	27	45	48
4	Anemia	M 3 F 10	1 3					1 3	1		1		1
5	Diabetes	M 25 F 14				1		1		1	1		1
6	Rheumatism	M 18 F 13				1		1	1	1	1	1	1
7	Scrofula and tabes	M 8 F 8	3 2	2	1			5 3	1				1
8	Hydrocephalus	M 16 F 10	7 3	4 4	1	1		12 8		1	1		
9	Tuberculosis, general	M 1 F 2	1					1	1				1
10	Consumption	M 259 F 284	4 5	5 2	3 3	1	1	13 12		1 12	17 25	40 40	35 43
11	Cancer	M 73 F 110									1	1	1
12	Tumor	M 5 F 14					1	1			1	2	
13	Dropsy	M 3 F 6	1					1				1	
14	Others of this group	M 4 F 6	4	1		1		4 2	1				1
15	2. Diseases of the nervous system	723	131	23	10	6	6	176	18	5	9	9	9
16	Males	375	76	8	4	3	2	93	8	3	5	4	5
17	Females	348	55	15	6	3	4	83	10	2	4	5	4
18	Inflammation of the brain	M 8 F 4	3	1	1		1	3 3	1				
19	Meningitis	M 67 F 50	38 22	7 9	4 2	3 2	1 2	53 37	5 8	1 1	1	1	1
20	Apoplexy	M 153 F 149	2					2	1		1	2	2
21	Paralysis	M 42 F 38	1	1			1	1 2	1 1				2
22	Paralysis, general (of insane)	M 3 F 3								1			
23	Tetanus and trismus nascentium	M 3 F 2	2					2	1		1		
24	Chorea	M 1 F 1									1		
25	Epilepsy	M 7 F 10	1					1		1 1	1 1	1	2
26	Convulsions	M 32 F 32	30 24	1 1	3	1	1	31 30				1	
27	Mental diseases	M 16 F 11										1	1
28	Diseases of the brain	M 31 F 38	5 3	2				5 5			1 2	1	
29	Diseases of the spinal cord	M 2 F 3											
30	Locomotor ataxia	M 4 F 2											
31	Others of this class	M 7 F 5		1				1					
32	3. Diseases of the circulatory system	453	21	1				22	3	2	8	5	8
33	Males	241	11	1				12	1		3	2	4
34	Females	212	10					10	2	2	5	3	4
35	Pericarditis	M 1 F 1											
36	Diseases of the heart	M 220 F 188	5 5	1				6 5	1 2		3 5	2 3	4 4
37	Angina pectoris	M 11 F 11											
38	Diseases of the arteries	M 2 F 4											
39	Aneurism	M 2 F 2											
40	Embolism	M 1 F 1											
41	Others of this class	M 6 F 5	6 5					6 5					

311

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	75	56	51	50	56	56	41	44	35	19	8	4	1	6	1
36 36	38 37	25 31	26 25	24 26	29 27	20 36	17 24	17 27	20 15	9 10	6 2	1 3	1	2 4	2 3
1				1	1	3									} 4
2		4 1		1 2	2 4	3 2	2	2	1	4	1			1	
2 1	2 1	1 1	1 1	1 1	1 1	1	1 1	2	2 1			2	1		} 6
1		1			1					1					
1		1							1						} 8
28 31	30 31	18 22	19 11	10 9	14 3	8 13	8 8	6 11	7 3	1 5	2			2 1	} 10
3 2	4 5	1 6	4 9	12 13	12 15	8 14	5 12	6 15	10 7	3 4	2 1	1 1		2	
			2 2	1	2	1 2	1 1	1	2						} 12
						1	1	1	1	1	1	1			
															} 14
			1				1								
11	11	11	24	29	41	47	73	69	73	60	34	8	2	4	15
5 6	6 5	8 3	9 15	16 13	19 22	28 19	44 29	30 39	36 37	32 28	18 16	1 7	1 1	4	16 17
					1	1	3								} 18
1	1		1	1	1	1	1		1			1			
2 1	1 1	5 3	4 11	11 9	9 10	21 9	25 23	19 27	22 18	18 18	7 11	2	1 1	3	} 20
1	1		3 1	1 2	3 5	3 5	2 3	5 3	6 5	8 6	6 1	3			
				1	1		1	1		1					} 22
	1														
															} 24
	2					1	1	1		2		1		1	
											1	1			} 26
	1 1	1		1 1	1 2	1	5	1 2	1 1	1 1	3 2				
2 3	1	2	2 1	1	2 5	1 3	4 2	2 2	4 10	4 2	1 1				} 28
	1			1											
					1	1		1	1						} 30
									1		1				
1					1	1	1	2 2	2 1						} 32
12	12	19	18	28	24	41	56	49	53	58	19	9	1	6	
5 7	6 6	8 11	10 8	17 11	15 9	23 18	32 24	24 25	33 20	31 27	8 11	4 5	1	2 4	33 34
1															} 35
5 5	5 6	8 9	9 7	15 11	15 7	21 17	30 22	21 23	32 17	28 25	8 10	4 4	1	2 4	
	1		1 1	2		1 1	2 2	1	1 1	2 2	1	1			} 37
		2				1		1 1	2	1					
					1										} 39
1						1		1 1							
					1										} 41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system -----	794	196	56	25	21	8	306	8	13	14	13	16
2	Males -----	394	115	25	12	10	3	165	4	4	9	9	7
3	Females -----	400	81	31	13	11	5	141	4	9	5	4	9
4	Croup ----- {M. 12 1 5 2 4 12	21 4 2 6 7 21											
5	Pneumonia ----- {M. 267 78 16 8 2 106	273 48 27 7 3 88							3 3	7 5	5 4	5 7	
6	Laryngitis ----- {M. 3 1 1 1 1	2 1 1 1 1											
7	Bronchitis ----- {M. 73 30 3 1 2 1 37	68 22 1 1 1 23						1 1	1 1				1 1
8	Pleurisy ----- {M. 12 1 1 1 1	10 1 1 1 1								1 1	2 1	1 1	
9	Asthma ----- {M. 3 1 1 1 1	5 1 1 1 1											
10	Others of this class ----- {M. 24 6 1 1 8	21 6 1 1 7								2 1	2 1		
11	5. Diseases of the digestive system -----	279	46	11	3	2	1	63	15	11	11	12	12
12	Males -----	140	24	7	1			32	8	9	6	4	4
13	Females -----	139	22	4	2	2	1	31	7	2	5	8	8
14	Dentition ----- {M. 6 2 4 1 6	4 3 1 1 4											
15	Angina ----- {M. 2 1 1 1 1	2 1 1 1 1								1 1			
16	Gastritis ----- {M. 16 7 1 1 8	27 5 1 1 7							2 2		1 1		
17	Diseases of the stomach ----- {M. 7 1 1 1 1	6 1 1 1 1											
18	Obstruction of the bowels ----- {M. 8 1 1 1 2	12 1 1 1 2							1 1	1 1			1 1
19	Appendicitis ----- {M. 18 1 1 1 1	12 1 1 1 1							2 2	5 2	2 1	3 2	1 2
20	Hernia ----- {M. 9 2 1 1 2	4 1 1 1 2								1 1			1 1
21	Other diseases of the bowels ----- {M. 2 1 1 1 1	1 1 1 1 1											1 1
22	Jaundice ----- {M. 2 1 1 1 1	5 2 1 1 2											
23	Inflammation and abscess of the liver. {M. 11 1 1 1 1	5 1 1 1 1									2 1		
24	Other diseases of the liver ----- {M. 28 1 1 1 1	18 1 1 1 1							1 1	1 1		1 2	
25	Peritonitis ----- {M. 13 1 1 1 1	25 1 1 1 1							4 1	1 1	1 4	3 3	2 4
26	Ascites ----- {M. 1 1 1 1 1	1 1 1 1 1											
27	Others of this class ----- {M. 17 10 1 1 11	17 9 2 1 11											
28	6. Diseases of the urinary system and male organs of generation.	345	12	2	1		2	17	3	3	6	11	10
29	Males -----	206	7	1	1		1	10	1	1	3	3	6
30	Females -----	139	5	1			1	7	2	2	3	8	4
31	Bright's disease ----- {M. 145 1 1 2 5	110 2 1 3 4											
32	Calculus, urinary ----- {M. 1 1 1 1 1	1 1 1 1 1											
33	Diseases of the kidney ----- {M. 17 5 1 1 8	15 5 1 1 7										1 1	
34	Diseases of the bladder ----- {M. 21 2 1 1 2	3 1 1 1 2											
35	Others of this class ----- {M. 23 1 1 1 1	10 1 1 1 1								1 1	1 1	1 1	
36	7. Diseases of the female organs of generation -----	17									1 1	3 1	1 1
37	Ovarian tumors -----	5											
38	Ovarian diseases -----												
39	Diseases of the tubes -----												
40	Uterine tumors -----	4											
41	Uterine diseases -----	2									1 1		
42	Others of this class -----	6										3 1	1 1

313

CONNECTICUT—GROUP 2—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	43									4	8	11
2	Abortion	3									2	1	
3	Childbirth	8										4	1
4	Puerperal septicemia	17									1	2	6
5	Extra-uterine pregnancy	1											
6	Others of this class	14									1	1	4
7	9. Diseases of the bones and joints	18								2	2	1	
8	Males	8									1		
9	Females	10								2	1	1	
10	Diseases of the spine {M F}	3								1	1		
11	Abscess, lumbar and psoas {M F}												
12	Diseases of the bones {M F}	6 2									1	1	
13	Diseases of the hip-joint {M F}												
14	Others of this class {M F}	2 5								1			
15	10. Diseases of the skin	17	3	2				5			1	.1	
16	Males	7	2	1				3					
17	Females	10	1	1				2			1	1	
18	Abscess {M F}	4 8		1 1				1 2			1	1	
19	Carbuncle {M F}	1											
20	Others of this class {M F}	2 2	2					2					
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease {M F}												
25	Diseases of the spleen {M F}	1											
26	Others of this class {M F}												
27	12. Accidents and injuries	305	21	4	9	3	3	40	14	13	13	13	18
28	Males	201	10	3	4		3	20	4	11	7	9	16
29	Females	104	11	1	5	3		20	10	2	6	4	2
30	Burns and scalds {M F}	13 23	1 1	3 1	2 5		2	8 7					1 1
31	Drowning {M F}	36 10	1		1	1		2 1	2 1	7 1	1 1	4	4 1
32	Exposure and neglect {M F}	1 1	1					1				1	
33	Gunshot wounds {M F}	7 4				1				1	5		
34	Homicide {M F}	1								1			
35	Infanticide {M F}												
36	Injuries by machinery {M F}												
37	Railroad accidents {M F}	35 7								1	2	1	3
38	Suffocation {M F}	6 4	6 3					6 3					
39	Suicide by shooting {M F}	3											
40	Suicide by drowning {M F}												
41	Suicide by poison {M F}	2 6										1	
42	Other suicides {M F}	10 2								1		1	
43	Sunstroke {M F}	4 1											
44	Surgical operations {M F}	1											
45	Wounds {M F}	3											1
46	Others of this class {M F}	80 45	1 6		1	1	1	3 7	2 2	1	1 3	4	7

CAUSE, SEX, AND AGE.

315

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	5													1
															2
1		2													3
5	2	1													4
	1														5
3	3	2													6
	2	1		2			2	3		1	1	1			7
	2			1			1	2		1	1				8
		1		1			1	1		1		1			9
				1											10
															11
	1			1				2			1				12
								1							13
	1						1								14
		1								1		1			15
1	1		2	2		1		1		2					16
	1		1	1		1		1		1					17
	1			1		1				1					18
			1	1		1		1							19
			1												20
1										1					21
1															22
															23
1															24
															25
1															26
															27
31	22	13	13	11	12	17	15	16	10	6	11	5		12	28
25	18	9	11	10	10	10	12	10	5	2	1	2		9	29
6	4	4	2	1	2	7	3	6	5	4	10	3		3	30
1	2	2	1		1		1	2		1	1				31
1	4	3	2	1	1	1	2							2	32
														1	33
															34
															35
															36
8	3		3	4	2		2	1	1					6	37
1		1					1								38
	2	1													39
															40
								1							41
1		1	1		1			1						1	42
2			2		1		3	1							43
	1			2			1		1						44
								1							45
			1			1									46
14	8	5	3	3	5	8	3	4	4	2	1	2			47
3	1					2	2	5	4	3	9	3		1	48

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
DISTRICT OF COLUMBIA.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	6,364	1,306	268	129	105	67	1,875	184	140	189	358	344
2	Males.....	3,274	687	135	66	45	34	967	98	63	78	183	185
3	Females.....	3,090	619	133	63	60	33	908	86	77	111	175	159
4	Unknown cause.....	26	7	2	3	2		14	1				2
5	Males.....	15	5	2	1	2		10	1				1
6	Females.....	11	2		2			4					1
7	1. General diseases. General diseases—A.....	1,270	379	104	54	50	39	626	101	56	44	55	63
8	Males.....	630	181	53	28	23	22	307	49	26	22	33	38
9	Females.....	640	198	51	26	27	17	319	52	30	22	22	25
10	Measles..... {M..... {F.....	19 19	3 1	5 6	5 2	4 4	1 2	18 15	1 1		1		
11	Scarlet fever..... {M..... {F.....	15 10	1 1	3 1	2 1	3 1	1 2	10 4	3 4	1 1			1 1
12	Diphtheria..... {M..... {F.....	99 94	2 1	6 11	12 7	14 15	14 8	48 42	34 32	13 15	2 3	1	
13	Whooping cough..... {M..... {F.....	22 16	10 6	9 3	2 6			21 15	1 1				
14	Malarial fever..... {M..... {F.....	29 34	2 2	1 1	2 2	1 2	2 1	7 8	1			3 3	3 5
15	Influenza..... {M..... {F.....	41 74	1 6	2	1	1	1	3 10		3	2	1	1 2
16	Typhoid fever..... {M..... {F.....	135 90	1 1		1	1	2	2 4	7 9	7 12	16 15	27 16	26 10
17	Cholera morbus..... {M..... {F.....	6 4	1	2				3			1		1
18	Colitis..... {M..... {F.....	7 1	2 1					2 1					
19	Diarrhea..... {M..... {F.....	44 41	18 22	4 4	1	1	1	24 27					1
20	Dysentery..... {M..... {F.....	17 21	3 2	2 1	2		1	6 5		1		1	1 1
21	Enteritis..... {M..... {F.....	90 128	67 85	5 13	3 3	1	1	75 103				1	4 2
22	Cholera infantum..... {M..... {F.....	69 61	55 50	13 8	1 2	1		69 61					
23	Fever..... {M..... {F.....												
24	Cerebro-spinal fever..... {M..... {F.....	13 11	4 5	3 2		1	1	8 8	2 1	1			1
25	Smallpox..... {M..... {F.....	2 3								1		1	1
26	Erysipelas..... {M..... {F.....	3 4	1					1		1			1
27	Septicemia..... {M..... {F.....	8 8	2					2	3		1		1
28	Venereal diseases..... {M..... {F.....	9 15	9 15					9 15					
29	Others of this group..... {M..... {F.....	2 6							1				
30	General diseases—B.....	68	27	2	2			31	2		1	2	3
31	Males.....	45	13	2	1			16	1			1	3
32	Females.....	23	14		1			15	1		1	1	
33	Alcoholism..... {M..... {F.....	18 2									1		2
34	Parasitic diseases..... {M..... {F.....	1			1			1					
35	Lead poison..... {M..... {F.....												
36	Other poisons..... {M..... {F.....	13 6		1	1			2 1	1 1			1 1	1
37	Inanition..... {M..... {F.....	14 14	13 14	1				14 14					
38	General diseases—C.....	542	364	8	1	2		375				1	
39	Males.....	287	196	6		1		203				1	
40	Females.....	255	168	2	1	1		172					
41	Old age..... {M..... {F.....	77 77											
42	Premature birth..... {M..... {F.....	83 64	83 64					83 64					
43	Malformation..... {M..... {F.....	8 7	8 7					8 7					
44	Debility and atrophy..... {M..... {F.....	112 101	98 91	6 2	1	1		105 95				1	
45	Others of this group..... {M..... {F.....	7 6	7 6					7 6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	1
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	2
118	119	145	125	136	153	171	151	157	121	108	48	17	15		3
	1	1		3	1	1	1		1						4
				2			1								5
	1	1		1	1	1			1						6
42	23	22	21	33	37	31	28	32	24	25	4		2	1	7
27	11	12	12	21	16	13	12	12	7	9	1		1	1	8
15	12	10	9	12	21	18	16	20	17	16	3		1		9
1	1														10
															11
1										1					12
1															13
1		1	2	1	1	4	1	3			1				14
1	1	1	1	1	1	2	2		2		2		1		15
2		2	1	6	4	4	4	3	2	4					16
2	2	2	3	7	8	5	8	8	7	8	1				17
18	9	6	3	7	3	1		1	1					1	18
7	4	5	1	1	3	2		1							19
1					1	2		1							20
		2		1			1	1							21
															22
															23
															24
1			1						1						25
		1													26
	1				1	1									27
			1	1	1		1	1							28
2	2														29
			1				1								30
				1			3			1					31
2	4	1	2	6	6	3	2		2	1					32
1	4	1	1	5	6	3	2		1						33
1			1	1					1	1					34
1	3	1		4	4	1	2								35
									1						36
															37
															38
			1	1	3	2	11	21	27	48	25	16	10	1	39
			1		1	1	6	14	15	24	13	4	3	1	40
				1	2	1	5	7	12	24	12	12	7		41
						1	6	13	13	24	12	4	3	1	42
						1	5	7	11	23	11	12	7		43
															44
			1		1			1	2		1				45
				1	2				1	1	1				46

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,219	46	31	20	12	7	116	18	26	80	157	131
2	Males.....	590	25	17	11	6	4	63	10	12	29	79	59
3	Females.....	629	21	14	9	6	3	53	8	14	51	78	72
4	Anemia.....{M.....	8		1		1		2			1	1	
	{F.....	6							1	1		2	
5	Diabetes.....{M.....	8											
	{F.....	7								1			
6	Rheumatism.....{M.....	12							1		2	1	
	{F.....	16									2		
7	Scrofula and tabes.....{M.....	7	1			1		1				1	
	{F.....	7						1			2		
8	Hydrocephalus.....{M.....	24	5	7	2	1	1	16	1	3		4	
	{F.....	15	5	1	2	2	1	11			2	1	
9	Tuberculosis, general.....{M.....	12	2					2			1	2	
	{F.....	8	2					2		1	1	1	1
10	Consumption.....{M.....	441	18	8	7	3	3	39	8	8	25	67	57
	{F.....	410	12	13	7	3	2	37	7	12	44	74	66
11	Cancer.....{M.....	62										2	1
	{F.....	138											4
12	Tumor.....{M.....	6											1
	{F.....	10				1		1					1
13	Dropsy.....{M.....	5											
	{F.....	7											
14	Others of this group.....{M.....	5		1	2			3				1	
	{F.....	3	1					1					
15	2. Diseases of the nervous system.....	786	170	21	5	8	3	207	9	11	8	9	23
16	Males.....	446	99	9	4	3	1	116	5	6	5	7	16
17	Females.....	340	71	12	1	5	2	91	4	5	3	2	7
18	Inflammation of the brain.....{M.....	3	1					1					1
	{F.....	1											
19	Meningitis.....{M.....	47	15	4	3	3		25	3	5	2	2	1
	{F.....	41	13	5		3	1	22	4	3		1	1
20	Apoplexy.....{M.....	163									2		6
	{F.....	129	2	1				3					1
21	Paralysis.....{M.....	28								1		1	1
	{F.....	33									1		
22	Paralysis, general (of insane).....{M.....	8											1
	{F.....	3											1
23	Tetanus and trismus nascentium.....{M.....	8	7					7					
	{F.....	4	4					4					
24	Chorea.....{M.....	2									1		
	{F.....												
25	Epilepsy.....{M.....	8											2
	{F.....	10									1		1
26	Convulsions.....{M.....	74	67	2				69					
	{F.....	60	47	6	1	2		56			1		
27	Mental diseases.....{M.....	25										1	2
	{F.....	12											
28	Diseases of the brain.....{M.....	70	9	3	1		1	14	2			3	2
	{F.....	32	5				1	6		2			1
29	Diseases of the spinal cord.....{M.....	5											
	{F.....	6									1		1
30	Locomotor ataxia.....{M.....	3											
	{F.....	2											
31	Others of this class.....{M.....	2											1
	{F.....	7											
32	3. Diseases of the circulatory system.....	604	7	1	2			10	5	10	5	19	12
33	Males.....	314	3	1				4	3	5		6	6
34	Females.....	290	4		2			6	2	5	5	13	6
35	Pericarditis.....{M.....	4										1	
	{F.....	3							1				
36	Diseases of the heart.....{M.....	288	3	1				4	2	5		6	6
	{F.....	269	1		2			3	2	5	5	12	6
37	Angina pectoris.....{M.....	8											
	{F.....	10											
38	Diseases of the arteries.....{M.....	7											
	{F.....												
39	Aneurism.....{M.....	5											
	{F.....												
40	Embolism.....{M.....	2											
	{F.....	5	1					1					
41	Others of this class.....{M.....												
	{F.....	3	2					2					

319

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
110	80	83	86	68	75	61	60	26	24	13	3	1		1	1
55 55	43 37	33 50	43 43	33 35	37 38	25 36	33 27	14 12	12 12	6 7	2 1	1		1	2 3
1		1	2		1 1										4
				2	1 2	3	2 1		1 1	1					5
1 1	1	1	1 1	3	2	1	1 5		3 1	2					6
1	2	1		2	1	1	1								7
				1											8
1	1	2 2		2					1						9
49 47	41 25	28 28	31 21	23 10	20 9	11 11	16 11	8 4	1 3	2 1	2	1		1	10
2 5	1 8	1 17	7 21	7 16	10 23	6 22	13 9	5 7	5 3	2 2	1				11
1		1 1	1	1	1 2	1		1 1	2						12
	1		1		1 1	1	1		1 2	2 1					13
				1											14
1						1									15
13	25	32	28	51	77	66	68	64	45	32	12	1	5		16
9 4	12 13	16 16	16 12	30 21	56 21	35 31	42 26	33 31	23 22	13 19	3 9	1	2 3		17
	1 1														18
2 1	2 1	2	2	2 1	1 1	2			1				1		19
1	4 3	9 9	8 4	18 10	32 14	17 21	26 16	19 19	13 14	7 8	6	1	1		20
2	1		2	1 3	3 4	2 3	5 6	7 4	2 2	1 4	1 2		2		21
1	1	1		1 2	1			2							22
1															23
				1											24
	3	1		1 2	3	1 2				1					25
		2 1	1		1		1	1	1						26
2 1	2	2	3 1	1 1	4	4	2 2	2 3	1	2	1				27
2	1 2	3	2 2	4 1	9 1	8 4	5 2	2 3	7 3	5 3	1 1		1		28
		1		1	2	1 1	1	1	1						29
	1		1 1		1		1								30
	2	1		1			1								31
19	34	38	36	53	58	66	83	79	40	23	10	2	2		32
13 6	16 18	21 17	15 21	34 19	33 25	39 27	45 38	35 44	23 17	12 11	4 6	2	2		33 34
	2	1	1					1							35
11 4	13 17	16 16	15 19	32 15	32 23	34 26	43 36	32 43	23 16	10 11	4 6	2	2		36
	1 1		1	3	2	5 1	1 1	1	1						37
		2		1	1		1	1		1					38
1		3		1											39
1 2							1	1		1					4

CAUSE, SEX, AND AGE.

321

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	24	23	28	34	52	33	34	33	25	16	2	2	-----	1
12	11	13	10	17	17	18	16	13	9	8	10	-----	-----	-----	2
12	7	11	13	11	17	34	17	21	24	17	6	2	2	-----	3
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	4
8	10	11	9	11	11	11	12	10	4	6	6	-----	-----	-----	5
6	5	9	9	10	12	19	12	11	12	11	-----	-----	1	-----	6
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	7
1	-----	-----	1	5	1	1	-----	2	3	1	1	-----	-----	-----	8
2	1	-----	2	-----	1	7	3	7	6	4	4	1	-----	-----	9
1	-----	-----	-----	-----	2	1	-----	-----	-----	-----	1	-----	-----	-----	10
1	1	1	-----	-----	1	2	-----	-----	-----	-----	1	-----	-----	-----	11
-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	12
2	1	2	-----	1	2	5	3	1	2	1	2	-----	-----	-----	13
3	-----	1	2	-----	3	6	1	3	6	2	1	1	1	-----	14
14	14	20	16	18	18	22	19	18	8	1	2	2	-----	-----	15
7	8	13	7	7	9	13	9	10	4	-----	1	1	-----	-----	16
7	6	7	9	11	9	9	10	8	4	1	1	1	-----	-----	17
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	18
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	19
1	-----	2	2	2	3	4	-----	2	1	-----	-----	1	-----	-----	20
1	5	2	2	1	3	4	3	-----	-----	-----	-----	-----	-----	-----	21
-----	1	-----	-----	1	2	2	2	1	-----	-----	-----	-----	-----	-----	22
-----	-----	2	-----	2	1	1	-----	1	1	-----	-----	-----	-----	-----	23
1	-----	-----	2	1	1	2	1	1	2	1	-----	-----	-----	-----	24
2	3	2	1	1	2	-----	1	1	-----	-----	-----	-----	-----	-----	25
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	26
-----	-----	-----	-----	1	1	-----	1	1	1	-----	1	-----	-----	-----	27
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	28
-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	29
4	-----	2	1	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	30
-----	1	-----	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	31
-----	2	3	4	-----	1	2	2	5	1	-----	1	-----	-----	-----	32
-----	-----	3	2	1	-----	2	4	1	-----	-----	-----	-----	-----	-----	33
5	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	34
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	35
-----	2	-----	-----	-----	-----	1	2	-----	1	-----	-----	-----	-----	-----	36
-----	-----	1	1	2	1	-----	2	2	1	-----	-----	1	-----	-----	37
13	19	29	26	31	35	31	32	25	23	13	9	-----	-----	-----	38
9	8	11	15	18	19	23	23	18	19	8	6	-----	-----	-----	39
4	11	18	11	13	16	8	9	7	4	5	3	-----	-----	-----	40
8	7	10	12	18	16	19	17	12	15	7	4	-----	-----	-----	41
3	11	16	9	12	15	6	7	6	4	4	3	-----	-----	-----	42
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	43
-----	1	-----	1	-----	-----	-----	1	2	-----	-----	-----	-----	-----	-----	44
-----	-----	1	1	1	-----	1	4	2	3	-----	2	-----	-----	-----	45
-----	-----	-----	1	-----	-----	-----	1	1	-----	1	-----	-----	-----	-----	46
1	-----	-----	1	-----	3	3	1	2	1	1	-----	-----	-----	-----	47
1	-----	1	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	48
4	1	6	3	3	-----	1	-----	1	-----	-----	-----	-----	-----	-----	49
-----	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	50
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	51
3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	52
1	-----	2	2	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	53
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	54
-----	-----	2	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	55

CAUSE, SEX, AND AGE.

323

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	9	2													1
1	2														2
4	2														3
2	1	1													4
	2														5
	2	1													6
1		2	1	1	2			1	3	1					7
1		1	1		2										8
		1		1				1	3	1					9
															10
					1										11
1		1		1	1										12
									1						13
			1							1					14
		1		1	2	1	1	1	2						15
		1		1	1		1	1							16
		1			1	1	1		1						17
				1	1			1							18
									1						19
									1						20
					1	1	1								21
							1								22
															23
															24
							1								25
															26
18	16	14	11	13	8	12	9	11	7	3	2			4	27
15	12	8	8	6	6	8	7	6	4	2				4	28
3	4	6	3	7	2	4	2	5	3	1	2				29
1		1	1		2	1		1	1						30
2		2		1										1	31
			1												32
1		1		1		1								3	33
	1		1												34
	2	1		1											35
															36
2	3		2			2		2							37
				1			1	1							38
	1	3			1										39
				1											40
					1		1								41
3		1				1				1					42
1	1	2	1	1											43
	1	1	2		1			1	1						44
1															45
2															46
5	6	1	3	5	3	4	5	4	4	1					47
	1	1		2		3	2	2	1	1	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
2	Males.....	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
3	Females.....	5,856	861	193	94	55	47	1,250	127	82	178	236	239
4	Unknown cause.....	220	103	6	5	2	1	117	4	2	10	2	5
5	Males.....	131	59	3	3	1	1	67	2	2	8	1	3
6	Females.....	89	44	3	2	1		50	2		2	1	2
7	1. General diseases.												
	General diseases—A.....	1,788	659	142	65	52	36	954	87	39	56	59	46
8	Males.....	973	362	76	33	33	21	525	50	17	34	34	32
9	Females.....	815	297	66	32	19	15	429	37	22	22	25	14
10	Measles.....	23	9	6	2	1	1	19	2		1		1
	{M.....	27	5	9	2		1	17	1	3	1	1	
11	Scarlet fever.....	37	5	3	1	8	5	22	10	1	2		
	{F.....	17	1	3	3	1	1	9	7	1			
12	Diphtheria.....	55	4	8	8	8	9	37	13	2	3		
	{M.....	48	2	8	11	5	2	28	10	6	1	2	
13	Whooping cough.....	47	32	5	4	3		44					
	{F.....	50	30	8	3	4	2	47	3				
14	Malarial fever.....	11	1					1			1		
	{F.....	5										1	
15	Influenza.....	116	14	5	3	1	1	24	3	1	1	3	
	{F.....	129	13	2	1	1	1	18	2	1	2	1	
16	Typhoid fever.....	128	1			1	1	3	9	7	20	24	26
	{F.....	72		1		1	1	3		9	11	10	7
17	Cholera morbus.....	33	7	8	1	2		18	4	2			
	{F.....	18	4		2			6	3	1		1	
18	Colitis.....	5	3					3					
	{F.....	9	4	1				5				1	
19	Diarrhea.....	44	16	1				17	3	2			
	{F.....	31	10	2			1	13	2	1		1	
20	Dysentery.....	32	13	4	1	3	1	22		1			1
	{F.....	42	14	9	3		1	27	3				1
21	Enteritis.....	67	35	9	2	1	1	48	3		1	1	1
	{F.....	70	37	5	1			43	1		1	1	1
22	Cholera infantum.....	246	211	23	7	3	1	245					
	{F.....	194	165	16	4	5	3	193					
23	Fever.....	1									1		
	{F.....	2	2					2					
24	Cerebro-spinal fever.....	25	7	4	2		1	14	1		1	2	
	{F.....	19	2	1	2	2	1	8	4		3	1	1
25	Smallpox.....	5									1		
	{F.....												
26	Erysipelas.....	16	1			2		3					
	{F.....	10	4					4			1		
27	Septicemia.....	43	2		2			4	1	1	2	2	2
	{F.....	42		1			1	2	1		1	6	4
28	Venereal diseases.....	1											1
	{F.....	2									1		
29	Others of this group.....	38	1					1	1			1	
	{F.....	28	4					4					
30	General diseases—B.....	118	57	4	1	2	1	65	2			3	4
31	Males.....	71	32	3			1	36				2	1
32	Females.....	47	25	1	1	2		29	2			1	3
33	Alcoholism.....	12										1	
	{F.....	3											
34	Parasitic diseases.....	1				1		1					
	{F.....												
35	Lead poison.....												
	{F.....												
36	Other poisons.....	17		2				2				1	1
	{F.....	7			1	1		2	2			1	2
37	Inanition.....	42	32	1			1	34					
	{F.....	36	25	1				26					1
38	General diseases—C.....	1,097	361	10	2			373			1	1	1
39	Males.....	556	198	6	1			205			1		1
40	Females.....	541	163	4	1			168				1	
41	Old age.....	313											
	{F.....	340											
42	Premature birth.....	104	104					104					
	{F.....	94	94					94					
43	Malformation.....	12						12					
	{F.....	10	10					10					
44	Debility and atrophy.....	118	73	6	1			80			1		1
	{F.....	89	51	4	1			56				1	
45	Others of this group.....	9	9					9					
	{F.....	8	8					8					

325

MAINE.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,193	83	28	10	8	10	139	28	39	141	187	191
2	Males	965	43	16	5	2	3	69	14	11	59	75	77
3	Females	1,228	40	12	5	6	7	70	14	28	82	112	114
4	Anemia	{M 24 F 33	{M 7 F 7					{M 7 F 7			{M 1 F 2	{M 2 F 1	{M 3 F 3
5	Diabetes	{M 50 F 49					1	1	2	3	5	3	3
6	Rheumatism	{M 20 F 14	{M 1 F 1					{M 1 F 1		1			1
7	Scrofula and tabes	{M 21 F 25	{M 10 F 5	2				12		1	6		1
8	Hydrocephalus	{M 35 F 43	{M 10 F 18	{M 7 F 7	3	1	1	{M 22 F 31	5	3	1	1	1
9	Tuberculosis, general	{M 25 F 17		1		1		1	1	2	2	1	6
10	Consumption	{M 524 F 621	{M 10 F 6	{M 5 F 4	1	3	4	{M 17 F 19	5	3	49	70	62
11	Cancer	{M 219 F 362	{M 1 F 1			1		2	1			1	2
12	Tumor	{M 8 F 25			1			1			1		
13	Dropsy	{M 33 F 35	{M 1 F 1	1				2	1	2		1	
14	Others of this group	{M 6 F 4	{M 3 F 1				1	4					1
15	2. Diseases of the nervous system	1,827	219	67	32	15	14	347	33	18	21	29	37
16	Males	939	131	34	17	8	7	197	18	10	11	14	17
17	Females	888	88	33	15	7	7	150	15	8	10	15	20
18	Inflammation of the brain	{M 27 F 11	{M 5 F 3	2	2	1	2	12	1	1	1	1	1
19	Menigitis	{M 146 F 130	{M 62 F 41	15	8	4	2	91	13	5	7	4	6
20	Apoplexy	{M 289 F 313	{M 4 F 3	1		1		6			1	1	4
21	Paralysis	{M 182 F 176	{M 2 F 2	1	1		1	5	1				
22	Paralysis, general (of insane)	{M 18 F 5											3
23	Tetanus and trismus nascentium	{M 8 F 1	{M 1 F 1	1			1	3				1	1
24	Chorea	{M 1 F 1					1	1					
25	Epilepsy	{M 17 F 9	{M 1 F 1	1				2	1		1	1	1
26	Convulsions	{M 67 F 48	{M 47 F 29	10	6	1		64	1	1		1	1
27	Mental diseases	{M 53 F 78							1		1	7	1
28	Diseases of the brain	{M 96 F 77	{M 9 F 9	4		1	1	15	1	2		1	3
29	Diseases of the spinal cord	{M 13 F 12			2	1		13		3	1	2	1
30	Locomotor ataxia	{M 8 F 4											
31	Others of this class	{M 15 F 23											2
32	3. Diseases of the circulatory system	1,267	52	1	1	1	2	57	10	9	17	20	5
33	Males	708	32	1	1		1	35	5	4	7	5	1
34	Females	559	20			1	1	22	5	5	10	15	4
35	Pericarditis	{M 9 F 6				1		1	1		1	1	
36	Diseases of the heart	{M 625 F 503	{M 20 F 15	1	1		1	23	4	4	6	4	4
37	Angina pectoris	{M 45 F 35											1
38	Diseases of the arteries	{M 5 F 5											
39	Aneurism	{M 5 F 1									1		
40	Embolism	{M 6 F 4										1	
41	Others of this class	{M 13 F 5	{M 12 F 5					12					

327

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	120	123	140	131	152	148	152	125	108	62	28	6		8	1
62 103	58 62	54 69	52 88	50 81	55 97	72 76	80 72	70 55	56 52	34 28	13 15	1 5		3 5	2 3
2	1	1	2	2	1	3	2	2	1	2		1			} 4
4 1	4 1	4	2 4	1 7	2 5	7 4	6 7	3 5	3 4	1 1					
	1	2		2	2 1	2 1	3 3	1 1	3 3	2 1	1 1				} 6
1 3	1 1	2	1 1	1			2	1	1	1 1				1 1	
2	1		1					1							} 8
1 1		3 1	1 4	2	1 1		1	2		1	1				
54 88	47 44	31 35	36 32	29 26	23 24	32 12	24 17	16 17	13 12	8 5	3 2			2 2	} 10
1 8	4 14	12 25	8 39	13 40	22 57	25 51	35 39	38 27	34 25	13 16	7 9	1 2			
				1 3	3 4			1			1				} 12
1 1		2 1	3 1	3 1	4 2	2 3	6 3	7 3	3 3	1 6		1 2			
				2	3		1					1			} 14
36	49	36	61	80	101	152	188	207	199	154	46	22	6	5	
15 21	26 23	15 21	28 33	38 42	58 43	84 68	78 110	109 98	99 100	87 67	23 23	10 12		2 3	16 17
1		1	1	1	1	2				2	1				} 18
2 4	1	3	2	3 4	3 1	1 1	2 2	3 1	3			1		1	
3 4	10 3	2 5	10 8	15 18	31 18	39 36	31 53	44 52	44 45	36 31	9 17	3 6		1 3	} 20
1 2	2 4	3 2	6 10	5 6	9 8	20 21	16 29	36 26	33 31	35 18	7 5	3 4			
	3	1	2	2	3	1 1	1 1	1 1	1	1 2	1	1			} 22
					2			1							
									1						} 24
1	3	2 1		2		2	1 2		2			1			
2				1			3								} 26
5 3	4 9	2 7	3 10	3 8	2 4	2 3	6 8	7 6	4 8	4 6	1				
2 2	2 2	2 1	1 2	5 4	4 5	12 5	11 7	11 6	10 13	8 8	4	2 1			} 28
	1	1	1	2	1	2	4 3			1 1					
1		2	1		3	1	2	3							} 30
	1		2		1			1							
3	3	1	1	1	2	2	4 2	2 4	2 1						} 32
21	33	38	35	61	105	153	175	177	169	104	59	16	2	1	
11 10	14 19	15 23	14 21	34 27	66 39	92 61	110 65	99 78	91 78	62 42	38 21	5 11		1	33 34
	1		1				2 1	2 1	1	1	1				} 35
10 8	12 15	13 22	14 18	30 24	61 35	83 58	93 58	89 72	84 77	54 32	36 19	5 10		1	
1 1	1 4	1 1	2	2 1	4 4	7 2	11 5	5 5	5 1	6 9	1				} 37
				1		1		3	1	1	1	1			
				1	1	2									} 39
1				1			4 1			1					
		1													} 41

CAUSE, SEX, AND AGE.

329

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
38	48	49	42	39	74	94	89	138	118	110	63	12	4	4	1
22 16	25 23	29 20	22 20	16 23	36 38	45 49	53 36	63 75	65 53	53 57	24 39	2 10	2 2	2 2	2 3
19 9	22 17	25 19	17 16	14 15	32 33	36 40	39 29	50 58	48 38	39 45	19 26	1 6	1 1		4
4		1 1	2	3	1 3	2 5	4 2	8 9	11 9	9 6	4 11	1 2	1 1	2	7
1	1		2	2 3	2 1		1	1 1		2 2					8
			1			3 1	5	1	1	1	1				9
3 2	3 5	3	2 2	2	1 1	4 3	4 5	4 6	6 3	3 3	1 1	2		2	10
15	19	27	26	28	31	45	72	45	38	26	11	3		1	11
8 7	7 12	11 16	11 15	14 14	15 16	20 25	38 34	19 26	17 21	16 10	8 3	2 1		1	12 13
															14
							1								15
2	1 1	1 5	1 1	1 2	4	2 3	6 7	6 8	5 6	2 3	1 1	1			16
	1 1	1	1	1	3	3 1	5 2	1 2	2 2	1 1	1				17
2		1		5	4	1	2	2	4						18
	2	2		2	2	1	1	3	1	2					19
1	1	2	2	1		1	3		2	1					20
1		1		1	2	2	2	1	1	2	4				21
		1			1	1				2					22
	1				1	1	1	1	2		1				23
			2	3	1	1	3	1	2	2	1				24
	1		2	1	3	4	7	13	7	3	1				25
2 6	3	5 6	1 7	1 3	1 2	2 6	2 4	1	1	1		1		1	26
			1		1	2	2	1		1					27
1		1	1	2	1	1	4	1	1	1		1			28
25	22	35	32	39	62	65	88	89	84	45	33	9	1	4	29
9 16	4 18	13 22	12 20	25 14	37 25	38 27	58 30	69 20	67 17	34 11	27 6	6 3	1	4	30
8 13	2 12	11 16	8 15	20 11	28 22	31 20	44 25	38 15	46 13	15 11	9 4	2 2	2 1	2	31
					1			1	2						32
1 2	1				1		3	5	5	2	5				33
		1		1	1	2	9	10	8	8	5	2		1	34
	1 6	1 5	4 5	4 2	6 2	5 3	2 3	15 3	6 2	9	8	2 1		1	35
3	2	1	3	3	4	2	1	1		1		1			36
1			1	1	2	2		1							37
	1														38
															39
1	1			2	2					1					40
1															41
		1	2				1					1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	9. Affections connected with pregnancy	88								1	8	22	19
2	Abortion	5										2	1
3	Childbirth	34									2	8	7
4	Puerperal septicemia	35								1	5	9	6
5	Extra-uterine pregnancy												
6	Others of this class	14									1	3	5
7	9. Diseases of the bones and joints	30		1	1	1	1	4	1		4	5	1
8	Males	18		1		1	1	3			3	4	1
9	Females	12			1			1	1		1	1	
10	Diseases of the spine	7		1		1		2				2	1
		7			1			1					
11	Abscess, lumbar and psoas												
12	Diseases of the bones	5					1	1			2		
		4							1			1	
13	Diseases of the hip-joint	5									1	1	
		1									1		
14	Others of this class	1										1	
15	10. Diseases of the skin	22	3					3		1		2	2
16	Males	15	1					1		1		2	2
17	Females	7	2					2					
18	Abscess	10	1					1		1		1	2
		5											
19	Carbuncle	2											
20	Others of this class	3										1	
		2	2					2					
21	11. Diseases of the absorbent system	11											
22	Males	4											
23	Females	7											
24	Addison's disease	3											
		1											
25	Diseases of the spleen												
		2											
26	Others of this class	1											
		4											
27	12. Accidents and injuries	560	36	9	6	9	2	62	23	22	39	38	50
28	Males	394	27	4	4	6		41	19	19	31	32	38
29	Females	166	9	5	2	3	2	21	4	3	8	6	12
30	Burns and scalds	17	1	1	3	2		7	2				2
		24		3	1	5		7	2		2	2	2
31	Drowning	95		1	1	1		3	12	12	12	11	9
		17		1	1			1	1	1	4	2	1
32	Exposure and neglect	2											
		2		1				1					
33	Gunshot wounds	17							1	1	5	2	
		2					1	1					1
34	Homicide	4							1			1	1
		4					1	1					1
35	Infanticide												
36	Injuries by machinery	4									1		
37	Railroad accidents	34								2	4	5	7
		4											
38	Suffocation	15	13					13					
		8	3					3			1		1
39	Suicide by shooting	17										2	2
40	Suicide by drowning	3											
		5											
41	Suicide by poison	8											1
		8									1		2
42	Other suicides	28										4	
		6											1
43	Sunstroke	2		1				1		1			
		2											
44	Surgical operations	1										1	1
		7											
45	Wounds	4										1	
46	Others of this class	143	13	1		3		17	3	3	9	6	16
		77	6	1				7	1	2	1	1	2

331

MAINE—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	8,439	1,310	271	122	93	59	1,855	182	93	223	307	302
2	Males.....	4,425	748	147	57	51	26	1,029	97	51	124	148	142
3	Females.....	4,014	562	124	65	42	33	826	85	42	99	159	160
4	Unknown cause.....	119	51	5	3		1	60	1	1	1	2	3
5	Males.....	71	29	2	2		1	34		1	1	1	3
6	Females.....	48	22	3	1			26	1			1	
7	1. General diseases. General diseases--A.....	1,139	400	78	38	38	23	577	55	24	28	38	33
8	Males.....	621	226	41	19	23	12	321	31	12	18	25	23
9	Females.....	518	174	37	19	15	11	256	24	12	10	13	10
10	Measles.....{M.....	9	4	1		1		6	1		1		1
	{F.....	8	1	5	1			7					
11	Scarlet fever.....{M.....	19	2	2	1	5	2	12	4		2		
	{F.....	6		1	1			2	3	1			
12	Diphtheria.....{M.....	48	3	8	6	8	8	33	12	2	1		
	{F.....	38	1	7	8	4	2	22	9	4	1	1	
13	Whooping cough.....{M.....	35	26	1	3	2		32					
	{F.....	35	21	5	3	4	1	34	1				
14	Malarial fever.....{M.....	6	1					1					
	{F.....	3										1	
15	Influenza.....{M.....	78	4	2	1	1		8	2			2	
	{F.....	85	5	1				6			1	1	
16	Typhoid fever.....{M.....	82					1	1	4	7	10	16	19
	{F.....	44				1	1	2		5	6	5	5
17	Cholera morbus.....{M.....	17	6	1	1			8	2	1			
	{F.....	10			1			1	2	1			
18	Colitis.....{M.....	3	2					2					
	{F.....	7	3	1				4				1	
19	Diarrhea.....{M.....	29	14	1				15	2	2		1	
	{F.....	23	9	1			1	11	1	1			
20	Dysentery.....{M.....	15	6	1		2		9					
	{F.....	14	2	1			1	4	2				1
21	Enteritis.....{M.....	50	28	4	1	1	1	35	2		1	1	
	{F.....	59	33	4	1			38	1		1	1	1
22	Cholera infantum.....{M.....	151	125	20	3	2		150					
	{F.....	111	92	10	2	4	3	111					
23	Fever.....{M.....												
	{F.....												
24	Cerebro-spinal fever.....{M.....	12	4		2			6				2	
	{F.....	12			2	2	1	5	4		1		
25	Smallpox.....{M.....	3									1		
	{F.....												
26	Erysipelas.....{M.....	7				1		1					
	{F.....	7	3					3					
27	Septicemia.....{M.....	30	1		1			2	1		2	2	2
	{F.....	31		1			1	2	1		3	3	3
28	Venereal diseases.....{M.....	1											1
	{F.....	1											
29	Others of this group.....{M.....	26							1			1	
	{F.....	24	4					4					
30	General diseases--B.....	88	47	4		1	1	53	1			3	2
31	Males.....	55	29	3			1	33				2	
32	Females.....	33	18	1		1		20	1			1	2
33	Alcoholism.....{M.....	10										1	
	{F.....	3											
34	Parasitic diseases.....{M.....												
	{F.....												
35	Lead poison.....{M.....												
	{F.....												
36	Other poisons.....{M.....	9		2				2				1	
	{F.....	4				1		1	1			1	1
37	Inanition.....{M.....	36	29	1			1	31					
	{F.....	26	18	1				19					1
38	General diseases--C.....	751	264	7	1			272			1		
39	Males.....	384	144	4	1			149			1		
40	Females.....	367	120	3				123					
41	Old age.....{M.....	211											
	{F.....	221											
42	Premature birth.....{M.....	73	73					73					
	{F.....	66	66					66					
43	Malformation.....{M.....	6	6					6					
	{F.....	7	7					7					
44	Debility and atrophy.....{M.....	85	56	4	1			61			1		
	{F.....	67	41	3				44					
45	Others of this group.....{M.....	9	9					9					
	{F.....	6	6					6					

333

MAINE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
265	278	289	300	337	426	531	602	667	673	574	331	135	39	30	1
121 144	135 143	139 150	138 162	171 166	225 201	279 252	336 266	377 290	361 312	299 275	178 153	49 86	14 25	12 18	2 3
2	2	4	4	4	5	3	4	6	3	5	3	3		3	4
2	1 1	3 1	1 3	4	3 2	3	2 2	4 2	2 1	2 3		2 1		2 1	5 6
18	20	22	25	16	23	24	45	42	40	56	31	16	1	5	7
10 8	12 8	8 14	14 11	11 5	14 9	7 17	29 16	20 22	15 25	25 31	16 15	7 9	1	3 2	8 9
		1													10
	1														11
									1						12
		1	1					1							13
		2		1	2	1	1								14
1	2 3	1	1 1	1 2	3 2	1 5	10 6	9 12	10 12	15 17	11 7	2 7	1	1	15
5 5	6 3	4 2	3 4	4	1 2	1	1 2	1			1			1	16
	1		2			1	1	2	1	1 3					17
			1	1		1									18
			1	1	1	2	2 1	2 1	1 1	1 2		1 1			19
		1 1	1			1 1		2	1 1	1		2		1	20
		2	1 2	1	1 1	1 1	4 1	1 3		1	1 2				21
														1	22
															23
		1 1	2 1		1										24
1				1						1 2	1				25
			1	1	2 1	1									26
2 3	2 2	1 2	1 2	1 1	2 3	3 3	5 1	1 1		2 2	1 2				27
		1													28
1		1	1		1	1	6 4	3 3	3 4	4 4	2 2	2		1	29
3	1	4	2		4		3	4	3	2	2			1	30
3	1	3 1	2		3 1		2 1	4	3	2	1 1			1	31 32
1	1	2	2		2 1		1	1							33
								1						1	34
															35
2							1		2		1				36
		1 1			1		1	3	1	2	1				37
2	1	1		3	3		11	28	73	151	111	64	28	2	38
2	1	1		1 2	1 2		8 3	17 11	40 33	72 79	62 49	21 43	12 16	2	39 40
							3 2	15 11	34 30	67 74	61 47	19 42	12 15		41
															42
															43
2	1	1		1 2	1 2		5 1	2	6 3	5 5	1 2	2 1	1	2	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,534	64	19	6	6	7	102	21	23	98	133	134
2	Males	696	34	9	3	1	2	49	11	10	47	53	55
3	Females	838	30	10	3	5	5	53	10	13	51	80	79
4	Anemia	{M 15 F 20	7 5					7 5			1	1	2
5	Diabetes	{M 34 F 38							1	2	4		1
6	Rheumatism	{M 14 F 12	1 1					1 1		1			1
7	Scrofula and tabes	{M 16 F 15	9 3	2				11 3		1	4		1
8	Hydrocephalus	{M 21 F 32	5 14	4 6	1 1	1	1 3	12 24	5 2	2 1	1 2	1	1
9	Tuberculosis, general	{M 19 F 10		1				1	1	2	1	1	3
10	Consumption	{M 386 F 425	8 5	2 3	1 2			11 16	3 6	3 8	40 40	52 73	47 70
11	Cancer	{M 159 F 247	1			1	1	2 1	1				1 1
12	Tumor	{M 8 F 18			1			1 2			1 1		
13	Dropsy	{M 19 F 18		1				1				1	
14	Others of this group	{M 5 F 3	3					3				1	1
15	2. Diseases of the nervous system	1,330	165	51	26	11	10	263	26	9	15	23	24
16	Males	696	106	26	12	6	5	155	14	4	7	11	14
17	Females	634	59	25	14	5	5	108	12	5	8	12	10
18	Inflammation of the brain	{M 24 F 8	4 3	2 2	2	1	1	10 5	1		1	1	1 1
19	Meningitis	{M 111 F 100	51 30	11 14	5 11	4 4	2 5	73 64	10 9	2 3	5 4	2 5	5 1
20	Apoplexy	{M 224 F 231	4 2	1 2				5 4			1	1	3 1
21	Paralysis	{M 118 F 109	1 2		1			2 2	1		1		1
22	Paralysis, general (of insane)	{M 13 F 3											
23	Tetanus and trismus nascentium	{M 8 F 1	1	1			1	3				1	1
24	Chorea	{M F}											
25	Epilepsy	{M 11 F 7	1	1				1 1	1			1	1 1
26	Convulsions	{M 53 F 30	37 19	8 5	4 1	1		50 25	1	1	1		
27	Mental diseases	{M 43 F 67									1	6 3	2
28	Diseases of the brain	{M 67 F 48	7 3	3 1		2	1	11 7	1	1 2		1 1	3 1
29	Diseases of the spinal cord	{M 10 F 8										1	
30	Locomotor ataxia	{M 6 F 3											
31	Others of this class	{M 8 F 19											2
32	3. Diseases of the circulatory system	893	29			1	1	31	8	3	15	10	5
33	Males	493	15				1	16	3	1	5	3	1
34	Females	400	14			1		15	5	2	10	7	4
35	Pericarditis	{M 6 F 4				1		1			1		
36	Diseases of the heart	{M 438 F 361	10 12				1	11 12	3 5	1 2	4 9	3 6	4
37	Angina pectoris	{M 34 F 26											1
38	Diseases of the arteries	{M 3 F 4											
39	Aneurism	{M 3 F 1									1		
40	Embolism	{M 4 F 2										1	
41	Others of this class	{M 5 F 2	5 2					5 2					

335

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
109	85	85	103	91	104	109	100	83	83	43	18	4		6	1
43 66	40 45	41 44	39 64	37 54	38 66	53 56	49 51	51 32	45 38	23 20	9 9	1 3		2 4	2 3
1	1	1	1	1	1	3	2	2	1			1			} 4
2	4 1		2 3	1 4	1 3	5 4	4 7	3 4	3 3	1 1					
	1	2		1	1	1	2 3	1 1	3 2	2 1	1				} 6
2	1 1		1	1			1			1 1				1 1	
1	1														} 8
1		3	1 3	1	1		1	1		1					
38 52	30 31	24 23	28 23	21 18	17 19	21 7	19 12	13 11	11 8	4 4	3 2			1 1	} 10
1 8	4 10	10 17	5 30	11 28	15 38	21 37	20 25	28 15	26 18	9 12	4 6	1 1			
				1	3			1			1				} 12
1		2	1	1	2	2			3	1					
1		1 2	1 1	1 1	2	3 2	1 2	4 1	1 3	5	1				} 14
1						1	1								
27	42	26	44	62	67	114	129	154	143	105	32	16	4	5	} 16
13 14	24 18	9 17	21 23	31 31	40 27	61 53	56 73	84 70	67 76	61 44	16 16	6 10		2 3	
1		1	1	1	1	2				2	1				} 18
2 3	1	2	2	3 3	1 1	1 1	1 1	1 1	2			1		1	
2 2	9 1	1 4	7 6	13 14	23 13	29 31	23 35	37 39	37 37	27 22	5 11	2 5		1 3	} 20
1	2 2	1 1	3 5	4 4	6 4	14 12	12 20	25 15	16 22	25 11	4 4	2 3			
	3	1	2	2	2			1			1	1			} 22
					2	1		1		2					
									1						} 24
1	2	1 1		2		1	1 2		1						
2							2	1							} 26
4 3	4 9	1 6	3 8	3 7	1 3	2 3	5 7	7 5	3 8	2 3	1				
2 1	2 2	2 1	2 2	2 2	2 2	8 4	8 4	8 5	7 7	4 4	4	1 1			} 28
	1	1 2	1 2	1 1	1 1	2 1	3 1			1 1					
1						1	1	2 1							} 30
	1 2		1 1		1 2	1 1	2 1	1 4	1 1	1 1	1				
14	27	27	25	48	72	113	112	132	131	70	38	11	1		} 32
7 7	10 17	11 16	10 15	24 24	45 27	67 46	69 43	80 52	71 60	42 28	24 14	4 7			
	1							2 1	1	1					} 34
6 6	8 13	10 16	10 13	20 21	41 24	59 44	59 38	72 47	66 59	38 22	23 13	4 6			
1 1	1 4	1		2 1	4 3	6 1	7 4	5 4	3 1	3 6					} 36
			1					1	1		1 1	1			
				1		1									} 38
				1		2									
				1			3								} 40

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	40	33	29	28	52	66	60	98	91	80	52	5	3	3	1
15	22	20	18	11	24	31	38	42	47	38	19	5	2	1	2
13	18	13	11	17	28	35	22	56	44	42	33		1	2	3
															4
14	19	18	14	9	21	25	29	33	34	29	15		1		5
6	12	13	9	10	26	28	18	42	33	33	23	3			6
															7
4			1	2	1	1	3	5	8	6	3		1	1	8
															9
1	1		2	2	2		1	1	1	2					10
				3	1	2	2								11
						1									12
1	3	2	2			3	3	3	5	1	1				13
2	5		1	2		3	2	5	2	2	1	1		2	14
7	16	20	16	23	25	29	44	32	28	18	8	1		1	15
															16
3	6	8	7	12	14	13	22	14	14	11	5				17
4	10	12	9	11	11	16	22	18	14	7	3	1		1	18
															19
															20
															21
	1	1	1	1		1	5	5	5	1	1				22
	1	4	1	2	3	2	3	4	5	2	1				23
					2	1	3		2	1	1				24
	1					1		1	1	1					25
1		1		4	4	1	2	2	2						26
	1	2		2	2	1	1	3		1					27
	1	1	1	1		1			1	1					28
							2		1	1					29
					2		1			2	3				30
		1		1			2								31
							1								32
			1			1	1	1	2		1				33
	1					1									34
															35
															36
															37
															38
															39
															40
															41
															42

CAUSE, SEX, AND AGE.

339

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	5	1												1
1															2
1	3	5													3
6	2														4
															5
1			1												6
1		3	1	1		1	1	1	1			1			7
1		2		1		1			1						8
		1	1				1	1				1			9
						1		1				1			10
															11
			1	1					1						12
1		2													13
															14
1	1	1	1	2	1		2	1	1						15
	1	1	1	2	1		1	1							16
1		1	1		1		1	1	1						17
1							1		1						18
	1			1											19
				1			1								20
2					1		1	3							21
2					1			1	2						22
1					1			1	1						23
									1						24
															25
1							1								26
20	22	28	21	23	19	19	23	14	13	11	12	4	1	3	27
15	16	22	15	16	13	10	16	10	7	1	6	2		1	28
5	6	6	6	7	6	9	7	4	6	10	6	2	1	2	29
	1	1					2		2						30
2	2					1	1			1	1				31
2	3	4	1	3	6	1	1	2						1	32
1		2	1	1				1							33
															34
3	2														35
	1	1													36
							1								37
2	3	1	1		1	4					1				38
	2						1		1	1					39
			1											2	40
	1	3	1	2	2	2	1								41
				1	1		1	1							42
		1			1			2	1						43
		1													44
	2	1	6	3	1		2				1				45
			2			1									46
								1	1						
1		2			1								1		
8	2	11	5	8	2	3	8	4	4	1	4	1			
1	3		1	5	5	6	5	2	4	8	5	2	1		

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes -----	3,709	636	137	65	32	29	899	83	69	141	138	137
2	Males -----	1,897	337	68	36	19	15	475	41	29	62	61	58
3	Females -----	1,842	299	69	29	13	14	424	42	40	79	77	79
4	Unknown cause -----	101	52	1	2	2		57	3	1	9		2
5	Males -----	60	30	1	1	1		33	2	1	7		
6	Females -----	41	22		1	1		24	1		2		2
7	1. General diseases. General diseases--A -----	649	259	64	27	14	13	377	32	15	28	21	13
8	Males -----	352	136	35	14	10	9	204	19	5	16	9	9
9	Females -----	297	123	29	13	4	4	173	13	10	12	12	4
10	Measles ----- (M) -----	14	5	5	2		1	13	1				
	(F) -----	19	4	4	1		1	10	1	3	1	1	
11	Scarlet fever ----- (M) -----	18	3	1		3	3	10	6	1			
	(F) -----	11	1	2	2	1	1	7	4				
12	Diphtheria ----- (M) -----	7	1		2		1	4	1		2		
	(F) -----	10	1	1	3	1		6	1	2		1	
13	Whooping cough ----- (M) -----	12	6	4	1	1		12					
	(F) -----	15	9	3			1	13	2				
14	Malarial fever ----- (M) -----	5									1		
	(F) -----	2											
15	Influenza ----- (M) -----	38	10	3	2		1	16	1	1	1	1	
	(F) -----	44	8	1	1	1	1	12	2	1	1		
16	Typhoid fever ----- (M) -----	46	1			1		2	5		10	8	7
	(F) -----	28		1				1		4	5	5	2
17	Cholera morbus ----- (M) -----	16	1	7		2		10	2	1			
	(F) -----	8	4		1			5	1			1	
18	Colitis ----- (M) -----	2	1					1					
	(F) -----	2	1					1					
19	Diarrhea ----- (M) -----	15	2					2	1				
	(F) -----	8	1	1				2	1				
20	Dysentery ----- (M) -----	17	7	3	1	1	1	13		1			1
	(F) -----	28	12	8	3			23	1				
21	Enteritis ----- (M) -----	17	7	5	1			13	1				1
	(F) -----	11	4	1				5					
22	Cholera infantum ----- (M) -----	95	86	3	4	1	1	95					
	(F) -----	83	73	6	2	1		82					
23	Fever ----- (M) -----	1									1		
	(F) -----	2	2					2					
24	Cerebro-spinal fever ----- (M) -----	13	3	4			1	8	1		1		
	(F) -----	7	2	1				3			2	1	1
25	Smallpox ----- (M) -----	2											
	(F) -----												
26	Erysipelas ----- (M) -----	9	1			1		2					
	(F) -----	3	1					1			1		
27	Septicemia ----- (M) -----	13	1		1			2		1			
	(F) -----	11									1	3	1
28	Venereal diseases ----- (M) -----												
	(F) -----	1									1		
29	Others of this group ----- (M) -----	12	1					1					
	(F) -----	4											
30	General diseases--B -----	30	10		1	1		12	1				2
31	Males -----	16	3					3					1
32	Females -----	14	7		1	1		9	1				1
33	Alcoholism ----- (M) -----	2											
	(F) -----												
34	Parasitic diseases ----- (M) -----												
	(F) -----	1				1		1					
35	Lead poison ----- (M) -----												
	(F) -----												
36	Other poisons ----- (M) -----	8											1
	(F) -----	3			1			1	1				1
37	Inanition ----- (M) -----	6	3					3					
	(F) -----	10	7					7					
38	General diseases--C -----	346	97	3	1			101				1	1
39	Males -----	172	54	2				56					1
40	Females -----	174	43	1	1			45				1	
41	Old age ----- (M) -----	102											
	(F) -----	119											
42	Premature birth ----- (M) -----	31	31					31					
	(F) -----	28	28					28					
43	Malformation ----- (M) -----	6	6					6					
	(F) -----	3	3					3					
44	Debility and atrophy ----- (M) -----	33	17	2				19					1
	(F) -----	22	10	1	1			12				1	
45	Others of this group ----- (M) -----												
	(F) -----	2	2					2					

CAUSE, SEX, AND AGE.

341

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
128	96	114	112	106	184	205	288	257	256	250	156	57	18	15	1
51	48	53	45	48	93	114	157	123	143	139	86	26	5	10	2
77	48	61	67	58	91	91	131	134	113	111	70	31	13	5	3
2	1	2	2	2	2	5		5	2	1	2			3	4
1		1	1	1	1	5		2	1	1	1			2	5
1	1	1	1	1	1			3	1		1			1	6
5	9	7	13	3	13	9	22	14	23	21	15	6	2	1	7
2	3	5	9		8	7	10	7	12	13	10	3	1		8
3	6	2	4	3	5	2	12	7	11	8	5	3	1	1	9
			2				1								10
											1				11
															12
															13
						1	1	2							14
			1		2	1		1	2						15
	2	1	1		1	2	5	5	3	3	4	2	1		16
	1	3	3		2	2	2		1						17
	2	1	1	2	2	1			2						18
			1		1			1		1					19
															20
															21
1	1				1		2			1					22
														1	23
															24
1		1			1										25
			2												26
1		1				1	1		2		1				27
2	2														28
	1		2	1			2	2	2		1				29
								2	1	5	3				30
3	1	1			4	2	1	1	1	1					31
3	1	1			3	2	1		1						32
	1				1	1		1		1					33
															34
															35
3		1			1		1		1						36
					2	1									37
					1			1		1					38
1				2	2	5	2	18	36	68	70	25	12	2	39
															40
1				2	1	2	1	7	17	33	35	12	4	1	41
					1	3	1	11	19	35	35	13	8	1	42
						1		4	17	32	33	11	4		43
						1	1	10	19	33	34	13	8		44
															45
															46
															47
															48
															49
1				2	1	1	1	3		1	2	1		1	50
					1	2		1		2	1			1	51

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	659	19	9	4	2	3	37	7	16	43	54	57
2	Males	269	9	7	2	1	1	20	3	1	12	22	22
3	Females	390	10	2	2	1	2	17	4	15	31	32	35
4	Anemia	9											
	(M)	13	2					2	1		1	2	1
5	Diabetes	16											
	(F)	11					1	1	1		1	1	2
6	Rheumatism	6											
	(M)	2											
7	Scrofula and tabes	5	1					1					1
	(F)	10	2					2			2		1
8	Hydrocephalus	14	5	3	2			10		1			
	(M)	11	4	1	1		1	7		1			2
9	Tuberculosis, general	6											
	(F)	7				1		1		1	1	1	3
10	Consumption	138	2	3		1		6	2		9	18	15
	(M)	196	1	1	1			3	2	10	26	29	26
11	Cancer	60										1	1
	(F)	115									2	1	5
12	Tumor	7										1	
	(M)	14	1	1				2					
13	Dropsy	17							1	2			
	(F)	1					1	1					
14	Others of this group	1	1					1					
	(F)	1	1					1					
15	2. Diseases of the nervous system	497	54	16	6	4	4	84	7	9	6	6	13
16	Males	243	25	8	5	2	2	42	4	6	4	3	3
17	Females	254	29	8	1	2	2	42	3	3	2	3	10
18	Inflammation of the brain	3	1				1	2		1			1
	(M)	3									1		
19	Meningitis	35	11	4	3			18	3	3	2	2	1
	(F)	30	11	3	1	2	1	18	3	1	1		3
20	Apoplexy	65				1		1			1		1
	(M)	82	1	1				2					3
21	Paralysis	64	1	1			1	3					
	(F)	67								1			2
22	Paralysis, general (of insane)	5											
	(M)	2											
23	Tetanus and trismus nascentium												
	(F)												
24	Chorea	1					1	1					
	(M)												
25	Epilepsy	6	1					1			1		
	(F)	2											
26	Convulsions	14	10	2	2			14					
	(M)	18	10	4				14				1	1
27	Mental diseases	10							1			1	1
	(F)	11										1	
28	Diseases of the brain	29	2	1		1		4		1			
	(M)	29	6					6		1		1	
29	Diseases of the spinal cord	3								1			
	(F)	4											
30	Locomotor ataxia	2											
	(M)	1											
31	Others of this class	7											
	(F)	4											
32	3. Diseases of the circulatory system	374	23	1	1		1	26	2	6	2	10	
33	Males	215	17	1	1			19	2	3	2	2	
34	Females	159	6				1	7		3		8	
35	Pericarditis	3							1			1	
	(M)	2											
36	Diseases of the heart	187	10	1	1			12	1	3	2	1	
	(F)	142	3				1	4		3		7	
37	Angina pectoris	11											
	(M)	9											
38	Diseases of the arteries	2											
	(F)	1											
39	Aneurism	2										1	
	(M)												
40	Embolism	2											
	(F)	2											
41	Others of this class	8	7					7					
	(M)	3	3					3					

343

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
56	35	38	37	40	48	39	52	42	25	19	10	2		2	1
19 37	18 17	13 25	13 24	13 27	17 31	19 20	31 21	19 23	11 14	11 8	4 6	2 2		1 1	2 3
1			1 1	1	2		2 1	2		2 1					4
2 1		4	1	3	1 2	2	2	1	1						
				1	2	2	1		1		1				6
1 1		2	1				1	1	1						
1	1		1					1							8
				1				1							
1				1				1			1				9
		1	1												
16 31	17 13	7 12	8 9	8 8	6 5	11 5	5 5	3 6	2 4	4 1				1 1	10
		2 8	3 9	2 12	7 19	4 14	15 14	10 12	8 7	4 4	3 3	1			
	4														11
			2	2	2										
			2	1	1										12
				1	1										
1		2				1	5 1	3 2	1	1 2	2	1			13
															14
9	7	10	17	18	34	38	59	53	56	49	14	6	2		15
2 7	2 5	6 4	7 10	7 11	18 16	23 15	22 37	25 28	32 24	26 23	7 7	4 2	2		16
					1										
					2										17
1		1		1			1	2	1						18
1 2	1 2	1 1	3 2	2 4	8 5	10 5	8 18	7 13	7 8	9 9	4 6	1 1	1		19
		2	3	1	3	6	4	11	17	10	3	1			
2	2	1	5	2	4	9	9	11 11	9	7	1	1	1	1	20
							1								
					1	1	1	1	1	1					21
															22
															23
															24
	1	1				1			1			1			25
								1							
				1			1								26
1		1 1		1	1		1 1		1	2 3					27
			2	1	1			1							
1			1	3 2	2 3	4 1	3 3	3 1	3 6	4 4		1			28
				1			1 2								
					2										29
							1	1							
									1						30
1	1		1		1	1	2 1	1	1						31
7	6	11	10	13	33	40	63	45	38	34	21	5	1	1	32
4 3	4 2	4 7	4 6	10 3	21 12	25 15	41 22	19 26	20 18	20 14	14 7	1 4	1	1	
							2				1		1	1	33
4 2	4 2	3 6	4 5	10 3	20 11	24 14	34 20	17 25	18 13	16 10	13 6	1 4	1	1	34
		1	1		1	1	4 1		2	3 3	1				
										1					35
															36
															37
															38
															39
															40
1							1 1			1					41
		1													

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	436	80	35	14	5	4	138	7	4	17	8	8
2	Males.....	203	34	12	5	3	2	56		2	2	8	4
3	Females.....	233	46	23	9	2	2	82	7	2	15		4
4	Croup.....	{M. 3 F. 7	1 4	1	2		1	3 6					
5	Pneumonia.....	{M. 151 F. 177	23 30	6 17	2 8	2 2	2	35 57		2 2	2 14	7	4 4
6	Laryngitis.....	{M. F. 2					1	2					
7	Bronchitis.....	{M. 28 F. 24	7 4	4 4	1 1	1		13 9			1		
8	Pleurisy.....	{M. F. 1											
9	Asthma.....	{M. 6 F. 5						2				1	
10	Others of this class.....	{M. 15 F. 17	3 5	2 1				5 6	2				
11	5. Diseases of the digestive system.....	202	29	5	4	1	2	41	11	5	7	10	9
12	Males.....	95	18	1	4	1		24	4	1	3	5	1
13	Females.....	107	11	4			2	17	7	4	4	5	8
14	Dentition.....	{M. F.											
15	Angina.....	{M. 3 F. 2		1		1		2	1 1				
16	Gastritis.....	{M. 11 F. 15	4	1				4 1				1	
17	Diseases of the stomach.....	{M. 12 F. 9	3 1					3 1		1	1	2	
18	Obstruction of the bowels.....	{M. 7 F. 7							1 1	1	1		1
19	Appendicitis.....	{M. 5 F. 13										2	1
20	Hernia.....	{M. 4 F. 4							1				
21	Other diseases of the bowels.....	{M. 5 F. 1	1					1				1	
22	Jaundice.....	{M. 3 F. 2	1 1		1			2 1					
23	Inflammation and abscess of the liver.....	{M. 4 F. 2											
24	Other diseases of the liver.....	{M. 14 F. 9			1			1					
25	Peritonitis.....	{M. 8 F. 27									1	2	
26	Ascites.....	{M. F. 3											
27	Others of this class.....	{M. 19 F. 13	9 7		2			11 7					
28	6. Diseases of the urinary system and male organs of generation.....	170	3		1			4	4	1	4	5	4
29	Males.....	105	3		1			4			3	1	1
30	Females.....	65							4	1	1	4	3
31	Bright's disease.....	{M. 59 F. 48									3	1	1
32	Calculus, urinary.....	{M. 1 F. 1										1	3
33	Diseases of the kidney.....	{M. 9 F. 2	3					3					
34	Diseases of the bladder.....	{M. 15 F. 3											
35	Others of this class.....	{M. 21 F. 11			1			1			1	1	
36	7. Diseases of the female organs of generation.....	6									1		1
37	Ovarian tumors.....	3											
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....	1											
41	Uterine diseases.....	1									1		
42	Others of this class.....	1											

345

MAINE—GROUP 2—Continued.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MAINE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	42								1	5	9	9
2	Abortion.....	2											1
3	Childbirth.....	18									2	5	3
4	Puerperal septicemia.....	16								1	3	3	3
5	Extra-uterine pregnancy.....												
6	Others of this class.....	6										1	2
7	9. Diseases of the bones and joints.....	8					1	1	1		1	1	
8	Males.....	4					1	1			1	1	
9	Females.....	4							1				
10	Diseases of the spine.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 2 2										1	
11	Abscess, lumbar and psoas.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
12	Diseases of the bones.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1 2					1	1					
13	Diseases of the hip-joint.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1									1		
14	Others of this class.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
15	10. Diseases of the skin.....	8	1					1		1		1	2
16	Males.....	6	1					1		1		1	2
17	Females.....	2											
18	Abscess.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 6 2	1					1		1		1	2
19	Carbuncle.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
20	Others of this class.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
21	11. Diseases of the absorbent system.....	4											
22	Males.....												
23	Females.....	4											
24	Addison's disease.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
25	Diseases of the spleen.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1											
26	Others of this class.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 3											
27	12. Accidents and injuries.....	177	9	3	4	3	1	20	8	10	18	12	16
28	Males.....	127	7	1	3	1		12	7	9	12	9	14
29	Females.....	50	2	2	1	2	1	8	1	1	6	3	2
30	Burns and scalds.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 7 9	1	1	2	1		5 4					2
31	Drowning.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 34 6			1			1	5	5	4 3	4 1	3
32	Exposure and neglect.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1 2		1				1					
33	Gunshot wounds.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 6 1					1	1	1		1	1	
34	Homicide.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 2											1
35	Infanticide.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
36	Injuries by machinery.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 3									1		
37	Railroad accidents.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 6 1								2		1	
38	Suffocation.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 4 3	4 2					4 2					1
39	Suicide by shooting.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 2											1
40	Suicide by drowning.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1 1											
41	Suicide by poison.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 2 6									1		1
42	Other suicides.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 10 2										2	
43	Sunstroke.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$											
44	Surgical operations.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1 1											
45	Wounds.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 1											
46	Others of this class.....	$\begin{smallmatrix} \{M \\ \{F \end{smallmatrix}$ 47 18	2					2	1 1	2 1	6	1	7

CAUSE, SEX, AND AGE.

347

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	1	5		1											1
1															2
5		3													3
3	1	1		1											4
															5
2		1													6
						2	1		1						7
									1						8
						2	1								9
						1	1		1						10
															11
						1									12
															13
															14
	1	1							1						15
									1						16
	1	1							1						17
	1	1													18
															19
															20
1		1						2							21
															22
1		1						2							23
															24
															25
1															26
		1						2							27
9	16	9	3	5	4	7	9	3	15	6	1	4		2	28
6	14	9	1	4	2	5	6	2	8	3		2		2	29
3	2		2	1	2	2	3	1	7	3	1	2			30
1															31
3	5	2					1							1	32
	1						1								33
								1				1			34
	2			1											35
	1														36
							1								37
	1	1							1	1					38
															39
			1												40
					1										41
	1				1	1				1				1	42
2		2		2			1		1						43
1								1							44
			1												45
									1						46
1	3	4		1	1	4	3	1	5	3		2			47
1			1	1		1	1	1	6	2	1	1			48

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males.....	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females.....	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	Unknown cause.....	350	108	10	2	4	-----	124	8	8	4	5	11
5	Males.....	189	59	6	2	3	-----	70	4	3	1	4	5
6	Females.....	161	49	4	-----	1	-----	54	4	5	3	1	6
7	I. General diseases. General diseases—A.....	8,715	3,351	888	455	321	236	5,251	488	154	154	190	186
8	Males.....	4,341	1,843	454	210	172	104	2,783	236	65	65	108	91
9	Females.....	4,374	1,508	434	245	149	132	2,468	252	89	89	82	95
10	Measles.....(M.....)	167	46	56	19	18	4	143	14	1	1	2	1
	(F.....)	144	40	42	19	9	6	116	9	10	1	2	2
11	Scarlet fever.....(M.....)	180	9	23	29	32	19	112	50	5	4	3	2
	(F.....)	204	15	24	33	35	25	132	53	7	2	1	2
12	Diphtheria.....(M.....)	516	40	96	95	85	53	369	107	18	10	5	2
	(F.....)	556	31	83	100	63	71	348	143	34	11	7	4
13	Whooping cough.....(M.....)	162	93	41	11	9	4	158	2	-----	-----	-----	-----
	(F.....)	213	102	55	29	14	3	203	8	1	-----	-----	-----
14	Malarial fever.....(M.....)	41	3	-----	-----	1	1	5	1	1	1	2	1
	(F.....)	29	5	1	1	-----	-----	7	1	2	-----	3	1
15	Influenza.....(M.....)	411	33	8	3	3	1	48	6	4	4	8	6
	(F.....)	709	33	8	5	5	3	54	4	5	5	3	17
16	Typhoid fever.....(M.....)	374	1	2	1	3	1	8	12	16	29	68	55
	(F.....)	251	1	3	3	-----	1	8	8	16	50	29	34
17	Cholera morbus.....(M.....)	56	5	4	5	2	1	17	6	2	1	2	1
	(F.....)	57	6	3	8	1	-----	18	1	1	1	1	3
18	Colitis.....(M.....)	32	18	4	1	1	-----	24	1	-----	-----	1	-----
	(F.....)	39	20	6	-----	1	-----	27	1	-----	-----	1	-----
19	Diarrhea.....(M.....)	160	83	13	2	-----	-----	98	4	-----	-----	-----	2
	(F.....)	156	76	6	-----	-----	-----	82	6	1	-----	1	2
20	Dysentery.....(M.....)	118	24	10	6	1	4	45	3	3	2	1	3
	(F.....)	148	10	3	5	3	3	24	3	2	2	4	3
21	Enteritis.....(M.....)	622	458	65	14	4	5	546	6	3	-----	-----	3
	(F.....)	547	317	82	13	7	4	423	6	3	2	2	1
22	Cholera infantum.....(M.....)	1,062	929	113	13	4	3	1,062	-----	-----	-----	-----	-----
	(F.....)	902	781	97	13	5	6	902	-----	-----	-----	-----	-----
23	Fever.....(M.....)	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	(F.....)	5	1	2	1	-----	1	5	-----	-----	-----	-----	-----
24	Cerebro-spinal fever.....(M.....)	125	42	14	8	6	4	74	13	8	6	9	5
	(F.....)	86	23	10	13	5	6	57	7	5	6	4	2
25	Smallpox.....(M.....)	6	-----	-----	-----	1	-----	1	1	-----	-----	-----	1
	(F.....)	9	2	-----	-----	-----	-----	2	-----	-----	1	3	-----
26	Erysipelas.....(M.....)	80	30	-----	-----	-----	-----	30	-----	1	-----	1	1
	(F.....)	76	24	3	1	-----	-----	28	1	-----	-----	2	2
27	Septicemia.....(M.....)	109	9	3	1	2	3	18	7	1	3	6	6
	(F.....)	147	10	3	-----	1	1	15	1	2	6	17	19
28	Venereal diseases.....(M.....)	29	18	1	-----	-----	-----	19	-----	-----	2	-----	1
	(F.....)	20	12	1	-----	-----	1	14	-----	-----	-----	2	1
29	Others of this group.....(M.....)	90	2	1	2	-----	1	6	3	2	-----	-----	1
	(F.....)	76	1	-----	1	-----	1	3	-----	-----	1	-----	2
30	General diseases—B.....	1,222	847	28	4	4	4	887	7	1	5	12	36
31	Males.....	730	475	16	3	1	3	498	5	-----	2	6	28
32	Females.....	492	372	12	1	3	1	389	2	1	3	6	8
33	Alcoholism.....(M.....)	145	-----	-----	-----	-----	-----	-----	1	-----	-----	2	15
	(F.....)	46	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3
34	Parasitic diseases.....(M.....)	1	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----
	(F.....)	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
35	Lead poison.....(M.....)	6	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----
	(F.....)	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
36	Other poisons.....(M.....)	75	4	2	2	-----	3	11	1	-----	2	4	13
	(F.....)	43	3	1	1	2	1	8	1	-----	2	4	5
37	Inanition.....(M.....)	503	471	14	-----	1	-----	486	3	-----	-----	-----	-----
	(F.....)	399	369	11	-----	-----	-----	380	1	1	1	1	-----
38	General diseases—C.....	4,734	2,658	79	12	6	6	2,761	5	5	3	8	5
39	Males.....	2,338	1,508	44	7	5	1	1,565	1	2	2	4	3
40	Females.....	2,396	1,150	35	5	1	5	1,196	4	3	1	4	2
41	Old age.....(M.....)	661	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	(F.....)	1,042	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
42	Premature birth.....(M.....)	683	683	-----	-----	-----	-----	683	-----	-----	-----	-----	-----
	(F.....)	481	481	-----	-----	-----	-----	481	-----	-----	-----	-----	-----
43	Malformation.....(M.....)	95	91	1	-----	-----	-----	92	-----	-----	-----	-----	-----
	(F.....)	96	94	1	-----	-----	1	96	-----	-----	-----	-----	-----
44	Debility and atrophy.....(M.....)	817	652	43	7	5	1	708	1	2	2	4	3
	(F.....)	718	517	34	5	1	4	561	4	3	1	4	2
45	Others of this group.....(M.....)	82	82	-----	-----	-----	-----	82	-----	-----	-----	-----	-----
	(F.....)	59	58	-----	-----	-----	-----	58	-----	-----	-----	-----	-----

CAUSE, SEX, AND AGE.

349

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077 984	1,056 943	931 930	1,019 907	1,129 1,193	1,213 1,199	1,313 1,326	1,405 1,487	1,395 1,531	1,304 1,457	932 1,142	459 681	142 285	37 89	70 49	2 3
15	22	21	15	19	18	14	15	13	8	10	5	1		14	4
8 7	11 11	15 6	9 6	6 13	11 7	12 2	9 6	7 6	3 5	5 5		1		6 8	5 6
182	152	133	131	140	134	217	240	269	291	234	108	49	8	4	7
91 91	81 71	64 69	59 72	62 78	62 72	90 127	92 148	121 148	112 179	89 145	49 59	17 32	2 6	2 2	8 9
2 1	1	1	1		1 1				1						10
3 2	1 2	1				1	1	1							11
2 1	1 3		1 2	1 1	1		1								12
	1									1				1	13
	3 2	1	1	1	6 1	3 1	4 2	5 2	5 1	1 2	1 1	1			14
7 11	11 14	13 24	16 25	16 29	12 26	31 72	37 78	52 86	56 97	50 94	21 33	11 27	1 5	1	15
52 33	39 16	25 9	20 17	19 9	10 5	11 8	3 3	3 5	3 1		1				16
1 2	6	2 2	3 1	1 3	1 1	3 1	2 4	5 3	2 4	2 1	3 3	1 1		1	17
1 1		2	1 1	1 1	1 1		1 2		1 2						18
2 1	4	1 4	2	2 3	4 7	8 6	6 5	8 9	8 14	8 10	1 4	2 1			19
2 5	4 4	3 5	5	3 2	3 7	10 9	8 18	11 15	11 23	4 8	2 6	3			20
2 5	3 3	6 5	2 7	4 11	8 7	10 8	10 14	6 13	5 17	4 16	3 3		1 1		21
															22
		1													23
2	4 1	3 1	1	1			1	1							24
2 1				1 1	1										25
7 1	4 3	3 3	4 6	2 4	5 7	3 3	3 3	6 1	4 8	1 3	1 1	2			26
7 23	4 17	5 8	5 5	6 11	8 3	5 7	12 3	10 1	4 3	2 3				1	27
1 2	1	1 1		2				1	1						28
		1 2	3 2	3 2	3 4	6 12	6 13	13 12	11 9	16 8	16 6				29
38	51	32	28	25	24	15	17	8	14	4	1	1	1	15	30
27 11 22 5	37 14 33 11	22 10 13 8	21 7 14 6	17 8 14 3	17 7 11 6	10 5 6 1	13 4 6 1	5 3 2	9 5 4	2 2 1	1	1	1	10 5 1	31 32 33
				1											34
1 3		2	1			1									35
4 3	4 3	7 2	6 1	3 4	4 1	3 2	6 2	2 3	4 1	1 1					36
				1	1	1	1	1	1	1				9 5	37
2	6	2	7	8	21	49	89	191	339	511	428	206	79	9	38
1 1	2 4	1 1	2 5	4 4	9 12	22 27	40 49	79 112	136 203	205 306	171 257	64 142	20 59	5 4	39 40
						9 16	23 35	68 81	122 188	195 283	164 242	60 138	20 57	2	41
															42
														3	43
1 1	2 4	1 1	2 5	4 4	9 12	13 11	17 14	11 30	14 15	10 23	7 15	4 4	2	2 2	44
								1							45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	8,737	351	187	96	61	34	729	110	134	458	796	918
2	Males	4,168	206	110	47	25	16	404	48	41	189	406	454
3	Females	4,569	145	77	49	36	18	325	62	93	269	390	464
4	Anemia	M 76 F 119	11 7	1 5		1 2	1	13 15	1	1	3	3 6	3 7
5	Diabetes	M 150 F 168		2	2			4 4	2 5	5 11	4 7	3 4	7 5
6	Rheumatism	M 84 F 93	2 2		1 1		2	5 4	6 6	4 6	3 8	4 2	5 4
7	Scrofula and tabes	M 31 F 33	9 5	3 1		1		12 7	2	3	2	3 2	2 2
8	Hydrocephalus	M 249 F 196	91 66	67 39	22 26	15 13	10 8	205 152	16 15	4 7	2 7	4 7	6 2
9	Tuberculosis, general	M 77 F 79	8 10	3 3	1 3		2	12 19	2 5	5 3	1 6	6 7	12 7
10	Consumption	M 2,769 F 2,455	72 50	31 24	16 16	5 13	3 6	127 109	14 30	20 54	172 230	375 359	413 421
11	Cancer	M 605 F 1,259			2			2 1	1	1 2	2 2	3 2	4 12
12	Tumor	M 69 F 98	2 1		1	1	1	3 3	2 1		2 1	3 2	2 4
13	Dropsy	M 20 F 36		1		1		2 1	1		1 1	1	
14	Others of this group	M 38 F 33	11 7	2 1	3 1	3 1		19 10	1	2 4	2 2	1 1	
15	2. Diseases of the nervous system	6,156	1,087	338	129	86	64	1,704	124	82	67	78	114
16	Males	3,139	636	188	77	44	33	978	71	34	40	35	66
17	Females	3,017	451	150	52	42	31	726	53	48	27	43	48
18	Inflammation of the brain	M 46 F 23	18 6	3 1	5 2	2 1	1	29 10	2	1 1	1	1 1	1 1
19	Meningitis	M 656 F 550	294 221	114 100	48 31	23 32	18 20	497 404	45 44	11 27	14 10	10 9	16 4
20	Apoplexy	M 1,007 F 1,183	16 7	3 1	1 1	2 1	1	22 11	3	2 3	3 4	5 1	14 14
21	Paralysis	M 432 F 410	3 3	1				4 5	1 1	3 1	1	4 4	3 2
22	Paralysis, general (of insane)	M 25 F 22											1
23	Tetanus and trismus nascentium	M 26 F 5	3 1					3 1	2	5	5 1	2	1
24	Chorea	M 4 F 4				1	1	2		1 3			
25	Epilepsy	M 66 F 67	2 3	1	1	1		4 4	1 1	5 4	8 5	2 9	7 7
26	Convulsions	M 390 F 307	265 185	56 44	19 15	8 8	9 7	357 259	10 3	3 3		8	2 8
27	Mental diseases	M 107 F 133									2	2 3	5 3
28	Diseases of the brain	M 264 F 206	32 20	9 4	3	6	4 1	54 25	6 3	3 4	4 6	6 7	13 3
29	Diseases of the spinal cord	M 42 F 41	3 2	1				4 4	1 1		2	1	3 2
30	Locomotor ataxia	M 37 F 10											
31	Others of this class	M 37 F 56			1	1		2 3		2	1	2 1	4
32	3. Diseases of the circulatory system	4,784	207	13	8	10	10	248	62	72	73	112	123
33	Males	2,426	115	6	3	6	6	136	30	33	25	45	60
34	Females	2,358	92	7	5	4	4	112	32	39	48	67	63
35	Pericarditis	M 28 F 28	2 1	1 1				3 3	1 2	3 2	1 1	1	2
36	Diseases of the heart	M 2,143 F 2,123	85 69	5 6	3 4	6 3	5 3	104 85	28 29	30 35	20 46	43 62	56 56
37	Angina pectoris	M 95 F 86							1		2 1	1 2	2 2
38	Diseases of the arteries	M 91 F 64						1				1	
39	Aneurism	M 23 F 10								2			1
40	Embolism	M 17 F 25					1	1	1			2	4
41	Others of this class	M 29 F 22	28 21				1	29 22					

CAUSE, SEX, AND AGE.

351

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
825	693	592	587	578	530	482	449	368	266	146	54	12	2	8	1
458	360	268	278	267	213	221	194	164	121	54	17	4	1	6	2
367	333	324	309	311	317	261	255	204	145	92	37	8	1	2	3
4	2	4	4	9	8	7	9	2	4	3	2				4
5	3	8	8	12	12	5	11	11	7	3					5
10	8	4	9	17	12	19	20	12	10	4					6
1	4	6	13	17	23	26	12	18	8	3	1				7
2	2	1	5	3	10	10	4	8	6	4	1	1			8
2	2	8	3	5	6	8	7	7	8	5	1				9
1	3	1				2	1	3	1						10
2	2	2	2	2		2	2	2		1					11
7	1		1	1	1										12
2		1	1					1							13
8	10	3	7	6	1		2		2						14
7	5	6	6	2	1	2	1		2						15
414	303	218	190	163	109	91	62	54	27	10	4			3	16
314	250	179	122	99	82	60	56	42	22	15	9	1	1		17
8	18	34	50	61	69	82	85	75	63	30	11	3		2	18
25	57	103	138	158	181	148	148	110	86	56	24	7	1	1	19
4	8		12	5	3	8	8	5	3	1					20
2	7	7	10	12	7	8	14	6	6	4					21
	3	1				1	2	5	1	1	1				22
2	1	2	1	2	4	2	4	5	6	5					23
	2	2		2		1	1		4	1					24
4		2	5	2	1			2							25
129	158	173	222	290	365	442	518	576	551	365	142	44	7	5	26
68	88	84	123	150	193	206	240	272	252	168	53	12	3	3	27
61	70	89	99	140	172	236	278	304	299	197	89	32	4	2	28
	1		1	1	1	2	2	1	2						29
1	1	3		1		2	1		1						30
16	9	7	12	4	1	4	5	5							31
10	3	7	11	3	4	2	6	5	1						32
19	32	31	58	71	103	109	134	150	126	88	32	6	2	2	33
11	22	40	49	77	99	142	170	178	171	107	60	20	3	1	34
9	20	15	20	31	42	44	50	64	69	38	13	1			35
4	6	10	11	20	30	41	48	69	68	57	22	9	1	1	36
2	1	2	1	4	2	4	3	1	4						37
2		1		2	4	1	3	5	3	1					38
2		1	1	2	1		1								39
	1	1			1										40
1									1						41
4	5	8	4	3	3	2	3	3	1	3					42
6	4	4	3	3	5	4	1	2	4		1				43
1			2			1	2	5	3	3				1	44
10	8	3	1			1	1	2							45
2	4	4	4		6	8	16	15	18	13	4	4			46
7	5	4	4	9	7	16	16	23	19	16	3				47
8	11	12	12	24	13	17	15	20	21	20	4	1			48
5	13	7	17	17	11	16	20	12	23	11	3	3			49
	3	1	2	5	6	6	3	2	1	2					50
2	5	4	2	1	7	2	4	3	2	2					51
1	1	1	6	4	9	6	4	2	3						52
	1		1	2		3	2			1					53
3	1	2	5	1	6	3	2	4	4	1			1		54
3	1	5	2	5	4	6	6	5	6	2					55
146	193	207	256	315	436	472	557	548	492	290	139	30	4	9	56
56	95	93	128	158	236	261	308	281	260	148	52	12	1	8	57
90	98	114	128	157	200	211	249	267	232	142	87	18	3	1	58
	1		2	2	5		2	3	1						59
3	2	3	2		1	1	1	2		5					60
53	82	89	116	136	210	237	277	249	227	129	39	11		7	61
80	93	108	112	142	189	192	230	232	211	127	77	13	3	1	62
2	2	1	9	6	6	15	15	9	10	9	5				63
1		1	11	10	8	7	14	12	10	2	5				64
			1	6	12	7	12	15	18	10	8	1	1		65
1		2		3	1	7	2	20	9	8	4	5			66
1	6	2		5	2	1	1		3						67
2	1		1			2	1								68
	4	1		3	1	1	1	3	1						69
3	2		2	2	1	2	1	1	2	1	1				70

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	7,596	1,624	674	267	158	82	2,805	168	63	82	152	197
2	Males.....	3,827	900	351	141	86	41	1,519	87	28	54	90	107
3	Females.....	3,769	724	323	126	72	41	1,286	81	35	28	62	90
4	Croup.....	108	15	27	20	17	9	88	18	1		1	
	{M.....	96	9	29	20	16	7	81	13	2			
5	Pneumonia.....	2,676	500	252	87	50	26	915	52	20	46	77	90
	{F.....	2,592	418	231	77	41	25	792	51	27	15	52	71
6	Laryngitis.....	31	5	6	2	5	2	20	6				
	{F.....	22	3	3	1	4	2	13	4	1			1
7	Bronchitis.....	673	298	55	28	11	3	395	6	5	4	2	7
	{F.....	751	233	52	25	6	5	321	9	4	8	3	6
8	Pleurisy.....	79	1	3	1	1	1	7	2	2	4	6	3
	{F.....	49	2	2	1	1		6	2	1	1	4	3
9	Asthma.....	37	2					2	1				
	{F.....	22											
10	Others of this class.....	223	79	8	3	2		92	2			4	7
	{F.....	237	57	6	2	4	2	71	2		4	8	9
11	5. Diseases of the digestive system.....	2,305	294	64	32	13	22	425	61	65	82	121	129
12	Males.....	1,131	163	36	20	7	11	237	33	34	46	64	52
13	Females.....	1,174	131	28	12	6	11	188	28	31	36	60	77
14	Dentition.....	25	12	13				25					
	{F.....	14	9	5				14					
15	Angina.....	17	2	2	2		2	8	1	1		1	
	{F.....	18	1	4	1		2	8	1	1		1	
16	Gastritis.....	137	29	7				36			1	1	3
	{F.....	154	21	6	2	2	1	32	2	1	2	4	9
17	Diseases of the stomach.....	59	3					3		1	1	2	3
	{F.....	74	1	1				2		1	1	5	5
18	Obstruction of the bowels.....	101	21	2	4		1	28	4	2	3	2	8
	{F.....	112	15	3		1		19	2		4	2	5
19	Appendicitis.....	167		1		4	2	7	11	17	25	34	13
	{F.....	62			1		1	2	5	8	10	7	9
20	Hernia.....	40	6				1	7			1	1	
	{F.....	52											
21	Other diseases of the bowels.....	25	8					8					2
	{F.....	33	7	1		1		9	1		1		1
22	Jaundice.....	38	23		1		1	25					1
	{F.....	34	14		3			17					1
23	Inflammation and abscess of the liver.....	41	2				1	3			1	1	2
	{F.....	43	1				1	2		1		3	1
24	Other diseases of the liver.....	192	1		1			2	1		1		8
	{F.....	146	2				1	3	1			1	3
25	Peritonitis.....	169	12	3	9	2	2	28	15	12	13	19	12
	{F.....	301	15	5	2	2	4	28	14	20	17	35	38
26	Ascites.....	6											
	{F.....	15	2					2					
27	Others of this class.....	114	44	8	3	1	1	57	1	1		3	
	{F.....	116	43	3	3		1	50	2		1	2	5
28	6. Diseases of the urinary system and male organs of generation.....	2,401	40	3	10	13	9	75	26	16	47	88	97
29	Males.....	1,389	24	2	5	6	2	39	13	12	24	42	41
30	Females.....	1,012	16	1	5	7	7	36	13	4	23	46	56
31	Bright's disease.....	946							10	9	23	38	34
	{F.....	809							10	4	20	39	45
32	Calculus, urinary.....	7								1			
	{F.....	1											
33	Diseases of the kidney.....	87	16	2	5	6	2	31	1	2			2
	{F.....	64	12	1	4	7	7	31			1	3	3
34	Diseases of the bladder.....	163									1		2
	{F.....	17											
35	Others of this class.....	186	8					8	2			4	3
	{F.....	121	4		1			5	3		2	4	8
36	7. Diseases of the female organs of generation.....	139	1					1		1	7	10	21
37	Ovarian tumors.....	21											3
38	Ovarian diseases.....	5											
39	Diseases of the tubes.....	33									3	6	9
40	Uterine tumors.....	40											1
41	Uterine diseases.....	8										2	3
42	Others of this class.....	32	1					1		1	4	2	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	264	251	282	364	398	453	498	477	383	292	149	53	18	21	1
126	146	137	162	183	189	213	227	195	152	120	55	22	5	10	2
100	118	114	120	181	209	240	271	282	231	172	94	31	13	11	3
															4
106	127	116	133	146	147	160	168	143	101	79	33	10	3	4	5
85	95	90	94	130	161	192	195	200	156	99	57	21	6	3	6
1		2					1		1						7
	1			1			1								8
3	9	8	11	13	24	24	33	34	36	29	18	9	2	1	9
5	7	9	12	28	30	33	61	59	51	54	34	9	6	2	10
9	3	4	8	7	6	6	1	6	3	1				1	11
2	4	4	4	4	2	1	1	5	2	3					12
1		1	2	5	3	7	6	1	3	4		1			13
		1		3	3	2	3	1	4	3					14
6	7	6	8	12	9	16	18	11	8	7	4	2		4	15
8	11	10	10	15	13	12	10	17	18	13	3	1	1	6	16
123	104	137	111	149	153	139	155	130	120	51	31	9		7	17
															18
52	38	77	53	74	74	58	68	58	71	21	16	4		1	19
71	66	60	58	75	79	81	87	72	49	30	15	5		6	20
															21
	1			1	1	1		2							22
			4	1					1	1					23
4	4	10	6	8	6	14	10	6	15	5	5	3			24
4	6	6	4	10	14	20	14	13	6	5	2				25
2	1	4	2	7	6	5	3	6	9	2	2				26
11	4	2	2	5	10	5	3	7	6	2	3	1			27
3	4	3	5	7	3	4	8	8	7	1	1				28
3	7	5	11	2	7	10	12	11	5	3	4				29
18	9	12	7	4	5	1	1	2	1						30
5	4	3	4		2	1	1		1						31
1	1	2		4	5		4	9	1	1	3				32
2		3	2	5	12	6	12	4	3	2		1			33
1	2	2	1	2	2	2	2	1	3	2	1			1	34
2	1		3	1	2		3	2	2	2	1				35
			1			1		3	4	2	1			3	36
1	1		2	2			3	3			1				37
4	2	4		5	4	4	1	6	3			1			38
3	1	4	3	3	1	7	7	3	3	1					39
6	8	21	14	28	29	19	27	9	13	6					40
7	10	15	10	18	11	11	14	18	16	5	3				41
10	5	14	10	3	11	3	4	4	1	1					42
31	28	20	8	19	11	10	6	5	4	3	1	2		1	43
		1	1			1	2		1						44
		1	1	1	3		3	2	1						45
3	1	4	6	5	4	5	9	7	3	2	3				46
2	4	1	4	8	6	9	9	4	1	6		1		1	47
110	118	105	137	198	207	251	254	257	215	128	54	10	3	5	48
															49
45	58	49	77	101	119	146	159	167	151	96	39	5	3	3	50
65	60	56	60	97	88	105	95	90	64	32	15	5		2	51
35	42	41	67	79	95	107	105	110	91	44	13	1		2	52
42	44	50	51	82	74	91	85	77	53	25	14	3			53
		1		1	2		1				1				54
									1						55
2	4	1		7	4	3	10	6		4	5				56
6	3	2	1	1	3	4	1	3	5						57
									2						58
	1		3	6	6	22	22	26	26	27	16	3	2		59
2				1	2	3	1	2		2		2			60
8	11	6	7	8	12	14	21	25	29	21	4	1	1	1	61
15	11	4	8	13	9	7	8	8	8	5	1			2	62
16	15	18	23	5	8	2	3	2	6	1					63
															64
3		2	6	1	1	1	2		2						65
3	1							1							66
5	2	4	3	1											67
1	5	7	10	3	7	1	1	1	2	1					68
2									1						69
2	7	5	4						1						70

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	270									10	53	64
2	Abortion.....	13										1	4
3	Childbirth.....	78										14	14
4	Puerperal septicemia.....	92									3	21	29
5	Extra-uterine pregnancy.....	19										3	4
6	Others of this class.....	68									7	14	13
7	9. Diseases of the bones and joints.....	114	7	3		5		15	15	10	4	12	5
8	Males.....	74	6	2		5		13	10	5	1	9	3
9	Females.....	40	1	1				2	5	5	3	3	2
10	Diseases of the spine.....	26	1	1		2		4	6	4		3	1
	{M.....	10		1				1	2	1		2	
	{F.....	5	1					1				1	
11	Abscess, lumbar and psoas.....	5											
	{M.....	2											
	{F.....	28	4	1		2		7	3		1	3	1
12	Diseases of the bones.....	13	1					1	1	2	3	1	
	{M.....	6							1	1		2	1
	{F.....	2							1	1			
13	Diseases of the hip-joint.....	9				1		1					
	{M.....	13							1	1			2
	{F.....	94	32	5	1	1		39	4	1	1	1	
15	10. Diseases of the skin.....												
16	Males.....	49	15	3	1			19	2		1		
17	Females.....	45	17	2		1		20	2	1		1	
18	Abscess.....	30	9	2	1			12	2		1		
	{M.....	18	7					7	2	1			
	{F.....	7	1					1					
19	Carbuncle.....	4										1	
	{M.....	12	5	1				6					
	{F.....	23	10	2		1		13					
20	Others of this class.....												
21	11. Diseases of the absorbent system.....	40	4	3				7			1	1	3
22	Males.....	21	3	2				5			1		2
23	Females.....	19	1	1				2				1	1
24	Addison's disease.....	8									1		
	{M.....	5										1	
	{F.....	1											
25	Diseases of the spleen.....	5											
	{M.....	12	3	2				5					2
	{F.....	9	1	1				2					1
26	Others of this class.....												
27	12. Accidents and injuries.....	2,099	143	36	42	32	32	285	106	62	102	137	159
28	Males.....	1,530	75	26	26	25	23	175	74	50	82	117	133
29	Females.....	569	68	10	16	7	9	110	32	12	20	20	26
30	Burns and scalds.....	90	4	16	13	7	6	46	3	2	2	3	1
	{M.....	128	3	5	10	5	6	29	18	2	8	3	7
	{F.....	267	1	2	3	5	9	20	37	28	27	22	23
31	Drowning.....	18	2		1		1	4	1	3	4		
32	Exposure and neglect.....	15	1					1				2	
	{M.....	8	5					5					
	{F.....	26	1					1	1	2	3	2	2
33	Gunshot wounds.....	9								2	3	1	
	{M.....	13					1	1			1	1	
	{F.....	6							1				
34	Homicide.....	4	4					4					
	{M.....	3	3					3					
	{F.....	6									1	2	
35	Infanticide.....												
36	Injuries by machinery.....												
	{M.....	250					2	2	13	2	17	31	38
	{F.....	15			1	1		2	2	1	1		
38	Suffocation.....	68	37	3	2	1		43		2	3	2	
	{M.....	46	33			1	1	35					
	{F.....	71									2	4	8
39	Suicide by shooting.....	4										1	
	{M.....	19										1	
	{F.....	10										1	
40	Suicide by drowning.....												
	{M.....	20										2	4
	{F.....	14									1	4	1
41	Suicide by poison.....												
	{M.....	94								1	1	4	8
	{F.....	30									1	2	4
42	Other suicides.....												
	{M.....	7	2					2				1	
	{F.....	2		2				2					
43	Sunstroke.....												
	{M.....	7							1				2
	{F.....	22								1	1	2	1
44	Surgical operations.....												
	{M.....	29			1	1		2		1		2	4
	{F.....	2							1				
45	Wounds.....												
	{M.....	544	25	5	7	11	5	53	19	12	25	38	43
	{F.....	252	22	3	4		1	30	9	3	1	6	13

355

MASSACHUSETTS—Continued.

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	37,876	8,185	1,823	804	579	376	11,767	870	513	834	1,344	1,592
2	Males.....	19,282	4,634	959	416	310	180	6,499	458	232	406	698	796
3	Females.....	18,594	3,551	864	388	269	196	5,268	412	281	428	646	796
4	Unknown cause.....	274	84	9	2	3	---	93	6	7	3	2	8
5	Males.....	145	47	5	2	2	---	56	3	3	1	1	3
6	Females.....	129	37	4	---	1	---	42	3	4	2	1	5
7	1. General diseases.												
8	General diseases--A.....	6,672	2,559	699	360	262	187	4,067	359	127	114	146	129
9	Males.....	3,288	1,419	342	164	133	82	2,140	174	51	50	81	62
10	Females.....	3,384	1,140	357	196	129	105	1,927	185	76	64	65	67
11	Measles.....	114	34	41	14	12	2	103	7	1	---	2	---
12	Scarlet fever.....	99	27	31	16	7	3	84	4	6	---	2	1
13	Diphtheria.....	138	8	19	24	24	16	91	32	4	4	1	2
14	Whooping cough.....	157	13	17	25	31	21	107	36	7	1	1	1
15	Malarial fever.....	403	30	75	76	67	41	289	81	15	7	5	2
16	Influenza.....	450	29	74	78	54	54	289	110	28	10	6	1
17	Typhoid fever.....	131	77	32	9	5	4	127	2	---	---	---	---
18	Cholera morbus.....	176	83	43	26	13	3	168	6	1	---	---	---
19	Colitis.....	21	1	---	---	1	1	3	1	1	1	1	---
20	Diarrhea.....	14	2	1	1	---	---	4	1	1	---	---	---
21	Dysentery.....	307	29	5	2	2	---	38	4	4	2	7	5
22	Enteritis.....	568	27	8	5	5	3	48	4	5	5	3	13
23	Cholera infantum.....	273	1	2	1	2	1	7	12	12	22	48	36
24	Fever.....	188	1	2	2	---	---	6	4	15	35	25	24
25	Cerebro-spinal fever.....	34	3	---	4	1	1	9	4	2	1	1	1
26	Smallpox.....	44	4	2	5	1	---	12	1	1	1	1	2
27	Erysipelas.....	23	15	2	---	1	---	18	1	---	---	1	---
28	Septicemia.....	31	17	4	---	1	---	22	1	---	---	1	---
29	Venereal diseases.....	110	55	10	2	---	---	67	2	---	---	---	1
30	Others of this group.....	106	50	3	---	---	---	53	3	1	---	1	2
31	General diseases--B.....	96	19	9	4	1	4	37	3	3	2	1	2
32	Alcoholism.....	112	6	3	5	2	3	19	2	2	1	3	2
33	Parasitic diseases.....	498	377	47	9	4	4	441	5	3	---	---	2
34	Lead poison.....	450	259	72	12	5	3	351	5	3	2	1	1
35	Other poisons.....	800	697	87	11	4	1	800	---	---	---	---	---
36	Inanition.....	664	564	78	11	5	6	664	---	---	---	---	---
37	General diseases--C.....	900	606	20	3	4	3	636	6	1	4	10	27
38	Old age.....	550	350	14	2	1	2	369	4	---	2	4	20
39	Premature birth.....	350	256	6	1	3	1	267	2	1	2	6	7
40	Malformation.....	116	---	---	---	---	---	---	---	---	---	1	13
41	Debility and atrophy.....	40	---	---	---	---	---	---	---	---	---	1	3
42	Others of this group.....	1	---	---	---	---	---	1	---	---	---	---	---
43	Lead poison.....	5	---	---	1	---	---	1	---	---	---	---	---
44	Other poisons.....	3	---	---	---	---	---	---	---	---	---	---	---
45	Inanition.....	61	4	2	1	---	2	9	1	---	2	3	7
46	General diseases--D.....	33	2	---	1	2	1	6	1	---	2	4	4
47	Old age.....	368	346	12	---	1	---	359	3	1	---	1	---
48	Premature birth.....	273	254	6	---	---	---	260	1	1	---	---	---
49	Malformation.....	3,571	2,057	73	11	5	4	2,150	3	4	3	6	2
50	Debility and atrophy.....	1,784	1,182	40	7	4	1	1,234	1	2	2	4	---
51	Others of this group.....	1,787	875	33	4	1	3	916	2	2	1	2	2
52	Old age.....	474	---	---	---	---	---	---	---	---	---	---	---
53	Premature birth.....	763	---	---	---	---	---	---	---	---	---	---	---
54	Malformation.....	483	483	---	---	---	---	483	---	---	---	---	---
55	Debility and atrophy.....	333	333	---	---	---	---	333	---	---	---	---	---
56	Others of this group.....	75	73	---	---	---	---	73	---	---	---	---	---
57	Lead poison.....	77	76	1	---	---	---	77	---	---	---	---	---
58	Other poisons.....	683	557	40	7	4	1	609	1	2	2	4	---
59	Inanition.....	572	424	32	4	1	3	464	2	2	1	2	2
60	General diseases--E.....	69	69	---	---	---	---	69	---	---	---	---	---
61	Old age.....	42	42	---	---	---	---	42	---	---	---	---	---

357

MASSACHUSETTS—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,603	1,590	1,471	1,498	1,735	1,807	2,029	2,194	2,190	2,006	1,501	847	317	87	81	1
848 755	838 752	738 738	798 700	886 849	909 898	1,005 1,024	1,059 1,135	1,025 1,165	928 1,078	657 844	330 517	105 212	24 63	43 38	2 3
13	19	18	15	15	12	8	11	9	6	9	4	1		10	4
7 6	10 9	13 5	9 6	4 11	7 5	6 2	6 5	6 3	2 4	5 4				3 7	5 6
140	120	102	96	110	93	164	194	195	210	178	81	40	6	1	7
73 67	64 56	51 51	44 52	47 63	40 53	62 102	71 123	84 111	78 132	65 113	35 46	15 25	1 5	1	8 9
					1										10
1 3 1		1 1					1								11
1 1	1 2		1 1	1 1	1										12
	1									1					13
														1	14
	2 2				2 1	1	3 2	3 1	2		1	1			15
6 8	7 12	11 15	13 17	11 25	7 18	20 57	30 65	37 73	41 73	37 74	17 28	10 21	4		16
42 24	35 12	21 9	11 15	15 6	5 3	8 5	1 3	2 2		1					17
1 1		1 1	3 1	1 2	1		2 4	4 2		2 1	2 2	1			18
1		2	1	1	1		1		1						19
2 1	1 4	1 4	1	1 3	2 6	6 5	3 4	6 5	8 9	6 6	1 3	2			20
2 4	1 4	1 4	3	2 2	3 5	10 8	8 14	6 9	10 15	3 8	2 4	3			21
3	3 2	5 3	2 4	3 9	7 4	7 8	7 12	4 11	5 15	2 12	1 3		1 1		22
															23
		1													24
2	4 1	2 1	1	1			1	1							25
2 1				1 1	1										26
6 1	3 3	2 3	3 5	1 3	5 7	2 1	3 3	5 1	3 6	1 3		2			27
7 17	4 12	4 5	5 4	4 8	6 3	5 5	9 2	5 1	3 2	1 2					28
1 1	1	1		2				1	1		2				29
		1 1	3 1	3 2	2 3	4 11	5 11	10 6	4 7	12 6	10 4				30
32	43	29	24	20	17	14	10	5	10	3				9	31
22 10 17 5	32 11 29 10	20 9 12 7	19 5 13 5	13 7 11 2	11 6 6 5	9 5 5 1	9 1 4	4 1 2	6 4 2	1 2 1				5 4 1	32 33
															34
1 3		1	1			1									35
4 2	3 1	7 2	5	2 4	4 1	3 2	5 1	2 1	3 1	1 1					36
					1				1 3					4 4	37
1	4	2	5	5	12	39	70	143	242	356	313	148	56	7	38
	2 2	1 1	1 4	4 1	4 8	16 23	31 39	56 87	97 145	140 216	126 187	46 102	14 42	3 4	39 40
						8 15	19 28	50 66	86 137	133 201	121 174	43 99	14 41	2	41
															42
														2	43
1	2 2	1 1	1 4	4 1	4 8	8 8	12 11	6 21	11 8	7 15	5 13	3 3	1 1	1 2	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	6,826	268	154	69	52	23	566	88	107	357	607	731
2	Males	3,255	151	90	37	20	9	307	41	31	147	307	364
3	Females	3,571	117	64	32	32	14	259	47	76	210	300	367
4	Anemia	64	7	1		1		9	1			2	3
		92	6	5		2		13			2	4	5
5	Diabetes	111		2	2			4	1	2	2	1	4
		129				1		1	5	9	6	4	4
6	Rheumatism	65	1		1		1	3	6	3	3	3	5
		63	2			1		3	2	2	6	1	4
7	Serofula and tabes	19	6	2				8				2	2
		22		4	1			5		3	1		2
8	Hydrocephalus	197	69	54	19	12	8	162	14	3	2	3	3
		158	54	33	17	13	7	124	10	6	7	6	2
9	Tuberculosis, general	59	5	3				8	2	3	1	5	10
		67	10	3	3	1	2	19	4	1	6	5	5
10	Consumption	2,184	53	25	11	5		94	12	17	134	287	331
		1,936	38	18	10	11	5	82	25	47	178	278	334
11	Cancer	457			1			1	1	1	1	1	4
		974				1		1		2	1		8
12	Tumor	56	2					2	2		1	3	2
		76				1		1	1	2	1	1	3
13	Dropsy	13		1				1	1		1		
		23											
14	Others of this group	30	8	2	3	2		15	1	2	2		
		31	7	1	1	1		10		4	2	1	
15	2. Diseases of the nervous system	4,584	800	265	90	63	46	1,264	89	48	49	55	83
16	Males	2,342	467	152	54	37	26	736	57	23	29	26	46
17	Females	2,242	333	113	36	26	20	528	32	25	20	29	37
18	Inflammation of the brain	29	10	2	3	1	1	17	2	1	1		1
		13	2	1	1	1		5		1		1	1
19	Meningitis	503	226	91	34	21	15	387	36	7	8	8	10
		377	156	75	20	20	11	282	27	14	8	6	2
20	Apoplexy	746	11	3		2		16	2	1	2	5	11
		896	2	1	1	1	1	6		2	4	1	9
21	Paralysis	328	2	1				3		3	1	4	1
		320	3		1			4	1	1		3	2
22	Paralysis, general (of insane)	21											1
		14											
23	Tetanus and trismus nascentium	23	1					1	2	5	5	1	1
		2	1					1					
24	Chorea	2				1		1		1			
		1											
25	Epilepsy	46	1	1		1		3	1	2	5	1	5
		45	2		1			3		2	4	6	5
26	Convulsions	292	193	45	13	6	8	265	10	1			2
		243	148	33	12	4	6	203	2	1		6	7
27	Mental diseases	76									2	1	4
		91										3	3
28	Diseases of the brain	194	20	8	3	4	2	37	3	2	3	3	7
		164	16	3			1	20	1	2	4	3	2
29	Diseases of the spinal cord	32	3	1				4	1		2	1	3
		28	1				1	2	1				2
30	Locomotor ataxia	27											
		6											
31	Others of this class	23			1	1		2				2	
		42	2					2		2			4
32	3. Diseases of the circulatory system	3,709	159	11	7	5	6	188	45	60	58	82	99
33	Males	1,859	88	6	3	4	3	104	20	26	20	35	48
34	Females	1,850	71	5	4	1	3	84	25	34	38	47	51
35	Pericarditis	19	1	1				2	1	2		1	2
		21	1	1	1			3	1	2	1		
36	Diseases of the heart	1,635	63	5	3	4	2	77	19	24	17	33	44
		1,677	56	4	3	1	2	66	23	30	36	43	47
37	Angina pectoris	76									1	1	2
		58									1	1	1
38	Diseases of the arteries	71											
		52										1	
39	Aneurism	21								2			
		8											
40	Embolism	12					1	1	1			2	3
		20											
41	Others of this class	25	24				1	25					
		14	14					14					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
652	551	477	463	444	411	385	336	284	203	108	42	9	2	3	1
363	281	210	226	211	170	173	144	125	94	41	13	3	1	3	2
289	270	267	237	233	241	212	192	159	109	67	29	6	1		3
3	2	3	3	8	8	5	8	2	4	3					
4	2	8	6	8	9	4	9	9	6	1	2				4
8	6	4	8	14	8	14	15	8	9	3					
	2	4	9	13	17	22	10	16	4	3					5
1		1	5	3	7	9	2	5	5	3	1				
2	2	5	2	4	4	6	6	5	6	3					6
1	1	1				1	1	1	1						
1	1	2		1		2	2	2							7
6	1		1	1				1						1	8
1		1													
5	8	2	5	5	1		2		2						
6	4	4	5	2	1	2	1		2						9
328	238	172	156	131	90	76	45	39	21	9	3			1	10
250	205	145	96	76	64	43	39	35	18	10	9	1	1		
7	15	25	37	45	53	61	63	62	46	20	9	3	1	1	11
18	47	91	106	117	136	125	108	82	66	43	18	5			
4	6		11	3	3	5	6	4	3	1					
2	6	5	7	10	5	6	14	6	3	3					12
	2					1	1	4	1	1					
1	1	1	1		4	2	3	2	4	4					13
	2	2		1	1	1	1		2	1					
4		1	5	2	1			1		1					14
99	121	136	170	231	270	337	395	423	410	261	98	36	4	5	15
51	66	66	91	121	142	156	184	196	183	121	33	10	2	3	16
48	55	70	79	110	128	181	211	227	227	140	65	26	2	2	17
			1		1	1	1	1	2						
1	1	2													18
12	7	5	9	3	1	3	3	4							
7	2	6	7	2	3	1	5	4	1						19
16	26	24	38	59	77	84	100	108	91	57	19	6	2	2	20
8	17	31	41	60	75	108	127	136	135	76	43	15	1	1	
7	14	12	14	24	29	34	41	49	53	32	7				21
4	5	7	7	17	23	32	40	52	52	42	18	8	1	1	
2	1	2	1	4	2	3	2	1	2						22
1		1		2	4		2	2	2						
2		1	1	2	1		1								23
	1														
									1						24
3	3	5	3	2	2	2	3	3	1	2					
4	3	2	2	3	3	4		2	2						25
1			2				2	3	2	3				1	26
9	7	3	1			1	1	2							
1	4	3	3		2	4	14	8	14	10	3	3			27
6	3	4	2	7	3	13	11	13	11	10	2				
4	8	11	11	21	11	13	10	14	15	16	4	1			28
4	11	7	16	14	9	15	15	11	16	9	2	3			
	2	1	1	4	5	4	3	1	1						29
2	3	2	2		5	1	3	1	2	2					
1	1		4	2	9	5	3	1	1						30
	1			2		2									
2		2	3	2	2	3	1	3	2	1					31
2	1	5	1	3	3	4	5	4	5	1					
119	165	164	208	263	332	373	421	427	354	210	112	20	3	6	32
48	82	74	105	129	179	208	235	214	183	100	39	8	1	6	33
71	83	90	103	134	153	170	186	213	171	110	73	12	2		34
	1		2	1	3		2	1						1	35
2	1	2	2		1	1	1	1		3					
45	71	70	94	113	159	182	208	190	159	83	30	7		5	36
66	79	86	90	122	144	157	172	187	157	98	63	9	2		
2	2	1	8	5	5	14	13	6	8	5	3				37
		1	8	8	6	4	10	7	5	1	5				
			1		9	5	10	13	14	7	6	1	1		38
		1		4	1	6	2	17	7	8	4	3			
1	5	2		5	2	1	1	2	2						39
2	1		1			1	1								
1	3	1		1	1	1	1	2							40
	2		2	2	1	1		1	2		1				41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	5,864	1,272	505	200	132	58	2,167	127	47	60	122	157
2	Males.....	2,970	715	258	109	73	28	1,183	68	20	39	71	84
3	Females.....	2,894	557	247	91	59	30	984	59	27	21	51	73
4	Croup.....	(M. 75 F. 66)	(M. 10 F. 8)	(M. 14 F. 16)	(M. 16 F. 13)	(M. 13 F. 13)	(M. 6 F. 5)	(M. 59 F. 55)	(M. 14 F. 9)	(M. 1 F. 2)		(M. 1 F. 1)	
5	Pneumonia.....	(M. 2,079 F. 2,007)	(M. 401 F. 327)	(M. 196 F. 183)	(M. 68 F. 58)	(M. 43 F. 33)	(M. 17 F. 18)	(M. 725 F. 619)	(M. 40 F. 35)	(M. 14 F. 19)	(M. 31 F. 12)	(M. 59 F. 44)	(M. 71 F. 59)
6	Laryngitis.....	(M. 25 F. 20)	(M. 4 F. 3)	(M. 4 F. 2)	(M. 2 F. 1)	(M. 4 F. 4)	(M. 2 F. 2)	(M. 16 F. 12)	(M. 5 F. 4)	(M. 1 F. 1)			
7	Bronchitis.....	(M. 528 F. 570)	(M. 236 F. 175)	(M. 37 F. 42)	(M. 22 F. 17)	(M. 11 F. 5)	(M. 3 F. 4)	(M. 309 F. 243)	(M. 4 F. 7)	(M. 4 F. 4)	(M. 4 F. 5)	(M. 2 F. 3)	(M. 6 F. 4)
8	Pleurisy.....	(M. 66 F. 37)	(M. 1 F. 2)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)		(M. 4 F. 5)	(M. 2 F. 2)	(M. 1 F. 1)	(M. 4 F. 1)	(M. 6 F. 2)	(M. 3 F. 3)
9	Asthma.....	(M. 26 F. 18)	(M. 1 F. 1)					(M. 1 F. 1)	(M. 1 F. 1)				
10	Others of this class.....	(M. 171 F. 176)	(M. 62 F. 41)	(M. 6 F. 3)	(M. 1 F. 1)	(M. 1 F. 3)	(M. 1 F. 1)	(M. 69 F. 49)	(M. 2 F. 2)		(M. 3 F. 3)	(M. 3 F. 2)	(M. 4 F. 7)
11	5. Diseases of the digestive system.....	1,718	215	50	24	12	15	316	43	48	61	91	102
12	Males.....	835	123	27	15	7	7	179	22	25	34	45	40
13	Females.....	883	92	23	9	5	8	137	21	23	27	46	62
14	Dentition.....	(M. 19 F. 11)	(M. 10 F. 8)	(M. 9 F. 3)				(M. 19 F. 11)					
15	Angina.....	(M. 8 F. 11)	(M. 1 F. 1)	(M. 4 F. 4)	(M. 2 F. 1)		(M. 1 F. 1)	(M. 4 F. 6)	(M. 1 F. 1)			(M. 1 F. 1)	
16	Gastritis.....	(M. 97 F. 118)	(M. 22 F. 14)	(M. 5 F. 4)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 27 F. 21)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 2)	(M. 1 F. 3)	(M. 2 F. 7)
17	Diseases of the stomach.....	(M. 46 F. 55)	(M. 2 F. 1)	(M. 1 F. 1)				(M. 2 F. 1)		(M. 1 F. 1)	(M. 1 F. 3)	(M. 1 F. 4)	(M. 3 F. 4)
18	Obstruction of the bowels.....	(M. 78 F. 88)	(M. 17 F. 12)	(M. 1 F. 3)	(M. 4 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 23 F. 16)	(M. 2 F. 2)		(M. 2 F. 3)	(M. 1 F. 2)	(M. 7 F. 5)
19	Appendicitis.....	(M. 122 F. 50)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 4 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 6 F. 2)	(M. 6 F. 4)	(M. 16 F. 5)	(M. 17 F. 9)	(M. 26 F. 6)	(M. 10 F. 7)
20	Hernia.....	(M. 24 F. 47)	(M. 5 F. 1)				(M. 1 F. 1)	(M. 6 F. 6)			(M. 1 F. 1)	(M. 1 F. 1)	
21	Other diseases of the bowels.....	(M. 20 F. 26)	(M. 6 F. 4)	(M. 1 F. 1)		(M. 1 F. 1)		(M. 6 F. 6)	(M. 1 F. 1)		(M. 1 F. 1)		(M. 1 F. 1)
22	Jaundice.....	(M. 27 F. 20)	(M. 15 F. 6)		(M. 1 F. 2)		(M. 1 F. 1)	(M. 17 F. 8)					(M. 1 F. 1)
23	Inflammation and abscess of the liver.....	(M. 34 F. 27)	(M. 2 F. 1)					(M. 2 F. 1)		(M. 1 F. 1)	(M. 1 F. 2)	(M. 1 F. 2)	(M. 2 F. 1)
24	Other diseases of the liver.....	(M. 146 F. 111)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 1 F. 1)		(M. 1 F. 1)	(M. 2 F. 2)	(M. 1 F. 1)		(M. 1 F. 1)	(M. 1 F. 1)	(M. 6 F. 3)
25	Peritonitis.....	(M. 125 F. 218)	(M. 10 F. 13)	(M. 2 F. 5)	(M. 6 F. 2)	(M. 2 F. 2)	(M. 1 F. 3)	(M. 21 F. 25)	(M. 12 F. 10)	(M. 8 F. 16)	(M. 10 F. 10)	(M. 11 F. 26)	(M. 8 F. 28)
26	Ascites.....	(M. 3 F. 9)	(M. 2 F. 1)					(M. 2 F. 1)					
27	Others of this class.....	(M. 86 F. 92)	(M. 33 F. 30)	(M. 8 F. 2)	(M. 1 F. 3)	(M. 1 F. 1)	(M. 1 F. 1)	(M. 44 F. 36)	(M. 2 F. 2)		(M. 1 F. 1)	(M. 3 F. 2)	(M. 5 F. 5)
28	6. Diseases of the urinary system and male organs of generation.....	1,723	31	1	5	10	6	53	14	10	38	67	71
29	Males.....	1,006	17		4	5	2	28	5	9	19	34	28
30	Females.....	717	14	1	1	5	4	25	9	1	19	33	43
31	Bright's disease.....	(M. 681 F. 566)							(M. 3 F. 6)	(M. 6 F. 1)	(M. 19 F. 16)	(M. 31 F. 27)	(M. 23 F. 35)
32	Calculus, urinary.....	(M. 4 F. 4)								(M. 1 F. 1)			
33	Diseases of the kidney.....	(M. 72 F. 48)	(M. 12 F. 10)	(M. 1 F. 1)	(M. 4 F. 1)	(M. 5 F. 5)	(M. 2 F. 4)	(M. 23 F. 21)	(M. 1 F. 1)	(M. 2 F. 1)		(M. 2 F. 2)	(M. 2 F. 2)
34	Diseases of the bladder.....	(M. 118 F. 12)											(M. 2 F. 2)
35	Others of this class.....	(M. 131 F. 91)	(M. 5 F. 4)					(M. 5 F. 4)	(M. 1 F. 3)		(M. 2 F. 2)	(M. 3 F. 4)	(M. 1 F. 6)
36	7. Diseases of the female organs of generation.....	109								1	6	8	17
37	Ovarian tumors.....	17											3
38	Ovarian diseases.....	3											
39	Diseases of the tubes.....	26									3	5	6
40	Uterine tumors.....	30											
41	Uterine diseases.....	6										1	3
42	Others of this class.....	27								1	3	2	5

CAUSE, SEX, AND AGE.

361

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
182	205	199	217	281	301	345	383	365	295	221	116	41	15	18	1
104	115	107	124	145	140	172	173	154	114	86	43	16	4	8	2
78	90	92	93	136	161	173	210	211	181	135	73	25	11	10	3
															4
90	98	89	102	120	110	125	127	113	74	54	26	6	2	3	5
63	74	74	76	95	126	135	153	150	124	81	44	17	5	2	6
1		1					1		1						7
	1			1			1								8
1	7	7	7	11	16	20	27	28	30	22	13	8	2		9
5	4	6	10	22	22	25	45	42	39	42	26	8	6	2	10
8	3	4	7	4	6	5	1	3	3	1				1	11
2	3	3	2	4	1	1	2	5	2						12
1		1	1	1	2	6	5	1	1	4		1			13
		1		2	3	1	3	1	4	2					14
3	7	5	7	9	6	16	12	9	5	5	4	1		4	15
8	8	8	5	12	9	11	8	13	12	10	3			6	16
94	79	110	86	105	114	103	116	95	81	39	22	7		6	17
															18
38	29	65	40	53	54	45	50	41	46	17	8	3		1	19
56	50	45	46	52	60	58	66	54	35	22	14	4		5	20
															21
	1				1	1									22
			3						1						23
3	2	8	6	5	3	8	8	5	10	3	3	2			24
4	6	3	3	7	13	15	11	10	6	3	2				25
2	1	3	2	6	6	4	1	3	7	2	1				26
7	3	2	2	4	7	4	1	7	4	2	2	1			27
2	4	2	5	4	3	4	7	5	6	1					28
3	5	4	11	2	4	5	11	8	1	2	4				29
11	8	8	5	3	3	1		1	1						30
5	4	2	3	1	1	1			1						31
1		2		3	11	3	12	3	2	1	1				32
1		3	2	5					3	2					33
1	1		1	1	2	2	2	1	3	2	1			1	34
1	1		3				3								35
						1		3	2	2				2	36
1			2	1			2	2			1				37
2	2	4		5	3	4	1	5	1			1			38
2	1	1		1	1	6	4	2	3	1					39
6	6	19	10	20	21	14	22	6	8	4					40
6	8	15	7	11	8	7	10	11	13	5	3				41
7	3	13	6	2	9	2	3	4	4	1	1				42
24	18	14	7	13	8	6	3	4	2	1	1	1		1	43
		1				1				1					44
				1	2		2	1							45
3	1	3	4	4	2	5	6	5	2	2	2				46
2	4	1	3	7	3	9	7	3	1	4		1		1	47
71	93	71	101	153	156	182	177	182	142	92	38	6	1	5	48
															49
31	45	35	58	78	98	107	113	116	99	68	28	3	1	3	50
40	48	36	43	75	58	75	64	66	43	24	10	3		2	51
26	31	32	50	66	80	76	69	71	56	27	12	1		2	52
26	38	32	35	63	47	65	56	53	36	20	9	1			53
		1			1						1				54
															55
2	3	1		5	4	3	10	5	4	3	4				56
4	2	2	1	1	2	4	1	3	2						57
															58
	1		3	3	4	15	20	22	17	20	9	2			59
2				1	1	1	1	2		1		2			60
3	10	1	5	4	9	13	14	18	22	18	2		1	1	61
8	7	2	7	10	8	5	6	8	5	3	1			2	62
11	13	15	18	4	5	1	2	1	6	1					63
															64
2		2	5	1			2		2						65
2	1														66
4	2	3	2	1											67
	5	5	8	2	5	1		1	2	1					68
1									1						69
2	5	5	3						1						70

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	188									4	39	41
2	Abortion	9											4
3	Childbirth	55										9	7
4	Puerperal septicemia	66									2	16	24
5	Extra-uterine pregnancy	15										3	3
6	Others of this class	43									2	11	6
7	9. Diseases of the bones and joints	93	6	2		4		12	12	8	4	7	5
8	Males	59	5	2		4		11	8	3	1	5	3
9	Females	34	1					1	4	5	3	2	2
10	Diseases of the spine	21	1	1		1		3	6	2		2	1
		6							1	1		1	
11	Abscess, lumbar and psoas	4	1					1					
		2											
12	Diseases of the bones	24	3	1		2		6	2		1	2	1
		13	1					1	1	2	3	1	
13	Diseases of the hip-joint	4								1		1	1
		2							1	1			
14	Others of this class	6				1		1					
		11							1	1			2
15	10. Diseases of the skin	76	24	4	1	1		30	4		1	1	
16	Males	41	12	2	1			15	2		1		
17	Females	35	12	2		1		15	2			1	
18	Abscess	26	7	2	1			10	2		1		
		12	4					4	2				
19	Carbuncle	5										1	
		3											
20	Others of this class	10	5					5					
		20	8	2		1		11					
21	11. Diseases of the absorbent system	34	3	3				6			1	1	3
22	Males	18	3	2				5			1		2
23	Females	16		1				1				1	1
24	Addison's disease	5									1		
		5										1	
25	Diseases of the spleen	1											
		4											
26	Others of this class	12	3	2				5					2
		7		1				1					1
27	12. Accidents and injuries	1,535	101	27	32	26	28	214	74	45	71	100	114
28	Males	1,130	55	19	18	20	20	132	53	39	60	85	96
29	Females	405	46	8	14	6	8	82	21	6	11	15	18
30	Burns and scalds	68	4	10	7	7	6	34	3	2	2	1	1
		90	2	3	8	4	5	22	12	2	4	2	7
31	Drowning	211	1	2	2	2	7	14	25	20	16	20	23
		13	2		1		1	4			3		
32	Exposure and neglect	9										2	
		4	2					2					
33	Gunshot wounds	20	1					1	1	2	3	2	1
		6								1	1	1	
34	Homicide	8									1	1	
		4											
35	Infanticide	4	4					4					
36	Injuries by machinery	5										2	
37	Railroad accidents	162					2	2	10	2	11	19	16
		11			1	1		2	2		1		
38	Suffocation	48	27	3	2			32		2	2	2	
		33	23			1	1	25					
39	Suicide by shooting	48									1	2	5
		2											
40	Suicide by drowning	14										1	
		7											
41	Suicide by poison	18										1	4
		11									1	3	1
42	Other suicides	70									1	3	7
		23										2	2
43	Sunstroke	5	1					1				1	
		2		2				2					
44	Surgical operations	4							1				
		20								1		2	1
45	Wounds	25			1	1		2		1		2	4
		1							1				
46	Others of this class	411	17	4	6	10	5	42	13	10	23	26	35
		178	17	3	4		1	25	6	2	1	5	7

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	39	19		1	1									1	1
1	3				1										2
12	16	10		1											3
13	5	6													4
2	7														5
12	8	3												1	6
6	5	5	5	2	2	4	7	3	2	2	1	1			7
3	5	4	4	1	2	1	3	1	2	1		1			8
3		1	1	1		3	4	2		1	1				9
	3	1	1		1		1	1	1						10
			1				1	1							11
1			1												12
3	1		2	1	1	1	1		1	1					13
		1				2	1				1				14
	1	2		1			2	1		1		1			15
2															16
3	3	8	2	4	3	3	4	2	6	1	1				17
1	1	3	2	3	3	2	3	1	2	1	1				18
2	2	5		1		1	1	1	4						19
1		3	1	2	2	1	3								20
	1		1	1		1	1	1	2						21
	1								1						22
2	1	3			1	1		1	2	1	1				23
3	2	3	1		3	2	4	2	3						24
1	1	1	1		1	2	1	1	2						25
2	1	2			2		3								26
	1				1	1	1								27
1		1			1				1						28
1		1	1			1	1	1	1						29
1		1													30
137	128	113	87	97	75	69	64	54	36	20	19	8		10	31
106	105	88	74	77	58	51	36	26	21	11	4			8	32
31	23	25	13	20	17	18	28	28	15	9	15	8		2	33
1	6	3	3	2	1	2	1	4	2						34
5	4	5	3	2	3	4	5	4	4	1	1				35
20	23	11	14	8	13		1		1						36
1		1	1	1	1		1	1							37
1		1	2			1			2						38
3	1	3		1					2						39
1	1			1											40
5				1											41
	1	1		1	1										42
															43
1			1	1											44
20	17	13	9	10	7	10	7	3	1	2				3	45
1	1	1				1		1	1						46
3	1			2			1								47
3				2	1										48
3	10	5	5	4	4	2	2	2	1	1	1				49
2															50
2	1	1	1	2	1	2		1	2						51
	1		1	1	1	2	1								52
2	3	3	1	2		1	1								53
3		1	1	1	1										54
10	7	10	8	8	4	5	4	1	2						55
3	3	5		2	1		3	1			1				56
	1					1			1						57
															58
2	3	5	1	1	1	1	2	1		1					59
4	2	1	1	3	3	1	1								60
31	33	37	28	32	25	25	18	14	7	8	3			1	61
10	9	6	7	10	7	7	17	21	10	6	13	8		1	62

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	11,880	2,569	508	254	135	123	3,589	314	161	266	435	476
2	Males.....	6,070	1,394	287	126	75	60	1,942	156	75	127	232	249
3	Females.....	5,810	1,175	221	128	60	63	1,647	158	86	139	203	227
4	Unknown cause.....	76	24	1	-----	1	-----	26	2	1	1	3	3
5	Males.....	44	12	1	-----	1	-----	14	1	-----	-----	3	2
6	Females.....	32	12	-----	-----	-----	-----	12	1	1	1	-----	1
7	1. General diseases.												
	General diseases—A.....	2,043	792	189	95	59	49	1,184	129	27	40	44	57
8	Males.....	1,053	424	112	46	39	22	643	62	14	15	27	29
9	Females.....	990	368	77	49	20	27	541	67	13	25	17	28
10	Measles.....	(M. 53 F. 45)	(M. 12 F. 13)	(M. 15 F. 11)	(M. 5 F. 3)	(M. 6 F. 2)	(M. 2 F. 3)	(M. 40 F. 32)	(M. 7 F. 5)	(M. ----- F. 4)	(M. 1 F. 1)	(M. ----- F. -----)	(M. 1 F. 1)
11	Scarlet fever.....	(M. 42 F. 47)	(M. 1 F. 2)	(M. 4 F. 7)	(M. 5 F. 8)	(M. 8 F. 4)	(M. 3 F. 4)	(M. 21 F. 25)	(M. 18 F. 17)	(M. 1 F. -----)	(M. ----- F. 1)	(M. 2 F. -----)	(M. ----- F. 1)
12	Diphtheria.....	(M. 113 F. 106)	(M. 10 F. 2)	(M. 21 F. 9)	(M. 19 F. 22)	(M. 18 F. 9)	(M. 12 F. 17)	(M. 80 F. 59)	(M. 26 F. 33)	(M. 3 F. 6)	(M. 3 F. 1)	(M. ----- F. 1)	(M. ----- F. 3)
13	Whooping cough.....	(M. 31 F. 37)	(M. 16 F. 19)	(M. 9 F. 12)	(M. 2 F. 3)	(M. 4 F. 1)	(M. ----- F. -----)	(M. 31 F. 35)	(M. ----- F. 2)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
14	Malarial fever.....	(M. 20 F. 15)	(M. 2 F. 3)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 2 F. 3)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)	(M. 1 F. 3)	(M. 1 F. 1)
15	Influenza.....	(M. 104 F. 141)	(M. 4 F. 6)	(M. 3 F. -----)	(M. 1 F. -----)	(M. 1 F. -----)	(M. 1 F. -----)	(M. 10 F. 6)	(M. 2 F. -----)	(M. ----- F. -----)	(M. ----- F. 2)	(M. 1 F. -----)	(M. 1 F. 4)
16	Typhoid fever.....	(M. 96 F. 63)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 1 F. 2)	(M. ----- F. 4)	(M. ----- F. 1)	(M. ----- F. 7)	(M. ----- F. 15)	(M. 20 F. 4)
17	Cholera morbus.....	(M. 22 F. 13)	(M. 2 F. 2)	(M. 4 F. 1)	(M. 1 F. -----)	(M. 1 F. -----)	(M. ----- F. -----)	(M. 8 F. 6)	(M. 2 F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)
18	Colitis.....	(M. 9 F. 8)	(M. 3 F. 3)	(M. 2 F. 2)	(M. 1 F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 6 F. 5)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
19	Diarrhea.....	(M. 50 F. 50)	(M. 28 F. 26)	(M. 3 F. 3)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 31 F. 29)	(M. 2 F. 3)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)
20	Dysentery.....	(M. 22 F. 36)	(M. 5 F. 4)	(M. 1 F. -----)	(M. 2 F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. 8 F. 5)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)	(M. 1 F. 1)
21	Enteritis.....	(M. 124 F. 97)	(M. 81 F. 58)	(M. 18 F. 10)	(M. 5 F. 1)	(M. ----- F. 2)	(M. 1 F. 1)	(M. 105 F. 72)	(M. 1 F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)
22	Cholera infantum.....	(M. 262 F. 238)	(M. 232 F. 217)	(M. 26 F. 19)	(M. 2 F. -----)	(M. ----- F. -----)	(M. 2 F. -----)	(M. 262 F. 238)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
23	Fever.....	(M. ----- F. 2)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 2)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
24	Cerebro-spinal fever.....	(M. 35 F. 16)	(M. 19 F. 5)	(M. 5 F. 1)	(M. 2 F. 5)	(M. ----- F. -----)	(M. ----- F. 1)	(M. 26 F. 12)	(M. 2 F. 1)	(M. ----- F. 3)	(M. ----- F. 2)	(M. ----- F. 1)	(M. ----- F. 2)
25	Smallpox.....	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
26	Erysipelas.....	(M. 16 F. 18)	(M. 6 F. 8)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 6 F. 9)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 2)
27	Septicemia.....	(M. 24 F. 38)	(M. 1 F. -----)	(M. 1 F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 1)	(M. 3 F. 1)	(M. 1 F. -----)	(M. ----- F. 1)	(M. ----- F. 2)	(M. ----- F. 1)	(M. ----- F. 4)
28	Venereal diseases.....	(M. 2 F. 1)	(M. ----- F. 2)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 2 F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
29	Others of this group.....	(M. 27 F. 19)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 1 F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)
30	General diseases—B.....	322	241	8	1	-----	1	251	1	-----	1	2	9
31	Males.....	180	125	2	1	-----	1	129	1	-----	-----	2	8
32	Females.....	142	116	6	-----	-----	-----	122	-----	-----	1	-----	1
33	Alcoholism.....	(M. 29 F. 6)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 2)
34	Parasitic diseases.....	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
35	Lead poison.....	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
36	Other poisons.....	(M. 14 F. 10)	(M. ----- F. 1)	(M. ----- F. 1)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. 1)	(M. 2 F. 2)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. 6)
37	Inanition.....	(M. 135 F. 126)	(M. 125 F. 115)	(M. 2 F. 5)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 127 F. 120)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)
38	General diseases—C.....	1,163	601	6	1	1	2	611	2	1	-----	2	3
39	Males.....	554	326	4	-----	1	-----	331	-----	-----	-----	-----	3
40	Females.....	609	275	2	1	-----	2	280	2	1	-----	2	-----
41	Old age.....	(M. 187 F. 279)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
42	Premature birth.....	(M. 200 F. 148)	(M. 200 F. 148)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 200 F. 148)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
43	Malformation.....	(M. 20 F. 19)	(M. ----- F. 18)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. 1)	(M. 19 F. 19)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)
44	Debility and atrophy.....	(M. 134 F. 146)	(M. 95 F. 93)	(M. 3 F. 2)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. 1)	(M. 99 F. 97)	(M. ----- F. 2)	(M. ----- F. 1)	(M. ----- F. -----)	(M. ----- F. 2)	(M. ----- F. 3)
45	Others of this group.....	(M. 13 F. 17)	(M. 13 F. 16)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. 13 F. 16)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)	(M. ----- F. -----)

365

MASSACHUSETTS—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
458	409	390	428	497	605	610	698	736	755	573	298	110	39	38
229 229	218 191	193 197	221 207	243 254	304 301	308 302	346 352	370 366	376 379	275 298	129 164	37 73	13 26	27 11
2	3	3		4	6	6	4	4	2	1	1			4
1 1	1 2	2 1		2 2	4 2	6	3 1	1 3	1 1	1 1	1 1			3 1
42	32	31	35	30	41	53	46	74	81 ^e	56	27	9	2	3
18 24 2	17 15 1	13 18	15 20	15 15	22 19	28 25	21 25	37 37	34 47 1	24 32	14 13	2 7	1 1	2 1
			1		1									
1 1	1 1							1						
			1				1							
	1	1	1	1	4	3	1	2 1	3 1	1 1	1 1			
1 3	4 2	2 9	3 8	5 4	5 8	11 15	7 13	15 13	15 24	13 20	4 5	1 6	1 1	1
10 9	4 4	4 4	9 2	4 3	5 2	3 3	2	1 3	3 1					
1 1	1 1	1 1		1	1	3		1 1	2		1 1	1		1
					1 1		1 1		1					
	3		1	1	2 1	2 1	3 1	2 4	5	2 4	1	1		
	3	2 1		1				5 6	1 8	1				
1 2 2	1	1 2	2 3	1 2	2 3	1 3	4 3 2	6 2	8 2	2 4	2			
		1												
1	1	1	1 1	1 1		1 2		1	1 2		1 1			
6	5	1 3	1	2 3	2	2	3 1	5	1 1	1 1				1
1														
		1	1		1 1	2 1	1 2	3 6	7 2	4 2	6 2			
6	8	3	4	5	7	1	7	3	4	1	1	1	1	6
5 1 5	5 3 4 1	2 1 1 1	2 2 1 1	4 1 3 1	6 1 5 1	1 1 1	4 3 2 1	1 2	3 2	1	1	1	1	5 1
					1									
		1												
1	1 2		1 1	1			1 1 1	2	1					
							1 1	1	1	1		1	1	5 1
1	2		2	3	9	10	19	48	97	155	115	58	23	2
1	2		1 1	3	5 4	6 4	9 10	23 25	39 58	65 90	45 70	18 40	6 17	2
						1 1	4 7	18 15	36 51	62 82	43 68	17 39	6 16	
														1
1			1		5	5	5	5	3	3	2	1		1
	2		1	3	4	3	3	9	7	8	2	1	1	
								1						

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,911	83	33	27	9	11	163	22	27	101	189	187
2	Males.....	913	55	20	10	5	7	97	7	10	42	99	90
3	Females.....	998	28	13	17	4	4	66	15	17	59	90	97
4	Anemia.....	12	4					4				1	
	{M.....	27	1				1	2		1	1	2	2
5	Diabetes.....	39	1			1	1	3	1	3	2	2	3
	{M.....	39	1				1	3		2	1		1
6	Rheumatism.....	19	1					2		1		1	
	{M.....	30			1			1	4	4	2	1	
7	Scrofula and tabes.....	12	3	1				4	2			1	
	{M.....	11		1		1		2			1	2	
8	Hydrocephalus.....	52	22	13	3	3	2	43	2	1		1	3
	{M.....	38	12	6	9		1	28	5	1		1	
9	Tuberculosis, general.....	18	3		1			4		2		1	2
	{M.....	12							1	2		2	2
10	Consumption.....	585	19	6	5		3	33	2	3	38	88	82
	{M.....	519	12	6	6	2	1	27	5	7	52	81	87
11	Cancer.....	148			1			1			1	2	
	{M.....	285									1		4
12	Tumor.....	13					1	1			1		
	{M.....	22	1		1			2				1	1
13	Dropsy.....	7				1		1				1	
	{M.....	13	1					1			1		
14	Others of this group.....	8	3			1		4				1	
	{M.....	2											
15	2. Diseases of the nervous system.....	1,572	287	73	39	23	18	440	35	34	18	23	31
16	Males.....	797	169	36	23	7	7	242	14	11	11	9	20
17	Females.....	775	118	37	16	16	11	198	21	23	7	14	11
18	Inflammation of the brain.....	17	8	1	2	1		12				1	
	{M.....	10			1			5					
19	Meningitis.....	153	68	23	14	2	3	110	9	4	6	2	6
	{M.....	173	65	25	11	12	9	122	17	13	2	3	2
20	Apoplexy.....	261	5		1			6	1		1		3
	{M.....	287						5		1			5
21	Paralysis.....	104	1					1	1				2
	{M.....	90			1			1				1	
22	Paralysis, general (of insane).....	4											
	{M.....	8											
23	Tetanus and trismus nascentium.....	3	2					2			1	1	
	{M.....	3											
24	Chorea.....	2					1	1					
	{M.....	3								3			
25	Epilepsy.....	20	1					1		3	3	1	2
	{M.....	22	1					1	1	2	1	3	2
26	Convulsions.....	98	72	11	6	2	1	92		2		2	1
	{M.....	64	37	11	3	4	1	56	1	2			
27	Mental diseases.....	31										1	1
	{M.....	42											
28	Diseases of the brain.....	70	12	1		2	2	17	3	1	1	3	6
	{M.....	42	4	1				5	2	2	2	4	1
29	Diseases of the spinal cord.....	10											
	{M.....	13	1				1	2					
30	Locomotor ataxia.....	10											
	{M.....	4											
31	Others of this class.....	14											
	{M.....	14	1					1			1	1	
32	3. Diseases of the circulatory system.....	1,075	48	2	1	5	4	60	17	12	15	30	24
33	Males.....	567	27			2	3	32	10	7	5	10	12
34	Females.....	508	21	2	1	3	1	28	7	5	10	20	12
35	Pericarditis.....	9	1					1		1	1		
	{M.....	7							1				
36	Diseases of the heart.....	508	22			2	3	27	9	6	3	10	12
	{M.....	446	13	2	1	2	1	19	6	5	10	19	9
37	Angina pectoris.....	19							1		1		1
	{M.....	28											
38	Diseases of the arteries.....	20											
	{M.....	12	1					1					
39	Aneurism.....	2											1
	{M.....	2											
40	Embolism.....	5											1
	{M.....	5											
41	Others of this class.....	4	4					4					
	{M.....	8	7			1		8					

367

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.
173	142	115	124	134	119	97	113	84	63	38	12	3		5
95 78	79 63	58 57	52 72	56 78	43 76	48 49	50 63	39 45	27 36	13 25	4 8	1 2		3 2
1		1	1	1		2	1							
1	1		2	4	3	1	2	2	1	2				
2	2		1	3	4	5	5	4	1	1				
1	2	2	4	4	6	4	2	2	4		1			
1	2				3	1	2	3	1	1		1		
1		3	1	1	2	2	1	2	2	2	1			
	2					1		2						
1	1		2	1						1				
1					1									
1			1											
3	2	1	2	1										
1	1	2	1											
86 64	65 45	46 34	34 26	32 23	19 18	15 17	17 17	15 7	6 4	1 5	1			2
1	3	9	13	16	16	21	22	13	17	10	2			1
7	10	12	32	41	45	23	40	28	20	13	6	2		1
	2		1	2		3	2	1						
	3	2	3	2	2	2			3	1				
	1	1					1	1			1			
1		1		2			1	3	2	1				
				1					2					
		1						1						
30	37	37	52	59	95	105	123	153	141	104	44	8	3	
17 13	22 15	18 19	32 20	29 30	51 44	50 55	56 67	76 77	69 72	47 57	20 24	2 6	1 2	
	1			1			1							
		1		1		2			1					
4	2	2	3	1		1	2	1						
3	1	1	4	1	1	1	1	1						
3	6	7	15	12	26	25	34	42	35	31	13			
3	5	9	8	17	24	34	43	42	36	31	17	5	2	
2	6	3	6	7	13	10	9	15	16	6	6	1		
	1	3	4	3	7	9	8	17	16	15	4	1		
						1	1		2					
1						1	1	3	1	1				
		1			1									
1														
1	2	3	1	1	1					1				
2	1	2	1		2		1		2		1			
						1		2	1					
1	1													
1		1	1		4	4	2	7	4	3	1	1		
1	2			2	4	3	5	10	8	6	1			
4	3	1	1	3	2	4	5	6	6	4				

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,732	352	169	67	26	24	638	41	16	22	80	40
2	Males	857	185	93	32	13	13	336	19	8	15	19	23
3	Females	875	167	76	35	13	11	302	22	8	7	11	17
4	Croup	(M) 33 (F) 30	5 1	13 13	4 7	4 3	3 2	29 26	4 4				
5	Pneumonia	(M) 597 (F) 585	99 91	56 48	19 19	7 8	9 7	190 173	12 16	6 8	15 3	18 8	19 12
6	Laryngitis	(M) 6 (F) 2	1 1	2 1		1		4 1	1				1
7	Bronchitis	(M) 145 (F) 181	62 58	18 10	6 8		1	86 78	2 2	1	3		1 2
8	Pleurisy	(M) 13 (F) 12		2 1			1	3 1		1			
9	Asthma	(M) 11 (F) 4	1 1					1 1					
10	Others of this class	(M) 52 (F) 61	17 16	2 3	3 1	1 1		23 22				1 1	3 2
11	5. Diseases of the digestive system	587	79	14	8	1	7	109	18	17	21	33	27
12	Males	296	40	9	5		4	58	11	9	12	19	12
13	Females	291	39	5	3	1	3	51	7	8	9	14	15
14	Dentition	(M) 6 (F) 3	2 1	4 2				6 3					
15	Angina	(M) 9 (F) 7	2	1	1		1	4 2	1	1		1	
16	Gastritis	(M) 40 (F) 36	7 7	2 2	1	1		9 11	1			1	1 2
17	Diseases of the stomach	(M) 13 (F) 19	1 1					1 1				1 2	1
18	Obstruction of the bowels	(M) 23 (F) 24	4 3	1				5 3	2	2	1	1	1
19	Appendicitis	(M) 45 (F) 12					1	1	5 1	1 3	8 1	8 1	3 2
20	Hernia	(M) 16 (F) 5	1					1					
21	Other diseases of the bowels	(M) 5 (F) 7	2 3					2 3					1
22	Jaundice	(M) 11 (F) 14	8 8		1			8 9					
23	Inflammation and abscess of the liver.	(M) 7 (F) 16					1 1	1 1				1	
24	Other diseases of the liver	(M) 46 (F) 35		1				1					2
25	Peritonitis	(M) 44 (F) 83	2 2	1	3		1	7 3	3 4	4 4	3 7	8 9	4 10
26	Ascites	(M) 3 (F) 6											
27	Others of this class	(M) 28 (F) 24	11 13		2			13 14	1	1			
28	6. Diseases of the urinary system and male organs of generation.	678	9	2	5	3	3	22	12	6	9	21	26
29	Males	383	7	2	1	1		11	8	3	5	8	13
30	Females	295	2		4	2	3	11	4	3	4	13	13
31	Bright's disease	(M) 265 (F) 243							7 4	3 3	4 4	7 12	11 10
32	Calculus, urinary	(M) 3 (F) 1											
33	Diseases of the kidney	(M) 15 (F) 16	4 2	2	1 3	1 2		8 10				1	1
34	Diseases of the bladder	(M) 45 (F) 5									1		
35	Others of this class	(M) 55 (F) 30	3		1			3 1	1			1	2 2
36	7. Diseases of the female organs of generation	30	1					1			1	2	4
37	Ovarian tumors	4											
38	Ovarian diseases	2											
39	Diseases of the tubes	7										1	3
40	Uterine tumors	10											1
41	Uterine diseases	2										1	
42	Others of this class	5	1					1			1		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	59	52	65	83	97	108	115	112	88	71	33	12	3	3	1
22	31	30	38	38	49	41	54	41	38	34	12	6	1	2	2
22	28	22	27	45	48	67	61	71	50	37	21	6	2	1	3
16	29	27	31	26	37	35	41	30	27	25	7	4	1	1	4
22	21	16	18	35	35	57	42	50	32	18	13	4	1	1	5
		1													6
2	2	1	4	2	8	4	6	6	6	7	5	1		1	7
	3	3	2	6	8	8	16	17	12	12	8	1			8
1			1	3		1		3							9
	1	1	2		1		1			3					10
			1	4	1	1	1		2	1					11
				1											12
3		1	1	3	3		6	2	3	2		1			13
	3	2	5	3	4	1	2	4	6	3		1	1		14
29	25	27	25	44	39	36	39	35	39	12	9	2		1	15
14	9	12	13	21	20	13	18	17	25	4	8	1			16
15	16	15	12	23	19	23	21	18	14	8	1	1		1	17
															18
			1	1				2		1					19
				1											20
1	2	2		3	3	6	2	1	5	2	2	1			21
		3	1	3	1	5	3	3		2					22
		1		1		1	2	3	2		1				23
4	1			1	3	1	2		2						24
1		1		3			1	3	1		1				25
	2	1			3	5	1	3	4	1					26
7	1	4	2	1	2		1	1							27
		1	1		1		1	1							28
1	1			1	2	3		1	7		2				29
				1	1										30
1	1			1					2		1				31
				1			1	1							32
															33
2															34
															35
															36
															37
															38
															39
															40
															41
															42

VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MASSACHUSETTS—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	S. Affections connected with pregnancy -----	82									6	14	20
2	Abortion -----	4										1	
3	Childbirth -----	23										5	7
4	Puerperal septicemia -----	26									1	5	5
5	Extra-uterine pregnancy -----	4											1
6	Others of this class -----	25									5	3	7
7	9. Diseases of the bones and joints -----	21	1	1		1		3	3	2		5	
8	Males -----	15	1			1		2	2	2		4	
9	Females -----	6		1				1	1			1	
10	Diseases of the spine ----- (M. 5, F. 4)					1		1		2		1	
11	Abscess, lumbar and psoas ----- (M. 1, F. 1)											1	
12	Diseases of the bones ----- (M. 4, F. 1)		1					1	1			1	
13	Diseases of the hip-joint ----- (M. 2, F. 1)								1			1	
14	Others of this class ----- (M. 3, F. 2)												
15	10. Diseases of the skin -----	18	8	1				9		1			
16	Males -----	8	3	1				4					
17	Females -----	10	5					5		1			
18	Abscess ----- (M. 4, F. 6)		2					2					
19	Carbuncle ----- (M. 2, F. 1)		1					1					
20	Others of this class ----- (M. 2, F. 3)		2	1				1					
21	11. Diseases of the absorbent system -----	6	1					1					
22	Males -----	3											
23	Females -----	3	1					1					
24	Addison's disease ----- (M. 3, F. 1)												
25	Diseases of the spleen ----- (M. 1, F. 1)												
26	Others of this class ----- (M. 2, F. 1)		1					1					
27	12. Accidents and injuries -----	564	42	9	10	6	4	71	32	17	31	37	45
28	Males -----	400	20	7	8	5	3	43	21	11	22	32	37
29	Females -----	164	22	2	2	1	1	28	11	6	9	5	8
30	Burns and scalds ----- (M. 22, F. 38)		1	2	2	1	1	12	6		4	2	
31	Drowning ----- (M. 56, F. 5)				1	3	2	6	12	8	11	2	
32	Exposure and neglect ----- (M. 6, F. 4)		1					1					
33	Gunshot wounds ----- (M. 6, F. 3)		3							1	2		
34	Homicide ----- (M. 5, F. 2)						1	1	1				
35	Infanticide ----- (M. 1, F. 3)		3					3					
36	Injuries by machinery ----- (M. 1, F. 1)										1		
37	Railroad accidents ----- (M. 88, F. 4)								3	1	6	12	22
38	Suffocation ----- (M. 20, F. 13)		10			1		11			1		
39	Suicide by shooting ----- (M. 23, F. 2)										1	2	3
40	Suicide by drowning ----- (M. 5, F. 3)											1	
41	Suicide by poison ----- (M. 2, F. 3)											1	
42	Other suicides ----- (M. 24, F. 7)									1		1	1
43	Sunstroke ----- (M. 2, F. 1)		1					1					
44	Surgical operations ----- (M. 3, F. 2)										1		2
45	Wounds ----- (M. 4, F. 1)												
46	Others of this class ----- (M. 133, F. 74)		8	1	1	1		11	6	2	2	12	8

CAUSE, SEX, AND AGE.

371

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	13	10													1
1		2													2
5	3	3													3
8	6	1													4
1	1	1													5
4	3	3													6
	1	2	1	2			1	1							7
	1	1	1	1			1								8
	1	1		1				1							9
															10
															11
							1								12
															13
		1	1	1											14
	1		3			1		2		1					15
	1		1					2							16
	1		2			1				1					17
						1		1			1				18
			1												19
			1												20
			1					1							21
		2			1	1			1						22
		1			1	1									23
		1			1	1									24
									1						25
															26
41	31	28	28	35	33	23	17	23	28	18	8	3	4	11	27
34	26	23	24	25	25	17	11	15	11	11	1	1	2	8	28
7	5	5	4	10	8	6	6	8	17	7	7	2	2	3	29
1	1	1		1	1	1				2					30
2	1			3	2	2	2	4	2	1	1				31
5	4	3	1		1	2	1								32
1				1	1				1					1	33
2	1		2												34
2				1						1					35
1															36
6	8	8	5	9	3	1	1	1	1						37
1	1			1					1						38
2		1	1			1								3	39
2		1	3	3	4	1	2	1							40
1				3					1						41
		1			1				1						42
3	2	1	1		5	4	1	2		1				1	43
		3					1								44
					1										45
1	1			1		1				1					46
9	9	6	11	6	9	7	6	11	7	6	1	1	2	1	47
3	3	2	4	6	5	3	3	3	10	6	6	2	2		48

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	33,572	6,570	1,434	668	431	275	9,378	934	683	1,083	1,347	1,444
2	Males.....	18,084	3,743	763	359	212	153	5,230	485	344	543	627	632
3	Females.....	15,488	2,827	671	309	219	122	4,148	449	339	540	720	812
4	Unknown cause.....	632	342	26	6	5	3	382	4	10	11	12	16
5	Males.....	335	187	11	2	3	1	204	3	4	5	5	6
6	Females.....	297	155	15	4	2	2	178	1	6	6	7	10
7	1. General diseases.												
8	General diseases—A.....	5,884	1,918	653	287	194	116	3,168	353	196	203	218	179
9	Males.....	3,088	1,065	351	147	97	61	1,721	170	76	90	113	85
10	Females.....	2,796	853	302	140	97	55	1,447	183	120	113	105	94
11	Measles.....	(M) 174 (F) 199	56 48	43 50	17 24	7 11	7 8	130 141	19 17	7 7	5 7	6 2	4 10
12	Scarlet fever.....	(M) 115 (F) 105	6 9	19 19	17 15	20 18	10 5	72 66	38 30	5 7		1	1
13	Diphtheria.....	(M) 167 (F) 211	14 10	21 22	27 27	12 17	19 21	93 97	44 61	13 27	12 15	3 4	2
14	Whooping cough.....	(M) 137 (F) 136	86 81	27 27	10 8	6 6	3 5	132 127	5 7	1			
15	Malarial fever.....	(M) 84 (F) 84	8 4	3 1	1 2	2 2	3 2	17 11	1 5	5 5	5 6	12 9	4 5
16	Influenza.....	(M) 204 (F) 215	12 18	2 1	2 3	3 1	1	19 24	2 3	1 2	1 3	4 3	2 5
17	Typhoid fever.....	(M) 365 (F) 315	1 3	3 1	2 1	4 7	4 3	14 15	16 23	30 38	38 56	52 51	51 33
18	Cholera morbus.....	(M) 129 (F) 109	35 31	12 10	9 5	2 3	1 1	59 50	7 5	4 1	2 7	4 4	3 2
19	Colitis.....	(M) 48 (F) 31	27 10	3 5	4 3	2 1		36 19			1	1	1
20	Diarrhea.....	(M) 180 (F) 145	62 51	13 11	3	3	1	82 65	4 7	2 1	1 1	3	2 3
21	Dysentery.....	(M) 89 (F) 112	14 21	11 13	3 6	5 5	2	35 45	1 2			2	2 1
22	Enteritis.....	(M) 289 (F) 271	165 147	46 35	8 12	4 2	4 1	227 197	5 4	1 6	2 2	5 4	1 5
23	Cholera infantum.....	(M) 636 (F) 478	437 348	107 91	23 23	14 12	3	636 477					
24	Fever.....	(M) 3 (F) 6	2					2	1	1		1	
25	Cerebro-spinal fever.....	(M) 175 (F) 119	36 24	35 11	16 8	12 7	7 2	106 52	22 16	9 20	11 10	8 6	6 4
26	Smallpox.....	(M) 8 (F)									2	1	1
27	Erysipelas.....	(M) 80 (F) 43	18 8	2 2				20 12			3	4 1	4 1
28	Septicemia.....	(M) 88 (F) 130	12 20	2 2		1 3	1	13 20	4 3	2 2	4 5	7 15	1 17
29	Venereal diseases.....	(M) 33 (F) 31	20 24	1 1				21 25			1	2	1
30	Others of this group.....	(M) 84 (F) 56	6 2	3				9 2	1	1	3	1 1	3 4
31	General diseases—B.....	615	347	26	5	8	3	339	5	2	8	6	26
32	Males.....	379	193	18	3	2	1	217	3		3	4	18
33	Females.....	236	154	8	2	6	2	172	2	2	5	2	8
34	Alcoholism.....	(M) 80 (F) 5											9
35	Parasitic diseases.....	(M) 3 (F) 3	1	1		3		2 3					
36	Lead poison.....	(M) 2 (F)											1
37	Other poisons.....	(M) 83 (F) 59	7 5	9 5	3 1	2 2		21 15	2 1		2 4	4 2	6 6
38	Inanition.....	(M) 213 (F) 167	185 149	8 3		1	1	194 154	1 1		1 1		3 1
39	General diseases—C.....	2,712	1,233	22	7	2	2	1,316	4	1	1	1	4
40	Males.....	1,405	720	9	4	1	1	735	2		1		1
41	Females.....	1,307	563	13	3	1	1	581	2	1		1	3
42	Old age.....	(M) 594 (F) 635											
43	Premature birth.....	(M) 401 (F) 293	401 293					401 293					
44	Malformation.....	(M) 90 (F) 96	89 90		5			89 95	1 1				
45	Debility and atrophy.....	(M) 272 (F) 259	182 156	9 8	4 3	1 1	1	197 169	1 1		1		1 3
46	Others of this group.....	(M) 48 (F) 24						48 24					

373

MICHIGAN.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95	1
539 644	640 628	639 600	710 571	722 572	906 634	995 785	1,097 904	1,266 921	1,212 892	811 749	450 357	128 151	37 48	71 24	2 3
13	10	18	13	12	19	18	24	18	17	19	10	2		4	4
7 6	6 4	8 10	9 4	6 6	13 6	9 9	15 9	8 10	9 8	9 10	5 5	1 1		3 1	5 6
153	134	98	102	82	108	115	161	166	200	143	80	10	8	7	7
82 71	63 71	54 44	64 38	49 33	56 52	65 50	88 73	90 76	106 94	72 71	30 50	3 7	7 1	4 3	8 9
2 5	1 5	2	1		1		1								10
															11
2 1	2	1	1												12
															13
5 4	1 2	2 3	6 5	3 3	2 2	5 4	3 5	6 5	4 2	7 8	1				14
10 6	5 4	8 5	9 4	5 8	12 12	13 12	14 27	24 20	36 33	24 24	13 15	1 3	1 1	1	15
41 27	30 19	21 12	20 10	16 9	7 6	11 3	10 6	4 2	3 4	1				1	16
2 3	2 2	4 4	6	4 1	6 3	3 5	8 2	9 8	5 5	2 5	1	1			17
	1 1			1	1	2	1 3	2 1	4	2 1				1	18
4	1 1	2 2	2	5 1	5 2	6 1	16 8	14 10	19 14	10 11	4 11	1 1	3		19
1 1	2 2	1	2 2	3 2	4	4 2	9 5	4 10	7 16	11 10	3 8		2	1	20
1 3	3 7	3 2	4 3	1 3	6 8	3 4	5 4	9 10	5 4	6 2	2 3				21
														1	22
									1			1			23
3 3	3 1	1 1	3 2	1	1 2	1 1	1 1	1 1	1 1						24
	1														25
4	5 7	6 1	6 1	1 1	7 2	5 5	7 2	4 7	2 1	2 1					26
7 12	7 16	4 10	7 4	4 2	7 8	6 5	4 2	2 1	7 4	2	3			1	27
1	2 1	2	1 1	2		2	2								28
4 1	1	1	2	4 2	2 2	6 6	9 6	11 2	13 9	6 8	7 9	1 1	1	1	29
9	25	28	25	21	18	8	12	7	8	4	6	2	1	5	30
7 2	19 6	22 6	22 3	14 7	13 5	7 1	6 6	4 3	7 1	3 1	4 2	1 1	1	5	31
5	16 1	17	8 1	8 3	7	2	2		2	1				3	33
							1								34
								1							35
2 2	3 5	5 6	14 2	5 4	6 5	4	2 5	4 1	1		2				36
				1		1 1	1 1	1	4 1	2 1	2 2	1 1	1	2	37
2	5	1	3	6	11	21	70	137	271	389	283	139	41	6	38
1 1	1 4	1	1 2	3 3	5 6	9 12	30 40	60 77	141 130	195 194	140 143	58 81	17 24	4 2	39
						5 5	21 30	53 69	130 114	177 176	131 138	57 78	17 24	3 1	41
															42
															43
1 1	1 4	1	1 2	3 3	5 6	4 7	9 10	7 8	11 16	18 18	9 5	1 3		1 1	44
															45

MICHIGAN—Continued.

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	4,180	971	362	185	97	49	1,664	152	59	98	128	110
2	Males	2,277	581	187	99	45	24	936	78	26	60	71	57
3	Females	1,903	390	175	86	52	25	728	74	33	38	57	53
4	Croup	{M-- 94 {F-- 67	{M-- 27 {F-- 10	{M-- 11 {F-- 14	{M-- 12 {F-- 12	{M-- 14 {F-- 12	{M-- 6 {F-- 1	{M-- 70 {F-- 49	{M-- 22 {F-- 15	{M-- 2 {F-- 3			
5	Pneumonia	{M-- 1,469 {F-- 1,178	{M-- 320 {F-- 206	{M-- 117 {F-- 110	{M-- 64 {F-- 59	{M-- 22 {F-- 27	{M-- 12 {F-- 15	{M-- 535 {F-- 417	{M-- 40 {F-- 47	{M-- 17 {F-- 22	{M-- 46 {F-- 27	{M-- 56 {F-- 39	{M-- 46 {F-- 46
6	Laryngitis	{M-- 19 {F-- 19	{M-- 3 {F-- 1	{M-- 2 {F-- 5	{M-- 1 {F-- 1	{M-- 4 {F-- 3	{M-- 1 {F-- 1	{M-- 11 {F-- 11	{M-- 4 {F-- 4		{M-- 1 {F-- 1		{M-- 2 {F-- 2
7	Bronchitis	{M-- 429 {F-- 405	{M-- 168 {F-- 135	{M-- 51 {F-- 38	{M-- 18 {F-- 14	{M-- 3 {F-- 7	{M-- 4 {F-- 7	{M-- 244 {F-- 201	{M-- 8 {F-- 4	{M-- 3 {F-- 2	{M-- 6 {F-- 4	{M-- 5 {F-- 8	{M-- 3 {F-- 2
8	Pleurisy	{M-- 31 {F-- 37		{M-- 1 {F-- 2		{M-- 2 {F-- 2		{M-- 1 {F-- 4	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 5 {F-- 1	{M-- 3 {F-- 1	{M-- 2 {F-- 7
9	Asthma	{M-- 55 {F-- 52	{M-- 2 {F-- 2	{M-- 1 {F-- 1		{M-- 1 {F-- 1		{M-- 3 {F-- 3	{M-- 1 {F-- 1	{M-- 2 {F-- 2		{M-- 1 {F-- 1	
10	Others of this class	{M-- 180 {F-- 145	{M-- 61 {F-- 36	{M-- 4 {F-- 6	{M-- 4 {F-- 4	{M-- 2 {F-- 2	{M-- 1 {F-- 1	{M-- 72 {F-- 43	{M-- 3 {F-- 2	{M-- 3 {F-- 4	{M-- 2 {F-- 5	{M-- 6 {F-- 8	{M-- 6 {F-- 3
11	5. Diseases of the digestive system	2,432	385	55	27	22	16	505	76	80	107	95	133
12	Males	1,300	233	26	13	11	9	292	39	50	55	42	57
13	Females	1,132	152	29	14	11	7	213	37	30	52	53	76
14	Dentition	{M-- 12 {F-- 9	{M-- 10 {F-- 5	{M-- 2 {F-- 3	{M-- 1 {F-- 1			{M-- 12 {F-- 9					
15	Angina	{M-- 19 {F-- 11	{M-- 1 {F-- 1	{M-- 3 {F-- 1	{M-- 1 {F-- 1	{M-- 2 {F-- 1		{M-- 7 {F-- 4	{M-- 2 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 3 {F-- 1	{M-- 2 {F-- 2
16	Gastritis	{M-- 159 {F-- 180	{M-- 23 {F-- 27	{M-- 2 {F-- 7	{M-- 2 {F-- 2	{M-- 2 {F-- 2	{M-- 2 {F-- 2	{M-- 29 {F-- 40	{M-- 3 {F-- 1	{M-- 2 {F-- 1	{M-- 6 {F-- 1	{M-- 4 {F-- 1	{M-- 8 {F-- 7
17	Diseases of the stomach	{M-- 90 {F-- 66	{M-- 5 {F-- 4	{M-- 1 {F-- 2		{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 8 {F-- 7		{M-- 1 {F-- 1		{M-- 2 {F-- 2	{M-- 4 {F-- 4
18	Obstruction of the bowels	{M-- 120 {F-- 64	{M-- 16 {F-- 11	{M-- 4 {F-- 1	{M-- 2 {F-- 2		{M-- 1 {F-- 1	{M-- 23 {F-- 17	{M-- 8 {F-- 3	{M-- 5 {F-- 2	{M-- 3 {F-- 2	{M-- 2 {F-- 3	{M-- 5 {F-- 2
19	Appendicitis	{M-- 150 {F-- 92	{M-- 1 {F-- 2	{M-- 1 {F-- 1			{M-- 1 {F-- 1	{M-- 3 {F-- 4	{M-- 5 {F-- 10	{M-- 28 {F-- 12	{M-- 26 {F-- 17	{M-- 11 {F-- 10	{M-- 20 {F-- 10
20	Hernia	{M-- 47 {F-- 27	{M-- 6 {F-- 2					{M-- 6 {F-- 2			{M-- 2 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1
21	Other diseases of the bowels	{M-- 48 {F-- 35	{M-- 20 {F-- 15		{M-- 2 {F-- 2	{M-- 2 {F-- 2		{M-- 22 {F-- 17	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 2
22	Jaundice	{M-- 50 {F-- 47	{M-- 24 {F-- 11		{M-- 2 {F-- 2		{M-- 1 {F-- 1	{M-- 26 {F-- 12	{M-- 2 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1	{M-- 1 {F-- 1
23	Inflammation and abscess of the liver.	{M-- 63 {F-- 60	{M-- 1 {F-- 1	{M-- 1 {F-- 1		{M-- 1 {F-- 2		{M-- 3 {F-- 2	{M-- 1 {F-- 1	{M-- 2 {F-- 2		{M-- 3 {F-- 3	{M-- 4 {F-- 3
24	Other diseases of the liver	{M-- 214 {F-- 130	{M-- 4 {F-- 3	{M-- 1 {F-- 2	{M-- 1 {F-- 1			{M-- 6 {F-- 3	{M-- 1 {F-- 1	{M-- 1 {F-- 1		{M-- 5 {F-- 1	{M-- 4 {F-- 6
25	Peritonitis	{M-- 133 {F-- 256	{M-- 16 {F-- 8	{M-- 2 {F-- 6	{M-- 2 {F-- 3	{M-- 3 {F-- 2	{M-- 3 {F-- 2	{M-- 26 {F-- 19	{M-- 14 {F-- 16	{M-- 8 {F-- 10	{M-- 13 {F-- 22	{M-- 10 {F-- 32	{M-- 6 {F-- 36
26	Ascites	{M-- 9 {F-- 11	{M-- 1 {F-- 1					{M-- 1 {F-- 1					{M-- 2 {F-- 2
27	Others of this class	{M-- 186 {F-- 144	{M-- 105 {F-- 68	{M-- 9 {F-- 5	{M-- 1 {F-- 3	{M-- 2 {F-- 1	{M-- 3 {F-- 1	{M-- 120 {F-- 77	{M-- 3 {F-- 3	{M-- 2 {F-- 2	{M-- 2 {F-- 2	{M-- 1 {F-- 1	{M-- 3 {F-- 1
28	6. Diseases of the urinary system and male organs of generation.	1,573	31	10	6	1	6	54	38	31	26	32	52
29	Males	1,022	18	5	2	1	4	30	20	19	9	13	15
30	Females	551	13	5	4		2	24	18	12	17	19	37
31	Bright's disease	{M-- 636 {F-- 418							{M-- 19 {F-- 15	{M-- 12 {F-- 12	{M-- 7 {F-- 11	{M-- 11 {F-- 16	{M-- 9 {F-- 22
32	Calculus, urinary	{M-- 15 {F-- 8	{M-- 1 {F-- 3					{M-- 1 {F-- 3			{M-- 1 {F-- 1		{M-- 1 {F-- 1
33	Diseases of the kidney	{M-- 94 {F-- 56	{M-- 10 {F-- 8	{M-- 5 {F-- 3	{M-- 2 {F-- 4	{M-- 1 {F-- 1	{M-- 4 {F-- 2	{M-- 22 {F-- 17		{M-- 1 {F-- 1	{M-- 1 {F-- 1		{M-- 2 {F-- 3
34	Diseases of the bladder	{M-- 126 {F-- 15	{M-- 3 {F-- 1					{M-- 3 {F-- 1		{M-- 4 {F-- 4		{M-- 1 {F-- 1	
35	Others of this class	{M-- 151 {F-- 54	{M-- 4 {F-- 1		{M-- 2 {F-- 2			{M-- 4 {F-- 3	{M-- 1 {F-- 2	{M-- 2 {F-- 2		{M-- 1 {F-- 1	{M-- 4 {F-- 11
36	7. Diseases of the female organs of generation	164								1	5	21	25
37	Ovarian tumors	31										1	3
38	Ovarian diseases	6									1	1	1
39	Diseases of the tubes	15										2	3
40	Uterine tumors	41									2	3	3
41	Uterine diseases	15									1	1	4
42	Others of this class	56								1	1	13	11

CAUSE, SEX, AND AGE.

377

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
107	139	122	133	141	159	205	236	245	228	153	71	24	1	5	1
58	88	60	83	78	93	115	112	122	118	67	41	11	1	3	2
49	51	62	50	63	66	90	124	123	110	86	30	13	1	2	3
50	74	46	65	63	60	86	80	67	73	34	22	6		3	4
37	39	35	32	54	43	57	77	73	66	46	13	7		1	5
1		1			1					1					6
1															
3	5	3	11	4	13	12	15	26	30	20	14	4			7
2	5	4	6	3	12	18	26	32	31	24	13	6	1	1	8
1	3		1	1	4		1	4	2		1				9
3	4	5	3		2	7	2	1		3					10
1		1	4		5	6	8	8	7	7	3				
2	1	1	3	1	5	6	10	5	6	5					
2	6	9	2	10	10	11	8	17	6	5	1	1			
4	2	17	6	5	4	2	9	12	7	8	4				
103	89	121	117	120	136	175	156	172	125	83	24	12		3	11
43	33	62	68	56	86	101	89	90	70	46	14	4		3	12
60	56	59	49	64	50	74	67	82	55	37	10	8			13
2		1		1		1									14
1		1							1						15
3	3	5	7	7	16	12	13	11	15	10	3	1		1	16
1	7	5	10	11	11	16	11	22	16	15	2	3			17
5	1	2	9	9	12	13	7	10	9	3	2				18
7	4	2	3	5	4	10	4	8	1	2	1				19
4	1	5	6	8	5	7	6	10	9	6	2	1		1	20
14		4	4	5	2	2	4	4	3	3	2				21
9	6	13	8	2	5	4	3	2							22
1	6	5	2	2	1	2			2						23
1	1	1	2	2	3	7	5	6	4	5		1			24
2	2	2	4	1	6	2	3	4	3		2				25
2															26
1		1	1	3	6	4	5	8	2	1		1		1	27
3	6	9	4	4	1	10	5	5	1	5					28
5	2	5	6	4	7	5	3	4	7	3					29
4	7	19	18	17	25	29	30	22	16	6	2	1			30
6	4	13	9	17	7	12	19	12	13	4	3				31
29	7	3	5	3	8	3	9	5	5	1	1				32
	29	17	6	9	6	8	7	6	1	2		1			33
				1		1	1	3		2	1				34
1	2	1	1	1	2	2			1	1		1			35
3	1	3	5	1	4	10	7	8	5	8	3				36
41	65	72	84	117	140	158	145	167	177	108	52	8	3	3	37
17	27	37	46	75	100	109	104	125	132	87	45	8	2	2	38
24	38	35	38	42	40	49	41	42	45	21	7		1	1	39
13	23	28	39	63	79	79	72	64	64	41	9	1	2	1	40
22	31	26	27	38	31	42	34	36	34	14	5		1	1	41
	1		1			1	1	4	2	1	1				42
1	1							1	1						
1	3	3	1	6	8	10	6	8	10	8	4				
1	1	6	5	2	6	2	3	1	4	2	1				
	2		1	1	5	6	11	26	30	21	15	3			
3		6	4	5	8	13	14	23	3	2					
1	3	3	5	2	2	2	4	3	26	16	16	4		1	
14	21	23	15	13	4	8	4	5	1	1	1	1	1		
2	6	3	3	3	1	5	1			1		1	1		
	1		1				1								
3	2	3		1				1							
	4	9	6	6	1	3	1	3							
2	4	1					1	1							
7	4	7	5	3	2				1		1				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	S. Affections connected with pregnancy	407									32	92	100
2	Abortion	19									1	4	5
3	Childbirth	109									3	17	27
4	Puerperal septicemia	200									16	51	54
5	Extra-uterine pregnancy	8									1	2	
6	Others of this class	71									11	18	14
7	9. Diseases of the bones and joints	105	14		1	3	3	21	7	7	9	5	3
8	Males	69	11		1		3	15	2	5	8	3	1
9	Females	36	3			3		6	5	2	1	2	2
10	Diseases of the spine.....{M.....	23	8					8		3	2	1	
	{F.....	19	3			3		6	1		1		
11	Abscess, lumbar and psoas.....{M.....	4							1			1	
	{F.....	2											
12	Diseases of the bones.....{M.....	24	3		1		2	6		1	4	1	1
	{F.....	10							3	1		1	1
13	Diseases of the hip-joint.....{M.....	9							2	1	1		
	{F.....	1								1			
14	Others of this class.....{M.....	9					1	1			1		
	{F.....	4										1	1
15	10. Diseases of the skin	85	19	2		1	2	24			1	4	2
16	Males	50	10	2				12			1	2	2
17	Females	35	9			1	2	12				2	
18	Abscess.....{M.....	23	2			1	2	2			1	2	1
	{F.....	19	1					4				2	
19	Carbuncle.....{M.....	3											
	{F.....	3											
20	Others of this class.....{M.....	24	8	2				10					1
	{F.....	13	8					8					
21	11. Diseases of the absorbent system	49	3	5			1	9	1	2	2	4	1
22	Males	28	1	3			1	5	1	1	1	1	1
23	Females	21	2	2				4		1	1	3	
24	Addison's disease.....{M.....	7								1			
	{F.....	6										1	
25	Diseases of the spleen.....{M.....	5						1				1	
	{F.....	2	1										
26	Others of this class.....{M.....	16	1	3			1	5	1		1	1	1
	{F.....	13	1	2				3		1	1		
27	12. Accidents and injuries	2,079	139	34	41	31	20	265	92	88	168	187	183
28	Males	1,616	79	21	28	18	14	160	55	74	144	159	150
29	Females	463	60	13	13	13	6	105	37	14	24	28	33
30	Burns and scalds.....{M.....	78	6	11	12	9	4	42	7		4	2	3
	{F.....	83	1	8	5	7	4	25	19	5	2	3	6
31	Drowning.....{M.....	200	1	5	5	1	1	13	22	36	29	25	19
	{F.....	31	4	1	1	3	1	9	3	2	3	4	
32	Exposure and neglect.....{M.....	14	5				1	6		1			
	{F.....	8	4					4				2	
33	Gunshot wounds.....{M.....	87	1		1			2	2	7	21	12	3
	{F.....	10			1	1		2	1		1	2	1
34	Homicide.....{M.....	14			1			1				3	1
	{F.....	3											1
35	Infanticide.....{M.....												
	{F.....												
36	Injuries by machinery.....{M.....	14									3		
	{F.....	1	1					1					
37	Railroad accidents.....{M.....	245					1	1	3	14	26	29	26
	{F.....	25			2			2	2	2	2	1	2
38	Suffocation.....{M.....	47	31		2			33		1	2	1	1
	{F.....	39	35	1				36	1				
39	Suicide by shooting.....{M.....	47									1	4	5
	{F.....	9									1	3	2
40	Suicide by drowning.....{M.....	9									1		
	{F.....	3										2	
41	Suicide by poison.....{M.....	23									1	2	
	{F.....	27								1	6	2	1
42	Other suicides.....{M.....	79									3	3	2
	{F.....	14									1		3
43	Sunstroke.....{M.....	5					1	1			2		
	{F.....	3	1		1			2			1		
44	Surgical operations.....{M.....	6									2	1	
	{F.....	25	1					1			1	2	8
45	Wounds.....{M.....	38	2		1			3	1	2	4	6	8
	{F.....	4											
46	Others of this class.....{M.....	710	33	5	6	8	6	58	20	13	45	71	82
	{F.....	178	17		3	2	1	23	10	4	6	7	9

CAUSE, SEX, AND AGE.

379

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	66	37	2			1								1	1
3	5	1													2
26	16	18	1											1	3
29	31	17	1			1									4
2	3														5
16	11	1													6
5	5	4	9	9	4	6	2	3	3	3					7
3	2	3	5	6	3	5	2	3	1	2					8
2	3	1	4	3	1	1			2	1					9
	1	1	2	1	1	1			1	1					10
1	1	1	3	3		1			1						11
1				1											12
1	1		2	2	1	2	1	1		1					13
1	1	1	1	2											14
			1		1	1	1	2							15
5	3	1	9	3	4	7	4	5	7	4		2			16
2	1		6	2	4	4	2	3	4	4		1			17
3	2	1	3	1		3	2	2	3			1			18
2	1		4		2	2		2	1	2		1			19
3	1	1	2	1		1	1	1	2			1			20
															21
2	3	5	4	2	2	5	4	1	1	1					22
															23
2	2	3	2	2	1	3	2		1						24
	1	1	2	1	1	2	2			1					25
	1	1	1	1	1	1									26
1	1	2	1												27
1			1	1	1	1	2								28
			1			1	2	1		1					29
135	154	142	117	74	91	85	61	72	51	41	19	15	4	35	30
107	132	121	97	61	78	73	48	55	30	22	11	9		30	31
28	22	21	20	13	13	12	13	17	21	19	8	6	4	5	32
3	2	2	3		2	2			3	1	1			1	33
8	4		4		2	1		1	1	1		1			34
10	6	11	4	1	3	4	4	3	1					9	35
4	3		1											2	36
	1		1	2	1				1	1					37
					1										38
6	4	13		5	2	4	2	2				1		1	39
2		1													40
2	2	1	2				1		1						41
1	1														42
															43
3	3	2	1			1	1								44
															45
22	27	22	12	14	15	10	2	7	5	1				9	46
2		1	2		2	3		1	2					1	47
1	1	2			1	2	1							1	48
															49
2	5	4	7	6	3	2	2	4	1	1					50
2		1													51
1			1	1		1		1	3						52
															53
															54
															55
															56
															57
															58
															59
															60
															61
															62
															63
															64
															65
															66
															67
															68
															69
															70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100
52	72	52	49	28	32	36	22	29	11	14	10	7		7	101
8	5	8	6	9	3	5	11	12	18	17	8	5	4		102

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	19,570	4,613	997	436	297	177	6,520	632	417	632	808	910
2	Males.....	10,672	2,618	544	234	141	92	3,629	324	207	328	391	406
3	Females.....	8,898	1,995	453	202	156	85	2,891	308	210	304	417	504
4	Unknown cause.....	438	263	22	5	4	2	296	2	7	7	5	10
5	Males.....	223	135	9	2	2	1	149	1	3	4	1	5
6	Females.....	215	128	13	3	2	1	147	1	4	3	4	5
7	1. General diseases. General diseases—A.....	3,698	1,349	452	185	133	80	2,199	242	129	107	129	103
8	Males.....	1,951	740	256	98	62	39	1,195	106	48	46	66	48
9	Females.....	1,747	609	196	87	71	41	1,004	136	81	61	63	55
10	Measles.....	{M. 118 F. 132	{45 36	{32 40	{12 17	{5 8	{3 6	{97 107	{12 12	{5 4	{1 1	{1 1	{1 4
11	Scarlet fever.....	{M. 90 F. 79	{3 8	{15 13	{15 8	{18 17	{7 3	{58 49	{27 24	{5 6			
12	Diphtheria.....	{M. 120 F. 161	{11 7	{19 19	{21 21	{9 15	{12 18	{72 80	{23 49	{9 15	{7 12	{3 2	{2 2
13	Whooping cough.....	{M. 84 F. 81	{54 51	{17 12	{5 6	{5 4	{1 2	{82 75	{2 4				
14	Malarial fever.....	{M. 40 F. 35	{5 2	{2 1	{1 2		{2 2	{10 7	{1 4		{3 3	{6 3	{2 2
15	Influenza.....	{M. 98 F. 102	{7 11	{1 1	{1 1	{1 1		{10 15	{2 2	{1 1	{1 2	{3 3	{2 2
16	Typhoid fever.....	{M. 196 F. 180	{1 2	{2 1	{1 1	{2 4	{3 2	{9 10	{10 11	{17 26	{15 27	{31 33	{30 19
17	Cholera morbus.....	{M. 78 F. 63	{22 18	{8 6	{8 4		{1 3	{39 32	{5 5	{2 2	{1 3		{2 2
18	Colitis.....	{M. 31 F. 19	{20 9	{3 4	{2 3			{25 16			{1 1		
19	Diarrhea.....	{M. 107 F. 98	{41 38	{12 7	{1 2	{2 2	{1 1	{56 48	{1 7	{1 1	{1 1	{1 1	{1 2
20	Dysentery.....	{M. 48 F. 48	{8 12	{6 6	{2 3	{2 2	{2 2	{20 23				{2 1	{2 1
21	Enteritis.....	{M. 217 F. 196	{126 113	{40 25	{6 8	{3 1	{2 1	{177 148	{4 3	{1 5	{1 1	{5 1	{4 4
22	Cholera infantum.....	{M. 435 F. 324	{342 255	{74 54	{11 8	{8 5	{1 1	{435 323					
23	Fever.....	{M. 2 F. 5	{2 2					{2 2	{1 1	{1 1		{1 1	
24	Cerebro-spinal fever.....	{M. 108 F. 76	{16 13	{21 6	{12 5	{7 6	{6 2	{62 32	{13 11	{6 14	{9 6	{6 5	{4 2
25	Smallpox.....	{M. 4 F. 4									{1 1		{1 1
26	Erysipelas.....	{M. 57 F. 26	{9 4	{2 1	{1 1		{1 1	{11 7			{2 1	{3 1	{4 4
27	Septicemia.....	{M. 45 F. 70	{9 3			{1 1		{9 4	{3 3	{2 2	{5 5	{4 9	{13 13
28	Venereal diseases.....	{M. 25 F. 27	{17 23	{1 1				{17 24			{1 1	{1 1	{1 1
29	Others of this group.....	{M. 48 F. 25	{4 2	{2 2				{6 2			{2 2	{1 1	{2 2
30	General diseases—B.....	407	232	16	3	7	2	260	4	2	3	2	16
31	Males.....	253	131	10	2	2	1	146	2		1	1	11
32	Females.....	154	101	6	1	5	1	114	2	2	2	1	5
33	Alcoholism.....	{M. 61 F. 4											{6 6
34	Parasitic diseases.....	{M. 2 F. 3	{1 1			{3 3		{1 3					
35	Lead poison.....	{M. 1 F. 1											{1 1
36	Other poisons.....	{M. 47 F. 39	{4 4	{5 5	{2 1	{2 1	{1 1	{13 11	{1 1		{1 2	{1 1	{2 4
37	Inanition.....	{M. 143 F. 107	{126 97	{5 1	{1 1	{1 1	{1 1	{132 100	{1 1	{1 1			{3 3
38	General diseases—C.....	1,684	898	17	5	1	2	923	4		1	1	3
39	Males.....	895	511	6	3		1	521	2		1		1
40	Females.....	789	387	11	2	1	1	402	2			1	2
41	Old age.....	{M. 333 F. 346											
42	Premature birth.....	{M. 274 F. 193	{274 193					{274 193					
43	Malformation.....	{M. 62 F. 58	{61 53	{4 4				{61 57	{1 1				
44	Debility and atrophy.....	{M. 189 F. 175	{139 124	{6 7	{3 2		{1 1	{149 135	{1 1		{1 1		{1 2
45	Others of this group.....	{M. 37 F. 17	{37 17					{37 17					

381

MICHIGAN—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
677	786	706	710	726	809	877	1,014	1,071	980	727	351	117	40	60	1
323 354	405 381	379 327	431 279	418 308	496 313	483 394	566 448	612 459	574 406	377 350	197 154	64 53	17 23	45 15	2 3
7	7	13	9	8	11	8	9	8	10	12	5	1		3	4
4 3	3 4	6 7	7 2	4 4	7 4	5 3	6 3	4 4	4 6	4 8	4 1	1		2 1	5 6
88	77	59	51	40	59	47	89	85	81	68	31	5	2	7	7
48 40	33 44	37 22	37 14	28 12	34 25	33 14	53 36	43 42	43 38	35 33	11 20	1 4	2	4 3	8 9
2 1	2		1												10
															11
1	1														12
							1								13
5 3	1	2	2 2	2 1	1	2 1	2 1	1 1		1 2					14
6 3	2 2	5 2	4 2	3 1	9 5	7 4	7 11	10 12	14 15	10 13	4 5	1		1	15
19 18	15 13	14 6	11 2	8 3	5 3	4	5 4	2 2	2	1				1	16
1 2	3 1	3 2	3	2 1	5 1	2	7 1	4 3	3 1	1 3	1	1			17
					1		1	1 1	1	2				1	18
	1	2		3 1	2 2	4 1	8 7	7 3	8 9	8 6	1 6		2		19
3	1	1	1	1	1	2 1	7 2	3 4	4 4	4 3	2			1	20
1 1	1 7	2 2	3 2	1 1	2 5	2	2 3	5 9	4 2	4 1	2 2				21
														1	22
												1			23
3 1	2 1	1	3 1				1		1						24
	1				1										25
3	4 6	4 1	6	1 1	5 1	2 2	6 2	3 4	1	2					26
3 5	5 8	3 7	4 1	3 1	3 5	3 2	3	1 1	2 1		2			1	27
1	1	2	1	1		1	1								28
3 1			2	3 1	1 1	4 3	5 2	6 1	6 3	3 4	4 2	1 1		1	29
3	22	22	15	15	14	3	7	4	6	2	2	1		4	30
3	17 5	16 6	12 3	10 5	11 3	2 1	6 1	3 1	5 1	2	1 1	1		4	31 32
2	14 1	12	5 1	8 2	6	1	2		1	1				3	33
							1								34
															35
1	3 4	4 6	7 2	2 3	5 3	1	2 1	3	1						36
							1		3	1	1	1		1	37
2	4	1	2	2	6	16	49	85	145	215	142	58	21	1	38
1 1	1 3	1	1 1	2	3 3	7 9	22 27	37 48	77 68	106 109	71 71	31 27	9 15	1	39 40
						5	15	35	73	99	67	30	9		41
						4	19	44	62	106	69	27	15		42
															43
1 1	1 3	1	1 1	2	3 3	2 5	7 8	2 4	4 6	7 3	4 2	1		1	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,888	87	34	27	12	10	170	51	56	164	255	291
2	Males	1,334	47	17	15	7	6	92	29	23	62	98	114
3	Females	1,554	40	17	12	5	4	78	22	33	102	157	177
4	Anemia	(M) 33	5	2	1			8	1	2			2
	(F) 59	6	1				1	8	2	1	2	3	7
5	Diabetes	(M) 67							4	7	4	3	1
	(F) 44				1			1	1	2		2	2
6	Rheumatism	(M) 47				1		1	3	3	4	1	4
	(F) 47		1				1	2	4	1	4		3
7	Scrofula and tabes	(M) 19	5	1	1			7	2		1	3	
	(F) 29	5		1				6	1		3	4	1
8	Hydrocephalus	(M) 63	16	10	9	3	3	41	10	1	2	3	1
	(F) 43	11	10	5				26	4	3	5	1	
9	Tuberculosis, general	(M) 17		1				1	1		1	1	2
	(F) 24		1					1	1			5	6
10	Consumption	(M) 627	12	2	3	2	2	21	2	8	45	85	98
	(F) 779	11	4	3	4	1		23	8	23	84	136	148
11	Cancer	(M) 348	3					3	2	1	1	1	4
	(F) 399										1	3	7
12	Tumor	(M) 27	1		1	1	1	4	1		2	1	
	(F) 42	2		1				3			2	1	2
13	Dropsy	(M) 70	2	1				3	2		1		1
	(F) 70				1			1	1	2	1		1
14	Others of this group	(M) 16	3					3	1	1	1		1
	(F) 18	3	2	1			1	7		1		2	
15	2. Diseases of the nervous system	2,309	556	115	37	27	18	753	54	40	40	29	53
16	Males	1,298	328	65	23	13	10	439	31	19	25	15	17
17	Females	1,011	228	50	14	14	8	314	23	21	15	14	36
18	Inflammation of the brain	(M) 53	18	10	5		2	35	3		1	1	3
	(F) 34	14	3	1	1	1		20	4	1	1		2
19	Meningitis	(M) 160	54	23	9	4	6	96	17	7	6	8	4
	(F) 114	31	17	5	7	5		65	10	9	6	2	7
20	Apoplexy	(M) 316	7				1	8			1	2	1
	(F) 259	5						5		1	1	1	4
21	Paralysis	(M) 227	4	1	1			6	1	1	3		3
	(F) 185		1	3				4		1	1	3	4
22	Paralysis, geueral (of insane)	(M) 10											
	(F) 8												
23	Tetanus and trismus nascentium	(M) 14	3					3	2	2	3	1	
	(F) 5	2						2	1				
24	Chorea	(M) 3							1			1	
	(F) 10		1					1		3	2		
25	Epilepsy	(M) 55	8	2				10	6	4	6		
	(F) 41	9	2		1			12	1		1	2	6
26	Convulsions	(M) 241	201	22	6	7		236				2	
	(F) 192	152	16	2	4	1		175	4			1	3
27	Mental diseases	(M) 44											2
	(F) 34											1	4
28	Diseases of the brain	(M) 112	30	7	1	2	1	41	1	4	1		2
	(F) 74	12	7	3			1	23	2	4	1	2	2
29	Diseases of the spinal cord	(M) 23	3			1		3			1		
	(F) 25	3	3					7	1	1	1		
30	Locomotor ataxia	(M) 19			1			1			1		
	(F) 3											1	
31	Others of this class	(M) 21								1	2		2
	(F) 27									1	1	1	4
32	3. Diseases of the circulatory system	1,530	105	6	3	2	3	119	23	26	30	26	39
33	Males	884	56	2	2	1	1	62	13	9	14	12	12
34	Females	646	49	4	1	1	2	57	10	17	16	14	27
35	Pericarditis	(M) 15								1	3		
	(F) 12		1					1	1	1	1	1	1
36	Diseases of the heart	(M) 749	39	2	2	1	1	45	12	8	10	10	10
	(F) 587	39	4	1	1	1	2	47	9	16	15	13	19
37	Angina pectoris	(M) 59									1		2
	(F) 22												6
38	Diseases of the arteries	(M) 30											1
	(F) 9												
39	Aneurism	(M) 9										2	
	(F) 3												
40	Embolism	(M) 7	2					2	1				
	(F) 4												
41	Others of this class	(M) 15	15					15					
	(F) 9	9						9					

383

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
214	187	189	198	178	185	183	215	145	111	67	19	7		3	1
82	83	86	93	99	95	86	97	80	64	34	13	3		1	2
132	104	103	105	79	90	97	118	65	47	33	6	4		2	3
1		2	2	2	2	3	3	1	2	1	1				4
5	5	5	6	1	2	4	5	1	1			1			5
1	1	2	4	6	3	11	7	6	4	2		1			6
1	3	3	5	1	3	6	4	5	4	1					7
2	1	1	3	3	5	2	4	3	5	2					8
1		3	2		4	2	4	7	2	8					9
			2		1		1	2							10
8	1			3		1	1								11
	4	1													12
	1	2	1												13
	2	1	2	3	4		1		1						14
69	64	53	46	35	29	21	22	16	10	1	1			1	15
95	72	50	34	16	25	23	12	14	7	6		1		2	16
4	8	21	31	44	43	39	50	39	30	18	8	1			17
13	15	32	48	51	48	52	64	28	22	11	3	1			18
2		1	1	2	4	3	2	3	1						19
4	3	6	3	3	2	3	6	3	1						20
3	2	1	2	3	3	7	8	9	11	10	3	1			21
2			4	3	4	5	19	7	9	7	3	1			22
1	2	2	1	1	1			1	1						23
44	72	63	88	100	120	143	161	194	187	103	44	8	6	7	24
20	48	35	48	49	75	68	94	118	115	46	24	4	4	4	25
24	24	28	40	51	45	75	67	76	72	57	20	4	2	3	26
1	2	2	1				1	2	1						27
	1	1		2	1		1								28
2	4	4	2	2	3	1	1	1			1			1	29
4			2		1		1	2							30
6	13	9	14	19	32	27	47	53	53	18	12				31
5	3	11	16	21	23	27	30	35	37	26	11	2			32
1	5	5	10	7	27	19	26	38	38	22	7	3	4	1	33
3	2	4	7	15	11	27	17	29	23	22	8	2	2		34
	3	2	1	2	1				1						35
	1			2			1	2	1	1					36
1	1						1								37
							2								38
															39
2	6	3	4	3	1	1		5	3						40
5	1	1	3		2	4	2	1			1				41
					1										42
2	1	3					2			1					43
1	6	5	5	2		6	7	4	4		2				44
1	3	2	2	6	2	5	1	2	2	2	1				45
3	5	2	5	5	2	7	9	7	10	6	1				46
2	3	2	2	2	4	2	8	4	6	4		1			47
1	2	2	2	3	3	3		1	2						48
	1	2	2	1	1	4	2		1						49
		1	4	3	4	2		2	1						50
	1		1												51
1															52
2	2	2		3	1	1	3	5	2						53
				2	2	2	1	3	1	1					54
31	57	52	62	108	126	145	171	217	166	85	33	9	3	2	55
15	32	31	38	57	76	87	108	134	103	52	22	4	1	2	56
16	25	21	24	51	50	58	63	83	63	33	11	5	2		57
1			1	1		1	1	3	2	1					58
					1	2	1		2						59
13	31	25	30	51	66	74	94	116	86	43	19	4	1	1	60
16	23	18	24	50	43	50	59	81	58	29	10	5	2		61
1	1	2	6	4	7	9	8	8	9	1					62
	1	2		1	4	4	1	1	1	1					63
		1				1	2	3	6	7	3			1	64
					1	1	1	1	1	2	1				65
		3	1			1	1								66
	1				1	1									67
				1			1	1							68
					1										69
		1					1	1		1					70
															71
															72
															73
															74
															75
															76
															77
															78
															79
															80
															81
															82
															83
															84
															85
															86
															87
															88
															89
															90
															91
															92
															93
															94
															95
															96
															97
															98
															99
															100

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,635	718	265	124	71	33	1,211	105	35	63	86	73
2	Males	1,458	426	144	64	32	16	682	54	18	40	50	39
3	Females	1,177	292	121	60	39	17	529	51	17	23	36	34
4	Croup	{M 51 F 38	{M 17 F 7	{M 4 F 8	{M 4 F 7	{M 8 F 9	{M 4 F 1	{M 37 F 32	{M 13 F 5	{M 1 F 1			
5	Pneumonia	{M 945 F 712	{M 238 F 154	{M 90 F 74	{M 43 F 39	{M 18 F 18	{M 7 F 10	{M 396 F 295	{M 28 F 34	{M 13 F 14	{M 30 F 18	{M 40 F 26	{M 32 F 29
6	Laryngitis	{M 9 F 10	{M 1 F 3			{M 3 F 2	{M 1 F 5	{M 7 F 5	{M 2 F 4				{M 1 F 1
7	Bronchitis	{M 301 F 280	{M 134 F 108	{M 43 F 31	{M 14 F 14	{M 2 F 7	{M 4 F 6	{M 197 F 166	{M 7 F 4	{M 3 F 1	{M 4 F 2	{M 4 F 3	{M 1 F 1
8	Pleurisy	{M 18 F 26	{M 1 F 1			{M 2 F 2		{M 1 F 3	{M 1 F 1	{M 1 F 1	{M 4 F 1	{M 1 F 1	{M 1 F 1
9	Asthma	{M 37 F 33	{M 1 F 1			{M 1 F 1		{M 2 F 2	{M 1 F 1				{M 1 F 1
10	Others of this class	{M 97 F 78	{M 35 F 22	{M 3 F 4	{M 3 F 3	{M 1 F 1		{M 42 F 26	{M 3 F 2	{M 2 F 2	{M 1 F 2	{M 4 F 5	{M 5 F 3
11	5. Diseases of the digestive system	1,407	281	39	19	13	7	359	49	46	70	45	86
12	Males	764	169	19	9	7	4	208	29	30	37	19	39
13	Females	643	112	20	10	6	3	151	20	16	33	26	47
14	Dentition	{M 12 F 8	{M 10 F 4	{M 2 F 3	{M 1 F 1			{M 12 F 8					
15	Angina	{M 9 F 7	{M 1 F 1	{M 2 F 1	{M 1 F 1			{M 4 F 3	{M 1 F 1	{M 1 F 1			{M 1 F 1
16	Gastritis	{M 91 F 99	{M 16 F 22	{M 1 F 2	{M 2 F 1	{M 2 F 2	{M 1 F 1	{M 21 F 28	{M 2 F 2	{M 2 F 2	{M 5 F 5	{M 2 F 1	{M 7 F 4
17	Diseases of the stomach	{M 48 F 38	{M 2 F 3	{M 1 F 1		{M 1 F 1		{M 4 F 5			{M 3 F 3	{M 1 F 1	{M 3 F 2
18	Obstruction of the bowels	{M 79 F 31	{M 13 F 5	{M 2 F 1	{M 1 F 1	{M 1 F 1		{M 16 F 8	{M 7 F 1	{M 3 F 1	{M 3 F 1		{M 5 F 1
19	Appendicitis	{M 84 F 52		{M 2 F 2	{M 1 F 1			{M 3 F 3	{M 4 F 3	{M 17 F 7	{M 15 F 14	{M 6 F 5	{M 13 F 7
20	Hernia	{M 27 F 20	{M 3 F 1					{M 3 F 1			{M 2 F 1		{M 1 F 1
21	Other diseases of the bowels	{M 24 F 16	{M 12 F 10		{M 1 F 1			{M 13 F 10			{M 1 F 1	{M 1 F 1	{M 1 F 1
22	Jaundice	{M 30 F 27	{M 17 F 10		{M 2 F 2			{M 19 F 10		{M 1 F 1	{M 1 F 1		{M 1 F 1
23	Inflammation and abscess of the liver	{M 32 F 24	{M 1 F 1	{M 1 F 1		{M 1 F 2		{M 3 F 2		{M 2 F 2		{M 1 F 1	{M 2 F 1
24	Other diseases of the liver	{M 116 F 75		{M 1 F 1				{M 1 F 1	{M 1 F 1			{M 3 F 1	{M 2 F 6
25	Peritonitis	{M 87 F 145	{M 13 F 7	{M 2 F 6	{M 2 F 1	{M 2 F 1	{M 1 F 1	{M 20 F 15	{M 11 F 12	{M 4 F 5	{M 9 F 11	{M 5 F 17	{M 3 F 21
26	Ascites	{M 2 F 6	{M 1 F 1					{M 1 F 1					{M 1 F 1
27	Others of this class	{M 123 F 95	{M 80 F 49	{M 7 F 4		{M 1 F 3	{M 3 F 1	{M 91 F 57	{M 3 F 2		{M 1 F 1		{M 2 F 1
28	6. Diseases of the urinary system and male organs of generation.	818	20	7	3	1	3	34	24	19	15	17	30
29	Males	508	11	3	1	1	1	17	12	12	5	7	7
30	Females	310	9	4	2		2	17	12	7	10	10	23
31	Bright's disease	{M 313 F 236							{M 11 F 9	{M 8 F 7	{M 4 F 6	{M 6 F 9	{M 4 F 14
32	Calculus, urinary	{M 7 F 6	{M 1 F 3					{M 1 F 3					{M 1 F 1
33	Diseases of the kidney	{M 51 F 27	{M 7 F 6	{M 3 F 2	{M 1 F 2	{M 1 F 1	{M 1 F 2	{M 13 F 12			{M 1 F 1		{M 1 F 2
34	Diseases of the bladder	{M 62 F 4	{M 2 F 1					{M 2 F 1		{M 2 F 1			
35	Others of this class	{M 75 F 37	{M 1 F 2					{M 1 F 2	{M 1 F 2	{M 2 F 2		{M 1 F 1	{M 2 F 6
36	7. Diseases of the female organs of generation	89								1	1	13	18
37	Ovarian tumors	14										1	2
38	Ovarian diseases	4									1		1
39	Diseases of the tubes	10										1	2
40	Uterine tumors	18										1	2
41	Uterine diseases	7										1	3
42	Others of this class	36								1		9	8

MICHIGAN—GROUP 1—Continued.

PART II—VITAL STAT—25

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
46	46	22	1			1								1	1
1	1	1													2
17	13	13	1											1	3
18	24	7				1									4
1	1														5
9	7	1													6
2	3	2	4	5	1	3	2	2	1	1					7
1	1	2	3	4		3	2	2	1						8
1	2		1	1	1					1					9
	1	1	1	1					1						10
						1									11
1			1	2		1	1	1							12
1				2	1					1					13
															14
	1	1	1			1	1	1							15
1	1	1	2	2		4	1	2	4	2		1			16
1			1	2		2		1	3	2		1			17
1	1	1	1			2	1	1	1						18
	1	1	1			1	1	1	1	2		1			19
				1		2		1							20
			1	1					2						21
1	2	3	2	1	2	1	2	1	1	1					22
1	1	2	1	1	1	1	1	1	1	1					23
				1					1						24
1	1	2			1										25
			1	1		1	1	1		1					26
82	114	89	72	45	50	39	32	34	23	18	10	8	1	24	27
72	99	75	60	38	44	33	26	25	12	9	6	6		21	28
10	15	14	12	7	6	6	6	9	11	9	4	2	1	3	29
2		1	3		1	1			1		1			1	30
4	4		1		1					1					31
8	5	10	4	1	2	3	1	1	1					6	32
2	3		1		1				1	1				2	33
				2	1										34
2	2	6		2		1	1	2						1	35
	1	1	1				1		1						36
	1														37
1	3	1				1									38
12	23	9	10	12	5	9	2	5	2	1				6	39
1		1	1			1		1	2					1	40
	1					1									41
1	2	1	3	4	1	1	1	1	1						42
1			1			1		1	2						43
				1											44
	3	3	1	1		4		5							45
2	5	7	5	1	8	3	1	3	1	1		1			46
		2	2		1										47
															48
	1														49
	2	1								1					50
2	2		2		1		1			1				1	51
11	54	39	30	16	21	12	13	12	2	5	5	5		4	52
3	2	5	5	5	2	4	6	5	9	7	4	2	1		53

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	14,002	1,957	437	232	134	98	2,858	302	266	451	539	534
2	Males.....	7,412	1,125	219	125	71	61	1,601	161	137	215	236	226
3	Females.....	6,590	832	218	107	63	37	1,257	141	129	236	303	308
4	Unknown cause.....	194	79	4	1	1	1	86	2	3	4	7	6
5	Males.....	112	52	2	—	1	—	55	2	1	1	4	1
6	Females.....	82	27	2	1	—	1	31	—	2	3	3	5
7	1. General diseases. General diseases—A.....	2,186	569	201	102	61	36	969	111	67	96	89	76
8	Males.....	1,137	325	95	49	35	22	526	64	28	44	47	37
9	Females.....	1,049	244	106	53	26	14	443	47	39	52	42	39
10	Measles..... {M..... {F.....	56 67	11 12	11 10	5 7	2 3	4 2	33 34	7 5	2 3	5 6	5 2	3 6
11	Scarlet fever..... {M..... {F.....	25 26	3 1	4 6	2 7	2 1	3 2	14 17	11 6	— 1	— —	1 —	1 —
12	Diphtheria..... {M..... {F.....	47 50	3 3	2 3	6 6	3 2	7 3	21 17	16 12	4 12	5 3	— 2	— —
13	Whooping cough..... {M..... {F.....	53 55	32 30	10 15	5 2	1 2	2 3	50 52	3 3	— —	— —	— —	— —
14	Malarial fever..... {M..... {F.....	44 49	3 2	1 1	— 1	2 —	1 —	7 4	— 1	— 2	2 3	6 6	2 3
15	Influenza..... {M..... {F.....	106 113	5 7	1 —	— 2	2 —	— —	9 9	— 1	— 1	— 1	1 —	2 3
16	Typhoid fever..... {M..... {F.....	169 135	— 1	1 —	1 —	2 3	1 1	5 5	6 12	13 12	23 29	21 18	21 14
17	Cholera morbus..... {M..... {F.....	51 46	13 13	4 4	1 —	2 —	— —	20 18	2 —	2 1	1 4	4 —	3 —
18	Colitis..... {M..... {F.....	17 12	7 1	— 1	2 —	2 1	— —	11 3	— —	— —	— —	1 —	1 —
19	Diarrhea..... {M..... {F.....	73 47	21 13	1 4	2 —	1 —	1 —	26 17	3 —	1 —	— —	2 —	1 1
20	Dysentery..... {M..... {F.....	41 64	6 9	5 7	1 3	3 3	— —	15 22	1 1	— —	— —	— —	— —
21	Enteritis..... {M..... {F.....	72 75	39 34	6 10	2 4	1 1	2 —	50 49	1 1	— 1	1 2	3 —	1 1
22	Cholera infantum..... {M..... {F.....	201 154	145 93	33 37	17 15	6 7	— 2	201 154	— —	— —	— —	— —	— —
23	Fever..... {M..... {F.....	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
24	Cerebro-spinal fever..... {M..... {F.....	67 43	20 11	14 5	4 3	5 1	1 —	44 20	9 5	3 6	2 4	2 1	2 2
25	Smallpox..... {M..... {F.....	4 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
26	Erysipelas..... {M..... {F.....	23 17	9 4	— 1	— —	— —	— —	9 5	— —	— —	1 —	1 —	— 1
27	Septicemia..... {M..... {F.....	43 60	3 9	— 2	— 2	1 2	— 1	4 16	4 —	2 —	2 —	3 6	1 4
28	Venereal diseases..... {M..... {F.....	8 4	3 1	1 —	— —	— —	— —	4 1	— —	— —	— —	1 —	— —
29	Others of this group..... {M..... {F.....	36 31	2 —	1 —	— —	— —	— —	3 —	1 —	1 —	1 —	— 1	1 2
30	General diseases—B.....	208	115	10	2	1	1	129	1	—	5	4	10
31	Males.....	126	62	8	1	—	—	71	1	—	2	3	7
32	Females.....	82	53	2	1	1	1	58	—	—	3	1	3
33	Alcoholism..... {M..... {F.....	19 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —
34	Parasitic diseases..... {M..... {F.....	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
35	Lead poison..... {M..... {F.....	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
36	Other poisons..... {M..... {F.....	36 20	3 1	4 —	1 1	— 1	1 —	8 4	1 —	— —	1 2	3 1	4 2
37	Inanition..... {M..... {F.....	70 60	59 52	3 2	— —	— —	— —	62 54	— —	— —	1 1	— —	— 1
38	General diseases—C.....	1,028	385	5	2	1	—	393	—	1	—	—	1
39	Males.....	510	209	3	1	1	—	214	—	—	—	—	—
40	Females.....	518	176	2	1	—	—	179	—	1	—	—	1
41	Old age..... {M..... {F.....	261 289	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
42	Premature birth..... {M..... {F.....	127 100	127 100	— —	— —	— —	— —	127 100	— —	— —	— —	— —	— —
43	Malformation..... {M..... {F.....	28 33	28 37	— 1	— —	— —	— —	28 38	— —	— —	— —	— —	— —
44	Debility and atrophy..... {M..... {F.....	83 84	43 32	3 1	1 —	1 —	— —	48 34	— —	1 —	— —	— —	1 —
45	Others of this group..... {M..... {F.....	11 7	11 7	— —	— —	— —	— —	11 7	— —	— —	— —	— —	— —

389

MICHIGAN—GROUP 2.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,335	62	26	8	8	4	108	26	37	134	187	172
2	Males	1,003	35	12	5	4	2	58	13	14	43	73	67
3	Females	1,332	27	14	3	4	2	50	13	23	91	114	105
4	Anemia	(M) 37 (F) 42	6 6	2 3				8 9			2	1 4	1
5	Diabetes	(M) 89 (F) 46	2 1		1		1	4 1	4 2	6	7 5	6 1	3 1
6	Rheumatism	(M) 55 (F) 44	1		1			2	2 2	2 7	1 2	1 1	2
7	Scrofula and tabes	(M) 26 (F) 29	2 5	3				2 8	1	1 2	1 1	1 4	1 5
8	Hydrocephalus	(M) 28 (F) 29	15 7	5 4	2 2	2 3	1	24 17	1 3		2	1 1	2 2
9	Tuberculosis, general	(M) 14 (F) 22	1			1		1 1	2 1		1 3	2 3	1
10	Consumption	(M) 432 (F) 600	6 8	1 3	1			8 11	2 4	5 10	33 71	59 95	55 88
11	Cancer	(M) 249 (F) 408		3		2	1	6		1	2	1 1	2 5
12	Tumor	(M) 18 (F) 39		1				1 1	1			3	1 1
13	Dropsy	(M) 48 (F) 61										1 1	1
14	Others of this group	(M) 7 (F) 12	2		1			2 1		2			1
15	2. Diseases of the nervous system	1,999	221	55	28	18	14	336	34	31	27	23	31
16	Males	1,072	128	31	15	9	11	194	17	16	17	6	15
17	Females	927	93	24	13	9	3	142	17	15	10	17	16
18	Inflammation of the brain	(M) 30 (F) 27	7 3	3 3	2 1	1	1	14 7	2 1				2
19	Meningitis	(M) 101 (F) 89	25 22	13 11	8 5	4 6	8	58 44	3 8	7 6	3 2	1 4	3 2
20	Apoplexy	(M) 306 (F) 268	2 2	1				2 3	2 2		2 2	2 1	3
21	Paralysis	(M) 251 (F) 287	1		1			1 3			1	4	2
22	Paralysis, general (of insane)	(M) 32 (F) 14											1
23	Tetanus and trismus nascentium	(M) 12 (F) 2	2 1			1		3 1	1 1	2		1	
24	Chorea	(M) 3 (F)											1
25	Epilepsy	(M) 31 (F) 25		1	1 3			2 6		4 1	4 1	1	3 3
26	Convulsions	(M) 81 (F) 54	66 46	6 3	4 3	1		76 53	1			1 1	
27	Mental diseases	(M) 28 (F) 19											1
28	Diseases of the brain	(M) 126 (F) 87	19 13	7 4		3 1	1 2	30 20	6 3	3 1	4 3	1 3	6 1
29	Diseases of the spinal cord	(M) 36 (F) 20	4 4	1			1 1	6 5	1		2	1	
30	Locomotor ataxia	(M) 9 (F) 6											
31	Others of this class	(M) 26 (F) 29	2					2	1		1 1	1	1 2
32	3. Diseases of the circulatory system	1,594	87	3			5	95	14	16	17	22	24
33	Males	924	51	3			4	58	9	8	5	10	14
34	Females	670	36				1	37	5	8	12	12	10
35	Pericarditis	(M) 10 (F) 8		1				1		2 2	1 1		
36	Diseases of the heart	(M) 812 (F) 592	37 29	2			3 1	42 30	9 4	5 6	4 10	9 11	12 10
37	Angina pectoris	(M) 56 (F) 41									1	1	2
38	Diseases of the arteries	(M) 22 (F) 16											
39	Aneurism	(M) 6 (F) 1								1			
40	Embolism	(M) 4 (F) 5					1	1					
41	Others of this class	(M) 14 (F) 7	14 7					14 7					

391

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
153	145	137	171	139	181	171	200	149	117	69	28	5	3	3	1
48 105	58 87	57 80	73 98	62 77	79 102	77 94	86 114	77 72	62 55	31 38	17 11	3 2	2 1	3	2 3
	1	2	4	4	2	2	3	3	3	3	1				} 4
2	2	4		2	5	3	4	1	1	1	1				
	3	5	5	5	8	9	7	7	7	2		1			} 5
1	1	2	2	4	2	7	8	2	5	2					
1	2	2	2	2	3	8	7	8	6	4					} 6
2	1		1	4	1	5	4	6	3	4	1				
2		1	2		6	1	5	1					1		} 7
2			1	1	2	2				1					
															} 8
	2			1											
	2	1		1	1	1	2								} 9
5	1		3		1		1	1		1					
41 80	43 56	27 36	34 32	29 19	27 23	18 19	23 25	13 9	10 14	2 4	1 2		1	2	} 10
4 10	6 21	14 31	19 54	21 38	29 56	31 49	31 57	28 40	28 26	14 15	12 2	2		1	
		2	2		1	3	1	3	1	2					} 12
1	2	5	2	2	7	3	3	2	3	1					
	1	2	4		1	3	7	14	7	4	3				} 13
	1	2	3	4	4	5	11	11	3	9	5	1			
		1	1		1	1							1		} 14
2				2	1	1	1								
47	56	64	69	95	125	158	190	237	217	151	77	17	8	6	15
26 21	32 24	33 31	29 40	59 36	62 63	80 78	108 82	134 103	118 99	68 83	43 34	9 8	3 5	3 3	16 17
1	3 2	4 1		3 2	1				3 1	1					} 18
3 2	2 1	3 6	1 6	3 1	3 2	1 1	3 1	5	2	1 1	1 1				
3 7	7 5	10 11	8 16	22 12	35 26	35 35	36 26	60 40	41 37	28 27	9 10	3 4		1	} 20
1 4	4 7		3 8	17 11	11 21	19 24	39 41	45 39	51 45	32 46	20 17	4 3	2 4	1 2	
4 1	2 1	3 1	5 1	2 1	3 1	5 1	3 2	3 1	3 2		2 1				} 22
2		1		1				1							
															} 23
		1		1				1							
						1						1			} 24
4	3 2	2 1	1 2	1	1 2	3 2	1 1	1		1	1				} 25
1														1	
									1						} 26
3 1	2	1 2	1 1	1 3	1 1	2 2	5 2	3 2	6 1	2 2					
5 4	5 3	2 3	2 3	5	6 5	7 8	8 4	13 12	10 6	4 4	8 3		1	1	} 28
	3	5	4	3		2	7	1	1	1					
1	1		1	3		2		3	1	1		1			} 29
	1		2	1	1		1	3	1						
	1						2	1		1					} 30
	1							2							
		2	2		1	5	5	2	2		1	1			} 31
	1		2	3	3	3	3	5	3	2					
29	32	62	60	74	107	168	185	247	217	136	60	18	6	5	32
19 10	13 19	26 36	26 34	44 30	67 40	97 71	106 79	163 84	131 86	73 63	41 19	9 9	1 5	4 1	33 34
		1		1	1			1 1	1 1	1					} 35
18 8	13 17	21 33	21 32	35 30	62 37	87 63	97 67	148 75	116 72	64 55	37 19	8 9	1 3	3 1	
1		3	4	5	3	5	7	8	10	4	2			1	} 37
	1	2	1		2	5	7	6	10	5					
		1			1	2	2	6	3	4		1			} 38
					1	1	5	2	2	3	2		2		
			1	2		2									} 39
		1				2									
				1		1			1						} 40
2	1		1						1						
															} 41

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system -----	1,545	253	97	61	26	16	453	47	24	35	42	37
2	Males -----	819	155	43	35	13	8	254	24	8	20	21	18
3	Females -----	726	98	54	26	13	8	199	23	16	15	21	19
4	Croup ----- {M. 43		10	7	8	6	2	33	9	1			
	{F. 29		3	6	5	3		17	10	2			
5	Pneumonia ----- {M. 524		82	27	21	4	5	139	12	4	16	16	14
	{F. 466		52	36	20	9	5	122	13	8	9	13	17
6	Laryngitis ----- {M. 10		2		1	1		4	2				
	{F. 9		1	2	1	1	1	6			1		
7	Bronchitis ----- {M. 128		34	8	4	1		47	1		2	1	2
	{F. 125		27	7			1	35		2	2	5	1
8	Pleurisy ----- {M. 13										1	2	1
	{F. 11			1				1					
9	Asthma ----- {M. 18		1					1					
	{F. 19		1					1		2			
10	Others of this class ----- {M. 83		26	1	1	1	1	30		3	1	2	1
	{F. 67		14	2			1	17		2	3	3	
11	5. Diseases of the digestive system -----	1,025	104	16	8	9	9	146	27	34	37	50	47
12	Males -----	536	64	7	4	4	5	84	10	20	18	23	18
13	Females -----	489	40	9	4	5	4	62	17	14	19	27	29
14	Dentition ----- {M. 1		1					1					
	{F. 4			1		2		3	1		1	2	
15	Angina ----- {M. 10					1		1					1
	{F. 4									1			
16	Gastritis ----- {M. 68		7	1				8	1		1	2	1
	{F. 81		5	5	1		1	12	1		1		3
17	Diseases of the stomach ----- {M. 42		3				1	4		1			1
	{F. 28		1	1				2			1	1	2
18	Obstruction of the bowels ----- {M. 41		3	2	1		1	7	1	2		2	
	{F. 33		6		1	1	1	9	2	1		2	1
19	Appendicitis ----- {M. 66		1	1				3	1	11	11	5	7
	{F. 40						1	1	7	5	3	5	3
20	Hernia ----- {M. 20		3					3				1	
	{F. 7		1					1					
21	Other diseases of the bowels ----- {M. 24		8		1			9		1			1
	{F. 19		5			2		7	1		1		
22	Jaundice ----- {M. 20		7					7	2			1	1
	{F. 20		1				1	2					
23	Inflammation and abscess of the liver. {M. 31								1			2	2
	{F. 36									2	1	3	2
24	Other diseases of the liver ----- {M. 98		4		1			5		1		2	2
	{F. 55			2				2	1				
25	Peritonitis ----- {M. 46		3			1	2	6	3	4	4	5	3
	{F. 111		1		2	1		4	4	5	11	15	15
26	Ascites ----- {M. 7												1
	{F. 5												
27	Others of this class ----- {M. 63		25	2	1	1		29			1	1	1
	{F. 49		19	1				20	1		1	1	
28	6. Diseases of the urinary system and male organs of generation.	755	11	3	3		3	20	14	12	11	15	22
29	Males -----	514	7	2	1		3	13	8	7	4	6	8
30	Females -----	241	4	1	2			7	6	5	7	9	14
31	Bright's disease ----- {M. 323								8	4	3	5	5
	{F. 182								6	5	5	7	8
32	Calculus, urinary ----- {M. 8										1	1	
	{F. 2												
33	Diseases of the kidney ----- {M. 43		3	2	1		3	9		1			1
	{F. 29		2	1	2			5				1	1
34	Diseases of the bladder ----- {M. 64		1					1		2			
	{F. 11		1					1				1	
35	Others of this class ----- {M. 76		3					3					2
	{F. 17		1					1			2		5
36	7. Diseases of the female organs of generation -----	75									4	8	7
37	Ovarian tumors -----	17											1
38	Ovarian diseases -----	2										1	
39	Diseases of the tubes -----	5										1	1
40	Uterine tumors -----	23									2	2	1
41	Uterine diseases -----	8									1		1
42	Others of this class -----	20									1	4	3

393

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
45	50	53	60	53	72	92	108	108	124	85	42	14		1	1
20 25	36 14	24 29	29 31	27 26	45 27	58 34	50 58	54 54	61 63	41 44	25 17	4 10		1	2 3
16 21	28 12	18 17	24 21	19 21	28 17	44 25	36 36	32 28	38 44	22 27	15 9	3 6			4
1 1		1			1					1					5
1 2	4 1	1 1	3 4	3 2	6 4	7 5	6 12	10 15	16 14	11 10	6 5	1 4		1	6
1	1	1	1		3 1	3	1 1	2	2		1				7
			1 3	1	3 3	3 1	1 5	3	1 1	3 2	2				8
2	4	4 10	1 2	5 2	4 2	4	6 4	7 11	4 4	4 4	1 3				9
41	34	53	47	55	69	90	74	90	60	45	17	8		1	10
14 27	10 24	29 24	23 24	27 28	43 26	57 33	46 28	46 44	35 25	21 24	10 7	1 7		1	11
1				1		1									12 13
1 1	2 3	2 3	2 7	4 5	8 4	5 6	9 4	5 12	8 7	5 7	3 2	1 3			14
	1	1 1	2	5 3	7 3	7 4	3 2	3 5	4	2 2	2 1				15
2 2		2 1	2 2	2 2	1	5	5 2	4 3	4 2	1 2	1 2				16
7 4	3 4	8 3	4 1		3 1	1 1	1	1							17
		1	1 2	1	2 1	5	1 1	3 1	2	1					18
1	1	1	1	1	5	2	3	2	2			1			19
			1	2			1								20
	1			1			2	3	2						21
			1	2	4		1 1	3 5	2 2					1	22
1	1 2	7 1	2 3	1 1	5	7 5	2 2	5 1	1 4						23
		6 3	5 6	10 7	11 4	16 5	17 8	9 7	7 5	5 4	2 2				24
2 16	3 13	2 8	1 1	1 3	2 2	1 5	5 1	2 4	3 1						25
			1	1			1	3		1	1				26
	1	1	4	1 3	4 2	5 4	1 4	5 4	2 2	6 3	1				27
2		2													28
17	27	33	31	51	60	75	80	94	102	61	24	4	1	1	29
9 8	15 12	18 15	15 16	31 20	41 19	54 21	58 22	72 22	78 24	51 10	20 4	4	1	1	30
7 6	14 9	16 12	10 14	28 19	31 13	42 17	39 19	35 19	44 16	27 5	3 2	1	1		31
						1	1	3 1		1					32
1 1	1	2 2	1 2	2 1	4 5	3 2	2 1	5 1	5 4	6 2					33
	2				5 1	3	6	17	13 2	9 2	7	1			34
1 1	1	1	4	1	1	5	10 2	12 1	16 1	8 1	10 1	2		1	35
6	9	9	7	10	3	5	3	3		1					36

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
MICHIGAN—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	159									10	39	44
2	Abortion.....	11										3	2
3	Childbirth.....	36									1	9	9
4	Puerperal septicemia.....	78									5	18	26
5	Extra-uterine pregnancy.....	4										1	
6	Others of this class.....	30									4	8	7
7	9. Diseases of the bones and joints.....	44	5				1	6	1	3	6	1	
8	Males.....	28	3				1	4		2	5	1	
9	Females.....	16	2					2	1	1	1		
10	Diseases of the spine.....	9 11	2 2					2 2		1	1		
11	Abscess, lumbar and psoas.....	2 1											
12	Diseases of the bones.....	8 3	1					1		1	2	1	
13	Diseases of the hip-joint.....	5 5								1	1		
14	Others of this class.....	4 1					1	1			1		
15	10. Diseases of the skin.....	48	8	2		1	1	12			1	1	1
16	Males.....	29	5	2				7			1		1
17	Females.....	19	3			1	1	5				1	
18	Abscess.....	15 10	2			1	1	2 2			1		1
19	Carbuncle.....	1 1											
20	Others of this class.....	14 8	3 3	2				5 3					
21	11. Diseases of the absorbent system.....	17	1	1				2			2		
22	Males.....	11	1	1				2			1		
23	Females.....	6									1		
24	Addison's disease.....	4 3											
25	Diseases of the spleen.....	1 1											
26	Others of this class.....	6 3	1	1				2			1 1		
27	12. Accidents and injuries.....	790	57	14	17	8	7	103	25	38	62	51	56
28	Males.....	591	28	10	14	4	5	61	13	33	54	42	40
29	Females.....	199	29	4	3	4	2	42	12	5	8	9	16
30	Burns and scalds.....	30 29	4 1	4 1	5 2	1 1	2 1	16 6	1 7		2 1		2 1
31	Drowning.....	60 8		3 2	2		1	6 3	2 2	14	13	7 1	6
32	Exposure and neglect.....	2 4											
33	Gunshot wounds.....	43 6			1			1 1	1	4	9 1	4 1	1 1
34	Homicide.....	5 1											1
35	Infanticide.....												
36	Injuries by machinery.....	7 7									2		
37	Railroad accidents.....	93 9							2	11 1	9	11 1	10 1
38	Suffocation.....	18 21	9 18		1			10 19		1			
39	Suicide by shooting.....	25 6									1 1	2	1 2
40	Suicide by drowning.....	2 1											
41	Suicide by poison.....	12 10									1 3	1 1	
42	Other suicides.....	34 6									1		1
43	Sunstroke.....	2 1		1				1					
44	Surgical operations.....	3 15		1				1			1		4
45	Wounds.....	7 7								1		1	1
46	Others of this class.....	248 82	15 5	3	5 1	3 1	2 1	28 8	7 3	2 3	16 1	15 2	18 6

CAUSE, SEX, AND AGE.

395

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MICHIGAN—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	20	15	1												1
2	4														2
9	3	5													3
11	7	10	1												4
1	2														5
7	4														6
3	2	2	5	4	3	3		1	2	2					7
2	1	1	2	2	3	2		1		2					8
1	1		3	2		1			2						9
1		1	1	1	1	1			1	1					10
1			2	1		1									11
	1			1											12
			1		1	1				1					13
1	1	1	1												14
					1			1							15
4	2		7	1	4	3	3	3	3	2		1			16
1	1		5		4	2	2	2	1	2					17
3	1		2	1		1	1	1	2			1			18
1	1		4		2	1		2							19
3			1	1					1			1			20
							1								21
			1		2	1	2	1	1	2					22
			1												23
1	1	2	2	1		4	2								24
															25
			1												26
			1												27
53	40	53	45	29	41	46	29	38	28	23	9	7	3	11	28
35	33	46	37	23	34	40	22	30	18	13	5	3		9	29
18	7	7	8	6	7	6	7	8	10	10	4	4	3	2	30
1	2	1			1	1			2	1					31
4			3		1	1		1	1			1			32
2	1	1			1	1	3	2						1	33
2															34
	1		1												35
4	2	7		3	2	3	1					1			36
2															37
1	1		1												38
															39
2															40
															41
															42
															43
															44
															45
															46
11	18	13	19	12	11	24	9	17	9	9	5	2		3	
5	8	8	1	4	1	1	5	7	9	10	4	3	3		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,400	1,384	306	137	101	53	1,981	156	108	156	233	218
2	Males	3,663	759	161	65	43	30	1,058	77	51	63	111	101
3	Females	3,737	625	145	72	58	23	923	79	57	93	122	117
4	Unknown cause	122	40	2		4		46	4	2		3	1
5	Males	65	23	1		2		26	2			2	
6	Females	57	17	1		2		20	2	2		1	1
7	1. General diseases.												
8	General diseases—A	1,146	452	92	32	29	18	623	60	25	24	30	14
9	Males	548	234	47	12	12	12	317	29	11	7	13	9
10	Females	598	218	45	20	17	6	306	31	14	17	17	5
11	Measles	20	7	7	2			16	2	1		1	
12	Scarlet fever	16	2	3			3	8	5	1		1	
13	Diphtheria	30	2	2	4	6	8	22	6	1		1	
14	Whooping cough	35	3	1	6	8	1	19	7	4	2		
15	Malarial fever	9	2					32	1	1		1	
16	Influenza	79	9	2		2		38	2				
17	Typhoid fever	40	9	1				1	1		2	1	
18	Cholera morbus	23	3	2		1		7	2	1		1	1
19	Colitis	4	2	1	1			3				1	
20	Diarrhea	21	12					12	1				
21	Dysentery	13	5	1	1			13	1	1			
22	Enteritis	45	29	4		1	1	35	1	1		1	
23	Cholera infantum	53	24	2	3	1	1	31	6				
24	Fever	148	130	16	1			147					
25	Cerebro-spinal fever	17	4	2	1	2	2	10	4	3	2	1	
26	Smallpox												
27	Erysipelas	4	1	1		1		3					
28	Septicemia	22	2		2			2	2			1	2
29	Venereal diseases	32	1					3	1		1	7	1
30	Others of this group	2		1				1					
31	General diseases—B	27	1					1	2				2
32	Males	19											
33	Females	8											
34	Alcoholism	1											1
35	Parasitic diseases	1			1			1					
36	Lead poison												
37	Other poisons	10	1					1	1			1	1
38	Inanition	58	48	1				49					
39	General diseases—C	40	26	1				27					
40	Males	734	274	15	2	1		292	1			2	1
41	Females	350	153	7	1			161					
42	Old age	384	121	8	1	1		131	1				1
43	Premature birth	79	79					79					
44	Malformation	43	43					43					
45	Debility and atrophy	10	7	1	1			9	1				
46	Others of this group	132	66	6	1	1		72				2	
47		1	67	8				77					1
48		1	1					1					
49		1	1					1					

397

NEW HAMPSHIRE.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D.....	1,157	42	15	12	8	5	82	14	17	63	94	95
2	Males	477	22	9	3	2	2	38	5	4	25	43	34
3	Females	680	20	6	9	6	3	44	9	13	38	51	61
4	Anemia..... (M.....)	17											
	(F.....)	33	6		2			8	1		1	2	1
5	Diabetes..... (M.....)	25								1		1	2
	(F.....)	30	1					1	1	1		2	1
6	Rheumatism..... (M.....)	8											
	(F.....)	11							1	1		2	
7	Scrofula and tabes..... (M.....)	12	2	1	1		1	5			1	1	1
	(F.....)	13	2	1		1		4	1			2	1
8	Hydrocephalus..... (M.....)	18	10	4	1			15	2	1			
	(F.....)	16	4	2		2	2	10	3	1			
9	Tuberculosis, general..... (M.....)	3											
	(F.....)	6									1	1	1
10	Consumption..... (M.....)	292	8	4		2	1	15	2	2	22	41	31
	(F.....)	335	7	1	6	2	1	17	3	9	35	41	57
11	Cancer..... (M.....)	82											
	(F.....)	193										1	
12	Tumor..... (M.....)	7											
	(F.....)	18		1	1			2			1		
13	Dropsy..... (M.....)	9	1					1					
	(F.....)	20											
14	Others of this group..... (M.....)	4	1		1			2					
	(F.....)	5		1		1		2		1	1		
15	2. Diseases of the nervous system.....	1,062	147	44	27	15	9	242	19	12	6	15	14
16	Males	524	81	28	17	9	4	139	8	7	3	7	7
17	Females	538	66	16	10	6	5	103	11	5	3	8	7
18	Inflammation of the brain..... (M.....)	10	1	1	1			3	1	1			
	(F.....)	10	1	1				2					
19	Meningitis..... (M.....)	101	38	12	12	4	3	69	4	3		3	4
	(F.....)	79	31	9	5	6	3	54	6	5	2	3	
20	Apoplexy..... (M.....)	177	2	1				3					2
	(F.....)	190	1	1				2				2	
21	Paralysis..... (M.....)	90	2					2		1		1	
	(F.....)	103	1					1					2
22	Paralysis, general (of insane)..... (M.....)	2											
	(F.....)	2											
23	Tetanus and trismus nascentium..... (M.....)	1	1					1					
	(F.....)	2											
24	Chorea..... (M.....)												
	(F.....)												
25	Epilepsy..... (M.....)	10			1	1		2			2	2	
	(F.....)	9		1	1			2					
26	Convulsions..... (M.....)	58	35	12	2	3		52	1	1	1		
	(F.....)	46	28	3	4		1	36	3				2
27	Mental diseases..... (M.....)	20											
	(F.....)	19											
28	Diseases of the brain..... (M.....)	41	2	2	1	1		6	1	1		1	
	(F.....)	50	4	1			1	6	2			3	3
29	Diseases of the spinal cord..... (M.....)	5					1	1					
	(F.....)	11											
30	Locomotor ataxia..... (M.....)	2											
	(F.....)	3											
31	Others of this class..... (M.....)	7							1				1
	(F.....)	14									1		
32	3. Diseases of the circulatory system.....	799	38	1	4	1	3	47	6	14	6	12	12
33	Males	434	21			1	2	24	2	4	2	3	6
34	Females	365	17	1	4		1	23	4	10	4	9	6
35	Pericarditis..... (M.....)	4							1				
	(F.....)	1											
36	Diseases of the heart..... (M.....)	394	17			1	2	20	1	3	2	2	6
	(F.....)	344	15	1	4		1	21	4	10	4	8	6
37	Angina pectoris..... (M.....)	24											
	(F.....)	16										1	
38	Diseases of the arteries..... (M.....)	6											
	(F.....)	1											
39	Aneurism..... (M.....)	1								1			
	(F.....)												
40	Embolism..... (M.....)	1										1	
	(F.....)	1											
41	Others of this class..... (M.....)	4	4					4					
	(F.....)	2	2					2					

399

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	76	74	62	78	71	77	91	79	52	39	6	5	1	14	1
29 38	36 40	34 40	19 43	30 48	30 41	35 42	37 54	25 54	27 25	17 22	1 5	3 2	1	5 9	2 3
1	4	1 1	1 1	6	3 1	1	3 1	3	4 2	3				1	} 4
1 1	1	2	1 2	4 4	1 2	2 5	4 4	4 3	3						
	1	1			1	1	1 3	1	1 2	1				1	} 6
1	1	1		1	1	1		1		2					
	1		1												} 8
1 1	1 2		1												
26 29	30 24	29 21	11 22	16 10	17 13	12 14	14 14	9 13	8 7	2 3		1 1		4 2	} 10
	2	2	5	9	4	17	12	10	10	9		1		1	
3	8	11	14	26	25	17	29	29	9	12	4	1	1	3	} 12
1		1 3	1	1	2	1	1 2	2	1	1 2				2	
1	1	1	2	1	1	1 4	2 1	3	1 3	1 2	1 1	1			} 14
1								1	1						
16	24	28	33	39	62	58	118	109	122	78	27	20	4	16	} 16
8 8	7 17	13 15	10 23	16 23	31 31	28 30	57 61	59 50	57 65	40 38	9 18	6 14	1 3	11 5	
3			1	1				1		2 1					} 18
2	3 1	2	1 1	2	1	1	2	3 1	3	1				3	
2 1	1 6	7 4	4 8	7 12	19 20	14 13	30 25	25 29	34 29	18 25	4 5	2 6	1 1	4 2	} 20
1 1	2 1	3 5	2 5	4 5	8 4	9 5	10 18	21 10	10 23	10 6	4 9	2 6		1	
1		1 1					1						1	1	} 22
1						1									
															} 24
1 1 1	2				1 1		1	1	1 1	1					
	2				1	1								2 1	} 26
	1	1 2	1	1	1 1	4	7 1	2 1	1 3	5 1	1 2	1 1	1		
1	1 2	1 1	1 4	1 1	1 1	5 3	4 6	6 4	6 7	3 4		1 1		1	} 28
	1		4	1			1 3	1 2	1 1						
				1	1	1	2								} 30
	1		1	2	1 1	1	2 3	2	1	1				1 1	
19	14	23	29	42	47	67	109	125	101	75	37	4	2	8	} 32
7 12	7 7	12 11	17 12	25 17	20 27	39 28	72 37	73 52	56 45	40 35	19 18	1 3	2	5 3	
						1	2	1							} 34
7 12	7 7	12 11	16 10	23 15	20 25	32 26	61 34	67 49	53 43	37 34	19 17	1 3	2	5 3	
			1 2	2 2	2	6 1	6 3	3 1	3 2	3 1	1				} 36
							3	3 1							
								1							} 38
						1									} 40

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,236	250	114	50	36	12	462	20	13	17	24	22
2	Males	609	140	58	26	14	4	242	11	9	8	11	11
3	Females	627	110	56	24	22	8	220	9	4	9	13	11
4	Croup	{M 20 F 22	{6 2	{3 7	{3 	{4 10	{2 2	{18 21	{2 				
5	Pneumonia	{M 426 F 447	{83 61	{40 35	{15 21	{6 10	{5 	{144 132	{6 5	{7 4	{6 9	{9 11	{10 9
6	Laryngitis	{M 7 F 7	{1 1	{1 3	{1 	{1 1	{4 5	{1 1	{1 				
7	Bronchitis	{M 102 F 111	{34 41	{11 9	{6 2	{4 	{1 1	{56 53			{1 	{1 	{1
8	Pleurisy	{M 14 F 5	{1 					{1 	{1 1		{1 	{1 1	{1 1
9	Asthma	{M 2 F 7											
10	Others of this class	{M 38 F 28	{15 5	{3 2	{1 1	{1 		{19 9	{1 	{1 		{1 	
11	5. Diseases of the digestive system	334	42	8	4	1	3	58	11	8	13	20	13
12	Males	160	24	5	2		3	34	5	3	3	9	7
13	Females	174	18	3	2	1		24	6	5	10	11	6
14	Dentition	{M 8 F 7	{6 5	{2 				{8 7					
15	Angina	{M 2 F 2		{1 	{1 			{1 1	{1 				
16	Gastritis	{M 20 F 39	{4 4	{1 				{4 5	{1 	{1 	{1 	{1 1	{1 1
17	Diseases of the stomach	{M 13 F 14		{2 			{1 	{1 2				{2 1	{1 1
18	Obstruction of the bowels	{M 12 F 16	{2 2				{1 	{3 2	{1 			{2 	{1
19	Appendicitis	{M 11 F 10		{1 			{1 	{1 1		{1 	{2 	{4 2	{2
20	Hernia	{M 9 F 4	{2 					{2 					
21	Other diseases of the bowels	{M 6 F 1	{2 					{2 		{1 			
22	Jaundice	{M 3 F 3	{2 					{2 					
23	Inflammation and abscess of the liver.	{M 11 F 9		{1 				{1 					{1 1
24	Other diseases of the liver	{M 28 F 11	{1 					{1 			{1 		
25	Peritonitis	{M 21 F 46	{2 1		{2 1	{1 		{4 3	{3 3	{2 3	{2 7	{6 	{2 2
26	Ascites	{M 1 F 2											
27	Others of this class	{M 15 F 10	{5 1	{1 				{6 1	{2 			{1 	{1
28	6. Diseases of the urinary system and male organs of generation.	317	5	4	2	1	1	13	4	1	7	9	9
29	Males	188	3	3	2		1	9	1	1	2	5	5
30	Females	129	2	1		1		4	3		5	4	4
31	Bright's disease	{M 120 F 113							{1 3	{1 	{2 3	{5 4	{4 3
32	Calculus, urinary	{M F											
33	Diseases of the kidney	{M 15 F 5	{1 2	{3 1	{2 	{1 	{1 	{7 4					
34	Diseases of the bladder	{M 30 F 2											
35	Others of this class	{M 23 F 9	{2 					{2 			{2 		{1 1
36	7. Diseases of the female organs of generation.	15	1					1			1	1	4
37	Ovarian tumors	3											2
38	Ovarian diseases												
39	Diseases of the tubes	1											1
40	Uterine tumors	8											1
41	Uterine diseases												
42	Others of this class	3	1					1			1	1	

CAUSE, SEX, AND AGE.

401

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	37	36	45	54	58	50	64	96	75	71	32	13	2	15	1
12	22	19	20	28	25	24	29	51	38	31	11	5		4	2
18	15	17	25	26	33	26	35	45	39	40	21	8	2	11	3
					1										4
10	15	16	16	23	18	20	23	37	26	25	8	3		4	5
10	13	15	21	21	26	24	31	33	26	31	11	5	2	8	6
					1		1								7
4	3		2	3	5	2	4	9	7	6	1	2			8
2	2	1	1	1	3	2	3	7	12	8	6	3		3	9
					1			1			1				10
1		1		1	1	1		2			2				11
3	2	1	1	1	1	1	1	4	3	1	2	1			12
10	15	13	16	13	19	30	21	21	25	15	9	3		1	13
4	4	8	7	6	10	17	8	11	16	6	1	1			14
6	11	5	9	7	9	13	13	10	9	9	8	2		1	15
															16
								1							17
1	2	1	2	1	1	2	6	2	3	5	1	1			18
1		1	1		1	2	1	3	1		2				19
2	1	1	4		1	2	2	2	1	1					20
1	2	1			1	1	1	1	1	1					21
	1	1			1	1				2	2				22
							1		1						23
2	1			2	1	1	1	1		1					24
1		1	4	3	4	5	2	2	3	1					25
		2	1	1	2	3	1	1	1		1				26
2	4	3	2		1	2	1	2	2	1	2			1	27
								1	1	1					28
			1		1		1	2	3						29
9	8	13	22	11	26	24	37	42	42	31	5	3		1	30
6	1	4	11	7	13	15	25	27	28	23	2	2		1	31
3	7	9	11	4	13	9	12	15	14	8	3	1			32
6	1	3	9	4	10	10	17	16	18	11	1			1	33
2	7	8	11	3	12	9	11	14	11	8	3	1			34
															35
		1	1			1	1	2	1	1					36
															37
															38
															39
															40
															41
															42

CAUSE, SEX, AND AGE.

403

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	6	2												1	1
	1														2
2	2														3
2	2	1												1	4
															5
	1	1													6
3	2	1		1	1			1		1					7
1		1		1	1										8
2	2							1		1					9
		1			1										10
	2							1		1					11
															12
2				1											13
															14
1															15
				1			1		1	1	1				16
				1			1		1	1	1				17
															18
				1			1			1					19
									1		1				20
															21
			1		1		1								22
			1		1		1								23
							1								24
															25
															26
			1		1										27
15	17	16	23	15	12	11	11	14	16	19	8	3	1	8	28
13	13	12	20	11	8	8	9	13	12	10	4			7	29
2	4	4	3	4	4	3	2	1	4	9	4	3	1	1	30
	1			1	2	1	1	1		1					31
4		1			1	1				1				3	32
			1	1		1			1		1			1	33
	1									1					34
	1														35
															36
															37
1	3	1	4	2				1		1				2	38
1		1	1				1		1					1	39
1	1	1	2		1				1						40
				1											41
			1						1						42
2	2	2	5	1	2			6	1	1					43
1		1	2				1				1				44
															45
		2				1									46
4	6	4	5	6	4	5	7	6	7	6	3			1	47
	2	3	1	3	2	2	1		4	7	3	3	1		48

405

NEW HAMPSHIRE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
159	166	161	167	200	234	255	333	401	372	328	175	83	21	48	1
80	73	79	76	99	113	131	175	204	185	172	62	28	2	28	2
79	93	82	91	101	121	124	158	197	187	156	113	55	19	20	3
3	4	1		2	3	5	3	6	3	4	2	3		4	4
3	2			2	2	5	2	1	1	3		2		1	5
	2	1			1		1	5	2	1	2	1		3	6
17	11	12	7	8	12	17	20	37	30	36	12	6	1	6	7
11	7	4	5	4	5	9	8	13	14	12	6	4		5	8
6	4	8	2	4	7	8	12	24	16	24	6	2	1	1	9
	1														10
														1	11
								1							12
														1	13
1			1					1							14
1															15
2	2			1	2	5	5	6	4	9	4	4		1	15
1		1		2	2	5	5	16	11	13	5	1			16
4	2	3	2	2	1	1	1				1				16
1									1						17
2	1	1			1			1	1	1					17
															18
			1		2			1	1		1				18
															19
							2								20
1			1	1	1	1	1		1	2	1				21
		1	1											1	22
															23
					1		1								24
															25
	1					1	1	1							26
										1					27
2	2	1					2	2		3					27
2	2	3		2	1		1	1							28
															29
					1	2		3	6						29
					1	1	1	3	1	5				1	30
4		2	3	3	2	2	2	1	1	1					30
															31
2		1	2	2	2										32
2		1	1	1	1	2	2	1	1	1					33
2		1	1	1	1										34
															35
			1		1										36
															37
2		1	1	1		2	2	1	1	1					37
	4	4		1	7	8	7	9	50	73	74	38	11	5	38
	1	1			4	5	3	3	18	43	25	11	1	2	39
	3	3		1	3	3	4	6	32	30	49	27	10	3	40
						1	2	3	13	39	24	11	1		41
						1	1	5	26	26	46	25	7	2	41
															42
														1	43
															44
	1	1			4	4	1		5	4	1			1	44
	3	3		1	3	2	3	1	6	4	3	2	3	1	45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	796	31	12	8	7	5	63	9	13	35	72	71
2	Males	339	17	7	3	2	2	31	3	3	17	32	26
3	Females	457	14	5	5	5	3	32	6	10	18	40	45
4	Anemia	M 10 F 23			2			6			1	1	
5	Diabetes	M 15 F 21							1	1		1	1
6	Rheumatism	M 4 F 5								1		2	
7	Scrofula and tabes	M 11 F 11	2 1	1 1	1		1	5 3			1	1 2	1 1
8	Hydrocephalus	M 15 F 14	8 4	3 2	1		2	12 9	2 3	1			
9	Tuberculosis, general	M 3 F 4										1	1
10	Consumption	M 217 F 237	5 5	3 1		2 3	1 1	11 12	1 2	2 7	15 17	30 31	24 43
11	Cancer	M 47 F 112										1	
12	Tumor	M 6 F 13									1		
13	Dropsy	M 7 F 13	1					1					
14	Others of this group	M 4 F 4	1		1			2 2		1			
15	2. Diseases of the nervous system	757	114	36	21	12	9	192	14	10	3	11	9
16	Males	374	63	23	11	9	4	110	6	6		5	4
17	Females	383	51	13	10	3	5	82	8	4	3	6	5
18	Inflammation of the brain	M 7 F 9	1 1	1 1	1			3 2		1			
19	Meningitis	M 73 F 56	23 21	9 6	7 5	4 3	3 3	51 38	4 5	3 4		2 3	3
20	Apoplexy	M 119 F 126	1 1	1				1 2					1
21	Paralysis	M 59 F 64	2 1					2 1				1	2
22	Paralysis, general (of insane)	M 2 F 2											
23	Tetanus and trismus ascentium	M 1 F 1	1					1					
24	Chorea	M F											
25	Epilepsy	M 4 F 8		1	1	1		1 2				1	
26	Convulsions	M 51 F 40	30 24	11 3	2 4	3		46 32	1 2	1			1
27	Mental diseases	M 16 F 16											
28	Diseases of the brain	M 35 F 43		2 1	1	1		4 5	1 1	1		1 3	2
29	Diseases of the spinal cord	M 4 F 7					1	1					
30	Locomotor ataxia	M 1 F 2											
31	Others of this class	M 2 F 9									1		
32	3. Diseases of the circulatory system	551	21		3	1	2	27	3	9	6	10	9
33	Males	298	11			1	1	13	1	2	2	3	6
34	Females	253	10		3		1	14	2	7	4	7	3
35	Pericarditis	M 2 F 1											
36	Diseases of the heart	M 272 F 243	8 9			1	1	10 13	1 2	1 7	2 4	2 7	6 3
37	Angina pectoris	M 16 F 8											
38	Diseases of the arteries	M 3 F											
39	Aneurism	M 1 F								1			
40	Embolism	M 1 F										1	
41	Others of this class	M 3 F 1	3 1					3 1					

407

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
57	53	48	47	57	51	48	57	50	30	19	4	2	1	9	1
25 32	26 27	21 27	13 34	21 36	25 26	22 26	26 31	14 36	18 12	10 9	1 3	1 1	1	4 5	2 3
1	3	1	1	5	3		2	2	2	1					4
1			1	3	1	1	1	1	3						5
1			2	4	1	3	2	3		1					
					1		1		1	1					
				1	1	1									7
1		1						1		2					8
	1		1												9
1	1														
22 25	23 16	19 15	8 14	10 6	13 11	10 11	11 8	6 11	7 5	2 1		1		3 1	10
	2	1	2	7	3	8	8	6	5	4				1	
2	5	7	13	19	13	8	16	16	3	4	2		1	2	11
		1			2	1	1			1					12
1		2	1	1			2	2		1				2	
1		1	2	1	1	1	1	1	1	1	1	1			13
1						4	1								14
								1	1						
13	18	21	20	32	41	46	69	73	83	56	19	14	4	9	15
6 7	4 14	11 10	7 13	14 18	21 20	21 25	34 35	41 32	38 45	28 28	5 14	5 9	1 3	7 2	16 17
3				1	1		1			2					18
	2			2					1	1				1	19
		1	1		1			1	2	1					
2	1	6	4	5	11	9	18	21	21	11	2	2	1	3	20
1	5	4	3	8	10	11	17	17	21	17	5	4	1		
1		2	1	4	7	7	4	11	8	7	3	1		1	21
1	1	3	3	5	3	5	6	6	12	6	5	3	1	1	22
		1					1								23
						1									24
															25
1					1		1	1	1	1					26
1	1				1	1								2	
	2													1	
		1	1	1	1	3	6	2	1	3		1			27
	1	1	1	1	1	5	2	4	2	1	2	1	1		
	2		2	1	1	3	6	4	6	3	2	1		1	28
				1			1	1	7	3		1			29
	1		3				1	1	1						30
				1	1										31
					1	1	1								
	1		1	1	1	1	2	1							
15	14	14	17	28	34	43	79	95	69	50	22	3	1	3	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	914	191	96	45	26	9	367	15	9	11	16	13
2	Males	454	108	49	23	8	3	191	8	6	5	6	7
3	Females	460	83	47	22	18	6	176	7	3	6	10	6
4	Croup.....(M.....	14	4	2	3	1	2	12	2				
	(F.....	17	1	6		8	1	16					
5	Pneumonia.....(M.....	314	62	32	14	4		112	4	4	4	5	6
	(F.....	327	47	29	19	8	4	107	3	3	6	8	5
6	Laryngitis.....(M.....	5	1	1				2	1	1			
	(F.....	5	1	2		1		4	1				
7	Bronchitis.....(M.....	82	30	11	6	3	1	51				1	
	(F.....	80	29	8	2		1	40	2				1
8	Pleurisy.....(M.....	9							1		1		1
	(F.....	4							1			1	
9	Asthma.....(M.....	1											
	(F.....	5											
10	Others of this class.....(M.....	29	11	3				14		1			
	(F.....	22	5	2	1	1		9				1	
11	5. Diseases of the digestive system	242	34	6	2		3	45	7	7	7	14	8
12	Males	117	18	4	2		3	27	4	2	3	5	3
13	Females	125	16	2				18	3	5	4	9	5
14	Dentition.....(M.....	7	5	2				7					
	(F.....	7	5	2				7					
15	Angina.....(M.....	1							1				
	(F.....	1											
16	Gastritis.....(M.....	13	3					3	1				
	(F.....	27	3					3		1		1	1
17	Diseases of the stomach.....(M.....	9					1	1					
	(F.....	9	2					2				1	
18	Obstruction of the bowels.....(M.....	8	1				1	2	1			1	
	(F.....	10	2					2					1
19	Appendicitis.....(M.....	6					1	1				2	1
	(F.....	8	1					1		1	1	1	
20	Hernia.....(M.....	7	2					2					
	(F.....	3											
21	Other diseases of the bowels.....(M.....	5	2					2		1			
	(F.....	1											
22	Jaundice.....(M.....	3											
	(F.....	3	2					2					
23	Inflammation and abscess of the liver.....(M.....	10		1				1					1
	(F.....	8											1
24	Other diseases of the liver.....(M.....	21									1		
	(F.....	7											
25	Peritonitis.....(M.....	15	2		2			4	2	1	2		
	(F.....	35	1					1	2	3	3	6	2
26	Ascites.....(M.....	1											
	(F.....	2											
27	Others of this class.....(M.....	11	3	1				4					1
	(F.....	4											
28	6. Diseases of the urinary system and male organs of generation.....	228	5	3	2	1	1	12	3	1	7	8	6
29	Males	131	3	2	2		1	8	1	1	2	5	4
30	Females	97	2	1		1		4	2		5	3	2
31	Bright's disease.....(M.....	83							1	1	2	5	3
	(F.....	82							2		3	3	1
32	Calculus, urinary.....(M.....												
	(F.....												
33	Diseases of the kidney.....(M.....	13	1	2	2		1	6					
	(F.....	5	2	1		1		4					
34	Diseases of the bladder.....(M.....	20											
	(F.....	2											
35	Others of this class.....(M.....	15	2					2					1
	(F.....	8									2		1
36	7. Diseases of the female organs of generation.....	11	1					1			1	1	4
37	Ovarian tumors.....	3											2
38	Ovarian diseases.....												
39	Diseases of the tubes.....	1											1
40	Uterine tumors.....	4											1
41	Uterine diseases.....												
42	Others of this class.....	3	1					1			1	1	

409

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	29	27	30	41	44	37	48	71	45	44	26	12	2	5	1
8	16	15	13	22	19	16	23	40	24	20	9	4		2	2
14	13	12	17	19	25	21	25	31	21	24	17	8	2	3	3
					1										}
6	10	13	11	17	14	14	18	32	18	16	6	2		2	
8	12	10	14	15	21	19	23	23	13	18	10	5	2	2	}
							1								
	2		1	3	4	1	4	5	3	4	1	2			}
3			1	2	1	2	2	5	7	6	4	3		1	
2	2			1				1							}
					1						1				
		1													}
				1	1			2			1				
	2	1	1	1	1	1		2	3		2				}
3	1	2	2	1				1	1		1				
															}
5	13	10	10	9	15	20	17	15	19	10	7	3		1	
															}
2	3	7	5	5	8	11	6	8	12	4	1	1			
3	10	3	5	4	7	9	11	7	7	6	6	2		1	13
															}
								1							
															}
	1				1	2		2	2			1			}
	1		2		1		4	2	4	3	1	1			
		1				1		3							}
1	1						2	1			1				
					1	1	1			1					}
1	1	1	1					1	1	1					
		1				1									}
	2				1										
	1	1	1		1	1			1	1					}
											2				
		1							1						}
	1														
			1				1			1					}
					1										
1	1			2	1	1		1		1					}
		1		1	2	1	2								
															}
		1	3	3	3	4	2		3						
			1		1	2	1		1		1				}
		2				1	1		1						
1	4	1	2		1	2	1	2	1	1	1	1		1	}
									1						
								1		1					}
			1		1			1	3						
				3								1			}
9	6	8	15	9	16	19	23	32	30	19	3	1		1	
															}
6	1	3	6	5	7	12	16	19	18	16				1	
3	5	5	9	4	9	7	7	13	12	3					30
6	1	2	5	3	5	7	10	11	12	8	3				}
2	5	5	9	3	8	7	6	12	9	3	3	1		1	
															}
		1	1			1	1	1	1	1					}
					2		4		3	6					}
									2						
1				2	1	1	1	2	2	1					}
		1			1	1				1					36
										1					37
															38
															39
		1			1	1									40
															41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	19									1	7	4
2	Abortion	1											
3	Childbirth	4										3	
4	Puerperal septicemia	10									1	4	2
5	Extra-uterine pregnancy												
6	Others of this class	4											2
7	9. Diseases of the bones and joints	9							1		1		
8	Males	5							1		1		
9	Females	4											
10	Diseases of the spine	2 3									1		
11	Abscess, lumbar and psoas	1 1											
12	Diseases of the bones	1 1											
13	Diseases of the hip-joint	1 1											
14	Others of this class	2 1							1				
15	10. Diseases of the skin	8	3	1				4					
16	Males	5	3					3					
17	Females	3		1				1					
18	Abscess	1 1	1					1 1					
19	Carbuncle	2 1											
20	Others of this class	2 1	2					2					
21	11. Diseases of the absorbent system	2											
22	Males												
23	Females	2											
24	Addison's disease	1 1											
25	Diseases of the spleen	1 1											
26	Others of this class	1 1											
27	12. Accidents and injuries	194	7	3	1	4	1	16	9	9	10	11	13
28	Males	139	2	1		2	1	6	8	7	8	9	11
29	Females	55	5	2	1	2		10	1	2	2	2	2
30	Burns and scalds	3 7		2				2					1
31	Drowning	21 2	1				1	2	6	3	2 2	1	
32	Exposure and neglect	4 1											
33	Gunshot wounds	3 1								1		1	2
34	Homicide	1 1											
35	Infanticide	1 1											
36	Injuries by machinery	1 1											
37	Railroad accidents	19 1									2	5	3
38	Suffocation	4 5		3		1 1		1 4					
39	Suicide by shooting	7 1											2
40	Suicide by drowning	1 1										1	
41	Suicide by poison	1 1											
42	Other suicides	18 5											
43	Sunstroke	1 1											
44	Surgical operations	1 1											
45	Wounds	1 1											
46	Others of this class	59 31	1 2	1	1	1	1	3 4	2 1	3 2	4	3	3 2

CAUSE, SEX, AND AGE.

411

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	4	1													1
	1														2
1															3
1	2														4
															5
	1	1													6
2	1	1		1				1		1					7
1		1		1											8
1	1							1		1					9
		1													10
	1							1		1					11
															12
1															13
				1											14
1															15
				1			1		1	1					16
				1			1		1	1					17
															18
							1			1					19
				1											20
									1						21
			1				1								22
			1				1								23
							1								24
															25
				1											26
10	9	11	17	8	8	9	6	11	11	13	6	1	1	5	27
9	6	7	14	7	5	6	4	10	7	8	3			4	28
1	3	4	3	1	3	3	2	1	4	5	3	1	1	1	29
	1			1	2		1			1					30
4						1				1				1	31
			1	1		1								1	32
	1														33
															34
															35
															36
1	1		3	2				1							37
1		1							1						38
	1	1	1		1				1						39
															40
			1												41
2	1	2	4		2			6		1					42
		1	2				1				1				43
															44
						1									45
2	3	3	4	4	2	4	3	3	5	5	3				46
	1	3	1		1	2	1		4	5	2	1	1		

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	2,169	342	56	23	22	8	451	45	35	61	66	71
2	Males.....	1,070	187	31	12	11	5	246	22	17	19	36	35
3	Females.....	1,099	155	25	11	11	3	205	23	18	42	30	36
4	Unknown cause.....	44	14	1		2		17	1	2			1
5	Males.....	23	10	1		1		12					
6	Females.....	21	4			1		5	1	2			1
7	1. General diseases.												
8	General diseases—A.....	331	112	16	3	4	3	138	14	10	11	13	7
9	Males.....	151	55	9	1	3	2	70	9	4	1	7	5
10	Females.....	180	57	7	2	1	1	68	5	6	10	6	2
11	Measles.....	6	3	1				4		1			
12	Scarlet fever.....	8		1			2	3	4	1			
13	Diphtheria.....	2				1		1	1	1		1	
14	Whooping cough.....	14	11	1				12				1	
15	Malarial fever.....	4	1					1					
16	Influenza.....	24	3	1		1		5	1			1	
17	Typhoid fever.....	13							1			3	4
18	Cholera morbus.....	2	1					1					
19	Colitis.....	1			1			1					
20	Diarrhea.....	3	1					1					
21	Dysentery.....	9	2					2					
22	Enteritis.....	12	8					8	1			1	
23	Cholera infantum.....	27	23	4			1	27					
24	Fever.....	31	24	6				31					
25	Cerebro-spinal fever.....	10	3	1		2		6	1	1	1		
26	Smallpox.....	5	2					2	1	1			
27	Erysipelas.....	1											
28	Septicemia.....	6	1					1	1				1
29	Venereal diseases.....	11	1					1			1	1	1
30	Others of this group.....	1											
31	General diseases—B.....	14											1
32	Males.....	4											
33	Females.....	10	3	1				6	1	1	1		
34	Alcoholism.....	5	2					2					
35	Parasitic diseases.....	2											
36	Lead poison.....	1											
37	Other poisons.....	4		1				1					
38	Inanition.....	1											
39	General diseases—C.....	9	7					7					
40	Males.....	8	7	1				8					
41	Females.....	2											
42	Old age.....	2											
43	Premature birth.....	23	23					23					
44	Malformation.....	10	10					10					
45	Debility and atrophy.....	3	3					3					
46	Others of this group.....	2	1					1	1				
47	Males.....	28	13	2				15				1	
48	Females.....	33	14					14					
49	Males.....	1	1					1					
50	Females.....	1	1					1					

CAUSE, SEX, AND AGE.

413

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
48	56	70	83	74	105	109	176	174	187	174	88	39	12	45	1
20	27	33	33	37	45	59	84	91	99	84	42	18		18	2
28	29	37	45	37	60	50	92	83	88	90	46	21	12	27	3
	2		2		2		2	1	5	6				3	4
			1		1		1		4	2				2	5
	2		1		1		1	1	1	4				1	6
8	1	4	5	2	11	13	17	20	17	13	13	4	3	7	7
3		2	1	1	5	5	5	12	7	5	6	1		2	8
5	1	2	4	1	6	8	12	8	10	8	7	3	3	5	9
								1						1	10
															11
							1							1	12
1														1	13
							2	1							14
							1	1							15
		1	1		2	2	1	5	1	1	5				16
3		1	1		3	2	4	5	6	6	5	3	2	1	17
2	1		1			1									18
						1			1		1		1		19
			1												20
						1		1	1	1					21
1				1	1		3			1	1				22
															23
					1										24
															25
		1							1						26
1		1	1		1	2	1	1	1	1					27
					1										28
				1		1	2	2	4	2	1	1			29
1		1	1	2	1			1		2					30
1		1	1	2	1			1		1					31
				1	1					1					32
															33
															34
															35
1			1	1						1					36
		1						1							37
1	1			1	3		4	13	19	36	37	20	8	4	38
				1			2	6	8	22	20	10		1	39
1	1				3		2	7	11	14	17	10	8	3	40
							1	3	6	21	18	9			41
							1	3	10	10	16	10	7	1	42
															43
				1			1	3	2	1	2	1		1	44
1	1				3		1	4	1	4	1		1	2	45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	361	11	3	4	1		19	5	4	28	22	24
2	Males	138	5	2				7	2	1	8	11	8
3	Females	223	6	1	4	1		12	3	3	20	11	16
4	Anemia	7							1				
		10	2					2				1	1
5	Diabetes	10								1			1
		9	1					1					1
6	Rheumatism	4											
		6							1				
7	Scrofula and tuberc.	1											
		2	1					1	1				
8	Hydrocephalus	3	2	1				3					
		2				1		1		1			
9	Tuberculosis, general												
		2									1		
10	Consumption	75	3	1				4	1			7	11
		98	2		3			5	1	2	18	10	14
11	Cancer	35											
		81											
12	Tumor	1									1		
		5		1	1			2					
13	Dropsy	2											
		7											
14	Others of this group												
		1									1		
15	2. Diseases of the nervous system	305	33	8	6	3		50	5	2	3	4	5
16	Males	150	18	5	6			29	2	1	3	2	3
17	Females	155	15	3		3		21	3	1		2	2
18	Inflammation of the brain	3							1				
		1											
19	Meningitis	28	10	3	5			18				1	1
		23	10	3		3		16	1	1			
20	Apoplexy	58	1	1				2					1
		64										2	
21	Paralysis	31								1			
		39											
22	Paralysis, general (of insane)												
23	Tetanus and trismus nascentium												
		1											
24	Chorea												
25	Epilepsy	6			1			1			2	1	
		1											
26	Convulsions	7	5	1				6			1		
		6	4					4	1				1
27	Mental diseases	4											
		3											
28	Diseases of the brain	6	2					2					
		7	1					1	1				1
29	Diseases of the spinal cord	1											
		4											
30	Locomotor ataxia	1											
		1											
31	Others of this class	5							1				1
		5											
32	3. Diseases of the circulatory system	248	17	1	1		1	20	3	5		2	3
33	Males	136	10				1	11	1	2			
34	Females	112	7	1	1			9	2	3		2	3
35	Pericarditis	2							1				
36	Diseases of the heart	122	9				1	10		2			
		101	6	1	1			8	2	3		1	3
37	Angina pectoris	8											
		8										1	
38	Diseases of the arteries	3											
		1											
39	Aneurism												
40	Embolism												
		1											
41	Others of this class	1	1					1					
		1	1					1					

415

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	23	26	15	21	20	29	34	29	22	20	2	3		5	1
4 6	10 13	13 13	6 9	9 12	5 15	13 16	11 23	11 18	9 13	7 13	2 2	2 1		1 4	2 3
	1	1		1		1	1	1	2 1	2				1	4
	1			1		1	2	3							5
		2			1	2	2								6
	1	1				1		1						1	7
	1					1	2		1						8
															9
1															10
4 4	7 8	10 6	3 8	6 4	4 2	2 3	3 6	3 2	1 2			1		1 1	10
		1	3	2	1	9	4	4	5	5		1			11
1	3	4	1	7	12	9	13	13	6	8	2	1 1		1	11
		1							1	1					12
	1						1	2	1 2	2					13
															14
3	6	7	13	7	21	12	49	36	39	22	8	6		7	15
2 1	3 3	2 5	3 10	2 5	10 11	7 5	23 26	18 18	19 20	12 10	4 4	1 5		4 3	16 17
			1				1	1							18
2	1 1		1			1	2	1	1					2	19
		1		2	8	5	12	4	13	7	2			1	20
	1		5	4	10	2	8	12	8	8		2		2	21
	2	1 2	1 2		1 1	2	6 12	10 4	2 11	3	1 4	1 3			21
															22
															23
1															24
					1				1						25
	1														26
							1			2	1				27
		1				1	2	2		1					28
									1						29
			1				2	1							30
						1	1								31
				1			1	1	1	1				1 1	32
4		9	12	14	13	24	30	30	32	25	15	1	1	5	33
															34
4		4 5	6 6	9 5	5 8	15 9	20 10	18 12	21 11	13 12	7 8	1		3 2	35
							1						1		36
															37
4		4 5	6 4	9 5	5 8	12 8	17 8	15 11	20 10	11 11	7 7	1		3 2	38
															39
						3	1	1	1	2					40
			2				2		1	1	1				41
							1	2 1							42
															43
						1									44
															45

CAUSE, SEX, AND AGE.

417

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8	8	9	15	13	14	13	16	25	30	27	6	1		10	1
4	6	4	7	6	6	8	6	11	12	11	2	1		2	2
4	2	5	8	7	8	5	10	14	18	16	4			8	3
															4
4	5	3	5	6	4	6	5	5	8	9	2	1		2	5
2	1	5	7	6	5	5	8	10	13	13	1			6	6
					1										6
	1		1		1	1		4	4	2					7
1			1		2		1	2	5	2	2			2	8
		1	1		1										9
						1					1				10
1							1	2							11
	1			1			1	2		1					12
5	2	3	6	4	4	10	4	6	6	5	2				13
															14
2	1	1	2	1	2	6	2	3	4	2					15
3	1	2	4	3	2	4	2	3	2	3	2				16
															17
															18
	1	1		1		1	2	1	1	2					19
1			1		1	1			1						20
	1			1				1			1				21
1			4			1			1						22
1						1									23
							1								24
															25
															26
															27
					1	1	1	1							28
	2	5	7	2	10	5	14	10	12	12	2	2			29
															30
	2	1	5	2	6	3	9	8	10	7	2	2			31
		4	2	4	4	2	5	2	2	5					32
		1	4	1	5	3	7	5	6	3	1				33
	2	3	2		4	2	5	2	2	5					34
								1							35
								2	1	2	1	2			36
															37
															38
															39
															40
			1	1		1	1								41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW HAMPSHIRE—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	13									3	3	1
2	Abortion												
3	Childbirth	6										2	1
4	Puerperal septicemia	6									2	1	
5	Extra-uterine pregnancy												
6	Others of this class	1									1		
7	9. Diseases of the bones and joints	6	1	1				2				1	
8	Males	3		1				1				1	
9	Females	3	1					1					
10	Diseases of the spine {M	1											
	{F	2	1					1					
11	Abscess, lumbar and psoas {M	1										1	
	{F												
12	Diseases of the bones {M												
	{F	1											
13	Diseases of the hip-joint {M	1		1				1					
	{F												
14	Others of this class {M												
	{F												
15	10. Diseases of the skin	2	1					1					
16	Males	1	1					1					
17	Females	1											
18	Abscess {M												
	{F												
19	Carbuncle {M												
	{F												
20	Others of this class {M	1	1					1					
	{F	1											
21	11. Diseases of the absorbent system	1											
22	Males												
23	Females	1											
24	Addison's disease {M												
	{F												
25	Diseases of the spleen {M												
	{F												
26	Others of this class {M												
	{F	1											
27	12. Accidents and injuries	110	6	2	2	1	1	12	6	7	4	5	13
28	Males	85	3		2	1	1	7	4	5	4	5	10
29	Females	25	3	2				5	2	2			3
30	Burns and scalds {M	3			1			1	1				
	{F	3							1	1			
31	Drowning {M	14				1		1	1	2	1	1	4
	{F	1							1				
32	Exposure and neglect {M	2											
	{F	1											
33	Gunshot wounds {M	4							1		1	1	
	{F	1								1			
34	Homicide {M												
	{F	1											1
35	Infanticide {M												
	{F	1	1					1					
36	Injuries by machinery {M												
	{F												
37	Railroad accidents {M	10								2		2	
	{F												
38	Suffocation {M	6	3				1	4					
	{F	2	1	1				2					
39	Suicide by shooting {M	2											
	{F												
40	Suicide by drowning {M	1											
	{F												
41	Suicide by poison {M	1											
	{F												
42	Other suicides {M	4											
	{F	1											
43	Sunstroke {M	1											
	{F												
44	Surgical operations {M												
	{F												
45	Wounds {M	2											
	{F												
46	Others of this class {M	35			1			1	1	1	2	1	6
	{F	14	1	1				2					2

419

NEW HAMPSHIRE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2	1												1	1
															2
1	2														3
1		1												1	4
															5
															6
1	1				1										7
					1										8
1	1				1										9
	1														10
															11
1															12
															13
															14
											1				15
											1				16
															17
															18
															19
											1				20
					1										21
					1										22
															23
															24
															25
					1										26
5	8	5	6	7	4	2	5	3	5	6	2	2		3	27
4	7	5	6	4	3	2	5	3	5	2	1			3	28
1	1			3	1					4	1	2			29
						1									30
		1			1					1				2	31
									1		1				32
	1														33
															34
															35
															36
1	2	1	1							1					37
			1				1								38
1			1												39
				1											40
									1						41
	1		1	1					1						42
			1												43
															44
		2													45
2	3	1	1	2	2	1	4	3	2	1				1	46
	1			3	1					2	1	2			

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150	1,419
2	Males.....	17,462	4,202	968	450	245	179	6,044	542	275	393	588	743
3	Females.....	15,273	3,090	905	380	260	191	4,826	490	245	352	562	676
4	Unknown cause.....	186	52	10	3	3	1	69	9	3	2	4	8
5	Males.....	95	31	4	2	1	—	38	3	1	1	3	4
6	Females.....	91	21	6	1	2	1	31	6	2	1	1	4
7	I. General diseases. General diseases—A.....	5,494	2,000	625	298	198	152	3,273	410	130	89	134	121
8	Males.....	2,883	1,109	319	150	95	82	1,755	215	65	49	76	76
9	Females.....	2,611	891	306	148	103	70	1,518	195	65	40	58	45
10	Measles..... (M.....)	109	29	41	13	5	4	92	11	3	—	—	—
	(F.....)	97	20	39	13	6	5	83	9	2	—	2	—
11	Scarlet fever..... (M.....)	119	6	14	22	20	10	72	33	6	3	2	1
	(F.....)	113	1	12	16	26	15	70	31	3	2	2	1
12	Diphtheria..... (M.....)	354	23	42	46	40	48	199	110	29	5	3	2
	(F.....)	324	12	42	56	41	33	184	105	20	4	5	—
13	Whooping cough..... (M.....)	161	88	41	15	8	3	155	2	1	—	—	—
	(F.....)	168	79	44	18	10	3	154	6	4	—	—	—
14	Malarial fever..... (M.....)	59	11	1	2	1	—	15	1	1	—	4	1
	(F.....)	51	4	2	5	1	1	13	3	4	3	4	4
15	Influenza..... (M.....)	199	11	4	2	1	—	18	6	—	3	3	8
	(F.....)	244	11	2	1	2	1	17	3	1	3	6	4
16	Typhoid fever..... (M.....)	240	5	—	2	1	2	10	16	12	33	48	43
	(F.....)	158	—	—	1	1	2	4	8	13	20	20	20
17	Cholera morbus..... (M.....)	55	13	3	5	1	—	22	3	1	—	—	1
	(F.....)	38	8	6	1	1	—	16	—	1	—	—	1
18	Colitis..... (M.....)	35	17	1	1	1	—	20	2	—	—	1	—
	(F.....)	35	10	8	2	2	1	23	—	—	—	—	—
19	Diarrhea..... (M.....)	98	48	8	2	—	1	59	1	—	—	1	1
	(F.....)	91	32	7	1	—	—	40	6	3	—	1	1
20	Dysentery..... (M.....)	77	13	7	5	1	1	27	5	2	—	—	1
	(F.....)	95	11	13	2	4	1	31	—	—	—	1	1
21	Enteritis..... (M.....)	612	397	80	16	8	6	507	7	4	—	5	6
	(F.....)	529	316	65	13	4	4	402	10	1	—	5	3
22	Cholera infantum..... (M.....)	446	371	59	14	1	1	446	—	—	—	—	—
	(F.....)	396	323	58	12	1	2	396	—	—	—	—	—
23	Fever..... (M.....)	3	—	—	—	—	—	—	—	—	—	—	—
	(F.....)	1	—	—	—	—	—	—	—	—	—	—	—
24	Cerebro-spinal fever..... (M.....)	81	26	13	5	3	4	51	14	3	2	1	2
	(F.....)	61	16	5	4	3	1	29	11	8	4	1	—
25	Smallpox..... (M.....)	5	1	1	—	—	—	2	—	—	—	2	—
	(F.....)	3	—	—	—	—	—	—	—	1	—	1	—
26	Erysipelas..... (M.....)	68	24	3	—	—	—	27	—	—	1	—	4
	(F.....)	53	25	—	—	—	—	25	—	—	1	3	—
27	Septicemia..... (M.....)	88	13	1	—	2	2	18	2	2	2	5	5
	(F.....)	87	11	3	1	1	—	16	2	4	3	7	8
28	Venereal diseases..... (M.....)	13	9	—	—	1	—	10	—	—	—	—	1
	(F.....)	13	10	—	—	—	—	10	—	—	—	—	—
29	Others of this group..... (M.....)	61	4	—	—	1	—	5	2	1	—	1	1
	(F.....)	54	2	—	2	—	1	5	1	—	—	—	—
30	General diseases—B.....	537	313	16	9	5	—	343	1	2	5	15	13
31	Males.....	328	174	9	5	4	—	192	—	2	2	6	8
32	Females.....	209	139	7	4	1	—	151	1	—	3	9	5
33	Alcoholism..... (M.....)	84	—	—	—	—	—	—	—	—	—	1	4
	(F.....)	17	—	—	—	—	—	—	—	—	—	—	1
34	Parasitic diseases..... (M.....)	3	1	1	1	—	—	3	—	—	—	—	—
	(F.....)	—	—	—	—	—	—	—	—	—	—	—	—
35	Lead poison..... (M.....)	5	—	—	—	—	—	—	—	—	—	—	—
	(F.....)	—	—	—	—	—	—	—	—	—	—	—	—
36	Other poisons..... (M.....)	54	3	6	2	4	—	15	—	1	2	5	4
	(F.....)	40	5	—	3	1	—	9	—	—	3	7	4
37	Inanition..... (M.....)	182	170	2	2	—	—	174	—	1	—	—	—
	(F.....)	152	134	7	1	—	—	142	1	—	—	2	—
38	General diseases—C.....	2,528	1,693	88	17	4	6	1,808	—	2	1	2	3
39	Males.....	1,353	1,000	34	9	2	4	1,049	—	1	1	—	1
40	Females.....	1,175	693	54	8	2	2	759	—	1	—	2	2
41	Old age..... (M.....)	260	—	—	—	—	—	—	—	—	—	—	—
	(F.....)	360	—	—	—	—	—	—	—	—	—	—	—
42	Premature birth..... (M.....)	342	342	—	—	—	—	342	—	—	—	—	—
	(F.....)	245	245	—	—	—	—	245	—	—	—	—	—
43	Malformation..... (M.....)	94	94	—	—	—	—	94	—	—	—	—	—
	(F.....)	57	57	—	—	—	—	57	—	—	—	—	—
44	Debility and atrophy..... (M.....)	585	492	34	9	2	4	541	—	1	1	—	1
	(F.....)	469	348	54	8	2	2	414	—	1	—	2	2
45	Others of this group..... (M.....)	72	72	—	—	—	—	72	—	—	—	—	—
	(F.....)	44	43	—	—	—	—	43	—	—	—	—	—

421

NEW JERSEY.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73	1
699 666	821 690	759 583	722 558	769 628	799 745	929 749	923 870	863 846	738 764	487 558	225 290	72 115	25 28	46 27	2 3
5	11	5	8	6	10	3	7	7	11	10	1	1		6	4
4 1	6 5	1 4	5 3	2 4	3 7	3	2 5	5 2	5 6	3 7	1	1		5 1	5 6
105	99	102	77	90	100	126	147	171	141	93	56	17	7	6	7
46 59	48 51	56 46	46 31	46 44	46 54	64 62	70 77	91 80	53 88	42 51	26 30	5 12	5 2	3 3	8 9
1		1					1								}10
2	1														
2	1	1	1											1	}11
2		1	1	1		1	1	1		1					
2		1												1	}13
3		1													
8 3	3 3	4 1	2 2	2	2 2	3 4	2	5 1	4 3	1 1	1				}14
7 4	5 6	8 7	9 6	7 10	10 23	14 24	29 34	32 29	9 30	16 15	11 18	3 4	1		
14 20	19 14	12 11	11 4	5 8	2 6	7 5	1 1	5 3	1 1					1	}16
1	2 2	2 1	1	4	3 1	4 1	3 1	7 4	1 1		1 2	1			
		1 1		2 2	1 1	1	1	3 1	3 2	1 2		1			}18
1 1	1 3		1 2	2 1	1	3	5 6	8 5	5 13	4 5	2 2	1 1	2	1	
1 2	1 2	5 4	4 3	5	2 6	4 4	8 5	7 9	1 8	4 7	4 4		1 1		}20
1 6	4 10	4 5	7 4	6 5	9 6	11 6	8 21	9 13	14 20	7 6	3 3	2		1	
															}22
		1	1	1				1							
2 1	2 2	1 2	1 2	1		1								1	}24
1				1											
1	5 3	7 2	1 2	4 2	6 1	3 5	1 1	4 4	3 1	2 2					}26
3 11	6 4	7 5	5 3	6 5	4 4	8 4	3 4	4 4	7 2	1 1					
1		1 2			1										}28
		1 2	3 1	4 6	6 3	6 7	7 4	7 5	6 7	6 5	4		1 1		
4												2			}29
21	27	26	17	16	17	16	8	5	1	1	1		1	1	
17 4	21 6	20 6	15 2	12 4	11 6	11 5	5 3	3 2	1	1	1		1	1	}31 32
13 2	15 3	14 4	12 1	10 2	4 1	6 2	3 1	1			1				
															}34
2	1	1		1											
2 2	5 3	5 1	3 1	1 2	6 4	3 2	1 1	1 1							}36
					1 1	2 1	1 1	1 1		1				1	
	5	5	3	6	9	25	42	81	137	183	117	72	24	3	}38
	2 3	3 2	1 2	4 2	1 8	15 10	14 28	42 39	56 81	78 105	48 69	28 44	7 17	2 1	
						10 9	11 25	37 33	51 72	72 98	44 65	28 41	7 17		}41
															}43
	2 3	3 2	1 2	4 2	1 7	5 1	3 3	5 6	5 9	6 7	4 4	3		2 1	
					1										}45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	5,208	227	76	34	20	26	383	60	64	233	448	561
2	Males	2,622	133	41	24	8	14	220	29	21	105	219	280
3	Females	2,586	94	35	10	12	12	163	31	43	128	229	281
4	Anemia	35	4	1		1	1	4		1	1	2	1
	{M	44	1					4			2	3	2
5	Diabetes	79	2			1	1	4	1	3		2	4
	{M	77							2	1	2	1	1
6	Rheumatism	38	1	1				2	2	1	2		2
	{M	42	2					2	1	2	2	3	2
7	Scrofula and tabes	24	6	2	1			9			2	2	2
	{M	15	2	1	1		1	5			2		2
8	Hydrocephalus	125	61	20	14	5	5	105	6		4	1	2
	{M	105	52	22	3	8		85	11	2		2	1
9	Tuberculosis, general	28	8		1			9	2	1		1	4
	{M	19	4	1		1		6	1		1	2	1
10	Consumption	1,830	36	15	5	2	5	63	10	11	93	207	259
	{M	1,562	23	6	4	2	7	42	14	37	118	212	259
11	Cancer	350					1	1	2	1	1		5
	{M	599	2		1			3			1	2	9
12	Tumor	50	1		3		1	5	1	2	1	2	1
	{M	64		1			1	2	1	1		3	1
13	Dropsy	38	1	1				2	1	1	1	1	1
	{M	39	1		1			2	1			1	1
14	Others of this group	25	13	2			1	16	4			1	
	{M	20	7	3			2	12					2
15	2. Diseases of the nervous system	4,801	1,121	330	128	71	45	1,695	112	65	54	48	85
16	Males	2,560	648	172	70	35	20	945	58	43	29	21	43
17	Females	2,241	473	158	58	36	25	750	54	22	25	27	42
18	Inflammation of the brain	25	4	2	3		1	10	1	1	2	1	1
	{M	35	2	3	3	2		10	6	1	1	1	1
19	Meningitis	514	169	95	46	17	9	336	40	14	9	3	12
	{M	395	142	84	34	17	14	291	25	12	7	7	10
20	Apoplexy	734	16	4		2		22	2	1	4	7	7
	{M	736	13	1	2			18	5		3	4	6
21	Paralysis	317	5	1		2		8	1	2	1		1
	{M	315	2	2		1	3	8	2		2	1	2
22	Paralysis, general (of insane)	52											3
	{M	21											
23	Tetanus and trismus nascentium	69	33					33	2	17	4	2	1
	{M	25	19					19		1		1	2
24	Chorea	2									1		
	{M	4							1	1	1		
25	Epilepsy	38	3	1				4		2	4	1	7
	{M	23								1	3		3
26	Convulsions	487	368	61	17	11	5	462	8	3	1	1	1
	{M	398	266	57	17	12	6	358	10	1	3	4	6
27	Mental diseases	44										1	
	{M	62									1	2	3
28	Diseases of the brain	187	45	6	3	3	3	60	4	3	2	2	8
	{M	163	25	11	2	2	2	42	4	4	2	4	4
29	Diseases of the spinal cord	46	4	2	1		1	8			1	1	
	{M	29	3					3	1		1	1	2
30	Locomotor ataxia	27	1					1				1	
	{M	5											
31	Others of this class	18					1	1				1	2
	{M	30	1					1		1	1	2	3
32	3. Diseases of the circulatory system	2,811	196	13	3	6	5	223	53	59	62	65	79
33	Males	1,433	109	9	2	3	1	124	26	20	34	27	39
34	Females	1,378	87	4	1	3	4	99	27	39	28	38	40
35	Pericarditis	12				1		1		2	1	1	1
	{M	20							2	2	2		1
36	Diseases of the heart	1,265	76	8	2	2	1	89	26	18	33	26	37
	{M	1,254	70	4	1	3	4	82	25	36	26	32	37
37	Angina pectoris	70											1
	{M	57								1		5	1
38	Diseases of the arteries	36											
	{M	23											
39	Aneurism	11											
	{M	4											
40	Embolism	5	1					1					1
	{M	2											
41	Others of this class	34	32	1				33				1	
	{M	18	17					17					

423

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
500	485	391	332	365	335	302	284	224	134	67	28	6	1	5	1
265	248	215	184	175	169	144	137	103	60	31	10	3	1	3	2
235	237	176	148	190	166	153	147	121	74	36	18	3		2	3
1		1	2	5	3	3	4	3	3		1				} 4
3	7	1	2	3	6	3	3	2	2	1					
5		7	9	10	4	10	7	5	2	5			1		} 5
3	3	3	3	8	11	8	14	8	5	1	3				
1	1	3	2	2	3	4	4	5	2	1	1				} 6
2	6	1		6	1	3	2	5	2		1	1			
2	1		1		1	1	1	1	1						} 7
4		2				1				1					
4	1	1	1												} 8
1		1		1				1							
1	2	1		5		1			1						} 9
2	1		1	2			2								
246	234	170	142	108	99	66	60	35	18	6		1		2	} 10
194	182	112	67	75	57	59	59	40	21	6	7			1	
4	7	24	19	39	46	52	50	48	27	16	5	2		1	} 11
19	34	50	67	87	80	69	60	53	35	23	4	2		1	
	1	6	5	4	8	2	7	2	2	1					} 12
6	3	5	5	5	8	10	4	6	3	1					
	1	1	2	1	5	5	4	4	4	2	3				} 13
3	1	1	3	3	3	3	2	5	4	3	3				
1		1	1	1											} 14
						2	1	1	2						
93	105	114	185	205	272	309	380	382	341	210	87	40	9	10	15
54	55	69	105	110	134	174	199	188	167	105	30	19	6	6	} 16
39	50	45	80	95	138	135	181	194	174	105	57	21	3	4	
3	1						1	3	1						} 18
1		2		3	2	1	1	4				1			
11	12	10	19	7	8	7	9	7	4	5		1			} 19
5	5	2	6	5	4	4	4	3	4			1			
16	11	30	43	59	70	99	106	93	92	45	11	9	3	4	} 20
10	18	19	49	54	91	86	103	99	87	47	25	8	3	1	
4	6	3	16	18	19	43	39	57	45	34	15	4	1		} 21
2	5	3	9	14	21	24	40	54	56	43	22	4		3	
5	4	9	3	4	7		5	4	3	4		1			} 22
3	1	1	1	1	1		4	3	4	1	2	1			
3	2	1		1	2	1									} 23
					1										
								1							} 24
									1						
1	4	2	4	1		2	4	1		1					} 25
1	4	2		4	1	1	2	1							
1	3		2	1			1	1							} 26
5	3	2	1	2			1	1		1		1		1	
1	2	3	1	5	5	3	6	6	6	5					} 27
1	4	2	5	3	7	3	11	8	4	5	1	2			
6	6	5	7	9	13	9	14	11	11	9	3	3	1	1	} 28
5	7	10	7	4	5	14	10	14	13	4	6	4			
1	2	3	4	2	2	5	6	4	4	2			1		} 29
1	1	1	1	4	4	2	2	3	1	1					
	2	2	5	1	5	4	5		1						} 30
		1			1		1		1	1					
2		1	1	2	3	1	3				1				} 31
5	2	1	1	2			2	3	3	2	1				
92	122	134	141	193	229	266	307	281	259	154	66	14	4	8	32
40	58	54	61	110	119	147	158	143	152	77	32	6	2	4	} 33
52	64	80	80	83	110	119	149	138	107	77	34	8	2	4	
	1	2	1				1		1						} 35
2	1	3			2	1	1	2	1						
36	50	47	54	99	111	128	148	127	129	63	32	6	2	4	} 36
48	62	72	71	79	104	107	139	123	95	70	33	8	1	4	
3	5	3	3	10	5	13	5	7	10	5					} 37
1	1	3	9	2	3	9	6	7	5	4					
	1		2			5	4	7	11	6					} 38
		1		1	1	2	1	6	6	3	1		1		
1	1	2	1	1	2	1		1	1						} 39
		1		1			2								
1					1			1		2					} 40
										1					} 41

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	5,381	1,291	625	276	143	81	2,416	206	49	81	87	140
2	Males.....	2,864	746	336	154	65	33	1,334	104	23	45	56	82
3	Females.....	2,517	545	289	122	78	48	1,082	102	26	36	31	58
4	Croup.....	133	7	32	34	21	10	104	28	3	1	1	1
	{M.....	108	11	20	20	13	14	78	26				
	{F.....												
5	Pneumonia.....	1,966	430	231	98	37	20	816	61	20	34	46	71
	{M.....	1,702	316	199	80	51	21	667	59	18	28	22	50
	{F.....												
6	Laryngitis.....	25	7	2	1	2		12	6	1		1	
	{M.....	28	5	4	4	5		18	4			1	
	{F.....												
7	Bronchitis.....	432	201	57	14	4	2	278	3	1	1	1	3
	{M.....	449	160	56	13	6	9	244	7	1	2	3	2
	{F.....												
8	Pleurisy.....	61	2	5	4			11			4	3	3
	{M.....	37	2	2	1		1	6	2	2	2	1	1
	{F.....												
9	Asthma.....	16							1		1		
	{M.....	19	1					1	1				1
	{F.....												
10	Others of this class.....	231	99	9	3	1	1	113	5	1	5	5	4
	{M.....	174	50	8	4	3	3	68	3	2	4	4	4
	{F.....												
11	5. Diseases of the digestive system.....	1,685	237	39	18	15	16	325	48	42	64	68	94
12	Males.....	819	145	19	8	6	8	186	24	25	25	26	38
13	Females.....	866	92	20	10	9	8	139	24	17	39	42	56
14	Dentition.....	11	6	4	1			11					
	{M.....	19	8	9		1	1	19					
	{F.....												
15	Angina.....	14	2	2	1		1	6	3	1			1
	{M.....	13	1		3	1		5	5				1
	{F.....												
16	Gastritis.....	155	31	4	1	2	2	40	1	1	1	1	5
	{M.....	161	21	5	1	2	3	32	1	3	3	5	9
	{F.....												
17	Diseases of the stomach.....	40	4				1	5			2	1	4
	{M.....	30	2	1				3	1		1	2	2
	{F.....												
18	Obstruction of the bowels.....	54	16	1	1	1		19	1	1	2	3	3
	{M.....	82	10	1		1	1	13	3		2	2	4
	{F.....												
19	Appendicitis.....	65							6	7	8	12	10
	{M.....	64	1					1	5	7	8	4	7
	{F.....												
20	Hernia.....	45	7	1				8			4	1	
	{M.....	35									1	1	
	{F.....												
21	Other diseases of the bowels.....	24	7	1		1		9	1	1			1
	{M.....	25	8	1				9	2		2		
	{F.....												
22	Jaundice.....	39	26					26				1	1
	{M.....	23	8		1			9					2
	{F.....												
23	Inflammation and abscess of the liver.....	16							1	3		1	1
	{M.....	25	3					3	1				1
	{F.....												
24	Other diseases of the liver.....	170	7	2			1	10			1		4
	{M.....	111	3					3	1			1	3
	{F.....												
25	Peritonitis.....	127	12	1	3	2	3	21	11	11	7	7	7
	{M.....	208	6	1	3	3	2	15	5	7	22	26	25
	{F.....												
26	Ascites.....	4											
	{M.....	3											
	{F.....												
27	Others of this class.....	55	27	3	1			31					2
	{M.....	67	21	2	2	1	1	27					1
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	1,963	35	13	10	7	9	74	37	24	39	63	84
29	Males.....	1,121	22	8	6	4	5	45	20	13	18	21	45
30	Females.....	842	13	5	4	3	4	29	17	11	21	42	39
31	Bright's disease.....	848							17	9	15	20	39
	{M.....	685							16	11	19	34	31
	{F.....												
32	Calculus, urinary.....	3								1			
	{M.....	4											
	{F.....												
33	Diseases of the kidney.....	76	14	7	6	4	4	35	3		2		1
	{M.....	50	10	5	4	3	4	26			1		
	{F.....												
34	Diseases of the bladder.....	69											
	{M.....	11	1					1					
	{F.....												
35	Others of this class.....	125	8	1			1	10		3	1	1	5
	{M.....	92	2					2	1		1	8	8
	{F.....												
36	7. Diseases of the female organs of generation.....	65		1				1			1	8	6
37	Ovarian tumors.....	9										1	
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	11											2
40	Uterine tumors.....	13											
41	Uterine diseases.....	6									1	2	3
42	Others of this class.....	25		1				1				5	1

425

NEW JERSEY--Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
167	219	156	176	188	232	247	254	233	237	172	84	27	3	7	1
89 78	139 80	95 61	97 79	103 85	123 109	122 125	120 134	104 129	108 129	71 101	38 46	4 23	3	4 3	2 3
				1											} 4
79 64	120 65	78 51	78 62	83 60	92 86	93 92	83 98	70 82	72 85	42 72	22 29	2 10	1	3 2	
		1		1	1	1	3	1			1				} 6
1 7	6 3	6 2	6 6	9 11	13 7	14 23	15 25	22 33	20 34	19 17	10 11	2 11	2		
3 1	3 4	5 2	7 4	3 3	5 2	3 1	6 3	2 3	3 3						} 8
1		1 2			2	3 2	1 4	3		1 2	1			1	
5 6	10 7	4 4	6 6	7 6	11 13	9 6	12 4	7 13	13 6	9 10	5 5		2	1	} 10
95	103	110	92	85	110	101	103	91	70	56	18	4	2	4	
28 67	44 59	51 59	52 40	50 35	50 60	67 34	51 52	40 51	27 43	24 32	6 12	3 1	1 1	1 3	12 13
															} 14
		1 1	1							1					
3 6	8 7	5 11	9 6	9 8	7 10	12 6	19 8	14 13	8 16	7 10	2 5	2 1	1 1		} 16
1 3	4 2	3 3	5 5	3	1 2	5		2 4	3 1	1	1				
1 3	1 3	4 5	6 3	1 1	2 12	2 5	2 8	2 7	2 5	1 5				1	} 18
5 8	4 4	4 3	1 4	3 2		1 2	3 5	1							
2 1	4 2		6 4	2 2	3 2	6 4	2 7	2 4	1 2	4 2					} 20
1		1 2	1	3 1	1 2			2 2		4		1			
	1		1	1 2	3 1	2	3 1	1 2	1 1	1	1			1	} 22
1	1	1 1	3 1			2 4	1 2	2 4	1	2	1				
10 12	9 11	24 12	12 9	21 11	20 12	28 5	14 8	8 5	6 9	2 5	1 3			1	} 24
5 30	12 27	7 14	7 5	6 4	11 9	5 7	6 4	3 3		1 2					
			1	1		1			1 1						} 26
	2	1 3	1 2		2 3	3 1	1 9	3 6	4 4	3 4	2			1	
91	137	147	125	146	154	211	190	186	131	77	39	4	2	2	28
41 50	69 68	84 63	64 61	90 56	81 73	132 79	116 74	115 71	88 43	48 29	27 12	3 1	2	1 1	29 30
37 44	53 46	75 56	53 52	77 52	65 66	108 65	91 65	83 62	63 36	28 21	13 6	2 1	1	1	} 31
		1		1		1	1			1					
1 1	3 4	3 2	3 1	2	3 2	2 2	6 3	3 2	5 1	1 4	2 1	1			} 33
	2 1	1	2	6	7 1	7	11 1	16 1	8 2	5 1	4 3				
3 5	11 17	5 4	6 8	5 3	6 4	14 11	7 5	13 6	12 4	14 2	8 2		1	1	} 35
11	11	6	6	5	3	2	1	3		1					
			2	2	1		1	2							37
1															38
5	4														39
	2	3	2	1	1	2		1		1					40
															41
5	5	3	2	2	1										42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	238									10	52	63
2	Abortion	6										1	2
3	Childbirth	61									1	7	15
4	Puerperal septicemia	112									4	31	34
5	Extra-uterine pregnancy	5										2	
6	Others of this class	54									5	11	12
7	9. Diseases of the bones and joints	62	9	2				11	2	6	8	4	3
8	Males	37	6	1				7	1	5	6	2	2
9	Females	25	3	1				4	1	1	2	2	1
10	Diseases of the spine (M)	11	3					3	1	2	1	1	
	Diseases of the spine (F)	6	1					1				1	
11	Abscess, lumbar and psoas (M)	1										1	
	Abscess, lumbar and psoas (F)												
12	Diseases of the bones (M)	15	2	1				3		1	4		1
	Diseases of the bones (F)	11	2	1				3	1	1	1		1
13	Diseases of the hip-joint (M)	8	1					1		2	1		1
	Diseases of the hip-joint (F)	1									1		
14	Others of this class (M)	2											
	Others of this class (F)	7										1	
15	10. Diseases of the skin	39	10	2				12	1		1		
16	Males	26	7					7	1				
17	Females	13	3	2				5			1		
18	Abscess (M)	9	1					1	1				
	Abscess (F)	8	2	1				3			1		
19	Carbuncle (M)	8											
	Carbuncle (F)	1											
20	Others of this class (M)	9	6					6					
	Others of this class (F)	4	1	1				2					
21	11. Diseases of the absorbent system	17	2	1		1		4		1		2	2
22	Males	10	2			1		3				2	1
23	Females	7		1				1		1			1
24	Addison's disease (M)	3										1	
	Addison's disease (F)	1											
25	Diseases of the spleen (M)	3				1		1				1	1
	Diseases of the spleen (F)	2											1
26	Others of this class (M)	4	2					2					
	Others of this class (F)	4		1				1		1			
27	12. Accidents and injuries	1,720	106	32	34	32	29	233	93	73	95	150	157
28	Males	1,311	70	16	20	21	12	139	61	56	78	129	124
29	Females	409	36	16	14	11	17	94	32	17	17	21	33
30	Burns and scalds (M)	74	2	8	14	13	3	40	1	3	1	3	2
	Burns and scalds (F)	114	2	9	9	9	14	43	21	6	4	2	3
31	Drowning (M)	208	4	4	2	2	1	13	26	24	13	21	18
	Drowning (F)	20	1		1	1		3	2	2		1	
32	Exposure and neglect (M)	9	3					3					
	Exposure and neglect (F)	2											
33	Gunshot wounds (M)	43								7	4	4	5
	Gunshot wounds (F)	7								1		2	1
34	Homicide (M)	12									1	3	
	Homicide (F)	4									1		1
35	Infanticide (M)	2	2					2					
	Infanticide (F)												
36	Injuries by machinery (M)	3									2		
	Injuries by machinery (F)												
37	Railroad accidents (M)	309			2	1	3	6	10	10	20	45	34
	Railroad accidents (F)	44	4	1			1	6	2	3	3	6	6
38	Suffocation (M)	62	31		1		1	33	2			3	2
	Suffocation (F)	36	17	2			1	20	3		1	2	2
39	Suicide by shooting (M)	52									2	6	2
	Suicide by shooting (F)	1											
40	Suicide by drowning (M)	6										1	
	Suicide by drowning (F)	3										1	
41	Suicide by poison (M)	43										12	4
	Suicide by poison (F)	21									4	4	5
42	Other suicides (M)	39									3		2
	Other suicides (F)	7										1	3
43	Sunstroke (M)	29	5					5	2		2		5
	Sunstroke (F)	17	6	1				7	1				1
44	Surgical operations (M)	6											4
	Surgical operations (F)	12											
45	Wounds (M)	17							2		2	1	3
	Wounds (F)	2		1				1					
46	Others of this class (M)	397	23	4	1	5	4	37	18	12	28	30	47
	Others of this class (F)	119	6	2	4	1	1	14	3	5	4	2	7

427

NEW JERSEY—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
45	37	25	4						1					1	1
	1	1							1						2
14	13	8	2											1	3
18	12	11	2												4
2	1														5
11	10	5													6
3	1	1	5	5	1	2	4	3	2	1					7
2	1		2	3	1		2	1	2						8
1		1	3	2		2	2	2		1					9
				2			1								10
			2	1			1								11
			1	1			1	1	2						12
1			1							1					13
2					1										14
	1		1												15
		1		1		2	1	1							
2		4	2	1	3	3	4		3	1	2				16
															17
2		3	2		2	2	3		2	1	1				18
		1		1	1	1	1		1						19
1		2	1		1	1	1								20
		1													
1			1	1	1	1	2		2						21
			1							1	1				22
	1	1		1	1	1	1								23
	1				1					1					24
															25
						1									26
		1		1			1								
135	148	120	107	85	68	64	60	42	33	19	16	2		20	27
111	129	107	88	64	58	48	45	28	18	6	5	1		16	28
24	19	13	19	21	10	16	15	14	15	13	11	1		4	29
2	5	5		1	2	1	4	2		2					30
6	5	2		5		5	4	3			1			1	31
13	19	18	10	8	3	3	7	4	3					5	32
3	2		2	3	1		1								33
	2	1	2	1						1					34
															35
															36
															37
															38
															39
															40
															41
															42
															43
															44
															45
															46

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	25,352	5,706	1,509	675	411	306	8,607	817	399	567	680	1,083
2	Males.....	13,535	3,301	771	361	200	141	4,774	435	207	289	445	562
3	Females.....	11,817	2,405	738	314	211	165	3,833	382	192	278	435	521
4	Unknown cause.....	142	38	7	3	2	-----	50	8	3	2	2	5
5	Males.....	76	25	3	2	1	-----	31	3	1	1	2	3
6	Females.....	66	13	4	1	1	-----	19	5	2	1	-----	2
7	1. General diseases.												
	General diseases--A.....	4,210	1,561	502	233	153	127	2,576	318	90	69	93	89
8	Males.....	2,209	874	251	114	77	69	1,385	170	46	33	49	54
9	Females.....	2,001	687	251	119	76	58	1,191	148	44	36	44	35
10	Measles.....	{M. 91 F. 84	25 18	35 36	9 11	5 4	3 4	77 73	10 6	3 2	-----	2	-----
11	Scarlet fever.....	{M. 96 F. 94	5 1	11 12	18 15	13 20	9 12	56 60	30 24	5 3	3 1	1 2	1 1
12	Diphtheria.....	{M. 268 F. 253	19 8	35 35	36 45	30 30	39 26	159 147	80 81	19 16	2 4	2 2	2
13	Whooping cough.....	{M. 128 F. 113	65 54	36 31	12 11	8 5	3 3	124 104	1 5	-----	-----	-----	-----
14	Malarial fever.....	{M. 45 F. 45	8 4	1 2	3 1	-----	1 1	10 11	1 3	1 3	-----	4 3	1 4
15	Influenza.....	{M. 139 F. 173	9 8	3 2	1 1	1 2	-----	14 14	6 2	-----	2 3	1 6	6 3
16	Typhoid fever.....	{M. 167 F. 120	3	-----	2 1	1 1	2 2	8 4	13 7	9 8	22 17	31 13	28 15
17	Cholera morbus.....	{M. 44 F. 30	11 7	1 3	3 1	1 1	-----	16 12	2	1	-----	-----	1 1
18	Colitis.....	{M. 31 F. 27	16 9	-----	1 1	1 1	-----	18 16	2	-----	-----	1	-----
19	Diarrhea.....	{M. 75 F. 70	39 24	7 7	2 1	-----	1	49 32	1 4	-----	-----	1 1	-----
20	Dysentery.....	{M. 62 F. 77	9 7	6 13	4 2	1 4	1 1	21 27	5	1	-----	-----	1 1
21	Enteritis.....	{M. 479 F. 408	305 247	61 50	13 8	8 4	5 3	392 312	6 6	4 1	-----	4 5	6 1
22	Cholera infantum.....	{M. 358 F. 306	300 246	46 46	10 11	1 1	1 2	358 306	-----	-----	-----	-----	-----
23	Fever.....	{M. 2 F. 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
24	Cerebro-spinal fever.....	{M. 57 F. 42	20 13	6 5	2 3	3 1	3 1	34 23	10 7	2 4	2 4	1	2
25	Smallpox.....	{M. 3 F. 2	1	1	-----	-----	-----	2	-----	-----	-----	1	-----
26	Erysipelas.....	{M. 46 F. 40	18 18	1	-----	-----	-----	19 18	-----	-----	1	2	2
27	Septicemia.....	{M. 62 F. 69	10 11	1 3	1	1	2	15 16	1 2	-----	2 3	3 6	3 7
28	Venereal diseases.....	{M. 11 F. 13	7 10	-----	-----	1	-----	8 10	-----	-----	-----	-----	1
29	Others of this group.....	{M. 45 F. 34	4 2	-----	1	1	1	5 4	2 1	1	-----	-----	1 1
30	General diseases--B.....	421	258	12	8	5	-----	283	1	2	4	12	8
31	Males.....	262	146	7	5	4	-----	162	-----	2	1	5	5
32	Females.....	159	112	5	3	1	-----	121	1	-----	3	7	3
33	Alcoholism.....	{M. 60 F. 12	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2
34	Parasitic diseases.....	{M. 1 F. -----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	1
35	Lead poison.....	{M. 5 F. -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
36	Other poisons.....	{M. 42 F. 26	2 4	5	2 2	4 1	-----	13 7	-----	1	1 3	4 5	3 2
37	Inanition.....	{M. 154 F. 121	144 108	2 5	2 1	-----	-----	148 114	-----	1	-----	2	-----
38	General diseases--C.....	1,926	1,304	77	16	4	4	1,405	-----	2	1	2	1
39	Males.....	1,049	786	30	9	2	3	830	-----	1	1	-----	-----
40	Females.....	877	518	47	7	2	1	575	-----	1	-----	2	1
41	Old age.....	{M. 188 F. 256	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
42	Premature birth.....	{M. 265 F. 177	265 177	-----	-----	-----	-----	265 177	-----	-----	-----	-----	-----
43	Malformation.....	{M. 79 F. 47	79 47	-----	-----	-----	-----	79 47	-----	-----	-----	-----	-----
44	Debility and atrophy.....	{M. 459 F. 369	384 267	30 47	9 7	2 2	3 1	428 324	-----	1 1	1	2	1
45	Others of this group.....	{M. 58 F. 28	58 27	-----	-----	-----	-----	58 27	-----	-----	-----	-----	-----

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,090	1,210	1,072	1,002	1,099	1,180	1,282	1,365	1,265	1,096	759	360	134	37	48	1
560 530	664 546	612 460	581 421	605 494	623 557	718 564	683 682	625 640	536 560	360 399	158 202	52 82	15 22	31 17	2 3
3	8	3	7	5	9	2	6	6	10	7	1			5	4
3	4 4	1 2	4 3	1 4	2 7	2	1 5	5 1	4 6	3 4	1			4 1	5 6
84	73	68	58	69	80	93	103	125	92	68	40	13	4	5	7
37 47 1	33 40 1	37 31 1	34 24 1	34 35 1	40 40 1	46 47 1	53 50 1	64 61 1	33 59 1	31 37 1	20 20 1	4 9 1	3 1 1	3 2 1	8 9 10
	1	1												1	11
2 2 2 3		1				1									12
6 3 6 4 10 15 1	2 3 4 5 13 13 1 1	4 1 5 6 7 6 2 1 1	1 2 6 4 9 4 3 1 1	2 1 6 8 3 8 3 1 2 1	2 1 7 17 2 5 3 1 1	2 3 9 20 5 1 4 1 1	2 2 21 18 1 1 3 1 1	2 1 20 22 4 1 5 3 2 1	4 3 3 19 1 1 1 1 1	1 1 12 9 1 1 5 1 2	1 1 8 10 2 1 2 1 1	2 2 2 2 1 1 1 1 1	1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	4,062	179	59	28	16	20	302	47	50	183	350	446
2	Males	2,074	100	31	20	7	11	169	25	14	84	175	225
3	Females	1,988	79	28	8	9	9	133	22	36	99	175	221
4	Anemia	(M) 21 (F) 39	1 1	1		1	1	1 4			1 1	2 3	2
5	Diabetes	(M) 49 (F) 60	1			1	1	3	1	1	2	1	3 1
6	Rheumatism	(M) 22 (F) 29	1 2					1 2	2 1		1 2	1	1 1
7	Scrofula and tuberc.	(M) 20 (F) 15	5 2	1 1	1			7 5			2	2	2 2
8	Hydrocephalus	(M) 104 (F) 85	50 42	16 17	10 3	4 6	5	85 68	6 9		4	1 1	2 1
9	Tuberculosis, general	(M) 26 (F) 18	7 4	1	1			8 6	2 1	1		1 2	4
10	Consumption	(M) 1,493 (F) 1,197	27 19	12 5	5 3	2 1	2 6	48 34	10 8	8 31	75 90	165 164	209 202
11	Cancer	(M) 262 (F) 452			1		1	1 3	1	1	1	1	4 8
12	Tumor	(M) 35 (F) 47			3		1	4 1	1 1	1 1	1	2 2	1
13	Dropsy	(M) 25 (F) 30						1	1	1	1	1	1
14	Others of this group	(M) 17 (F) 16	8 6	2 2			1 1	11 9	3			1	2
15	2. Diseases of the nervous system	3,661	887	250	107	64	36	1,344	90	45	45	36	57
16	Males	1,939	509	125	59	29	14	736	48	32	23	14	26
17	Females	1,722	378	125	48	35	22	608	42	13	22	22	31
18	Inflammation of the brain	(M) 17 (F) 29	4 2	2 3	2 3			8 10	1 4		1 1	1 1	1
19	Meningitis	(M) 397 (F) 323	132 121	69 67	41 27	15 17	9 11	266 243	33 19	9 6	7 5	3 7	7 9
20	Apoplexy	(M) 572 (F) 563	15 13	4 1		2 2		21 17	2 4		3 3	5 4	5 4
21	Paralysis	(M) 238 (F) 234	5 1	1 1		1 1		7 6		1		1	1
22	Paralysis, general (of insane)	(M) 29 (F) 13											1
23	Tetanus and trismus nascentium	(M) 57 (F) 20	29 16					29 16	1	15 1	3	1	1
24	Chorea	(M) 1 (F) 1									1		
25	Epilepsy	(M) 25 (F) 15		1				1		2	4 3	1	3 2
26	Convulsions	(M) 376 (F) 316	286 202	43 47	13 15	9 11	3 6	354 281	7 9	2	1 3	1 4	1 5
27	Mental diseases	(M) 19 (F) 33									1		2
28	Diseases of the brain	(M) 139 (F) 121	33 20	5 6	3 2	2 2	1 2	44 32	4 3	3 4	2 2	2 1	5 2
29	Diseases of the spinal cord	(M) 37 (F) 25	4 2					4 2			1 1	1 1	1
30	Locomotor ataxia	(M) 21 (F) 5	1					1					
31	Others of this class	(M) 11 (F) 24					1	1 1				2	3
32	3. Diseases of the circulatory system	2,165	162	11	2	6	4	185	43	49	49	52	59
33	Males	1,111	87	7	1	3		98	20	17	28	23	29
34	Females	1,054	75	4	1	3	4	87	23	32	21	29	30
35	Pericarditis	(M) 11 (F) 18				1		1		2 2	1 1	1	1 1
36	Diseases of the heart	(M) 983 (F) 953	64 59	6 4	1 1	2 3		73 71	20 21	15 29	27 20	22 24	28 28
37	Angina pectoris	(M) 52 (F) 42								1		4	
38	Diseases of the arteries	(M) 29 (F) 18											
39	Aneurism	(M) 8 (F) 4											
40	Embolism	(M) 4 (F) 2	1					1					1
41	Others of this class	(M) 24 (F) 17	22 16	1				23 16				1	

431

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	401	314	268	286	260	231	211	158	99	39	18	3		3	1
212 181	216 185	175 139	147 121	137 149	138 122	113 118	100 111	74 84	44 55	15 24	7 11	2 1		2 1	2 3
		1	2	3	2	2	2	3	1		1				} 4
3	6	1	2	2	6	8	1	2	2	1					
2		5	7	7		7	6	4	2	1					} 5
3	3	3	2	6	9	4	12	5	3	1	3				
1	1	1	2	1	2	3	4		2						} 6
2	5	1		4		2	2	3			1	1			
2	1		1		1	1	1	1	1						} 7
2		2				1				1					
3	1	1	1												} 8
1		1	1	1				1							
2	2	1		4		1			1						} 9
	1		1	2			2								
201	205	146	113	86	85	53	48	23	12			1			} 10
150	138	85	53	60	43	41	46	28	14	5	4			1	
2	5	15	16	30	39	41	34	38	21	8	3	1		1	} 11
11	28	40	57	70	58	55	42	36	27	13	2				
		4	3	4	6	2	3	2	1	1					} 12
5	3	5	3	3	3	9	3	4	3						
	1		2	1	3	3	2	3	3	1	3				} 13
2	1	1	3	1	3	2	2	4	4	3	1				
		1		1											} 14
						1	1	1	2						
66	80	91	146	153	206	233	293	289	243	146	59	29	5	5	15
38 28	41 39	55 36	88 58	81 72	98 108	130 103	149 144	141 148	119 124	77 69	22 37	14 15	3 2	4 1	16 17
2	1							3							} 18
1		2		2	2	1	1	2							
6	11	8	16	7	5	6	4	4	2	2		1			} 19
3	5	2	4	5	3	4	3	3							
11	9	28	39	46	53	72	82	70	70	37	10	5	2	2	} 20
9	16	12	33	38	72	62	85	78	63	36	14	6	2		
4	5	3	15	12	12	34	32	45	30	25	9	3			} 21
2	2	3	6	11	17	21	33	42	42	25	14	3		1	
2	1	3	1	1	5		4	4	2	4		1			} 22
2	1						2	2	3		2	1			
3	1			1	2	1									} 23
								1							
															} 24
									1						
1	2	2	3	1		1	3	1							} 25
	2	2		4	1	1									
1	3		2	1				1				1		1	} 26
4	3	1	1	1			1	1		1					
1	1	1	2	3	2	2	4	2	1	2					} 27
	1	2	2	2	3	1	8	4	3	1	1	2			
5	4	5	4	7	10	6	10	7	9	5	2	3	1	1	} 28
3	6	8	5	4	5	11	7	10	7	3	5	3			
	1	3	4	1	2	5	5	4	4	2					} 29
1	1	1	1	4	4	2	1	2	1	1					
	2	2	4		4	2	5		1						} 30
		1			1		1		1	1					
2				1	3	1					1				} 31
3	2	1	1	1			2	3	1	1	1				
74	100	108	104	153	178	206	231	205	195	111	44	9	3	7	32
31 43	50 50	44 64	50 54	89 64	94 84	121 85	115 116	101 104	114 81	57 54	21 23	4 5	1 2	4 3	33 34
	1	2	1				1								} 35
2	1	3			2	1	1	2							
28 40	43 48	39 57	44 46	81 61	87 79	107 75	107 108	89 93	96 72	47 50	21 22	4 5	1 1	4 3	} 36
2	4	1	3	7	5	9	4	5	9	3					} 37
	1	2	8	2	2	7	4	5	4	2					
	1		2			4	3	5	9	5					} 38
		1			1	2	1	4	5	2	1		1		
1	1	2		1	1	1		1							} 39
		1		1			2								
					1			1		1					} 40
1															
										1					} 41

CAUSE, SEX, AND AGE.

433

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
143	181	131	144	142	174	193	195	173	185	128	59	19	3	4	1
79 64	122 59	81 50	86 58	76 66	98 76	93 100	86 109	66 107	85 100	54 74	27 32	2 17	3	1 3	2 3
				1											1
70 51	106 50	68 42	68 49	59 45	72 61	69 70	58 81	48 65	54 65	33 53	16 18	1 7	1	1 2	5
		1					3								6
1 7	6 1	4 2	6 4	7 10	12 7	11 20	13 20	12 28	17 26	15 41	6 9	1 8	2		7
3 1	3 2	3 1	7 4	3 3	5 1	2 1	2 3	1	2 3						8
1		1			2	3		1			1				9
	1	2		2		2	2		1	1					10
4 5	7 5	4 3	5 1	7 4	7 7	8 6	10 3	4 13	12 5	6 9	4 4	2		1	11
81	84	90	75	68	87	76	82	67	51	49	13	4	1	1	12
21 60	33 51	43 47	41 34	40 28	42 45	48 28	38 44	27 40	18 33	21 28	4 9	3 1	1	1	13
															14
		1 1	1							1					15
3 5	7 6	5 9	7 6	8 5	7 9	9 6	13 6	11 10	5 10	6 8	1 3	2 1	1		16
	3	3	5	3	1	3		1	3	1					17
3	2	3	5		2			4	1		1				18
3	1 3	3 2	5	1 1	2 10	1 4	2 6	2 6		1 4	1				19
3 7	1 1	2 3		2 1		1 3	2 5								20
2 1	2 2		4 2	1 1	3 2	5 2	2 4	2	1 2	3 2					21
		1		3	1			1		4		1			22
	1	2	1		2			2	1		1				23
		1		1	3	1	2	1	1						24
1		1	2			1	1	2	1	2	1				25
8 10	9 11	21 9	10 8	14 11	16 7	23 5	12 8	4 4	4 8	1 5	1 2			1	26
5 28	9 24	6 11	5 5	6 4	7 4	3 4	3 4	1 2	1 2	1 1					27
			1	1											28
2	1	3	1	2	3	1	1	3	2	3	1				29
66	113	120	98	117	112	155	152	143	93	60	30	3	2	1	30
28 38	57 56	70 50	53 45	73 44	58 54	104 51	89 63	91 52	62 31	39 21	22 8	2 1		1	31
25 33	44 37	62 45	45 38	63 41	46 49	83 44	68 54	65 46	46 27	21 14	9 5	1 1	1		32
						1	1								33
		1								1					34
1	3 2	3 2	2 1	1	2 1	2 1	5 3	2 1	1	3	2	1			35
	2 1	1	2	4	5 1	6	9 1	13 1	6 1	5 1	4 2				36
3 4	8 16	4 2	4 6	5 3	5 3	12 6	6 5	11 4	9 3	13 2	7 1		1		37
10	8	5	3	5	3	1		3		1					38
			1	2	1			2							39
5	3														40
	1	3	2	1	1	1		1		1					41
5	4	2		2	1										42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	192									8	37	55
2	Abortion	5											2
3	Childbirth	55									1	7	15
4	Puerperal septicemia	81									2	18	29
5	Extra-uterine pregnancy	2										1	
6	Others of this class	49									5	11	9
7	9. Diseases of the bones and joints	46	7	1				8	2	5	8	3	2
8	Males	26	4					4	1	4	6	1	1
9	Females	20	3	1				4	1	1	2	2	1
10	Diseases of the spine	8	2					2	1	1	1	1	
		5	1					1				1	
11	Abscess, lumbar and psoas												
12	Diseases of the bones	11	2					2		1	4		
		9	2	1				3	1	1	1		1
13	Diseases of the hip-joint	6								2	1		1
		1									1		
14	Others of this class	1										1	
		5											
15	10. Diseases of the skin	29	9					9			1		
16	Males	19	7					7					
17	Females	10	2					2			1		
18	Abscess	5	1					1					
		6	1					1			1		
19	Carbuncle	7											
		1											
20	Others of this class	7	6					6					
		3	1					1					
21	11. Diseases of the absorbent system	10	2					2				1	1
22	Males	6	2					2				1	1
23	Females	4											
24	Addison's disease	3										1	
		1											
25	Diseases of the spleen	1											1
		1											
26	Others of this class	2	2					2					
		2											
27	12. Accidents and injuries	1,324	81	26	25	24	22	178	68	64	57	116	113
28	Males	992	55	13	16	14	6	104	43	50	47	99	85
29	Females	332	26	13	9	10	16	74	25	14	10	17	28
30	Burns and scalds	57	2	7	12	8	1	30	1	3	1	3	1
		90	1	6	5	8	13	33	16	4	4	2	3
31	Drowning	179	3	3	1	2	1	10	21	21	10	18	18
		17	1		1	1		3	2	2			
32	Exposure and neglect	8	3					3					
		2											
33	Gunshot wounds	29								5	3	3	1
		5										1	1
34	Homicide	8									1	2	
		4									1		1
35	Infanticide	2	2					2					
36	Injuries by machinery	2									1		
37	Railroad accidents	224			2	1	1	4	7	9	15	31	25
		34	4	1			1	6	2	3	1	6	4
38	Suffocation	41	20				1	21				3	2
		29	12	2			1	15	3			2	2
39	Suicide by shooting	46									1	6	2
		1											
40	Suicide by drowning	4										1	
		2											
41	Suicide by poison	40										12	3
		16									2	3	4
42	Other suicides	31									1		2
		6										1	3
43	Sunstroke	24	4					4	2		2		4
		14	5	1				6					1
44	Surgical operations	4											3
		8											
45	Wounds	12							2		2	1	2
		2		1				1					
46	Others of this class	281	21	3	1	3	2	30	10	12	10	20	25
		102	3	2	3	1	1	10	2	5	2	1	6

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
36	31	19	4						1					1	1
	1	1							1						2
13	10	6	2											1	3
12	10	8	2												4
1															5
10	10	4													6
3			4	3		2	3	1	1	1					7
2			2	2			1	1	1						8
1			2	1		2	2			1					9
				2											10
			2				1								11
			1				1	1	1						12
1										1					13
2															14
			1												15
1		4		1	2	3	4		2	1	1				16
1		3			1	2	3		1	1					17
		1		1	1	1	1		1		1				18
		2				1	1			1					19
		1			1	1	2		1						20
										1					21
	1			1	1	1	1		1						22
	1				1										23
	1				1				1						24
										1					25
						1									26
				1			1								27
114	110	97	78	78	48	53	45	33	27	18	12	2		13	28
93	93	88	65	58	41	38	33	22	15	5	2	1		10	29
21	17	9	13	20	7	15	12	11	12	13	10	1		3	30
	5	4		1		1	3	2	2	2					31
5	5	2		5		4	2	2	1		1			1	32
13	16	17	8	8	3	2	5	3	2					4	33
3	2	1	1	3			1								34
	1	1	2	2						1					35
			1	1						1					36
4	3	2	2	4										2	37
1	1		1												38
2	2						1								39
1			1												40
															41
		1													42
23	27	19	16	14	11	8	4	3	3		1			4	43
2			2	3		2	1	1	1						44
1	3	1	1	3	2	3	1								45
1				1		1									46
6	5	6	7	4	3	4	2								47
	1														48
2	1			1											49
						1									50
4	2	3	3	6	2	2	3								51
2	1	1	2							1					52
4	2	5	2	1	4	2	4	3			1				53
				1		1									54
5	1	2	3						1						55
		2	1	1		1	1	1							56
1		1			2										57
2	1			1	1										58
	1	1	1	1		1									59
					1										60
28	24	25	20	15	14	15	10	11	9	2		1			61
4	6	3	4	5	5	5	6	7	10	11	9	1			62

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 2.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	7,383	1,586	364	155	94	64	2,263	215	121	178	270	336
2	Males	3,927	901	197	89	45	38	1,270	107	68	104	143	181
3	Females	3,456	685	167	66	49	26	993	108	53	74	127	155
4	Unknown cause	44	14	3		1	1	19	1			2	3
5	Males	19	6	1				7				1	1
6	Females	25	8	2		1	1	12	1			1	2
7	1. General diseases.												
8	General diseases—A	1,284	439	123	65	45	25	697	92	40	20	41	32
9	Males	674	225	68	36	18	13	370	45	19	16	27	22
10	Females	610	204	55	29	27	12	327	47	21	4	14	10
11	Measles	18	4	6	4		1	15	1				
12	Scarlet fever	13	2	3	2	2	1	10	3				
13	Diphtheria	23	1	3	4	7	1	16	3	1		1	
14	Whooping cough	19			1	6	3	10	7		1		
15	Malarial fever	86	4	7	10	10	9	40	30	10	3	1	
16	Influenza	71	4	7	8	11	7	37	24	4		3	
17	Typhoid fever	33	23	5	3			31	1	1			
18	Cholera morbus	55	25	13	7	5		50	1	3			
19	Colitis	14	3		1	1		5					
20	Dysentery	6						2		1		1	
21	Enteritis	60	2	1	1			4			1	2	2
22	Cholera infantum	71	3					3	1				1
23	Fever	73	2					2	3	3	11	17	15
24	Cerebro-spinal fever	38						1	1	5	3	7	5
25	Smallpox	11	2	2	2			6	1				
26	Erysipelas	8	1	3				4		1			
27	Septicemia	4	1	1		1		2					
28	Venereal diseases	8	1	2	1			5					
29	Others of this group	23	9	1				10					1
30	General diseases—B	21	8					8	2				1
31	Alcoholism	15	4	1	1			6		1			
32	Parasitic diseases	18	4					4					
33	Lead poison	133	92	19	3		1	115	1			1	
34	Other poisons	121	69	15	5		1	90	4				2
35	Inanition	88	71	13	4			88					
36	General diseases—C	90	77	12	1			90					
37	Old age	1											
38	Premature birth	24	6	7	3		1	17	4	1			
39	Malformation	19	3		1	2		6	4	4		1	
40	Debility and atrophy	2										2	
41	Others of this group	1											
42	Alcoholism	22	6	2				8			1		2
43	Parasitic diseases	13	7					7				1	
44	Lead poison	26	3					3	1	2		2	2
45	Other poisons	18								2		1	1
46	Inanition	2	2					2					
47	General diseases—C	16			1			1				1	
48	Old age	20											
49	Premature birth	116	55	4	1			60			1	3	5
50	Malformation	66	28	2				30			1	1	3
51	Debility and atrophy	50	27	2	1			30				2	2
52	Others of this group	24											2
53	Alcoholism	5											
54	Parasitic diseases	2	1	1				2					
55	Lead poison												
56	Other poisons	12	1	1				2			1	1	1
57	Inanition	14	1		1			2				2	2
58	General diseases—C	28	26	2				26					
59	Old age	31	26					28					
60	Premature birth	602	389	11	1		2	403					2
61	Malformation	304	214	4			1	219					1
62	Debility and atrophy	298	175	7	1		1	184					1
63	Others of this group	72											
64	Old age	104											
65	Premature birth	77	77					77					
66	Malformation	68	68					68					
67	Debility and atrophy	15	15					15					
68	Others of this group	10	10					10					
69	Old age	126	108	4			1	113					1
70	Premature birth	100	81	7	1		1	90					1
71	Malformation	14	14					14					
72	Debility and atrophy	16	16					16					

CAUSE, SEX, AND AGE.

437

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2.

20 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
275	301	275	278	298	364	396	428	444	406	286	155	53	16	25	1
139 136	157 144	147 128	141 137	164 134	176 188	211 185	240 188	238 206	202 204	127 159	67 88	20 33	10 6	15 10	2 3
2	3	2	1	1	1	1	1	1	1	3		1		1	4
1 1	2 1	2	1	1	1	1	1	1	1	3		1		1	5 6
21	26	34	19	21	20	33	44	46	49	25	16	4	3	1	7
9 12	15 11	19 15	12 7	12 9	6 14	18 15	17 27	27 19	20 23	11 14	6 10	1 3	2 1	1	8 9
		1					1								10
2															11
			1												12
		1	1	1				1		1					13
		1													14
2	1		1			1 1		3		1					15
1	1 1	3 1	3 2	1 2	3 6	5 4	8 16	12 7	6 11	4 6	3 8	1 2			16
4 5	6 1	5 5	2	2	1	2 4		1 1							17
	1 1			1				2 1							18
				1				1							19
		1								1	1				20
			1 1	1 1			1	3 2	3 3	2 2	1		1		21
1	1 1	1 2	1 2		4	2 1	1 1	1		1					22
		1	2	1	1	3	3 7	1 3	3 7	1 2					23
	2	1		1	1						1				24
															25
															26
															27
															28
															29
1				2 1	1 1	2 4	2 1	1 3	2 5	2 1	2		1 1		30
5	12	8	5	4	4	4		2		1	1		1		31
2 3	9 3	7 1	4 1	2 2	1 3	3 1		1 1		1	1		1		32
2 1	6 1	6	4	2 1	1	1 1				1					33
															34
															35
															36
2	3 2	1	1	1	1 2	2									37
								1 1		1					38
															39
															40
															41
															42
															43
															44
		1	1	1	1	1	1	4 1		1 2	2 2			1	45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continue ¹												
	General diseases—D	1,146	48	17	6	4	6	81	13	14	50	98	115
2	Males	548	33	10	4	1	3	51	4	7	21	44	55
3	Females	598	15	7	2	3	3	30	9	7	29	54	60
4	Anemia	14	3					3		1			1
	(M) 5										1		
5	Diabetes	30	1					1	1	1		2	1
	(M) 17								1				
6	Rheumatism	16		1				1		1	1		1
	(M) 13									1		2	1
7	Scrofula and tabes	4	1	1				2			2		
	(M) 4												
8	Hydrocephalus	21	11	4	4	1		20					
	(M) 20		10	5		2		17	2			1	
9	Tuberculosis, general	2	1					1					
	(M) 1												1
10	Consumption	337	9	3			3	15		3	18	42	50
	(M) 365		4	1	1	1	1	8	6	6	28	48	57
11	Cancer	88							1				1
	(M) 147											1	1
12	Tumor	15	1					1		1			1
	(M) 17						1	1				1	
13	Dropsy	13	1	1				2	1				
	(M) 9				1			1				1	
14	Others of this group	8	5					5	1				
	(M) 4		1	1			1	3					
15	2. Diseases of the nervous system	1,140	234	80	21	7	9	351	22	20	9	12	28
16	Males	621	139	47	11	6	6	209	10	11	6	7	17
17	Females	519	95	33	10	1	3	142	12	9	3	5	11
18	Inflammation of the brain	8			1		1	2		1	1		1
	(M) 6								2				
19	Meningitis	117	37	26	5	2		70	7	5	2		5
	(M) 72		21	17	7		3	48	6	6	2		1
20	Apoplexy	162	1					1		1	1	2	2
	(M) 173				1			1	1				2
21	Paralysis	79				1		1	1	1	1		
	(M) 81		1	1				2					1
22	Paralysis, general (of insane)	23											2
	(M) 8												
23	Tetanus and trismus nascentium	12	4					4	1	2	1	2	
	(M) 5		3					3					1
24	Chorea	1											
	(M) 3								1	1	1		
25	Epilepsy	13	3					3					4
	(M) 8									1			1
26	Convulsions	111	82	18	4	2	2	108	1	1			1
	(M) 82		64	10	2	1		77	1	1			
27	Mental diseases	25										1	
	(M) 29											2	1
28	Diseases of the brain	48	12	1		1	2	16					3
	(M) 42		5	5				10	1			3	2
29	Diseases of the spinal cord	9		2	1		1	4					1
	(M) 4		1					1					
30	Locomotor ataxia	6										1	
	(M) 6												
31	Others of this class	7										1	
	(M) 6												
32	3. Diseases of the circulatory system	646	34	2	1		1	38	10	10	13	13	20
33	Males	322	22	2	1		1	26	6	3	6	4	10
34	Females	324	12					12	4	7	7	9	10
35	Pericarditis	1											
	(M) 2										1		
36	Diseases of the heart	282	12	2	1		1	16	6	3	6	4	9
	(M) 301		11					11	4	7	6	8	9
37	Angina pectoris	18											1
	(M) 15											1	1
38	Diseases of the arteries	7											
	(M) 5												
39	Aneurism	3											
	(M) 3												
40	Embolism	1											
	(M) 1												
41	Others of this class	10	10					10					
	(M) 1		1					1					

439

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
107	84	77	64	79	75	71	73	66	35	28	10	3	1	2	1
53 54	32 52	40 37	37 27	38 41	31 44	31 40	37 36	29 37	16 19	16 12	3 7	1 2	1	1 1	2 3
1	1			2 1	1	1	2 2		2						4
3		2	2 1	3 2	4 2	3 4	1 2	1 3		4			1		5
	1	2		1 2	1 1	1 1		5 2	2	1	1				6
															7
1															8
				1											9
45 44	29 44	24 27	29 14	22 15	14 14	13 18	12 13	12 12	6 7	2 1		3		1	10
2 8	2 6	9 10	3 10	9 17	7 22	11 14	16 18	10 17	6 8	8 10	2 2	1 2		1	11
	1	2	2 2	2 2	2 5	1	4 1	2	1						12
1		1		2	2	2 1	2 1	1 1	1	1	2				13
1			1			1									14
27	25	23	39	52	66	76	87	93	98	64	28	11	4	5	15
16 11	14 11	14 9	17 22	29 23	36 30	44 32	50 37	47 46	48 50	28 36	8 20	5 6	3 1	2 3	16 17
1				1			1	2	1			1			18
5 2	1	2	3 2		3 1	1	5 1	3	2 2	3					19
5 1	2 2	2 7	4 11	13 16	17 19	27 24	24 18	23 21	22 24	8 11	1 11	4 2	1 1	2 1	20
	1 3		1 3	6 3	7 4	9 3	7 7	12 12	15 14	9 18	6 8	1 1	1	2	21
3 1	3	6	2 1	3	2 1		1 2	1 1	1 1	1					22
	1	1			1										23
								1							24
1	2 2		1			1	1 2	1		1					25
1				1			1								26
1	1 3	2	1 3	2 1	3 4	1 2	2 3	4 4	5 1	3 4					27
1 2	2 1	2	3 2	2	3	3 3	4 3	4 4	2 6	4 1	1 1	1			28
1	1			1			1 1	1					1		29
			1	1	1	2									30
		1	1	1 1			3		2	1					31
18	22	26	37	40	51	60	76	76	64	43	22	5	1	1	32
9 9	8 14	10 16	11 26	21 19	25 26	26 34	43 33	42 34	38 26	20 23	11 11	2 3	1	1	33 34
									1 1						35
8 8	7 14	8 15	10 25	18 18	24 25	21 32	41 31	38 30	33 23	16 20	11 11	2 3	1	1	36
1 1	1	2 1	1	3	1	4 2	1 2	2 2	1 1	2 2					37
				1		1	1	2 2	2 1	1 1					38
			1		1				1						39
										1					40
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,118	281	107	47	25	10	473	37	8	17	23	32
2	Males	592	160	58	30	12	7	267	16	6	12	16	14
3	Females	526	124	49	17	13	3	206	21	2	5	7	18
4	Croup	{M 22 F 16	{M 1 F 2	{M 6 F 3	{M 6 F 2	{M 4 F 3	{M 2 F 2	{M 19 F 12	{M 3 F 4				
5	Pneumonia	{M 406 F 361	{M 90 F 71	{M 36 F 32	{M 18 F 9	{M 7 F 9	{M 5	{M 156 F 121	{M 11 F 14	{M 6 F 4	{M 10 F 4	{M 15 F 5	{M 14 F 18
6	Laryngitis	{M 4 F 6	{M 1 F 2	{M 1 F 2	{M 1			{M 2 F 5	{M 1				
7	Bronchitis	{M 97 F 95	{M 48 F 43	{M 11 F 9	{M 4 F 3	{M 1 F 1		{M 64 F 56	{M 1		{M 1	{M 1	
8	Pleurisy	{M 13 F 8	{M 1 F 1	{M 1	{M 2			{M 3 F 2	{M 1	{M 1			
9	Asthma	{M 5 F 5											
10	Others of this class	{M 45 F 35	{M 19 F 5	{M 4 F 2	{M 2		{M 1	{M 23 F 10	{M 1 F 1			{M 1 F 1	
11	5. Diseases of the digestive system	365	53	6	2	3	2	66	9	13	20	13	29
12	Males	202	41	1	2		1	45	4	12	8	5	12
13	Females	163	12	5		3	1	21	5	1	12	8	17
14	Dentition	{M 3 F 4	{M 3 F 3			{M 1 F 1		{M 3 F 4					
15	Angina	{M F											
16	Gastritis	{M 39 F 31	{M 11 F 2	{M 1 F 1	{M 1		{M 1	{M 13 F 5		{M 1			{M 3 F 2
17	Diseases of the stomach	{M 9 F 2	{M 2					{M 2			{M 1		{M 1 F 2
18	Obstruction of the bowels	{M 9 F 24	{M 1 F 5	{M 1 F 1	{M 1			{M 2 F 6	{M 1		{M 1		{M 1 F 1
19	Appendicitis	{M 26 F 15							{M 1 F 1	{M 5 F 3	{M 4 F 3	{M 3 F 2	{M 2 F 3
20	Hernia	{M 13 F 14	{M 4					{M 4			{M 1	{M 1	
21	Other diseases of the bowels	{M 4 F 3	{M 1 F 1					{M 1 F 1	{M 1 F 1				
22	Jaundice	{M 11 F 5	{M 7					{M 7				{M 1	
23	Inflammation and abscess of the liver.	{M 2 F 1											
24	Other diseases of the liver	{M 36 F 14	{M 2				{M 1	{M 3					{M 1
25	Peritonitis	{M 35 F 43	{M 3			{M 1		{M 3 F 1	{M 2 F 2	{M 6 F 1	{M 2 F 8	{M 1 F 3	{M 4 F 9
26	Ascites	{M 1 F											
27	Others of this class	{M 14 F 7	{M 7 F 4					{M 7 F 4					
28	6. Diseases of the urinary system and male organs of generation.	434	8		2		1	11	5	5	8	13	15
29	Males	238	6		1			7	3	3	3	6	6
30	Females	196	2		1		1	4	2	2	5	7	9
31	Bright's disease	{M 186 F 161							{M 2 F 2	{M 2 F 2	{M 1 F 4	{M 6 F 7	{M 5 F 7
32	Calculus, urinary	{M 1 F 2								{M 1			
33	Diseases of the kidney	{M 18 F 12	{M 4 F 1		{M 1 F 1			{M 5 F 3	{M 1		{M 1 F 1		
34	Diseases of the bladder	{M 12 F 2											
35	Others of this class	{M 21 F 19	{M 2 F 1					{M 2 F 1			{M 1		{M 1 F 2
36	7. Diseases of the female organs of generation	13		1				1				1	1
37	Ovarian tumors	2											
38	Ovarian diseases	1											
39	Diseases of the tubes	1											
40	Uterine tumors	2											
41	Uterine diseases												
42	Others of this class	7		1				1				1	1

411

NEW JERSEY—GROUP 2—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW JERSEY—GROUP 2—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	46									2	15	8
2	Abortion	1										1	
3	Childbirth	6											
4	Puerperal septicemia	31									2	13	5
5	Extra-uterine pregnancy	3										1	
6	Others of this class	5											3
7	9. Diseases of the bones and joints	16	2	1				3		1		1	1
8	Males	11	2	1				3		1		1	1
9	Females	5											
10	Diseases of the spine {M	3	1					1		1			
	{F	1											
11	Abscess, lumbar and psoas {M	1										1	
	{F												
12	Diseases of the bones {M	4		1				1					1
	{F	2											
13	Diseases of the hip-joint {M	2	1					1					
	{F												
14	Others of this class {M	1											
	{F	2											
15	10. Diseases of the skin	10	1	2				3	1				
16	Males	7							1				
17	Females	3	1	2				3					
18	Abscess {M	4							1				
	{F	2	1	1				2					
19	Carbuncle {M	1											
	{F												
20	Others of this class {M	2						1					
	{F	1		1									
21	11. Diseases of the absorbent system	7		1		1		2		1		1	1
22	Males	4				1		1				1	
23	Females	3		1				1		1			1
24	Addison's disease {M												
	{F												
25	Diseases of the spleen {M	2				1		1				1	
	{F	1											1
26	Others of this class {M	2						1		1			
	{F	2		1									
27	12. Accidents and injuries	396	25	6	9	8	7	55	25	9	38	34	44
28	Males	319	15	3	4	7	6	35	18	6	31	30	39
29	Females	77	10	3	5	1	1	20	7	3	7	4	5
30	Burns and scalds {M	17		1	2	5	2	10					1
	{F	24	1	3	4	1	1	10	5	2			
31	Drowning {M	29	1	1	1			3	5	3	3	3	
	{F	3										1	
32	Exposure and neglect {M	1											
	{F												
33	Gunshot wounds {M	14								2	1	1	4
	{F	2								1		1	
34	Homicide {M	4										1	
	{F												
35	Infanticide {M												
	{F												
36	Injuries by machinery {M	1									1		
	{F												
37	Railroad accidents {M	85					2	2	3	1	5	14	9
	{F	10									2		2
38	Suffocation {M	21	11		1			12	2				
	{F	7	5					5			1		
39	Suicide by shooting {M	6									1		
	{F												
40	Suicide by drowning {M	2										1	
	{F	1											
41	Suicide by poison {M	3											1
	{F	5									2	1	1
42	Other suicides {M	8									2		
	{F	1											
43	Sunstroke {M	5	1					1					1
	{F	3	1					1	1				
44	Surgical operations {M	2											1
	{F	4											
45	Wounds {M	5											1
	{F												
46	Others of this class {M	116	2	1		2	2	7	8		18	10	22
	{F	17	3		1			4	1		2	1	1

CAUSE, SEX, AND AGE.

443

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW JERSEY—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	6													1
															2
1	3	2													3
6	2	3													4
1	1														5
1		1													6
	1	1	1	2	1		1	2	1						7
	1			1	1		1		1						8
		1	1	1				2							9
				1			1								10
															11
			1	1					1						12
					1										13
	1														14
		1						1							15
1			2		1				1		1				16
1			2		1				1		1				17
1			1		1										18
									1						19
			1									1			20
		1					1								21
		1					1								22
															23
															24
															25
		1					1								26
21	38	23	29	7	20	11	15	9	6	1	4			7	27
18	36	19	23	6	17	10	12	6	3	1	3			6	28
3	2	4	6	1	3	1	3	3	3		1			1	29
2		1			2		1	1	2						30
1						1	2	1	2						31
	3	1	2		1	1	2	1	1					1	32
	1		1												33
1	2		1		1	1									34
1	1			1											35
															36
8	12	8	6	4	5	1	2				1			4	37
1	1	2	1		1										38
	2		2		2									1	39
		1			3		1								40
	1														41
			1					1							42
								1							43
1	1								1						44
1	1		1												45
1		1				1	1								46
4	10	7	10	1	3	4	5	3	1	1	2			1	47
		1	1	1			1	1	1		1				48

445

NEW YORK.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,230	6,492	4,623	2,449	830	231	243	1
3,323 2,758	3,551 2,821	3,229 2,477	3,124 2,478	3,309 2,695	3,298 2,982	3,456 3,400	3,618 3,582	3,559 3,691	3,284 3,208	2,250 2,373	1,144 1,305	356 474	77 154	139 104	2 3
12	26	22	24	33	31	39	35	32	37	19	10	6		6	4
5 7	13 13	13 9	16 8	19 14	17 14	23 16	21 14	17 15	19 18	9 10	5 5	3 3		5 1	5 6
446	416	346	346	340	387	450	511	582	538	408	229	76	13	17	7
227 219	223 193	189 157	184 162	180 160	203 184	194 256	227 284	251 331	239 299	184 224	111 118	31 45	4 9	7 10	8 9
2 3	1 5	1 2	2 3	3 1		1	1			1	1				10
3 3	1 3	2 3						1							11
7 9	3 3		4 2	2 5	4 3	1 3	1								12
	1	1 2			1	2									13
5 6	4 7	9 4	9 12	4 6	3 7	6 13	5 9	4 15	6 6	3 3	3 2			1	14
12 26	20 28	30 28	27 28	21 40	33 46	51 65	46 73	57 88	76 122	71 94	39 53	7 17	1 2	1 3	15
133 80	102 61	62 46	48 30	39 26	39 22	18 26	16 18	15 12	3 5	3 4	1 2			2 1	16
4 6	4 3	4 4	7 5	12 4	8 8	10 15	11 15	8 17	10 7	5 7	4 5		2		17
1 4	1 2	6 2	4 4	3 4	2 1	2 7	1 5	5 4	4 3	3 3	3 1	2			18
5 8	5 3	3 3	6 6	8 9	18 12	18 19	25 15	34 26	24 34	22 19	10 6	3 7		3	19
11 7	6 8	3 10	8 11	10 10	8 15	13 21	16 36	26 36	19 38	21 27	15 17	3 4	2	1	20
16 24	18 19	20 27	22 29	21 26	25 27	23 46	33 65	41 69	26 36	17 32	13 16	5 5	1 2	1	21
														1	22
							1			1					23
1 4 5	4 5	3 2	4 4	2 2	2 3		1	1	1	1		1			24
	1	1	1	1	1		1								25
2															26
8 4	11 11	16 2	10 4	19 8	20 10	18 13	13 12	12 9	16 9	11 4	3 1	1			27
9 29	25 25	18 13	20 16	23 8	24 16	18 11	24 9	9 19	17 11	5 4	5			1	28
3 1	10 4	3 5	4 2	1 1	4 1		2	2							29
4 1	6 6	7 2	8 6	11 10	11 10	13 15	32 25	39 32	37 26	22 24	15 14	10 8			30
173	179	112	111	91	82	59	53	37	33	15	7	1		5	31
119 54	141 38	86 26	82 29	76 15	60 22	44 15	37 16	23 14	22 11	9 6	6 1	1		4 1	32
75 25	99 21	51 20	51 17	51 4	35 7	17 6	24	9 1	7 1	3	2			3	33
															34
1	2 2	2	2	2 1											35
41 28	39 13	33 6	28 10	22 9	24 7	25 4	8 8	11 4	8 4	4 4	1				36
2 1	1 2		1 2	1 1	1 5	2 4	5 8	3 9	7 6	2 2	3 1	1		1 1	37
13	16	13	13	26	39	77	192	487	739	1,113	815	401	123	13	38
8 5	6 10	6 7	8 5	9 17	13 26	30 47	78 114	205 282	354 385	516 597	353 462	183 218	46 77	5 8	39 40
						20 33	57 78	180 250	312 351	496 571	340 450	178 211	46 76	3 6	41
															42
														1	43
8 5	6 10	6 7	8 5	9 17	13 26	10 14	21 35	25 32	42 34	20 26	13 12	5 7		1 2	44
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	22,516	760	398	204	134	89	1,585	275	298	889	1,830	2,316
2	Males	11,525	404	210	126	66	45	851	133	114	399	871	1,216
3	Females	10,991	356	188	78	68	44	734	142	184	490	959	1,070
4	Anemia	136	11	4	1	2	1	19	4	1	2	5	2
	(F)	213	10	4	3	2	2	21	2	6	14	14	10
5	Diabetes	390	1	2	2	1	1	7	6	12	12	16	20
	(F)	371	1	3	1	3	1	9	9	13	4	11	12
6	Rheumatism	237	1	2			1	4	14	5	8	5	7
	(F)	256	9		1		1	11	12	11	7	8	5
7	Scrofula and tabes	87	38	3	2	1	1	45	2	1	1	5	7
	(F)	107	29	7	4	1	2	43	4	2	4	7	6
8	Hydrocephalus	557	195	120	63	31	23	432	56	10	11	8	1
	(F)	456	171	101	43	37	21	373	39	11	7	3	9
9	Tuberculosis, general	114	9	6	8	4	4	31	4	2	6	11	17
	(F)	82	17	5	2			24	1	10	6	9	1
10	Consumption	8,001	107	66	41	23	12	249	41	70	348	802	1,164
	(F)	6,109	90	56	18	22	14	200	67	117	433	884	969
11	Cancer	1,571	2					2	1	5	4	10	14
	(F)	2,877	4				1	5	3	7	2	14	41
12	Tumor	173	4	1	3	2		10	3	4	4	4	11
	(F)	231	5	1	2	1	1	10		3	6	2	9
13	Dropsy	176	4	1	1		1	7	1	2		3	
	(F)	207	3	2	1			6	1	3	3	2	2
14	Others of this group	83	32	5	5	2	1	45	1	2	3	2	3
	(F)	82	17	9	3	2	1	32	4	1	4	5	6
15	2. Diseases of the nervous system	14,815	2,369	675	331	186	116	3,677	317	183	196	201	272
16	Males	7,812	1,371	367	175	84	62	2,059	164	107	109	103	145
17	Females	7,003	998	308	156	102	54	1,618	153	76	87	98	127
18	Inflammation of the brain	86	21	6	4		2	33	4	1	3	4	1
	(F)	62	11	3	3	2	1	20	3	4	1	5	1
19	Meningitis	1,448	496	239	125	64	30	954	110	43	45	33	38
	(F)	1,154	360	202	102	65	38	767	96	42	27	25	33
20	Apoplexy	2,873	23	7	2	1	5	38	3	4	8	11	33
	(F)	2,839	33	5	4	3		45	3	2	8	11	24
21	Paralysis	1,108	14	2	3	2		21	6	1	4	3	13
	(F)	975	6	3	2	2	1	14	5	3	2	8	13
22	Paralysis, general (of insane)	87										1	5
	(F)	44											3
23	Tetanus and trismus nascentium	150	48	4	2	2		56	12	30	11	5	6
	(F)	54	31	1		2	1	35	1	2		2	
24	Chorea	8			1	1		2	1		2		
	(F)	12	1					1			6	1	
25	Epilepsy	173	17	3	2			22	2	8	13	15	17
	(F)	149	8	1	3	2		14	8	8	11	13	11
26	Convulsions	800	657	75	25	7	11	775	12	3	1	1	
	(F)	664	493	69	32	17	7	618	13	1	4	6	6
27	Mental diseases	200								1	1	7	8
	(F)	245								2	5	8	13
28	Diseases of the brain	589	87	28	8	5	9	137	11	12	15	15	17
	(F)	519	48	22	7	6	5	88	16	8	18	9	14
29	Diseases of the spinal cord	114	7	3	2	2	5	19	3	3	4	5	3
	(F)	131	4	1	3	3	1	12	6	4	3	3	5
30	Locomotor ataxia	82								1		1	1
	(F)	31										1	
31	Others of this class	94	1		1			2			2	2	3
	(F)	124	3	1				4	2		2	6	4
32	3. Diseases of the circulatory system	10,946	570	28	20	28	39	685	199	205	232	271	322
33	Males	5,591	315	17	11	14	17	374	87	67	106	125	156
34	Females	5,355	255	11	9	14	22	311	112	138	126	146	166
35	Pericarditis	81	3	2			1	6	4	5	5	8	6
	(F)	87	2				7	9	6	3	8	3	1
36	Diseases of the heart	4,877	166	15	9	14	15	219	81	61	98	115	139
	(F)	4,791	132	10	9	14	14	179	104	134	114	137	151
37	Angina pectoris	247									3		6
	(F)	195							2	1	2	3	5
38	Diseases of the arteries	113	1					1	1				1
	(F)	73											
39	Aneurism	78										2	4
	(F)	33											1
40	Embolism	46	3					3		1		2	5
	(F)	46											
41	Others of this class	149	142		2		1	145	1			1	3
	(F)	130	121	1			1	123					

447

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,331	2,154	1,750	1,520	1,477	1,400	1,261	1,242	965	710	319	133	28	5	28	1
1,299 1,032	1,216 938	969 781	826 694	781 696	652 748	588 673	590 652	436 529	309 401	159 160	63 70	13 15	1 4	9 19	2
5	10	10	6	15	12	13	12	8	4	5	1		1	1	4
15	16	15	14	17	22	18	12	10	6	1					
18	14	32	27	36	28	45	45	34	25	7	4			2	5
10	13	17	21	33	53	52	46	37	20	8	1	1		1	
13	14	8	11	17	23	11	26	28	15	19	6	1		2	6
10	13	10	16	10	26	15	28	28	27	8	10	1			
2	3	2	3	1	2	4	4	3	1	1					7
4	5		5	7	2	4	5	2	5	2					
10	9	10	4	2	2	2	2	1							8
2	3	4		1	1										
8	14	4	6	4	2	2	1	2							9
9	2	4	3	2	2	5	3								
1,197	1,091	786	611	495	361	263	207	173	95	35	10			3	10
868	678	430	315	264	231	190	148	138	106	38	19	3		11	
27	47	90	132	182	199	225	251	154	129	60	27	11		1	11
90	180	269	285	329	370	345	350	270	197	76	29	6	2	7	
13	9	16	14	18	8	7	19	13	14	5	1				12
14	19	20	23	21	24	20	23	15	13	6	3				
3	1	9	8	10	11	14	22	19	26	26	13	1			13
4	3	7	9	10	16	22	31	27	27	20	8	4	2		
3	4	2	4	1	4	2	3	2		1	1				14
6	6	5	3	2	1	2	4	1							
350	419	512	641	786	886	1,188	1,221	1,333	1,283	839	384	82	23	22	15
204	244	298	342	409	451	597	617	656	670	414	179	26	6	12	16
146	175	214	299	377	435	591	604	677	613	425	205	56	17	10	17
4	3	2	1	5	3	5	3	6	4	3	1				18
5	1	1	5	1	4		4	2	3	1	1				
32	32	23	33	26	23	15	16	7	10	2	4			2	19
22	17	16	22	10	11	23	14	11	9	6	1	1		1	
65	66	115	166	224	256	365	371	404	384	232	103	16	2	7	20
37	57	109	171	238	277	358	348	406	337	246	112	32	13	5	
29	64	69	63	67	74	92	123	146	169	112	42	5	3	2	21
17	8	22	29	41	64	91	120	166	182	108	61	16	2	3	
11	10	14	15	11	5	8	4	1	1		1				22
4	5	6	1	7	1	3	3	6	1	4					
5	2	3	6	4	6	1	1		2						23
2	4	2	1	1	2	1	1								
		1					1		1						24
			1	1	1	1									
16	15	10	8	4	9	7	7	9	9	1	1				25
8	17	5	11	10	5	8	3	5	7	4		1			
1	1	1		1		2		1		1					26
3	3		2	1	1	2	2		1					1	
14	12	9	6	7	12	26	27	18	21	18	11	2			27
13	11	16	17	13	18	31	26	21	22	15	9	4	1		
19	23	30	21	31	29	42	41	45	46	37	14	3	1		28
20	28	20	26	26	27	39	59	37	34	30	17	2	1		
3	7	7	8	13	9	9	8	4	7	2					29
6	10	5	1	12	12	18	9	12	8	4	1				
2	4	11	7	10	13	13	8	3	7	1					30
1	2	3		4	4	6	3	5		2					
3	5	3	8	6	12	12	7	12	9	5	2				31
8	12	9	12	12	8	10	12	6	9	5	3				
413	478	506	565	736	907	1,070	1,223	1,194	994	606	240	61	15	24	32
217	240	243	282	390	489	541	634	629	537	312	121	26	7	8	33
196	238	263	283	346	418	529	589	565	457	294	119	35	8	16	34
4	9	5	3	6	8	5	3		4						35
9	4	4	4	4	8	1	10	2	4	4	1	1		1	
191	202	215	252	352	420	482	566	579	483	278	108	23	7	6	36
171	216	243	263	320	378	490	528	524	426	261	106	28	5	13	
12	12	13	9	19	34	33	33	26	24	13	7	1		2	37
11	14	8	10	16	17	26	29	20	13	12	3	2		1	
		1	1	3	12	9	23	19	16	19	5	2			38
				2	6	8	15	10	8	12	6	3	3		
6	15	8	12	6	11	5	2	2	4	1					39
2	2	4	3	3	5	2	2	3	1	3	1	1			
4	2	1	5	3	4	5	7	3	6	1	1				40
2	2	3	3	1	4	2	5	6	5	2	2				
1		1		1		2								1	41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	23,515	5,636	2,814	1,165	585	325	10,555	675	216	318	568	674
2	Males.....	12,298	3,161	1,563	599	304	157	5,784	329	92	165	315	375
3	Females.....	11,217	2,475	1,281	566	281	168	4,771	346	124	152	253	299
4	Croup.....	338	50	76	72	52	29	279	55	1	1	1	1
	{M.....	281	35	53	50	49	29	216	57	2	1	1	1
	{F.....												
5	Pneumonia.....	8,845	1,943	1,172	425	197	90	3,827	217	74	141	278	327
	{M.....	7,759	1,512	962	398	167	106	3,145	231	102	116	191	240
	{F.....												
6	Laryngitis.....	100	9	21	4	11	6	51	19	2	2	2	1
	{M.....	71	9	9	13	12	3	46	8	3	1	1	1
	{F.....												
7	Bronchitis.....	1,931	871	258	79	26	20	1,254	22	7	5	10	12
	{M.....	2,141	711	226	86	39	18	1,080	29	6	14	21	22
	{F.....												
8	Pleurisy.....	216	17	13	8	9	3	50	6	3	9	10	13
	{M.....	189	9	11	10	4	3	37	9	1	4	11	15
	{F.....												
9	Asthma.....	78	3	1		1		5				1	2
	{M.....	91	4					4				1	
	{F.....												
10	Others of this class.....	790	268	22	11	8	9	318	10	5	10	14	20
	{M.....	685	195	20	9	10	9	243	12	10	16	25	21
	{F.....												
11	5. Diseases of the digestive system.....	6,984	944	185	73	47	50	1,299	203	194	228	315	378
12	Males.....	3,502	509	88	38	26	28	689	102	106	114	144	162
13	Females.....	3,482	435	97	35	21	22	610	101	88	114	171	216
14	Dentition.....	95	61	31	1	1	1	95					
	{M.....	97	62	32	3			97					
	{F.....												
15	Angina.....	44	3	6	5	3	3	20	5	2	1	1	1
	{M.....	38	5	2	2	3	5	17	9	5	2		1
	{F.....												
16	Gastritis.....	468	103	17	5	6	3	134	7	4	2	6	18
	{M.....	577	88	23	7	4	3	125	12	3	1	16	22
	{F.....												
17	Diseases of the stomach.....	203	6	1	1		3	11	3	1	2	3	11
	{M.....	159	9	1				10		1	5	12	10
	{F.....												
18	Obstruction of the bowels.....	278	62	3	4	4	3	76	13	5	6	8	10
	{M.....	318	34	5	6	2	1	48	8	4	9	7	17
	{F.....												
19	Appendicitis.....	453	1		2	2	6	11	28	53	64	63	48
	{M.....	283	1	1	1	1	3	7	28	36	46	33	31
	{F.....												
20	Hernia.....	155	12	1				13			3	3	6
	{M.....	147	7					7					
	{F.....												
21	Other diseases of the bowels.....	77	17	4		1		22	2	1	2	3	3
	{M.....	73	11	3				14		1	2	2	3
	{F.....												
22	Jaundice.....	110	56		2			58	2		3	2	1
	{M.....	105	42	1	1		1	45	4	1	1	1	1
	{F.....												
23	Inflammation and abscess of the liver.....	130	9		1			10	1		1	9	8
	{M.....	157	7					7	2	3	2	5	10
	{F.....												
24	Other diseases of the liver.....	741	6		1			7	1	2	2	12	20
	{M.....	479	7	1	1			9		2	1	4	17
	{F.....												
25	Peritonitis.....	419	32	8	7	6	4	57	31	38	27	32	33
	{M.....	692	19	4	6	6	6	41	33	29	42	89	99
	{F.....												
26	Ascites.....	11											
	{M.....	10											
	{F.....												
27	Others of this class.....	318	141	17	9	3	5	175	9		1	2	3
	{M.....	347	143	24	8	5	3	183	5	3	3	2	5
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	9,132	153	45	42	47	42	329	99	93	115	275	398
29	Males.....	5,096	87	27	19	31	24	188	59	37	47	118	168
30	Females.....	4,036	66	18	23	16	18	141	40	56	68	157	230
31	Bright's disease.....	3,975							47	32	42	97	147
	{M.....	3,471							39	53	59	131	188
	{F.....												
32	Calculus, urinary.....	22									1		
	{M.....	6	1					1					
	{F.....												
33	Diseases of the kidney.....	296	67	24	19	27	23	160	3		2	4	7
	{M.....	203	47	14	19	14	16	110			2	3	8
	{F.....												
34	Diseases of the bladder.....	325							2	1	1	3	3
	{M.....	39											1
	{F.....												
35	Others of this class.....	478	20	3		4	1	28	7	4	1	14	11
	{M.....	317	18	4	4	2	2	30	1	3	7	23	33
	{F.....												
36	7. Diseases of the female organs of generation.....	468	2				1	3		1	10	47	63
37	Ovarian tumors.....	80									1	8	3
38	Ovarian diseases.....	32										4	9
39	Diseases of the tubes.....	84									3	15	19
40	Uterine tumors.....	131					1	1				2	5
41	Uterine diseases.....	31									3	7	9
42	Others of this class.....	110	2					2		1	3	11	18

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
745	807	791	786	890	974	1,058	1,120	1,183	1,000	675	329	95	33	23	1
418	468	487	462	486	483	476	516	542	437	275	133	34	9	11	2
327	339	304	324	404	491	582	604	641	563	400	196	61	24	12	3
	1		1		1	1	1	1							4
352	412	420	384	403	361	344	358	379	287	172	71	23	6	9	5
269	285	245	244	310	376	415	404	442	359	233	102	32	8	10	
2	1	3	3	3	2	5	1	1	2	2					6
4	1	1			2	1			2	1					
18	12	17	19	32	63	64	76	104	98	64	46	5	3		7
23	18	24	40	43	70	98	129	138	143	127	74	28	13	1	
16	15	13	12	14	7	11	14	13	5	4	1				8
14	12	10	12	8	5	14	10	8	7	4	5				
2		3	6	4	7	10	10	11	8	5	2	1		1	9
2	2	4	3	10	7	13	14	11	11	7	2				
28	28	31	38	30	43	41	56	34	37	28	13	5		1	10
15	20	20	24	33	30	41	47	41	41	28	13	1	3	1	
331	408	428	466	434	417	425	446	399	330	162	79	23	4	15	11
154	198	220	259	223	226	209	221	182	176	64	39	7	2	5	12
177	210	208	207	211	191	216	225	217	154	98	40	16	2	10	13
															14
3		1	1	2	1	1		2	2	1					15
					2	1	1								
16	17	18	28	22	25	27	37	37	36	21	11		1	1	16
18	28	25	23	37	28	48	39	51	41	39	11	8		2	
11	17	16	21	23	22	9	24	12	12	3	2				17
9	9	8	13	14	9	12	15	18	8	3	1	2			
14	11	3	12	18	19	16	15	17	22	4	6	3			18
15	18	21	20	26	23	19	28	24	17	8	4			2	
27	41	31	29	20	11	5	8	8	4	1				1	19
19	12	15	16	11	5	6	7	6	3	1				1	
8	5	10	13	7	11	15	16	17	16	6	4	1	1		20
4	6	12	14	16	13	23	14	14	13	8	2			1	
2	3	4	2	1	2	7	7	8	5	2	1				21
4	5	3	3	2	2	4	8	5	8		4		1	2	
1	2	3	3	1	4	3	6	7	6	4	3	1			22
1	3	4	6	5	2	7	7	10	1	4	1	1			
7	7	6	15	19	9	10	9	6	9	4					23
6	14	15	6	11	11	11	17	14	10	8	4	1			
39	65	86	98	76	90	79	72	43	40	5	3	1			24
20	42	49	46	51	48	49	48	47	30	12	3	1			
21	24	29	27	16	18	22	14	11	10	3	4	1		1	25
77	67	44	44	24	26	21	23	18	10	1	2	1		1	
		2			1	1	2	4		1					26
			2		1		2	1	1	1	1			1	
5	6	11	10	18	13	14	11	10	14	9	5			2	27
4	6	12	14	14	21	15	16	9	12	13	7	2	1		
444	597	607	670	775	853	938	865	836	647	371	165	34	9	12	28
223	298	322	347	413	491	551	495	502	405	259	111	22	2	8	29
221	299	285	323	332	362	387	370	334	242	112	54	12	7	4	30
195	259	290	308	396	432	466	391	385	265	147	56	13	1	6	31
183	268	253	298	300	331	358	331	305	211	100	45	9	6	3	
1	2	1		5	2	2	1	2	5						32
1			1				1		1		1				
6	7	8	6	13	6	12	17	11	18	11	4	1			33
12	8	9	8	12	3	5	9	3	5	3	1		1	1	
4	3	4	6	8	11	31	45	57	55	53	33	3	1	1	34
	2		1	2	2	6	3	8	6	2	4	2			
17	27	19	27	21	40	40	41	47	62	48	18	5		1	35
25	21	23	15	18	26	18	26	18	19	7	3	1			
66	65	61	53	34	21	14	12	9	3	3	1			2	36
7	5	9	8	12	8	4	6	5	2	2					37
9	3	1	3	2			1								38
13	17	11	5				1								39
11	18	28	24	17	8	7	3	4	1	1				1	40
5	1		3	1	1		1								41
21	21	12	10	2	4	3					1			1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy -----	989									56	208	244
2	Abortion -----	55									4	6	17
3	Childbirth -----	235									8	33	49
4	Puerperal septicemia -----	452									26	111	109
5	Extra-uterine pregnancy -----	36										5	13
6	Others of this class -----	211									18	53	56
7	9. Diseases of the bones and joints -----	271	24	8	3	7	9	51	24	26	20	16	15
8	Males -----	152	9	3	3	3	7	25	12	16	12	12	8
9	Females -----	119	15	5		4	2	26	12	10	8	4	7
10	Diseases of the spine ----- {M	48	4		1	1	3	9	5	6	8	3	
	{F	39	5	2		2		9	5	5	1	2	2
11	Abscess, lumbar and psoas ----- {M	11								1		3	4
	{F	3	1					1					
12	Diseases of the bones ----- {M	56	3	1	1	2	4	11	3	4	2	3	4
	{F	38	6	3		1	2	12	2	4	2	1	4
13	Diseases of the hip-joint ----- {M	16							4	4	2	2	
	{F	14	1					1	4	1	5		
14	Others of this class ----- {M	21	2	2	1			5		1		1	
	{F	25	2			1		3	1			1	1
15	10. Diseases of the skin -----	214	57	7	3	1		68	8	2	2	7	10
16	Males -----	118	31	4	1	1		37	8		2	3	6
17	Females -----	96	26	3	2			31		2		4	4
18	Abscess ----- {M	70	17	2	1	1		21	8		1	1	4
	{F	47	10	2	1			13		1		3	3
19	Carbuncle ----- {M	13									1	1	
	{F	5	1					1					
20	Others of this class ----- {M	35	14	2				16				1	2
	{F	44	15	1	1			17		1		1	1
21	11. Diseases of the absorbent system -----	105	13	1	1	1		16	2		2	4	4
22	Males -----	47	6	1	1	1		9	1		1	3	2
23	Females -----	58	7					7	1		1	1	2
24	Addison's disease ----- {M	16											1
	{F	25									1		1
25	Diseases of the spleen ----- {M	6	1					1					
	{F	5	1					1				1	
26	Others of this class ----- {M	25	5	1	1	1		8	1		1	3	1
	{F	28	6					6	1				1
27	12. Accidents and injuries -----	6,101	378	105	118	142	76	819	309	216	260	399	515
28	Males -----	4,593	213	54	67	81	46	461	207	184	207	323	436
29	Females -----	1,508	165	51	51	61	30	358	102	32	53	76	79
30	Burns and scalds ----- {M	245	10	25	38	47	16	136	18	6	1	7	11
	{F	316	15	25	27	30	15	112	47	14	6	8	18
31	Drowning ----- {M	774	4	7	3	8	6	28	76	70	54	73	69
	{F	72	3	8	1	3		15	6	2	5	4	3
32	Exposure and neglect ----- {M	28	9					9	1			2	1
	{F	16	7	1				8					
33	Gunshot wounds ----- {M	198		1		1		2	1	12	23	22	26
	{F	27			1	1		2	3	2	3	4	1
34	Homicide ----- {M	69			2		1		1	2	6	12	14
	{F	22						3	2		1	2	5
35	Infanticide ----- {M	2	2					2					
	{F												
36	Injuries by machinery ----- {M	10									1	3	
	{F												
37	Railroad accidents ----- {M	554	2	1	3	5	2	13	20	29	29	58	50
	{F	61		1	1	2	1	5	8	1	9	2	2
38	Suffocation ----- {M	168	84	3	3	2	2	94	3	6	4	5	6
	{F	114	65	3	4	1	3	76	6		1		5
39	Suicide by shooting ----- {M	145									1	8	20
	{F	12									2		
40	Suicide by drowning ----- {M	17											2
	{F	10											2
41	Suicide by poison ----- {M	158									8	8	22
	{F	100									10	22	14
42	Other suicides ----- {M	260									3	11	20
	{F	69								2	2	6	6
43	Sunstroke ----- {M	72	21	1	2			24	3		1	4	5
	{F	40	14	1	2			17	1	1	1	2	
44	Surgical operations ----- {M	26	2					2			2	1	3
	{F	45								1	1	4	6
45	Wounds ----- {M	67		1			2	3	3	1	5	6	8
	{F	13							1	1	2	2	2
46	Others of this class ----- {M	1,800	79	15	18	18	18	148	81	58	69	103	179
	{F	591	61	12	13	24	10	120	28	8	10	20	15

CAUSE, SEX, AND AGE.

451

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
225	173	74	9												1
15	7	6													2
51	64	26	4												3
114	67	23	2												4
8	5	4	1												5
37	30	15	2												6
13	20	15	8	12	12	5	17	11	4	2					7
5	14	10	6	8	4	3	11	3	3						8
8	6	5	2	4	8	2	6	8	1	2					9
1	2	2	1	3	1	1	3	2	1						10
4	3	2		2	3					1					11
1	1							1							12
1								1							13
3	8	4	4	3	2	1	3		1						14
2	1	2	1		1		1	3	1	1					15
	1	1			1		1								16
	2							1							17
1	2	3	1	2	4	1	4	3	1						18
12	13	6	9	7	11	14	20	8	9	4	2			2	19
6	7	4	4	4	5	7	8	3	7	3	2			2	20
6	6	2	5	3	6	7	12	5	2	1					21
3	5	4	2	3	3	4	3	2	3	2				1	22
4	3	2	1	1	4	4	6	1		1					23
2			2		1	2	1		2					1	24
			1		1			2							25
1	2			1	1	1	4	1	2	1	2				26
2	3		3	2	1	3	6	2	2						27
4	8	10	13	9	7	7	7	5	6	1					28
															29
2	4	5	8	4	1		4	1	1	1					30
2	4	5	5	5	6	7	3	4	5						31
	2	2	5	3	1		2								32
2	3	2	1	3	4	3	2	1	2						33
1	1		1						1	1					34
1	1	1		1											35
1	1	3	2	1	2		2	1							36
	2	4		1		4	1	3	3						37
503	593	453	368	354	253	251	236	169	159	86	55	23	6	74	38
436	479	377	298	277	203	193	159	109	105	45	21	10		63	39
67	114	76	70	77	50	58	77	60	54	41	34	13	6	11	40
12	6	13	6	8	4	5	3	4	2	1				2	41
7	18	17	13	11	3	9	9	12	4	6	1	1			42
64	87	70	44	44	26	21	13	14	7	1	1			12	43
3	8	5	1	4	3	2	3	3	2					3	44
	1	1	1	1	1	3	2	1	3	1					45
1	1		1	1				1						3	46
27	22	10	8	11	10	9	4	3	3	1				4	47
2	3	2	2	1		1				1					48
12	7	6	1	1	2	3		2							49
1	5	2		1											50
															51
1															52
															53
1	2			1		2									54
															55
58	64	36	37	36	26	25	17	13	7	5	3			28	56
2	5	2	4	5	5	3	2	3	2			1			57
4	8	3	5	4	6	4	5	3	3	1				4	58
1	3		2	1	2	2	4	3	2		1			5	59
23	17	16	15	14	11	10	6	2	1		1				60
2	4		1		1		1	1							61
1	2	1	1	1	3	1	4		1						62
1	1	1		1	2			1							63
17	20	22	14	17	8	11	5	2	3	1					64
10	16	8	6	5	4	1	2	1	1						65
15	23	27	39	31	24	20	16	12	1 ³			1		2	66
7	5	9	8	8	3	2	6	2		3					67
	12	7	2	2	2	2	2	1	4	1					68
	4	1		4		4	2	2	1						69
2	3	4	2		1	1	4							1	70
7	7	2	4	7	2	1	2		1						71
10	7	6	5	3	5	1	1	1	1					1	72
1	1	1	1		1										73
190	198	155	118	103	74	75	77	51	57	30	16	9		9	74
21	33	26	27	28	24	33	46	31	41	31	32	11	6		75

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 1.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	76,080	17,573	5,610	2,402	1,499	936	28,020	2,211	979	1,445	2,777	3,755
2	Males.....	40,611	9,740	3,002	1,234	769	463	15,208	1,120	468	713	1,356	2,005
3	Females.....	35,469	7,833	2,608	1,168	730	473	12,812	1,091	511	732	1,421	1,750
4	Unknown cause.....	151	29	6	1	2	4	42	2	3	1	5	4
5	Males.....	91	18	4	1	1	2	26	1	1		5	2
6	Females.....	63	11	2		1	2	16	1	2	1		2
7	1. General diseases.												
8	General diseases—A.....	13,713	5,852	2,083	905	636	405	9,881	846	165	155	193	235
9	Males.....	7,103	3,187	1,087	446	318	188	5,226	406	86	78	100	131
10	Females.....	6,610	2,665	996	459	318	217	4,655	440	79	77	93	104
11	Measles.....(M.....)	407	111	170	58	31	12	382	19	1	2		1
12	Scarlet fever.....(F.....)	435	102	171	68	28	18	387	35	3	4		1
13	Diphtheria.....(M.....)	315	27	56	60	49	39	231	65	5	4	3	3
14	Whooping cough.....(F.....)	276	11	38	52	49	37	187	65	9	7	5	2
15	Diphtheria.....(M.....)	989	87	197	185	156	95	720	217	24	4	5	3
16	Whooping cough.....(F.....)	1,001	71	192	186	162	118	729	229	15	3	5	8
17	Whooping cough.....(M.....)	323	169	90	36	17	5	317	3				
18	Malarial fever.....(F.....)	378	183	97	49	21	13	363	10		3		
19	Malarial fever.....(M.....)	88	10	7	4	5	2	28	6	2	4	6	5
20	Influenza.....(F.....)	112	11	4	7	6	2	30	12	4	5	7	4
21	Influenza.....(M.....)	263	20	5	2	3		30	4	2	1	10	10
22	Typhoid fever.....(F.....)	359	20	8	4	2	1	35	5	3	5	4	13
23	Typhoid fever.....(M.....)	367	2	2	1	2	2	9	13	20	45	53	53
24	Cholera morbus.....(F.....)	275	1	3	2	3	2	11	17	21	28	39	39
25	Cholera morbus.....(M.....)	52	16	3	1	1	1	22	2	1		1	1
26	Colitis.....(F.....)	50	10	4				14	3	1	4	1	
27	Colitis.....(M.....)	98	58	16	1	3	1	79	2				
28	Diarrhea.....(F.....)	90	50	13	4			67			2	2	
29	Diarrhea.....(M.....)	348	213	45	10	2	5	275	7		1	1	3
30	Dysentery.....(F.....)	309	176	34	5	1	1	217	9	3	2	1	3
31	Dysentery.....(M.....)	178	26	26	11	6	3	72	16	6	1	6	4
32	Enteritis.....(F.....)	186	26	14	7	5	5	57	3	1		6	4
33	Enteritis.....(M.....)	2,022	1,440	264	47	21	8	1,780	25	12	7	6	16
34	Cholera infantum.....(F.....)	1,860	1,186	252	43	20	14	1,515	27	10	3	11	19
35	Cholera infantum.....(M.....)	995	813	157	12	6	7	995					
36	Fever.....(F.....)	812	650	141	15	5	1	812					
37	Fever.....(M.....)	3			1		1	2	1				
38	Cerebro-spinal fever.....(F.....)	178	55	37	12	13	4	121	19	12	3	1	6
39	Smallpox.....(M.....)	121	38	18	9	8	5	78	18	6	1	1	1
40	Smallpox.....(F.....)	7	1					1			1	1	
41	Erysipelas.....(M.....)	7	2					2	1		1	1	
42	Erysipelas.....(F.....)	166	52	2	2	1		57	1		3		9
43	Septicemia.....(M.....)	120	59	3	2	1		65			4	1	4
44	Septicemia.....(F.....)	116	19	3			2	24	4	1		6	8
45	Venereal diseases.....(M.....)	75	16	1	2	4		23	4	3	3	6	5
46	Venereal diseases.....(F.....)	82	58	4	1			63					5
47	Others of this group.....(M.....)	72	52	2	4	2		60			1	1	
48	Others of this group.....(F.....)	106	10	3	2	2	1	18	2		2	1	4
49	General diseases—B.....	72	1	1		1		3	2		1	2	1
50	General diseases—B.....	1,302	421	15	7	2	4	449	9	3	20	58	90
51	Males.....	860	225	13	5	2	2	247	4	2	6	33	56
52	Females.....	442	196	2	2		2	202	5	1	14	25	34
53	Alcoholism.....(M.....)	366			1			1			1	7	33
54	Parasitic diseases.....(F.....)	99										3	18
55	Parasitic diseases.....(M.....)	2		2				2					
56	Lead poison.....(F.....)	1	1					1					
57	Lead poison.....(M.....)	8											1
58	Other poisons.....(F.....)	8	1					1					
59	Other poisons.....(M.....)	249	3	4	3	2	2	14	4	2	5	26	22
60	Inanition.....(F.....)	133	3	1			2	6	4	1	14	22	15
61	Inanition.....(M.....)	235	222	7	2			231					
62	General diseases—C.....	201	191	1	1			193	1				1
63	General diseases—C.....	5,097	3,700	179	29	15	9	3,932	9	6	2	2	3
64	Males.....	2,631	2,077	87	15	11	1	2,191	5	4	1	1	
65	Females.....	2,466	1,623	92	14	4	8	1,741	4	2	1	1	3
66	Old age.....(M.....)	393											
67	Premature birth.....(F.....)	649											
68	Premature birth.....(M.....)	782	782					782					
69	Malformation.....(F.....)	604	604					604					
70	Malformation.....(M.....)	142	137	1	2	1		141			1		
71	Debility and atrophy.....(F.....)	97	96	1				97					
72	Debility and atrophy.....(M.....)	1,212	1,056	86	13	10	1	1,166	5	4		1	
73	Others of this group.....(F.....)	1,040	847	91	14	4	8	964	4	2	1	1	3
74	Others of this group.....(M.....)	102	102					102					
75	Others of this group.....(F.....)	76	76					76					

453

NEW YORK—GROUP 1.

80 to 84	85 to 89	90 to 94	95 and over.	Unknown.											
4,016	4,116	3,686	3,436	3,590	3,515	3,578	3,316	2,986	2,229	1,358	724	218	76	49	1
2,234 1,782	2,406 1,710	2,176 1,510	1,999 1,437	2,082 1,508	1,874 1,641	1,812 1,766	1,678 1,638	1,389 1,597	1,088 1,141	599 759	285 439	69 149	17 59	33 16	2 3
5	9	6	7	11	6	12	7	13	9	6	2	1		3	4
3 2	5 4	5 1	3 4	8 3	3 3	9 3	5 2	6 7	4 5	2 4	2	1		3	5 6
216	217	177	196	177	202	221	220	219	173	122	67	24	4	3	7
108 108	117 100	100 77	106 90	98 79	104 98	89 132	95 125	87 132	79 94	51 71	34 33	5 19	2 2	1 2	8 9
			1 2	1											10
1 3	1 1														11
5 4	2 1	1	2 2	2 1	3 2	1 1	1								12
		1 1			1	1									13
4 3	2 6	7 2	8 9	4 3	2 6	1 8	3 3	2 6	3 2	1 1	1				14
7 13	17 15	19 16	18 16	13 23	16 26	25 30	20 29	19 33	18 41	18 30	14 14	1	1	1 1	15
47 36	41 30	19 15	20 8	15 9	16 8	5 7	8 4	2		1		1			16
3	2	1	2 2	5 2	6 1	1 6	4 3	3 2	2 1	2	1	1	1		17
1 3	2	4 2	2 3	2 1	1 1	1	1	3 2	2 1	1 2	1	1			18
2 5	2 1	1 1	2 3	5 4	6 7	6 11	8 6	14 11	7 14	4 4	3 1	1 5		1	19
8 6	4 7	3 10	5 8	6 4	3 11	9 12	7 15	7 13	7 9	9 14	4 4	1 1	1		20
11 18	13 14	15 20	16 25	15 18	20 21	12 35	15 45	24 41	15 15	10 11	6 9	3 2	1 1		21
															22
															23
4 4	3 2	3 1	2 3	1	2 1	1		1	1	1		1			24
		1	1	1	1										25
2															26
6 2	9 7	12 1	8 3	12 4	12 5	11 7	8 7	4 4	8 4	4 2	2				27
4 7	14 4	8 3	9 1	7 4	9 4	8 3	9 1		4 1		1				28
2 1	6 3	1 2	3 1	1	1			2							29
4	3 4	5 1	7 4	8 6	5 4	9 10	12 11	9 12	12 5	3 3	2 1	2			30
149	140	88	79	68	50	38	30	13	9	6	2			1	31
101 48	113 27	70 18	60 19	57 11	37 13	28 10	25 5	10 3	4 5	4 2	2			1	32
65 22	80 15	42 15	36 12	39 2	24 5	11 4	16	6 1	2 1	1	2			1	33
															34
	2 2	1	2	2 1	3	1									35
35 25	31 9	27 3	22 7	16 8	13 5	16 4	7 5	4	2 3	3 2					36
1 1	1					1 1	2		1						37
5	2	4	3	8	9	41	69	191	211	283	198	90	29		38
4 1	2	2 2	2 1	2 6	3 6	13 28	32 37	62 129	92 119	108 175	67 131	32 58	8 21		39 40
						11 23	28 31	58 121	87 107	104 166	65 126	32 54	8 21		41
															42
															43
4 1	2	2 2	2 1	2 6	3 6	2 5	4 6	4 8	5 12	4 9	2 5	4			44
															45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	13,271	549	305	156	99	63	1,172	180	169	505	1,103	1,532
2	Males	7,290	286	161	101	50	33	631	86	67	241	547	866
3	Females	5,981	263	144	55	49	30	541	94	102	261	556	666
4	Anemia	{M 41 F 71	{7 1	{1 2	{ 2	{1 1	{1 2	{10 8	{2 1	{ 1	{1 4	{2 5	{1 5
5	Diabetes	{M 203 F 184	{ 1	{1 1	{ 1	{1 1	{ 1	{3 3	{2 2	{4 1	{4 2	{4 2	{10 4
6	Rheumatism	{M 106 F 120	{1 8	{2 1	{ 1	{ 1	{ 1	{3 9	{6 7	{4 7	{4 7	{3 1	{7 4
7	Scrofula and tabes	{M 43 F 43	{28 18	{2 6	{1 1	{ 1	{ 1	{31 26	{ 1	{1 1	{ 1	{2 2	{1 2
8	Hydrocephalus	{M 444 F 365	{147 135	{101 87	{55 32	{26 30	{19 15	{348 299	{46 32	{6 9	{6 6	{7 3	{1 6
9	Tuberculosis, general	{M 89 F 52	{8 15	{4 5	{8 1	{3 1	{3 3	{26 21	{3 1	{2 8	{6 5	{9 5	{11 5
10	Consumption	{M 5,433 F 3,531	{71 63	{47 38	{35 14	{17 16	{8 9	{178 140	{25 44	{40 69	{213 232	{512 524	{820 601
11	Cancer	{M 782 F 1,456	{ 3	{ 2	{ 2	{ 1	{ 1	{3 7	{1 2	{3 3	{3 1	{6 10	{8 33
12	Tumor	{M 87 F 93	{2 4	{ 2	{2 2	{1 1	{ 1	{5 7	{1 1	{3 2	{4 4	{1 4	{5 8
13	Dropsy	{M 11 F 15	{1 1	{ 1	{ 1	{ 1	{ 1	{1 1	{ 1	{2 1	{ 1	{ 1	{ 1
14	Others of this group	{M 51 F 51	{21 14	{3 6	{ 1	{1 2	{1 1	{26 24	{ 4	{2 1	{3 1	{1 4	{2 3
15	2. Diseases of the nervous system	6,892	1,351	408	189	107	64	2,119	172	71	91	92	150
16	Males	3,740	777	232	102	49	34	1,194	87	38	53	48	85
17	Females	3,152	574	176	87	58	30	925	85	33	38	44	65
18	Inflammation of the brain	{M 22 F 10	{3 4	{1 1	{ 1	{ 1	{ 1	{4 6	{1 1	{ 1	{1 1	{3 1	{ 1
19	Meningitis	{M 875 F 664	{307 228	{165 123	{85 63	{41 41	{18 24	{616 479	{60 56	{15 18	{20 11	{17 14	{24 12
20	Apoplexy	{M 1,434 F 1,308	{19 21	{4 3	{1 2	{1 2	{4 2	{29 28	{3 2	{2 2	{4 5	{8 5	{19 14
21	Paralysis	{M 346 F 250	{5 3	{2 1	{2 2	{1 1	{ 1	{10 7	{2 3	{ 1	{2 2	{1 5	{8 6
22	Paralysis, general (of insane)	{M 45 F 22	{ 2	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{3 1
23	Tetanus and trismus nascentium	{M 95 F 37	{43 28	{2 1	{2 1	{1 1	{1 1	{47 30	{6 6	{13 13	{6 6	{1 1	{5 1
24	Chorea	{M 4 F 4	{ 1	{ 1	{1 1	{1 1	{ 1	{2 1	{1 1	{ 1	{1 2	{ 1	{ 1
25	Epilepsy	{M 71 F 72	{6 3	{1 3	{1 2	{ 1	{ 1	{8 5	{1 6	{1 4	{7 7	{8 6	{8 7
26	Convulsions	{M 413 F 329	{350 257	{40 35	{5 13	{4 7	{5 3	{404 315	{6 6	{1 1	{ 1	{2 2	{3 3
27	Mental diseases	{M 65 F 125	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{1 1	{5 5	{4 4	{7 7
28	Diseases of the brain	{M 261 F 219	{41 25	{14 13	{3 3	{1 4	{6 2	{65 47	{7 7	{4 6	{9 5	{7 5	{12 8
29	Diseases of the spinal cord	{M 46 F 61	{2 2	{3 1	{1 1	{ 2	{1 1	{7 5	{ 3	{ 1	{1 1	{2 1	{4 1
30	Locomotor ataxia	{M 32 F 16	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{1 1	{ 1	{1 1	{1 1
31	Others of this class	{M 31 F 35	{1 2	{ 1	{1 1	{ 1	{ 1	{2 2	{2 2	{ 2	{2 2	{4 4	{1 3
32	3. Diseases of the circulatory system	5,485	330	18	15	25	28	416	145	143	138	175	235
33	Males	2,748	189	12	7	13	10	231	70	43	64	81	117
34	Females	2,737	141	6	8	12	18	185	75	100	74	94	118
35	Pericarditis	{M 48 F 42	{3 1	{2 1	{ 1	{ 1	{ 1	{5 6	{4 4	{3 1	{5 3	{4 2	{5 2
36	Diseases of the heart	{M 2,361 F 2,454	{77 55	{10 6	{5 8	{13 12	{10 12	{115 93	{64 70	{39 99	{59 70	{76 90	{104 110
37	Angina pectoris	{M 87 F 70	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{1 1	{ 1	{ 1	{1 1	{3 3
38	Diseases of the arteries	{M 58 F 45	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{1 1	{ 1	{ 1	{ 1	{1 1
39	Aneurism	{M 60 F 17	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{ 1	{1 1	{4 1
40	Embolism	{M 21 F 21	{2 1	{ 1	{ 1	{ 1	{ 1	{2 1	{ 1	{1 1	{ 1	{1 1	{5 1
41	Others of this class	{M 113 F 88	{107 85	{2 1	{ 1	{ 1	{ 1	{109 86	{1 1	{ 1	{ 1	{1 1	{5 1

455

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,614	1,410	1,139	940	875	730	638	531	375	222	86	42	6	1	1	1
946 668	871 539	678 461	561 379	519 356	368 362	317 321	278 253	160 215	93 129	40 46	15 27	2 4		1	2
3 7	5 8	3 8	2 4	4 2	2 5	4 5	4	2 2	1	1					4
11 7	9 5	19 9	12 13	20 17	16 28	28 30	29 25	16 24	13 11		3				5
6 3	8 8	6 3	7 9	12 4	10 13	3 7	11 9	5 14	3 8	7 2		1		1	6
1 1	1		2 3	1	1		1 3	2	1	2					7
8 2	6 2	8 2	4	1 1	1 1	2	1	1							8
4 4	12 1	4 1	5 2	3 1		1 2	1 1	2							9
881 566	794 406	575 270	433 180	345 143	222 114	160 103	108 45	82 47	32 24	10 12	3 9	2			10
19 66	30 98	52 158	82 155	123 182	109 189	114 166	117 153	46 121	40 79	18 23	9 13	2		1	11
10 8	3 8	8 7	10 11	10 5	5 9	5 5	9 8	3 5	3 3	2 2	1				12
1		2 1	1 1	1	1	2	2	1	1 3	2 1		1			13
2 4	3 3	1 2	3 1	1	2 1	1	2 2	2		1					14
192	235	308	355	404	456	539	504	461	383	222	102	22	10	4	15
112 80	142 93	189 119	205 150	216 188	236 220	278 261	254 250	239 222	200 183	114 108	41 61	6 16	10	3 1	16 17
3 1	2	2 1	2 1	2	1	1	1 1	1							18
16 14	21 7	15 9	25 8	12 3	11 7	7 11	8 9	3 2	3 3	1				1	19
42 22	40 42	80 71	111 106	137 132	157 156	187 163	174 158	184 158	143 120	81 72	27 34	4 11	7	2	20
16 8	38 2	45 6	33 5	27 12	26 20	32 31	28 35	22 30	30 39	15 18	10 13	1 4	2	1	21
6 3	5 3	8 2	7	5 4	3 1	4 2	2 2	1 2	1 1						22
4 1	2 2	2 2	2 1	4	3					1					23
					1										24
5 3	7 6	7 5	5 5	4	5 2	3 3	1 2	2 1	2 5	1	1				25
1					1	1			1						26
4 8	7 9	4 8	1 10	4 9	4 10	9 19	11 11	5 10	5 3	4 5	2 4		1	1	27
12 12	11 13	18 10	8 11	12 11	13 11	20 18	21 23	15 11	14 9	11 9	1 8	1			28
2 3	7 5	3 3	5 1	7 6	4 7	2 8	2 7	3 4		1	1				29
1 1	1	3 1	3 1	4 3	5 2	7 2	4 1	3	1	2					30
	1 4	2 1	5 2	2 4	4 2	5 4	2 1	3 1	1 1	1					31
278	325	309	360	430	465	531	514	456	319	152	63	17	6	8	32
152 126	166 159	152 157	181 179	238 192	242 223	258 273	254 260	220 236	165 154	71 81	31 32	6 11	3 3	3 5	33 34
4 4	4 3		2 3	3 3	2 2	3 1	1 3	1	3 4		1			1	35
131 114	142 146	136 150	163 168	216 177	215 206	230 259	226 223	200 216	150 139	59 75	26 26	4 8	3 1	3 4	36
10 6	7 7	7 3	4 4	8 10	12 7	8 5	9 12	9 6	4 3	4 2	2				37
				3 1	4 4	8 6	13 10	10 7	7 6	6 4	3 3	2 2	2		38
4 1	13 2	8 2	11 3	5 1	7 2	4 1	1 1	1 2		1		1			39
3		1 1	1 1	2	2	3 1	4 1		1 2	1					40
1		1		1		2									41

457

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
523	553	549	516	592	622	622	633	617	451	263	147	39	16	4	1
291 232	335 218	347 202	305 211	336 256	312 310	283 339	297 336	282 335	193 258	101 162	46 101	8 31	2 14	1 3	2 3
			1		1		1	1							4
252 194	304 189	301 164	259 163	279 205	237 246	217 250	211 207	193 239	122 155	59 93	26 51	7 14	2 4	1 2	5
3		2	2	1	1 2	3 1		1	1	1					6
13 17	8 14	11 16	14 30	23 26	44 43	37 59	45 92	61 76	53 72	29 58	18 41	1 17			7
9 8	8 8	9 8	8 6	13 5	4 3	7 7	4 6	4 2	2 4	2 2		4			8
1 2		1 4	6 1	4 5	7 5	6 6	6 11	6 5	2 7	2 1		1			9
16 8	15 6	23 10	16 10	16 15	19 10	13 16	30 20	17 12	13 19	8 8	2 4		1	1	10
199	248	267	250	240	220	203	203	147	105	49	25	3	3	2	11
96 103	119 129	139 128	144 106	131 109	124 96	95 108	97 106	66 81	55 50	15 34	9 16	1 2	2 1		12 13
															14
		1		1	1				1						15
9 11	11 16	9 16	9 7	12 20	16 13	9 25	14 15	14 23	14 13	5 11	1 4		1		16
9 6	10 6	8 5	14 7	9 6	6 3	5 4	12 9	3 3	1						17
7 10	4 9	3 13	5 9	8 15	9 11	6 10	18 18	3 7	6 9		2 1	1			18
16 15	21 10	20 6	19 11	16 7	5 3	3 1	6 6	5 4	2 2		1				19
8 3	4 4	8 9	7 10	3 11	8 8	10 14	8 6	9 6	6 8	1 4	1 1		1		20
1		2 2	1 1	1 1	1 1	1 2	3 3	2	1 2		1			1	21
	1 1	2 1	2 3	1 2	1 1		3 1	3 2		2					22
5 4	5 7	5 12	10 3	12 5	5 8	2 5	2 7	2 8	5 4	1 3		3			23
28 15	49 34	63 39	64 27	51 29	59 30	45 28	35 25	20 14	15 10	3 4	1 3				24
9 36	12 36	11 20	8 16	6 9	8 10	8 6	5 8	1 6	1 1		3				25
										1					26
4 2	2 4	7 5	5 11	11 5	5 9	6 10	3 8	4 3	3 1	2 8	1 3		1		27
339	444	461	485	570	606	592	490	418	297	150	68	11	5	1	28
173 166	227 217	246 215	255 230	323 247	343 263	345 247	266 224	220 198	169 128	84 66	38 30	6 5		1	29 30
158 136	207 198	231 198	236 222	297 233	317 248	315 237	233 215	193 185	134 120	63 63	22 27	6 5		1	31
	2			3	2	2	1		1						32
1 3 9			1					1	1		1				33
2	5 7	3 6	5 3	9 4	1 1	4 2	8 5	5 2	4 2		1				34
	1 2	3	3	4 2	4	14 2	9	15 4	15 1	10	13 2				35
10 20	12 10	9 11	11 4	10 8	19 14	10 6	15 4	7 7	15 4	11 3	2				36
47	45	40	21	18	9	4	4	5	1	1				1	37
6 7 12 7 4 11	2 3 16 10 1 13	4 1 11 19 1 5	4 2 2 11 1 1	8 2 2 10 1 1	3 2 2 4 1 1	2 2 1 1 1 1	3 2 1 3 1 1	2 2 3 3 1 1	1 1 1 1 1 1	1 1 1 1 1 1					38 39 40 41 42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 1—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	658									33	148	159
2	Abort on	41									4	6	13
3	Childbirth	134									4	20	29
4	Puerperal septicemia	334									16	86	75
5	Extra-uterine pregnancy	27										3	12
6	Others of this class	119									9	33	30
7	9. Diseases of the bones and joints	171	14	6	2	6	7	35	23	18	9	10	6
8	Males	90	5	2	2	2	6	17	11	10	4	6	3
9	Females	81	9	4		4	1	18	12	8	5	4	3
10	Diseases of the spine	23 (M) 26 (F)	1	2		1 2	2	3 5	5	5	2 1		
11	Abscess, lumbar and psoas	3 (M) 1 (F)								1		1	
12	Diseases of the bones	43 (M) 26 (F)	3 5	1 2	1	1 1	4 1	10 9	3 2	3 3	2 1	2 1	3 3
13	Diseases of the hip-joint	6 (M) 12 (F)	1					1	4	1	3		
14	Others of this class	15 (M) 16 (F)	2 2	1	1			4 3		1		1 1	
15	10. Diseases of the skin	124	38	3	2			43	4		2	7	8
16	Males	69	19	3	1			23	4		2	3	5
17	Females	55	19		1			20				4	3
18	Abscess	42 (M) 29 (F)	10 9	1	1 1			12 10	4		1	1 3	3 2
19	Carbuncle	7 (M) 5 (F)	1					1			1	1	
20	Others of this class	20 (M) 21 (F)	9 9	2				11 9				1 1	2 1
21	11. Diseases of the absorbent system	37	7	1	1			9			1	1	4
22	Males	15	3	1	1			5				1	2
23	Females	22	4					4			1		2
24	Addison's disease	5 (M) 3 (F)									1		1 1
25	Diseases of the spleen	1 (M) 1 (F)	1					1					
26	Others of this class	10 (M) 13 (F)	3 3	1	1			5 3				1	1 1
27	12. Accidents and injuries	3,231	200	77	86	88	55	506	193	112	117	211	304
28	Males	2,436	114	41	47	47	36	285	131	88	92	155	249
29	Females	795	86	36	39	41	19	221	62	24	25	56	55
30	Burns and scalds	158 (M) 208 (F)	9 9	20 19	27 19	27 18	13 11	96 76	9 27	4 13		6 6	6 13
31	Drowning	398 (M) 30 (F)	3 1	2 5			1	6 7	37 2	24 1	12	29 1	41 2
32	Exposure and neglect	6 (M) 7 (F)	1 6					1 6				1	
33	Gunshot wounds	113 (M) 16 (F)		1		1		1 1		8 2	10 1	11 2	16
34	Homicide	53 (M) 19 (F)			1		1	2	1 2	2	4 1	10 2	12 4
35	Infanticide	1 (M) 1 (F)	1					1					
36	Injuries by machinery	2 (M) 2 (F)										2	
37	Railroad accidents	146 (M) 13 (F)		1	2 1	4 2	2	9 3	12 2	8	6	8	14 1
38	Suffocation	80 (M) 53 (F)	46 32	2 1	2 3	1	2	53 36	2 3	4	2 1	2	2 3
39	Suicide by shooting	94 (M) 7 (F)									1	3	14
40	Suicide by drowning	3 (M) 4 (F)											1 2
41	Suicide by poison	117 (M) 76 (F)									6 8	3 20	20 14
42	Other suicides	137 (M) 33 (F)								1	3 2	9 4	10 5
43	Sunstroke	61 (M) 33 (F)	20 13	1 1	1 2			22 16	3 1		1 1	3 2	3
44	Surgical operations	13 (M) 9 (F)	2					2				1 2	1 1
45	Wounds	45 (M) 10 (F)		1			2	3	3 1	1 1	3 1	2 2	6 1
46	Others of this class	1,009 (M) 277 (F)	32 25	13 10	15 12	15 20	16 7	91 74	64 22	37 6	44 6	65 15	103 9

CAUSE, SEX, AND AGE.

459

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
161	107	46	4												1
12	4	5													2
35	30	14	2												3
88	51	17	1												4
5	4	3													5
21	18	7	1												6
9	16	8	6	9	6	1	8	5	2						7
5	10	6	4	6	1		6		1						8
4	6	2	2	3	5	1	2	5	1						9
1	2	1	1	2			1								10
2	3	1		1	2										
1															11
1															
3	5	3	3	2	1		2		1						12
1	1	1	1					2	1						
															13
	1							1							14
	2														
	2	2		2			3								15
			1	2	3	1	2								
6	9	4	6	5	7	7	11	4	1						16
4	6	3	2	3	3	4	5	1	1						17
2	3	1	4	2	4	3	6	3							18
2	5	3	1	2	2	2	3	1							
1	2	1		1	3	2	4								19
1			1		1	1			1						
			1		1			2							20
1	1		3	1		1	2	1							
2	3	3	3	4	1	3	2		1						21
															22
2	2	1	2	2	1	3	2		1						23
	1	1	1	1											
2	1			1		1	1								24
															25
	1		1	1											26
		2	1	1	1	2	1		1						
271	353	277	205	179	126	126	90	62	45	18	8	5	2	21	27
239	291	238	169	143	98	93	64	36	32	9	2	3		19	28
32	62	39	36	36	28	33	26	26	13	9	6	2	2	2	29
8	2	11	3	2	2	3	1	2	2					1	30
5	13	13	9	7	3	5	5	8		1					
38	63	47	32	26	16	12	5	4		1				5	31
	4	2	1	1	3	2	1	1	1					1	
			1			1	1		1						32
			1												
15	16	4	6	7	6	6	2	1	2					2	33
1	3	2		1		1									
8	7	5			1	1		1							34
1	5	1		1											
															35
															36
12	16	9	14	8	7	5	5	4	3					6	37
	1	1	1		3	1									
2	4	2			2	3		1						1	38
1	3		1		1		1	1	1					1	
16	12	13	12	7	7	5	3		1	1					39
2	3		1					1							
						1			1						40
15	16	15	9	12	4	9	5	2	1						41
7	9	4	4	3	3	1	1	1	1						
12	15	16	18	18	14	7	6	5	3					1	42
4	2	5	3	2	1	2	2								
	11	6	1	2	2	2	1	1	3						43
	4			3		3	1	2							
1		4	1			1	2								44
1		1	2	1	1										
7	5	4	3	3	3	1		1							45
1	1	1	1												
105	124	102	69	57	34	36	33	14	15	8	2	3		3	46
9	13	9	12	16	13	18	15	12	10	8	6	2	2		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 2.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	4,508	641	133	71	57	35	937	106	78	130	196	174
2	Males.....	2,373	358	72	37	27	24	518	59	46	72	103	85
3	Females.....	2,135	283	61	34	30	11	419	47	32	58	93	89
4	Unknown cause.....	63	28					28	4	1	3	1	1
5	Males.....	31	12					12	3		2		
6	Females.....	32	16					16	1	1	1	1	1
7	1. General diseases. General diseases—A.....	675	174	54	26	27	15	296	35	25	25	36	23
8	Males.....	354	102	26	11	13	10	162	18	14	14	21	12
9	Females.....	321	72	28	15	14	5	134	17	11	11	15	11
10	Measles..... (M.....) (F.....)	3 18 19	1 3 1	1 2 2		1 3 6		2 9 13			1 2		1 1
11	Scarlet fever..... (M.....) (F.....)	29 19	1 2	1 2	1 2	6 3	6	15 7	5 8	6 2	1 2	1	1
12	Diphtheria..... (M.....) (F.....)	15 12	9 6	2 3	2 3	1		14 12	1				
13	Whooping cough..... (M.....) (F.....)	2 2										1	2
14	Malarial fever..... (M.....) (F.....)	30 87	1 3	1	1			2 4	1 1		1	1	1 2
15	Influenza..... (M.....) (F.....)	71 49	1		1	1		2 2	3 3	5 5	10 2	16 6	6 4
16	Typhoid fever..... (M.....) (F.....)	17 16	6 3	1 1			1	8 4			1	1	1
17	Cholera morbus..... (M.....) (F.....)	2 3	1	2				2 1					
18	Colitis..... (M.....) (F.....)	27 15	7 3	1 1		1		9 5	2	1			1
19	Diarrhea..... (M.....) (F.....)	16 15	4 2	3 2	1 1			8 3			1		
20	Dysentery..... (M.....) (F.....)	18 18	7 6	4 1	1 1	1		12 9				1	1
21	Enteritis..... (M.....) (F.....)	71 60	57 41	8 11	3 4	2	3 2	71 60					
22	Cholera infantum..... (M.....) (F.....)												
23	Fever..... (M.....) (F.....)	12 15	5 4	2 3	1	1	1	9 8		1 1		1 2	1
24	Cerebro-spinal fever..... (M.....) (F.....)												
25	Smallpox..... (M.....) (F.....)	7 10	1 1					1 1			1	1	
26	Erysipelas..... (M.....) (F.....)	5 16				1		1			2	4	1
27	Septicemia..... (M.....) (F.....)	1 1											
28	Venereal diseases..... (M.....) (F.....)	13 11											
29	Others of this group..... (M.....) (F.....)												
30	General diseases—B.....	57	35	2	1	1		39		1		1	1
31	Males.....	30	17					17		1		1	1
32	Females.....	27	18	2	1	1		22					
33	Alcoholism..... (M.....) (F.....)	1 1											
34	Parasitic diseases..... (M.....) (F.....)												
35	Lead poison..... (M.....) (F.....)	1 1		1				1					
36	Other poisons..... (M.....) (F.....)	7 5	1		1	1		1 2		1		1	
37	Inanition..... (M.....) (F.....)	21 20	16 18					16 19					1
38	General diseases—C.....	418	132	4	2			138			1		1
39	Males.....	199	75	3	2			80					
40	Females.....	219	57	1				58			1		1
41	Old age..... (M.....) (F.....)	104 139											
42	Premature birth..... (M.....) (F.....)	31 29	31 29					31 29					
43	Malformation..... (M.....) (F.....)	17 6	15 6	1				16 6					
44	Debility and atrophy..... (M.....) (F.....)	35 39	17 16	2 1	2			21 17			1		1
45	Others of this group..... (M.....) (F.....)	12 6	12 6					12 6					

461

NEW YORK—GROUP 2.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	797	27	13	7	5	3	55	12	9	32	84	62
2	Males	362	14	6	2	2	2	26	6	4	13	37	29
3	Females	435	13	7	5	3	1	29	6	5	19	47	33
4	Anemia	16	1	1	1	1		2				1	
5	Diabetes	16	1					1	1	1	1	1	
6	Rheumatism	8					1	1					
7	Scrofula and tabes	5	1				1	2	1				1
8	Hydrocephalus	14	4	5		1		10	1	1			
9	Tuberculosis, general	2											
10	Consumption	212	5	1	1			7	3	2	12	34	26
11	Cancer	65	1					1					1
12	Tumor	10										1	1
13	Dropsy	12	1					1					
14	Others of this group	2	1					1					
15	2. Diseases of the nervous system	670	84	18	15	9	4	130	18	9	7	11	6
16	Males	358	57	11	7	3	3	81	12	7	5	6	3
17	Females	312	27	7	8	6	1	49	6	2	2	5	3
18	Inflammation of the brain	8	2	1			1	4	1			1	
19	Meningitis	56	20	8	3			31	10	6	5	1	
20	Apoplexy	101					1	1				1	1
21	Paralysis	80			1			1					1
22	Paralysis, general (of insane)	10	1					1					1
23	Tetanus and trismus nascentium	4	1			1		2					
24	Chorea												
25	Epilepsy	16	4					4		1		2	1
26	Convulsions	27	24	1			1	26				1	
27	Mental diseases	8											
28	Diseases of the brain	35	5	1	3	1		10					
29	Diseases of the spinal cord	6	1			1		2	1				
30	Locomotor ataxia	4											
31	Others of this class	3											
32	3. Diseases of the circulatory system	453	25	1	1			27	4	3	5	8	7
33	Males	266	13	1	1			15	1	2	3	6	3
34	Females	187	12					12	3	1	2	2	4
35	Pericarditis	1											
36	Diseases of the heart	238	5	1	1			7	1	2	2	6	2
37	Angina pectoris	12									1		1
38	Diseases of the arteries	1											
39	Aneurism	2											
40	Embolism	4											
41	Others of this class	8	8					8					

463

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	69	41	35	41	53	44	73	39	35	18	10	5		4	1
32 44	30 39	20 21	14 21	22 19	18 35	17 27	39 34	21 18	16 19	9 9	4 6	3 2		2 2	2 3
	2		1	3			3		1	1	1			1	4
4	4		1	1				1	1						}
2 1		1		2	1	2 1	1	1	1	1				1	
1					2		1	2	1	1	1				}
1			1				2								
2		1													}
1 1	1														}
24 33	24 24	17 13	11 10	12 11	9 15	6 8	9 7	6 8	6 6	2 3	1			1	}
1 4	3 8	1 6	2 8	3 5	4 16	8 15	18 20	10 7	6 9	3 5	1 4	3 2		1	
	1			2 1	1 3		3 3			1					}
	1			1	1	1	5	2 2	1 1		1				
	1			1	1	2									}
1	1	1	1				1								
															}
															}
24	24	24	24	50	31	43	65	65	66	42	22	8	1		15
17 7	11 13	15 9	10 14	24 26	12 19	22 21	33 32	30 35	34 32	24 18	11 11		1		}
1				1 1	2		1 1		1		1				
	1 1	2	2	1 2	1	2			1	2					}
2 1	1	2	3 6	9 11	4 9	14 8	16 19	11 16	17 18	14 9	6 5		1		
7 1	4	4	3 4	6 5	2 2	4 3	12 10	14 11	12 10	5 4	5 2	3			}
2		1 1	3	3			1								
		1				1		2							}
		1			1 1										
															}
															}
															}
															}
1	4 6	1		3		3	1	1 1							}
															}
3 2		3		1	1				1			3			}
2 1	1 2	4 3	1 1	1 3	3 3	1 2	1 1	4 2	3 1	4 3	2				
		1			1				1						}
	1			1	1	1		2	1						
															}
															}
															}
1	2	1	1			2 1	1				1				}
10	11	21	18	24	35	44	60	60	51	40	16	5	2	2	
6 4	7 4	11 10	11 7	11 13	27 8	26 18	38 22	35 25	33 18	20 20	9 7	1 4	1 1	2	}
		1			1	1	1								
6 4	7 3	10 9	10 6	9 11	21 7	22 16	37 20	34 24	32 18	20 16	8 7	1 4	1 1	2	}
	1		1	1 2	3	2 2	1	1 1	1	1	1				
					1										}
															}
															}
															}
			1		1	1	1			1					}
															}

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system-----	572	84	29	15	8	6	142	14	9	16	14	20
2	Males -----	308	43	20	11	6	2	82	7	1	8	9	12
3	Females -----	264	41	9	4	2	4	60	7	5	8	5	8
4	Croup ----- {M {F	{19 {7	{2 {1	{5 {1	{4 {	{1 {1	{1 {2	{13 {5	{4 {1		1		
5	Pneumonia ----- {M {F	{210 {195	{26 {25	{12 {7	{5 {4	3	1	{46 {37	{2 {5	{3 {5	{7 {6	{9 {2	{10 {6
6	Laryngitis ----- {M {F	{2 {1		1				1					
7	Bronchitis ----- {M {F	{38 {42	{7 {13	2	2	1		{12 {14			1		1
8	Pleurisy ----- {M {F	{5 {4								1			1
9	Asthma ----- {M {F	{5 {											
10	Others of this class ----- {M {F	{29 {15	{8 {2		1		1	{10 {4	{1 {1		1	2	2
11	5. Diseases of the digestive system-----	251	25	5	3	1	2	36	8	12	13	13	12
12	Males -----	126	12	4	3		2	21	4	6	8	5	8
13	Females -----	125	13	1		1		15	4	6	5	8	4
14	Dentition ----- {M {F	{3 {3	{1 {2	2				3					
15	Angina ----- {M {F	{3 {3							1 1	1			
16	Gastritis ----- {M {F	{11 {14	1	1		1		{2 {1					
17	Diseases of the stomach ----- {M {F	{6 {7	1					1 1					
18	Obstruction of the bowels ----- {M {F	{14 {10	4					4				1	1
19	Appendicitis ----- {M {F	{21 {6			1		1	2	1 1	2	3 1	1	3
20	Hernia ----- {M {F	{4 {4	1					1					1
21	Other diseases of the bowels ----- {M {F	{4 {6		1				1 1					1
22	Jaundice ----- {M {F	{5 {5								1			
23	Inflammation and abscess of the liver. {M {F	{2 {5								1			
24	Other diseases of the liver ----- {M {F	{14 {19			1			1				1	1
25	Peritonitis ----- {M {F	{27 {26	1		1		1	3	1 1	3 2	4 4	3 5	1 2
26	Ascites ----- {M {F	{1 {1											
27	Others of this class ----- {M {F	{11 {16	4 8					{4 {8	{1 {1		1		1
28	6. Diseases of the urinary system and male organs of generation.	279	1	2		1	3	7	2	3	3	5	12
29	Males -----	177	1				3	4	2	2	1	3	2
30	Females -----	102		2		1		3		1	2	2	10
31	Bright's disease ----- {M {F	{112 {79							2	2 1	1 2	2 1	1 7
32	Calculus, urinary ----- {M {F	{1 {1											
33	Diseases of the kidney ----- {M {F	{15 {10		2		1	2	{2 {3					1 1
34	Diseases of the bladder ----- {M {F	{19 {1											
35	Others of this class ----- {M {F	{30 {11	1				1	2				1 1	2
36	7. Diseases of the female organs of generation.	14									1	1	
37	Ovarian tumors -----												
38	Ovarian diseases -----	1											
39	Diseases of the tubes -----	1											
40	Uterine tumors -----	4											
41	Uterine diseases -----	1											
42	Others of this class -----	7									1	1	

CAUSE, SEX, AND AGE.

465

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	16	20	28	19	24	33	49	43	48	33	16	11	2	1	1
10	11	13	19	10	12	13	22	20	21	21	9	4	1	1	2
4	5	7	9	9	12	20	27	23	27	12	7	7	1	1	3
						1									4
8	8	11	15	9	8	9	18	13	13	14	4	2	1		5
4	3	6	8	8	8	17	22	18	22	9	5	3	1		6
1															7
	1	1	2	1		1	2	2	5	4	5	2			8
	1			1		2	4	4	2	3	2	4		1	9
							1	3							10
	1	1	1			1	1	2							11
															12
1	2		2		4	1			3	3					13
					2	1	1	1	2						14
12	13	10	17	16	14	11	15	25	10	6	8				15
4	6	3	12	9	7	4	6	10	7	2	4				16
8	7	7	5	7	7	7	9	15	3	4	4				17
															18
					1	1		1							19
					2	2	2			1	1				20
2	1	1	1	1	2	1	2	1		1	1				21
					1		1								22
1					2			2	1	1					23
1	1				1		1	1	1		1				24
1	1	1			2		3	1	1						25
1	2	1	3	1	1										26
		1							2		1				27
	1	1						1							28
1					1			2	1	1	1				29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40
															41
															42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS.
NEW YORK—GROUP 2—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	35									5	6	9
2	Abortion	2											
3	Childbirth	9											2
4	Puerperal septicemia	8									3	2	2
5	Extra-uterine pregnancy	2										1	1
6	Others of this class	14									2	3	4
7	9. Diseases of the bones and joints	13	3				1	4			3		1
8	Males	8	1				1	2			3		
9	Females	5	2					2					1
10	Diseases of the spine {M	5	1				1	2			2		
	{F	3	1					1					1
11	Abscess, lumbar and psoas {M	1											
	{F	1	1					1					
12	Diseases of the bones {M	1											
	{F	1											
13	Diseases of the hip-joint {M	1									1		
	{F												
14	Others of this class {M												
	{F												
15	10. Diseases of the skin	13	2	1	1			4	1				1
16	Males	8	2					2	1				
17	Females	5		1	1			2					1
18	Abscess {M	4							1				
	{F	2											1
19	Carbuncle {M	1											
	{F												
20	Others of this class {M	3	2					2					
	{F	3		1	1			2					
21	11. Diseases of the absorbent system	3											
22	Males	2											
23	Females	1											
24	Addison's disease {M	1											
	{F	1											
25	Diseases of the spleen {M	1											
	{F												
26	Others of this class {M												
	{F												
27	12. Accidents and injuries	195	21	4		5	1	31	8	6	16	16	18
28	Males	144	9	1		3	1	14	5	6	15	15	15
29	Females	51	12	3		2		17	3		1	1	3
30	Burns and scalds {M	6		1		2		3					1
	{F	8	2	2		1		5	1				1
31	Drowning {M	40				1	1	2	3	2	10	7	6
	{F	6		1		1		2	1			1	1
32	Exposure and neglect {M	4	2					2					
	{F	2	1					1					
33	Gunshot wounds {M	13								1	1	2	1
	{F												
34	Homicide {M	1											
	{F												
35	Infanticide {M												
	{F												
36	Injuries by machinery {M												
	{F												
37	Railroad accidents {M	9											1
	{F												
38	Suffocation {M	5	2					2					
	{F	7	5					5	1				
39	Suicide by shooting {M	1										1	
	{F	1									1		
40	Suicide by drowning {M												
	{F	1											
41	Suicide by poison {M	1											
	{F	1											
42	Other suicides {M	3											2
	{F	5											
43	Sunstroke {M												
	{F												
44	Surgical operations {M												
	{F	1											
45	Wounds {M	1									1		
	{F												
46	Others of this class {M	60	5					5	2	3	3	5	4
	{F	19	4					4					1

CAUSE, SEX, AND AGE.

467

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5	7	3													1
1	1														2
2	4	1													3
1															4
															5
1	2	2													6
	1						1	2		1					7
	1						1	1		1					8
							1	1		1					9
										1					10
								1							11
	1							1							12
															13
															14
	1		1		2	1			1					1	15
	1		1		2	1			1					1	16
			1		1	1								1	17
					1				1						18
															19
	1														20
	2									1					21
	1									1					22
	1														23
	1														24
	1									1					25
															26
14	14	9	7	4	8	9	7	13	5	4	2			4	27
13	11	6	6	4	7	7	5	9	1	2				3	28
1	3	3	1		1	2	2	4	4	2	2			1	29
						1		1							30
3	1	2	1	1		1		1							31
						1	1		1						32
3		2		1	1			1							33
					1										34
															35
															36
	2		1		2	1	1							1	37
	1		1											1	38
														1	39
															40
			1					1							41
	1					1									42
1	1	1	1							1					43
															44
					1										45
7	7	2	2	2	3	2	3	6	1	2				1	46
	1	2				2	2	1	3	1	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 3.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	4,900	710	161	75	65	37	1,048	108	73	133	167	207
2	Males.....	2,479	384	82	38	32	20	556	48	31	68	72	113
3	Females.....	2,421	326	79	37	33	17	492	60	42	65	95	94
4	Unknown cause.....	41	13	1			1	15	1				
5	Males.....	24	6	1			1	8	1				
6	Females.....	17	7					7					
7	1. General diseases.												
8	General diseases—A.....	731	195	66	25	32	15	333	38	22	32	11	21
9	Males.....	357	106	32	10	16	10	174	17	11	18	3	11
10	Females.....	374	89	34	15	16	5	159	21	11	14	8	10
11	Measles.....	25	7	5	1	3	1	17	4	1			1
12	Scarlet fever.....	11				4	1	5	1	2	2		
13	Diphtheria.....	25		2	4	2	5	13	8	4	3		
14	Whooping cough.....	20	15	4		1		20					
15	Malarial fever.....	9	1		1			2					1
16	Influenza.....	37	5	1		1		7			1		1
17	Typhoid fever.....	43				1	1	2	1	1	10	3	4
18	Cholera morbus.....	10	1	1				2		1	3	3	7
19	Colitis.....	7	2		1			3					1
20	Diarrhea.....	12	3					3	1				
21	Dysentery.....	10	1	3		2		6					
22	Enteritis.....	37	20	3	1	1		25					1
23	Cholera infantum.....	51	42	7	1	1		51					
24	Fever.....	18	6	6			2	14	1		3		
25	Cerebro-spinal fever.....	15	5	3		4		12			1		
26	Smallpox.....												
27	Erysipelas.....	11	1					1	1				1
28	Septicemia.....	21			1			1		2	1	3	3
29	Venereal diseases.....	1											1
30	Others of this group.....	9	2					2					
31	General diseases—B.....	67	36		1	1		38		1	1	1	2
32	Males.....	40	21					21		1			1
33	Females.....	27	15		1	1		17			1	1	1
34	Alcoholism.....	11											1
35	Parasitic diseases.....												
36	Lead poison.....												
37	Other poisons.....	7										1	1
38	Inanition.....	22	21		1	1		21		1	1		
39	General diseases—C.....	363	148	2	1	1		152	1			1	
40	Males.....	187	80	1	1	1		83					
41	Females.....	176	68					69	1			1	
42	Old age.....	89											
43	Premature birth.....	40	40					40					
44	Malformation.....	9	9					9					
45	Debility and atrophy.....	45	27	1	1	1		30				1	
46	Others of this group.....	4	4					4					

469

NEW YORK—GROUP 3.

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 3—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	879	17	3	2	2	2	26	9	12	33	66	87
2	Males	413	12	2		1	1	16	4	1	13	30	49
3	Females	466	5	1	2	1	1	10	5	11	20	36	38
4	Anemia (M)	6											
	(F)	15								1	1	3	2
5	Diabetes (M)	16							1		1		2
	(F)	10							1	1			
6	Rheumatism (M)	15										1	
	(F)	16							1	1		1	
7	Scrofula and tabes (M)	3			1	1		2				1	1
	(F)	6								1			
8	Hydrocephalus (M)	10	7	1			1	9					
	(F)	6	2		1		1	4	1				
9	Tuberculosis, general (M)	1											1
	(F)	1											
10	Consumption (M)	271	4	1		1		6	3	1	12	27	45
	(F)	259	2	1				3	2	7	19	30	34
11	Cancer (M)	71											
	(F)	113											1
12	Tumor (M)	4										1	
	(F)	12										1	
13	Dropsy (M)	15											
	(F)	26	1					1				1	
14	Others of this group (M)	1	1					1					
	(F)	2											1
15	2. Diseases of the nervous system	775	88	22	15	8	6	139	13	9	10	13	15
16	Males	379	55	11	9	4	2	81	8	7	4	5	6
17	Females	396	33	11	6	4	4	58	5	2	6	8	9
18	Inflammation of the brain (M)	6	2	1				3			1		1
	(F)	5											
19	Meningitis (M)	41	15	6	5	4	1	31	3	1		1	
	(F)	37	7	5	3	2	2	19		1	3	2	4
20	Apoplexy (M)	137	1					1				1	1
	(F)	165	1					1				1	1
21	Paralysis (M)	65	3					3	3				
	(F)	71							1			1	1
22	Paralysis, general (of insane) (M)	4											
	(F)	1											
23	Tetanus and trismus nascentium (M)	11	1	1				2		4		1	
	(F)	1											
24	Chorea (M)												
	(F)												
25	Epilepsy (M)	9								1	3		1
	(F)	11				1		1		1	3	1	1
26	Convulsions (M)	36	29	2	3		1	35	1				
	(F)	33	20	5	2		2	29	2				
27	Mental diseases (M)	27											2
	(F)	30										2	1
28	Diseases of the brain (M)	28	4	1				5		1		1	1
	(F)	27	5	1				6	1				1
29	Diseases of the spinal cord (M)	7			1			1	1			1	
	(F)	9			1	1		2	1				
30	Locomotor ataxia (M)	1											
	(F)												
31	Others of this class (M)	7											
	(F)	6											
32	3. Diseases of the circulatory system	483	21	1	1			23	8	3	10	7	12
33	Males	248	7		1			8	3	1	6	2	9
34	Females	235	14	1				15	5	2	4	5	3
35	Pericarditis (M)	4											1
	(F)	3										1	
36	Diseases of the heart (M)	218	6		1			7	3	1	5	2	8
	(F)	204	7					7	5	1	4	4	2
37	Angina pectoris (M)	19									1		
	(F)	14								1			
38	Diseases of the arteries (M)	4											
	(F)	2											
39	Aneurism (M)												
	(F)	1											
40	Embolism (M)	2											
	(F)	2											
41	Others of this class (M)	1	1					1					
	(F)	9	7	1				8					1

471

NEW YORK—GROUP 3—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 8—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	710	138	56	22	15	8	239	21	11	17	19	16
2	Males	354	71	28	11	6	4	120	7	4	9	7	7
3	Females	356	67	28	11	9	4	119	14	7	8	12	9
4	Croup.....(M.....	12	3	4	2	2		11	1				
	(F.....	11	2	3	1			6	5				
5	Pneumonia.....(M.....	241	37	16	7	4	1	65	4	3	7	7	7
	(F.....	244	38	17	8	6	2	71	6	7	7	9	7
6	Laryngitis.....(M.....	4							2	1			
	(F.....	3				1	1	2	1				
7	Bronehitis.....(M.....	67	26	8	1		3	38					
	(F.....	62	21	7	2	2		32				2	1
8	Pleurisy.....(M.....	2									1		
	(F.....	2											
9	Asthma.....(M.....	1											
	(F.....	5											
10	Others of this class.....(M.....	27	5		1			6			1		
	(F.....	29	6	1			1	8	2		1	1	1
11	5. Diseases of the digestive system.....	277	38	5	3	3	1	50	8	8	9	12	9
12	Males	131	18	4	2	2		26	4	3	5	2	3
13	Females	146	20	1	1	1	1	24	4	5	4	10	6
14	Dentition.....(M.....	2		2				2					
	(F.....	2	1		1			2					
15	Angina.....(M.....	3	1			1		2					
	(F.....	4	2			1		3					1
16	Gastritis.....(M.....	21	1			1		2					1
	(F.....	27	6					6	1				2
17	Diseases of the stomach.....(M.....	9			1			1					
	(F.....	6									1	1	1
18	Obstruction of the bowels.....(M.....	8	2					2					
	(F.....	4											
19	Appendieitis.....(M.....	12							2	1			
	(F.....	7	1					1			1	3	1
20	Hernia.....(M.....	5											
	(F.....	8											
21	Other diseases of the bowels.....(M.....	4	1					1					
	(F.....	6	1					1					
22	Jaundice.....(M.....	7	6					6					
	(F.....	6	2	1				3					
23	Inflammation and abscess of the liver.(M.....	1	1					1					
	(F.....	6	1					1			1		
24	Other diseases of the liver.....(M.....	27											
	(F.....	20	1					1					
25	Peritonitis.....(M.....	20	2	1	1			4	2	2	2		1
	(F.....	38	1				1	2	3	4	1	5	2
26	Ascites.....(M.....	1											
	(F.....	2											
27	Others of this class.....(M.....	11	4	1				5					
	(F.....	10	4					4		1		1	
28	6. Diseases of the urinary system and male organs of generation.	269	5		1	1	1	8	4	2	7	11	14
29	Males	151			1	1	1	3	1		4	6	6
30	Females	118	5					5	3	2	3	5	8
31	Bright's disease.....(M.....	109									4	4	3
	(F.....	98							3	1	2	4	8
32	Calculus, urinary.....(M.....	2											
	(F.....												
33	Diseases of the kidney.....(M.....	9			1	1	1	3	1				
	(F.....	7	4					4					
34	Diseases of the bladder.....(M.....	10											
	(F.....	3											
35	Others of this class.....(M.....	21										2	3
	(F.....	10	1					1		1	1	1	
36	7. Diseases of the female organs of generation.....	15											
37	Ovarian tumors.....	4											
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....	6											
41	Uterine diseases.....												
42	Others of this class.....	5											

CAUSE, SEX, AND AGE.

473

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	24	25	25	22	38	41	43	40	56	30	13	4	1	7	1
15 3	17 7	16 9	12 13	14 8	19 19	18 23	19 24	18 22	27 29	11 19	7 6	2 2	1	4 3	2 3
10 2	14 7	14 8	12 8	9 6	13 13	12 19	15 16	13 16	19 26	7 9	4 3	2 1		4 3	4 5
1 1	1	1	2	3 1	3 3	4	3 5	3 4	6	3 7	1 2	1	1		6 7
		1				1	1								8
					2	2				1	1				9
4	2	1	3	2 1	3 1	2 1	1 2	2 2	2 3	2	1 1				10
9	16	9	19	15	17	16	22	19	20	10	7	1		1	11
3 6	5 11	2 7	10 9	10 5	9 8	5 11	9 13	10 9	12 8	7 3	5 2	1		1	12 13
			1												14
															15
1	3	2	1 2	3 2	2 1	1 1	3 2	2 1	3 1	4 2	1				16
		2	1	2	1		2	1	1	1					17
	1			1		1	1	1	2 1		1			1	18
1	1					1	1	1							19
1	1	1		1		2		2 1	1	2	1				20
	1		1		1			1	2		1 1				21
						1	1	1				1			22
	1		1	1				1							23
2	1	1	4 3	3 1	2 4	2 2	7 2	2 1	5 1	1					24
1 3	1 4	1 1	2 3		3 1	1 2	4	2			1				25
					1			1							26
				1	1	1			1	1	1				27
7	13	13	15	18	18	18	35	30	27	15	13	1			28
4 3	8 5	9 4	3 12	12 6	10 8	6 12	20 15	19 11	20 7	12 3	8 5				29 30
3 3	6 3	8 4	3 11	9 5	8 8	6 12	16 14	13 9	13 5	7 3	6 3				31
1				1											32
			1	1			2		3 1						33
	1			1	1			1	2 1	3	1 1	1			34
	1 2	1		1	1		2 1	5 2	2	2	1 1				35
1	2	2	3	2			2	1	1		1				36
		1					1	1	1						37
															38
															39
	1		3	1			1								40
															41
1	1	1		1							1				42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 3—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	29									2	7	8
2	Abortion	2											1
3	Childbirth	8									1	2	2
4	Puerperal septicemia	11										2	3
5	Extra-uterine pregnancy												
6	Others of this class	8									1	3	2
7	9. Diseases of the bones and joints	10								1	1	1	1
8	Males	4									1	1	1
9	Females	6								1			
10	Diseases of the spine	1								1		1	
11	Abscess, lumbar and psoas	1											1
12	Diseases of the bones	1											
13	Diseases of the hip-joint	1									1		
14	Others of this class	3											
15	10. Diseases of the skin	13		2				2	1				
16	Males	7		1				1	1				
17	Females	6		1				1					
18	Abscess	5		1				1	1				
19	Carbuncle	3		1				1					
20	Others of this class	2											
21	11. Diseases of the absorbent system	2											
22	Males	1											
23	Females	1											
24	Addison's disease	1											
25	Diseases of the spleen												
26	Others of this class	1											
27	12. Accidents and injuries	236	11	3	4	2	3	23	4	4	11	18	22
28	Males	183	8	2	3	1	1	15	2	3	8	16	20
29	Females	53	3	1	1	1	2	8	2	1	3	2	2
30	Burns and scalds	7			3	1	1	4	1				1
31	Drowning	31		2			1	3	1	2		5	6
32	Exposure and neglect	2	1					1			2		
33	Gunshot wounds	11									3		2
34	Homicide	1										1	
35	Infanticide												
36	Injuries by machinery	1											
37	Railroad accidents	36									4	7	3
38	Suffocation	6		1				1		1	1		
39	Suicide by shooting	7	3				1	3			1		
40	Suicide by drowning	4	2					3					
41	Suicide by poison	2											
42	Other suicides	7											
43	Sunstroke	3											
44	Surgical operations	2											
45	Wounds	2											
46	Others of this class	1											
		76	4					4	1	1		4	9
		19	1					1				1	1

CAUSE, SEX, AND AGE.

475

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 3—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	4	3	2												1
	1														2
1	1		1												3
2	2	1	1												4
		2													5
															6
1					1	1	2	1							7
							1								8
1					1	1	1	1							9
															10
															11
							1								12
1					1										13
															14
						1	1	1							15
1				1			2	2	2	1	1				16
				1			1	2	1	1	1				17
				1					1	1					18
1								1							19
															20
							1	1	1		1				21
			2												22
			1												23
			1												24
															25
															26
			1												27
22	15	11	13	20	8	14	10	9	10	9	6	1		6	28
20	11	9	10	14	7	14	7	4	8	4	4	1		6	29
2	4	2	3	6	1		3	5	2	5	2				30
		1	1	1						1					31
3		1	2	2		4	1		1					1	32
1	1						1	1							33
									1						34
															35
															36
						1									37
5	1	2	3	2	1	4								4	38
	1	1	1												39
1				1		1									40
															41
															42
															43
															44
															45
															46
7	7	3	3	8	3	3	5	2	6	4	4	1		1	
1			1	2	1		1	4	1	3	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 4.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	15,983	2,769	633	286	170	114	3,972	385	274	387	551	618
2	Males.....	8,344	1,580	344	151	90	43	2,208	221	143	195	272	303
3	Females.....	7,639	1,189	289	135	80	71	1,764	164	131	192	279	315
4	Unknown cause.....	98	37	1				38	2	3	4	3	4
5	Males.....	61	24	1				25		3	1	2	3
6	Females.....	37	13					13	2		3	1	1
7	1. General diseases.												
8	General diseases—A.....	2,466	806	254	117	67	49	1,293	135	73	69	76	65
9	Males.....	1,311	454	142	65	34	21	716	69	32	34	47	38
10	Females.....	1,155	352	112	52	33	28	577	66	41	35	29	27
11	Measles.....(M.....)	81	18	32	9	3	2	64	8	2	3		
12	Scarlet fever.....(F.....)	77	27	17	6	4	3	57	8	4	3	3	1
13	Diphtheria.....(M.....)	37	2	3	8	7	2	22	8	2		2	1
14	Whooping cough.....(F.....)	26	1	2	3	3	7	16	6	1		1	
15	Malarial fever.....(M.....)	108	7	15	17	12	9	60	27	9	2	2	4
16	Typhoid fever.....(F.....)	86	6	8	10	15	10	49	24	5	2	2	
17	Cholera morbus.....(M.....)	44	36	2	1	1	1	41	1				
18	Colitis.....(F.....)	40	23	13	2		1	39					
19	Diarrhea.....(M.....)	9			2			2			1	1	1
20	Dysentery.....(F.....)	15	1			1		2	2		1		2
21	Enteritis.....(M.....)	89	14	2			1	17				1	
22	Cholera infantum.....(F.....)	128	9			1	2	12	2	2	1	1	
23	Fever.....(M.....)	189	1		2	1	3	7	8	8	18	32	26
24	Cerebro-spinal fever.....(F.....)	188	2	4	5	1	1	13	7	14	21	12	15
25	Smallpox.....(M.....)	39	7	3	1	2		9	2	3	1	3	1
26	Erysipelas.....(F.....)	41	8					12		3			
27	Septicemia.....(M.....)	22	14	2	1	1		18					
28	Venereal diseases.....(F.....)	22	12	1	2			15					
29	Others of this group.....(M.....)	71	28	5	2			35	4	3	1	1	
30	General diseases—B.....(F.....)	59	18	7	2	2		29	5	4			
31	Lead poison.....(M.....)	49	12	7	2		1	22	1		1	2	
32	Other poisons.....(F.....)	49	7		2			9	1	2	1	1	
33	Inanition.....(M.....)	170	102	23	8	2		135	5	1	1		1
34	General diseases—C.....(F.....)	180	64	21	4	4	2	95	2			2	
35	Premature birth.....(M.....)	238	184	40	9	3	2	238					
36	Malformation.....(F.....)	191	151	30	9		1	191					
37	Debility and atrophy.....(M.....)	3		2				2			1		
38	Others of this group.....(F.....)	7	3			1		4			1	1	
39	Cerebro-spinal fever.....(M.....)	30	6	6	4	1		17	4	2	4		1
40	Smallpox.....(F.....)	33	9	6	6			21	2	5		1	
41	Erysipelas.....(M.....)	20	7	2				9					1
42	Septicemia.....(F.....)	9	1					1	1				1
43	Venereal diseases.....(M.....)	48	2	1				3		2	1	3	1
44	Others of this group.....(F.....)	62	4				1	5	5	1	4	5	8
45	General diseases—B.....(M.....)	20	14			1		15					
46	General diseases—C.....(F.....)	11	5			1		6					
47	Others of this group.....(M.....)	44							1		1		
48	General diseases—B.....(F.....)	31	1					1	1				
49	General diseases—B.....	299	181	5	2	1	1	190	1	2	2	4	11
50	Males.....	173	100	3	1	1	1	106	1	1		1	7
51	Females.....	126	81	2	1			84		1	2	3	4
52	Alcoholism.....(M.....)	37										1	5
53	Parasitic diseases.....(F.....)	15											2
54	Lead poison.....(M.....)	1		1				1					
55	Other poisons.....(F.....)	1			1			1					
56	Inanition.....(M.....)	24	1	1	1			3			2	2	2
57	General diseases—C.....(F.....)	18	2					2					
58	Premature birth.....(M.....)	110	99	1		1	1	102	1	1		1	
59	Malformation.....(F.....)	92	79	2				81		1			
60	General diseases—C.....	1,344	589	11	6	1	1	608	8		2	3	2
61	Males.....	678	340	4	3	1	1	349	7		1	1	
62	Females.....	666	249	7	3			259	1		1	2	2
63	Old age.....(M.....)	294											
64	Premature birth.....(F.....)	363											
65	Malformation.....(M.....)	186	186					186					
66	Debility and atrophy.....(F.....)	121						121					
67	Others of this group.....(M.....)	38	35	1				36	2				
68	General diseases—C.....(F.....)	27	26	1				27					
69	Premature birth.....(M.....)	131	90	3	3	1	1	98	5		1	1	
70	Malformation.....(F.....)	126	73	6	3			82	1		1	2	2
71	Debility and atrophy.....(M.....)	29	29					29					
72	Others of this group.....(F.....)	29	29					29					

477

NEW YORK—GROUP 4.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
669	691	647	663	673	757	899	1,030	1,182	1,072	860	431	147	40	35	1
344 325	338 333	356 291	348 315	355 318	377 380	457 442	524 506	617 565	549 523	428 432	210 221	62 85	18 22	19 16	2 3
3	1	3	3	4	6	4	4	4	7	1	1	2		1	4
	1	2	3	2	3	2	3	2	5	1	1	1		1	5
3		1		2	3	2	1	2	2			1			6
71	64	52	45	37	49	43	83	90	93	75	40	9	4		7
43 28	32 32	30 22	23 22	23 14	22 27	21 22	36 47	43 47	46 47	30 45	21 19	4 5	1 3		8 9
2		1		1											10
	1														
		2													
1	1														11
1	1		2												
1		1		1		1									12
	1					1									
		1													13
		1							1		2				
	1			1	1	1	2	2		1					14
2		2	3	2	3	7	5	9	12	15	7	2			15
4	5	2	3	3	7	4	14	15	18	19	11	3	2		
31 16	16 8	13 9	9 6	7 4	6 2	3 5	1 4	3 2	1						16
3	3	2	2	1		2	2	2	4	1	1		1		17
	1	1	1		5	2	5	5		3	1				
				1		1	1			1					18
			1			2			2	1	1				
	1	1	1		4	1	4	4	7	3	1				19
	1		2		2		2	1	8	3	1	1			
2	1			1	1	3	3	6	5	3	2				20
				2			8	6	9	3	2				
1	1	2		2	3	2	5	4	4	1	2	1			21
	2		1	1	2		4	5	5	10	1				
															22
															23
1															
	1	1	1	1	1		1								24
															25
															26
	2	1	1	1		1	1	2	2		1				
1	4	4	4	7	3	3	5	4	1	1	1				27
4	8	4	8	1	3	1	1	3	1						
	2	1			2										28
	1	2					2								
	2				1		10	9	9	5	4	2			29
1					3	3	4	7	3	5	2		1		
10	11	12	7	10	10	6	5	5	6	3	2	1		1	30
7	6	8	6	6	8	5	1	1	4	2	1	1		1	31
3	5	4	1	4	2	1	4	4		1	1				32
3	5	5	6	3	5	1	1			1				1	33
2	3	3	1	2	1	1									
															34
															35
1															
															36
3	1	3		2	3	3		1	1	1	1				
1	2	1		1		1	2	1	1						
				1	1				3			1			37
			1				2	3	1		1				
3	2	3	1	6	5	10	29	77	126	217	149	71	22		38
															39
3	1	2		2	1	4	7	31	56	105	65	34	9		40
	1	1	1	4	4		22	46	70	112	84	37	13		
						2	4	30	48	102	65	34	9		41
						4	14	39	66	108	82	37	13		
															42
															43
															44
3	1	2		2	1	2	3	1	8	3					
	1	1	1	4	4	2	8	7	4	4	2				45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D.	2,670	67	31	15	12	8	133	31	36	120	217	233
2	Males	1,211	40	16	10	5	2	73	18	13	54	79	105
3	Females	1,459	27	15	5	7	6	60	13	23	66	138	128
4	Anemia..... (M..... (F.....	26 44	1 2					1 2		2	2	3	1
5	Diabetes..... (M..... (F.....	64 69		1	1	3		1 4	2 4	3 4	4 2	2 3	2 2
6	Rheumatism..... (M..... (F.....	21 27						1	2		2		
7	Scrofula and tabes..... (M..... (F.....	15 26	4 4		1	1	1	6 5	2	1	2	1 3	1 1
8	Hydrocephalus..... (M..... (F.....	44 27	16 10	6 6	3 3	1 2	3	26 24	7	2 2	3	1	1
9	Tuberculosis, general..... (M..... (F.....	15 12	1 1	1		1	1	4 1	1			1 3	4
10	Consumption..... (M..... (F.....	717 748	11 8	8 8	1 1	2 1	1 1	23 19	3 7	7 10	45 55	72 120	93 117
11	Cancer..... (M..... (F.....	239 421					1	1		1 4	1	3	2 4
12	Tumor..... (M..... (F.....	18 35		1		1		1	1			1	2 1
13	Dropsy..... (M..... (F.....	34 43							1		2	1	1
14	Others of this group..... (M..... (F.....	18 7	7 1		4 1			11 2	1		2		1
15	2. Diseases of the nervous system.....	2,071	328	86	39	11	15	479	35	30	25	27	37
16	Males	1,087	195	41	19	4	8	267	22	15	19	15	20
17	Females	984	133	45	20	7	7	212	13	15	6	12	17
18	Inflammation of the brain..... (M..... (F.....	25 9	6 2	2 1	3 1		1	12 4		1 2			
19	Meningitis..... (M..... (F.....	175 148	65 45	16 29	10 12	4 3	3 6	98 95	15 7	7	8	7 1	3 4
20	Apoplexy..... (M..... (F.....	369 370	2 3	2	1 1			5 4			2	1 3	3 5
21	Paralysis..... (M..... (F.....	180 181	1					1	1	1 1		1 1	2 3
22	Paralysis, general (of insane)..... (M..... (F.....	15 5											1 1
23	Tetanus and trismus nascentium..... (M..... (F.....	11 7	2 2	1 1				3 3	2	1 1	3		1
24	Chorea..... (M..... (F.....	1 2									1	1	
25	Epilepsy..... (M..... (F.....	27 22	2 1	1 1				3 1	1 2	2 1	1 1	3 4	4
26	Convulsions..... (M..... (F.....	131 106	103 78	16 9	5 5	4	3	127 96	2 1			1	2
27	Mental diseases..... (M..... (F.....	34 28								1	1	1	3
28	Diseases of the brain..... (M..... (F.....	81 55	14 1	3 3	1		1	18 6		3 2	3 3	1	2 1
29	Diseases of the spinal cord..... (M..... (F.....	8 20		1				3	1 1		1		1
30	Locomotor ataxia..... (M..... (F.....	14 6											
31	Others of this class..... (M..... (F.....	16 25									1	2	1
32	3. Diseases of the circulatory system.....	1,701	77	1	2	2	5	87	13	27	35	24	22
33	Males	848	40		1	1	2	44	5	6	13	10	7
34	Females	853	37	1	1	1	3	43	8	21	22	14	15
35	Pericarditis..... (M..... (F.....	12 17					2	2	1	2	1	2	
36	Diseases of the heart..... (M..... (F.....	748 760	31 27		1 1	1 1	2 1	35 31	5 7	6 19	13 19	8 12	6 14
37	Angina pectoris..... (M..... (F.....	42 42									2	1	1
38	Diseases of the arteries..... (M..... (F.....	30 10											
39	Aneurism..... (M..... (F.....	4 5											
40	Embolism..... (M..... (F.....	3 8										1	
41	Others of this class..... (M..... (F.....	9 11	9 10					9 10					

CAUSE, SEX, AND AGE.

479

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	233	189	186	151	186	181	180	162	114	60	20	6	2	4	1
108	103	94	88	62	79	85	87	74	46	33	8	1	1		2
118	130	95	98	89	107	96	93	88	68	27	12	5	1	4	3
1		1	1	2	5	5	5	1	1	2			1		} 4
2	1	2	5	3	8	6	4	2	1						
3	1	6	7	3	2	8	8	7	3	2					
	2	1	3	3	9	12	7	6	4			1			} 5
1			2		4		1	6	1	1	1				
1	1	1	2		3	1	6	3	5	1					} 6
1	1	1	1	1	1	1	1	1		1					} 7
	2					2	1	1	3						
	2	1		1	1										} 8
3				1		1									} 9
2	1	2			2		1								
95	94	67	55	33	30	32	26	19	14	7	2				} 10
98	90	49	41	30	21	19	17	17	23	5	5	1		4	
2	3	13	19	21	33	32	40	34	21	13	3	1			} 11
9	26	35	41	47	59	46	51	49	28	13	2	1	1		
1	1	3	2				1	2	3						} 12
4	7	5	2	4	2	3	1	2	1	1	1				
2		1	2	1	2	4	5	4	3	7	2				} 13
			2	1	3	7	4	8	3	5	4	2			
	1	1			1	2									} 14
1			1				1								
41	51	59	74	91	101	166	184	234	213	137	66	12	4	5	15
22	29	30	37	53	43	86	94	119	116	59	34	2	3	2	16
19	22	29	37	38	58	80	90	115	97	78	32	10	1	3	17
	1		1				2	3	2	3					} 18
			2				1								
5	3	3	4	8	4	3	3	2	2						} 19
3	3	1	5	1	1	3	4	5	4	3		1			
9	8	12	13	26	19	45	60	65	56	25	17	1		2	} 20
4	3	11	16	19	34	45	50	63	46	42	19	5		1	
2	5	6	7	6	8	17	19	36	35	20	9	1	3		} 21
3	3	7	1	9	13	16	19	35	32	24	9	4		1	
2	2	3		3	2										} 22
1			1				1			1	1				
			1					1							} 23
1			1			1	1								
									1						} 24
3	3		2	1	2										} 25
1	1		3	2	2	1		1	1	1					
				1											} 26
1	1		1			1	1							1	
		1	3	1	1	8	1	1	7	4	4				} 27
	1	1	1		4	1	2	5	6	3	1				
1	4	2	3	5	4	9	4	7	8	5	2				} 28
3	5	2	3	3	1	6	8	2	4	1	2		1		
		1		1		2	1		1						} 29
1	2	2		1	1	4		1	2	1					
	2	2	1	1	2	1	1	2	2						} 30
		2		1	1	2									
	1		2	1	1	1	2	1	1	2	1				} 31
1	3	3	4	1	1		4	1	3	2	1				
58	52	76	63	105	147	156	211	226	185	138	56	11	2	7	32
32	22	36	26	53	80	70	109	121	96	79	28	5	2	4	33
26	30	40	37	52	67	86	102	105	89	59	28	6		3	34
2	2	3		1	3		1								} 35
		2		1	2		2			2					
31	17	31	23	46	65	62	94	109	90	73	25	5	2	2	} 36
22	28	33	34	49	61	78	91	97	81	52	25	6		1	
1	1	1	2	6	5	7	8	4	1	2	1			2	} 37
1	1	4	2	1	1	6	4	6	8	1	2			1	
		1			5	1	6	8	4	4	1				} 38
				1	1	1	2	2		3					
	1		1		2										} 39
1		1			1	1				1					
	1						3				1				} 40
	1		1		1						1				
															} 41
														1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,220	451	201	80	49	22	806	65	27	27	51	52
2	Males	1,147	261	118	41	25	5	450	41	14	15	29	30
3	Females	1,073	190	86	39	24	17	356	24	13	12	22	22
4	Croup	{M 32 F 32	{M 13 F 4	{M 4 F 7	{M 3 F 6	{M 5 F 6	{M 1 F 2	{M 26 F 25	{M 6 F 6	{M 1 F 1			
5	Pneumonia	{M 753 F 663	{M 144 F 100	{M 76 F 52	{M 29 F 21	{M 17 F 7	{M 2 F 11	{M 268 F 191	{M 24 F 14	{M 12 F 9	{M 10 F 5	{M 22 F 15	{M 27 F 16
6	Laryngitis	{M 14 F 7	{M 1 F 3	{M 6 F 1		{M 2 F 2	{M 1 F 1	{M 7 F 7	{M 5 F 5				
7	Bronchitis	{M 210 F 241	{M 79 F 68	{M 29 F 21	{M 7 F 11	{M 2 F 5	{M 1 F 2	{M 118 F 107	{M 4 F 2	{M 1 F 1		{M 1 F 1	{M 1 F 1
8	Pleurisy	{M 21 F 16				{M 1 F 1		{M 1 F 1			{M 3 F 1	{M 3 F 1	
9	Asthma	{M 12 F 9	{M 1 F 1					{M 1 F 1					{M 1 F 1
10	Others of this class	{M 105 F 105	{M 23 F 15	{M 3 F 5	{M 2 F 1	{M 1 F 3	{M 1 F 1	{M 30 F 25	{M 2 F 1	{M 1 F 2	{M 2 F 3	{M 4 F 5	{M 1 F 5
11	5. Diseases of the digestive system	1,081	146	25	12	7	4	194	38	29	46	44	65
12	Males	570	78	11	6	4	1	100	18	21	23	22	28
13	Females	511	68	14	6	3	3	94	20	8	23	22	37
14	Dentition	{M 7 F 7	{M 5 F 6	{M 2 F 1				{M 7 F 7					
15	Angina	{M 8 F 9	{M 1 F 2		{M 1 F 1		{M 1 F 2	{M 3 F 4	{M 1 F 1	{M 2 F 2	{M 1 F 1		
16	Gastritis	{M 73 F 71	{M 14 F 6	{M 5 F 4	{M 1 F 2			{M 20 F 12	{M 2 F 1			{M 1 F 2	{M 3 F 4
17	Diseases of the stomach	{M 40 F 20	{M 1 F 1					{M 1 F 1					{M 3 F 1
18	Obstruction of the bowels	{M 47 F 53	{M 10 F 5	{M 1 F 2		{M 2 F 1		{M 13 F 9	{M 4 F 1	{M 1 F 1	{M 2 F 1	{M 1 F 1	{M 1 F 1
19	Appendicitis	{M 61 F 31			{M 1 F 1		{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 9 F 3	{M 12 F 10	{M 6 F 2	{M 5 F 3
20	Hernia	{M 19 F 19	{M 1 F 2					{M 1 F 2			{M 1 F 1	{M 1 F 1	
21	Other diseases of the bowels	{M 16 F 9	{M 6 F 1	{M 1 F 1				{M 7 F 2		{M 1 F 1	{M 1 F 1	{M 1 F 1	{M 2 F 2
22	Jaundice	{M 26 F 15	{M 5 F 3					{M 5 F 3	{M 1 F 1				{M 1 F 1
23	Inflammation and abscess of the liver	{M 28 F 22	{M 2 F 2					{M 2 F 2				{M 4 F 1	{M 4 F 1
24	Other diseases of the liver	{M 98 F 51	{M 1 F 1					{M 1 F 1			{M 1 F 1	{M 3 F 3	{M 1 F 1
25	Peritonitis	{M 88 F 141	{M 5 F 5		{M 1 F 2	{M 1 F 2		{M 7 F 10	{M 6 F 15	{M 10 F 2	{M 6 F 9	{M 7 F 14	{M 9 F 27
26	Ascites	{M 2 F 1											
27	Others of this class	{M 57 F 62	{M 27 F 37	{M 2 F 5	{M 2 F 1	{M 1 F 1		{M 32 F 43	{M 3 F 3				
28	6. Diseases of the urinary system and male organs of generation.	950	19	7	4	5	3	38	17	9	8	20	39
29	Males	560	10	4	2	3	1	20	11	4	2	9	11
30	Females	390	9	3	2	2	2	18	6	5	6	11	28
31	Bright's disease	{M 374 F 304							{M 7 F 6	{M 3 F 4	{M 1 F 5	{M 6 F 8	{M 8 F 18
32	Calculus, urinary	{M 3 F 3											
33	Diseases of the kidney	{M 29 F 18	{M 6 F 4	{M 4 F 2	{M 2 F 2	{M 1 F 2	{M 1 F 1	{M 14 F 11			{M 1 F 1	{M 1 F 1	{M 1 F 1
34	Diseases of the bladder	{M 58 F 8										{M 1 F 1	{M 1 F 1
35	Others of this class	{M 96 F 60	{M 4 F 5	{M 1 F 1		{M 2 F 2	{M 1 F 1	{M 6 F 7	{M 4 F 4	{M 1 F 1	{M 1 F 1	{M 1 F 3	{M 1 F 8
36	7. Diseases of the female organs of generation	51	1					1			1	2	9
37	Ovarian tumors	7											
38	Ovarian diseases	2											
39	Diseases of the tubes	7									1		4
40	Uterine tumors	20											1
41	Uterine diseases	4										1	2
42	Others of this class	11	1					1				1	2

CAUSE, SEX, AND AGE.

481

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
69	73	77	82	83	81	125	123	155	126	126	52	15	4	1	1
33 36	34 39	44 33	47 35	39 44	32 49	62 63	60 63	81 74	53 73	53 73	23 29	6 9	1 3	1	2 3
															4
25 28	27 31	38 27	35 28	30 28	27 38	40 42	33 45	54 46	31 42	34 36	12 13	3 8	1	1	5
		1	1												6
4 3	1 1	2 3	3	3 8	3 5	9 10	12 7	20 21	14 23	11 26	7 13		2		7
2 3	2 1	1 1	2 1	2	2	1 1	3 2	1 1	1	1	1	1			8
						1 2	2 2	1	2 1	2 1	1	1			9
2 2	4 6	2 2	9 2	6 4	2 6	11 8	10 7	5 6	5 7	5 10	2 3	2	1		10
48	49	61	73	64	46	76	67	64	68	28	12	8		1	11
18 30	26 23	39 22	41 32	33 31	24 22	40 36	40 27	33 31	41 27	12 16	8 4	2 6		1	12 13
															14
2						1		1							15
2 1 1	2 1 2	3 3 5	5 4 1	1 3 4	1 2 3	3 8 4	8 5 1	9 3 2	6 11 1	3 6 1	3 1 1	4		1	16
2 4 3 3	2 5 8 1	5 5 5 1	3 5 5 2	5 2 1 1	1 3 1 1	3 3 1 1	2 2 1 1	2 7 1	4 2 1 1	2 1 1 1	1 1 1	1			17
	1		1	3 3	1	2 3	2 1	2 3	5 3	1 1	1				18
2	1	1	1	2	2	3 1	2 1	2 1	3 2	2 2	2				19
	1	2	2			3 1	3 1	3 1	2 1	1 1					20
1 4 1 4 17	1 4 2 6 9	1 12 1 10 7	1 14 1 3 10	3 11 8 4 6	1 11 4 2 3	3 10 8 7 4	3 15 6 1 4	3 4 9 3 1	2 7 3 1 2	1 4 4	1 1	1 1			21
		1	1					1							22
	1	1	1	1	1	2 1	3 2	3 2	6 2	2	1 1				23
33	53	37	54	63	73	101	100	126	97	52	22	7	1		24
16 17 13 15	25 28 19 26	18 19 15 14	26 28 20 21	38 25 35 23	45 28 36 23	62 39 47 34	62 38 38 30	87 39 62 34	62 35 36 29	42 10 20 7	16 6 6 5	3 4 1 2	1		25
								2	1						26
	1				2	2	2	2	1 1	1 1	1				27
1 2		1	2		1	2 1	12 1	9 1	11 1	11 1	5 1	1			28
1 1	5 2	2 5	4 4	3 2	6 5	11 4	10 6	12 4	13 5	10 1	4	2 1			29
5	7	5	9	2	3	3	2	2							30
			1	1	3		1	1							31
1							1								32
			2												33
1	5	5	3	1		3		1							34
3	2		2												35

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 4—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	83									4	16	16
2	Abortion	1											
3	Childbirth	23										1	4
4	Puerperal septicemia	38									3	10	7
5	Extra-uterine pregnancy	1											
6	Others of this class	20									1	5	5
7	9. Diseases of the bones and joints	24	3	1		1	1	6	1	1	1	1	2
8	Males	14	1			1		2	1		1	1	2
9	Females	10	2	1			1	4		1			
10	Diseases of the spine {M.	6	1					1			1		
	{F.	3	2					2					
11	Abscess, lumbar and psoas {M.	2										1	1
	{F.	1											
12	Diseases of the bones {M.	3				1		1					1
	{F.	3		1			1	2		1			
13	Diseases of the hip-joint {M.	1							1				
	{F.												
14	Others of this class {M.	2											
	{F.	3											
15	10. Diseases of the skin	26	6					6		1			
16	Males	16	3					3					
17	Females	10	3					3		1			
18	Abscess {M.	7	1					1					
	{F.	7	1					1		1			
19	Carbuncle {M.	3											
	{F.												
20	Others of this class {M.	6	2					2					
	{F.	3	2					2					
21	11. Diseases of the absorbent system	25	3			1		4	1				
22	Males	9	2			1		3					
23	Females	16	1					1	1				
24	Addison's disease {M.	2											
	{F.	7											
25	Diseases of the spleen {M.	2	1					1					
	{F.	2											
26	Others of this class {M.	5	1			1		2					
	{F.	7	1					1	1				
27	12. Accidents and injuries	874	55	7	9	13	5	89	38	36	43	63	61
28	Males	659	32	4	3	10	1	50	28	34	32	56	52
29	Females	215	23	3	6	3	4	39	10	2	11	7	9
30	Burns and scalds {M.	25	1	2	1	6		10	1	1	1		2
	{F.	34	2	3	5	1	1	12	4	1		1	2
31	Drowning {M.	106	1	1		2	1	5	14	11	9	16	6
	{F.	12	1			1		2	2		1	2	
32	Exposure and neglect {M.	4	2					2				1	
	{F.	4											
33	Gunshot wounds {M.	22								2	3	5	1
	{F.	3											1
34	Homicide {M.	5			1			1			1	1	1
	{F.	2											1
35	Infanticide {M.	1	1					1					
	{F.												
36	Injuries by machinery {M.	3									1		
	{F.												
37	Railroad accidents {M.	153	1		1	1		3	5	14	6	17	11
	{F.	15							2		5	1	1
38	Suffocation {M.	19	11					11				1	
	{F.	15	8			1	1	10	1				1
39	Suicide by shooting {M.	22										1	4
	{F.												
40	Suicide by drowning {M.	7											1
	{F.	3											
41	Suicide by poison {M.	16									1	3	
	{F.	10									1		
42	Other suicides {M.	43											3
	{F.	16										2	
43	Sunstroke {M.	5	1		1			2					1
	{F.	1											
44	Surgical operations {M.	8									1	1	2
	{F.	15								1			
45	Wounds {M.	7									1	1	1
	{F.	2									1		
46	Others of this class {M.	213	14	1		1		16	8	6	8	10	21
	{F.	83	12				2	14	1		2		1

CAUSE, SEX, AND AGE.

483

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 4—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	3	2												1
		1													2
6	10	1	1												3
11	7														4
		1													5
7	1		1												6
		1	1	1	3	1	2	2	1						7
			1	1	1	1	1	1	1						8
		1			2		1	1							9
					1	1	1	1							10
					1										11
				1				1							12
															13
		1	1		1		1		1						14
3		1	2		2	2	2		4	3					15
2			1		2	2			4	2					16
1		1	1				2			1					17
1					1	1			2	1					18
1		1	1				1			1					19
1			1			1									20
					1		1		2	1					21
		3	3	2	5		2	2	3						22
		1	1		1		2		1						23
		2		2	4			2	2						24
		1	1		1	3		1	1						25
															26
		1		1					1						27
		1	2		1		2	1	1						28
75	77	65	58	54	40	25	36	33	29	20	11	5	1	15	29
60	59	52	48	43	36	17	22	24	18	10	5	3		10	30
15	18	13	10	11	4	8	14	9	11	10	6	2	1	6	31
	2	2	1	2	1		1	1		1	1			1	32
2	3	2		2		1	1	1							33
6	10	8	5	2	3	2	1	2	2					4	34
		1		1			1							2	35
	1														36
1	1														37
1	2	1		2	2	1		1						1	38
1			1												39
1			1												40
															41
															42
															43
															44
															45
															46
23	18	17	13	14	16	7	9	11	5	6	2	2		1	46
3	4	6	4	2	1	5	9	5	10	8	5	2			

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 5.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	28,797	3,799	711	406	274	214	5,404	664	456	691	1,044	1,059
2	Males.....	14,841	2,107	389	230	138	124	2,988	317	241	338	533	531
3	Females.....	13,956	1,692	322	176	136	90	2,416	347	215	353	511	528
4	Unknown cause	224	52	3	3	2	1	61	3	3	6	7	3
5	Males.....	112	27	2	1	1	1	32	1	—	4	1	1
6	Females.....	112	25	1	2	1	—	29	2	3	2	6	2
7	1. General diseases. General diseases—A	3,859	894	239	138	97	80	1,448	268	114	130	182	114
8	Males.....	1,949	484	134	77	45	46	786	129	49	62	99	57
9	Females.....	1,910	410	105	61	52	34	662	139	65	68	83	57
10	Measles.....	{M.. 61 {F.. 60	{16 {15	{15 {10	{6 {4	{2 {3	{6 {2	{45 {34	{5 {8	{4 {2	{— {3	{4 {2	{— {—
11	Scarlet fever	{M.. 45 {F.. 53	{5 {1	{5 {4	{7 {7	{5 {6	{3 {5	{25 {23	{12 {15	{4 {4	{2 {4	{2 {2	{— {—
12	Diphtheria	{M.. 200 {F.. 190	{8 {5	{15 {10	{27 {17	{19 {21	{24 {15	{93 {68	{73 {76	{16 {18	{11 {7	{3 {7	{2 {4
13	Whooping cough.....	{M.. 70 {F.. 61	{47 {39	{14 {8	{3 {4	{3 {4	{— {2	{67 {57	{3 {4	{— {—	{— {—	{— {—	{— {—
14	Malarial fever.....	{M.. 30 {F.. 30	{— {—	{1 {—	{1 {—	{— {1	{— {—	{2 {1	{— {2	{2 {—	{3 {2	{8 {2	{— {1
15	Influenza.....	{M.. 186 {F.. 265	{9 {12	{3 {2	{— {2	{1 {—	{— {—	{13 {16	{2 {3	{1 {6	{1 {2	{1 {5	{2 {3
16	Typhoid fever.....	{M.. 344 {F.. 261	{2 {—	{1 {4	{4 {2	{3 {3	{2 {4	{12 {13	{13 {12	{15 {26	{33 {35	{67 {45	{38 {20
17	Cholera morbus	{M.. 52 {F.. 49	{9 {4	{3 {4	{1 {4	{— {1	{1 {—	{16 {13	{3 {1	{2 {2	{1 {1	{1 {2	{— {1
18	Colitis	{M.. 28 {F.. 22	{8 {6	{3 {1	{— {1	{— {—	{— {—	{11 {8	{1 {1	{— {—	{1 {—	{1 {—	{1 {1
19	Diarrhea	{M.. 117 {F.. 94	{32 {22	{3 {2	{1 {—	{1 {1	{— {—	{37 {25	{6 {6	{— {1	{1 {1	{2 {—	{1 {2
20	Dysentery	{M.. 69 {F.. 86	{5 {6	{3 {4	{1 {2	{3 {2	{1 {1	{13 {15	{1 {1	{1 {—	{— {—	{— {—	{1 {—
21	Enteritis.....	{M.. 172 {F.. 203	{80 {67	{13 {19	{10 {—	{— {3	{3 {3	{106 {92	{2 {2	{— {—	{1 {2	{1 {2	{1 {8
22	Cholera infantum	{M.. 301 {F.. 245	{233 {202	{51 {30	{12 {9	{2 {4	{2 {—	{300 {245	{— {—	{— {—	{— {—	{— {—	{— {—
23	Fever.....	{M.. 4 {F.. 1	{2 {—	{— {—	{— {1	{— {—	{— {—	{2 {1	{— {—	{— {—	{— {—	{— {—	{— {—
24	Cerebro-spinal fever.....	{M.. 41 {F.. 54	{10 {16	{3 {5	{4 {7	{4 {2	{2 {1	{23 {31	{4 {6	{3 {4	{5 {5	{3 {—	{1 {4
25	Smallpox.....	{M.. 2 {F.. —	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—
26	Erysipelas	{M.. 45 {F.. 28	{4 {5	{— {1	{— {—	{— {—	{— {1	{4 {7	{— {—	{— {—	{1 {—	{1 {1	{1 {1
27	Septicemia	{M.. 87 {F.. 125	{6 {7	{1 {1	{— {1	{— {1	{1 {—	{8 {10	{1 {1	{1 {1	{2 {6	{5 {14	{6 {11
28	Venereal diseases	{M.. 14 {F.. 6	{6 {3	{— {—	{— {—	{— {—	{— {—	{6 {3	{— {—	{— {—	{— {—	{— {—	{2 {1
29	Others of this group	{M.. 81 {F.. 77	{2 {—	{— {—	{— {—	{— {—	{1 {—	{3 {—	{3 {1	{— {1	{— {—	{1 {—	{1 {—
30	General diseases—B	423	220	4	11	1	2	238	1	2	2	6	17
31	Males.....	263	123	2	8	—	2	135	1	1	—	3	9
32	Females.....	160	97	2	3	1	—	103	—	1	2	3	8
33	Alcoholism.....	{M.. 65 {F.. 13	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{1 {—	{4 {3
34	Parasitic diseases.....	{M.. 1 {F.. 1	{— {—	{— {—	{1 {1	{— {—	{— {—	{1 {1	{— {—	{— {—	{— {—	{— {—	{— {—
35	Lead poison	{M.. — {F.. —	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—
36	Other poisons.....	{M.. 58 {F.. 25	{2 {—	{— {1	{7 {—	{— {1	{2 {—	{11 {2	{1 {—	{1 {—	{— {2	{2 {3	{5 {5
37	Inanition.....	{M.. 139 {F.. 121	{121 {97	{2 {1	{— {2	{— {—	{— {—	{123 {100	{— {—	{1 {—	{— {—	{— {—	{— {—
38	General diseases—C	2,818	1,044	23	5	1	2	1,075	—	2	3	4	5
39	Males.....	1,460	585	13	4	1	2	605	—	—	2	1	4
40	Females.....	1,358	459	10	1	—	—	470	—	2	1	3	1
41	Old age.....	{M.. 752 {F.. 782	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—	{— {—
42	Premature birth.....	{M.. 252 {F.. 187	{252 {187	{— {—	{— {—	{— {—	{— {—	{252 {187	{— {—	{— {—	{— {—	{— {—	{— {—
43	Malformation	{M.. 61 {F.. 43	{61 {40	{— {—	{— {—	{— {—	{— {—	{61 {40	{— {—	{1 {—	{— {—	{1 {—	{— {—
44	Debility and atrophy.....	{M.. 349 {F.. 304	{226 {190	{13 {10	{4 {1	{1 {—	{2 {—	{246 {201	{— {—	{1 {1	{2 {1	{1 {2	{4 {1
45	Others of this group.....	{M.. 46 {F.. 42	{46 {42	{— {—	{— {—	{— {—	{— {—	{46 {42	{— {—	{— {—	{— {—	{— {—	{— {—

485

NEW YORK—GROUP 5.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,022	1,182	1,066	1,170	1,357	1,545	1,845	2,148	2,369	2,442	1,809	972	356	84	112	1
544 478	619 563	541 525	613 557	662 695	807 738	924 921	1,063 1,085	1,200 1,169	1,263 1,179	902 907	487 485	182 174	27 57	59 53	2 3
3	11	10	10	15	14	20	19	10	16	7	4	1		1	4
1 2	5 6	5 5	7 3	8 7	8 6	10 10	9 10	7 3	7 9	3 4	1 3	1		1	5 6
115	102	95	79	96	108	143	162	215	204	151	88	31	5	9	7
54 61	58 44	50 45	44 35	46 50	61 47	64 79	75 87	93 122	87 117	71 80	44 44	15 16	1 4	4 5	8 9
2	1	2	1	1	2	1		1			1				10
1	1	3													11
1 4	1			3	1	1									12
															13
2	2	1 1	2	2	1	4 3	2 2	2 6	1 2	1 1	1 1				14
3 8	2 7	7 7	4 7	6 10	11 10	14 26	16 23	24 28	38 48	24 34	13 15	4 6		1	15
37 17	36 16	25 17	16 8	13 9	13 10	8 10	6 7	7 6	1 4	2 4	1 1			1 1	16
1 2		1 1	2 1	2 2	2	5 4	6 6	3 7	3 4	1 1	2		1		17
1	1	2	2	3		4	2	2	2		2	2			18
3 3	2		1 1	3 4	4 3	9 6	10 6	12 13	7 7	13 8	5 3	1 1		2	19
1	1 1		3 3	3 3	5 3	3 4	4 9	13 14	5 15	5 7	8 10	1		1	20
2 4	3 2	3 6	5 2	4 4	2 4	9 10	10 14	10 22	4 14	5 7	3 4	1 2	1 1	1	21
															22
							1			1					23
	1 1		1	1	1	1									24
	1						1								25
1 1	1 1	3	1	5 2	5 3	5 3	2 3	2 2	6 2	6 2		1			26
4 16	5 12	5 5	7 7	7 2	11 7	2 6	7 6	1 10	8 7	4 4	3				27
1	1	1	1 1	1 1	1									1	28
	1 1	2 1	1 2	2 3	5 3	4 1	10 9	17 11	12 14	9 12	6 9	5 6	2		29
11	22	8	22	11	17	13	14	16	15	5	2			1	30
9 2	17 5	5 3	15 7	11 7	12 5	9 4	10 4	9 7	13 2	2 3	2			1	31 32
5 1	12 2	2 2	9 3	8 3	4 1	5 1	7	2	5	1					33
															34
															35
3 1	4 2	3 1	5 3	3	7 2	4	1	4 3	4		1				36
1	1 1		1 1		1 2	3	2 4	3 4	4 2	1 2	2			1	37
5	8	5	7	11	22	23	77	180	313	463	366	193	47	9	38
1 4	3 5	1 4	5 2	4 7	8 14	13 10	32 45	93 87	166 147	227 236	177 189	99 94	18 29	1 8	39 40
						7 5	23 29	76 78	145 133	220 226	168 184	94 93	18 28	1 6	41
															42
							1								43
1 4	3 5	1 4	5 2	4 7	8 14	6 5	9 15	17 9	21 14	7 10	9 5	5 1	1	2	44
															45

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	4, 599	100	46	21	16	13	199	43	72	199	360	402
2	Males.....	2, 249	52	25	13	8	7	105	19	29	75	178	197
3	Females.....	2, 650	48	21	11	8	6	94	24	43	124	182	205
4	Anemia.....	(M.. 47 (F.. 68)	3 6	3 1	1 1	1 1		6 9	2 1	1 2	1 7	2 3	1 1
5	Diabetes.....	(M.. 91 (F.. 100)		1 2	1			2 2		4 6	2 1	9 4	6 6
6	Rheumatism.....	(M.. 87 (F.. 87)					1	1 4	6 4	1 3	2	1 3	1
7	Scrofula and tubercles.....	(M.. 21 (F.. 26)	5 4	1 1				6 6	1 1		1 1	1 2	3 2
8	Hydrocephalus.....	(M.. 45 (F.. 44)	21 18	7 7	5 6	3 3	3	39 36	2 4	1	2		1
9	Tuberculosis, general.....	(M.. 7 (F.. 15)		1				1 2				1	1
10	Consumption.....	(M.. 1, 368 (F.. 1, 329)	16 15	9 6	4 2	3 4	3	35 30	7 11	20 27	66 109	157 168	180 188
11	Cancer.....	(M.. 414 (F.. 776)	1 1					1 1		1	1	3 1	3 3
12	Tumor.....	(M.. 54 (F.. 77)	2 1		1	1		4 1	1	1			3
13	Dropsy.....	(M.. 104 (F.. 112)	2 1	1	1		1	5 1				3	
14	Others of this group.....	(M.. 11 (F.. 16)	2 2	2 3	1	1		6 5				1	2
15	2. Diseases of the nervous system.....	4, 407	518	141	73	51	27	810	79	64	63	58	64
16	Males.....	2, 248	287	72	38	24	15	436	35	40	28	29	31
17	Females.....	2, 159	231	69	35	27	12	374	44	24	35	29	33
18	Inflammation of the brain.....	(M.. 25 (F.. 23)	8 2	1 1	1			10 5	2 2		1 1		
19	Meningitis.....	(M.. 301 (F.. 262)	89 73	44 40	22 18	15 16	8	178 153	22 30	14 14	12 11	7 6	11 13
20	Apoplexy.....	(M.. 832 (F.. 889)	1 8	1 2				2 11		2	2 3		9 4
21	Paralysis.....	(M.. 437 (F.. 416)	5 2		1	1		6 6			2	1 1	2 2
22	Paralysis, general (of insane).....	(M.. 13 (F.. 11)										1	1
23	Tetanus and trismus nascentium.....	(M.. 29 (F.. 8)	1 1			1		2 2	4 1	12 1	2	3 1	
24	Chorea.....	(M.. 3 (F.. 6)									1 3		
25	Epilepsy.....	(M.. 50 (F.. 27)	5 2	1	1			7 3		3 2	2	2 2	3 3
26	Convulsions.....	(M.. 193 (F.. 182)	151 127	16 19	12 10	3 6	1	183 164	3 4	2	1 4		1
27	Mental diseases.....	(M.. 66 (F.. 56)										5 1	1 5
28	Diseases of the brain.....	(M.. 184 (F.. 189)	23 15	9 5	2 3	3 2	2	39 27	4 4	4	3 10	6 8	2 4
29	Diseases of the spinal cord.....	(M.. 47 (F.. 34)	4			1	4	9 2		3 4	2	4 1	1
30	Locomotor ataxia.....	(M.. 31 (F.. 7)											
31	Others of this class.....	(M.. 37 (F.. 49)											1 1
32	3. Diseases of the circulatory system.....	2, 824	117	7	1	1	6	132	29	29	44	57	46
33	Males.....	1, 481	66	4	1		5	76	8	15	20	26	20
34	Females.....	1, 343	51	3		1	1	56	21	14	24	31	26
35	Pericarditis.....	(M.. 16 (F.. 22)					1	1 1		2	4	2	1
36	Diseases of the heart.....	(M.. 1, 312 (F.. 1, 207)	47 36	4 3	1		3	55 41	8 20	13 14	19 19	23 29	19 21
37	Angina pectoris.....	(M.. 87 (F.. 59)									1		1
38	Diseases of the arteries.....	(M.. 20 (F.. 15)	1					1					
39	Aneurism.....	(M.. 12 (F.. 9)										1	1
40	Embolism.....	(M.. 16 (F.. 14)	1					1			1		
41	Others of this class.....	(M.. 18 (F.. 17)	17 14				1	18 14				1	2

487

NEW YORK—GROUP 5—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	3,817	570	203	106	58	52	989	108	37	65	99	93
2	Males.....	1,915	322	116	67	29	29	563	45	16	38	52	57
3	Females.....	1,902	248	87	39	29	23	426	63	21	27	47	36
4	Croup.....	{M.. 71	8	15	16	10	11	60	10	1			
		{F.. 62	9	6	10	11	5	41	20				
5	Pneumonia.....	{M.. 1,323	189	78	41	11	12	331	25	13	30	43	41
		{F.. 1,240	146	55	17	13	10	241	33	16	21	33	22
6	Laryngitis.....	{M.. 27	2	5	2	2	1	12	2	1		2	1
		{F.. 16	2	3	2	1	1	9	1	1	1		
7	Bronchitis.....	{M.. 238	79	14	7	2	2	104	3		2	2	4
		{F.. 324	55	19	7	1	5	87	3	1	2	3	8
8	Pleurisy.....	{M.. 47	1			2		3	1		3	1	4
		{F.. 38							2		1	3	3
9	Asthma.....	{M.. 15	2					2				1	
		{F.. 24											
10	Others of this class.....	{M.. 194	41	4	1	2	3	51	4	1	3	4	7
		{F.. 198	36	4	3	3	2	48	4	3	2	7	3
11	5. Diseases of the digestive system.....	1,739	144	26	20	8	13	211	50	48	64	78	88
12	Males.....	836	85	13	6	6	7	117	25	24	32	36	30
13	Females.....	903	59	13	14	2	6	94	25	24	32	42	58
14	Dentition.....	{M.. 3	3					3					
		{F.. 5	2	3				5					
15	Angina.....	{M.. 13		3	3	1	1	8			1		
		{F.. 10		1	1		1	3	3	2	1		
16	Gastritis.....	{M.. 132	13	3	1	1	1	19	4	2	2	1	5
		{F.. 167	12	2	1	1	1	17	2	1	1	5	6
17	Diseases of the stomach.....	{M.. 54	2				1	3		1	1	1	2
		{F.. 53	3	1				4				3	2
18	Obstruction of the bowels.....	{M.. 83	8	1		1	1	11	6	2	2	3	1
		{F.. 83	8		1			9	4	2	3	2	4
19	Appendicitis.....	{M.. 83							3	11	10	15	10
		{F.. 59			1	1		2	7	7	14	1	6
20	Hernia.....	{M.. 38	5					5				1	
		{F.. 30	2					2					
21	Other diseases of the bowels.....	{M.. 27	2	1		1		4			1	1	
		{F.. 27	1	2				3		1		1	
22	Jaundice.....	{M.. 19	14					14				1	
		{F.. 28	5		1		1	7	1				
23	Inflammation and abscess of the liver.....	{M.. 31	1					1	1		1	1	
		{F.. 36	2					2				1	1
24	Other diseases of the liver.....	{M.. 140	2					2				2	3
		{F.. 113	2	1	1			4		2			5
25	Peritonitis.....	{M.. 128	7	2	2	1	2	14	10	8	14	9	8
		{F.. 208	1		3		2	6	7	9	11	29	33
26	Ascites.....	{M.. 6											
		{F.. 5											
27	Others of this class.....	{M.. 79	28	3		1	1	33	1			1	1
		{F.. 79	21	3	5		1	30	1		2		1
28	6. Diseases of the urinary system and male organs of generation.	1,802	31	3	5	4	6	49	14	19	22	53	48
29	Males.....	1,083	16	1		3	3	23	10	8	13	21	22
30	Females.....	719	15	2	5	1	3	26	4	11	9	32	26
31	Bright's disease.....	{M.. 703							8	6	11	15	17
		{F.. 557							3	10	7	22	16
32	Calculus, urinary.....	{M.. 4											
		{F..											
33	Diseases of the kidney.....	{M.. 64	10			2	3	15			1	2	3
		{F.. 43	10	1	4	1	2	18				2	
34	Diseases of the bladder.....	{M.. 140							1			1	1
		{F.. 14											
35	Others of this class.....	{M.. 172	6	1		1		8	1	2	1	3	1
		{F.. 105	5	1	1		1	8	1	1	2	8	10
36	7. Diseases of the female organs of generation.	107								1	1	11	11
37	Ovarian tumors.....	24										2	1
38	Ovarian diseases.....	5											2
39	Diseases of the tubes.....	5										3	
40	Uterine tumors.....	29											1
41	Uterine diseases.....	8									1	2	2
42	Others of this class.....	36								1		4	5

489

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
121	141	120	135	174	209	237	272	328	319	223	101	26	10	10	1
69 52	71 70	67 53	79 56	87 87	108 101	100 137	118 154	141 187	143 176	89 134	48 53	14 12	4 6	6 4	2 3
	1														4
57 41	59 55	56 40	63 37	76 63	76 71	66 87	81 114	106 123	102 114	58 86	25 30	9 6	2 3	4 4	5
1 1	1 1	1		2	1	2	1		1						6
	1 2	3 4	3 5	2 7	13 17	13 27	14 21	18 33	20 46	17 33	15 16	2 5	2 2		7
5 3	5 2	2	2 4	1 1	3 2	3 5	6 1	5 5	2 2	1 2					8
1		1				2	1	2	4	1				1	9
	1		1	3		3	1	6	3	4	1				10
5 5	5 8	5 8	11 9	6 13	15 11	14 15	15 17	10 20	14 10	12 8	8 5	3 1	1		11
63	82	81	107	99	120	119	139	144	127	69	27	11	1	11	11
33 30	42 40	37 44	52 55	40 59	62 58	65 54	69 70	63 81	61 66	28 41	13 14	3 8	1	4 7	12 13
															14
1				1	1				1	1					15
4 4	4 7	6 3	12 10	5 10	4 10	13 12	13 16	12 18	13 16	8 19	5 5	3		2	16
1 2	6 1	3 1	1 5	6 5	10 3	1 4	6 5	4 11	5 5	2 5	1 1	1			17
4 1	3 3		4 6	2 8	9 9	6 4	6 4	10 9	9 5	2 5	2 2	1		1	18
6 1	9 1	5 7	2 3	2 3	4 1	1 3	1	2 2	1					1 1	19
	1	2	5 2	1 1	3 3	3 4	6 6	4 4	3 1	3 3	1	1		1	20
1 2	2 1	1	2	2	1 1	3 2	4 2	4 4	3 3	2	1		1	1	21
	1	1	1	3	1	2	1 4	2 4	2 1	1	1	1			22
2	2 4	1 2	1	4 1	3 2	5 3	4 6	2 2	2 5	2 4	1	1			23
7 2	9 4	10 6	14 9	11 11	17 10	21 8	13 15	14 17	12 16	2 3	2 1	1			24
6 17	4 16	6 16	10 15	4 9	3 10	6 9	8 7	7 6	7 6	3 1	3 1			1	25
		1			1	1	2 2	1 1			1			1	26
1 1	3 1	2 4	4 1	4 6	6 8	5 3	5 3	3 3	3 8	3 5	2 1	1		2	27
53	77	86	107	113	136	210	212	211	184	132	51	13	3	9	28
24 29 19 24	33 44 23 38	44 42 32 34	58 49 45 42	61 52 47 38	78 58 61 48	128 82 91 69	129 83 93 65	141 70 88 61	126 58 69 45	104 28 49 22	41 10 20 7	12 1 5 1	1 2 2	6 3 4 3	29 30 31
		1		1					2						32
2 2	1 2	4 2	1	3 7	1 1	5 3	4 2	4 1	9 1	8 2	1 1	1			33
	1		1	3	5 2	14 3	20 1	28 3	21 4	28 1	11	3	1	1	34
3 3	8 6	7 6	12 6	7 7	11 7	18 7	12 15	21 5	25 8	19 3	9 2	3		1	35
9	11	14	15	12	7	7	4	1		2				1	36
1	3	4	3	3	2	2	1	1		1					37
			1	2											38
	1		1												39
3	2	4	5	5	3	3	2			1					40
			1	1	1		1								41
5	5	6	4	1	2	2								1	42

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
NEW YORK—GROUP 5—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	184									12	31	52
2	Abortion	6											3
3	Childbirth	61									3	10	12
4	Puerperal septicemia	61									4	11	22
5	Extra-uterine pregnancy	6										1	
6	Others of this class	50									5	9	15
7	9. Diseases of the bones and joints	53	4	1	1			6		6	6	4	5
8	Males	36	2	1	1			4		6	3	4	2
9	Females	17	2					2			3		3
10	Diseases of the spine {M.. 13		2		1			3		1	3	2	
	{F.. 6		1					1					1
11	Abscess, lumbar and psoas {M.. 4											1	2
	{F..												
12	Diseases of the bones {M.. 8									1		1	
	{F.. 6		1					1			1		1
13	Diseases of the hip-joint {M.. 7									4			
	{F.. 2										2		
14	Others of this class {M.. 4			1				1					
	{F.. 3												1
15	10. Diseases of the skin	38	11	1		1		13	2	1			1
16	Males	18	7			1		8	2				1
17	Females	20	4	1				5		1			
18	Abscess {M.. 12		6			1		7	2				1
	{F.. 6			1				1					
19	Carbuncle {M.. 2												
	{F..												
20	Others of this class {M.. 4		1					1					
	{F.. 14		4					4		1			
21	11. Diseases of the absorbent system	38	3					3	1		1	3	
22	Males	20	1					1	1		1	2	
23	Females	18	2					2				1	
24	Addison's disease {M.. 7												
	{F.. 9												
25	Diseases of the spleen {M.. 3											1	
	{F.. 2												
26	Others of this class {M.. 10		1					1	1		1	2	
	{F.. 7		2					2					
27	12. Accidents and injuries	1,565	91	14	19	34	12	170	66	58	73	91	110
28	Males	1,171	50	6	14	20	7	97	41	53	60	81	100
29	Females	344	41	8	5	14	5	73	25	5	13	10	10
30	Burns and scalds {M.. 49			2	7	11	3	23	7	1		1	2
	{F.. 58		2	1	2	9	2	16	14		2	1	1
31	Drowning {M.. 199			2	3	5	2	12	22	31	23	16	10
	{F.. 17		1	2	1			4		1	2		
32	Exposure and neglect {M.. 12		3					3	1				1
	{F.. 3			1				1					
33	Gunshot wounds {M.. 39					1		1	1	1	6	4	6
	{F.. 7					1		1	1		2	1	
34	Homicide {M.. 10										1	1	1
	{F.. 1												
35	Infanticide {M..												
	{F..												
36	Injuries by machinery {M.. 4											1	
	{F..												
37	Railroad accidents {M.. 210		1					1	3	7	13	26	21
	{F.. 27						1	1	4		3	1	
38	Suffocation {M.. 57		22	1	1	1		25	1	2	1	2	4
	{F.. 35		18	2	1		1	22	1				1
39	Suicide by shooting {M.. 26											3	2
	{F.. 3										1		
40	Suicide by drowning {M.. 7												
	{F.. 2												
41	Suicide by poison {M.. 22										1	2	2
	{F.. 13										1	2	
42	Other suicides {M.. 70									1		2	5
	{F.. 12												1
43	Sunstroke {M.. 6											1	1
	{F.. 4		1					1		1			
44	Surgical operations {M.. 5										1		2
	{F.. 18											1	3
45	Wounds {M.. 13											3	1
	{F.. 1												1
46	Others of this class {M.. 442		24	1	3	2	2	32	6	11	14	19	42
	{F.. 193		19	2	1	4	1	27	5	2	2	4	3

CAUSE, SEX, AND AGE.

491

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEW YORK—GROUP 5—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
32	37	19	1												1
2	1														2
7	19	10													3
12	7	5													4
3	1		1												5
8	9	4													6
3	3	6	1	2	2	2	4	1	1	1					7
	3	4	1	1	2	2	2	1	1						8
3		2		1			2			1					9
		1		1				1	1						10
2		1		1											11
	1														12
	2	1	1		1	1				1					13
							1								14
1						1	1								15
2	3	1		1		4	5	2	1		1			1	16
		1		1		4	2	2			1			1	17
2	3						3		1						18
	1	1				2	1								19
								1						1	20
1	2			1		2	2	1			1				21
2	3	4	5	3	1	4	3	3	2						22
															23
2	1	3	4	2			2	1							24
	2	1	1	1	1	4	1	2	2						25
		1	1	1	1	2	2		1						26
1	1		1												27
1	1														28
		2	1			2		1							29
															30
121	134	91	85	97	71	77	93	52	70	35	28	12	3	28	31
															32
104	107	72	65	73	55	62	61	36	46	20	10	3		25	33
17	27	19	20	24	16	15	32	16	24	15	18	9	3	3	34
4	2		1	3	1	1	1	1		1					35
	2	1	3	2		3	3	2	4	3		1			36
14	13	12	4	13	7	2	6	7	4		1			2	37
2	3	2		2				1							38
		1		1	1	1		1	1	1					39
				1											40
5	2	2	2	1	1	2	2		1	1	1			1	41
			1							1					42
3		1				2		1							43
		1													44
															45
1	1					1									46
															47
															48
20	30	14	9	15	9	12	6	3	2	3				16	49
2	1		2	3	2	2	2	2	1			1			50
1	1	1	3	2	3		5	2	2					2	51
		1	1	1	1	1	2	1	1					2	52
3	2	2		5	2	4	2				1				53
					1		1								54
1	1				2		3								55
1					1										56
1															57
1	3	4	2	2	2	1			1	1					58
2	2	3	1	2											59
1	6	2	11	9	8	9	7	3	5	2					60
		2		2	2		3	1							61
	1	1					1			1					62
		1					1								63
	1														64
2	4		2	3		1	1		1						65
2	2	1	2		1										66
															67
48	42	31	31	22	18	27	27	18	30	10	8	3		3	68
8	15	9	10	8	9	8	19	9	17	11	17	7	3		69

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RHODE ISLAND.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	8,176	1,854	495	195	133	75	2,752	192	117	197	288	319
2	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	138	159
3	Females	4,044	818	235	93	70	34	1,250	93	54	103	150	160
4	Unknown cause	61	27	3				30		1	1	1	2
5	Males	33	18	2				20					1
6	Females	28	9	1				10		1	1	1	1
7	1. General diseases. General diseases—A	1,780	712	218	93	56	33	1,112	62	37	20	37	31
8	Males	860	369	113	49	24	17	572	28	18	9	17	14
9	Females	920	343	105	44	32	16	540	34	19	11	20	17
10	Measles.....{M..	98	26	32	16	7	8	89	4	3	1	1	
	{F..	106	17	39	16	9	2	83	10	4	1	2	2
11	Scarlet fever.....{M..	23	2	2	3	1	2	10	6	4	2	1	
	{F..	12	1	1		2	1	5	3	1	1	2	
12	Diphtheria.....{M..	34	4	2	6	6	4	22	10				
	{F..	39	4	2	5	9	6	26	9	2	1	1	
13	Whooping cough.....{M..	35	16	12	4	1	1	34	1				
	{F..	76	36	17	12	4	4	73	2				
14	Malarial fever.....{M..	11	3					3					1
	{F..	13	1					1	3		1	1	
15	Influenza.....{M..	131	9	2	2	1	1	15				3	5
	{F..	193	5	1	1	1		8	1	1	1	7	6
16	Typhoid fever.....{M..	61	1	2	1			4	3	7	3	11	6
	{F..	41		3	1	2	1	7	2	9	3	4	5
17	Cholera morbus.....{M..	8	2		1			3					
	{F..	13	3	1				4	1				
18	Colitis.....{M..	2	1					1					1
	{F..	3	2					2					
19	Diarrhea.....{M..	45	26	3	1			30	3	2			
	{F..	41	20	2	1			23			1	1	
20	Dysentery.....{M..	17	5	1		2	1	9					1
	{F..	29	5	2	1	1		9				1	
21	Enteritis.....{M..	94	60	12	6	3		81	1		1		
	{F..	93	59	12	1	1	1	74	1		1	1	
22	Cholera infantum.....{M..	246	197	42	6	1		246					
	{F..	202	174	22	4	1		201					
23	Fever.....{M..	1	1					1					
	{F..												
24	Cerebro-spinal fever.....{M..	16	7	2	1	1		11		1	2		
	{F..	18	6	3	1	1	1	12	2	1	1		1
25	Smallpox.....{M..												
	{F..	2											
26	Erysipelas.....{M..	11	5					5					
	{F..	11	3		1	1		5					2
27	Septicemia.....{M..	8										1	
	{F..	4											
28	Venereal diseases.....{M..	8	4	1		1		6					
	{F..	8	6					6					1
29	Others of this group.....{M..	11			2			2		1			
	{F..	16	1					1		1			
30	General diseases—B	90	17	2	3	3		25	1		1	4	3
31	Males	58	9			2		11	1		1	3	2
32	Females	32	8	2	3	1		14				1	1
33	Alcoholism.....{M..	32										1	1
	{F..	13										1	1
34	Parasitic diseases.....{M..	1							1				
	{F..												
35	Lead poison.....{M..	3											
	{F..												
36	Other poisons.....{M..	13				2		2			1	2	1
	{F..	10		2	3	1		6					
37	Inanition.....{M..	9	9					9					
	{F..	9	8					8					
38	General diseases—C	606	379	13		1		393					
39	Males	311	220	5				225					
40	Females	295	159	8		1		168					
41	Old age.....{M..	79											
	{F..	109											
42	Premature birth.....{M..	80	80					80					
	{F..	68											
43	Malformation.....{M..	22	21	1				22					
	{F..	15	15					15					
44	Debility and atrophy.....{M..	120	109	4				113					
	{F..	91	64	8		1		73					
45	Others of this group.....{M..	10	10					10					
	{F..	12	12					12					

493

RHODE ISLAND.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
303	317	309	330	379	404	426	432	449	428	275	163	53	16	27	1
157 146	161 156	168 141	162 168	189 190	213 191	199 227	209 223	208 241	198 230	117 158	61 102	16 37	5 11	14 13	2 3
2	4	3	3	2	1	1	5	1		3				1	4
1 1	3 1	1 2	1 2	2	1	 1	2 3	 1		1 2				 1	5 6
24	23	29	30	30	37	48	56	55	61	48	23	8	1	8	7
13 11	15 8	12 17	15 15	13 17	13 24	22 26	29 27	23 32	20 41	14 34	8 15	2 6	1	2 6	8 9
1	2									1					}10
.....															}11
.....	1		1												}12
.....														1	}13
.....		1			1	1		1	1		1	1			}14
2					2	1	1		1						}15
3 2	2 2	6 5	5 7	8 10	8 14	14 17	17 16	13 26	13 31	12 22	4 8	1 5	1	1 4	}16
8 3	9	2 3	5 2	1			1 1							1	}17
1		1 1			1 2		1	1 1	1	2	1				}18
.....						1									}19
.....		1	1	1	1	2	2	3	1	4	1				}20
.....	1	1	1	1	2	2	3		5	1	3	1			}21
1	1	3	3	1		2	2	1	2 3	3	1				}22
.....														1	}23
.....			1				1								}24
.....				1											}25
.....	1														}26
.....	1 1				1	2	2		1		1 1				}27
1 2	1	1 2		2			2								}28
.....			1		1			1							}29
.....			1	1	3	2	1	3	1	1					}30
8	7	8	12	6	3	4	3	2	2		1				31
5 3	4 3	6 2	11 1	3 3	2 1	3 1	3	1 1	2						32
4 1	4 2	5 2	8 1	2 3	2 1	1 1	2		2						}33
.....															}34
.....				1		1	1								}35
1 2	 1	1	3			1		1 1							}36
.....															}37
1				1		6	7	27	58	46	36	20	9	2	38
.....				1											}39
1						2 4	3 4	12 15	29 29	17 29	13 23	6 14	2 7	1 1	39 40
.....						1 3	3 3	11 13	28 25	17 26	11 20	6 12	2 6	 1	}41
.....															}42
.....															}43
.....				1		1		1	1		2 3			1	}44
1						1 1	1	2	4	3	3	2	1		}45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	1,385	77	37	15	19	3	151	18	10	87	135	142
2	Males	639	45	21	6	9	1	82	7	3	33	69	65
3	Females	746	32	16	9	10	2	69	11	7	54	66	77
4	Anemia	{M.. 9 {F.. 17	{M.. 1 {F.. 4	{M.. 2 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 3 {F.. 4	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. 2	{M.. .. {F.. 1	{M.. 1 {F.. 1
5	Diabetes	{M.. 18 {F.. 23	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. 1	{M.. .. {F.. ..	{M.. 1 {F.. ..
6	Rheumatism	{M.. 11 {F.. 23	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 2	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. 1 {F.. 2
7	Scrofula and tabes	{M.. 12 {F.. 6	{M.. 8 {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 8 {F.. 2	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. 1	{M.. 1 {F.. 1
8	Hydrocephalus	{M.. 41 {F.. 45	{M.. 16 {F.. 17	{M.. 10 {F.. 7	{M.. 3 {F.. 6	{M.. 6 {F.. 3	{M.. 1 {F.. 2	{M.. 36 {F.. 35	{M.. 1 {F.. 7	{M.. 1 {F.. ..	{M.. .. {F.. 2	{M.. .. {F.. ..	{M.. .. {F.. ..
9	Tuberculosis, general	{M.. 25 {F.. 22	{M.. 5 {F.. 2	{M.. 3 {F.. 2	{M.. 1 {F.. 1	{M.. 1 {F.. 1	{M.. .. {F.. ..	{M.. 10 {F.. 6	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 2 {F.. 2	{M.. 4 {F.. 2	{M.. .. {F.. 3
10	Consumption	{M.. 436 {F.. 401	{M.. 14 {F.. 7	{M.. 5 {F.. 4	{M.. 2 {F.. 1	{M.. 2 {F.. 4	{M.. .. {F.. ..	{M.. 23 {F.. 16	{M.. 6 {F.. 3	{M.. 2 {F.. 7	{M.. 28 {F.. 44	{M.. 60 {F.. 61	{M.. 59 {F.. 68
11	Cancer	{M.. 78 {F.. 189	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 2	{M.. .. {F.. 2
12	Tumor	{M.. 6 {F.. 13	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..
13	Dropsy	{M.. 1 {F.. 4	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..
14	Others of this group	{M.. 2 {F.. 3	{M.. .. {F.. 1	{M.. 1 {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. 2	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..
15	2. Diseases of the nervous system	822	112	45	16	8	5	186	19	15	12	16	9
16	Males	428	64	24	9	6	3	106	8	11	7	10	5
17	Females	394	48	21	7	2	2	80	11	4	5	6	4
18	Inflammation of the brain	{M.. 3 {F.. 3	{M.. .. {F.. ..	{M.. 1 {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. 1	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
19	Meningitis	{M.. 82 {F.. 74	{M.. 28 {F.. 31	{M.. 13 {F.. 15	{M.. 7 {F.. 7	{M.. 5 {F.. 2	{M.. 2 {F.. 2	{M.. 55 {F.. 57	{M.. 6 {F.. 9	{M.. 6 {F.. 1	{M.. 2 {F.. 2	{M.. 2 {F.. ..	{M.. 2 {F.. ..
20	Apoplexy	{M.. 182 {F.. 174	{M.. 4 {F.. 1	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 5 {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 2 {F.. 1	{M.. 1 {F.. 2	{M.. 1 {F.. 1
21	Paralysis	{M.. 36 {F.. 42	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. 1	{M.. .. {F.. 1	{M.. .. {F.. ..
22	Paralysis, general (of insane)	{M.. 15 {F.. 6	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1
23	Tetanus and trismus nascentium	{M.. 6 {F.. 3	{M.. 2 {F.. 1	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 2 {F.. 2	{M.. .. {F.. ..	{M.. 2 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. 1
24	Chorea	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
25	Epilepsy	{M.. 12 {F.. 10	{M.. 2 {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. ..	{M.. 4 {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. 2	{M.. .. {F.. ..	{M.. 4 {F.. 1	{M.. .. {F.. ..
26	Convulsions	{M.. 29 {F.. 17	{M.. 21 {F.. 12	{M.. 5 {F.. 1	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 27 {F.. 13	{M.. 1 {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. 1 {F.. 1
27	Mental diseases	{M.. 10 {F.. 12	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
28	Diseases of the brain	{M.. 36 {F.. 35	{M.. 7 {F.. 4	{M.. 3 {F.. 1	{M.. 1 {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. 12 {F.. 5	{M.. .. {F.. 1	{M.. 1 {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. 2	{M.. .. {F.. 2
29	Diseases of the spinal cord	{M.. 5 {F.. 6	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
30	Locomotor ataxia	{M.. 7 {F.. 2	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
31	Others of this class	{M.. 5 {F.. 9	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..
32	3. Diseases of the circulatory system	652	39	1	..	1	..	41	6	7	14	8	14
33	Males	321	24	..	..	1	..	25	2	5	7	3	3
34	Females	331	15	1	..	..	..	16	4	2	7	5	11
35	Pericarditis	{M.. 4 {F.. 4	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. 2	{M.. .. {F.. 1	{M.. .. {F.. 1
36	Diseases of the heart	{M.. 278 {F.. 293	{M.. 15 {F.. 9	{M.. .. {F.. 1	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 15 {F.. 10	{M.. 2 {F.. 4	{M.. 4 {F.. 2	{M.. 5 {F.. 7	{M.. 2 {F.. 4	{M.. 3 {F.. 10
37	Angina pectoris	{M.. 15 {F.. 17	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
38	Diseases of the arteries	{M.. 10 {F.. 4	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
39	Aneurism	{M.. 4 {F.. 3	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. ..
40	Embolism	{M.. .. {F.. 4	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..
41	Others of this class	{M.. 10 {F.. 6	{M.. 9 {F.. 6	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. 1 {F.. ..	{M.. .. {F.. ..	{M.. 10 {F.. 6	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..	{M.. .. {F.. ..

495

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
127	108	111	90	91	70	73	57	45	47	15	5	1		2	1
66 61	52 56	66 45	33 57	36 55	36 34	30 43	20 37	18 27	16 31	4 11	5	1		2	2 3
		2				1		1							} 4
	1		1	3		1		1	2						
1				1	6	3	1	3							} 5
2	1	1	1	2	3	3	3	5	1						
2	3		2		1			1							} 6
	1		2	3	1	3	2	3	1		1				
	1				1		1								} 7
		1													
2															} 8
1															
2	1	1	1	2		1			1						} 9
1	2			1		2	1		1						
56 48	45 44	55 27	25 24	24 18	17 10	15 12	7 6	6 3	4 6	2 3	1			2	} 10
2	2	8	5	7	12	10	11	7	9	2		1			
8	6	14	28	24	18	22	22	15	18	6	3				} 11
1				2					2						
1	1	1	1	3	1		3		1						} 12
				1											
									1	1					} 13
										1					} 14
9	20	21	35	52	59	61	77	82	65	48	28	7		1	15
4 5	10 10	10 11	17 18	26 26	34 25	26 35	42 35	45 37	27 38	27 21	10 18	2 5		1	16 17
				1				1		1					} 18
1	1	2	1	3					1						
2	1		1	1											} 19
	6	5	6	11	23	19	25	29	17	22	9				
1	5	4	10	16	17	28	23	21	19	12	9	4		1	} 20
	1		1	2	1	5	8	8	3	2		2			
1	1		1	2	3	3	5	7	9	5	3	1			} 21
2	1		2	4	2	1		1							
		2				1	3								} 22
		1													
															} 23
															} 24
	1				1			1							} 25
	1	1	3	2											
															} 26
1			2		2	1		1	1	2	1				} 27
1	1				1										
		2	1	2	4		5	3	4	1					} 28
	1	2	2	3	1	1	1	4	6	1	3				
			2				2		1						} 29
		1			2	1	1								
			2	2	1	1	1								} 30
			1												
		1		2			1	1							} 31
				1				4	2		1				
13	16	29	41	45	73	80	57	87	73	26	15	2	1	4	32
6 7	6 10	10 19	15 26	27 18	37 36	43 37	24 33	40 47	45 28	15 11	4 11	1 1	1	2 2	33 34
		1				1	1		1						} 35
5 6	4 9	9 17	12 24	21 16	36 29	40 33	22 29	39 46	40 26	14 10	2 9		1	2 2	
	1	1	3 2	5 2	1 3	2 3			2						} 36
1	1						2	1				1	1		
				1		1	1	1	2		1	2	1		} 37
					1		1			1		1			
1	1						1	1		1	2	1			} 38
							1				1				
															} 39
															} 40
															} 41

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
31	46	35	47	60	64	60	68	54	55	44	27	10	2	4	1
22 9	27 19	20 15	30 17	36 24	31 33	19 41	25 43	18 36	16 39	13 31	10 17	2 8	2	1 3	2 3
20 8	26 15	19 12	24 13	32 22	19 28	17 32	19 26	12 26	10 24	10 21	5 15	2	1	1 3	4 5
1			1												6
1	1 3	1 2	1 2	1 1	8 4	1 6	3 11	5 9	6 9	3 9	4 2	1 4	1		7
			2	1	2							1			8
			1	1	1		2 4	1 1	4						9
1	1	1	1 2	1 1	1 1	1 2	1 2		2	1	1	2			10
18	20	11	14	24	26	23	16	19	10	5	3		1		11
7 11	8 12	7 4	9 5	14 10	11 15	11 12	7 9	12 7	5 5	2 3	3		1		12 13
															14
															15
	1 2			1 5	2 1	2	1 4	3 3	1						16
1 2	1 1		1	1	1 1	1	1	1							17
1	1			2	2	2	1			1 1	1		1		18
2		2	2	4											19
		1	1	1 1	3	1 2	1	3	2 1	1					20
	1						1		1						21
				1	1	1		1	1						22
	2		1	1	1	1									23
1 3 4	3 1	1 2	1 2	5 2	3 7	7 2	4 1	3							24
2	5	2	1		2 1	1 1				1					25
											1				26
1 1	2		2			1 2		1 2	2						27
18	19	33	29	47	53	54	64	70	47	27	15	3	1	1	28
10 8	7 12	20 13	12 17	17 30	35 18	31 23	40 24	34 36	34 13	18 9	12 3	2 1	1	1	29 30
9 8	7 10	18 12	9 16	15 25	31 17	25 23	35 21	28 33	18 11	9 7	6 3	2 1		1	31
					1		1		2						32
1			1 1	1 1	1	2	1	1	4 1						33
						1	3 2	3 1	4 1	5	4		1		34
		2 1	2	1 4	2 1	3	1	2	6	4 1	2				35
3	7	4	1	6	2	2	3	1	1						36
	1				2	1		1							37
	2														38
1	1	2	1	6		1	2		1						39
1		1													40
1	3	1					1								41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
RHODE ISLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	72									1	21	10
2	Abortion	3											
3	Childbirth	13										3	1
4	Puerperal septicemia	34									1	12	3
5	Extra-uterine pregnancy	3											
6	Others of this class	19										6	6
7	9. Diseases of the bones and joints	23	2	2		1	1	6	3	1	2	1	
8	Males	9	1			1	1	3			2		
9	Females	14	1	2				3	3	1		1	
10	Diseases of the spine	{M.. 3 F.. 5	1 1			1	1	3 1		2			
11	Abscess, lumbar and psoas	{M.. F..											
12	Diseases of the bones	{M.. 3 F.. 5		2				2				1	
13	Diseases of the hip-joint	{M.. 3 F.. 1							1		2		
14	Others of this class	{M.. F.. 3								1			
15	10. Diseases of the skin	14	7	2		1		10					
16	Males	10	4	1		1		6					
17	Females	4	3	1				4					
18	Abscess	{M.. 6 F.. 1	2 1	1		1		4 1					
19	Carbuncle	{M.. 1 F..											
20	Others of this class	{M.. 3 F.. 3	2 2	1				2 3					
21	11. Diseases of the absorbent system	5							1	1			
22	Males	5							1	1			
23	Females												
24	Addison's disease	{M.. F..											
25	Diseases of the spleen	{M.. F..											
26	Others of this class	{M.. 5 F..							1	1			
27	12. Accidents and injuries	344	36	7	4	9	4	60	21	13	9	16	24
28	Males	254	18	3	2	2	4	29	19	12	8	13	21
29	Females	90	18	4	2	7		31	2	1	1	3	3
30	Burns and scalds	{M.. 19 F.. 19	1 3	2 3	1 2	1 6		5 14	4 1	1 1	1	1	1
31	Drowning	{M.. 44 F.. 3	1				4	5 1	5 1	7	2	4	2 1
32	Exposure and neglect	{M.. 3 F.. 1	1					1					
33	Gunshot wounds	{M.. 3 F..								1		1	
34	Homicide	{M.. 4 F.. 3									1	1	1
35	Infanticide	{M.. 2 F.. 2	2 2					2 2					
36	Injuries by machinery	{M.. 3 F..									1		1
37	Railroad accidents	{M.. 36 F.. 5							2		2	3	6
38	Suffocation	{M.. 15 F.. 12	9 10					9 10					2
39	Suicide by shooting	{M.. 6 F.. 3											1
40	Suicide by drowning	{M.. 1 F..											1
41	Suicide by poison	{M.. 4 F.. 1											
42	Other suicides	{M.. 17 F.. 7										1 2	
43	Sunstroke	{M.. 2 F..											1
44	Surgical operations	{M.. F.. 1											
45	Wounds	{M.. 2 F..											
46	Others of this class	{M.. 93 F.. 33	4 3	1 1	1	1 1		7 5	8	3	2	3	6 1

CAUSE, SEX, AND AGE.

499

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	13	5	1												1
1	1	1													2
5	3	1													3
11	5	1	1												4
3															5
1	4	2													6
1	1	2	2		1		1			1	1				7
1	1	1	2		1		1			1	1				8
			1				1								9
				1			1								10
															11
	1	1			1					1	1				12
1															13
		1	1												14
				1			1		1		1				15
				1			1		1		1				16
				1					1						17
															18
							1								19
											1				20
1			1		1										21
1			1		1										22
															23
															24
															25
1			1		1										26
26	33	18	24	14	14	14	17	6	8	12	8	2	1	4	27
21	28	15	18	13	12	12	13	5	3	6	2			4	28
5	5	3	6	1	2	2	4	1	5	6	6	2	1		29
	1		1	1	1	1								1	30
			1				1	1							31
3	2	1	1	3	1	1	1			2	1			3	32
		1					1								33
	1								1						34
1	3														35
	1														36
5	7	3	1	1	2	1	1	1		1					37
2	1						1			1					38
		2	1			1									39
2			1		1			1							40
			3												41
	1		2		1		1								42
1	3	2	2	1	2	3	1	1							43
1	2	1	1			1									44
															45
	1		1			1									46
9	10	6	8	7	4	3	8	2	3	3	1				47
2		1		1	2	1	2		4	5	6	2	1		48

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
VERMONT.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	5,829	825	169	73	31	33	1,131	119	94	150	211	225
2	Males	2,936	490	90	35	17	14	646	55	47	85	104	91
3	Females	2,893	335	79	38	14	19	485	64	47	65	107	134
4	Unknown cause	95	42		1	1		44	1	1	2	1	2
5	Males	56	29					29	1	1			
6	Females	39	13		1	1		15			2	1	2
7	1. General diseases. General diseases—A	720	180	45	13	6	11	255	39	22	16	35	21
8	Males	364	100	28	6	5	5	144	17	7	8	17	12
9	Females	356	80	17	7	1	6	111	22	15	8	18	9
10	Measles.....{M..	9	3	3				6	1				
	{F..	12	1	1			1	3	2	1		2	1
11	Scarlet fever.....{M..	6		1	1			2	3		1		
	{F..	8	2	1			1	4	3			1	
12	Diphtheria.....{M..	21	3		1		2	6	12	1	1		1
	{F..	21		3			4	7	9	4			
13	Whooping cough.....{M..	24	20	2	1			23					
	{F..	16	11	1		1		13	1				
14	Malarial fever.....{M..	5											1
	{F..	4											
15	Influenza.....{M..	53								1	2		
	{F..	76	2	1	1			4	1	1	1		
16	Typhoid fever.....{M..	50		1		1		2		4	3	10	9
	{F..	57	1	2	1			4	3	6	5	10	4
17	Cholera morbus.....{M..	12			2	3	1	6				1	
	{F..	14	1		3			4	1	2	1		
18	Colitis.....{M..	4	2		1			3	1				
	{F..	3											
19	Diarrhea.....{M..	14	2					2					
	{F..	13	6					6					
20	Dysentery.....{M..	17	3	1			2	6				1	
	{F..	16	2					2	1				
21	Enteritis.....{M..	24	11	3				14					
	{F..	24	10	3				13			1	1	
22	Cholera infantum.....{M..	67	52	15				67					
	{F..	44	40	4				44					
23	Fever.....{M..	1											
	{F..												
24	Cerebro-spinal fever.....{M..	11	2	2				4		1	1	1	1
	{F..	8	1	1	2			4	1	1			
25	Smallpox.....{M..												
	{F..												
26	Erysipelas.....{M..	6											
	{F..	8											
27	Septicemia.....{M..	13	1	1				2				3	
	{F..	20	3					3				3	3
28	Venereal diseases.....{M..	2											
	{F..	1											
29	Others of this group.....{M..	25	1					1				1	
	{F..	11											1
30	General diseases—B	81	49	5	1	1		56					3
31	Males	49	27	3	1	1		32					3
32	Females	32	22	2				24					
33	Alcoholism.....{M..	10											1
	{F..	1											
34	Parasitic diseases.....{M..												
	{F..												
35	Lead poison.....{M..												
	{F..	1											
36	Other poisons.....{M..	10	1	1	1	1		4					2
	{F..	5		2				2					
37	Inanition.....{M..	29	26	2				28					
	{F..	25	22					22					
38	General diseases—C	565	183	1				184	1				1
39	Males	257	103					103	1				
40	Females	308	80	1				81					1
41	Old age.....{M..	140											
	{F..	207											
42	Premature birth.....{M..	66	66					66					
	{F..	40	40					40					
43	Malformation.....{M..	8	8					8					
	{F..	16	14	1				15					
44	Debility and atrophy.....{M..	32	18					18	1				
	{F..	40	21					21					1
45	Others of this group.....{M..	11	11					11					
	{F..	5	5					5					

501

VERMONT.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
164	197	217	177	225	292	361	382	475	539	450	231	121	34	34	1
73 91	81 116	114 103	86 91	94 131	147 145	174 187	192 190	271 204	273 266	242 208	90 141	43 78	13 21	15 19	2 3
4	1	2	1	5	5	4	5	4	6	3				4	4
2 2	1	2		3 2	3 2	2 2	5	1 3	3 3	2 1				1 3	5 6
15	19	16	17	13	22	33	25	39	37	50	29	11	2	4	7
4 11	7 12	8 8	9 8	6 7	10 12	13 20	10 15	21 18	18 19	31 19	15 14	2 9	1 1	4	8 9
		1	1	1 1					1						10
															11
	1														12
1	1	1				1								1	13
	1	1	2	1			1								14
1 2	1	1	3 2	1 1	2 4	2 9	4 5	6 7	7 14	17 10	5 7	1 5	1		15
2 4	5 3	3 2	4 1	2 1	1 4	3 5		2 1		1					16
1		1			1	1		1						1	17
1		1		1	1			1				1			18
					2	2		3 2	2	2	1 1				19
		1	1	1 1		1	1 1	4	2 1	2 1	3 4	1			20
		1	1		1	2	1	1	1	3	1				21
						2	1		1	2	1				22
											1				23
	1	2	1					1							24
															25
1	1			1	1	1	1	3	1	2		1			26
2	3	1		1		1	1	1	2	1		1			27
	1						1							1	28
			1		2 1	2	2	4 1	2 3	6 2	4	1	1	1	29
4	1	2	2	2	3	1	1	3	3						30
4	1	2	1	2	1	1	1	1	1						31
3		1	1	1	1 1	1		1	2						32
															33
															34
								1							35
1		1	1		1		1		1 1						36
	1			1				1	1						37
			1	4	2	7	10	33	62	95	75	60	25	5	38
			1	1 3	1 1	2 5	4 6	18 15	20 42	52 43	27 48	16 44	10 15	1 4	39 40
						3	2 5	14 15	19 39	51 40	27 45	16 43	10 15	1 2	41
															42
															43
			1	1 3	1 1	2 2	2 1	4	1 3	1 3	3	1		1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,000	25	18	4	1	4	52	16	16	50	73	76
2	Males	425	15	8	1		1	25	11	6	22	35	25
3	Females	575	10	10	3	1	3	27	5	10	28	38	51
4	Anemia.....{M..	16	7					7				1	
	{F..	23		2	1			3			2	3	3
5	Diabetes.....{M..	22							4	1	2		
	{F..	17							2	1	2	2	1
6	Rheumatism.....{M..	9										1	1
	{F..	10										1	
7	Scrofula and tabes.....{M..	6		1				1			1		
	{F..	11	1	1			1	3			1	2	1
8	Hydrocephalus.....{M..	11	4	2			1	7	2	2			
	{F..	11	4	1	2		1	8	1	2			
9	Tuberculosis, general.....{M..	4											
	{F..	5							2		1		
10	Consumption.....{M..	240	3	3	1			7	5	2	18	32	23
	{F..	284	3	6		1		10		7	21	29	43
11	Cancer.....{M..	97											
	{F..	184											2
12	Tumor.....{M..	11		1				1				1	1
	{F..	18											1
13	Dropsy.....{M..	5											
	{F..	7									1		
14	Others of this group.....{M..	4	1	1				2		1	1		
	{F..	5	2				1	3				1	
15	2. Diseases of the nervous system	800	108	30	12	6	3	159	14	11	10	13	15
16	Males.....	416	70	19	6	4	1	100	5	5	3	6	4
17	Females.....	384	38	11	6	2	2	59	9	6	7	7	11
18	Inflammation of the brain.....{M..	4			1			1	1	2			
	{F..	9	3			1		4		1	2	1	1
19	Meningitis.....{M..	65	28	10	4	2	1	45	3	1		2	1
	{F..	56	12	7	6	1	1	27	7	3		3	2
20	Apoplexy.....{M..	160	4					4				1	
	{F..	159	3					3		2	1	2	2
21	Paralysis.....{M..	59										1	1
	{F..	57							1				
22	Paralysis, general (of insane).....{M..	1											
	{F..	1											
23	Tetanus and trismus nascentium.....{M..	3								1	1		
	{F..												
24	Chorea.....{M..	1											
	{F..												
25	Epilepsy.....{M..	11	1					1	1		1	1	1
	{F..	7	1	1				2			1		
26	Convulsions.....{M..	44	30	9	1	2		42		1			
	{F..	23	18	3			1	22			1		
27	Mental diseases.....{M..	10										1	1
	{F..	9											1
28	Diseases of the brain.....{M..	38	7					7			1		
	{F..	34									1	1	3
29	Diseases of the spinal cord.....{M..	8											
	{F..	8											1
30	Locomotor ataxia.....{M..	4											
	{F..	3							1				
31	Others of this class.....{M..	9											
	{F..	18	1					1			1		1
32	3. Diseases of the circulatory system.....	682	37	1	3			41	5	8	5	16	18
33	Males.....	375	26	1	2			29		5	3	6	8
34	Females.....	307	11		1			12	5	3	2	10	10
35	Pericarditis.....{M..	6								1			1
	{F..	1										1	
36	Diseases of the heart.....{M..	327	16	1	2			19		4	3	6	6
	{F..	278	6		1			7	5	3	1	8	10
37	Angina pectoris.....{M..	19											
	{F..	14									1		
38	Diseases of the arteries.....{M..	6											
	{F..	3											
39	Aneurism.....{M..	3											
	{F..	1											
40	Embolism.....{M..	4											1
	{F..	5										1	
41	Others of this class.....{M..	10	10					10					
	{F..	5	5					5					

503

VERMONT—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
VERMONT—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	871	151	59	27	12	9	258	21	8	26	24	20
2	Males.....	436	93	28	16	5	5	147	9	3	19	14	11
3	Females.....	435	58	31	11	7	4	111	12	5	7	10	9
4	Croup.....	{M. 11 F. 10	2	1	3	2	1	8	2	1	1		
5	Pneumonia.....	{M. 318 F. 313	53	20	7	1	3	84	4	2	16	14	11
6	Laryngitis.....	{M. 1 F. 4	1					1				1	
7	Bronchitis.....	{M. 65 F. 74	24	6	4	2	2	38	2	1	1		
8	Pleurisy.....	{M. 5 F. 6			1			1			1		
9	Asthma.....	{M. 3 F. 5	2					2					
10	Others of this class.....	{M. 33 F. 23	11	1	1			13	1				
11	5. Diseases of the digestive system.....	344	31	3	4	1	2	41	13	8	11	10	26
12	Males.....	169	19	3				22	5	6	10	3	9
13	Females.....	175	12		4	1	2	19	8	2	1	7	17
14	Dentition.....	{M. F.											
15	Angina.....	{M. 3 F.											
16	Gastritis.....	{M. 30 F. 31	5	1				6					1
17	Diseases of the stomach.....	{M. 7 F. 16											3
18	Obstruction of the bowels.....	{M. 11 F. 18	1					1			1		1
19	Appendicitis.....	{M. 27 F. 15	1					1	3	5	2	3	4
20	Hernia.....	{M. 8 F. 6	1					1					3
21	Other diseases of the bowels.....	{M. 2 F. 6											
22	Jaundice.....	{M. 9 F. 6	4					4					
23	Inflammation and abscess of the liver.....	{M. 4 F. 6											1
24	Other diseases of the liver.....	{M. 23 F. 15								1			1
25	Peritonitis.....	{M. 34 F. 38	1	2	1	1	1	3	2	1	7	6	2
26	Ascites.....	{M. F. 2											5
27	Others of this class.....	{M. 11 F. 16	6				1	6					2
28	6. Diseases of the urinary system and male organs of generation.....	308	2	2	1		1	6	3	2	5	10	9
29	Males.....	182	2					2	2		3	2	3
30	Females.....	126		2	1		1	4	1	2	2	8	6
31	Bright's disease.....	{M. 116 F. 94							2		1	1	3
32	Calculus, urinary.....	{M. F.							1	1	2	7	3
33	Diseases of the kidney.....	{M. 10 F. 7	1	2			1	1		1			1
34	Diseases of the bladder.....	{M. 27 F. 4	1		1			1					
35	Others of this class.....	{M. 29 F. 21									2	1	2
36	7. Diseases of the female organs of generation.....	17	1					1				1	
37	Ovarian tumors.....	5											
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....												
40	Uterine tumors.....	5											
41	Uterine diseases.....												
42	Others of this class.....	6	1					1				1	

505

VERMONT—Continued.

[illegible]

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS
VERMONT—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	47									6	5	16
2	Abortion												
3	Childbirth	16											5
4	Puerperal septicemia	16									5	1	6
5	Extra-uterine pregnancy												
6	Others of this class	15									1	4	5
7	9. Diseases of the bones and joints	16		1				1		1	2	3	
8	Males	6								1	1	1	
9	Females	10		1				1			1	2	
10	Diseases of the spine	{M. 4 F. 4		1				1			1	1	
11	Abscess, lumbar and psoas	{M. 1 F. 2								1		2	
12	Diseases of the bones	{M. 3 F. 3											
13	Diseases of the hip-joint	{M. 1 F. 1									1		
14	Others of this class	{M. 1 F. 1											
15	10. Diseases of the skin	12	1		1			2					
16	Males	3	1		1			2					
17	Females	9											
18	Abscess	{M. 1 F. 3			1			1					
19	Carbuncle	{M. 1 F. 1											
20	Others of this class	{M. 2 F. 5	1					1					
21	11. Diseases of the absorbent system	7							1				
22	Males	3							1				
23	Females	4											
24	Addison's disease	{M. 2 F. 2											
25	Diseases of the spleen	{M. 1 F. 1											
26	Others of this class	{M. 1 F. 1							1				
27	12. Accidents and injuries	264	15	4	6	3	3	31	5	17	17	20	18
28	Males	195	5		2	2	2	11	3	13	16	20	16
29	Females	69	10	4	4	1	1	20	2	4	1		2
30	Burns and scalds	{M. 5 F. 13		2	2	1	1	1		1			2
31	Drowning	{M. 26 F. 4		1	1	1	1	3		4	5	6	3
32	Exposure and neglect	{M. 2 F. 1	1					1					
33	Gunshot wounds	{M. 10 F. 1	1					1			3	1	1
34	Homicide	{M. 1 F. 1											
35	Infanticide	{M. 1 F. 1											
36	Injuries by machinery	{M. 1 F. 1											
37	Railroad accidents	{M. 20 F. 1								1	3	2	2
38	Suffocation	{M. 4 F. 5	2	1				2				1	1
39	Suicide by shooting	{M. 11 F. 1										1	
40	Suicide by drowning	{M. 1 F. 1										1	
41	Suicide by poison	{M. 1 F. 1										1	
42	Other suicides	{M. 17 F. 3								1	2	1	1
43	Sunstroke	{M. 1 F. 1									1		
44	Surgical operations	{M. 2 F. 2			1			1					
45	Wounds	{M. 3 F. 1								1			2
46	Others of this class	{M. 93 F. 38	2	1	1	1	1	4	3	6	2	6	6

CAUSE, SEX, AND AGE.

507

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VERMONT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	3					1		1					1	1
															2
4	3	3							1						3
3	1														4
															5
2	1						1							1	6
1	2				2	2				2					7
	1				2										8
1	1					2				2					9
	1				2										10
	1					1									11
															12
1										2					13
															14
						1									15
	1			1	2	2			2		1	1			16
									1						17
	1			1	2	2			1		1	1			18
					1							1			19
						1									20
				1	1	1			1		1				21
1		2	2				1								22
		1	1				1								23
1		1	1												24
1		1													25
			1												26
							1								27
13	22	16	10	9	15	14	9	11	14	11	6	4		2	28
11	17	14	10	9	11	7	8	8	10	6	1	2		2	29
2	5	2			4	7	1	3	4	5	5	2			30
				1		2		1							31
1					1	3									32
	1			2	2										33
											1				34
	1		1				1	1				1			35
			1												36
	1														37
1	2	1	2			2	2		1					1	38
															39
1	3	2	2					1	1						40
															41
	1														42
1	2	4	2	1	1			1							43
	1					2									44
															45
	1														46
8	8	7	2	5	8	3	5	4	8	6		1		1	47
1	1	2			3	2	1	3	4	5	5	2			48

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

ALABAMA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	25,699	5,142	8,852	1,059	783	1,388	1,816	1,375	1,128	1,011	889	982	899	702	898	3,917
Males.....	12,970	2,756	4,710	528	405	618	893	648	534	456	428	503	447	342	465	1,993
Females	12,729	2,386	4,142	531	378	770	923	727	594	555	461	479	452	360	433	1,924
Unknown cause	2,173	1,088	1,340	66	38	56	70	56	45	38	47	34	46	41	50	246
Males.....	1,068	594	728	27	19	25	30	19	13	7	21	12	22	13	18	114
Females	1,105	494	612	39	19	31	40	37	32	31	26	22	24	28	32	132
I. General diseases.																
General diseases—A.....	7,493	1,476	3,202	486	328	496	491	346	263	211	196	198	195	138	165	778
Males.....	3,806	768	1,673	251	166	226	239	187	128	109	102	109	100	70	85	361
Females	3,687	708	1,529	235	162	270	252	159	135	102	94	89	95	68	80	417
Measles.....	{M.. 209	62	142	10	5	16	6	8	4	4	4	5		2	1	2
{F.. 219	52	127	14	8	20	9	4	5	4	4	5	9	4	1	1	5
Scarlet fever	{M.. 20	4	10	8		1										1
{F.. 14	3	10			2	1									1	
Diphtheria	{M.. 43	4	35	6											1	1
{F.. 44	5	25	12	1	1	2			1						1	
Whooping cough.....	{M.. 239	130	221	13	2	1										2
{F.. 255	148	246	6						1		1					1
Malarial fever.....	{M.. 497	52	157	49	37	49	44	35	24	18	9	14	18	6	11	26
{F.. 508	55	147	50	27	55	48	31	20	13	22	11	17	8	18	41	
Influenza.....	{M.. 386	66	101	14	5	13	13	4	3	9	10	10	14	17	17	156
{F.. 392	52	76	6	10	12	14	14	12	10	7	13	18	18	16	16	
Typhoid fever.....	{M.. 873	36	138	76	78	118	122	95	52	44	42	36	19	12	12	29
{F.. 840	31	122	81	96	143	109	63	50	30	29	22	23	16	11	45	
Cholera morbus	{M.. 74	21	44	4	2		3		4		3	3	2	2	7	
{F.. 63	7	23	6		2	2	2	4	3			6	4	3	8	
Colitis	{M.. 31	14	24			1					1		1	1	2	1
{F.. 25	8	19	1		2									1	2	
Diarrhea	{M.. 166	34	79	12	2	2	2	2	3	3	2	7	6	5	14	27
{F.. 120	18	63	5		2	2	5		5	5	5	5	5	2	2	19
Dysentery	{M.. 442	81	240	21	11	9	9	5	15	9	11	12	21	12	10	57
{F.. 422	82	226	16	5	4	7	10	8	13	12	15	6	6	15	79	
Enteritis.....	{M.. 173	65	124	14	3	3		3	1	2	4	4	2	2	4	7
{F.. 179	69	115	13	2	6	7	3	3	4	5	2	2	2	1	14	
Cholera infantum	{M.. 220	115	220													
{F.. 208	101	208														
Fever.....	{M.. 93	25	48	8	7	3	7	1	4	1	1	1	4			8
{F.. 102	26	48	12	5	7	6	4	4	3	1	1	2	1		2	10
Cerebro-spinal fever.....	{M.. 29	14	21		4		1	1		1	1					
{F.. 21	8	15	2	1			2						1			
Smallpox	{M.. 136	19	28	6	4	5	19	15	9	8	6	7	4	5	5	15
{F.. 88	18	25	5	2	7	8	5	5	7	6	2	6	4	2	3	6
Erysipelas	{M.. 27	4	8	2	1	1	1	1	1		2	2	2			6
{F.. 29	11	14	2		2		1			1	1	1	1			6
Septicemia	{M.. 61	7	12	3	5	2	3	4	7	3	4	1	4	5	2	6
{F.. 94	5	7	2	4	4	23	12	15	8	2	4	1	1	2	3	7
Venereal diseases	{M.. 55	10	11	1		1	9	7	5	2	5	5	1		2	6
{F.. 44	7	10	1		2	8	2	5	5	3	3	1		2	2	
Others of this group.....	{M.. 32	5	10	4		1	3	3		1		2	1	1	2	4
{F.. 20	2	3	1	1	1	1	4	1	1				3		5	
General diseases—B.....	252	103	151	8	4	7	10	8	6	6	10	10	5	4	5	18
Males.....	151	49	80	4	2	5	8	6	5	4	9	5	3	4	4	12
Females	101	54	71	4	2	2	2	2	1	2	1	5	2		1	6
Alcoholism.....	{M.. 19						1	2	1	2	3	3	1	3	3	
{F.. 1																1
Parasitic diseases.....	{M.. 26	3	21	4			1									
{F.. 17	2	11	4	1				1								
Lead poison	{M.. 2										1	1				
{F.. 2	1	1														1
Other poisons	{M.. 50	3	9		2	5	6	4	4	2	5	1	2	1	1	8
{F.. 24	3	7		1	2	2	2	1		2	1	5	1		1	1
Inanition.....	{M.. 54	43	50													4
{F.. 57	48	52							1				1			3
General diseases—C.....	988	372	411	3	2	1	1	2		1	1	3	4	6	11	542
Males.....	472	195	215	1	1	1		1		1	1		3	4	7	237
Females	516	177	196	2	1		1	1				3	1	2	4	305
Old age.....	{M.. 217														6	211
{F.. 288															3	285
Premature birth.....	{M.. 132	132	132													
{F.. 116	116	116														
Malformation	{M.. 11	10	11													
{F.. 12	12	12														
Debility and atrophy.....	{M.. 106	47	66	1	1	1		1		1	1		3	4	1	26
{F.. 93	42	61	2	1		1	1				3	1	2	1	20	
Others of this group.....	{M.. 6	6	6													
{F.. 7	7	7														

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	4,016	77	257	116	114	306	522	419	363	293	251	272	216	159	169	559
Males	1,656	39	134	57	49	103	208	133	140	112	96	120	89	66	73	276
Females	2,360	38	123	59	65	203	314	286	223	181	155	152	127	93	96	283
Anemia	{M.. 11 F.. 9	3	4	1	1		1	1	1			1	2			3
Diabetes	{M.. 19 F.. 11		3		1	1	2	1	1		2	2	1	1	1	3
Rheumatism	{M.. 70 F.. 55	1	1	7	5	5	1	1	1	3	3	6	6	3	7	2
Serofula and tabes ..	{M.. 85 F.. 76	10	29	9	4	3	5	4	2	2	3	5	3	4	5	7
Hydrocephalus	{M.. 16 F.. 18	7	11			1	1		2		1					1
Tuberculosis, general	{M.. 8 F.. 8		1				1		2	1	1	1		1		2
Consumption	{M.. 1,079 F.. 1,587	12	46	19	26	82	190	117	119	94	71	79	57	36	33	110
Cancer	{M.. 83 F.. 257	1	2	1	2	2	1	2	5	3	5	8	7	10	8	27
Tumor	{M.. 19 F.. 41	3	3	1	2			2	1	2	1			1	1	5
Dropsy	{M.. 259 F.. 290		29	19	8	9	7	6	6	7	9	19	13	10	18	99
Others of this group ..	{M.. 7 F.. 8	2	5						1							1
2. Diseases of the nervous system..	1,974	497	796	81	45	53	78	52	43	50	58	93	76	66	94	389
Males	1,063	293	437	42	27	23	40	36	23	28	34	47	36	34	53	203
Females	911	204	359	39	18	30	38	16	20	22	24	46	40	32	41	186
Inflammation of the brain.	{M.. 92 F.. 75	32	60	5	1	3	4	4	1	2	1	3	1		1	6
Meningitis	{M.. 187 F.. 155	83	136	16	6	7	3	3	2	2	3		2	1	2	4
Apoplexy	{M.. 107 F.. 69		1		2		1	3	3	5	4	12	9	8	20	39
Paralysis	{M.. 219 F.. 247	1	6	5	4	2	3	8	4	7	9	8	12	15	19	117
Paralysis, general (of insane).	{M.. 11 F.. 4								1	2	3	2	1	1	1	1
Tetanus and trismus naseentium.	{M.. 57 F.. 27	38	38	4	2		5	2		1	1	1			1	2
Chorea	{M.. 1 F.. 1	1	1													1
Epilepsy	{M.. 66 F.. 32	8	10	2	4	6	11	4	6	1	3	5	3	2	2	7
Convulsions	{M.. 102 F.. 119	79	97	2		3	1			1			1			1
Mental diseases	{M.. 23 F.. 20				1		4	2		1	2	1	2	3	3	4
Diseases of the brain.	{M.. 169 F.. 123	48	84	8	6	5	5	9	3	7	7	12	4	4	2	13
Diseases of the spinal cord.	{M.. 10 F.. 12	1	2		1		1	1	2			1	1		1	1
Locomotor ataxia ..	{M.. 4 F.. 4											1			1	2
Others of this class ..	{M.. 15 F.. 27	2	2				2		1		1	1			1	8
3. Diseases of the circulatory system.	1,166	35	57	17	16	34	50	42	53	65	58	74	87	77	122	414
Males	562	16	29	9	8	15	17	18	27	21	22	38	35	38	61	224
Females	604	19	28	8	8	19	33	24	26	44	36	36	52	39	61	190
Pericarditis	{M.. 6 F.. 5					1	1			1			1	1		3
Diseases of the heart.	{M.. 536 F.. 575	14	27	8	8	13	17	18	24	19	22	36	33	37	61	213
Angina pectoris	{M.. 12 F.. 8			1		1			1		1	1	1	1		6
Diseases of the arteries.	{M.. F..															5
Aneurism	{M.. 6 F.. 5			1		1			2	1	1	1		1		2
Embolism	{M.. F..					1				1						
Others of this class ..	{M.. 2 F.. 9	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,562	961	1,547	105	106	151	217	148	121	123	110	143	131	92	130	438
Males.....	1,954	526	868	60	53	84	136	79	66	67	58	78	77	38	70	220
Females.....	1,608	435	679	45	53	67	81	69	55	56	52	65	54	54	60	218
Croup.....	301	211	291	7	1					1						1
{M.....	278	215	270	6												
{F.....							1				1					
Pneumonia.....	1,385	244	455	44	46	77	129	74	58	61	50	65	71	28	60	167
{M.....	1,074	172	310	35	47	61	70	63	47	48	40	53	44	41	41	174
{F.....																
Laryngitis.....	12	7	10	1												1
{M.....	14	3	7	1					2	1	1				1	1
{F.....																
Bronchitis.....	133	51	92	5	1	2	1	1	2		2	5		2	3	17
{M.....	142	37	74	3	5	3	4	3	1	3	4	7	3	4	3	25
{F.....																
Pleurisy.....	40	1	1	1	1		2	2	1	3	1	6	1	3	3	15
{M.....	29	1	4		1		2	2		1	2	2	3	4	2	6
{F.....																
Asthma.....	26	1	2				1	1	2			1		3	2	14
{M.....	32		2			1			3		1	1	3	4	8	9
{F.....																
Others of this class.....	57	11	17	2	4	5	3	1	3	2	5	1	5	2	2	5
{M.....	39	7	12			2	4	1	2	3	3	2	1	1	5	3
{F.....																
5. Diseases of the digestive system.	1,496	317	626	54	28	49	77	55	49	50	34	52	46	48	61	177
Males.....	744	172	319	25	16	28	45	28	27	23	14	24	24	26	34	111
Females.....	662	145	307	29	12	21	32	27	22	27	20	28	22	22	27	66
Dentition.....	102	40	102													
{M.....	103	34	103													
{F.....																
Angina.....	23	7	14	4					2		1	1			1	
{M.....	34	4	17	4		3		1		1		3	2	1		2
{F.....																
Gastritis.....	64	8	22	1	1		1	2	1	3	1	2	5	5	5	15
{M.....	82	6	20	5	1	3	6	2	4	4	6	3	6	3	6	13
{F.....																
Diseases of the stomach.....	47	7	16	2		5	4	1		2	1	3	3	1	2	7
{M.....	57	17	25	5	3		3	4	2	3	1	2	1	3	1	4
{F.....																
Obstruction of the bowels.....	29	7	9	3	1	1	2	2	1		1	1	1		2	5
{M.....	13	2	4	1	1					1		1	1		2	2
{F.....																
Appendicitis.....	39		2	2		7	6	5	5	3		3	2	2		2
{M.....	11		2	1	1	1	1			2		1	1	1		
{F.....																
Hernia.....	22		1		1	1	1		2	1		1		4	2	8
{M.....	9	1	1								1	4			1	2
{F.....																
Other diseases of the bowels.....	78	27	43	1	3	4	5	2	4	1	1	2	1		2	9
{M.....	52	14	25	1	2	5	4	2		2	1	2		2		6
{F.....																
Jaundice.....	25	15	15			1	3		1			2		1		2
{M.....	32	14	15	1			1	4	1	1	1		2	2	1	3
{F.....																
Inflammation and abscess of the liver.....	39	1	4		1	1	7	3	3	2	1	1	1	4	5	6
{M.....	33		2	1	1	1	6	5	1	1	1	2	3	1	3	5
{F.....																
Other diseases of the liver.....	63	4	9	5	2	1	5	1	3	6	4	4	4	2	3	14
{M.....	32	8	9			1	1	2	1	1	1	1	2	2	4	7
{F.....																
Peritonitis.....	33	3	4	2	1	3	5	7	2	2	1			1	2	3
{M.....	45	3	3	1		3	5	6	9	7	5	2		1		3
{F.....																
Ascites.....	47		6	2	2	2	2	2	1	1	1	1	1	1	4	21
{M.....	36		2	2	1	4	3	1	1	1	2	3	2	3	3	8
{F.....																
Others of this class.....	133	53	72	3	4	2	4	3	2	2	2	3	6	5	6	19
{M.....	123	42	79	7	2		2		3	3	1	4	2	3	6	11
{F.....																
6. Diseases of the urinary system and male organs of generation.	609	18	45	6	14	16	26	31	29	26	36	45	46	33	56	200
Males.....	402	12	27	4	8	5	16	15	12	14	25	29	33	24	38	152
Females.....	207	6	18	2	6	11	10	16	17	12	11	16	13	9	18	48
Bright's disease.....	226			3	5	1	8	14	6	13	20	26	24	17	25	64
{M.....	145			1	5	6	6	12	15	11	6	16	13	7	14	33
{F.....																
Calculus, urinary.....	23	1	1			1	2							2		17
{M.....	4		1													3
{F.....																
Diseases of the kidney.....	70	6	18	1	1	1	3		5	1	2	1	2	1	6	28
{M.....	28	4	15	1				1		1	1				3	6
{F.....																
Diseases of the bladder.....	28	1	2				1					1	1	1	2	20
{M.....	1															1
{F.....																
Others of this class.....	55	4	6		2	2	2	1	1		3	1	6	3	5	23
{M.....	29	2	2		1	5	4	3	2		4		2	2	1	5
{F.....																
7. Diseases of the female organs of generation.	96	2	2		4	8	13	6	10	6	10	6	7	6	4	14
Ovarian tumors.....	6									2		2	1			1
Ovarian diseases.....	1								1							
Diseases of the tubes.....	3	1	1						1					1		
Uterine tumors.....	8						1		1	1			2	1		2
Uterine diseases.....	25				1	4	3	1	2	1	1			2	4	6
Others of this class.....	53	1	1		3	4	10	4	6	2	8	4	4	2		5

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ALABAMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	335				2	73	83	59	37	55	20	1	1		1	3
Abortion	21					5	3	6	2	3	2					
Childbirth	181				1	40	37	32	19	39	10		1		1	1
Puerperal septicemia	100					14	34	18	15	10	7					2
Extra-uterine pregnancy	2							1	1							
Others of this class	31				1	14	9	2		3	1	1				
9. Diseases of the bones and joints.	63	19	36	3	1	6		1	2	3			2	2	1	6
Males	35	8	18	1	1	4		1	1	1			1	1		6
Females	28	11	18	2		2			1	2			1	1	1	
Diseases of the spine. {M..	24	7	17	1		1		1	1					1		2
{F..	19	8	13	2						2			1	1		
Abscess, lumbar and {M..	1												1			
{F..																
Diseases of the bones. {M..	7	1	1		1	3										2
{F..	2	1	1			1										
Diseases of the hip {M..	1								1							
{F..	2		1						1							
Others of this class. {M..	2															2
{F..	5	2	3			1									1	
10. Diseases of the skin	49	16	20		1	1	1	3	1	4	1	2	6	1	1	7
Males	27	7	11				1	2	1	1			4			7
Females	22	9	9		1	1		1	1	3	1	2	2	1	1	
Abscess	10	3	4				1	1	1	1			2			
{F..	9	1	1		1	1		1		2	1	2				
Carbuncle	5												1			4
{F..	3												2	1		
Others of this class. {M..	12	4	7					1					1			3
{F..	10	8	8							1					1	
11. Diseases of the absorbent system.	12		1	1			1	2	1				2	2	2	
Males	7			1				2						2	2	
Females	5		1				1		1				2			
Addison's disease	1							1								
Diseases of the spleen {M..	2			1											1	
{F..	3		1				1		1							
Others of this class. {M..	4							1						2	1	
{F..	2												2			
12. Accidents and injuries	1,505	161	361	113	80	131	176	145	105	80	57	49	29	27	26	126
Males	1,023	77	171	46	55	99	153	121	91	68	46	41	20	22	20	70
Females	482	84	190	67	25	32	23	24	14	12	11	8	9	5	6	56
Burns and scalds	121	9	77	15	5	2	4		4		3			1	2	8
{F..	207	11	96	43	6	5	4	11	4	6	3	1	3		2	23
Drowning	81		6	8	11	12	13	5	6	4	4	1	2	1	1	7
{F..	14		2	4	3	3			1	1						
Exposure and neglect {M..	15	13	15						1	1				1		3
{F..	29	19	23													
Gunshot wounds	207		1	2	15	30	46	34	24	23	10	11	2		1	8
{F..	45		4	6	8	13	6	6	1				1			
Homicide	81		1	1	3	6	12	15	11	9	5	4	5	3	3	3
{F..	15		1	1	1	2	4	1		2		2				1
Infanticide																
{F..																
Injuries by machinery. {M..	8					2	3	1		1		1				
{F..	2			1		1										
Railroad accidents	96		1	1		11	19	14	18	10	8	2		1	1	10
{F..	10			1	1	3	1			1	1	1			1	
Suffocation	36	27	29			1	1		1			1		2		1
{F..	47	43	45	2												
Suicide by shooting	8							3		2	2					1
{F..	2						1					1				
Suicide by drowning. {M..													1			
{F..	1															
Suicide by poison	8						2	1	1	1		1	1			1
{F..	1												1			
Other suicides	6							1					1			3
{F..	4						1		1			1		1		
Sunstroke	6								1	1					1	2
{F..	3	1	1					1			1					
Surgical operations	4				1									1		2
{F..	5						1	1			2				1	
Wounds	9		1	1			2		1		1		1		1	1
{F..																
Others of this class. {M..	337	28	40	18	20	35	51	47	24	17	13	19	8	12	10	23
{F..	97	10	18	9	6	5	5	4	6	1	4	2	3	3	2	29

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	188	4	11	2	4	16	25	25	14	15	14	22	13	4	10	13
Males.....	127	2	5	2	1	9	18	19	10	11	11	13	9	2	7	10
Females.....	61	2	6		3	7	7	6	4	4	3	9	4	2	3	3
Anemia.....	{M.....															
{F.....																
Diabetes.....	{M.....	2				1							1			
{F.....																
Rheumatism.....	{M.....	3				1									2	
{F.....	3											1			2	
Scrofula and tabes.....	{M.....	1	1	1						1						
{F.....	1															
Hydrocephalus.....	{M.....	3		3												
{F.....																
Tuberculosis, general.....	{M.....															
{F.....																
Consumption.....	{M.....	107	1	1	2	1	7	17	9	11	11	11	6	1	3	8
{F.....	45	1	5		3	7	7	3	4	3	2	4	3	2		2
Cancer.....	{M.....	4							1			1		1	1	
{F.....	8							3				2	1		1	1
Tumor.....	{M.....	2										1				1
{F.....	1	1	1													
Dropsy.....	{M.....	5					1						2		1	1
{F.....	3										1	2				
Others of this group.....	{M.....															
{F.....																
2. Diseases of the nervous system..	87	19	36	2	3	1		3	5	2	5	10	7	4	5	4
Males.....	57	13	23	2				2	2	2	4	7	4	3	5	3
Females.....	30	6	13		3	1		1	3		1	3	3	1		1
Inflammation of the brain.....	{M.....	6	1	4	1									1		
{F.....	6		3		1				1					1		
Meningitis.....	{M.....	13	5	10					1	2						
{F.....	6	1	3		1				1		1					
Apoplexy.....	{M.....	8						2			2	2		1		1
{F.....	2												1			1
Paralysis.....	{M.....	7									1		1		4	1
{F.....	5	1	2						1			1	1			
Paralysis, general (of insane).....	{M.....	5									1	1	3			
{F.....																
Tetanus and trismus nascentium.....	{M.....	2										2				
{F.....	1	1	1													
Chorea.....	{M.....	1			1											
{F.....																
Epilepsy.....	{M.....	4	2	2	1							1				
{F.....	1											1				
Convulsions.....	{M.....	5	4	5												
{F.....	4	3	3			1										
Mental diseases.....	{M.....	3										1		1		1
{F.....	1												1			
Diseases of the brain.....	{M.....	2		1					1							
{F.....	2		1									1				
Diseases of the spinal cord.....	{M.....															
{F.....																
Locomotor ataxia.....	{M.....															
{F.....																
Others of this class.....	{M.....	2	1	1											1	
{F.....	1							1								
3. Diseases of the circulatory system.	43	5	7	2	2			2	3	3	5	6	6	2	1	4
Males.....	22	2	4					2	3	1	2	3	4	1		2
Females.....	21	3	3	2	2					2	3	3	2	1	1	2
Pericarditis.....	{M.....	1			1											
{F.....																
Diseases of the heart.....	{M.....	20	1	3				2	3	1	2	3	4	1		1
{F.....	19	2	2	2	1					2	3	3	2	1	1	2
Angina pectoris.....	{M.....															
{F.....																
Diseases of the arteries.....	{M.....															
{F.....																
Aneurism.....	{M.....															
{F.....																
Embolism.....	{M.....															
{F.....																
Others of this class.....	{M.....	2	1	1												1
{F.....	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	136	30	56	6	1	5	3	6	10	14	4	6	6	3	3	13
Males.....	93	17	34	4	1	3	2	6	10	9	3	4	4	3	2	8
Females.....	43	13	22	2		2	1			5	1	2	2		1	5
Croup.....	{M.. 6	{ 4	{ 5	{ 1												
{F.. 4	{ 4	{ 4														
Pneumonia.....	{M.. 73	{ 11	{ 25	{ 2	{ 1	{ 2	{ 1	{ 5	{ 8	{ 8	{ 2	{ 3	{ 4	{ 3	{ 2	{ 7
{F.. 32	{ 7	{ 14	{ 2		{ 2					{ 4	{ 1	{ 2	{ 1		{ 1	{ 5
Laryngitis.....	{M..															
{F..																
Bronchitis.....	{M.. 6	{ 2	{ 4	{ 1					{ 1							
{F.. 2			{ 1				{ 1									
Pleurisy.....	{M.. 4					{ 1	{ 1				{ 1					{ 1
{F..																
Asthma.....	{M.. 2									{ 1		{ 1				
{F.. 1										{ 1						
Others of this class.....	{M.. 2							{ 1	{ 1							
{F.. 4	{ 2	{ 3											{ 1			
5. Diseases of the digestive system.	52	8	20	2		1		1	2	5	5	2	3	2	4	5
Males.....	36	5	11	2				1	1	5	5	2	1	1	4	3
Females.....	16	3	9			1			1				2	1		2
Dentition.....	{M..															
{F.. 4		{ 4														
Angina.....	{M.. 1									{ 1						
{F..																
Gastritis.....	{M.. 4	{ 1	{ 3												{ 1	
{F.. 2		{ 2														
Diseases of the stom-ach.....	{M.. 4							{ 1			{ 1	{ 1			{ 1	
{F.. 1													{ 1			
Obstruction of the bowels.....	{M.. 2			{ 1						{ 1						
{F..																
Appendicitis.....	{M.. 5		{ 2	{ 1						{ 1					{ 1	
{F..																
Hernia.....	{M.. 1									{ 1						
{F..																
Other diseases of the bowels.....	{M.. 1		{ 1													
{F..																
Jaundice.....	{M.. 2	{ 1	{ 1													{ 1
{F..																
Inflammation and abscess of the liver.....	{M.. 7		{ 1						{ 1	{ 1	{ 3			{ 1		
{F..																
Other diseases of the liver.....	{M.. 5										{ 1		{ 1		{ 1	{ 2
{F.. 3						{ 1							{ 1			{ 1
Peritonitis.....	{M..															
{F.. 2									{ 1					{ 1		
Ascites.....	{M.. 1	{ 1	{ 1													{ 1
{F.. 1																
Others of this class.....	{M.. 3	{ 2	{ 2									{ 1				
{F.. 3	{ 3	{ 3	{ 3													
6. Diseases of the urinary system and male organs of generation.	33			1	1		3	3		2	2	3	2	2	5	9
Males.....	26			1			3	2		1	2	3	1	2	5	6
Females.....	7				1			1		1			1			3
Bright's disease.....	{M.. 20			1			2	1		1	2	3	1	2	5	2
{F.. 5					1			1					1			2
Calculus, urinary.....	{M..															
{F..																
Diseases of the kidney.....	{M.. 3						1									2
{F.. 1																1
Diseases of the bladder.....	{M.. 2															2
{F.. 1										{ 1						
Others of this class.....	{M.. 1							1								
{F..																
7. Diseases of the female organs of generation.	2					1		1								
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	1							1								
Uterine diseases.....																
Others of this class.....	1					1										

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARIZONA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	12					3	2	1	2	2	1					1
Abortion	2					1					1					
Childbirth	10					2	2	1	2	2						1
Puerperal septicemia																
Extra-uterine pregnancy																
Others of this class																
9. Diseases of the bones and joints.	1				1											
Males	1				1											
Females																
Diseases of the spine. {M..	1				1											
{F..																
Abscess, lumbar and {M..																
psoas. {F..																
Diseases of the bones. {M..																
{F..																
Diseases of the hip- {M..																
joint. {F..																
Others of this class. {M..																
{F..																
10. Diseases of the skin	1						1									
Males																
Females	1						1									
Abscess	1						1									
Carbuncle																
Others of this class. {M..																
{F..																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease. {M..																
{F..																
Diseases of the spleen {M..																
{F..																
Others of this class. {M..																
{F..																
12. Accidents and injuries	112	2	5	4	4	6	8	23	6	12	12	10	3	4	4	11
Males	90	1	3	2	1	6	7	20	5	12	9	6	3	2	4	10
Females	22	1	2	2	3		1	3	1		3	4		2		1
Burns and scalds. {M..	1	1	1													
{F..	4		1	1	1							1				
Drowning																
Exposure and neglect {M..																
{F..																
Gunshot wounds. {M..	17			1		1		4	1	3	1	1	1	1		3
{F..	4				1							2		1		
Homicide	13			1		1		2	1	2	4	1		1		
{F..	1										1					
Infanticide																
Injuries by machinery. {M..																
{F..																
Railroad accidents. {M..	9						1	3		1						4
{F..																
Suffocation																
Suicide by shooting. {M..	4						1	1	1			1				
{F..																
Suicide by drowning. {M..																
{F..																
Suicide by poison. {M..																
{F..																
Other suicides	2							1				1				
{F..								1	1							
Sunstroke	1															1
Surgical operations. {M..	1															
{F..	3						1	1			1				1	
Wounds	2		1				1									
Others of this class. {M..	40		1		1	4	4	9	2	6	4	2	2		3	2
{F..	7	1	1	1	1						1	1		1		1

VITAL STATISTICS.

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

ARKANSAS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	22,518	4,076	8,064	1,382	933	1,451	1,583	1,289	969	888	881	886	811	619	660	2,102
Males.....	11,813	2,165	4,210	723	468	715	795	622	471	431	453	494	471	371	393	1,196
Females.....	10,705	1,911	3,854	659	465	736	788	667	498	457	428	392	340	248	267	906
Unknown cause.....	2,604	983	1,510	180	96	130	102	84	58	62	48	54	49	36	39	156
Males.....	1,351	530	798	100	41	74	52	38	21	25	20	22	33	17	22	88
Females.....	1,253	453	712	80	55	56	50	46	37	37	28	32	16	19	17	68
1. General diseases.																
General diseases—A.....	7,234	1,249	3,173	597	382	531	476	362	243	216	211	222	174	123	135	389
Males.....	3,742	639	1,621	298	196	259	273	187	129	99	110	124	97	73	70	206
Females.....	3,492	610	1,552	299	186	272	203	175	114	117	101	98	77	50	65	183
Measles.....{M..	582	104	296	60	33	40	52	24	11	12	13	24	10	1	1	5
{F..	692	99	310	62	40	54	41	35	37	27	30	21	11	8	6	10
Scarlet fever.....{M..	27	7	22	4	1											
{F..	32		24	3	3	1	1									
Diphtheria.....{M..	64	17	51	8	1	1			2							1
{F..	44	4	30	10			1		1	1						1
Whooping cough.....{M..	142	83	130	9		2										1
{F..	174	99	166	6	1	1										
Malarial fever.....{M..	907	88	263	81	76	87	92	61	44	23	30	35	25	28	19	43
{F..	823	87	265	106	55	86	62	51	26	26	25	27	30	12	14	38
Influenza.....{M..	179	27	43	2	6	7	5	14	5	9	4	6	5	8	10	55
{F..	140	21	33		7	7	3	6	2	3	3	6	5	5	12	48
Typhoid fever.....{M..	602	23	107	53	43	77	81	48	38	30	25	28	24	9	11	28
{F..	570	30	112	55	54	94	61	38	20	28	22	21	12	13	13	27
Cholera morbus.....{M..	75	29	51	6	4	3	1	1		1				2	2	2
{F..	57	14	33	4	1	1	3	1	2		3		1	2	3	3
Colitis.....{M..	9	1	4									1	1		1	2
{F..	6	3	5						1							
Diarrhea.....{M..	90	13	43	5	2		2	1	3	3	2	2	4	3	4	11
{F..	77	24	53	4	2			2	1	1	1	1		2	1	9
Dysentery.....{M..	300	42	182	26	5	5	6	5	7	4	10	8	9	7	6	20
{F..	241	49	164	12	3	5	4	8	3	5	4	3	8		7	15
Enteritis.....{M..	189	37	109	15	8	12	5	5	4	3	5	5	5	3	1	9
{F..	165	43	92	19	4	5	2	8	1	2	4	4	4	3	2	15
Cholera infantum.....{M..	169	76	169													1
{F..	150	72	149													
Fever.....{M..	43	12	24	3		4	3	3		1	1			1		3
{F..	38	13	24	2		1	1	3	1			3				3
Cerebro-spinal fever.....{M..	100	23	38	17	7	9	4	6	2	5	3	2	3	2	2	
{F..	80	18	35	11	9	6	3	4	2	2	1	2	1	1	1	2
Smallpox.....{M..	131	22	32	3	5	9	15	11	8	7	8	4	7	5	6	11
{F..	64	10	17	3	3	3	4	7	6	8	2	3	3	1	2	2
Erysipelas.....{M..	38	14	17	2	2		1	2	1	1	1	3	1	1	2	4
{F..	33	8	10	2		2	3	2	1	2	1	4	1	1	2	2
Septicemia.....{M..	53	14	18	2	3	1	3	3	2		4	3	1	2	4	7
{F..	79	5	14		3	4	13	9	8	11	5	2	1	1	2	6
Venereal diseases.....{M..	20	1	1			1	3	3	2		2	3	1	1	1	2
{F..	9	6	7						1	1						
Others of this group.....{M..	22	6	16	2		1							1			2
{F..	18	5	9		1	2	1	1	1			1		1		1
General diseases—B.....	202	71	115	11	2	2	8	9	6	6	9	10	6	4	6	8
Males.....	110	32	49	6	2	2	6	5	5	4	7	8	6	2	5	3
Females.....	92	39	66	5			2	4	1	2	2	2		2	1	5
Alcoholism.....{M..	14								3	1	3	3	2		1	1
{F..	2							1		1						
Parasitic diseases.....{M..	16	1	11	5												
{F..	21	2	16	4												1
Lead poison.....{M..																
{F..																
Other poisons.....{M..	51	4	9	1	2	2	6	5	2	3	4	5	4	2	4	2
{F..	30	4	12	1			2	3	1	1	2	2		2	1	3
Inanition.....{M..	29	27	29													
{F..	39	33	38													1
General diseases—C.....	506	243	259	1	2	1	1	2	3	1		6	2	6	8	214
Males.....	242	125	131									1	1	2	2	105
Females.....	264	118	128	1	2	1	1	2	3	1		5	1	4	6	109
Old age.....{M..	89															89
{F..	104														5	99
Premature birth.....{M..	97	97	97													
{F..	90	90	90													
Malformation.....{M..	14	13	14													
{F..	19	16	18		1											
Debility and atrophy.....{M..	37	10	15									1	1	2	2	16
{F..	46	7	15	1	1	1	1	2	3	1		5	1	4	1	10
Others of this group.....{M..	5	5	5													
{F..	5	5	5													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	2,792	77	205	58	97	212	375	303	224	190	177	192	191	120	138	310
Males.....	1,252	39	111	35	37	73	130	111	79	80	80	97	93	59	83	184
Females.....	1,540	38	94	23	60	139	245	192	145	110	97	95	98	61	55	126
Anemia.....{M.....	8	3	3			1		2		1	1					1
{F.....	5	3														
Diabetes.....{M.....	16		2			1			1	1	1	2	1	1	2	4
{F.....	5					2					1			1		1
Rheumatism.....{M.....	61	2	5		8	3		1	2	5	1	4	9	3	4	11
{F.....	54	1	2	3	5	3	1	4	1	4	3	3	4	5	4	12
Scrofula and tabes.....{M.....	51	8	21	4	1	3	3	3	5	1	1	2		1	2	4
{F.....	42	6	17	2	2	1	2	1	2	2	1	5	4	1		2
Hydrocephalus.....{M.....	19	9	15	4												
{F.....	14	6	9		3	1									1	
Tuberculosis, general.....{M.....	7		1	1		1	1			1		2				
{F.....	2			1			1									
Consumption.....{M.....	782	9	35	15	21	58	111	95	67	63	61	56	56	39	37	68
{F.....	1,107	18	35	11	42	122	223	168	123	88	70	59	56	37	28	45
Cancer.....{M.....	73	1	4	1	1	1		2		1	4	8	7	4	11	29
{F.....	98		1				3	2	7	8	10	8	18	9	9	22
Tumor.....{M.....	21	2	4	1	1		1	1	1		1	2		4	2	3
{F.....	19	1	1				1	2	2		1	1	1	2	3	5
Dropsy.....{M.....	212	3	19	9	5	5	9	7	3	7	10	21	20	7	25	65
{F.....	191	3	26	6	8	8	14	15	10	8	11	18	15	5	10	37
Others of this group.....{M.....	2	2	2													
{F.....	3											1		1		1
2. Diseases of the nervous system.....	1,891	329	713	193	106	131	92	68	48	56	58	60	63	47	56	200
Males.....	1,066	195	392	111	54	68	51	36	32	32	35	39	37	34	35	110
Females.....	825	134	321	82	52	63	41	32	16	24	23	21	26	13	21	90
Inflammation of the brain.....{M.....	130	35	59	15	9	7	10	4	6	2	6	3	3	2	1	3
{F.....	113	24	60	17	6	3	5	5	1	3	1	3		2	2	5
Meningitis.....{M.....	345	66	145	49	28	32	18	15	8	12	12	8	5	7	2	4
{F.....	226	32	100	32	22	18	11	9	6	6	3	7	4	4	3	1
Apoplexy.....{M.....	54		2			2	2		2	1	1	4	7	5	5	23
{F.....	39	1	2		1	3	2	1	2	1	3	2	5	3	6	8
Paralysis.....{M.....	137		5	5	2	2	2	2	2	5	6	6	17	15	18	50
{F.....	105		5	1	3	5	4	4	2	4	3	4	8	2	8	52
Paralysis, general (of insane).{M.....	4										1	1	1			
{F.....																
Tetanus and trismus nascentium.....{M.....	5	3	3				1	1								
{F.....	6	5	5								1					
Chorea.....{M.....	1	1	1													
{F.....	2				1	1										
Epilepsy.....{M.....	37	1	4	4	1	11	5	6	2	1			1	1		1
{F.....	24	3	4			8	2	2	2	2	1	1	1			1
Convulsions.....{M.....	46	38	43	1		1	1									
{F.....	53	35	44	1	1	4	1	1								1
Mental diseases.....{M.....	7				1		2	1		1		1				1
{F.....	6						2		1		2					1
Diseases of the brain.....{M.....	258	40	113	36	12	13	9	6	11	9	7	14	3	2	6	17
{F.....	217	33	96	31	14	21	11	9		5	8	4	7	2		9
Diseases of the spinal cord.....{M.....	20	8	14	1	1		1				1	1			1	
{F.....	9	1	4		4		1									
Locomotor ataxia.....{M.....	2								1							1
{F.....	1						1									
Others of this class.....{M.....	20	3	3					1			1	1	1	1	2	10
{F.....	24		1				1	1	2	3	1		1		2	12
3. Diseases of the circulatory system.....	635	28	51	15	11	22	31	30	31	35	37	45	40	36	61	190
Males.....	331	17	31	7	3	11	17	7	11	12	12	26	23	21	36	114
Females.....	304	11	20	8	8	11	14	23	20	23	25	19	17	15	25	76
Pericarditis.....{M.....	5			1	1		1		2							
{F.....	2							1			1					
Diseases of the heart.....{M.....	311	15	29	6	2	11	16	6	8	12	12	26	23	20	33	107
{F.....	290	8	17	8	8	11	13	22	20	23	23	17	17	15	24	72
Angina pectoris.....{M.....	7													1	1	5
{F.....	8						1				1	2			1	3
Diseases of the arteries.....{M.....	1															1
{F.....																
Aneurism.....{M.....	4							1							2	1
{F.....	1															1
Embolism.....{M.....	1								1							
{F.....																
Others of this class.....{M.....	2	2	2													
{F.....	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,742	717	1,214	141	111	230	257	228	193	175	202	180	182	146	128	355
Males.....	2,146	390	658	77	61	132	153	134	115	106	117	102	118	92	72	209
Females.....	1,596	327	556	64	50	98	104	94	78	69	85	78	64	54	56	146
Croup.....	312	210	300	10	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia.....	1,566	116	259	56	57	115	149	121	100	98	106	96	104	84	54	167
Laryngitis.....	2	4	7	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis.....	150	45	72	7	2	5	3	5	5	4	6	4	7	2	7	21
Pleurisy.....	26	1	2	1	1	2	1	5	1	1	1	1	1	1	3	7
Asthma.....	14	2	2	1	1	1	1	1	1	1	2	2	2	1	2	2
Others of this class.....	76	16	23	2	3	5	9	3	5	1	2	3	2	1	3	6
5. Diseases of the digestive system.	1,268	233	518	117	61	50	48	52	52	36	51	44	44	58	29	108
Males.....	654	113	256	51	33	26	30	28	28	15	30	23	26	34	18	56
Females.....	614	120	262	66	28	24	18	24	24	21	21	21	18	24	11	52
Dentition.....	31	12	31	2	1	1	1	1	1	1	1	1	1	1	1	1
Angina.....	24	5	15	2	1	1	1	1	1	1	1	1	1	1	1	1
Gastritis.....	58	12	20	4	1	3	2	4	1	4	1	1	3	2	4	9
Diseases of the stomach.....	163	16	56	22	17	7	5	7	7	4	7	5	3	10	5	8
Obstruction of the bowels.....	19	3	7	3	1	1	2	1	1	1	1	1	1	1	1	3
Appendicitis.....	31	1	2	1	3	6	7	4	2	2	2	2	2	2	2	1
Hernia.....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of the bowels.....	69	14	30	6	2	2	1	4	2	4	4	3	2	2	3	8
Jaundice.....	20	8	10	1	1	1	2	1	1	1	1	1	1	1	1	2
Inflammation and abscess of the liver.....	46	4	9	2	1	2	5	4	2	2	4	3	6	3	1	4
Other diseases of the liver.....	39	3	8	4	2	3	1	3	1	2	3	1	4	2	2	5
Peritonitis.....	27	5	3	2	2	3	3	3	3	1	1	1	1	2	1	1
Ascites.....	25	4	1	2	1	1	1	2	2	2	2	1	2	1	1	7
Others of this class.....	93	36	58	2	1	3	1	2	1	1	4	3	6	5	1	6
6. Diseases of the urinary system and male organs of generation.	382	7	20	11	12	17	19	25	16	19	27	31	27	23	37	98
Males.....	267	3	10	6	5	12	11	14	7	9	16	24	17	21	32	83
Females.....	115	4	10	5	7	5	8	11	9	10	11	7	10	2	5	15
Bright's disease.....	140	1	1	1	1	3	3	7	5	5	10	17	13	12	22	41
Calculus, urinary.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Diseases of the kidney.....	60	1	8	2	2	4	2	3	1	1	1	4	3	1	8	20
Diseases of the bladder.....	27	3	7	1	1	1	2	2	1	3	1	2	1	1	2	3
Others of this class.....	43	1	1	3	2	5	5	3	1	1	5	2	1	5	1	8
7. Diseases of the female organs of generation.	56	1	2	2	3	1	2	3	2	2	1	1	1	1	1	1
Ovarian tumors.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ovarian diseases.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of the tubes.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Uterine tumors.....	8	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2
Uterine diseases.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Others of this class.....	40	1	2	2	3	1	2	3	2	2	1	1	1	1	1	2

TABLE 8. —DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ARKANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown
8. Affections connected with pregnancy.	257					38	80	55	29	29	18	3				5
Abortion	20					2	6	6		4	2					
Childbirth	142					24	41	30	17	17	8	2				3
Puerperal septicemia	82					11	29	17	11	7	6	1				
Extra-uterine pregnancy																
Others of this class	13					1	4	2	1	1	2					2
9. Diseases of the bones and joints.	67	27	43	4	3	3	2	2		3	2	3	1			1
Males	38	18	26	2	3	1	2			1	1	2				
Females	29	9	17	2		2		2		2	1	1	1			1
Diseases of the spine	{M.. 28	13	21	1	1		2			1	1	1				
{F.. 23	8	16	2		2		1		1	1						
Abscess, lumbar and psoas	{M.. 2	1	1		1											
{F.. 1																
Diseases of the bones	{M.. 4	3	3			1								1		
{F.. 1																
Diseases of the hip-joint	{M.. 2				1							1				
{F.. 1	1	1	1													
Others of this class	{M.. 2	1	1	1				1		1		1				1
{F.. 4																
10. Diseases of the skin.	71	24	36	1	2	4		1	1	1	4	2	3	3	3	10
Males	37	10	15		1	2		1	1	1	1	1	2	2	3	7
Females	34	14	21	1	1	2					3	1	1	1		3
Abscess	{M.. 17	4	5		1	2			1	1	1	1	1	2	1	1
{F.. 10	3	5	1	1										1		2
Carbuncle	{M.. 5						1								2	2
{F.. 1											1					
Others of this class	{M.. 15	6	10								2	1	1			4
{F.. 23	11	16			2											1
11. Diseases of the absorbent system.	12	3	4					1	3	1	1			1		1
Males	8	2	2					1	1	1	1			1		1
Females	4	1	2						2							
Addison's disease	{M.. 1								1							
{F.. 1																
Diseases of the spleen	{M.. 6	1	1					1	1	1	1					1
{F.. 1																
Others of this class	{M.. 2	1	1											1		
{F.. 3	1	2							1							
12. Accidents and injuries	799	85	203	53	46	76	83	63	56	54	30	28	24	14	17	52
Males	569	52	110	30	32	55	70	60	42	46	23	25	18	13	15	30
Females	230	33	93	23	14	21	13	3	14	8	7	3	6	1	2	22
Burns and scalds	{M.. 67	8	52	6	2	1	1	1	1	1			2		1	7
{F.. 92	3	46	14	7	4	5			5	1	1		2			
Drowning	{M.. 27			3	5	3	6	4	1	1		1			1	2
{F.. 17		6	3		1	1	1	1	1							1
Exposure and neglect	{M.. 13	9	9			1									2	1
{F.. 10	7	8		1						1						
Gunshot wounds	{M.. 99		1	4	5	16	16	17	11	8	4	6	4	1	1	5
{F.. 14	1	3		1	3	2	2			1	1	2	2	1		
Homicide	{M.. 42			1	1	8	8	8	5	2	4	1	1	1	1	2
{F.. 4					1	1	1	1								
Infanticide	{M.. 1	1	1													
{F.. 1																
Injuries by machinery	{M.. 14			1	2		4	2		1	2	1		1		
{F.. 1																
Railroad accidents	{M.. 47			1	3	6	6	7	10	6	1	2	2		1	2
{F.. 3										1	1		1			
Suffocation	{M.. 23	19	20			1	1	1								
{F.. 13	13	13	13													
Suicide by shooting	{M.. 4							1		1		1		1		
{F.. 1																
Suicide by drowning	{M.. 1						1									
{F.. 1																
Suicide by poison	{M.. 5					1	3									1
{F.. 1																
Other suicides	{M.. 13					2		2	1	3			2	1	1	1
{F.. 3						1			1				1			
Sunstroke	{M.. 8		1			1				1	1	1		2	1	1
{F.. 4		1														1
Surgical operations	{M.. 1					1										
{F.. 1						1										
Wounds	{M.. 7					2	1			1	1		1			1
{F.. 1																1
Others of this class	{M.. 198	15	26	15	14	20	23	17	10	20	12	9	6	6	6	14
{F.. 67	9	16	6	5	6	3	1	6	3	4	3				2	12

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	22,506	2,514	3,788	628	402	655	1,118	1,264	1,238	1,358	1,231	1,230	1,296	1,205	1,559	5,534
Males.....	13,998	1,431	2,122	328	203	335	617	733	767	872	824	831	879	795	1,036	3,656
Females.....	8,508	1,083	1,666	300	199	320	501	531	471	486	407	399	417	410	523	1,878
Unknown cause.....	466	117	149	16	18	9	14	11	11	16	25	23	33	20	22	99
Males.....	296	67	80	6	6	3	13	6	7	10	21	18	24	16	17	69
Females.....	170	50	69	10	12	6	1	5	4	6	4	5	9	4	5	30
I. General diseases.																
General diseases—A.....	2,762	657	1,076	220	106	122	170	136	110	115	72	71	72	74	67	355
Males.....	1,559	351	566	101	51	61	110	84	67	70	54	51	56	39	37	212
Females.....	1,203	306	510	119	55	61	60	52	43	45	18	20	16	35	30	139
Measles.....	M.. 29 F.. 27	4 9	21 19	1 1	1 1	1 1	4 2	 2		 1						
Scarlet fever.....	M.. 38 F.. 36	 2	19 11	13 20	1 2	2	1	 1	1 1	1						 1
Diphtheria.....	M.. 109 F.. 118	7 1	51 39	36 49	17 16	1 7	 1		1 1	 1	 2	1	 1			2 1
Whooping cough.....	M.. 69 F.. 82	43 42	63 77	4 5	1											1
Malarial fever.....	M.. 65 F.. 54	7 5	12 18	4 2	1 5	5 5	4 1	5 6	5 2	6 1	2 1	2	5 1	5 1	1 5	8 6
Influenza.....	M.. 125 F.. 92	7 3	9 8	3 2	1 2	 1	4 2	1	4 5	 1	5 2	3 4	7 4	5 9	8 7	75 45
Typhoid fever.....	M.. 347 F.. 195	5 6	20 16	16 24	12 17	40 31	56 31	48 20	32 13	28 15	24 5	22 4	17 3	9 4	3 2	20 10
Cholera morbus.....	M.. 68 F.. 53	24 15	34 28	4 2	6 2	1	3 2	1 3	1	 3	1 1		3	2	4 3	8 9
Colitis.....	M.. 9 F.. 6	2 1	2 2					1	 3				1		2	3 1
Diarrhea.....	M.. 50 F.. 32	18 13	23 14	1 2	3 1	1	3 1	2		 1	1 2	1	1	2 2		12 10
Dysentery.....	M.. 103 F.. 32	9 3	13 8	1	1	4	18 1	13	10 1	7 2	8 1	4	3 2	2 5	6 3	13 9
Enteritis.....	M.. 200 F.. 171	114 100	143 123	3 3	2 2	2 3	4 4	4 7	4 3	5 3	1 1	6 3	3	3 2	3 2	17 15
Cholera infantum.....	M.. 105 F.. 96	83 72	105 96													
Fever.....	M.. 23 F.. 9	6 2	7 2		1 1	 4	1		1	2	2	1	4	1	1	2 2
Cerebro-spinal fever.....	M.. 55 F.. 46	13 14	31 26	8 6	2 4	1 3	5 3	1	1 2	1	1 1		1 1	1		2
Smallpox.....	M.. 7 F.. 7		 1		1	 1	2 2	1	1 2	2					1	
Erysipelas.....	M.. 25 F.. 21	2 2	3 2		 1			1 1	 2		1 1	2	3 1	2 2	2	11 9
Septicemia.....	M.. 75 F.. 76	2 3	3 4	6 2	1 1	2 5	4 10	4 12	4 8	15 12	4 1	5 6	5 2	3 7	3	16 6
Venereal diseases.....	M.. 22 F.. 18	5 10	7 12			1		1	1 2	 1	3 2	3 1	1	1	1	3
Others of this group.....	M.. 35 F.. 32	 3	 4	1 1			1	1	1 1	3 1	1 1	1	2 1	3 3	2 5	19 15
General diseases—B.....	722	337	363	5	4	6	14	28	34	41	45	37	33	27	26	59
Males.....	477	187	205	3	1	1	3	17	25	34	40	28	28	22	20	50
Females.....	245	150	158	2	3	5	11	11	9	7	5	9	5	5	6	9
Alcoholism.....	M.. 171 F.. 36						 5	6 5	14 3	25 3	28 3	20 6	21 3	15 2	14 3	28 3
Parasitic diseases.....	M.. 4 F.. 1	1 1	3 1									1				
Lead poison.....	M.. 1 F.. 1									1						1
Other poisons.....	M.. 92 F.. 47	1 2	11 5	2 2	 3	 5	3 6	9 5	11 6	8 4	12 2	5 2	7 2	5 2	5 2	14 1
Inanition.....	M.. 209 F.. 160	185 147	191 152	1	1	1		2 1				2 1		2 1	1	8 4
General diseases—C.....	1,167	326	342	3	2	2	5	1	4	2	2	5	9	7	30	753
Males.....	697	187	194	3	1	1	3	1	2	1		3	3	6	17	462
Females.....	470	139	148		1	1	2		2	1	2	2	6	1	13	291
Old age.....	M.. 422 F.. 277														14 11	408 266
Premature birth.....	M.. 104 F.. 76	104 76	104 76													
Malformation.....	M.. 25 F.. 24	24 23	24 24		1											
Debility and atrophy.....	M.. 135 F.. 91	48 38	55 46	3	 1	1 1	3 2	1	2 2	1 1	 2	3 2	3 6	6 1	3 2	54 25
Others of this group.....	M.. 11 F.. 2	11 2	11													

521

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D	5,329	121	265	87	80	238	447	549	468	511	407	390	372	331	396	788
Males	3,180	60	135	50	34	97	232	311	283	320	258	248	244	204	255	509
Females	2,149	61	130	37	46	141	215	238	185	191	149	142	128	127	141	279
Anemia	M.. 21 F.. 32	2 1	3 3	1	1	2	2	1	1	1	3	3	4	1	1	4
Diabetes	M.. 76 F.. 67			3 2	4 5	2 1	2 4	1 1	1 2	1 1	2 4	4 1	10 6	8 14	13 11	25 13
Rheumatism	M.. 58 F.. 35	1	1	2 1	2 1	3 1	2	2	2	3	1	2	3	5	4	26
Scrofula and tabes ..	M.. 23 F.. 17	4 1	6 2	1	1	1	1	2 3		2 1	1 1	1 1	4 1			3 2
Hydrocephalus	M.. 93 F.. 79	20 25	57 63	14 9	4 3	1 3	5	2 1	4	1	1	2	2			
Tuberculosis, general	M.. 44 F.. 20		4 2	5 4	1 2	1	3	6 1	4	4 5	2 2	2 1	3 1	3	3	3
Consumption	M.. 2,210 F.. 1,270	27 20	54 38	20 18	22 33	86 128	214 196	284 217	261 153	281 149	224 74	175 59	157 48	118 39	115 36	199 82
Cancer	M.. 524 F.. 502	1 1	1 2	2		1	2	9	9	17	22	54	48	59	107	193
Tumor	M.. 33 F.. 54	1	1	1				3		4		2	5	4	3	10
Dropsy	M.. 73 F.. 58	1 6	2 6	1 1		2	1	1	1	2		2	7	6	8	40
Others of this group.	M.. 25 F.. 15	3 6	6 10	1			1		1	4	5	1	1		1	6
2. Diseases of the nervous system.	2,601	289	502	81	40	42	53	57	89	100	115	128	140	165	206	883
Males	1,646	172	297	44	20	29	26	30	52	67	73	89	93	101	127	598
Females	955	117	205	37	20	13	27	27	37	33	42	39	47	64	79	285
Inflammation of the brain.	M.. 58 F.. 49	16 16	31 25	6	2	3	3	1	2	1	3	3	2	1	2	11
Meningitis	M.. 240 F.. 156	60 51	131 93	25 16	11 8	11 4	7 4	5 7	9 5	4 5	5	4	4	4	2	13
Apoplexy	M.. 486 F.. 280	6 1	13 3	2	2	2	2	6	7	19	26	23	46	34	62	244
Paralysis	M.. 304 F.. 160	1 3	1 3	5	1	1	2	3	3	6	9	17	13	27	26	195
Paralysis, general (of insane).	M.. 55 F.. 10							1		8	8	12	4	4	4	10
Tetanus and trismus nascentium.	M.. 26 F.. 10	9 4	11 4	3	2		1	1	6		1					1
Chorea	M.. 1 F.. 1				1											
Epilepsy	M.. 52 F.. 22	2	2	2	2	8	4	4	4	4	1	1	4	3	2	11
Convulsions	M.. 103 F.. 69	66 33	88 56	6 4	1 2	1 2	1	1	2	1	3		1			1
Mental diseases	M.. 62 F.. 34			1			2	1	1	5	2	5	6	8	3	28
Diseases of the brain.	M.. 194 F.. 113	10 8	18 17	4 4	2 1	6	5	5	12	10	14	20	9	15	13	61
Diseases of the spinal cord.	M.. 24 F.. 18	2 1	2 4			1	2				2	2	3	1	6	7
Locomotor ataxia ..	M.. 16 F.. 6								2	2	1	1	1	3	2	4
Others of this class ..	M.. 26 F.. 27			1	1			2	1	2	1			1	5	12
3. Diseases of the circulatory system.	2,361	51	67	19	33	44	43	57	74	121	124	145	198	200	289	947
Males	1,525	32	36	11	14	25	23	27	44	72	87	87	123	136	202	638
Females	836	19	31	8	19	19	20	30	30	49	37	58	75	64	87	309
Pericarditis	M.. 20 F.. 17					1		1	2	1	3		6	1	2	3
Diseases of the heart.	M.. 1,327 F.. 751	22 14	26 26	10 8	14 19	24 18	22 17	23 27	39 25	64 46	74 31	73 55	106 69	115 56	178 78	559 276
Angina pectoris	M.. 63 F.. 24					1		1	2	4	3	3	2	7	10	32
Diseases of the arteries.	M.. 52 F.. 23								1	1	4		5	4	4	33
Aneurism	M.. 45 F.. 9			1		1	1	1	1	2	6	6	4	8	7	8
Embolism	M.. 8 F.. 7	1	1					1	1		1	2		1	1	3
Others of this class ..	M.. 10 F.. 5	9 5	9 5					1								

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
4. Diseases of the respiratory system.	2,588	413	697	89	26	56	70	87	110	103	119	124	125	123	170	689
Males.....	1,622	252	413	39	14	35	43	62	75	67	85	87	89	86	117	410
Females.....	966	161	284	50	12	21	27	25	35	36	34	37	36	37	53	279
Croup.....	{M.. 59	14	46	12				1								
{F.. 36	5	23	11	1									1			
Pneumonia.....	{M.. 1,103	155	254	23	12	29	37	50	65	54	69	69	70	56	71	244
{F.. 620	109	183	29	8	21	22	16	26	28	28	27	27	23	27	32	150
Laryngitis.....	{M.. 6	1	3	2												
{F.. 10	1	7	2	1												
Bronchitis.....	{M.. 219	58	80	2	1	2	1	1	3		6	9	4	10	14	84
{F.. 178	34	54	5				1	3		3		3	4	7	12	86
Pleurisy.....	{M.. 31		1			3		2	3	2	2	3	1	2	4	8
{F.. 18				1			1	1	3	2		1	1	1	3	4
Asthma.....	{M.. 52					1	1			2	2	3	3	5	8	27
{F.. 23				1			1	1			2	3	2		2	11
Others of this class.....	{M.. 152	24	29		1		4	8	4	7	6	3	11	13	20	46
{F.. 81	12	17	1	2			2	4	6	3	4	3	5	2	4	28
5. Diseases of the digestive system.	1,355	184	186	33	32	37	85	81	74	80	91	81	101	76	117	281
Males.....	745	81	113	16	15	13	38	30	38	47	46	48	59	47	65	170
Females.....	610	53	73	17	17	24	47	51	36	33	45	33	42	29	52	111
Dentition.....	{M.. 13	8	13													
{F.. 7	6	7														
Angina.....	{M.. 14	1	5	4		1					1	2	1			1
{F.. 13	4	4	5	3												
Gastritis.....	{M.. 91	14	17				2		5	2	6	5	8	4	10	32
{F.. 87	9	14	3	2	1	4	2	4	2	9	5	5	3	8	25	
Diseases of the stomach.....	{M.. 63	8	9		2		4	2	3	3	2	2	7	4	6	19
{F.. 46	4	4	2			1	3	1	3	3	4	4	4	1	9	11
Obstruction of the bowels.....	{M.. 41	11	13	1		1			1	5	2	1	3	3	4	7
{F.. 51	5	7	3		5	3	1	2	3	4	1	4	1	5	12	
Appendicitis.....	{M.. 92	1	4	3	8	5	20	13	11	5	4	8	2	2	3	4
{F.. 61			2	6	8	13	11	4	5	2	3	1	2	1	3	
Hernia.....	{M.. 22	2	3				1	1		1			1	4		10
{F.. 21		1					1	1			2	1	4	2	2	8
Other diseases of the bowels.....	{M.. 30	5	5	2		1	2	1		1	3		2	5	2	6
{F.. 16	2	4				1	1	1	2	1	1		1	1		4
Jaundice.....	{M.. 13	6	6										1	1	1	4
{F.. 8	3	3				1	1						2			1
Inflammation and abscess of the liver.....	{M.. 54	1	1	1	2		1	3	4	2	6	7	11	1	5	10
{F.. 36	2	2		1	1	1	1	3			3	2	1	3	7	12
Other diseases of the liver.....	{M.. 167	2	2			1		5	5	17	12	14	18	17	22	54
{F.. 103	2	2		1		4	7	6	10	12	12	9	7	11	14	20
Peritonitis.....	{M.. 83	4	8	2	3	4	7	4	8	9	6	7	3	2	8	12
{F.. 110	3	6	2	3	7	18	21	15	9	9	9	5	7	3	2	3
Ascites.....	{M.. 8	1	1									1	1		1	4
{F.. 3													1		1	1
Others of this class.....	{M.. 54	17	26	3			1	1	1	2	3	1	1	4	3	8
{F.. 48	13	19		1	1	1	1	1	2			3	5	2	3	10
6. Diseases of the urinary system and male organs of generation.	1,133	21	29	12	8	6	43	42	43	74	62	73	93	87	138	423
Males.....	783	15	15	7	5	4	23	29	21	42	43	48	58	56	99	333
Females.....	350	6	14	5	3	2	20	13	22	32	19	25	35	31	39	90
Bright's disease.....	{M.. 565			7	4	3	23	24	17	37	35	42	46	44	76	210
{F.. 281			5		2	17	9	17	28	18	23	27	28	34	73	
Calculus, urinary.....	{M.. 8									1			1		3	3
{F.. 2	1	1													1	
Diseases of the kidney.....	{M.. 52	12	12		1			1	1	3	3		3	5	6	17
{F.. 34	4	12		2		1	1	4	2	1			2	1	1	7
Diseases of the bladder.....	{M.. 60								1	1	2	2		3	5	46
{F.. 7								1					1			5
Others of this class.....	{M.. 95	3	3			1		4	2		3	4	8	4	9	57
{F.. 26	1	1		1		2	2	1	2			2	5	2	4	4
7. Diseases of the female organs of generation.	77					3	6	10	12	7	13	11	4	1	2	8
Ovarian tumors.....	10								2		2	2				4
Ovarian diseases.....	4							1			3					
Diseases of the tubes.....	12						1	3	1	1	2	3	1			
Uterine tumors.....	20								4	2	2	5	3	1		3
Uterine diseases.....	2										1				1	
Others of this class.....	29					3	5	6	5	4	3	1			1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CALIFORNIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	118					7	24	37	16	19	13	1				1
Abortion	27					1	7	9	3	5	2					
Childbirth	43					3	10	12	3	7	6	1				1
Puerperal septicemia	26					2	3	8	7	4	2					
Extra-uterine pregnancy	6						2	2	2							
Others of this class	16					1	2	6	1	3	3					
9. Diseases of the bones and joints.	52	4	6	2	7	1	2	1	1	3	5	2	3	4	4	11
Males	32	3	4	1	4	1	2			1	5	1	1	1	3	8
Females	20	1	2	1	3			1	1				2	3	1	3
Diseases of the spine {M..	14	3	4		1	1				1	3	1			1	2
{F..	9	1	2		3					1			1		1	1
Abscess, lumbar and {M..																
{F..																
Diseases of the bones {M..	7			1							1					5
{F..	3									1		1	1			
Diseases of the hip {M..	6				3		2				1					
{F..	3			1				1	1							
Others of this class {M..	5												1	1	2	1
{F..	5												3			2
10. Diseases of the skin	34	5	6	1	1		2	1		1	2	2	2	2	4	10
Males	20	2	3	1	1		1	1			1	1	2	1	1	7
Females	14	3	3							1	1	1		1	3	3
Abscess {M..	10		1		1		1	1			1		2	1	1	1
{F..	8	1	1				1				1	1			2	2
Carbuncle {M..	3											1				2
{F..	1															1
Others of this class {M..	7	2	2	1						1					1	4
{F..	5	2	2											1	1	
11. Diseases of the absorbent system.	20					1	1		2	2	2	1	5	2	2	2
Males	11					1			1	1	1	1	2	1	2	1
Females	9						1		1	1	1		3	1		1
Addison's disease {M..	5									1		1	1	1	1	
{F..	4												3	1		
Diseases of the spleen {M..	3												1		1	1
{F..																
Others of this class {M..	3					1			1		1					1
{F..	5						1		1	1	1					1
12. Accidents and injuries	1,721	39	100	60	45	81	139	166	190	163	134	133	106	86	86	229
Males	1,405	22	61	46	37	64	100	135	152	140	110	121	97	79	74	189
Females	316	17	39	14	8	17	39	31	38	23	24	15	9	7	12	40
Burns and scalds {M..	45	3	13	3		1	1	1	5	1	4	4	3	5	1	3
{F..	38		6	8	2	4	4	3	2	3	2	1		1	1	1
Drowning {M..	168		11	15	5	12	17	14	11	14	8	13	5	10	7	26
{F..	18		2	1		1	1	1	3		2			1	2	4
Exposure and neglect {M..	13	1	2				1		1			1		1	1	6
{F..	3	1	1								1					1
Gun-shot wounds {M..	98		1	2	11	11	12	11	12	10	6	4	3	5	7	3
{F..	10			1	1		2	2		2						2
Homicide {M..	66		1	1		1	4	10	11	9	3	9	4	5	4	4
{F..	16					1	2	3	4	2	3					1
Infanticide {M..																
{F..	1	1	1													
Injuries by machinery {M..	5							2	2							1
{F..																
Railroad accidents {M..	142	1	4	2	8	12	10	21	20	14	7	8	12	4	8	12
{F..	23		6		1		2	1	3		1	2	4			3
Suffocation {M..	24	11	11			1			1	1	3	1	1	2		3
{F..	12	8	9					1		1				1		
Suicide by shooting {M..	84						8	9	9	12	14	5	5	2	6	14
{F..	8					2	2	2		1		1				
Suicide by drowning {M..	6						1	1	1		1	1				1
{F..	3							1	2							
Suicide by poison {M..	56						2	4	6	8	6	6	7	3	5	9
{F..	34					3	13	2	6	3	3	1	2			1
Other suicides {M..	144					1	6	9	15	17	15	18	12	9	12	30
{F..	26						3	6	3	4		3	1	2	2	2
Sunstroke {M..	3								1					1	1	
{F..	1							1								
Surgical operations {M..	17						3	3	1			2	3	2	1	2
{F..	25					1	6	3	5	1	6	1			2	
Wounds {M..	18				1	4	1		1	1	1	2	4	1		2
{F..																
Others of this class {M..	516	6	18	23	12	21	34	50	55	53	42	47	37	29	22	73
{F..	98	7	14	4	4	5	4	5	10	6	6	6	2	2	5	25

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	7,428	1,208	1,949	296	185	268	420	492	473	479	435	391	378	317	279	1,066
Males.....	4,471	651	1,037	172	107	145	243	288	293	301	307	257	272	206	186	657
Females.....	2,957	557	912	124	78	123	177	204	180	178	128	134	106	111	93	409
Unknown cause.....	250	97	114	4	4	5	6	12	12	11	4	9	8	6	10	45
Males.....	150	52	63	3	4	4	4	9	4	5	4	7	5	5	6	27
Females.....	100	45	51	1		1	2	3	8	6		2	3	1	4	18
1. General diseases.																
General diseases—A.....	1,285	345	680	120	47	49	54	48	43	39	28	34	27	30	19	67
Males.....	673	176	354	57	24	22	29	23	19	17	19	19	20	23	13	34
Females.....	612	169	326	63	23	27	25	25	24	22	9	15	7	7	6	33
Measles.....{M..	27	11	22	5												
{F..	32	6	19	4		2		2		1		1				3
Scarlet fever.....{M..	39	5	26	11	1											1
{F..	40	2	25	10	2	1				2						
Diphtheria.....{M..	69	9	43	13	10	2				1						
{F..	79	9	44	24	7	2			2							
Whooping cough.....{M..	50	30	47	3												
{F..	44	24	44													
Malarial fever.....{M..	14	4	8				2				1		3			
{F..	7	1	3	1					2						1	
Influenza.....{M..	22	3	3			1	1	1		1	1	5	2	1	1	5
{F..	18		1			1		1	2			1	2	2	1	5
Typhoid fever.....{M..	137	5	19	11	9	11	21	15	10	11	11	4		7	4	4
{F..	85	3	12	9	11	11	9	4	8	8	1	4	1	1	1	5
Cholera morbus.....{M..	26	11	15	3	1		1					1		2		3
{F..	41	14	23	2		1	1		1	1	2	1	1	1		7
Colitis.....{M..	6	2	5													1
{F..	3	3	3													
Diarrhea.....{M..	13	3	7	1			1						1		1	2
{F..	12	7	10	2												
Dysentery.....{M..	14	2	7					1	1		1	1			1	2
{F..	14	3	6					2			1	1	1			3
Enteritis.....{M..	40	22	30	1		1			2	1		1	1	2		1
{F..	27	13	20	1				1				1			1	3
Cholera infantum.....{M..	79	52	78													1
{F..	74	56	73													1
Fever.....{M..	16	4	8		1		1	2				1	1		2	
{F..	17	6	11	1		1	1		1				1			1
Cerebro-spinal fever.....{M..	15	2	8	1		1					1			1	1	1
{F..	12	8	9	1	1							1				
Smallpox.....{M..	34	1	10	7	1	4			1		1	3	2	2		3
{F..	20	1	7	4	2	1	3			1		1				1
Erysipelas.....{M..	14	3	3			1			1	1		1	1	1	1	4
{F..	14	7	7					1	1		1				2	2
Septicemia.....{M..	39	1	7		1	1	2	2	3	2	3	1	8	5		4
{F..	66	4	5	3		7	11	13	6	8	4	4	1	2		2
Venereal diseases.....{M..	13	5	6	1				1	1			1		2	1	
{F..	4	2						1	1							
Others of this group.....{M..	6	1	2					1							1	2
{F..	3		1							1						
General diseases—B.....	180	64	75	2		1	9	8	9	9	15	15	7	8	4	18
Males.....	119	31	39	1			3	5	7	8	12	13	6	8	4	13
Females.....	61	33	36	1		1	6	3	2	1	3	2	1			5
Alcoholism.....{M..	51						3	3	3	4	8	10	5	6	1	8
{F..	10						1		1	1	2	1	1			3
Parasitic diseases.....{M..	1		1													
{F..																
Lead poison.....{M..	1												1			
{F..																
Other poisons.....{M..	28		3	1				2	4	4	4	2		2	2	4
{F..	13		1	1		1	4	2	1		1	1				1
Inanition.....{M..	38	31	35					1				1			1	1
{F..	38	33	35				1	1								1
General diseases—C.....	360	177	182	3				1	3	1	3		2	5	8	152
Males.....	201	105	107						2		3		2	3	6	78
Females.....	159	72	75	3				1	1	1				2	2	74
Old age.....{M..	65															65
{F..	64														1	63
Premature birth.....{M..	72	72	72													
{F..	50	50	50													
Malformation.....{M..	7	7	7													
{F..	5	4	4	1												
Debility and atrophy.....{M..	53	22	24						2		3		2	3	6	13
{F..	38	16	19	2				1	1	1				2	1	11
Others of this group.....{M..	4	4	4													
{F..	2	2														

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D.....	1,276	26	51	16	17	56	123	170	159	145	118	105	70	73	48	125
Males.....	759	14	30	8	9	29	76	95	100	89	77	61	43	41	26	75
Females.....	517	12	21	8	8	27	47	75	59	56	41	44	27	32	22	50
Anemia.....	M.. 3 F.. 4	1 1	1 2							1 1	1 1					1
Diabetes.....	M.. 23 F.. 15	1	1		3	1	1		1	1	2	2	1	1	1	8
Rheumatism.....	M.. 19 F.. 26	1	2	2		2		1	1			2		1	1	3
Scrofula and tabes.....	M.. 5 F.. 5	1 2	2 2	2							1 1		1			1
Hydrocephalus.....	M.. 13 F.. 14	3 5	10 8	1 3			1	1	1							
Tuberculosis, general.....	M.. 1 F.. 1		1							1						
Consumption.....	M.. 570 F.. 304	4 4	8 6		4 3	23 22	69 43	93 70	92 46	85 38	66 18	38 18	31 9	26 8	12 7	23 14
Cancer.....	M.. 79 F.. 105			1		1	1		5	1	3	12	9	10	10	26
Tumor.....	M.. 8 F.. 7	1	3				1					2				2
Dropsy.....	M.. 35 F.. 34	1	1	2	2	2	3	1		1	3	4	2	3	2	9
Others of this group.....	M.. 3 F.. 2	1	2	1					1			1				7
2. Diseases of the nervous system..	738	150	212	31	12	21	14	22	28	36	37	55	38	40	46	146
Males.....	444	88	110	21	6	10	9	9	17	27	22	34	24	22	29	104
Females.....	294	62	102	10	6	11	5	13	11	9	15	21	14	18	17	42
Inflammation of the brain.....	M.. 24 F.. 15	10 5	14 10	1	1	1	1			1	1		1	1	1	1
Meningitis.....	M.. 95 F.. 88	38 28	52 53	13 9	3 3	3 4	4 2	3 3	1 5	3 3	1	6 1		3 2		3
Apoplexy.....	M.. 74 F.. 44	1	1			1	1		1	1	7 3	5 6	7 7	8 5	6 4	38 14
Paralysis.....	M.. 77 F.. 58	1 1	2 3	1		1		1	3 1	4 1	1 4	7 5	6 5	5 4	9 8	37 24
Paralysis, general (of insane). ..	M.. 11 F..									3	1	2		1	2	2
Tetanus and trismus nascentium.....	M.. 7 F.. 1	1	1	1		1			1	1			1		1	
Chorea.....	M.. 1 F..												1			
Epilepsy.....	M.. 12 F.. 9					3	2	2	1	1	1	1				1
Convulsions.....	M.. 51 F.. 31	32 18	34 24	2	1	1	1		3	6		1	1	2		2
Mental diseases.....	M.. 29 F.. 10								5 2	1	4 2	5 3	3		4	7
Diseases of the brain.....	M.. 46 F.. 30	6 8	6 9	2	1		1	3	3 1	3 2	1 1	6 4	4 1	3 4	5 2	8 1
Diseases of the spinal cord.....	M.. 3 F.. 4		1							1	2 2			1		
Locomotor ataxia.....	M.. 4 F..									1		1			1	1
Others of this class.....	M.. 10 F.. 4			1				1		1	3 1	1		1		4 1
3. Diseases of the circulatory system.	489	47	63	13	17	23	20	20	33	18	33	24	44	24	40	117
Males.....	293	27	35	10	10	13	9	8	13	12	20	13	34	16	32	68
Females.....	196	20	28	3	7	10	11	12	20	6	13	11	10	8	8	49
Pericarditis.....	M.. 1 F.. 3								1 1			1				1
Diseases of the heart.....	M.. 260 F.. 173	18 16	26 24	10 3	10 7	12 10	7 7	8 12	12 17	11 6	18 11	11 10	29 10	13 6	32 7	61 43
Angina pectoris.....	M.. 14 F.. 11						2 3				1 1		5	2 1		4 4
Diseases of the arteries.....	M.. 3 F..					1								1		1
Aneurism.....	M.. 2 F..									1	1					
Embolism.....	M.. 3 F.. 5						1		1		1	2		1		1
Others of this class.....	M.. 10 F.. 4	9 4	9 4													1

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,269	199	382	46	22	35	63	60	64	73	85	63	89	52	50	185
Males.....	809	108	204	27	8	21	44	43	49	56	66	48	64	33	31	115
Females.....	460	91	178	19	14	14	19	17	15	17	19	15	25	19	19	70
Croup.....	{M.. 34	6	26	7	1	1										
{F.. 24	5	18	5													
Pneumonia.....	{M.. 650	76	137	16	8	18	35	40	44	51	57	42	59	27	21	95
{F.. 366	68	131	12	12	12	18	14	15	15	15	18	14	22	15	12	56
Laryngitis.....	{M.. 4		2						1							
{F.. 2				1		1										
Bronchitis.....	{M.. 37	14	21	2		1	1		1		2			1	2	6
{F.. 33	9	18	1	1		1	1			1	1			1	3	6
Pleurisy.....	{M.. 10		1	1			2	1		1		1	1			2
{F.. 7					1			1				1		1	2	1
Asthma.....	{M.. 24	1	1	1					2		3	2	3	2	4	6
{F.. 7													1	1	1	4
Others of this class..	{M.. 50	11	16			1	6	2	1	4	4	3	1	3	4	5
{F.. 21	9	11						2		1			2	1	1	3
5. Diseases of the digestive system.	468	65	98	21	20	22	30	38	25	39	19	24	22	27	17	66
Males.....	225	29	43	12	12	8	13	20	9	16	11	15	12	10	9	35
Females.....	243	36	55	9	8	14	17	18	16	23	8	9	10	17	8	31
Dentition.....	{M.. 4	1	4													
{F.. 4	4	4														
Angina.....	{M.. 7		3	1	2	1										
{F.. 3	1	1	1						1							
Gastritis.....	{M.. 24	4	6	3			1	1			1	1	1	1	1	8
{F.. 32	8	11			1	2	3		2				2	4		6
Diseases of the stomach.....	{M.. 17	2	2	1			2	1		3	2	1	1	1		3
{F.. 16	1	5				2				4		1				4
Obstruction of the bowels.....	{M.. 19	5	7	1		1		3			1	2		2		2
{F.. 23	2	4	2	2		2	3		1	1			6			4
Appendicitis.....	{M.. 45			1	6	3	8	5	4	5	4	1	3	1		4
{F.. 25	1	1	2	5	5	1	1	2	2	2		2	2			2
Hernia.....	{M.. 9	2	2	1				1		1		2			1	1
{F.. 6													2	3	1	
Other diseases of the bowels.....	{M.. 7								1			1			2	3
{F.. 12	3	4			1			2	2			2				1
Jaundice.....	{M.. 11	4	4	1				2								4
{F.. 10	3	4						2			1	1			1	1
Inflammation and abscess of the liver.....	{M.. 9		1					4		2		1				
{F.. 13	2	3	1					2				1	1	1	1	3
Other diseases of the liver.....	{M.. 25		2			1		2	2	1		3	2	4	3	5
{F.. 14	1	1		1				1		1		3		2		5
Peritonitis.....	{M.. 24	2	3		3	2	2		2	2	3	2	3		1	1
{F.. 65	3	6	2	2	5	12	7	9	9	5	1	1	1	1	1	4
Ascites.....	{M.. 2				1			1								
{F.. 2										1					1	
Others of this class..	{M.. 22	9	9	2						2		1	2	1	1	4
{F.. 18	7	11	1					1		1		1	1		1	1
6. Diseases of the urinary system and male organs of generation.	282	7	10	5	9	8	19	18	11	14	21	13	31	26	22	75
Males.....	198	5	8	3	5	5	9	7	9	9	16	8	27	21	18	53
Females.....	84	2	2	2	4	3	10	11	2	5	5	5	4	5	4	22
Bright's disease.....	{M.. 137			3	3	4	4	5	5	8	13	7	23	16	14	32
{F.. 70			2	3	3	3	10	6	2	4	4	5	4	5	4	18
Calculus, urinary.....	{M.. 2		1											1		
{F.. 2																
Diseases of the kidney.....	{M.. 23	3	5		1		3	1	1				2		2	8
{F.. 3	2	2														1
Diseases of the bladder.....	{M.. 11								1			1	1		1	7
{F.. 1																1
Others of this class..	{M.. 25	2	2		1	1	2	1	2	1	3		1	4	1	6
{F.. 10					1			5		1	1					2
7. Diseases of the female organs of generation.	26					1	5	3	4	5	1	4		1		2
Ovarian tumors.....	4						1			1		1				1
Ovarian diseases.....	1						1									
Diseases of the tubes.....	2								1	1						
Uterine tumors.....	6								1	1	1	2		1		
Uterine diseases.....	5					1	1	1	1							1
Others of this class.....	8						2	2	1	2		1				

527

COLORADO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	64					6	14	12	11	14	4					3
Abortion	11						4	4	2	1						
Childbirth	29					4	6	4	6	7	2					
Puerperal septicemia	13					1	1	4	3	2	1					1
Extra-uterine pregnancy	2									1	1					
Others of this class	9					1	3			3						2
9. Diseases of the bones and joints.	11	2	3				1				1		1	1		
Males	6	1	1													4
Females	5	1	2				1				1		1	1		
Diseases of the spine {M	3	1	1											1		1
{F	2	1	2													
Abscess, lumbar and psoas. {M																
{F																
Diseases of the bones {M	2															2
{F	1										1					
Diseases of the hip-joint. {M							1									
{F	1															
Others of this class {M	1															1
{F	1												1			
10. Diseases of the skin	18	2	4		1		1		1	2	1	2		1	1	4
Males	9	1	2		1					1		1		1		3
Females	9	1	2				1		1	1	1	1			1	1
Abscess {M	6		1		1					1		1				2
{F	5	1	1				1				1	1				1
Carbuncle {M																
{F																
Others of this class {M	3	1	1											1		1
{F	4		1						1	1					1	
11. Diseases of the absorbent system.	1									1						
Males	1									1						
Females																
Addison's disease {M																
{F																
Diseases of the spleen {M	1									1						
{F																
Others of this class {M																
{F																
12. Accidents and injuries	711	27	75	35	36	41	61	80	70	72	65	43	39	23	14	57
Males	584	14	41	30	28	33	47	69	64	60	57	38	35	22	12	48
Females	127	13	34	5	8	8	14	11	6	12	8	5	4	1	2	9
Burns and scalds {M	10	1	5	3						1						1
{F	10		3	1	2	1		1		1		1				
Drowning {M	33	1	14	5	5	3		3	2					1		
{F	7		6		1											
Exposure and neglect. {M	13	3	4		3	1			1	1				1	1	1
{F	1		1													
Gunshot wounds {M	51		1	2	2	4	6	12	9	4	6	1	1	2		1
{F	11		1			3	3	1		2	1					
Homicide {M	18		1		2	1		2	4	3	1	1	1			2
{F	1				1											
Infanticide {M																
{F																
Injuries by machinery. {M	8					1	1			4		1		1		
{F																
Railroad accidents {M	71	1	1	7	5	2	4	12	6	7	8	5	7		1	6
{F	6				3		2				1					
Suffocation {M	12	3	4	1				1	1	1	1		1			2
{F	11	6	9					1								
Suicide by shooting {M	11						2	1	3	2		1		1	1	
{F	5						2		1		2					
Suicide by drowning {M	1										1					
{F																
Suicide by poison {M	6								2	1	1	2				
{F	9					1	1	1	2	1	1	1			1	
Other suicides {M	22					1	2	2	2		4	3	2	2	1	3
{F	4				1					1		1		1		
Sunstroke {M																
{F	2															2
Surgical operations {M	2								1		1					
{F	5	1	1			1		1								1
Wounds {M	8						1		1	1	1	1	1	1		1
{F	1			1												
Others of this class {M	316	5	11	12	11	20	31	36	32	35	33	23	22	13	8	29
{F	56	6	13	3		2	4	6	3	7	3	2	4		1	

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3, 075	597	895	133	79	94	139	100	112	123	123	123	116	131	157	750
Males	1, 644	346	509	65	35	37	57	60	59	62	68	81	64	83	79	380
Females	1, 431	251	386	68	44	57	82	40	53	61	55	42	52	48	78	370
Unknown cause	58	23	27		4	3	3			2	2	1	2	3	2	9
Males	31	16	17		4	1	2					1	1	2	1	2
Females	27	7	10			2	1			2	2		1	1	1	7
1. General diseases.																
General diseases—A	508	142	249	59	19	15	28	10	10	14	11	16	10	12	9	46
Males	244	68	129	27	5	6	12	4	1	6	7	9	7	7	5	19
Females	264	74	120	32	14	9	16	6	9	8	4	7	3	5	4	27
Measles	{M. 4 {F. 5	2	4	3												
Scarlet fever	{M. 1 {F. 3		1	1	1											
Diphtheria	{M. 61 {F. 50	4	30	24		3				1						1
Whooping cough	{M. 4 {F. 11	3	4	9	1		1									
Malarial fever	{M. 9 {F. 10	3	5	1	1				1	1	1	1	1	1	2	2
Influenza	{M. 16 {F. 13	3	3	1	1								1	1	3	11
Typhoid fever	{M. 39 {F. 51	1	2	2	2	3	10	3	1	3	5	3	3	1		1
Cholera morbus	{M. 7 {F. 2	3	4	1			1			1		1				
Colitis	{M. 4 {F. 1	3	3										1			1
Diarrhea	{M. 2 {F. 3			1	1					1	1				1	
Dysentery	{M. 11 {F. 13	1	4	2		1	1				1			4	1	2
Enteritis	{M. 19 {F. 21	11	17	13	1		1				1			1	1	1
Cholera infantum	{M. 44 {F. 50	30	44	50												
Fever	{M. 1 {F. 1		1									1				
Cerebro-spinal fever	{M. 7 {F. 7	3	6	5			1	1		1						
Smallpox	{M. 1 {F. 1			1												
Erysipelas	{M. 3 {F. 1					1							1			1
Septicemia	{M. 5 {F. 12		1	3		1	1	1		2		2				1
Venereal diseases	{M. 4 {F. 4	1	1									1			1	1
Others of this group	{M. 3 {F. 5	2	3					1		1		1		1		4
General diseases—B	70	53	55							2		4	2	1	1	5
Males	44	32	34							1		3		1	1	4
Females	26	21	21							1		1	2			1
Alcoholism	{M. 4 {F. 2									1		2	1	1		1
Parasitic diseases	{M. 1 {F. 1															
Lead poison	{M. 1 {F. 1															
Other poisons	{M. 5 {F. 3		1							1		1	1		1	1
Inanition	{M. 35 {F. 21	32	33	21												2
General diseases—C	306	117	125	2				2	2		1	4		1	12	157
Males	151	69	72	2					1		1	3		1	5	66
Females	155	48	53					2	1			1			7	91
Old age	{M. 40 {F. 53														2	38
Premature birth	{M. 24 {F. 19	24	24	19											3	50
Malformation	{M. 2 {F. 1	2	2	1												
Debility and atrophy	{M. 83 {F. 80	41	44	31	2				1		1	3		1	3	28
Others of this group	{M. 2 {F. 2	2	2	2											4	41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	562	16	35	8	22	28	63	45	50	40	36	34	33	30	30	110
Males.....	290	10	19	4	6	10	25	24	28	15	20	24	16	20	15	64
Females.....	272	6	14	4	16	18	38	21	22	25	16	10	17	10	15	46
Anemia.....	{M.. 1	1	1													
{F.. 5				2			1								1	1
Diabetes.....	{M.. 4								1		1			1		1
{F.. 4						1								1	1	1
Rheumatism.....	{M.. 8				1						1	1		1	1	3
{F.. 9		1	2	1		1							1		3	
Scrofula and tabes.....	{M.. 4	2	4													
{F.. 4		1					1				1					1
Hydrocephalus.....	{M.. 4	2	4													
{F.. 1	1	1	1													
Tuberculosis, general.....	{M..															
{F..																
Consumption.....	{M.. 198	4	9	4	5	9	23	24	25	14	14	18	9	12	8	24
{F.. 184	5	10		15	17	34	20	21	23	10	3	3	3	4	2	22
Cancer.....	{M.. 37	1	1			1			1	1	4	4	1	5	1	18
{F.. 38									1	1	5	5	10	2	5	10
Tumor.....	{M.. 4						1						1			2
{F.. 9							2			1		1			2	3
Dropsy.....	{M.. 29						1		1			1	5	1	5	15
{F.. 18		1						1	1		1	3	3	3	1	8
Others of this group.....	{M.. 1															1
{F..																
2. Diseases of the nervous system.....	430	78	131	16	4	12	2	3	3	11	8	16	18	22	33	151
Males.....	238	47	79	9	2	6	1	3	2	7	6	9	11	15	15	73
Females.....	192	31	52	7	2	6	1		1	4	2	7	7	7	18	78
Inflammation of the brain.....	{M.. 12	3	10			1										1
{F.. 8	5	7			1											
Meningitis.....	{M.. 37	7	20	3	1	3		1	1	4	1	1	1			1
{F.. 36	14	24	4			1				1	2	1	1			2
Apoplexy.....	{M.. 47	1	1							2		3	4	6	3	28
{F.. 47						1				2	2	3	2	2	9	26
Paralysis.....	{M.. 65	1	2	4					1		3		4	4	10	37
{F.. 56		2			1				1	1		2	2	3	7	40
Paralysis, general (of insane).....	{M..															
{F..																
Tetanus and trismus nascentium.....	{M.. 1	1	1													
{F.. 1	1	1	1													
Chorea.....	{M..															
{F..																
Epilepsy.....	{M.. 2	1	2													
{F.. 3	1	1	1	1		1										
Convulsions.....	{M.. 48	31	39	2			1				1	3		2		1
{F.. 22	8	15	2	1	1						1	1			1	1
Mental diseases.....	{M.. 2										1					1
{F.. 1																1
Diseases of the brain.....	{M.. 18	2	4			1		2				2	1	2	1	6
{F.. 13	2	2			1	1			1			1	1		1	6
Diseases of the spinal cord.....	{M.. 2				1										1	1
{F.. 2																
Locomotor ataxia.....	{M.. 3									1			1	1		
{F..																
Others of this class.....	{M.. 1					1										2
{F.. 3													1			
3. Diseases of the circulatory system.....	255	24	27	8	6	3	5	4	6	5	20	9	19	14	24	105
Males.....	142	14	16	4	4	1	2	3	5	5	8	5	12	10	15	52
Females.....	113	10	11	4	2	2	3	1	1		12	4	7	4	9	53
Pericarditis.....	{M.. 1															1
{F..																
Diseases of the heart.....	{M.. 122	4	6	4	4	1	2	2	5	5	7	4	12	10	15	45
{F.. 105	9	10	4	2	2	2	1				11	3	7	3	9	51
Angina pectoris.....	{M.. 5										1					4
{F.. 5							1					1		1		2
Diseases of the arteries.....	{M..															
{F..																
Aneurism.....	{M.. 2							1								1
{F..																
Embolism.....	{M.. 2											1				1
{F.. 2									1		1					
Others of this class.....	{M.. 10	10														
{F.. 1	1	1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	432	102	183	20	6	9	10	10	8	17	13	13	16	16	25	86
Males.....	237	65	107	10	3	3	5	7	6	7	8	9	7	10	10	45
Females.....	195	37	76	10	3	6	5	3	2	10	5	4	9	6	15	41
Croup.....	M.. 18	4	15	3												1
F.. 15	4	12	2													
Pneumonia.....	M.. 172	50	76	5	1	3	4	4	6	6	6	6	7	7	7	34
F.. 132	21	46	7	2	6	2	2	1	10	5	2	7	4	11	27	
Laryngitis.....	M..															
F..																
Bronchitis.....	M.. 22	10	13				1				1					7
F.. 26	8	12	1	1			2	1				1	1			7
Pleurisy.....	M.. 3				1			1						1		1
F.. 1																
Asthma.....	M.. 3											1		1		1
F.. 5												1	1		3	
Others of this class.....	M.. 19	1	3	2	1			2		1	1	2		1	3	3
F.. 16	4	6					1		1					2	1	5
5. Diseases of the digestive system.	138	32	44	5	5	5	9		8	8	6	6	7	10	2	23
Males.....	70	19	24	1	2	1	1		3	4	5	4	4	6		15
Females.....	68	13	20	4	3	4	8		5	4	1	2	3	4	2	8
Dentition.....	M.. 4	3	4													
F.. 1		1														
Angina.....	M.. 4	1	3						1							
F.. 2		1														1
Gastritis.....	M.. 11	3	3	1	1				1			1				4
F.. 22	5	9	2				1		2	2				2	2	2
Diseases of the stomach.....	M.. 10	2	3						1			1	2			3
F.. 2	1	1														1
Obstruction of the bowels.....	M.. 6		1		1							2		1		1
F.. 6	1	1		1	1								1			2
Appendicitis.....	M.. 4													1		3
F.. 6					1	1	3		1							
Hernia.....	M.. 4	2	2											1		1
F.. 2													1			1
Other diseases of the bowels.....	M.. 3	1	1		1				1		1			1		
F.. 4	1	1											1	1		
Jaundice.....	M.. 4	3	3													1
F.. 1	1	1	1													
Inflammation and abscess of the liver.....	M.. 2															2
F.. 1			1													
Other diseases of the liver.....	M.. 10									2	3		2	3		
F.. 5						1	1					2		1		
Peritonitis.....	M.. 4	1	1				1			1	1					
F.. 11	2	2				1	3		3	1	1					
Ascites.....	M.. 1					1										
F.. 1																1
Others of this class.....	M.. 3	3	3													
F.. 4	2	2	2	2												
6. Diseases of the urinary system and male organs of generation.	127		3	1	2	5	4	7	4	7	14	7	5	13	8	47
Males.....	78		2	1	1	2	1	5	2	3	6	4	2	9	6	34
Females.....	49		1		1	3	3	2	2	4	8	3	3	4	2	13
Bright's disease.....	M.. 59			1		2	1	2	2	3	5	3	2	7	5	26
F.. 41						3	2	2	1	4	8	2	3	4	1	11
Calculus, urinary.....	M.. 3													1		2
F.. 1							1									
Diseases of the kidney.....	M.. 8		2		1			2			1	1				1
F.. 4		1													1	2
Diseases of the bladder.....	M.. 3															3
F..																
Others of this class.....	M.. 5							1						1	1	2
F.. 3					1				1			1				
7. Diseases of the female organs of generation.	6					2					2	1				1
Ovarian tumors.....	2					2										
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	1										1					
Uterine diseases.....	1										1					
Others of this class.....	2											1				1

531

DELAWARE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with preg- nancy.	23				1	4	5	4	5	2	2					
Abortion																
Childbirth	13				1	1	2	1	4	2	2					
Puerperal septicemia.....	6						3	3								
Extra-uterine pregnancy.	1								1							
Others of this class	3					3										
9. Diseases of the bones and joints.	4	1	1	1					1	1						
Males.....	1									1						
Females	3	1	1	1					1							
Diseases of the spine. {M.....																
{F.....	2	1	1	1												
Abscess, lumbar and {M.....																
psaos. {F.....																
Diseases of the bones. {M.....																
{F.....																
Diseases of the hip. {M.....																
joint. {F.....																
Others of this class .. {M.....	1									1						
{F.....	1								1							
10. Diseases of the skin	11	2	2						1		2	2	1		2	1
Males.....	6	1	1								1	2	1			1
Females	5	1	1						1		1				2	
Abscess..... {M.....	3	1	1									1	1			
{F.....	4								1		1				2	
Carbuncle	1															1
{F.....																
Others of this class .. {M.....	2										1	1				
{F.....	1	1	1													
11. Diseases of the absorbent sys- tem.																
Males.....																
Females																
Addison's disease. {M.....																
{F.....																
Diseases of the spleen {M.....																
{F.....																
Others of this class .. {M.....																
{F.....																
12. Accidents and injuries.....	145	7	15	13	10	8	10	15	14	14	6	10	3	9	9	9
Males.....	112	5	9	7	8	7	8	14	11	13	6	8	3	7	6	5
Females	33	2	6	6	2	1	2	1	3	1		2		2	3	4
Burns and scalds	6	1	4				1					1				
{F.....	16		2	4	1	1	1		2	1		1		2	1	
Drowning	20			3	1	2	3	2		1	3	2	1		1	1
{F.....	1		1													
Exposure and neglect {M.....	4	1	1							2			1			
{F.....																
Gunshot wounds {M.....	6				1			1	1	3						
{F.....	1											1				
Homicide	1					1										
{F.....																
Infanticide																
{F.....																
Injuries by machin- {M.....																
ery. {F.....																
Railroad accidents .. {M.....	22			3	3	1	2	4	4	2	1				2	
{F.....	1			1												
Suffocation	8	1	1			1				1				1	2	2
{F.....	2		1					1								
Suicide by shooting. {M.....																
{F.....																
Suicide by drowning {M.....																
{F.....																
Suicide by poison.... {M.....																
{F.....																
Other suicides..... {M.....	8						1	1	1	1	2	1	1	1		1
{F.....	3								1							
Sunstroke	1								1							
{F.....	1			1												
Surgical operations. {M.....																
{F.....																
Wounds	3				1									2		
{F.....																
Others of this class .. {M.....	33	2	3	1	2	2	2	6	4	3		4		3	1	2
{F.....	8	2	2		1										1	

[illegible]

533

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—F.....	903	24	63	24	25	57	102	96	86	75	67	47	58	54	40	109
Males.....	468	13	31	12	14	24	56	36	46	41	41	27	28	24	24	64
Females.....	435	11	32	12	11	33	46	60	40	34	26	20	30	30	16	45
Anemia.....{M.. 5 {F.. 6		1	1	1		2			1					1		2
Diabetes.....{M.. 3 {F.. 5				1		1				1				2		2
Rheumatism.....{M.. 17 {F.. 11		1	2	1	1	1	1	1	1		2	1	2	2	1	3
Scrofula and tabes.....{M.. 11 {F.. 14		1	3		1		2	1		1			1	1	2	2
Hydrocephalus.....{M.. 3 {F.. 6		2	2				1									
Tuberculosis, general{M.. 1 {F.. 1									1				1			
Consumption.....{M.. 300 {F.. 257		3	9	2	4	18	46	33	40	34	33	19	18	14	17	13
Cancer.....{M.. 28 {F.. 55			1			1		1	4	3	1	3	2	1	2	15
Tumor.....{M.. 6 {F.. 14							1	2	1	1	3	1	2	2	1	1
Dropsy.....{M.. 89 {F.. 65		2	8	9	9	5	6	1	4	2	6	4	2	5	3	25
Others of this group{M.. 5 {F.. 1		4	5									1				8
2. Diseases of the nervous system..	645	171	261	32	16	18	29	20	14	28	16	28	20	25	25	113
Males.....	363	98	149	18	10	14	16	8	7	16	9	16	8	13	11	68
Females.....	282	73	112	14	6	4	13	12	7	12	7	12	12	12	14	45
Inflammation of the brain.....{M.. 17 {F.. 13		3	10	1	1		2			1		1			1	
Meningitis.....{M.. 54 {F.. 35		18	32	7	3	4	4	1	1		1	1				
Apoplexy.....{M.. 50 {F.. 36				1		1	3	1		3	3	8	3	6	3	18
Paralysis.....{M.. 61 {F.. 55		1	4	1	1	1				4	2	5	2	3	3	35
Paralysis, general (of insane). ..{M.. 1 {F.. 1										1		1				26
Tetanus and trismus nascentium.....{M.. 48 {F.. 52		38	40	1	1	1	1	2		1						1
Chorea.....{M.. .. {F.. ..																
Epilepsy.....{M.. 10 {F.. 11		1	1	1	1	2	2	2								1
Convulsions.....{M.. 40 {F.. 26		29	36	1		1		1					1			
Mental diseases.....{M.. 3 {F.. 5							1		1	1		1				2
Diseases of the brain.....{M.. 67 {F.. 41		8	24	4	2	4	4	6	5	2		5	3	2	3	11
Diseases of the spinal cord.....{M.. 4 {F.. ..			1		1									1	1	4
Locomotor ataxia.....{M.. 3 {F.. 1									1				1	1		1
Others of this class.....{M.. 5 {F.. 6			1	1			2	1		1				1		1
3. Diseases of the circulatory system.	402	15	21	4	9	5	15	14	18	31	32	24	35	27	44	123
Males.....	222	7	11	3	6	3	6	6	8	12	14	15	19	15	23	81
Females.....	180	8	10	1	3	2	9	8	10	19	18	9	16	12	21	42
Pericarditis.....{M.. 1 {F.. ..										1						
Diseases of the heart.....{M.. 207 {F.. 173		6	10	3	6	3	6	6	8	10	13	14	19	13	21	75
Angina pectoris.....{M.. 8 {F.. 3											1	1			2	4
Diseases of the arteries.....{M.. 2 {F.. 2											1					1
Aneurism.....{M.. 3 {F.. 1										1				2		
Embolism.....{M.. .. {F.. 1							1					1				
Others of this class.....{M.. 1 {F.. ..		1	1													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	598	147	252	28	14	26	34	34	23	14	20	11	27	23	29	63
Males.....	336	80	142	16	9	11	25	18	14	5	11	6	19	8	18	34
Females.....	262	67	110	12	5	15	9	16	9	9	9	5	8	15	11	29
Croup.....{M..	34	20	31	3												
{F..	22	15	18	4												
Pneumonia.....{M..	224	39	77	9	7	9	24	17	12	5	9	5	13	6	12	19
{F..	183	37	67	7	4	12	8	13	9	6	7	3	7	13	9	18
Laryngitis.....{M..	2	1	1					1								
{F..	2		2													
Bronchitis.....{M..	31	7	16	1		1	1				1		4			7
{F..	19	7	11		1	1		1			1	1		1	1	1
Pleurisy.....{M..	11	2	2	1	2									1	2	3
{F..	12	1	2	1		1		1		1	1	1	1			3
Asthma.....{M..	7		1										1	1	2	2
{F..	8		1										1	1	1	5
Others of this class..{M..	27	11	14	2		1			2		1	1	1		2	3
{F..	16	7	9			1	1	1		2						2
5. Diseases of the digestive system.	383	102	175	17	11	12	11	17	15	22	17	15	16	14	14	27
Males.....	202	42	78	7	5	9	6	7	8	12	12	9	13	12	10	14
Females.....	181	60	97	10	6	3	5	10	7	10	5	6	3	2	4	13
Dentition.....{M..	21	2	21													
{F..	25	16	25													
Angina.....{M..	2	1	2													
{F..	9	1	5	2								1		1		
Gastritis.....{M..	24	4	9	1				1			1	1	4	1	2	4
{F..	21	5	10				1	2		2	1	2			1	2
Diseases of the stomach.....{M..	12	2	3	1		1				2	1	1	1	1	1	
{F..	5	1	3	2												
Obstruction of the bowels.....{M..	10	2	2	1	2	1	1				1			2		
{F..	8	2	5				1									2
Appendicitis.....{M..	8					4	1	1			1	1				
{F..	2					1					1					
Hernia.....{M..	6							1		1			1	1		2
{F..	2								1							1
Other diseases of the bowels.....{M..	11	5	6					1	1		1		1	1		
{F..	19	8	9						1	1		1	2		3	2
Jaundice.....{M..	7	2	2	1			1			1						2
{F..	11	6	6	1				2	1	1						
Inflammation and abscess of the liver.....{M..	17	1	1	1			1	2	2	1	1	2	2	1	1	2
{F..	10	1	1	1				1	1	2	1	1		1		1
Other diseases of the liver.....{M..	28		3		1	1	1		4	5	4		2	3	2	2
{F..	18	2	3	2	3	1	1	2		3	1					2
Peritonitis.....{M..	13	2	2	1	2	1	1	1		1	1	3				
{F..	13	1	3		1	1	1	2	1	1	1					2
Ascites.....{M..	8	2	3								1		1	1	1	1
{F..	6	1	2	1				1	1				1			
Others of this class..{M..	35	19	24	1		1			1	1		1	1	1	3	1
{F..	32	16	25	1	2		1		1			1				1
6. Diseases of the urinary system and male organs of generation.	174	3	9	5	2	3	5	10	12	13	13	15	7	19	11	50
Males.....	107	2	5	3	1		1	6	5	7	4	7	5	11	7	45
Females.....	67	1	4	2	1	3	4	4	7	6	9	8	2	8	4	5
Bright's disease.....{M..	60			2	1		1	4	2	3	3	4	4	5	4	27
{F..	42			1	1	2	2	2	5	5	3	6	1	7	3	4
Calculus, urinary.....{M..	6							1					1		1	3
{F..																
Diseases of the kidney.....{M..	19	2	4	1					1	2		2		2	1	6
{F..	11	1	4	1			1	1	1		2		1			
Diseases of the bladder.....{M..	8		1			1								2		5
{F..	1															
Others of this class..{M..	14							1	2	2	1		1	1	2	4
{F..	13						1	1	1	1	4	2		1	1	1
7. Diseases of the female organs of generation.	21					1	5	1	4	3	3	4				
Ovarian tumors.....																
Ovarian diseases.....	1						1									
Diseases of the tubes.....																
Uterine tumors.....	1											1				
Uterine diseases.....	8						3		1	3	1					
Others of this class.....	11					1	1	1	3		2	3				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

FLORIDA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	106					20	24	19	20	16	2	2				3
Abortion	5					1	1	1	1	1						
Childbirth	70					13	14	12	15	11	2	2				1
Puerperal septicemia	17					4	5	3	3	2						
Extra-uterine pregnancy	2								1							1
Others of this class	12					2	4	3		2						1
9. Diseases of the bones and joints.	5	2	2	1					1	1						
Males	1									1						
Females	4	2	2	1					1							
Diseases of the spine {M.....																
{F.....	4	2	2	1					1							
Abscess, lumbar and {M.....																
{F.....																
Diseases of the bones {M.....	1									1						
{F.....																
Diseases of the hip {M.....																
{F.....																
Others of this class {M.....																
{F.....																
10. Diseases of the skin	26	8	14		1				1	2	2	2	3	1		
Males	17	5	8		1				1	1	2	1	2	1		
Females	9	3	6							1		1	1			
Abscess	8	1	2		1				1	1	2		1			
{M.....	1									1						
{F.....																
Carbuncle	1											1				
{M.....																
{F.....																
Others of this class {M.....	8	4	6										1	1		
{F.....	8	3	6									1	1			
11. Diseases of the absorbent system.	1								1							
Males																
Females	1								1							
Addison's disease {M.....																
{F.....																
Diseases of the spleen {M.....																
{F.....	1								1							
Others of this class {M.....																
{F.....																
12. Accidents and injuries	443	31	87	21	25	46	45	32	35	32	19	19	16	15	9	42
Males	344	18	52	13	17	40	35	29	33	28	16	18	12	14	8	29
Females	99	13	35	8	8	6	10	3	2	4	3	1	4	1	1	13
Burns and scalds {M.....	36		23	4		4				1	1	1				2
{F.....	37	1	15	5	5	1	2		1		1		2			5
Drowning	53		6	2	6	5	8	4	4	5	2	3	2	2		4
{M.....	7		2		1					2	1					1
{F.....																
Exposure and neglect {M.....	7	5	5									1		1		
{F.....	4	2	3													
Gunshot wounds {M.....	74		1		5	9	8	6	17	9	6	3	4		2	4
{F.....	10		1				3	1	1	2				1		1
Homicide	32					4	5	1	5	5	4	1	2	1		4
{M.....	4					2							1			1
{F.....																
Infanticide																
{M.....																
{F.....																
Injuries by machinery {M.....	1											1				
{F.....																
Railroad accidents {M.....	28				1	7	2	8	1			4	2	1	1	1
{F.....	4					2										
Suffocation	9	5	7				1	1								
{M.....	4	3	4													
{F.....																
Suicide by shooting {M.....	1													1		
{F.....																
Suicide by drowning {M.....	1														1	
{F.....																
Suicide by poison {M.....	1							1						1		
{F.....	1															
Other suicides	7						2	1		2		1	1			
{M.....																
{F.....																
Sunstroke	2							1	1							
{M.....																
{F.....																
Surgical operations {M.....	1													1		
{F.....																
Wounds	2						1									1
{M.....																
{F.....																
Others of this class {M.....	89	8	10	7	5	11	8	7	5	6	3	3	1	6	4	13
{F.....	28	7	10	3	2	1	3	1				1	1			5

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	26,941	5,786	10,006	998	757	1,282	1,771	1,451	1,064	1,126	991	955	1,020	717	966	3,837
Males.....	13,321	3,035	5,216	482	355	567	826	646	490	492	451	472	512	372	497	1,943
Females.....	13,620	2,751	4,790	516	402	715	945	805	574	634	540	483	508	345	469	1,894
Unknown cause.....	2,209	1,178	1,476	47	37	54	68	54	39	45	39	25	47	30	45	203
Males.....	1,099	602	763	22	18	24	32	23	20	13	16	11	23	14	21	99
Females.....	1,110	576	713	25	19	30	36	31	19	32	23	14	24	16	24	104
1. General diseases.																
General diseases—A.....	6,724	1,409	3,151	392	306	376	422	330	213	202	178	155	161	103	148	587
Males.....	3,260	714	1,599	191	134	161	221	145	104	97	83	72	80	39	60	274
Females.....	3,464	695	1,552	201	172	215	201	185	109	105	95	83	81	64	88	313
Measles.....	{M.. 97	27	64	4	6	7	5	5	1	1	2		1			1
{F.. 104	21	61	4		6	10			2	4	4	1	2		1	4
Scarlet fever.....	{M.. 26	2	17	5	3			1								
{F.. 18		7	7	1	2											1
Diphtheria.....	{M.. 60	10	45	9	5	1										
{F.. 73	6	51	12	6	1	1		1					1			
Whooping cough.....	{M.. 100	57	98	1	1											
{F.. 122	64	114	6	2												
Malarial fever.....	{M.. 481	61	151	54	34	33	37	34	24	17	18	14	13	9	9	34
{F.. 530	53	180	44	36	49	43	35	35	18	24	23	14	15	7	9	33
Influenza.....	{M.. 301	73	112	5	5	9	9	6	4	7	8	6	12	10	16	92
{F.. 366	51	84	9	7	9	6	13	14	8	11	11	18	18	15	25	136
Typhoid fever.....	{M.. 756	42	153	57	54	85	127	74	44	49	29	22	23	3	10	26
{F.. 829	39	144	75	94	110	95	87	40	29	31	27	21	21	19	18	39
Cholera morbus.....	{M.. 89	30	55	5	1	4	4		2		1	3			1	13
{F.. 85	27	47	4		2	3	1		2	5	3	4	2	2	5	5
Colitis.....	{M.. 10	5	6				1		2				1			
{F.. 16	7	13	2										1			
Diarrhea.....	{M.. 123	29	69	3	2	4	2		1	2	2	5		6	8	19
{F.. 109	22	54	1	2	1	6	2	5	5	2	5		4	1	6	15
Dysentery.....	{M.. 372	92	251	19	3	4	6	7	3	8	3	6	12	5	2	43
{F.. 409	115	262	13	7	4	8	8	5	8	8	5	11	8	10	16	44
Enteritis.....	{M.. 177	62	135	4	3	1	2	1	1	6	4	4	6	2	2	6
{F.. 189	76	148	4	1	4	2	5	3	3	2	4	4	2	1	3	7
Cholera infantum.....	{M.. 306	154	306													
{F.. 274	152	274														
Fever.....	{M.. 141	36	81	12	4	7	9	6	6	1	1	2	1		2	9
{F.. 155	32	61	10	11	17	10	11	3	3	5	7	1	3	4	3	9
Cerebro-spinal fever.....	{M.. 25	7	9	5	1	1	1			3	1		2			2
{F.. 20	4	10	3	1		2	1	1	1		1			1		
Smallpox.....	{M.. 31	5	6	2		2	4	3	3	1	1	3	1			5
{F.. 15	7	7		1	1	1	1	2	2	1		2				
Erysipelas.....	{M.. 20	5	8		3	1	1		1			2				4
{F.. 21	3	5	2	2				1		2			1			8
Septicemia.....	{M.. 63	4	10	3	7	2	3	2	2	1	6	3	2	4	7	11
{F.. 78	4	12	3	1	6	11	10	9	7	3	2	2	2	4	1	7
Venereal diseases.....	{M.. 53	9	14				7	4	7	1	7	3	3		2	5
{F.. 32	3	7	1		3	2	8	1	4	2	1	1	1			2
Others of this group.....	{M.. 29	4	9	3	2		3	2	3		1	1			1	4
{F.. 19	9	11	1			1		1	1		1			1		3
General diseases—B.....	362	159	246	17	8	7	7	8	9	11	8	7	6	4	4	20
Males.....	203	83	131	8	3	6	7	3	3	9	6	6	6	2	3	10
Females.....	159	76	115	9	5	1		5	6	2	2	1		2	1	10
Alcoholism.....	{M.. 25							1	3	6	5	3	3	1		3
{F.. 3									2		1					
Parasitic diseases.....	{M.. 25	1	19	5			1									1
{F.. 27	2	19	6	1												
Lead poison.....	{M.. 2											2				
{F.. 2																
Other poisons.....	{M.. 59	3	23	2	3	6	6	2		3	1	1	3	1	2	6
{F.. 43	4	19	3	3	1		5		4	2		1		2	1	2
Inanition.....	{M.. 92	79	89	1											1	1
{F.. 86	70	77		1							1					7
General diseases—C.....	1,198	535	588	7	1	4	11	1	8	5	9	13	21	9	22	499
Males.....	575	300	313	2	1	1	7	1	3	5	5	8	9	3	5	212
Females.....	623	235	275	5		3	4		5		4	5	12	6	17	287
Old age.....	{M.. 190														3	187
{F.. 269														10		259
Premature birth.....	{M.. 218	218	218													
{F.. 170	170	170														
Malformation.....	{M.. 17	15	17													
{F.. 16	14	15	1													
Debility and atrophy.....	{M.. 131	48	59	2	1	1	7	1	3	5	5	8	9	3	2	25
{F.. 161	44	83	4		3	4			5		4	5	12	6	7	28
Others of this group.....	{M.. 19	19	19													
{F.. 7	7	7														

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,887	1,141	1,936	125	89	164	205	137	131	123	127	106	122	83	115	419
Males.....	2,080	609	1,025	54	44	100	117	74	71	62	74	67	60	56	56	220
Females.....	1,807	532	911	71	45	64	88	63	60	66	53	39	62	27	59	199
Croup.....	379	254	363	13	1			1								1
{M.....	307	202	290	10	1			2	1					1		2
{F.....																
Pneumonia.....	1,400	293	551	37	33	91	108	63	61	57	64	53	47	44	41	150
{M.....	1,198	261	501	54	40	57	75	43	51	56	45	30	49	21	38	138
{F.....																
Laryngitis.....	6	2	3						1			1	1			
{M.....	3	2	3													
{F.....																
Bronchitis.....	131	41	76	2	3	3	4	3	5	1	5	3	4	1	4	20
{M.....	143	40	78	4	3	3	4	5	4	2	3		4	1	7	25
{F.....																
Pleurisy.....	49		4	1	5	2		1	1	2	1	3	4		4	21
{M.....	48	1	4	1	1	3	4	5	2	2		3	2	2	6	13
{F.....																
Asthma.....	42	4	5	1	1	1		2	1		2	3	2	5	5	14
{M.....	42	1	3				1	3	1	3	3	3	4	2	5	14
{F.....																
Others of this class.....	73	15	23		4	3	5	4	2	2	2	4	2	6	2	14
{M.....	66	25	32	2		1	4	5	1	3	2	3	3		3	7
{F.....																
5. Diseases of the digestive system.	1,835	478	948	59	36	46	71	64	51	66	66	65	47	46	59	211
Males.....	931	257	485	31	21	14	29	28	30	25	29	32	30	24	33	120
Females.....	904	221	463	28	15	32	42	36	21	41	37	33	17	22	26	91
Dentition.....	183	69	182													1
{M.....	210	71	210													
{F.....																
Angina.....	28	14	24	1				1				1				1
{M.....	32	4	11	6	2	2		2	1		3	1	2			2
{F.....																
Gastritis.....	119	23	48	6		2	2	2	4	4	6	10	7	6	3	19
{M.....	109	16	29	5	3	5	7	10	7	7	4	7	3	3	6	13
{F.....																
Diseases of the stomach.....	36	6	13	1		2	1	1	1	3	4	1		1	4	4
{M.....	37	10	18	1		1	1	4	2	2		1	1		1	5
{F.....																
Obstruction of the bowels.....	24	1	4		1		2	2	1	1	2	2	2		3	4
{M.....	20		2			2	4	1	1	1	2	2	2	1		4
{F.....																
Appendicitis.....	37	1	2	3	8	3	4	5	2	1	3	1	1	1		3
{M.....	19			2	2	4		3	1	1	2			1	2	1
{F.....																
Hernia.....	23	2	3						1	2	3	2	2		2	8
{M.....	13									2	2	2		1	2	4
{F.....																
Other diseases of the bowels.....	78	22	41	2		1	3	3	3	2	1	1	2	2	3	14
{M.....	56	15	28	1		3	2	1	3	3	3	2	2	1	1	8
{F.....																
Jaundice.....	49	31	36		1		1	1	4	2		1		1	1	1
{M.....	41	21	22	1		1	3	3	1	4				1		5
{F.....																
Inflammation and abscess of the liver.....	35	2	4	1	2	1	1	2	5	2	1	2	2		4	8
{M.....	29	4	6		1		1		1	4	2	3	1	2	1	7
{F.....																
Other diseases of the liver.....	50	7	10	3	1		2	3	3	2	1	3	3	7	3	9
{M.....	40	6	11	1	1	1	2		1	2	5	2	3	1	3	7
{F.....																
Peritonitis.....	46	2	7	5	3	3	6	6	1	1		3	2	1	2	6
{M.....	70	4	8	2	2	9	15	6	1	9	7	4	1	1	1	4
{F.....																
Ascites.....	40		2		2	1	4	1	1	3	2	2	1	3	2	16
{M.....	42		5	2	3	1	1	2	2	3	2	3	2	4	2	10
{F.....																
Others of this class.....	183	77	109	9	3	1	3	2	3	2	6	3	8	2	6	26
{M.....	186	70	113	7	1	3	6	4		3	5	6	4	6	7	21
{F.....																
6. Diseases of the urinary system and male organs of generation.	607	17	42	13	6	16	26	26	30	36	29	46	42	53	50	192
Males.....	419	12	26	9	4	8	13	17	13	19	18	31	27	38	40	156
Females.....	188	5	16	4	2	8	13	9	17	17	11	15	15	15	10	36
Bright's disease.....	252			4	3	5	8	12	9	15	14	28	17	29	22	86
{M.....	130			3	1	6	9	7	13	10	9	13	11	11	8	29
{F.....																
Calculus, urinary.....	21	1	2	2	1					2		1			2	11
{M.....	5	1	3				1									
{F.....																
Diseases of the kidney.....	59	9	22	3		2	1	3	2			1	3	2	5	15
{M.....	23	2	8		1		3	1	1	1	1		2	1	1	3
{F.....																
Diseases of the bladder.....	41					1	1	1		1	1		3	2	6	25
{M.....	4	1	1										1			1
{F.....																
Others of this class.....	46	2	2				3	1	2	1	3	1	4	5	5	19
{M.....	26	1	4	1		2		1	3	6		2	1	2	1	3
{F.....																
7. Diseases of the female organs of generation.	103				4	9	8	7	5	15	16	16	10	5	1	7
Ovarian tumors.....	7									2		2	1	1		1
Ovarian diseases.....	5					1	1	1		1				1		
Diseases of the tubes.....	2					1		1								
Uterine tumors.....	13								2	3	4	2	1			1
Uterine diseases.....	24					1	1	2	2	7	2		3	2	1	3
Others of this class.....	52				4	6	6	3	1	2	10	12	5	1		2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

GEORGIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	374				2	63	103	74	49	51	22	6				4
Abortion	19					3	2	5	4	3	1					1
Childbirth	242				2	45	62	38	33	39	15	5				3
Puerperal septicemia	87					12	28	27	8	8	3	1				
Extra-uterine pregnancy	4						1	1	1		1					
Others of this class	22					3	10	3	3	1	2					
9. Disease of the bones and joints.	61	10	25	7	2	6	3	4	1	2		1	2	2	1	5
Males	32	4	13	4	2	3	2	3		1				1	1	2
Females	29	6	12	3		3	1	1	1	1		1	2	1		3
Disease of the spine	{M 18 F 20	{4 6	{10 12	{1 2	{1 2	{2 1	{ 1	{2 1		{1 1		{ 1		{1 1		
Abscess, lumbar and psoas	{M F 1												1			
Diseases of the bones	{M 7 F 4		2	2			1	1							1	1
Diseases of the hip joint	{M 1 F 1		1													1
Others of this class	{M 6 F 3			1	1	1	1		1							2
10. Diseases of the skin	73	15	24	1	4	4	3	3	5	3	4	3	6	1	5	7
Males	30	7	9	1	3	1	2		3	1	2	1	3		2	2
Females	43	8	15		1	3	1	3	2	2	2	2	3	1	3	5
Abscess	{M 13 F 12	{1 3	{1 5		2	1	1		2	1	1	1	1		1	1
Carbuncle	{M 5 F 12		1		1						1		1			1
Others of this class	{M 12 F 19	{6 5	{7 9	1		1	1		1				1		1	1
11. Diseases of the absorbent system.	11	1	3	1			2			2		1		1		1
Males	7	1	2	1			1			2						1
Females	4		1				1					1		1		
Addison's disease	{M F 1						1									
Diseases of the spleen	{M 2 F						1			1						
Others of this class	{M 5 F 3	1	2	1						1		1		1		1
12. Accidents and injuries	1,506	207	452	109	77	123	174	137	80	54	41	60	43	24	25	102
Males	1,027	104	229	49	47	101	145	116	69	44	32	52	42	18	21	62
Females	479	103	223	60	30	22	29	21	11	10	9	8	6	6	4	40
Burns and scalds	{M 155 F 216	{13 8	{106 102	{22 48	{3 14	{2 7	{7 11	{3 6	2			1	3			6
Drowning	{M 66 F 18	{ 1	{4 8	8	4	12	13	10	4	3		2	1	1	3	1
Exposure and neglect	{M 19 F 26	{10 18	{11 18	1		2	1		3							4
Gunshot wounds	{M 181 F 27	{1 1	{4 2	5	14	25	39	26	17	12	8	9	8	2	3	9
Homicide	{M 98 F 11				3	8	23	23	5	8	5	4	11	1		7
Infanticide	{M 3 F	3	3		1	2	3	3								1
Injuries by machinery	{M 12 F					3	2	2	2			1	1			1
Railroad accidents	{M 82 F 7				3	12	20	13	8	8	4	5	3	1	4	1
Suffocation	{M 59 F 53	{47 46	{50 49	1	1		1	1		1		2			1	2
Suicide by shooting	{M 12 F						3	1			2	2	1	1	1	1
Suicide by drowning	{M F 1										1					
Suicide by poison	{M 5 F 3						3	2								
Other suicides	{M 23 F 4					1	3	1	4	3	2	4	1	1	1	2
Sunstroke	{M 14 F 4				1	1	3		4			1	1	1	1	1
Surgical operations	{M 4 F 5	1	2				1		1	1		1				1
Wounds	{M 15 F 2	2	2	1		1	2		1	1	3	1				3
Others of this class	{M 279 F 102	{27 27	{47 42	12	18	36	26	34	19	8	8	20	12	10	6	23

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	1,242	214	361	73	60	57	47	48	53	54	55	48	48	64	59	215
Males.....	762	121	196	38	26	31	22	27	31	31	33	37	35	48	45	162
Females.....	480	93	165	35	34	26	25	21	22	23	22	11	13	16	14	53
Unknown cause.....	108	39	51	5	7	3	3	3	1		2	6		2	5	20
Males.....	57	23	30	2	3			2			1	4		1	2	12
Females.....	51	16	21	3	4	3	3	1	1		1	2		1	3	8
1. General diseases.																
General diseases—A	248	62	120	27	22	13	9	9	8	3	4	5	3	8	4	13
Males.....	129	34	60	14	8	7	2	7	3	3	1	5	2	6	2	9
Females.....	119	28	60	13	14	6	7	2	5		3		1	2	2	4
Measles..... {M.....	3			1		1		1								
{F.....	7	2	5		1	1										
Scarlet fever..... {M.....	10	2	6	2	2											
{F.....	9	2	6			1	1		1							
Diphtheria..... {M.....	9		3	4	2											
{F.....	21		4	10	5	1			1							
Whooping cough..... {M.....	17	8	15	1							1					
{F.....	21	8	17		2	1								1		
Malarial fever..... {M.....	2		1												1	
{F.....	2		1						1							
Influenza..... {M.....	6	3	5													1
{F.....	5		2			1			1						1	
Typhoid fever..... {M.....	20		1	2	1	4	2	2	2	2		2	1	1		
{F.....	17		1	3	6	1	3	1	1		1					
Cholera morbus..... {M.....	12	5	5	3	2									1		1
{F.....	10	4	5				1				2			1		1
Colitis..... {M.....																
{F.....																
Diarrhea..... {M.....	2	1	1													1
{F.....	2		1													1
Dysentery..... {M.....	9	1	2	1		1		2								3
{F.....	4	1	2					1					1			
Enteritis..... {M.....	4	2	2									1				1
{F.....																
Cholera infantum..... {M.....	12	8	12													
{F.....	10	7	10													
Fever..... {M.....	3		1					1	1					1		
{F.....	1															
Cerebro-spinal fever..... {M.....	9		1			1				1		2		2	1	1
{F.....	3	2	3													
Smallpox..... {M.....	2	2	2													
{F.....	4	1	1												1	2
Erysipelas..... {M.....	1															
{F.....																
Septicemia..... {M.....	5	1	2		1			1						1		
{F.....	3	1	1				2									
Venereal diseases..... {M.....																
{F.....																
Others of this group..... {M.....	3	1	2													1
{F.....																
General diseases—B	16	5	7				2	1		1	1		1			3
Males.....	13	4	5				2			1	1		1			3
Females.....	3	1	2					1								
Alcoholism..... {M.....	5									1	1		1			2
{F.....																
Parasitic diseases..... {M.....	1	1	1													
{F.....																
Lead poison..... {M.....																
{F.....																
Other poisons..... {M.....	4		1				2									1
{F.....	3	1	2					1								
Inanition..... {M.....	3	3	3													
{F.....																
General diseases—C	74	23	24	1		1			1				2	2	4	39
Males.....	49	15	16	1		1							1	2	2	26
Females.....	25	8	8						1				1		2	13
Old age..... {M.....	21														1	20
{F.....	14														2	12
Premature birth..... {M.....	9	9	9													
{F.....	4	4	4													
Malformation..... {M.....	3	3	3													
{F.....																
Debility and atrophy..... {M.....	14	1	2	1		1							1	2	1	6
{F.....	4	1	1						1				1			1
Others of this group..... {M.....	2	2	2													
{F.....	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.	
1. General diseases—Continued. General diseases—D	158	2	11	7	9	12	5	12	10	13	11	8	12	11	11	26	
Males	86		5	4	1	5	2	5	7	6	5	4	9	8	7	18	
Females	72	2	6	3	8	7	3	7	3	7	6	4	3	3	4	8	
Anemia	{M..... {F.....																
Diabetes.....	{M..... {F.....	4 2						1								3	
Rheumatism	{M..... {F.....	7 4					1	1			1		3	1		2	
Scrofula and tabes ..	{M..... {F.....	2		1												1	
Hydrocephalus.....	{M..... {F.....	3 2		1 2	1	1											
Tuberculosis, general	{M..... {F.....	1					1										
Consumption.....	{M..... {F.....	43 43		3 3	3		3 6	2 2	4 7	6 3	4 5	4 2	4 3	3 2	3 1	1 1	3 1
Cancer	{M..... {F.....	18 10								1 2	2 2			2 1	1 2	5 2	7 1
Tumor	{M..... {F.....	2 3				1							1			1 1	
Dropsy	{M..... {F.....	6 8					1							3	1	2 3	
Others of this group.	{M..... {F.....																
2. Diseases of the nervous system..	88	17	25	2	2	3	3		3	2	6	1	7	5	4	25	
Males.....	53	6	9	1	1	3	2		3		3	1	4	2	3	21	
Females	35	11	16	1	1		1			2	3		3	3	1	4	
Inflammation of the brain.	{M..... {F.....	7 6	3 4	5 5		1							1				
Meningitis	{M..... {F.....	2 5			1		1										
Apoplexy	{M..... {F.....	8 3							1							7	
Paralysis	{M..... {F.....	17 9		1 1							2		2 2	2 1		10 4	
Paralysis, general (of insane.)	{M..... {F.....	2										1			1		
Tetanus and trismus nascentium.	{M..... {F.....																
Chorea	{M..... {F.....	1														1	
Epilepsy.....	{M..... {F.....	3 1					2									1	
Convulsions	{M..... {F.....	3 5	2 5	2 5						1							
Mental diseases	{M..... {F.....	2				1										1	
Diseases of the brain.	{M..... {F.....	7 1	1	1		1			1				1		2	1	
Diseases of the spinal cord.	{M..... {F.....																
Locomotor ataxia ..	{M..... {F.....																
Others of this class ..	{M..... {F.....	1 5								1	1 3		1				
3. Diseases of the circulatory system.	69	10	11	3	1	4	5	3	2	3	1	4	3	6	9	14	
Males.....	37	3	4	1		2	1		2	2		3	2	4	7	9	
Females	32	7	7	2	1	2	4	3		1	1	1	1	2	2	5	
Pericarditis.....	{M..... {F.....																
Diseases of the heart	{M..... {F.....	35 29	2 7	3 7	1 2		1 2	1 4		2 1		3 1	2 1	4 1	6 1	9 5	
Angina pectoris	{M..... {F.....																
Diseases of the arteries.	{M..... {F.....																
Aneurism	{M..... {F.....	1 2									1				1		
Embolism	{M..... {F.....																
Others of this class ..	{M..... {F.....	1	1	1													

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IDAHO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	217	37	67	10	7	6	7	6	11	9	10	12	10	19	11	32
Males.....	159	25	43	5	2	4	6	4	8	5	10	11	9	15	11	26
Females.....	58	12	24	5	5	2	1	2	3	4		1	1	4		6
Croup.....	{M. 8	2	5	2	1											
{F. 7	3	6	1													
Pneumonia.....	{M. 134	22	34	3	1	3	5	4	8	4	10	10	8	12	10	22
{F. 42	8	15	3	5	1	1	2	3	4		1	1	3			3
Laryngitis.....	{M. 1													1		
{F. 1																
Bronchitis.....	{M. 4		2				1							1		
{F. 4	1	2	1											1		
Pleurisy.....	{M. 1													1		
{F. 1																1
Asthma.....	{M. 3					1									1	2
{F. 3																2
Others of this class.....	{M. 8	1	2			1				1		1	1			2
{F. 1		1														
5. Diseases of the digestive system.	73	13	17	6	2	5	2	3	3	5	3	3	2	4	2	16
Males.....	49	8	10	4	1	4		2		3	1	3	1	4	2	14
Females.....	24	5	7	2	1	1	2	1	3	2	2		1			2
Dentition.....	{M. 1		1													
{F. 1																
Angina.....	{M. 1			1												
{F. 1																
Gastritis.....	{M. 6			2						2						2
{F. 3		1							1							
Diseases of the stomach.....	{M. 8	1	2								1			1		4
{F. 3	2	2								1						
Obstruction of the bowels.....	{M. 1															
{F. 1																
Appendicitis.....	{M. 6		1	1		3		1								
{F. 2			1		1											
Hernia.....	{M. 4	2	2									1		1		
{F. 2																
Other diseases of the bowels.....	{M. 2				1							1				
{F. 3	1	1						1		1						
Jaundice.....	{M. 1															
{F. 1																
Inflammation and abscess of the liver.....	{M. 4	1	1							1				1	1	
{F. 2									1							1
Other diseases of the liver.....	{M. 8	1	1										1	1	1	4
{F. 1									1							
Peritonitis.....	{M. 4			1		1						1				1
{F. 4					1		2				1					
Ascites.....	{M. 2															2
{F. 1																1
Others of this class.....	{M. 5	3	3					1								1
{F. 3	2	2											1			
6. Diseases of the urinary system and male organs of generation.	37		2	2					2	3	4	1	3	3	5	12
Males.....	31		2	1					2	2	3	1	2	2	5	11
Females.....	6			1						1	1		1	1		1
Bright's disease.....	{M. 18			1					2	2	2	1	1		3	6
{F. 6				1						1	1		1	1		1
Calculus, urinary.....	{M. 1															
{F. 1																
Diseases of the kidney.....	{M. 6		2										1			3
{F. 1																
Diseases of the bladder.....	{M. 7										1			2	2	2
{F. 1																
Others of this class.....	{M. 1															
{F. 1																
7. Diseases of the female organs of generation.	5					1			1		2	1				
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	1										1					
Uterine diseases.....	1								1							
Others of this class.....	3					1					1	1				

543

IDAHO—Continued.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	61,229	11,169	18,023	2,385	1,413	2,014	2,705	2,824	2,806	2,942	2,719	2,519	2,655	2,699	2,926	12,599
Males.....	33,641	6,284	9,751	1,247	730	980	1,367	1,430	1,513	1,639	1,643	1,545	1,620	1,617	1,680	6,879
Females.....	27,588	4,885	8,272	1,138	683	1,034	1,338	1,394	1,293	1,303	1,076	974	1,035	1,082	1,246	5,720
Unknown cause.....	1,345	563	670	35	17	20	38	34	27	39	37	29	39	54	51	255
Males.....	733	309	360	19	6	11	14	13	18	20	23	18	21	33	31	146
Females.....	612	254	310	16	11	9	24	21	9	19	14	11	18	21	20	109
1. General diseases.																
General diseases—A.....	11,584	3,368	6,437	1,033	395	440	413	318	266	263	226	193	195	205	210	990
Males.....	5,981	1,819	3,310	524	175	203	214	173	144	144	125	119	114	110	112	514
Females.....	5,603	1,549	3,127	509	220	237	199	145	122	119	101	74	81	95	98	476
Measles.....	225	55	176	20	7	5		1	3	2	3	3	1		2	2
{M.....	225	55	176	20	7	5		1	3	2	3	3	1		2	2
{F.....	256	52	189	21	8	6	8	4	7	1	2	2	6	1		1
Scarlet fever.....	315	25	205	91	7	7	3	1					1			
{M.....	315	25	205	91	7	7	3	1					1			
{F.....	328	14	204	98	11	9	1	2	1	1						1
Diphtheria.....	717	46	389	248	49	16	7	1	2		1	1	1	1		1
{M.....	717	46	389	248	49	16	7	1	2		1	1	1	1		1
{F.....	787	37	465	226	57	22	6	3	4	2	1				1	
Whooping cough.....	228	133	219	5							1	2		1		1
{M.....	228	133	219	5							1	2		1		1
{F.....	269	148	256	12												
Malarial fever.....	251	41	84	15	10	16	9	16	7	8	10	8	15	6	14	33
{M.....	251	41	84	15	10	16	9	16	7	8	10	8	15	6	14	33
{F.....	246	33	85	27	16	8	9	12	12	4	7	5	6	4	8	43
Influenza.....	218	26	37	3	5	5	5	3	5	5	9	9	3	6	15	113
{M.....	218	26	37	3	5	5	5	3	5	5	9	9	3	6	15	113
{F.....	236	16	24	2	1	4	7	3	7	7	11	4	8	14	19	125
Typhoid fever.....	1,052	32	94	64	68	116	151	107	103	86	62	41	33	34	26	67
{M.....	1,052	32	94	64	68	116	151	107	103	86	62	41	33	34	26	67
{F.....	845	21	91	66	93	142	107	69	43	51	33	27	21	24	21	57
Cholera morbus.....	203	56	99	15	6	5	2	5	3	2	4	10	10	6	2	34
{M.....	203	56	99	15	6	5	2	5	3	2	4	10	10	6	2	34
{F.....	164	36	58	10	4	8	7	4	7	8	4	4	6	9	7	28
Colitis.....	34	11	18		1			1	1	1	2	1			3	6
{M.....	34	11	18		1			1	1	1	2	1			3	6
{F.....	23	4	6							1	1	1	2		1	11
Diarrhea.....	152	39	64	11	2	2	4	6		3	3	2	3	11	6	35
{M.....	152	39	64	11	2	2	4	6		3	3	2	3	11	6	35
{F.....	98	30	49	8	3		2		1	1				1	3	30
Dysentery.....	200	38	92	4	2	3	7	2	3	5	1	6	3	11	8	53
{M.....	200	38	92	4	2	3	7	2	3	5	1	6	3	11	8	53
{F.....	157	25	63	7	4	5	3	2	2	1	7	5	4	6	4	44
Enteritis.....	925	538	756	17	7	10	6	9	4	7	10	6	13	5	13	62
{M.....	925	538	756	17	7	10	6	9	4	7	10	6	13	5	13	62
{F.....	826	414	612	17	6	9	14	13	13	9	9	13	12	13	13	73
Cholera infantum.....	875	627	874													1
{M.....	875	627	874													1
{F.....	832	584	831													1
Fever.....	13	7	8		1			1	1							2
{M.....	13	7	8		1			1	1							2
{F.....	21	5	13		1		2	2		1	1					1
Cerebro-spinal fever.....	92	26	45	11	3	8	3	9	1	3	2	3		2		2
{M.....	92	26	45	11	3	8	3	9	1	3	2	3		2		2
{F.....	85	22	47	8	8	3	2	2	2	2	5		2	1	1	2
Smallpox.....	17	6	7		1		1	1		2		2	2	2		
{M.....	17	6	7		1		1	1		2		2	2	2		
{F.....	8	2	2						1		2				1	
Erysipelas.....	82	16	20	1		2	3	3	3	4	4	5	5	7	7	18
{M.....	82	16	20	1		2	3	3	3	4	4	5	5	7	7	18
{F.....	90	26	30		2	6	2	7	3	5	5		5	8	5	15
Septicemia.....	193	30	44	13	11	6	12	6	6	8	8	11	11	9	11	37
{M.....	193	30	44	13	11	6	12	6	6	8	8	11	11	9	11	37
{F.....	194	19	35	4	5	13	23	21	16	24	9	7	4	11	6	16
Venereal diseases.....	98	57	60	1		1	1		2	5	4	5	10	6	1	2
{M.....	98	57	60	1		1	1		2	5	4	5	10	6	1	2
{F.....	78	55	57	1		1	1		1	1	3	3	1	2	1	2
Others of this group.....	91	10	19	5	1	1		1		3	1	4	3	3	4	46
{M.....	91	10	19	5	1	1		1		3	1	4	3	3	4	46
{F.....	60	6	10	2		1	1		2		1	3	4	1	7	28
General diseases—B.....	1,438	924	1,013	11	5	11	21	37	38	64	53	45	34	23	17	66
Males.....	889	516	567	5	3	7	11	24	30	52	44	41	25	19	14	47
Females.....	549	408	446	6	2	4	10	13	8	12	9	4	9	4	3	19
Alcoholism.....	222			1			5	16	20	44	35	32	23	15	11	20
{M.....	222			1			5	16	20	44	35	32	23	15	11	20
{F.....	23						1	7		5	3	1	6			
Parasitic diseases.....	6		4	1							1					
{M.....	6		4	1							1					
{F.....	5	1	3	1						1						
Lead poison.....	2					1			1							
{M.....	2					1			1							
{F.....																
Other poisons.....	107	9	27	3	2	5	5	8	8	8	8	9	2	3	3	16
{M.....	107	9	27	3	2	5	5	8	8	8	8	9	2	3	3	16
{F.....	85	8	25	5	2	4	9	6	7	5	5	2	3	3	3	6
Inanition.....	552	507	536		1	1	1		1		1	1		1		11
{M.....	552	507	536		1	1	1		1		1	1		1		11
{F.....	436	399	418							1	1	1		1		13
General diseases—C.....	2,921	1,095	1,115	2		2	1	4	3	8	3	2	6	19	41	1,715
Males.....	1,441	580	592			2	1	4	2	3	3	1	4	8	23	798
Females.....	1,480	515	523	2					1	5		1	2	11	18	917
Old age.....	732														15	717
{M.....	732														15	717
{F.....	854														13	841
Premature birth.....	359	359	359													
{M.....	359	359	359													
{F.....	322	322	322													
Malformation.....	98	94	96			1								1		
{M.....	98</															

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	10,974	301	623	161	171	557	1,018	1,081	1,007	947	821	736	750	698	640	1,764
Males.....	5,627	172	348	79	60	185	471	508	518	494	457	404	429	395	320	959
Females.....	5,347	129	275	82	111	372	547	573	489	453	364	332	321	303	320	805
Anemia.....	68	7	7	1	1	1	1	1	4	2	8	6	7	5	11	13
{M.....	80	2	6	2	2	3	5	4	7	7	6	5	11	4	3	15
{F.....	171	1	5	7	9	7	11	4	7	14	8	8	11	15	13	52
Diabetes.....	120		4	3	4	5	8	2	5	6	4	4	13	11	15	36
{M.....	145	2	11	4	4	6	6	4	10	5	6	8	12	7	11	51
{F.....	150	2	9	8	11	5	4	2	7	4	8	7	13	10	10	52
Scrofula and tabes.....	89	14	27	5		5	8	4	3	4	3	3	7	4	2	14
{M.....	102	19	32	1	4	10	6	6	8	4	4	8	5	2	2	10
{F.....	132	52	100	12	5	3	1		3	3	1	2	1		1	
Hydrocephalus.....	94	29	64	12	6	1	1	4		2	1	3				
{M.....	45	4	8		2	3	2	5	5	5	3	4	2	2	1	3
{F.....	44	3	5	2	3	2	7	7	4	2	1	4	2	2		3
Consumption.....	3,607	60	131	35	27	149	427	475	458	418	348	277	245	190	125	302
{M.....	3,179	56	108	35	71	334	501	523	403	320	210	142	119	99	91	223
{F.....	938	2	3	2		2	5	8	17	35	54	77	112	139	126	358
Cancer.....	1,164	3	8	6	2	2	4	14	34	76	104	131	134	148	194	337
{M.....	121	8	14	4	1	6	3	2	6	5	10	8	10	16	11	25
{F.....	151	4	10	5	3	3	7	4	10	20	15	8	11	9	19	27
Tumor.....	244	2	9	4	5	1	6	3	4	3	11	10	20	13	19	136
{M.....	230	1	9	6	5	7	4	4	10	10	9	18	13	18	16	101
{F.....	67	20	33	5	6	2	1	2	1		5	1	2	4		5
Others of this group.....	33	10	20	2				3	1	2	2	2				1
2. Diseases of the nervous system..	7,279	1,745	2,591	242	153	151	137	134	211	259	217	251	293	301	398	1,941
Males.....	4,116	1,020	1,452	117	83	88	74	80	133	159	128	151	173	185	210	1,083
Females.....	3,163	725	1,139	125	70	63	63	54	78	100	89	100	120	116	188	858
Inflammation of the brain.....	247	94	166	11	9	8	6	5	8	2	4	4	6	4	2	12
{M.....	205	76	147	15	11	4	6	4	4	1	3	2		1	1	6
{F.....	735	257	465	70	33	29	20	15	14	24	12	12	8	7	6	20
Meningitis.....	533	175	364	77	28	16	18	14	20	12	5	7	5	5	3	9
{M.....	737	13	18	2	3	1	7	11	19	26	34	46	51	70	78	371
{F.....	512	4	13	2	2	3	8	7	10	18	25	28	39	41	54	262
Apoplexy.....	691	8	21	6	3	6	4	10	18	25	20	28	37	42	55	416
{M.....	637	4	16	3	3	6	2	3	8	11	20	20	35	36	70	404
{F.....	120							1	16	21	12	23	13	7	10	17
Paralysis, general (of insane). ..	50						2	2	7	5	5	3	4	6	4	12
Tetanus and trismus nascentium.....	97	35	36	7	15	7	8	3	6		1	3	3	5	2	1
{M.....	29	17	17	2	1	3		1		1	1			1	1	1
{F.....	3		1				1								1	
Chorea.....	11		2		4	2	1								1	
{M.....	112	8	11	5	3	19	7	6	12	9	9	8	6	2	6	9
{F.....	73	1	3	2	6	6	8	6	5	7	3	3	3	4	4	13
Convulsions.....	651	539	627	2	6	2	1	2	1	1			2		1	6
{M.....	511	396	477	6	4	4	3	2	2	2					3	8
{F.....	220					3	7	7	12	21	18	7	22	18	21	84
Mental diseases.....	146				1	3	1	4	10	22	14	8	7	10	18	48
{M.....	335	56	92	11	8	10	9	12	19	17	10	10	15	16	16	90
{F.....	254	46	87	15	9	11	5	8	8	8	3	13	15	6	13	53
Diseases of the brain.....	68	6	10	3	3	3	2	2	2	7	2	4	5	8	4	13
{M.....	40	6	12	2	1		1			3		4	4	1	6	6
{F.....	37						1	1	4	3	3	4	4	4	2	11
Locomotor ataxia.....	17									1	2	2	3	2	2	5
{M.....	63	4	5				1	5	2	3	3	2	1	2	6	13
{F.....	95		1	1		5	8	3	4	9	8	9	5	3	8	3
3. Diseases of the circulatory system.	4,468	181	240	115	112	101	125	134	170	185	241	272	318	361	421	1,673
Males.....	2,430	104	137	55	47	54	56	58	79	103	141	148	180	212	257	903
Females.....	2,038	77	103	60	65	47	69	76	91	82	100	124	138	149	164	770
Pericarditis.....	53	1	2	2	4	4	3	4	2	3	4	4	7	3	1	10
{M.....	37	1	1	5	4	1	1	2	1		3	2	2	3	2	10
{F.....	2,091	74	105	53	42	49	52	48	73	89	117	129	152	178	220	784
Diseases of the heart.....	1,814	62	87	53	60	42	64	64	81	77	90	104	126	130	147	689
{M.....	99				1		1	3		5	10	6	13	8	21	34
{F.....	91			2	1		3	5	4	3	4	13	7	9	8	32
Diseases of the arteries.....	96							2	1	2	4	2		9	11	65
{M.....	35											3		2	3	27
{F.....	46					1		1	2	4	5	7	7	11	2	6
Aneurism.....	18				2	1		2	1	1	2	1	1	1	2	4
{M.....	19	4	4						1		1		1	3	2	7
{F.....	25	1	1			2		3	3	1	1	1	2	4	2	5
Embolism.....	26	25	26													
{M.....	18	13	14						1							8
{F.....																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	9,948	2,125	3,873	391	144	214	251	281	306	389	384	348	391	445	481	2,050
Males.....	5,544	1,242	2,154	208	75	124	153	171	174	231	241	228	240	265	257	1,023
Females.....	4,404	883	1,719	183	69	90	98	110	132	158	143	120	151	180	224	1,027
Croup.....	305	93	228	65	6	2	1				1					2
(M.....)	258	75	208	42	5	1	2									
(F.....)																
Pneumonia.....	3,931	721	1,320	105	57	104	136	144	151	202	207	197	191	201	203	713
(M.....)	3,011	480	1,005	112	55	73	77	93	111	128	124	101	125	141	171	695
(F.....)																
Laryngitis.....	26	8	15	5	3				1		1				1	
(M.....)	18		12	2					1							3
(F.....)																
Bronchitis.....	822	351	500	18	4	4	6	8	4	12	11	12	17	26	25	175
(M.....)	797	269	412	21	5	8	9	7	9	5	9	15	15	27	36	219
(F.....)																
Pleurisy.....	90	1	10	2	3	2	3	11	8	6	8	5	7	5	2	18
(M.....)	65	3	7	2	1	4	4	5	3	8	3	1	3	2	3	19
(F.....)																
Asthma.....	97	3	4					1		2	2	3	9	14	10	52
(M.....)	86	1	1	1	1	1			4	3	1	2	2	4	10	58
(F.....)																
Others of this class.....	273	65	77	13	2	12	7	7	10	9	11	11	16	19	16	63
(M.....)	169	55	74	3	2	3	6	5	8	13	4	2	6	6	4	33
(F.....)																
5. Diseases of the digestive system.	3,684	591	837	133	151	144	144	167	161	182	219	195	216	235	207	693
Males.....	2,027	360	495	74	76	78	71	83	81	84	125	111	123	143	120	363
Females.....	1,657	231	342	59	75	66	73	84	80	98	94	84	93	92	87	330
Dentition.....	15	10	15													
(M.....)	19	10	19													
(F.....)																
Angina.....	47	12	29	7	1	1	1	1	5						1	1
(M.....)	39	4	14	11	5	3	1		1			1		1		2
(F.....)																
Gastritis.....	261	53	80	7	3	5	4	7	7	7	10	19	16	25	17	54
(M.....)	217	40	55	9	6	6	4	7	2	9	11	11	10	12	14	61
(F.....)																
Diseases of the stomach.....	222	47	63	9	6	3	7	6	5	8	9	21	10	15	10	50
(M.....)	197	27	48	4	7	6	9	10	5	11	7	9	10	10	14	47
(F.....)																
Obstruction of the bowels.....	140	21	28	8	3	9	6	4	5	3	8	8	10	8	9	31
(M.....)	147	14	20	2	4	4	4	5	10	11	14	11	5	13	7	37
(F.....)																
Appendicitis.....	297	2	9	21	39	44	36	32	25	24	24	10	6	7	8	12
(M.....)	181		7	17	32	27	20	14	14	14	8	7	8	5	1	7
(F.....)																
Hernia.....	78	13	14		1	1	2	1	1	1	8	8	3	6	4	28
(M.....)	68	4	4					1	1	7	5	5	12	3	9	21
(F.....)																
Other diseases of the bowels.....	106	26	39	1	3	1	5	3	2	4	4	1	7	7	2	27
(M.....)	69	16	23	1	3	2	1	3	8	2	3	1		2	4	16
(F.....)																
Jaundice.....	84	57	61	2				1	1		5	1	2	2	4	5
(M.....)	74	36	39	1			2	3	1	1	1	2	2	2	2	18
(F.....)																
Inflammation and abscess of the liver.....	95	6	10	3	3		2	4	7	5	9	2	11	9	9	21
(M.....)	94	8	13	2	4		2	5	8	5	4	6	6	9	11	19
(F.....)																
Other diseases of the liver.....	313	7	10	3	2	2		7	12	18	30	25	41	43	37	83
(M.....)	151	4	5	1	1		3	2	7	13	10	17	15	15	12	50
(F.....)																
Peritonitis.....	147	13	23	9	14	12	6	12	8	9	12	11	9	7	3	12
(M.....)	199	8	20	9	10	16	25	28	18	20	17	6	7	9	5	9
(F.....)																
Ascites.....	23	2	4		1				1	1	1		2	1	6	7
(M.....)	28	1	2			1			1	1	2	1	2	2	2	14
(F.....)																
Others of this class.....	199	91	110	4			2	5	3	4	5	5	6	13	10	32
(M.....)	174	59	73	2	3	1	2	6	4	4	12	7	16	9	6	29
(F.....)																
6. Diseases of the urinary system and male organs of generation.	2,674	68	136	57	48	42	83	88	131	129	131	180	172	194	273	1,010
Males.....	1,714	39	65	30	25	18	37	38	73	66	83	100	113	122	184	757
Females.....	960	29	71	27	20	24	46	50	58	63	48	80	59	72	89	253
Bright's disease.....	1,188			20	22	15	25	33	64	54	68	76	87	95	153	476
(M.....)	728			21	15	15	32	37	45	54	42	69	51	63	78	206
(F.....)																
Calculus, urinary.....	17										1		3	3	3	7
(M.....)	5	1	1				1					1				1
(F.....)																
Diseases of the kidney.....	209	25	49	2	4	2	5	1	6	5	4	9	6	8	8	100
(M.....)	121	21	59	3	4	6	3	1	5		3	3	6	4	6	18
(F.....)																
Diseases of the bladder.....	118	1	3	1		1	2	2	1	1	2	1	5	4	7	88
(M.....)	17	1	1			1	1	1	1	1					1	10
(F.....)																
Others of this class.....	182	13	13	7	2		5	2	2	6	8	14	12	12	13	86
(M.....)	89	6	10	3	1	2	9	11	7	8	3	7	1	5	4	18
(F.....)																
7. Diseases of the female organs of generation.	247			1		12	33	38	49	33	30	8	14	5	9	15
Ovarian tumors.....	31			1			2	3	8		3		2	2	3	7
Ovarian diseases.....	18					2	3	2	4	3	2	1	1			
Diseases of the tubes.....	57					5	6	13	17	9	7					
Uterine tumors.....	49						1	4	7	8	11	5	6	1	3	3
Uterine diseases.....	23						6	4	3	6	2		1			1
Others of this class.....	69					5	15	12	10	7	5	2	4	2	8	4

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

ILLINOIS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	581				2	35	110	159	111	104	48	9	1			2
Abortion	57					2	7	15	10	14	5	1	1			2
Childbirth	209					16	35	51	39	42	21	5				
Puerperal septicemia	240				2	10	50	74	49	36	17	2				
Extra-uterine pregnancy	18						3	7	5	3						
Others of this class	57					7	15	12	8	9	5	1				
9. Diseases of the bones and joints.	178	39	69	15	13	8	10	6	7	6	8	8	7	6	4	11
Males	113	29	45	8	8	5	6	5	4	5	6	6	5		3	7
Females	65	10	24	7	5	3	4	1	3	1	2	2	2	6	1	4
Diseases of the spine. {M..	68	26	41	5	3	3	2	1	2	3	1	1	1			3
{F..	42	10	21	4	1	2	3	1	2	1	1			4	1	1
Abscess, lumbar and {M..	4						1	1		1					1	
{F..																
Diseases of the bones. {M..	28	3	4	2	4	2	3	2	2		1	2	2			4
{F..	17		2	3	4	1	1		1		1	1	2			1
Diseases of the hip. {M..	7			1	1			1		1	2		1			
{F..	2		1													1
Others of this class. {M..	6										2	3	1			
{F..	4										1			2		1
10. Diseases of the skin.	143	40	51	2	4	5	3	4	3	10	5	5	6	6	6	33
Males	80	20	27	1	2		3	2		7	1	5	5	5	2	20
Females	63	20	24	1	2	5		2	3	3	4		1	1	4	13
Abscess. {M..	40	4	10	1	2		2	2		6	1	3	3	4		6
{F..	34	8	11	1	1	4		2	2	2	3			1	1	6
Carbuncle. {M..	10						1					1	1		1	6
{F..	5	1	2							1					1	1
Others of this class. {M..	30	16	17							1		1	1	1	1	8
{F..	24	11	11		1	1			1		1		1		2	6
11. Diseases of the absorbent system.	48	2	6	3	3	2	2	4	5	2	3	3	3	3	3	6
Males	29	2	5	2	3	1	1	2	3	1	3	1	2		3	2
Females	19		1	1		1	1	2	2	1		2	1	3		4
Addison's disease. {M..	8						1		1		1	1			1	
{F..	5							1		1			1			1
Diseases of the spleen. {M..	6	2	3		1				1						1	
{F..	7						1	1						1		3
Others of this class. {M..	15		2	2	2	1			1	1	2		1		1	2
{F..	7		1	1		1			1			2		1		
12. Accidents and injuries.	3,717	127	362	184	195	270	316	335	311	322	293	235	210	144	165	375
Males	2,917	72	194	125	164	204	255	269	254	270	263	212	186	120	144	257
Females	800	55	168	59	31	66	61	66	57	52	30	23	24	24	21	118
Burns and scalds. {M..	127	5	63	11	2	1	5	2	10	6	4	6	3	3	1	10
{F..	188	4	67	36	11	10	9	12	14	6	5	3	1	3	2	9
Drowning. {M..	272	2	22	22	53	34	17	19	15	14	18	13	9	7	6	23
{F..	36	2	12	2		6	3	3		1	1	1	1	2		4
Exposure and neglect. {M..	14	8	9						1	1		1				2
{F..	11	6	7			1							1	1		1
Gunshot wounds. {M..	145	1	1	8	22	35	20	15	8	9	10	3	2	3	4	5
{F..	25		2	1	2	3	5	4	3	1	1		1		1	1
Homicide. {M..	118		1	5	3	5	23	16	17	17	10	6	4	2	4	5
{F..	34		1	4	2	2	6	2	7	2	1	2	1	1		3
Infanticide. {M..	1	1	1													
{F..																
Injuries by machinery. {M..	29					2	5	6	3	4	3	2	2	1		1
{F..	1										1					
Railroad accidents. {M..	606	1	2	26	34	47	67	73	58	63	56	48	39	20	28	45
{F..	61		10	7	5	6	3	3	3	3	5	2	4	1		9
Suffocation. {M..	104	23	28	3	1	4	7	6	7	12	13	8	3	1	6	6
{F..	44	18	26	2	1	4	3	2	1	2						3
Suicide by shooting. {M..	151				1	2	12	24	17	20	21	18	16	11	1	8
{F..	12					3	2		2	1	1			1		2
Suicide by drowning. {M..	14					1				3	2	5	2		1	
{F..	4					1	2					1				
Suicide by poison. {M..	92					2	7	11	11	10	15	7	13	4	7	5
{F..	64				1	16	8	12	9	8	3	2	2	1	2	
Other suicides. {M..	197					4	6	16	15	15	33	15	23	14	26	30
{F..	51					6	6	10	1	11		2	2	2	3	8
Sunstroke. {M..	49				1		4	5	6	3	8	2	7	4	3	6
{F..	12	2	3		1		1			1	1		1	1	1	2
Surgical operations. {M..	19	1	4	2			1	1		2		3	1	1	1	3
{F..	35	1	1		1	1	4	7	5	5	3	5	1	1		1
Wounds. {M..	40		2	2		5	5	4	3	6	3	2	5	2		1
{F..	3						1	1								1
Others of this class. {M..	939	30	61	46	47	62	76	71	83	85	67	73	57	47	56	108
{F..	219	22	39	7	7	7	8	10	12	11	8	5	9	10	12	74

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown
All causes	33,586	5,850	8,970	1,054	837	1,430	1,669	1,537	1,398	1,335	1,244	1,282	1,260	1,532	1,619	8,419
Males	17,454	3,294	4,898	520	407	652	797	681	663	615	608	658	695	829	883	4,548
Females	16,132	2,556	4,072	534	430	778	872	856	735	720	636	624	565	703	736	3,871
Unknown cause	621	307	340	7	7	13	11	12	16	11	9	16	11	25	22	121
Males	342	180	201	4	3	6	5	7	10	5	2	8	6	14	13	58
Females	279	127	139	3	4	7	6	5	6	6	7	8	5	11	9	63
1. General diseases.																
General diseases—A	6,303	1,389	2,696	430	292	369	275	242	219	185	181	146	103	162	152	851
Males	3,192	765	1,410	184	115	173	155	124	110	98	87	77	60	90	82	427
Females	3,111	624	1,286	246	177	196	120	118	109	87	94	69	43	72	70	424
Measles	M 44 F 63	M 16 F 12	M 31 F 35	M 3 F 6	M 2 F 6		M 3 F 6	M 2 F 2	M 1 F 2		M 2 F 5		M 1 F 2	M 1 F 1		M 3 F 3
Scarlet fever	M 70 F 94	M 4 F 3	M 42 F 57	M 22 F 29	M 4 F 5	M 1 F 3	M 1 F 1									
Diphtheria	M 236 F 287	M 13 F 11	M 115 F 121	M 76 F 103	M 27 F 40	M 11 F 14	M 1 F 1	M 2 F 1	M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 3
Whooping cough	M 93 F 108	M 68 F 68	M 88 F 104	M 3 F 3	M 1 F 1											M 2 F 2
Malarial fever	M 168 F 172	M 22 F 14	M 49 F 34	M 5 F 8	M 8 F 15	M 14 F 9	M 10 F 7	M 6 F 9	M 6 F 16	M 8 F 5	M 4 F 6	M 5 F 7	M 4 F 3	M 9 F 7	M 5 F 9	M 35 F 37
Influenza	M 210 F 246	M 23 F 13	M 31 F 23	M 1 F 2	M 1 F 1	M 2 F 7	M 2 F 3	M 3 F 7	M 2 F 3	M 7 F 7	M 8 F 11	M 8 F 10	M 5 F 7	M 8 F 9	M 11 F 12	M 121 F 144
Typhoid fever	M 766 F 730	M 10 F 16	M 53 F 67	M 42 F 56	M 51 F 90	M 107 F 140	M 114 F 60	M 91 F 50	M 74 F 57	M 62 F 38	M 42 F 41	M 39 F 29	M 15 F 12	M 26 F 23	M 14 F 18	M 36 F 49
Cholera morbus	M 140 F 132	M 43 F 41	M 77 F 72	M 2 F 6	M 5 F 4	M 6 F 1	M 1 F 5	M 1 F 5	M 1 F 5	M 2 F 1	M 2 F 1	M 4 F 4	M 1 F 2	M 5 F 3	M 9 F 3	M 24 F 20
Colitis	M 32 F 28	M 7 F 7	M 24 F 18		M 2 F 2		M 1 F 1						M 2 F 1	M 1 F 2	M 2 F 2	M 2 F 4
Diarrhea	M 151 F 63	M 27 F 20	M 46 F 33	M 3 F 1	M 3 F 1		M 1 F 2	M 2 F 1	M 1 F 1	M 3 F 2	M 4 F 1	M 6 F 1	M 12 F 1	M 11 F 1	M 59 F 20	
Dysentery	M 247 F 232	M 47 F 33	M 142 F 127	M 5 F 11	M 1 F 2	M 1 F 1	M 5 F 2	M 1 F 4	M 4 F 3	M 5 F 3	M 3 F 3	M 3 F 3	M 6 F 3	M 7 F 9	M 10 F 12	M 53 F 52
Enteritis	M 251 F 229	M 121 F 82	M 151 F 144	M 5 F 8	M 2 F 3	M 3 F 3	M 2 F 2	M 1 F 3	M 6 F 1	M 1 F 5	M 8 F 4	M 4 F 5	M 3 F 4	M 4 F 7	M 7 F 9	M 24 F 34
Cholera infantum	M 404 F 358	M 282 F 245	M 404 F 358													
Fever	M 8 F 5	M 2 F 3	M 3 F 2	M 2 F 2	M 1 F 1			M 1 F 1		M 1 F 1	M 1 F 1		M 1 F 1			M 2 F 2
Cerebro-spinal fever	M 116 F 76	M 32 F 19	M 62 F 41	M 10 F 7	M 4 F 12	M 17 F 2	M 5 F 4	M 5 F 3	M 4 F 2	M 4 F 1	M 2 F 2	M 1 F 1			M 1 F 1	M 1 F 1
Smallpox	M 9 F 10	M 2 F 2	M 4 F 2	M 1 F 1	M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2			M 1 F 1	M 1 F 1	M 1 F 1
Erysipelas	M 56 F 45	M 16 F 11	M 18 F 15	M 1 F 1	M 1 F 2	M 1 F 2	M 5 F 2	M 2 F 3	M 2 F 3	M 1 F 3	M 3 F 3	M 1 F 1	M 4 F 1	M 2 F 2	M 3 F 1	M 14 F 12
Septicemia	M 102 F 177	M 13 F 17	M 21 F 20	M 4 F 2	M 5 F 3	M 5 F 14	M 4 F 24	M 5 F 30	M 5 F 17	M 4 F 21	M 3 F 12	M 4 F 6	M 7 F 2	M 10 F 5	M 7 F 3	M 18 F 18
Venereal diseases	M 31 F 20	M 11 F 7	M 12 F 9		M 1 F 1		M 2 F 2		M 2 F 1	M 2 F 1	M 1 F 1	M 3 F 2	M 3 F 3	M 4 F 1		M 3 F 1
Others of this group	M 58 F 36	M 6 F 3	M 7 F 6	M 2 F 6	M 1 F 1	M 2 F 4	M 4 F 1	M 2 F 1	M 1 F 1	M 5 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 2 F 1	M 2 F 1	M 29 F 24
General diseases—B	836	578	623	6	3	8	16	9	17	16	19	15	24	7	11	62
Males	474	310	333	2	1	2	9	5	12	15	18	10	21	6	10	30
Females	362	268	290	4	2	6	7	4	5	1	1	5	3	1	1	32
Alcoholism	M 50 F 5							M 3 F 4	M 4 F 8	M 8 F 7	M 7 F 1	M 5 F 5	M 13 F 4	M 4 F 1		M 5 F 4
Parasitic diseases	M 5 F 2	M 1 F 2						M 1 F 1			M 1 F 1					M 1 F 1
Lead poison	M 1 F 1										M 1 F 1					
Other poisons	M 73 F 48	M 4 F 6	M 10 F 13	M 1 F 3	M 1 F 2	M 2 F 6	M 9 F 6	M 1 F 4	M 8 F 4	M 6 F 1	M 9 F 1	M 4 F 3	M 8 F 2	M 1 F 1	M 7 F 1	M 6 F 2
Inanition	M 345 F 307	M 305 F 262	M 321 F 275	M 1 F 1			M 1 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 18 F 26
General diseases—C	2,340	1,015	1,046	4	1	2	2	5	6	7	6	8	9	15	27	1,202
Males	1,227	574	594	3	1	1			3	1	2	5	2	7	18	590
Females	1,113	441	452	1		1	2	5	3	6	4	3	7	8	9	612
Old age	M 482 F 522														M 4 F 3	M 478 F 519
Premature birth	M 404 F 301	M 404 F 301	M 404 F 301													
Malformation	M 68 F 54	M 66 F 54	M 67 F 54											M 1 F 1		
Debility and atrophy	M 261 F 222	M 92 F 73	M 111 F 84	M 3 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 5 F 5	M 3 F 3	M 1 F 5	M 2 F 4	M 5 F 3	M 2 F 7	M 6 F 8	M 14 F 6	M 112 F 93
Others of this group	M 12 F 14	M 12 F 13	M 12 F 13							M 1 F 1						

INDIANA—Continued

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	6,657	207	404	86	117	461	681	660	510	436	412	426	374	411	418	1,261
Males.....	2,949	122	228	42	39	164	277	266	207	183	172	191	171	195	195	619
Females.....	3,708	85	176	44	78	297	404	394	303	253	240	235	203	216	223	642
Anemia.....	M.. 35 F.. 61	10 7	13 8	1 2	1 1	 3	1 3	1 2	 2	 7	1 2	1 4	2 6	2 4	2 5	10 14
Diabetes.....	M.. 119 F.. 78	 1	3 3	4 2	4 2	10 7	3 2	3 1	7 2	3 4	2 6	7 8	3 2	8 12	17 9	45 18
Rheumatism.....	M.. 118 F.. 103	2 1	5 3	8 5	8 4	7 10	7 8	6 1	3 2	4 4	5 4	3 6	4 7	9 5	11 9	38 35
Scrofula and tubercles.....	M.. 66 F.. 83	12 8	23 19	4 1	 4	7 7	3 4	3 7	1 9	3 2	1	3 2	2 4	4 4	2 1	10 19
Hydrocephalus.....	M.. 93 F.. 69	36 21	67 49	9 4	2 5	3 6	2 1	2 1	2 2	3 1	2				 1	1
Tuberculosis, general.....	M.. 30 F.. 21	1	2 1	 1	1 3	4	2 2	3 4	3 1	2 1	3	2 3	1 1	4	1	2 4
Consumption.....	M.. 1,846 F.. 2,386	49 33	94 71	12 25	16 52	130 260	250 378	243 363	180 264	150 190	134 174	131 135	100 89	115 83	82 91	209 211
Cancer.....	M.. 419 F.. 617	 3	2 4	 2	1	1	 3	2 6	6 16	15 31	19 36	28 62	45 75	44 86	54 77	202 219
Tumor.....	M.. 28 F.. 67	 2	1 2	1	1		1 3	 2	3 2	2 4	2 8	3 6	4 6	1 5	4 9	5 20
Dropsy.....	M.. 178 F.. 199	5 2	10 7	1 4	4 5	1 1	8 1	3 7	2 3	1 8	3 9	10 9	10 11	8 16	22 20	95 98
Others of this group.....	M.. 17 F.. 24	7 7	8 9	2	1	1 3	 2		 1	 1		3 2	 1	 1	 1	2 4
2. Diseases of the nervous system.	4,136	769	1,177	125	87	104	101	80	101	112	141	154	148	228	242	1,336
Males.....	2,273	444	661	65	45	56	51	46	54	59	74	81	77	125	133	746
Females.....	1,863	325	516	60	42	48	50	34	47	53	67	73	71	103	109	590
Inflammation of the brain.....	M.. 163 F.. 132	64 48	114 94	14 9	5 5	4 1	2 5	 2	 2	1	1 6	1		5 2	5	
Meningitis.....	M.. 350 F.. 269	117 86	211 165	30 26	14 15	16 13	15 11	9 4	14 5	7 7	5 5	7 3	4 2	4 3	2 5	13 30
Apoplexy.....	M.. 409 F.. 334	2 5	2 9	 1	1 4	2 6	3 4	4 4	10 4	12 6	17 11	19 27	22 21	46 27	47 36	224 174
Paralysis.....	M.. 563 F.. 502	4 6	9 9	3 4	3	4 8	3 6	5 3	6 8	16 11	19 18	20 16	25 23	34 38	48 53	368 305
Paralysis, general (of insane).....	M.. 25 F.. 11			 1					3 1	5	5 1	4 2	1	2 1	3	2 5
Tetanus and trismus nascentium.....	M.. 50 F.. 17	19 4	19 4	6 2	9	2 1	2 2	5 1	1 2	2 2		1	 2	 1	2	1
Chorea.....	M.. 2 F.. 5		1	 3	 2							1				
Epilepsy.....	M.. 69 F.. 62	1 3	3 6	1 2	6 2	16 5	11 6	4 5	5 10	5 7	5 5	4 2	1 2	1 2	 3	7 5
Convulsions.....	M.. 232 F.. 172	184 118	211 147	1 2	1 3	1 1	2 2	3 6	1 1	 3	1 3	3 2	4 2	1 1		3 2
Mental diseases.....	M.. 54 F.. 48						4 4	2 1	3 4	2 5	5 5	3 5	2 6	7 2	5 1	21 15
Diseases of the brain.....	M.. 260 F.. 189	46 49	80 70	7 12	4 7	8 6	8 4	8 3	10 5	7 7	14 7	10 6	10 11	13 11	13 3	68 37
Diseases of the spinal cord.....	M.. 38 F.. 31	6 5	10 10	2 1	1	1 2		1	 3	2 2	1	3 4	5	6 2	2 1	4 6
Locomotor ataxia.....	M.. 22 F.. 13		 1		1			2	1 1	 1	1 2	2	2	1 2	3 2	9 4
Others of this class.....	M.. 36 F.. 78	1 1	1 1	1 1	 2	2 3	1 6	1 5	 1	 4	 4	3 5	1 2	5 11	3 5	18 28
3. Diseases of the circulatory system.	2,458	194	224	30	33	40	52	51	74	75	87	103	143	216	213	1,117
Males.....	1,367	111	133	18	14	11	23	24	29	34	41	59	73	119	122	667
Females.....	1,091	83	91	12	19	29	29	27	45	41	46	44	70	97	91	450
Pericarditis.....	M.. 24 F.. 17	3 1	3 1	2	 3	1 1	 2	 2		1	1	2	2	1 1	1 1	10 4
Diseases of the heart.....	M.. 1,180 F.. 970	72 54	90 62	16 12	14 14	9 27	21 22	23 23	28 40	30 39	31 45	54 41	58 68	111 89	108 81	587 407
Angina pectoris.....	M.. 82 F.. 50				 1	1 1	2 3	1 2	1 4	3 1	7	3 3	11	5 4	8 7	40 24
Diseases of the arteries.....	M.. 29 F.. 14												1	2	3 1	23 13
Aneurism.....	M.. 7 F.. 6				1						1			 3	1 1	4 1
Embolism.....	M.. 4 F.. 6						2		1 1	 1	 1				1	2 1
Others of this class.....	M.. 41 F.. 26	36 28	40 28													1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,332	847	1,584	183	96	106	121	109	123	146	116	145	155	147	229	1,072
Males.....	2,219	466	840	92	44	59	61	55	61	80	58	73	102	81	108	505
Females.....	2,113	381	744	91	52	47	60	54	62	66	58	72	53	66	121	567
Croup.....	M.. 164	29	126	35	3	2										1
Pneumonia.....	F.. 154	35	117	32	2											3
Laryngitis.....	M.. 1,518	292	502	44	36	50	53	44	49	71	50	54	79	62	89	335
Bronchitis.....	F.. 1,401	220	426	41	44	34	49	45	48	52	49	61	41	51	93	367
Pleurisy.....	M.. 19	2	11	3	1	1						1		1		1
Asthma.....	F.. 20	3	7	4	1	1	1		1					2		3
Others of this class.....	M.. 256	90	134	5		1	5	4	3	2	1	5	6	7	5	78
Pneumonia.....	F.. 295	80	132	7	2	4	2	4	6	5	6	2	4	7	10	104
Pleurisy.....	M.. 33			1		3		2	2	3	4		1	1	4	12
Asthma.....	F.. 26	1	1	1		1	1	1	3			3	3		2	10
Others of this class.....	M.. 59	2	3	1				2	1		1	1	6	2	2	40
Pneumonia.....	F.. 55	2	2		1			4	4	9	3	5	4	5	10	39
Pleurisy.....	M.. 170	51	64	3	4	4	3	3	6	4	2	12	10	8	8	39
Asthma.....	F.. 162	40	59	6	2	5	7	4	4	9	3	5	4	5	10	39
5. Diseases of the digestive system.	2,140	302	458	81	75	90	99	107	78	109	82	83	115	131	124	508
Males.....	1,077	174	258	51	50	41	44	34	28	31	36	38	63	68	76	264
Females.....	1,063	128	205	30	25	49	55	73	50	78	46	45	52	63	48	244
Dentition.....	M.. 13	5	12													1
Angina.....	F.. 7	1	7													
Gastritis.....	M.. 38	6	15	10	6	2	2								1	2
Diseases of the stomach.....	F.. 29	2	8	8	5	2	1		1	2			1	1		
Obstruction of the bowels.....	M.. 153	27	39	6		1	4	1	4	3	4	2	7	12	20	50
Appendicitis.....	F.. 160	15	25	5	1	5	5	10	6	3	3	5	7	13	8	64
Hernia.....	M.. 129	19	30	6	2	3	2	5	3	1	3	4	9	7	9	45
Other diseases of the bowels.....	F.. 123	18	33	1	3	5	6	6	2	9	6	2	7	7	4	32
Jaundice.....	M.. 91	15	18	5	5	6	3	3	4	4	2	4	6	6	2	23
Aseities.....	F.. 73	8	14	2	1	1	1	5	3	3	5	4	7	6	5	16
Others of this class.....	M.. 103	1	3	4	23	13	16	10	2	6	1	5	7	2	7	4
Dentition.....	F.. 42	1	2	3	3	8	7	5	2	2	2	2	2	1	1	2
Angina.....	M.. 30	3	3	1	1	2	3	1		2	1	1		2	3	10
Gastritis.....	F.. 25	2	2				1		2	2	2		4	4	3	7
Diseases of the stomach.....	M.. 57	16	21	2	2		2	1	1	1	1	2				20
Obstruction of the bowels.....	F.. 52	17	25	2			2	2	3	2	2		2	1		11
Appendicitis.....	M.. 48	16	18	4		1	3		2		2		4	3	2	10
Hernia.....	F.. 33	16	16			1			1	2	1	1	1		3	6
Other diseases of the bowels.....	M.. 64	1	2	2	1	1	2	1	5	4	4	2	7	5	8	20
Jaundice.....	F.. 69	3	7				3	2	2	10	1	7	4	4	7	22
Aseities.....	M.. 132	8	9	3		1	1	4	4	3	13	7	10	16	17	44
Others of this class.....	F.. 113	2	3	1		1	2	2	3	7	7	12	9	17	10	39
Dentition.....	M.. 96	5	17	7	10	10	4	7	2	2	5	10	6	6	1	9
Angina.....	F.. 216	9	17	4	11	26	26	33	24	32	12	8	4	2	4	13
Gastritis.....	M.. 15		1						1	2			1			10
Diseases of the stomach.....	F.. 18		1	1	1		2	1			2		2	2		6
Obstruction of the bowels.....	M.. 108	52	65	1		1	2	1	1	3		1	6	5	6	16
Appendicitis.....	F.. 103	34	45	3				6	2	4	3	4	2	5	3	26
6. Diseases of the urinary system and male organs of generation.	1,378	44	70	23	18	35	49	40	44	56	57	64	76	107	121	618
Males.....	860	26	37	9	7	13	16	13	20	18	36	29	40	63	81	478
Females.....	518	18	33	14	11	22	33	27	24	38	21	35	36	44	40	140
Bright's disease.....	M.. 551			4	6	9	9	8	16	13	29	23	32	44	58	300
Calculus, urinary.....	F.. 377			11	8	17	22	19	17	31	15	31	30	37	30	109
Diseases of the kidney.....	M.. 3							1								2
Diseases of the bladder.....	F.. 1	1	1													
Others of this class.....	M.. 81	11	20	4	1	2	3	1	1	1	2	1	1	6	6	32
Bright's disease.....	F.. 60	9	21	1	2	1	4	1		5	2	1	5	3	3	11
Calculus, urinary.....	M.. 84					1	1	3	1	2	2	2	2	5	8	57
Diseases of the kidney.....	F.. 16	1	1	1				1	2		1			2	1	7
Diseases of the bladder.....	M.. 141	15	17	1		1	3		2	2	3	3	5	8	9	87
Others of this class.....	F.. 64	7	10	1	1	4	7	6	5	2	4	2	1	2	6	13
7. Diseases of the female organs of generation.	131	1	2		3	12	8	18	15	18	10	15	7	7	4	12
Ovarian tumors.....	23						2	2	1	1	2	3	2	3	2	5
Ovarian diseases.....	11						2	3	2	1		1		1	1	
Diseases of the tubes.....	4					1			2	1						
Uterine tumors.....	24								3	7	5	4		2		3
Uterine diseases.....	15						3	5	1	4					1	1
Others of this class.....	54	1	2		3	11	1	8	6	4	3	7	5	1		3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	267				1	31	60	71	36	42	22					4
Abortion	26					4	3	6	6	6	1					
Childbirth	75					6	11	17	13	13	14					1
Puerperal septicemia	124					16	38	37	14	13	3					3
Extra-uterine pregnancy	5							1	1	3						
Others of this class	37				1	5	8	10	2	7	4					
9. Diseases of the bones and joints.	111	26	46	4	6	10	8	6	2	3	3	4	2	4	1	12
Males	62	18	28	3	3	5	4	4	2	2	1			1		9
Females	49	8	18	1	3	5	4	2		1	2	4	2	3	1	3
Diseases of the spine {M..	36	17	23	1	1	2	1		1	1	1					5
{F..	32	7	17	1	1	4	2	1		1		1		2		2
Abscess, lumbar and {M..	2						2									
{F..	4					1					1	1	1			
Diseases of the bones {M..	13		3	1	2	1		2	1							3
{F..	6	1	1		1		1				1		1			1
Diseases of the hip {M..	7			1		2	1	2		1						
{F..	4				1		1	1				1				
Others of this class {M..	4	1	2											1		1
{F..	3											1		1	1	
10. Diseases of the skin	54	12	19	4	2	1		1	4	3	3	1		4	3	9
Males	35	7	10	3	2	1			2	2	2			4	2	7
Females	19	5	9	1				1	2	1	1	1			1	2
Abscess	20	2	3	3	2	1			1	1	1			3		5
{M..	7	2	3	1					1	1	1					
{F..	7															
Carbuncle	5								1	1				1		2
{M..	2											1				1
{F..	2															
Others of this class {M..	10	5	7								1				2	
{F..	10	3	6					1	1						1	1
11. Diseases of the absorbent system.	32	2	2	4	1	3		2	1	3	1	2	3	3	2	5
Males	18	1	1	4	1	2				1		1	1	2	2	3
Females	14	1	1			1		2	1	2	1	1	2	1		2
Addison's disease {M..	3					1				1						1
{F..	4									1	1	1	1			
Diseases of the spleen {M..	8			1	1	1						1	1	1	2	
{F..	3								1	1						1
Others of this class {M..	7	1	1	3										1		2
{F..	7	1	1			1		2					1	1	1	1
12. Accidents and injuries	1,790	157	279	67	95	145	186	124	152	113	95	100	90	65	50	229
Males	1,359	96	169	40	82	118	152	103	125	86	79	86	79	54	41	145
Females	431	61	110	27	13	27	34	21	27	27	16	14	11	11	9	84
Burns and scalds {M..	80	5	44	3	1	7	5	6	4	1	2		2	1	1	3
{F..	93	2	32	13	4	7	4	5	5	3	4	2		1	1	12
Drowning	105		7	15	18	15	15	9	6	2	5	2	2	3	1	5
{M..	22		2	1	3	5	3	2	1	1		3	1			
{F..	22															
Exposure and neglect {M..	9	2	2									1	1		1	4
{F..	10	7	9				1									
Gunshot wounds {M..	116		3	3	14	21	20	9	7	11	7	5	3	3	3	7
{F..	18	1	3	4	1	1	3	3		1		1		1		
Homicide	37			1	3	2	7	4	5	6	3	2	1	1		2
{M..	6					3	2	1								
{F..	6															
Infanticide	2	2	2													
Injuries by machinery {M..	6		1		1	1						2				1
{F..	1									1						
Railroad accidents {M..	246		1	5	12	17	37	29	37	26	9	16	18	9	8	22
{F..	20		1	2	2	1	2	1	1		1	2	2	1	1	3
Suffocation	85	56	6		1	1	3	1	3	3		2	1	1	1	5
{M..	53	33	36	1	1	1			1	2	3	1				7
{F..	53															
Suicide by shooting {M..	44					1	6	5	4	5	5	3	8		2	5
{F..	3						1				1	1				
Suicide by drowning {M..	4						1							1		2
{F..	2							1	1							
Suicide by poison {M..	32				1	1	2	4	7	1	3	4	2	1	3	3
{F..	17					5	5	1	2	1	2					1
Other suicides	69				2	3	6	4	5	2	6	6	11	9	1	14
{M..	15						4		3	3		1	2	1		1
{F..	15															
Sunstroke	14	1	1			1		2	1	2		1	1	1	3	1
{M..	2											1				1
{F..	2															
Surgical operations {M..	12	4	5	1			1	1		1	1			1		1
{F..	13						1	2		2			1			2
Wounds	15				1	2	6	1	1		2		1			1
{M..	4	1	1						1						1	1
{F..	4															
Others of this class {M..	485	28	42	12	28	46	43	28	45	26	36	42	28	23	17	69
{F..	150	15	24	6	2	4	8	5	10	11	4	2	5	7	6	56

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D	496	26	58	12	12	40	59	55	58	36	33	29	28	16	22	38
Males.....	227	12	26	4	4	16	30	25	20	15	14	13	16	6	17	21
Females.....	269	14	32	8	8	24	29	30	38	21	19	16	12	10	5	17
Anemia.....{M.....																
{F.....																
Diabetes.....{M.....	6						1	1	1			1				2
{F.....	1															1
Rheumatism.....{M.....	11			1		2					1	1	1	2	1	2
{F.....	9		1	1					3	1		2		1		
Scrofula and tubercles.....{M.....	14	2	4			2	2	3					1		2	
{F.....	15	2	5	1	1		3	1		1	1		1		1	
Hydrocephalus.....{M.....	4	2	4													
{F.....	5	2	3		1								1			
Tuberculosis, general.....{M.....																
{F.....																
Consumption.....{M.....	156	7	15		2	11	24	21	17	14	9	9	14	3	7	10
{F.....	189	8	16	5	5	23	23	26	29	12	14	9	8	6	3	10
Cancer.....{M.....	9		1						2	1	1				3	1
{F.....	19	1	2					1	1	4	2	4	2	1	1	1
Tumor.....{M.....	3				1	1					1					
{F.....	1						1									
Dropsy.....{M.....	24	1	2	3	1		3				2	2		1	4	6
{F.....	29	1	5	1		1	2	2	5	3	2	1		2		5
Others of this group.....{M.....					1											
{F.....	1															
2. Diseases of the nervous system.....	425	95	210	44	32	32	17	12	7	5	7	9	9	6	9	26
Males.....	223	49	102	21	17	18	9	6	7	4	3	6	6	4	6	14
Females.....	202	46	108	23	15	14	8	6		1	4	3	3	2	3	12
Inflammation of the brain.....{M.....	34	8	20	5	1	4	1		1			1		1		
{F.....	33	13	22	7	3			1								
Meningitis.....{M.....	75	13	32	6	9	10	5	2	4	1	2	3		1		
{F.....	81	16	41	10	8	10	3	3			2	1		1		2
Apoplexy.....{M.....	8		1	1		1						1			3	1
{F.....	4				1										1	2
Paralysis.....{M.....	24	1	2	1	1			2		1			4	1	2	10
{F.....	18		1			2	2					1	2	1	2	7
Paralysis, general (of insane).....{M.....																
{F.....																
Tetanus and trismus nascentium.....{M.....	2	1	2													
{F.....	1		1													
Chorea.....{M.....																
{F.....																
Epilepsy.....{M.....	7		1	2	2			1								1
{F.....	1		1													
Convulsions.....{M.....	13	9	11		1			1								
{F.....	11	5	9			1	1									
Mental diseases.....{M.....	1										1					
{F.....																
Diseases of the brain.....{M.....	57	16	32	6	3	3	3		2	2		1	1	1	1	2
{F.....	50	12	33	4	3	1	2	2		1	2	1	1			
Diseases of the spinal cord.....{M.....	1	1	1													
{F.....	1			1												
Locomotor ataxia.....{M.....																
{F.....																
Others of this class.....{M.....	1															
{F.....	2			1									1			1
3. Diseases of the circulatory system.....	121	8	11	3	9	6	6	4	9	3	8	13	11	9	7	22
Males.....	64	5	7	2	3	3	2	1	6		4	8	6	2	5	15
Females.....	57	3	4	1	6	3	4	3	3	3	4	5	5	7	2	7
Pericarditis.....{M.....	2						1	1								
{F.....																
Diseases of the heart.....{M.....	57	4	6	2	3	3	1		6		4	7	6	2	5	12
{F.....	56	3	4	1	6	3	4	3	2	3	4	5	5	7	2	7
Angina pectoris.....{M.....	4												1			3
{F.....	1								1							
Diseases of the arteries.....{M.....																
{F.....																
Aneurism.....{M.....																
{F.....																
Embolism.....{M.....	1	1	1													
{F.....																
Others of this class.....{M.....																
{F.....																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	860	196	351	37	32	49	35	36	31	28	53	39	43	32	34	60
Males.....	497	112	191	19	18	28	22	19	19	18	28	29	28	23	20	35
Females.....	363	84	160	18	14	21	13	17	12	10	25	10	15	9	14	25
Croup.....	M.. 84	54	80	4												
F.. 77	49	72	3	1											1	
Pneumonia.....	M.. 367	50	92	13	17	24	22	19	18	17	26	27	25	23	17	27
F.. 245	26	69	13	12	19	13	15	9	9	24	8	14	7	12	21	
Laryngitis.....	M..															
F..																
Bronchitis.....	M.. 23	7	14		1	1			1			1			1	4
F.. 26	6	13	2		1				2	1	1	1		1	1	3
Pleurisy.....	M.. 3		1								1					
F.. 2											1			1		
Asthma.....	M.. 4			1									1			2
F.. 3						1			1							1
Others of this class.....	M.. 16	1	4	1		3				1	1	1	2		1	2
F.. 10	3	6		1			2					1				
5. Diseases of the digestive system.	332	75	178	25	16	9	18	10	6	8	13	14	7	6	7	15
Males.....	166	44	90	16	8	4	7	5	2	5	4	5	3	4	5	8
Females.....	166	31	88	9	8	5	11	5	4	3	9	9	4	2	2	7
Dentition.....	M.. 14	5	14													
F.. 9	7	9														
Angina.....	M.. 9	4	8		1											
F.. 8	1	6	1													1
Gastritis.....	M.. 22	4	13	3			1		1			1			1	2
F.. 30	1	16	2		1						3	3	2	1		2
Diseases of the stomach.....	M.. 40	14	22	3	1	3	2		2	2	2	1	2		2	
F.. 40	5	23	2	3	1	3	2	1	1	2	2	2				
Obstruction of the bowels.....	M.. 4	1	1	2	1											
F..																
Appendicitis.....	M.. 4			1	1	1			1							
F.. 2					1				1							
Hernia.....	M..															
F..																
Other diseases of the bowels.....	M.. 21	3	12	1	1			1		1			1	1		3
F.. 24	4	9	2	2	2	1	1	1	1		2			1		3
Jaundice.....	M.. 4	2	2		1					1						
F.. 6	2	2			1	3										
Inflammation and abscess of the liver.....	M.. 8		1	2	1		1	1				1		1		
F.. 11		2	1				1		1		1	3	1		1	
Other diseases of the liver.....	M.. 10	2	3					1		1	2	1				2
F.. 4	1	2								1	1					1
Peritonitis.....	M.. 3	1	1		1		1									
F.. 7		1	1	1	1		1			2					1	
Ascites.....	M.. 6						2	1							1	1
F.. 3		1			1		1									
Others of this class.....	M.. 21	8	13	4				1				1		1	1	
F.. 22	10	17					1	2				1	1			
6. Diseases of the urinary system and male organs of generation.	56	2	4	1	1	2	2	3	3	2	3	4	7	4	3	17
Males.....	42	1	2			2	2	1	2	1	2	4	6	3	3	14
Females.....	14	1	2	1	1			2	1	1	1		1	1		3
Bright's disease.....	M.. 23						1	1	1	1	1	2	4	3	3	6
F.. 6					1			1	1					1		2
Calculus, urinary.....	M.. 3															3
F..																
Diseases of the kidney.....	M.. 10	1	2			1			1		1	1	2			2
F.. 4	1	2	1							1						
Diseases of the bladder.....	M.. 3											1				2
F..																
Others of this class.....	M.. 3					1	1									1
F.. 4								1			1		1			1
7. Diseases of the female organs of generation.	18	1	1		1	1	3	2	1		2	3			1	3
Ovarian tumors.....	1						1									
Ovarian diseases.....	1										1					
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....	3							1	1						1	
Others of this class.....	13	1	1		1	1	2	1			1	3				3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE; CENSUS YEAR 1900—Continued.

INDIAN TERRITORY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	84					10	24	15	16	13	1	1				4
Abortion	8					1	2	2	2	1						
Childbirth	54					5	16	9	11	8	1	1				3
Puerperal septicemia	19					3	5	4	3	3						1
Extra-uterine pregnancy	1									1						
Others of this class	2					1	1									
9. Diseases of the bones and joints.	22	6	10	1	1	2		1	1	1	1			2		2
Males	12	3	5	1		2		1		1	1					1
Females	10	3	5		1				1					2		1
Diseases of the spine	8	2	4	1		1					1					1
Males	8	2	4	1		1										1
Females	8	2	4		1				1					1		1
Abscess, lumbar and psoas	1													1		
Males	1													1		
Females	1															
Diseases of the bones	4	1	1			1		1		1						
Males	4	1	1			1		1		1						
Females	4	1	1													
Diseases of the hip-joint																
Males																
Females																
Others of this class	1	1	1													
Males	1	1	1													
Females	1	1	1													
10. Diseases of the skin	15	8	9				1	1		2		1	1			
Males	10	7	7					1		1			1			
Females	5	1	2				1			1		1				
Abscess	4	1	1					1		1			1			
Males	4	1	1					1		1			1			
Females	3						1			1		1				
Carbuncle	1	1	1													
Males	1	1	1													
Females	1															
Others of this class	5	5	5													
Males	5	5	5													
Females	2	1	2													
11. Diseases of the absorbent system.	1	1	1													
Males																
Females	1	1	1													
Addison's disease																
Males																
Females																
Diseases of the spleen																
Males																
Females	1	1	1													
Others of this class																
Males																
Females																
12. Accidents and injuries	185	11	37	21	10	21	22	17	10	9	4	11	6	6	4	7
Males	131	4	17	9	8	15	18	16	9	8	3	9	5	4	4	6
Females	54	7	20	12	2	6	4	1	1	1	1	2	1	2		1
Burns and scalds	11	1	6	2			1			1		1				
Males	11	1	6	2			1			1		1				
Females	24	2	11	7	1	2			1		1	1				
Drowning	8		2		2	2	2									
Males	8		2		2	2	2									
Females	2					1	1									
Exposure and neglect	1														1	
Males	1														1	
Females	8		2			2		1		1			1	1		
Gunshot wounds	37		1	2	3	2	8	8	1	2	1	3	2	1	1	2
Males	37		1	2	3	2	8	8	1	2	1	3	2	1	1	2
Females	3															
Homicide	11					2		2	3	2		1	1			
Males	11					2		2	3	2		1	1			
Females	1				1											
Infanticide																
Males																
Females																
Injuries by machinery	2			1		1										
Males	2			1		1										
Females	1															
Railroad accidents	6					2	1		1	1						1
Males	6					2	1		1	1						1
Females	1															
Suffocation	2	1	2													
Males	2	1	2													
Females	3	3	3													
Suicide by shooting	2													1		1
Males	2													1		1
Females																
Suicide by drowning																
Males																
Females																
Suicide by poison																
Males																
Females																
Other suicides	3						1							1		1
Males	3						1							1		1
Females	1															
Sunstroke	2						1			1						
Males	2						1			1						
Females																
Surgical operations	1							1								
Males	1							1								
Females																
Wounds	1		1													
Males	1		1													
Females																
Others of this class	44	2	5	4	3	6	4	5	4	1	2	4	2	1	2	1
Males	44	2	5	4	3	6	4	5	4	1	2	4	2	1	2	1
Females	10	2	4	2			2					1				

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

IOWA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	19,573	3,256	4,811	597	471	754	876	851	741	756	692	650	765	859	973	5,777
Males.....	10,612	1,884	2,738	305	247	333	411	375	335	387	359	361	394	461	520	3,386
Females.....	8,961	1,372	2,073	292	224	421	465	476	406	369	333	289	371	398	453	2,391
Unknown cause.....	720	378	414	10	12	9	13	18	9	12	13	16	10	21	19	144
Males.....	408	237	257	4	6	3	4	5	3	8	7	8	5	10	10	78
Females.....	312	141	157	6	6	6	9	13	6	4	6	8	5	11	9	66
I. General diseases.																
General diseases—A.....	2,866	712	1,296	217	121	144	140	117	96	92	64	49	68	42	61	356
Males.....	1,499	395	720	100	49	56	76	57	43	52	24	34	28	29	53	198
Females.....	1,367	317	576	117	72	88	64	60	53	40	40	15	40	13	31	158
Measles.....{M..	20	3	11	3	1	2	1	1	1	1	1	1	1	1	1	1
{F..	25	12	17	1	1	1	2	1	1	1	1	1	1	1	1	1
Scarlet fever.....{M..	45	4	33	11	1	1	1	1	1	1	1	1	1	1	1	1
{F..	54	5	31	15	4	3	1	1	1	1	1	1	1	1	1	1
Diphtheria.....{M..	143	8	71	46	12	5	4	1	1	1	1	1	1	1	1	1
{F..	112	6	39	40	20	10	1	1	1	1	1	1	1	1	1	1
Whooping cough.....{M..	42	32	41	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	61	35	55	2	2	1	1	1	1	1	1	1	1	1	1	1
Malarial fever.....{M..	46	6	14	6	1	2	1	1	2	3	1	1	3	2	3	9
{F..	38	3	9	1	1	2	2	1	4	3	2	1	5	1	1	7
Influenza.....{M..	107	14	18	1	1	2	4	3	1	3	1	5	1	4	3	62
{F..	99	10	18	2	1	1	1	2	4	1	1	1	4	1	10	58
Typhoid fever.....{M..	289	3	22	8	16	28	53	33	29	33	16	13	7	11	3	17
{F..	260	5	21	28	27	49	33	21	19	14	12	7	8	6	1	14
Cholera morbus.....{M..	127	40	63	9	7	4	2	6	1	1	2	3	4	4	3	18
{F..	127	38	59	9	5	4	3	9	1	4	7	3	4	3	3	16
Colitis.....{M..	17	6	10	1	1	1	1	1	1	1	1	1	1	1	1	2
{F..	7	3	6	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhea.....{M..	55	15	19	3	3	1	1	1	1	1	1	1	1	1	3	24
{F..	24	4	9	3	1	3	1	1	1	1	1	1	1	1	2	5
Dysentery.....{M..	72	16	37	2	1	1	2	2	2	1	1	1	1	2	3	26
{F..	78	14	28	2	1	1	1	1	1	1	1	1	7	2	4	32
Enteritis.....{M..	71	42	59	3	1	2	1	2	1	1	1	1	1	1	2	5
{F..	50	17	29	1	1	2	1	2	1	1	1	1	1	1	3	8
Cholera infantum.....{M..	265	167	264	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	206	132	206	1	1	1	1	1	1	1	1	1	1	1	1	1
Fever.....{M..	6	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebro-spinal fever.....{M..	43	18	29	3	2	5	1	1	1	1	1	2	1	1	1	1
{F..	50	12	21	7	5	6	3	2	2	1	1	1	1	1	1	1
Smallpox.....{M..	11	2	3	1	1	1	1	4	1	1	1	1	1	1	1	1
{F..	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Erysipelas.....{M..	22	6	8	1	3	1	2	1	1	1	1	1	2	1	1	4
{F..	28	8	9	1	1	1	1	1	1	1	1	2	2	1	4	4
Septicemia.....{M..	82	9	9	3	4	4	4	5	4	6	3	5	6	4	7	18
{F..	116	7	13	3	4	6	14	19	18	14	12	6	6	2	2	5
Venereal diseases.....{M..	8	1	1	1	1	1	1	1	1	2	1	1	1	1	2	1
{F..	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Others of this group.....{M..	28	2	4	1	1	1	2	1	1	3	1	1	1	3	3	13
{F..	23	4	4	1	1	1	1	1	1	1	1	1	3	1	3	7
General diseases—B.....	304	188	217	4	1	2	7	2	7	9	7	9	5	6	6	22
Males.....	181	106	118	2	1	1	3	1	6	7	6	6	4	6	5	15
Females.....	123	82	99	2	1	1	4	1	1	2	1	3	1	1	1	7
Alcoholism.....{M..	25	1	1	1	1	1	1	1	1	5	5	2	2	4	3	3
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Parasitic diseases.....{M..	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lead poison.....{M..	3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other poisons.....{M..	44	3	14	2	1	1	3	1	4	1	1	4	2	2	1	8
{F..	28	2	10	1	1	1	4	1	1	2	1	2	1	1	1	4
Inanition.....{M..	108	103	103	1	1	1	1	1	1	1	1	1	1	1	1	4
{F..	91	79	86	1	1	1	1	1	1	1	1	1	1	1	1	3
General diseases—C.....	1,349	375	386	1	1	2	5	2	1	2	4	2	4	6	16	917
Males.....	701	216	223	1	1	1	1	1	1	1	1	1	1	2	5	464
Females.....	648	159	163	1	1	1	4	2	1	1	3	1	3	4	11	453
Old age.....{M..	421	1	1	1	1	1	1	1	1	1	1	1	1	1	2	419
{F..	441	1	1	1	1	1	1	1	1	1	1	1	1	1	8	433
Premature birth.....{M..	137	137	137	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	93	93	93	1	1	1	1	1	1	1	1	1	1	1	1	1
Malformation.....{M..	32	31	32	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	32	30	32	1	1	1	1	1	1	1	1	1	1	1	1	1
Debility and atrophy.....{M..	94	31	37	1	1	1	1	1	1	1	1	1	1	2	3	45
{F..	75	29	31	1	1	1	4	2	1	1	3	1	3	4	3	20
Others of this group.....{M..	17	17	17	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	7	7	7	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	3,471	102	189	40	63	246	305	320	237	189	205	194	214	225	225	819
Males.....	1,575	50	96	23	27	78	101	125	90	84	94	81	101	107	103	465
Females.....	1,896	52	93	17	36	168	204	195	147	105	111	113	113	118	122	354
Anemia.....	19	4	4	1	1	2	1	3	4	4	3	2	1	2	2	6
(M.....)	19	4	4	1	1	2	1	3	4	4	3	2	1	2	2	6
(F.....)	37	4	4	1	1	4	1	3	4	4	3	2	1	2	3	4
Diabetes.....	93	1	6	6	9	3	4	5	4	4	5	1	2	4	6	35
(M.....)	93	1	6	6	9	3	4	5	4	4	5	1	2	4	6	35
(F.....)	57	1	5	2	4	2	2	1	2	1	5	1	7	4	5	16
Rheumatism.....	86	2	4	5	8	7	4	4	3	1	4	2	2	9	4	30
(M.....)	86	2	4	5	8	7	4	4	3	1	4	2	2	9	4	30
(F.....)	55	2	2	3	4	3	2	1	1	2	2	1	5	6	4	20
Scrofula and tabes.....	30	3	5	2	1	1	1	4	5	1	2	1	1	3	1	4
(M.....)	30	3	5	2	1	1	1	4	5	1	2	1	1	3	1	4
(F.....)	25	4	4	1	2	3	1	1	4	1	1	2	3	1	1	4
Hydrocephalus.....	38	13	21	3	1	3	1	1	2	1	1	2	1	1	1	1
(M.....)	38	13	21	3	1	3	1	1	2	1	1	2	1	1	1	1
(F.....)	31	15	22	2	1	3	1	1	1	1	1	1	1	1	1	1
Tuberculosis, general.....	17	1	4	1	1	1	1	3	1	1	2	1	2	3	1	1
(M.....)	17	1	4	1	1	1	1	3	1	1	2	1	2	3	1	1
(F.....)	19	1	4	1	1	1	2	1	1	1	3	1	2	2	1	3
Consumption.....	758	23	43	4	6	52	87	102	67	64	61	45	54	32	27	114
(M.....)	758	23	43	4	6	52	87	102	67	64	61	45	54	32	27	114
(F.....)	1,047	22	44	6	18	147	186	176	117	69	54	53	31	25	31	90
Cancer.....	375	1	4	1	1	4	1	4	4	11	14	25	32	45	49	182
(M.....)	375	1	4	1	1	4	1	4	4	11	14	25	32	45	49	182
(F.....)	426	1	2	1	1	2	5	5	7	20	34	38	48	61	61	141
Tumor.....	32	1	2	1	1	2	2	2	2	1	2	2	2	3	2	10
(M.....)	32	1	2	1	1	2	2	2	2	1	2	2	2	3	2	10
(F.....)	68	2	2	1	1	1	2	3	6	1	6	10	9	7	9	10
Dropsy.....	121	2	4	2	2	2	2	2	2	1	2	4	4	6	10	82
(M.....)	121	2	4	2	2	2	2	2	2	1	2	4	4	6	10	82
(F.....)	119	1	2	1	3	1	2	4	5	6	3	6	8	8	8	63
Others of this group.....	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2
(M.....)	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2
(F.....)	12	1	2	1	1	1	1	1	1	1	1	1	1	3	1	2
2. Diseases of the nervous system.	2,566	435	622	70	46	65	56	54	55	81	86	85	126	130	141	949
Males.....	1,414	257	349	37	24	23	31	28	27	40	51	45	64	70	73	552
Females.....	1,152	178	273	33	22	42	25	26	28	41	35	40	62	60	68	397
Inflammation of the brain.....	104	46	63	6	5	4	3	2	2	2	4	3	3	2	1	4
(M.....)	104	46	63	6	5	4	3	2	2	2	4	3	3	2	1	4
(F.....)	85	37	59	3	4	3	4	2	2	1	1	1	2	1	3	1
Meningitis.....	166	57	94	19	8	8	7	7	6	6	2	1	2	3	1	2
(M.....)	166	57	94	19	8	8	7	7	6	6	2	1	2	3	1	2
(F.....)	120	35	68	14	7	5	5	4	2	3	1	3	3	2	2	3
Apoplexy.....	279	1	1	1	1	1	2	5	4	8	14	11	25	23	22	162
(M.....)	279	1	1	1	1	1	2	5	4	8	14	11	25	23	22	162
(F.....)	224	2	9	1	1	3	1	6	5	12	11	13	17	14	19	113
Paralysis.....	384	5	9	3	1	2	6	1	2	3	7	11	18	19	33	270
(M.....)	384	5	9	3	1	2	6	1	2	3	7	11	18	19	33	270
(F.....)	339	4	10	1	1	5	4	7	1	10	7	10	21	27	26	209
Paralysis, general (of insane). ..	39	1	1	1	1	1	1	1	1	5	9	4	2	4	1	12
(M.....)	39	1	1	1	1	1	1	1	1	5	9	4	2	4	1	12
(F.....)	18	1	1	1	1	1	1	1	1	2	2	3	1	1	1	8
Tetanus and trismus nascentium.....	22	6	6	1	3	1	1	1	2	2	1	1	2	1	1	3
(M.....)	22	6	6	1	3	1	1	1	2	2	1	1	2	1	1	3
(F.....)	16	1	1	4	2	1	1	2	1	1	1	1	1	1	1	1
Chorea.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
(M.....)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
(F.....)	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy.....	43	3	4	3	1	5	3	6	1	3	3	1	2	1	3	7
(M.....)	43	3	4	3	1	5	3	6	1	3	3	1	2	1	3	7
(F.....)	36	2	3	4	2	6	4	1	3	2	1	2	4	1	4	4
Convulsions.....	138	113	131	1	1	2	1	1	1	1	1	1	1	1	1	2
(M.....)	138	113	131	1	1	2	1	1	1	1	1	1	1	1	1	2
(F.....)	104	77	95	3	1	1	1	1	1	1	1	1	1	1	1	2
Mental diseases.....	32	1	1	1	1	2	2	3	1	3	2	2	3	1	3	12
(M.....)	32	1	1	1	1	2	2	3	1	3	2	2	3	1	3	12
(F.....)	46	1	1	1	1	2	3	1	3	6	5	4	6	4	2	10
Diseases of the brain.....	129	22	31	2	2	1	2	3	6	6	7	7	4	10	2	46
(M.....)	129	22	31	2	2	1	2	3	6	6	7	7	4	10	2	46
(F.....)	86	17	22	2	2	8	2	2	4	3	5	1	6	4	2	23
Diseases of the spinal cord.....	28	3	6	2	2	1	4	1	1	1	1	2	1	3	2	6
(M.....)	28	3	6	2	2	1	4	1	1	1	1	2	1	3	2	6
(F.....)	19	3	4	1	2	1	1	1	1	1	1	1	2	1	1	6
Locomotor ataxia.....	9	1	1	1	1	1	1	1	1	1	1	1	2	2	2	4
(M.....)	9	1	1	1	1	1	1	1	1	1	1	1	2	2	2	4
(F.....)	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Others of this class.....	40	2	4	1	1	1	1	1	1	1	1	1	1	3	3	25
(M.....)	40	2	4	1	1	1	1	1	1	1	1	1	1	3	3	25
(F.....)	51	1	2	1	1	5	2	1	4	3	2	1	3	4	10	13
3. Diseases of the circulatory system.	1,849	131	148	23	31	31	39	53	46	64	63	77	100	125	165	884
Males.....	1,068	82	88	12	14	12	15	21	17	35	29	42	57	58	92	576
Females.....	781	49	60	11	17	19	24	32	29	29	34	35	43	67	73	308
Pericarditis.....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7
(M.....)	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7
(F.....)	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of the heart.....	959	65	70	11	12	11	15	20	16	35	28	39	48	51	81	522
(M.....)	959	65	70	11	12	11	15	20	16	35	28	39	48	51	81	522
(F.....)	730	46	56	11	15	17	20	28	29	26	33	31	41	62	68	298
Angina pectoris.....	37	1	1	1	1	1	1	1	1	1	1	1	5	3	6	20
(M.....)	37	1	1	1	1	1	1	1	1	1	1	1	5	3	6	20
(F.....)	23	1	1	1	1	1	1	1	1	1	1	1	2	3	3	8
Diseases of the arteries.....	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
(M.....)	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
(F.....)	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Aneurism.....	9	1	1	1	1	1	1	1	1	1	1	1	2	1	1	3
(M.....)	9	1	1	1	1	1	1	1	1	1	1	1	2	1	1	3
(F.....)	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Embolism.....	6	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2
(M.....)	6	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2
(F.....)	5	1	1													

VITAL STATISTICS

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,600	576	963	110	47	60	64	49	68	74	66	68	82	119	122	708
Males.....	1,425	339	566	47	27	34	38	23	33	46	31	42	36	69	66	367
Females.....	1,175	237	397	63	20	26	26	26	35	28	35	26	46	50	56	341
Croup.....	(M.. 98 F.. 64)	(24 17)	(80 39)	(15 22)	(3 2)						1					
Pneumonia.....	(M.. 1,004 F.. 822)	(222 145)	(359 249)	(23 31)	(20 12)	(29 19)	(35 21)	(20 18)	(29 32)	(39 24)	(28 32)	(37 20)	(31 40)	(56 36)	(46 41)	(252 247)
Laryngitis.....	(M.. 4 F.. 4)	(2 1)	(2 2)	(1 1)												(1 1)
Bronchitis.....	(M.. 136 F.. 126)	(52 42)	(73 62)	(5 3)	(2 1)	(1 2)	(1 1)	(1 1)			1	3	3	4	4	(46 40)
Pleurisy.....	(M.. 27 F.. 24)		(2 1)	(1 1)	(2 1)			(2 1)				1	1	1	3	(16 14)
Asthma.....	(M.. 40 F.. 26)			(1 1)			(1 1)	(1 1)	1	2	1	2	1	2	12	(21 13)
Others of this class.....	(M.. 116 F.. 109)	(39 32)	(50 44)	(3 5)	(2 2)	(2 4)	(2 3)	(1 6)	(3 2)	(7 2)	(2 1)	(3 1)	(1 1)	(7 5)	(2 7)	(31 26)
5. Diseases of the digestive system.	1,421	231	331	56	55	54	65	63	52	66	68	45	53	73	89	351
Males.....	749	137	190	31	24	29	36	28	26	27	40	28	26	33	47	184
Females.....	672	94	141	25	31	25	29	35	26	39	28	17	27	40	42	167
Dentition.....	(M.. 7 F.. 4)	(3 2)	(7 4)													
Angina.....	(M.. 15 F.. 25)	(2 6)	(8 13)	(1 3)	(1 4)		(1 1)	(1 1)				1				(2 2)
Gastritis.....	(M.. 113 F.. 73)	(14 7)	(23 12)	(2 2)	(1 2)	(1 1)	(3 3)	(1 4)	(2 3)	(3 5)	(4 1)	(5 2)	(7 2)	(10 3)	(8 12)	(46 21)
Diseases of the stomach.....	(M.. 79 F.. 68)	(21 9)	(25 14)	(1 1)	(1 1)		(1 2)	(1 4)	(1 3)	(4 4)	(3 4)	(3 1)	(3 7)	(3 5)	(7 3)	(26 20)
Obstruction of the bowels.....	(M.. 49 F.. 54)	(9 5)	(12 12)	(2 4)	(1 2)	(1 2)	(4 2)	(3 1)	(1 2)	(2 2)	(1 4)	(2 1)	(1 1)	(1 3)	(4 3)	(14 18)
Appendicitis.....	(M.. 104 F.. 56)		(4 2)	(16 8)	(11 14)	(14 7)	(14 5)	(11 4)	(7 3)	(4 6)	(9 4)	(4 2)	(2 3)	(2 2)	(2 2)	(4 4)
Hernia.....	(M.. 28 F.. 18)	(4 5)	(6 5)			(3 1)					(1 3)	(1 1)	(1 1)	(1 1)	(4 3)	(11 6)
Other diseases of the bowels.....	(M.. 52 F.. 39)	(19 10)	(25 16)	(3 1)	(1 1)	(4 1)	(2 2)	(2 2)	(2 2)	(1 1)			(1 1)	(3 2)	(1 2)	(7 12)
Jaundice.....	(M.. 24 F.. 24)	(9 5)	(10 7)	(1 1)		(1 1)	(1 1)			(1 1)	(2 2)	(1 1)		(4 1)	(2 1)	(9 6)
Inflammation and abscess of the liver.....	(M.. 33 F.. 31)	(2 2)	(2 2)			(1 1)	(2 2)	(2 1)	(2 1)	(2 1)	(4 4)	(2 3)	(3 6)	(1 1)	(2 1)	(10 9)
Other diseases of the liver.....	(M.. 78 F.. 81)	(5 7)	(7 9)		(2 1)			(2 4)	(4 4)	(5 4)	(8 1)	(6 3)	(5 2)	(5 10)	(7 9)	(27 35)
Peritonitis.....	(M.. 74 F.. 97)	(5 1)	(10 5)	(7 4)	(5 9)	(4 8)	(8 10)	(5 11)	(7 8)	(4 13)	(5 11)	(2 2)		(3 1)	(4 4)	(10 9)
Ascites.....	(M.. 12 F.. 17)						(2 1)				(1 1)			(2 1)	(2 2)	(8 11)
Others of this class.....	(M.. 81 F.. 85)	(44 35)	(51 40)	(1 2)	(2 1)		(1 1)		(1 3)	(5 5)	(2 2)	(2 2)	(2 2)	(2 10)	(4 5)	(10 14)
6. Diseases of the urinary system and male organs of generation.	871	24	35	9	15	15	20	27	33	26	35	39	42	65	73	437
Males.....	600	8	14	6	4	8	10	12	14	12	23	26	20	43	49	359
Females.....	271	16	21	3	11	7	10	15	19	14	12	13	22	22	24	78
Bright's disease.....	(M.. 392 F.. 182)			(3 1)	(4 10)	(7 5)	(10 9)	(8 8)	(12 13)	(7 8)	(20 9)	(16 9)	(18 19)	(32 19)	(36 18)	(219 54)
Calculus, urinary.....	(M.. 6 F.. 3)							(1 1)						(1 1)		(4 2)
Diseases of the kidney.....	(M.. 76 F.. 49)	(7 11)	(12 16)	(1 2)	(1 1)				(1 3)	(1 2)	(2 3)	(4 1)	(1 1)	(4 1)	(4 2)	(45 13)
Diseases of the bladder.....	(M.. 57 F.. 6)	(1 1)	(1 1)					(1 1)	(1 1)	(1 1)		(2 1)	(1 1)	(1 1)	(4 2)	(45 4)
Others of this class.....	(M.. 69 F.. 31)	(5 5)	(1 5)	(2 1)		(1 1)	(1 1)	(2 3)	(3 3)	(4 4)	(1 2)	(4 1)	(2 2)	(5 2)	(5 2)	(46 5)
7. Diseases of the female organs of generation.	48				1	3	1	8	7	4	8	6	2	1	3	4
Ovarian tumors.....	7					(1 1)				(1 1)	(1 1)				(1 1)	(2 1)
Ovarian diseases.....	6					(1 1)		(2 1)				(1 1)				
Diseases of the tubes.....	2								(1 1)							
Uterine tumors.....	10								(1 1)	(1 1)	(4 1)	(1 1)	(1 1)	(1 1)	(1 1)	
Uterine diseases.....	6						(1 1)	(1 1)	(1 1)				(1 1)		(1 1)	(1 1)
Others of this class.....	17				1	1		5	2	1	3	3				1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

IOWA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	185					15	38	43	40	36	9	2		1		1
Abortion	7					1	2	2	1	1						
Childbirth	97					7	19	15	26	21	6	1		1		1
Puerperal septicemia	55					5	14	17	7	9	2	1				
Extra-uterine pregnancy	7							5	1		1					
Others of this class	19					2	3	4	5	5						
9. Diseases of the bones and joints.	81	29	39	5	5	4	3	3	4		1	5	2		5	5
Males	44	13	18	2	5	4	1	1	2		1	1	1		4	4
Females	37	16	21	3			2	2	2			4	1		1	1
Diseases of the spine	M.. 24 F.. 27	11 15	15 19	1 3	1	2			1		1	1			1	1
Abscess, lumbar and psoas.	M.. 1 F..														1	
Diseases of the bones	M.. 10 F.. 5	1	2		3	1	1		1						1	1
Diseases of the hip-joint	M.. 6 F.. 3	1	1	1	1			1					1			1
Others of this class	M.. 3 F.. 2	1	1			1									1	1
10. Diseases of the skin	41	15	16			2	3	1	2	1	1		3		3	9
Males	21	9	9							1	1		1		2	7
Females	20	6	7			2	3	1	2				2		1	2
Abscess	M.. 12 F.. 14	5 3	5 3			2	3			1	1		1		1	3
Carbuncle	M.. 2 F.. 2	1	1										1		1	
Others of this class	M.. 7 F.. 4	3 3	3 4													4
11. Diseases of the absorbent system.	21	1	4				3	1	3	4		2	1			3
Males	12	1	3				2			1		2	1			3
Females	9		1				1	1	3	3						
Addison's disease	M.. 4 F.. 3						1		1	1		2	1			
Diseases of the spleen	M.. 3 F.. 1		1							1						1
Others of this class	M.. 5 F.. 5	1	2				1		2	1						2
12. Accidents and injuries.	1,180	59	151	52	73	102	114	90	81	96	62	51	53	45	42	168
Males	915	34	87	41	66	84	93	74	73	73	51	45	49	34	31	114
Females	265	25	64	11	7	18	21	16	8	23	11	6	4	11	11	54
Burns and scalds	M.. 46 F.. 45	6 4	32 20	4 2	1 1	1 1	1 4	1 3		3 3		1		1	3	2 7
Drowning	M.. 99 F.. 20		11 6	12 3	21 1	20 2	11 1	7	6	2	4	1	1	1	1	2 5
Exposure and neglect	M.. 7 F.. 4	2 2	2						1 1	1 1		1				2
Gunshot wounds	M.. 53 F.. 8		4 2	3 1	7 1	6	3 2	9 1	3	5 1		5	1	2		5
Homicide	M.. 21 F.. 2				1	1	4 2	4	4	1			3		2	1
Infanticide	M.. F..															
Injuries by machinery.	M.. 2 F.. 1		1								1			1		
Railroad accidents	M.. 147 F.. 6			2	9	18	26	15	13	14	8	7	7	6	6	16
Suffocation	M.. 28 F.. 14	18 10	19 13	1 1			1	1	1	1	1	1	2			
Suicide by shooting	M.. 24 F.. 2					1		1	3	3	4	1	1	2	2	3
Suicide by drowning	M.. 5 F.. 3						1				1		2			1
Suicide by poison	M.. 12 F.. 6								2	2	4	1	1	1		1
Other suicides	M.. 54 F.. 13				2 1	2 4	5 1	6 3	6 1	5 1	4 1	3	5	4	4	8
Sunstroke	M.. 20 F.. 2		1	1	1		1	1	1	2	3	2	2	1		5
Surgical operations	M.. 4 F.. 23	1	1			1	4	1	1	6	4	1	2	1	1	2
Wounds	M.. 15 F.. 1			2	1	3	1	3	1	1		1		1	1	
Others of this class	M.. 378 F.. 115	7 8	18 18	16 4	23 3	33 5	34 5	27 6	32 5	33 7	21 5	21 3	24 1	15 8	15 6	66 39

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	16,261	2,939	4,809	631	476	627	796	659	593	590	588	598	615	789	789	3,701
Males.....	8,978	1,653	2,608	335	239	315	383	325	257	309	315	318	346	500	484	2,244
Females.....	7,283	1,286	2,201	296	237	312	413	334	336	281	273	280	269	289	305	1,457
Unknown cause.....	897	436	502	21	12	14	24	12	12	17	11	8	15	26	2	117
Males.....	488	229	263	15	3	6	9	8	2	10	6	4	8	16	13	125
Females.....	409	207	239	6	9	8	15	4	10	7	5	4	7	10	13	72
I. General diseases.																
General diseases—A.....	3,699	928	1,850	256	163	176	165	123	106	89	80	71	80	74	79	383
Males.....	1,954	511	970	127	70	91	84	68	50	47	47	43	39	50	46	222
Females.....	1,745	417	880	129	93	85	81	55	56	42	33	28	41	24	33	165
Measles.....{M..	109	29	73	7	4	9	3	2	1	2	2	1	2	1	1	2
{F..	111	31	68	12	5	8	1	4	6	2			3	1	1	
Scarlet fever.....{M..	32	4	19	9	2									1		1
{F..	36	6	22	9	3	1			1							
Diphtheria.....{M..	128	10	66	43	14	2	1	1					1	1		1
{F..	115	4	49	44	17	2								1		
Whooping cough.....{M..	117	67	110	2	2		1									2
{F..	126	62	123	2		1										
Malarial fever.....{M..	135	16	43	10	3	4	5	8	7	3	7	1	3	7	4	30
{F..	126	10	38	14	6	2	10	4	8	6	4	4	4	6	5	15
Influenza.....{M..	100	13	22	2	1	1			1	1	3	5	1	2	7	54
{F..	75	6	12	2	1	2		3	1	1	3	3	3	5	4	35
Typhoid fever.....{M..	358	5	23	26	22	58	54	34	22	21	24	19	16	9	7	23
{F..	330	12	42	25	45	50	45	18	15	16	7	11	18	2	11	25
Cholera morbus.....{M..	117	37	61	6	8	3	5	3	2	2	1	5	3	6	1	11
{F..	103	31	50	6	3	2	4	7	2	4		1	3	1	1	19
Colitis.....{M..	11	3	9	1								1				
{F..	13	3	8									2		1		2
Diarrhea.....{M..	73	17	31	1	3			4					1	5	6	22
{F..	48	7	24	2	1	2			1		1			2	1	14
Dysentery.....{M..	120	26	67	8		2	2	3	2	1	1		2	4	4	24
{F..	98	13	57	3	1		1	1			3	1	2	3	6	20
Enteritis.....{M..	68	28	44	2	2	4	1			1	1		2	2	2	7
{F..	68	27	49		1	1		1			3	1	1	1	1	9
Cholera infantum.....{M..	326	212	326													
{F..	277	164	277													
Fever.....{M..	21	6	11		2	2	1	1			1		1		1	1
{F..	20	7	12	1		1	1	2	1							2
Cerebro-spinal fever.....{M..	45	14	29	4		4	1	2	1	1	1		1	1		
{F..	37	12	18	6	5		3	3			1					1
Smallpox.....{M..	46	2	8	1		1	5	5	5	5	2	5	1	2	2	4
{F..	27	7	10		1	3	3		3	2	1	2				2
Erysipelas.....{M..	45	11	12	1		1	1		1	1	2	2	1	5	4	14
{F..	12	3	5			2			1			1	2		1	
Septicemia.....{M..	68	10	14	1	7	2	3	2	3	7	2	3	3	2	5	14
{F..	98	10	11	1	3	7	11	10	18	9	10	2	4		1	11
Venereal diseases.....{M..	5							1	1						2	1
{F..	4	1	2						1				1			
Others of this group.....{M..	30	1	2	3				3	4	2		1	1	2	1	11
{F..	21	1	3	2	1	1	1	1						1	1	10
General diseases—B.....	266	170	191	5	3	5	3	5	3	7	4	6	8	6	3	17
Males.....	168	100	114	3	2	3	2	2	1	5	4	4	7	4	3	14
Females.....	98	70	77	2	1	2	1	3	2	2		2	1	2		3
Alcoholism.....{M..	16					1				2	3	1	2	2	1	4
{F..	1								1							
Parasitic diseases.....{M..	1			1			1									
{F..	3		1													
Lead poison.....{M..	2							1					1			
{F..	1	1	1													
Other poisons.....{M..	47	4	17	2	2	2	2	1	1	3		3	4	2	2	6
{F..	16		2	1	1	1	1	3	1	2		1	1	1		1
Inanition.....{M..	102	96	97								1					4
{F..	77	69	73									1		1		2
General diseases—C.....	817	230	240		1	3	2	1		2	1	2	1	9	11	544
Males.....	433	133	137			3	1	1		1				4	5	281
Females.....	384	97	103		1		1			1	1	2	1	5	6	263
Old age.....{M..	253														3	250
{F..	244														3	241
Premature birth.....{M..	83	83	83													
{F..	56	56	56													
Malformation.....{M..	25	21	22													1
{F..	17	14	16		1											
Debility and atrophy.....{M..	68	24	26			3	1	1		1				4	2	30
{F..	57	17	21				1			1	1	2	1	5	3	22
Others of this group.....{M..	6	5	6													
{F..	10	10	10													

KANSAS—Continued.

PART II——VITAL STAT——36

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,046	400	795	118	41	55	66	41	45	64	70	74	88	100	98	391
Males.....	1,153	235	434	56	20	32	37	24	24	40	41	48	51	61	68	217
Females.....	893	165	361	62	21	23	29	17	21	24	29	26	37	39	30	174
Croup.....	(M.. 129	38	102	26	1											
(F.. 105	19	79	22	3			1									
Pneumonia.....	(M.. 806	150	253	22	16	28	30	23	21	38	32	37	38	49	51	168
(F.. 630	111	225	36	17	21	15	21	18	18	23	21	21	31	31	25	128
Laryngitis.....	(M.. 3	1	1		1						1					
(F.. 2			1	1												
Bronchitis.....	(M.. 92	28	50	5		2	1		1		3	3	4	2	7	14
(F.. 71	26	43	1		1	1	1			2		1	1		2	19
Pleurisy.....	(M.. 19		2	1	1		3	1	1				1	3	1	5
(F.. 9		1					1	1			1			1		4
Asthma.....	(M.. 34										4	2	3	5	5	15
(F.. 33		1				1			1	2	3	3	3	2	2	18
Others of this class..	(M.. 70	18	26	2	1	2	3		1	2	1	6	5	2	4	15
(F.. 43	9	11	2	1			5	1	3	3	3	1	2	5	1	5
5. Diseases of the digestive system.	1,058	181	255	49	51	56	54	39	36	44	48	47	44	59	65	208
Males.....	560	103	136	29	29	24	29	14	12	19	31	24	19	37	39	118
Females.....	498	78	119	20	25	32	25	25	24	25	17	23	25	22	26	90
Dentition.....	(M.. 5	3	5													
(F.. 8	5	8														
Angina.....	(M.. 13		3	6	2			1		1						
(F.. 12		7	2		1				1							1
Gastritis.....	(M.. 64	5	12	1	1	1	3	1		3	5	2	2	2	13	18
(F.. 63	10	16	1	2	2	4	2		3	2	2	1	3	6	6	13
Diseases of the stomach.....	(M.. 82	25	29	2	2		1		1	1	5	1	2	5	5	28
(F.. 72	14	20	3	1		2	4	3	6	4	4	4	4	3	5	17
Obstruction of the bowels.....	(M.. 42	3	5	2	2	3	2	2			3	4	3	3	5	8
(F.. 28	2	4		2	4				1	3	2	3	1	3	1	4
Appendicitis.....	(M.. 65			6	14	9	14	4	4	2	2	3	2		2	3
(F.. 44		1	5	6	7	5	5	6	5		2	2	2	2	1	2
Hernia.....	(M.. 22	3	3	1		4			1		1	1		4		7
(F.. 12		1			1						2	2	2	1	1	4
Other diseases of the bowels.....	(M.. 37	9	14		1	1	1			2	3		1	4		11
(F.. 22	9	12	2	1		1				2	1	1	1			2
Jaundice.....	(M.. 21	12	12	1					1	1	1		1	1	1	3
(F.. 23	8	8	2				1	1	1	1		1	2		2	5
Inflammation and abscess of the liver.....	(M.. 27		1		1	1	2			2	2	4	1	4	2	6
(F.. 39	3	3		1	1	4	3		1	4	4	4	1	2	3	8
Other diseases of the liver.....	(M.. 46			1	1		1	1	4	4	3	2	3	6	6	14
(F.. 32	1	3	2	2	2	1		3		1	1	4	4	2	4	9
Peritonitis.....	(M.. 43	4	6	6	3	5	2	3	2	2	1	2	3	3		5
(F.. 63	3	6	7	5	10	6	7	5	4	3	3	3	3			4
Ascites.....	(M.. 15		1		1		1			2	1			2		7
(F.. 20	1	1				1	1	1	1	2	1	2	1	1		9
Others of this class..	(M.. 78	39	45	3	1	1	2	1		1	3	4	1	3	5	8
(F.. 60	22	29	2	2	3	1	1	1		1	3	3	1	2	3	12
6. Diseases of the urinary system and male organs of generation.	575	17	21	6	5	10	15	15	23	26	23	29	39	44	48	271
Males.....	411	8	11	2	1	4	7	3	7	18	16	20	28	33	38	223
Females.....	164	9	10	4	4	6	8	12	16	8	7	9	11	11	10	48
Bright's disease.....	(M.. 265			1	1	2	5	1	6	16	9	14	23	26	24	137
(F.. 111			3	4	4	5	9	12	6	7	9	9	7	7	29	
Calculus, urinary.....	(M.. 6							1							1	4
(F.. 1									1							
Diseases of the kidney.....	(M.. 69	6	9	1		1		1		2	3	2	3	2	6	39
(F.. 25	6	7	1		1		2	2	1	1					2	8
Diseases of the bladder.....	(M.. 30	1	1				1		1			1		3	3	20
(F.. 5	1	1											1			3
Others of this class..	(M.. 41	1	1			1	1				4	3	2	2	4	23
(F.. 22	2	2			1	1	1	1	2	1		2	2	3	1	8
7. Diseases of the female organs of generation.	34				1	1	5	1	5	5	4	4	1		1	6
Ovarian tumors.....	7						2		1			1				3
Ovarian diseases.....	4								3	1						
Diseases of the tubes.....	1								1							
Uterine tumors.....	5										2	1			1	1
Uterine diseases.....	2						2									
Others of this class.....	15				1	1	1	1		4	2	2	1			2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KANSAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	166					21	40	31	19	31	16	2	1			5
Abortion	11					2	2	4	1	1	1					
Childbirth	81					12	15	11	7	21	10	1				4
Puerperal septicemia	59					6	17	13	10	8	4		1			
Extra-uterine pregnancy	3							1	1	1						
Others of this class	12					1	6	2			1	1				1
9. Diseases of the bones and joints.	52	17	23	3	3	2	5	2	2	1	1	3	3		1	3
Males	35	11	16	3	3	1	3	1	1	1		2	2		1	1
Females	17	6	7			1	2	1	1		1	1	1			2
Diseases of the spine {M.....	21	10	14	2	1	1			1				2			
{F.....	10	5	6						1		1	1	1			
Abscess, lumbar and {M.....							1									
psoas. {F.....	1															
Diseases of the bones {M.....	8	1	1		2		2			1		1			1	
{F.....	1															1
Diseases of the hip {M.....	4		1				1					1				1
joint. {F.....	2	1	1				1									
Others of this class {M.....	2			1				1								
{F.....	3					1		1								1
10. Diseases of the skin.	36	7	13			2	2	2	1	1		2		2	2	9
Males	22	5	8			1		1	1	1		1		1		8
Females	14	2	5			1	2	1				1		1	2	1
Abscess..... {M.....	11	2	4			1		1	1							4
{F.....	9	1	2				2	1				1		1	2	
Carbuncle..... {M.....	4											1		1		2
{F.....																
Others of this class {M.....	7	3	4							1						2
{F.....	5	1	3			1										1
11. Diseases of the absorbent system.	13	1	1	1		1	1	1	1			1	2	1	1	2
Males	9	1	1			1	1	1	1				1	1	1	1
Females	4			1								1	1			1
Addison's disease {M.....	1													1		
{F.....	1											1				
Diseases of the spleen {M.....	4					1	1	1							1	
{F.....	1												1			
Others of this class {M.....	4	1	1						1				1			1
{F.....	2			1												1
12. Accidents and injuries.	1,043	59	139	62	63	89	115	86	63	58	65	44	44	50	36	129
Males	813	39	88	42	51	71	91	78	50	49	56	36	35	45	29	92
Females	230	20	51	20	12	18	24	8	13	9	9	8	9	5	7	37
Burns and scalds {M.....	29	4	20	5					1	2						1
{F.....	44	3	17	8	3	1	6	2	1	3				1	1	1
Drowning..... {M.....	85	2	10	9	8	18	13	15	4	1	4				2	1
{F.....	11		3		2	4						1			1	
Exposure and neglect {M.....	9	5	6		1				1							1
{F.....	5	4	4													1
Gunshot wounds {M.....	93		3	5	5	18	18	10	5	5	6	4	3	4	3	4
{F.....	16			2	4	3	3		2	1						1
Homicide..... {M.....	29			1		2	2	5	3	2	4	3	2	1	1	3
{F.....	6					1	1			1	1					2
Infanticide..... {M.....																
{F.....	1	1	1													
Injuries by machinery {M.....	2					1				1						
{F.....																
Railroad accidents {M.....	112		2	3	9	10	19	11	11	6	8	5	4	3	3	18
{F.....	7				2	1	1		1				1		1	1
Suffocation..... {M.....	26	12	13		4	1	1	1			1			2		3
{F.....	10	7	8										1			1
Suicide by shooting {M.....	19				1	1	3	1		5		1	3	1	1	2
{F.....	2								1	1						
Suicide by drowning {M.....	5														2	3
{F.....	1												1			
Suicide by poison {M.....	5				1		1	1					1		1	
{F.....	6						2				1	1		1	1	
Other suicides..... {M.....	70					1	7	5	4	3	9	10	4	12	4	11
{F.....	15				2	5	1	2			1		1	1		2
Sunstroke..... {M.....	9		1			1			1			1		1	1	3
{F.....	2										1				1	
Surgical operations {M.....	3									1				1		1
{F.....	14		1				2	2	3	1	2		2	1		
Wounds..... {M.....	2								1		1					
{F.....																
Others of this class {M.....	315	16	33	19	22	18	27	29	19	23	23	12	18	20	11	41
{F.....	90	5	17	10	3	6	4	2	3	2	3	6	3	1	2	28

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	27,091	5,059	8,408	937	759	1,317	1,721	1,460	1,110	1,185	1,044	989	1,023	990	1,097	5,051
Males.....	13,843	2,809	4,538	448	391	564	768	683	525	558	521	516	549	545	577	2,660
Females.....	13,248	2,250	3,870	489	368	753	953	777	585	627	523	473	474	445	520	2,391
Unknown cause.....	1,733	985	1,113	34	23	46	35	33	24	28	31	43	33	36	37	217
Males.....	906	529	591	18	10	22	15	11	6	15	15	26	15	22	16	124
Females.....	827	456	522	16	13	24	20	22	18	13	16	17	18	14	21	93
1. General diseases.																
General diseases—A.....	5,498	985	2,166	355	266	379	380	261	194	187	147	140	139	142	122	620
Males.....	2,789	540	1,142	178	118	167	187	124	111	83	70	75	67	79	59	329
Females.....	2,709	445	1,024	177	148	212	193	137	83	104	77	65	72	63	63	291
Measles.....{M..	156	37	103	12	7	8	4	4	6	2	2	2	2	2	2	4
{F..	179	47	98	11	13	7	8	9	5	10	1	2	4	3	1	7
Scarlet fever.....{M..	21	5	19	1	1											
{F..	26	3	13	8	1	2	1				1					
Diphtheria.....{M..	95	16	69	19	5								1			1
{F..	127	12	83	33	7	2	1		1							
Whooping cough.....{M..	135	57	126	4	3	1			1							1
{F..	144	50	132	7	3	1										
Malarial fever.....{M..	161	25	57	18	12	12	9	7	3	7	4	7	2	5	1	17
{F..	183	19	46	14	14	17	13	10	7	7	11	7	9	6	5	17
Influenza.....{M..	238	41	58	3	4	1	2	4	4	6	3	5	5	9	9	125
{F..	239	23	35	1	4	8	5	7	3	6	5	3	13	8	24	117
Typhoid fever.....{M..	847	22	79	69	56	107	145	86	75	46	39	39	27	26	16	37
{F..	822	33	93	76	84	147	120	56	42	42	29	31	23	22	16	41
Cholera morbus.....{M..	94	23	51	4	2	3	6		1	5	1		2	3	2	14
{F..	68	15	26	3	1	3	5	8	4	2	2	1	3	5		5
Colitis.....{M..	13	4	6			1				1	1				1	3
{F..	11	5	7			1		1		1				1		
Diarrhea.....{M..	100	15	38	2	1	3		1	1		1	1	6	10	4	33
{F..	95	15	47	3	4	1	1	2	4	3	3		3	3	2	19
Dysentery.....{M..	233	38	111	19	9	7	1	1	5	2	8	6	11	7	7	39
{F..	207	21	85	6	7	5	4	7	4	5	9	9	9	3	8	46

565

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	5,523	155	394	106	153	436	725	583	434	422	359	300	312	252	258	789
Males.....	2,328	66	199	45	67	144	263	222	169	155	142	118	155	129	128	392
Females.....	3,195	89	195	61	86	292	462	361	265	267	217	182	157	123	130	397
Anemia.....	(M.. 14 F.. 19)	 1	2 2			1 2	 1	4 4	1 1	2 6		1	1	 1	1	5 2
Diabetes.....	(M.. 36 F.. 29)	 1	1 2		2 2	2 3	4 1	3	 2	2 2	3 1	1 1	5 6	 3	3 1	10 5
Rheumatism.....	(M.. 79 F.. 81)		1	1 2	7 3	2	 7	1 5	3 6	3 5	4 2	4 3	6 7	7 2	13 8	27 29
Scrofula and tabes.....	(M.. 109 F.. 91)	12 7	37 29	9 6	5 6	5 5	5 4	1 4	3 3	1 7	3 6	9 2	6 2	3 4	6 3	16 10
Hydrocephalus.....	(M.. 38 F.. 48)	12 11	28 32	4 7	1 1		1 1	1 2	 1		 2	1 2				2
Tuberculosis, general.....	(M.. 10 F.. 8)		 1	1	1	 1	1 2	1 1		2 1		1		1	1	1 1
Consumption.....	(M.. 1,615 F.. 2,301)	31 59	88 104	16 34	39 70	125 268	241 429	211 330	154 226	133 211	120 151	75 108	110 73	81 65	62 64	160 168
Cancer.....	(M.. 186 F.. 362)	2 2	6 3	1 2	1	 3	1 5	 4	4 16	6 26	7 28	16 55	14 47	17 34	23 40	90 99
Tumor.....	(M.. 26 F.. 54)	1 5	3 5			2 1	2 2	1 4	 2	4 5	2 4	3 3	2 8	2 3	1 2	4 15
Dropsy.....	(M.. 205 F.. 197)	4 1	27 14	13 10	10 4	6 7	8 10	3 7	4 8	2 9	3 17	7 8	11 14	17 9	18 12	76 68
Others of this group.....	(M.. 10 F.. 5)	4 2	6 3		1	1				1				1 1		1
2. Diseases of the nervous system..	2,867	667	1,144	118	72	76	67	85	50	97	80	98	118	111	129	622
Males.....	1,546	390	647	57	39	34	33	51	26	60	47	49	65	58	63	317
Females.....	1,321	277	497	61	33	42	34	34	24	37	33	49	53	53	66	305
Inflammation of the brain.....	(M.. 239 F.. 194)	77 62	169 132	17 13	9 9	8 10	4 5	6 4	1 2	2	6 2	5 3	1 3	1 3	1 1	9 7
Meningitis.....	(M.. 325 F.. 250)	115 71	214 155	27 25	12 13	10 13	10 8	11 7	5 5	11 2	4 3	3 4	8 4	2 1	2 4	6 6
Apoplexy.....	(M.. 160 F.. 152)	 3	2 4	1	 2	1	6 3	4 3	2 3	7 7	11 7	13 15	22 12	17 13	19 17	55 66
Paralysis.....	(M.. 290 F.. 298)	4 4	9 6	1 5	2 2	5 3	2 5	7 3	5 4	9 8	6 7	12 13	16 19	19 26	24 31	173 166
Paralysis, general (of insane).....	(M.. 18 F.. 5)							1 1		4 1	3 1	4	3 1	2 1		1
Tetanus and trismus nascentium.....	(M.. 33 F.. 11)	16 9	17 9	3	5	4		2 1		1				1		1
Chorea.....	(M.. 1 F.. 4)		1		1					1						1 1
Epilepsy.....	(M.. 53 F.. 46)	7 11	8 13	1 2	4 1	3 6	7 6	6 4	5	3 1	5 2	1 2	1	3 1	4 3	2 5
Convulsions.....	(M.. 162 F.. 134)	130 91	150 118	2 2	1 1	 3		1 2	1 1	1 3		2	1		1	3 4
Mental diseases.....	(M.. 66 F.. 31)						1 1	6	4 2	10 5	6 5	4 3	5 6	5 1	2 2	23 6
Diseases of the brain.....	(M.. 150 F.. 141)	36 25	68 55	4 13	6 4	3 6	3 3	4 5	2 4	10 4	4 4	4 6	6 2	8 4	5 4	23 27
Diseases of the spinal cord.....	(M.. 14 F.. 6)	3 1	7 2	1 1						1	 1	 1	1			4
Locomotor ataxia.....	(M.. 8 F.. 3)							2		1	1	1	1		2 1	 2
Others of this class.....	(M.. 27 F.. 46)	2	3 2			1	3	4	3	5	1	2	5	2	3	16 15
3. Diseases of the circulatory system.	1,449	63	83	18	24	34	63	47	57	76	71	79	91	103	148	555
Males.....	732	40	53	7	7	15	27	19	23	37	30	44	44	53	78	295
Females.....	717	23	30	11	17	19	36	28	34	39	41	35	47	50	70	260
Pericarditis.....	(M.. 1 F.. 9)	 1	1			1	1	1	2		1		1		1	1
Diseases of the heart.....	(M.. 671 F.. 659)	35 19	47 26	6 11	4 17	14 17	26 30	18 23	19 31	34 36	27 36	42 34	38 45	51 46	74 64	271 243
Angina pectoris.....	(M.. 27 F.. 31)					1 1	1 3	1 2	2	3 3	2 3	1 1	4 1	1 3	2 4	9 10
Diseases of the arteries.....	(M.. 13 F.. 5)													1 1	1 1	11 3
Aneurism.....	(M.. 10 F.. 8)				1		1	1	2 1	 1	1	1	2		1	2 4
Embolism.....	(M.. 4 F.. 2)			1	2		 1	 1								1
Others of this class.....	(M.. 6 F.. 3)	5 3	6 3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,907	1,028	1,841	143	67	123	135	116	111	121	114	129	122	125	153	667
Males.....	2,146	593	995	65	38	69	72	64	63	67	77	75	72	67	81	341
Females.....	1,821	435	846	78	29	54	63	52	48	54	37	54	50	58	72	326
Croup.....	{M.. 435	267	407	23	2	1	1									1
F.. 333	196	319	12		1											1
Pneumonia.....	{M.. 1,314	236	440	35	33	58	56	48	51	51	62	61	58	45	69	247
F.. 1,113	177	402	49	25	40	50	44	44	41	41	27	45	33	47	48	218
Laryngitis.....	{M.. 10	1	4		1			2			1				1	1
F.. 4		2	1		1											
Bronchitis.....	{M.. 207	69	110	4		5	4	7	5	2	4	5	6	9	1	45
F.. 213	48	94	12	2	7	8	3	3	2	5	2	5	7	6	9	51
Pleurisy.....	{M.. 28		3	1			3	1	1	4	3		3		2	7
F.. 26		2			2	2	1	1					2	1	1	14
Asthma.....	{M.. 59	2	3			2			2	4	5	3	8	6	6	26
F.. 57	2	3				1	2		2	2	3	6	1	9	28	
Others of this class.....	{M.. 93	18	28	2	2	3	8	6	6	8	3	4	2	5	2	14
F.. 75	12	24	4	2	3	3	2	2	1	6	6	1	2	3	5	14
5. Diseases of the digestive system.	1,457	274	451	58	49	50	74	71	59	59	66	72	76	69	73	230
Males.....	748	155	252	25	36	22	28	26	23	23	28	46	39	44	44	112
Females.....	709	119	199	33	13	28	46	45	36	36	38	26	37	25	29	118
Dentition.....	{M.. 22	7	22													
F.. 23	10	23														
Angina.....	{M.. 20	5	14	2			1		1					1		1
F.. 24	2	14	5	1		1			1				1			1
Gastritis.....	{M.. 94	12	22	2	1	1	3	3	2	1	6	11	8	5	5	24
F.. 92	13	24	5	1	4	1	6	10	6	4	1	5	4	4	4	17
Diseases of the stom-ach.....	{M.. 83	18	31	1	6	3	2	2	2	1	1	5	4	5	9	11
F.. 95	12	23	3	4	4	3	6	1	5	5	7	2	5	5	5	22
Obstruction of the bowels.....	{M.. 28	4	5		2	6	2	2	2	1	1	1		1		5
F.. 29	1	2				5	5	1	2	2	2	2	2		4	7
Appendicitis.....	{M.. 64	2	2	5	9	5	11	8	5	5	2	4	2	1	2	3
F.. 28	2	2	7	3	3	6	1	2	2	2		1	1	1		
Hernia.....	{M.. 24	2	3		1			2	1		3	1	2		1	10
F.. 11	1	1							1		2	1		3		3
Other diseases of the bowels.....	{M.. 72	22	44	3	3		1				1		3	1	3	13
F.. 81	16	35	3		1	2	9	6	1		4	2	4	4	4	10
Jaundice.....	{M.. 48	29	31				1	1	2		2	1	1	3	3	3
F.. 32	13	13	1			4		1	1	2		1	2	1	6	
Inflammation and abscess of the liver.....	{M.. 44	4	6		1	1	3	2	1	2	2	7	3	3	2	11
F.. 40	5	5			2	2	2	1	1	1	1	6	2	1	16	
Other diseases of the liver.....	{M.. 90	13	19	2	2				1	8	5	10	9	13	9	12
F.. 47	11	11	1	1	1			3	2	4	1	6	1	5	11	
Peritonitis.....	{M.. 45	1	4	4	2	6	3	4	5	1	2	3		3	4	4
F.. 106	5	7	4	3	12	18	16	7	11	13	3	4	2	1	5	
Ascites.....	{M.. 19		1	2	4		1				1		1	3	3	3
F.. 15		1			1				2		1	2		1	7	
Others of this class.....	{M.. 95	36	48	4	5			2	2	3	2	3	6	5	3	12
F.. 86	28	38	4			4	4	3	1	5	5	5	5	2	2	13
6. Diseases of the urinary system and male organs of generation.	896	16	36	11	6	18	20	35	36	36	53	36	57	73	94	385
Males.....	590	11	20	3	2	8	6	20	20	18	34	23	37	39	58	302
Females.....	306	5	16	8	4	10	14	15	16	18	19	13	20	34	36	83
Bright's disease.....	{M.. 378			2	1	4	4	16	11	15	25	16	25	26	44	189
F.. 213				4	2	5	10	11	13	10	15	10	17	25	31	60
Calculus, urinary.....	{M.. 8	1	1					1			1	1			1	3
F..																
Diseases of the kidney.....	{M.. 104	4	13	1	1	3		2	4		3	3	4	6	4	60
F.. 48	5	15	3	1	2	3			1	2	2	3	2	4	2	8
Diseases of the bladder.....	{M.. 37						2	1			1	2	2	2	3	24
F.. 4														1	3	
Others of this class.....	{M.. 63	6	6		1				5	3	4	1	6	5	6	26
F.. 41		1	1	1	3	1	4	2	6	2	2	1	4	3	3	12
7. Diseases of the female organs of generation.	70		1			4	8	6	9	6	11	11	2	3	3	6
Ovarian tumors.....	9		1				1			1		3		2		1
Ovarian diseases.....	1										1					
Diseases of the tubes.....																
Uterine tumors.....	9						1				5		1		1	1
Uterine diseases.....	10						2	1	3		1					3
Others of this class.....	41					4	5	4	6	5	4	8	1	1	2	1

CAUSE, SEX, AND AGE.

567

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

KENTUCKY—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	214				1	32	43	45	34	34	17	4	1	1		2
Abortion	13				1	2		3	4	2	1					
Childbirth	120					15	23	27	21	22	8	2	1			1
Puerperal septicemia	64					10	16	13	8	8	7	2				
Extra-uterine pregnancy	4							1		2				1		
Others of this class	13					5	4	1	1		1					1
9. Diseases of the bones and joints.	188	63	113	11	10	10	8	5	4	4	3	2	1	3	5	9
Males	114	33	61	10	6	5	6	4	2	3	2	1	1	3	4	6
Females	74	30	52	1	4	5	2	1	2	1	1	1			1	3
Diseases of the spine. {M..	90	31	55	10	5	3	3	3		1	2			1	3	4
{F..	65	30	50	1	3	2	2	1	2	1	1				1	1
Abscess, lumbar and {M..	1									1						
{F..																
Diseases of the bones. {M..	15	2	6		1		2	1	1				1		1	2
{F..	8		2		1						1					2
Diseases of the hip. {M..	7					2			1	1		1		2		
{F..	1					1										
Others of this class. {M..	1						1									
{F..																
10. Diseases of the skin	56	16	24	1		2	2	2	1	1	2	2	2	4	7	6
Males	30	9	14			1	1		1		2		1	3	6	1
Females	26	7	10	1		1	1	2		1		2	1	1	1	5
Abscess. {M..	12	2	4				1		1					1	4	1
{F..	15	4	5			1	1	1		1		1	1	1	1	2
Carbuncle. {M..	3										2			1		
{F..	4							1				1				2
Others of this class. {M..	15	7	10			1							1	1	2	
{F..	7	3	5	1												1
11. Diseases of the absorbent system.	18	1	3	1	1	1		1		1	1	1	1	3		4
Males	10			1	1	1							1	3		3
Females	8	1	3					1		1	1	1				1
Addison's disease. {M..	4			1									1	2		
{F..																
Diseases of the spleen. {M..	1					1										
{F..	4	1	2							1	1					
Others of this class. {M..	5				1									1		3
{F..	4		1					1				1				1
12. Accidents and injuries	1,368	99	245	72	81	99	145	158	77	100	75	63	52	44	34	123
Males	1,007	56	138	34	62	74	120	135	70	88	64	54	40	32	27	69
Females	361	43	107	38	19	25	25	23	7	12	11	9	12	12	7	54
Burns and scalds. {M..	70	6	50	8	4				1	4					1	2
{F..	142	8	57	29	7	9	5	7	1		2	1	2	6	3	13
Drowning. {M..	84		10	6	13	13	17	8	6	3	1		1	3	2	1
{F..	6		2		1	2										1
Exposure and neglect. {M..	18	8	9	1	1	1						1	2	1	1	1
{F..	12	6	8			1	3									
Gunshot wounds. {M..	195		5	3	11	18	32	34	17	20	20	14	6	7	4	4
{F..	27		2	1	5	6	6	3		1	1			1		1
Homicide. {M..	51			1	3	7	8	11	2	5	10	3	1			
{F..	7			1		1	1	1			1	1	1			
Infanticide. {M..																
{F..	1	1	1													
Injuries by machinery. {M..	8					1	1	2		1	1	1	1			
{F..																
Railroad accidents. {M..	104		4	3	4	6	13	28	9	10	4	8	2	3	3	7
{F..	9			1			1				2		1	2		2
Suffocation. {M..	36	23	26		1		2	1	2	2				1		1
{F..	25	17	19					1	1						1	3
Suicide by shooting. {M..	22					1	4	2	1	3	3	1	4			3
{F..	3						1		1							
Suicide by drowning. {M..	5							1					2	2		
{F..																
Suicide by poison. {M..	16						1	4	2		3	3			1	2
{F..	6					2	2	2								
Other suicides. {M..	49			1	1	1	9	5	3	5	6	2	3	2	2	9
{F..	10					1	3	2		1	1	1				1
Sunstroke. {M..	9					1			1	2	1		1			3
{F..	4	1	1							1		1	1			
Surgical operations. {M..	5							2			1	2				
{F..	14					1	1	2	2	3	1	2	1			1
Wounds. {M..	16		1	1		1	2	2		7	2					
{F..																
Others of this class. {M..	319	19	33	10	24	24	31	35	26	26	12	19	17	13	13	36
{F..	95	10	17	6	6	2	2	5	2	5	3	3	6	3	3	32

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	20,955	3,785	6,530	873	634	1,067	1,468	1,305	1,028	977	904	865	861	713	838	2,892
Males.....	10,971	2,043	3,417	446	338	509	732	704	577	531	485	471	496	394	423	1,451
Females.....	9,984	1,742	3,113	427	296	558	736	601	451	446	419	394	365	322	415	1,441
Unknown cause.....	1,281	523	731	74	37	43	37	42	23	30	24	17	35	20	38	130
Males.....	626	268	366	34	20	18	12	20	12	15	15	4	16	12	16	66
Females.....	655	255	365	40	17	25	25	22	11	15	9	13	19	8	22	64
1. General diseases.																
General diseases—A.....	6,137	1,252	2,523	410	285	412	488	363	260	218	192	150	154	123	138	421
Males.....	3,208	653	1,283	207	127	205	275	209	150	125	109	94	95	61	70	201
Females.....	2,929	599	1,240	203	158	207	213	154	110	93	83	59	59	62	68	220
Measles.....	(M.. 250 F.. 276)	63 57	149 150	32 24	7 13	13 16	9 16	6 15	10 6	3 4	7 11	3 2	6 6	1 3	1 1	3 9
Scarlet fever.....	(M.. 44 F.. 53)	5 6	29 36	7 7	3 4	1 2	1	1	1 2	1 1				1	1	
Diphtheria.....	(M.. 48 F.. 42)	8 11	35 26	6 10	4 1		1	3	1					1	1	1
Whooping cough.....	(M.. 90 F.. 90)	46 55	85 84	3 1		2		1								3
Malarial fever.....	(M.. 519 F.. 511)	54 61	139 155	61 53	34 45	49 52	52 41	24 24	27 24	22 18	19 12	23 12	21 15	13 13	9 11	26 36
Influenza.....	(M.. 87 F.. 104)	17 17	27 28		2 1	4 4	5 8	2 2	3 2	2 2			3 4	3 5	8 8	28 32
Typhoid fever.....	(M.. 528 F.. 549)	30 37	98 112	46 45	35 58	65 86	83 62	58 42	36 34	27 22	22 20	17 15	15 7	6 13	7 14	13 19
Cholera morbus.....	(M.. 90 F.. 61)	20 10	44 23	5 3	6 4	4 3	6 3	2 1	1 3	2 3	3 2		3 3	3 2	4 1	7 7
Colitis.....	(M.. 5 F.. 7)	2 3	3 4					1				1				3
Diarrhea.....	(M.. 179 F.. 135)	26 23	59 64	6 3	4 1	8 2	3 5	5 4	8 1	8 4	9 3	4 3	8 4	13 7	7 9	37 25
Dysentery.....	(M.. 227 F.. 158)	38 14	92 59	10 6	6	3	9 3	13 7	8 8	9 7	8 4	10 6	11 4	5 4	14 12	29 32
Enteritis.....	(M.. 255 F.. 246)	128 114	192 178	6 6	2 3	3 4	7 6	6 4	3 1	3 5	3 7	2 3	3 4	4 1	5 2	16 22
Cholera infantum.....	(M.. 193 F.. 170)	141 112	193 170													
Fever.....	(M.. 76 F.. 106)	28 39	48 62	3 12	2 7	1 1	5 3	3 4	1 3	2 1		2 3	1 3	1 1	2 2	5 8
Cerebro-spinal fever.....	(M.. 38 F.. 39)	9 10	16 23	6 9	3 2		4			2 1	1 2	1 2	3		1	1
Smallpox.....	(M.. 433 F.. 275)	18 21	39 49	11 13	14 12	40 30	80 47	77 39	40 17	36 13	28 16	23 6	11 7	7 7	7 4	20 15
Erysipelas.....	(M.. 23 F.. 8)	7 2	8 2	1 1		2	1 1		2		2 1		3		1 1	3 1
Septicemia.....	(M.. 49 F.. 46)	6 1	13 5	3 2	2 1	3 3	4 9	6 5	4 4	3 7	2 1	1 3	1 2	1 3	1 1	5 1
Venereal diseases.....	(M.. 25 F.. 11)	5 4	9 5			1	1 1	2 1	2 1	2 1	3 1	1 1	2		1	1 1
Others of this group.....	(M.. 49 F.. 42)	2 2	5 5	1 4	3 5	6 1	5 4	4 3	3 2	3 3	2 2	3 1	4 3	4		6 7
General diseases—B.....	361	181	246	18		4	6	5	8	12	8	14	6	5	5	24
Males.....	194	99	126	6		2	3	4	4	10	5	10	6	4	4	10
Females.....	167	82	120	12		2	3	1	4	2	3	4		1	1	14
Alcoholism.....	(M.. 32 F.. 14)	1 1	1				1	2	3 1	4 1	2 1	6 3	6	2	1	4 7
Parasitic diseases.....	(M.. 16 F.. 27)	4 4	11 20	4 7						1						
Lead poison.....	(M.. F.. 2)		1						1							
Other poisons.....	(M.. 33 F.. 23)	2 1	9 7			2 2	2 3	2 1	1 1	5 1	2 2	4 1		1 1	2	3 2
Inanition.....	(M.. 113 F.. 101)	92 77	105 92	2 3					1		1			1	1	3 5
General diseases—C.....	1,117	363	400	4		5	4	6	4	8	5	8	17	17	45	594
Males.....	523	202	221	2		2	1	2	1	3	1	3	8	8	21	250
Females.....	594	161	179	2		3	3	4	3	5	4	5	9	9	24	344
Old age.....	(M.. 219 F.. 303)														9 12	210 291
Premature birth.....	(M.. 105 F.. 79)	105 79	105 79													
Malformation.....	(M.. 7 F.. 9)	7 9	7 9													
Debility and atrophy.....	(M.. 182 F.. 197)	80 67	99 85	2 2		2 3	1 3	2 4	1 3	3 5	1 4	3 5	8 9	8 1	12 12	40 53
Others of this group.....	(M.. 10 F.. 6)	10 6	10 6													

569

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued. General diseases—D.....	2,896	51	149	57	65	188	361	365	291	255	237	207	167	129	127	298
Males.....	1,412	25	73	22	33	69	144	171	143	128	117	112	102	70	68	160
Females.....	1,484	26	76	35	32	119	217	194	148	127	120	95	65	59	59	138
Anemia.....	{M.. 7					2		1	1		2	1				
{F.. 11			1			3	1			1	1		2			2
Diabetes.....	{M.. 17				1		2	3			1	4	2		2	2
{F.. 10				3					1	1		1		2		2
Rheumatism.....	{M.. 38			1	2			1	1			3	4	4	4	
{F.. 51	1	2	1		2	2	2	3		1	2	5	4	6	4	17
Scrofula and tabes.....	{M.. 25	1	13		4		1			1	1	1	2		1	1
{F.. 24	5	12	3					2	1	2			2	2		
Hydrocephalus.....	{M.. 15	1	9	1		2	1						1		1	
{F.. 17	6	14	1		1				1							
Tuberculosis, general.....	{M.. 22		1		1		6	5	3	3	1	1		1		
{F.. 5	1	1					2	1						1		
Consumption.....	{M.. 1,000	13	31	8	17	58	123	152	124	115	103	84	58	38	29	60
{F.. 1,016	11	28	22	27	105	206	173	124	90	84	55	30	30	16	15	41
Cancer.....	{M.. 123	4	4		2	1	4	4	4	6	6	7	20	13	14	38
{F.. 193			2	2	2	2	2	5	9	18	23	27	17	21	24	41
Tumor.....	{M.. 24	2	3	3	1	2		2	3	1		3	4		1	1
{F.. 17	1	3					1		1	3	3		3		2	1
Dropsy.....	{M.. 132	2	7	9	5	4	6	3	5	2	3	8	11	14	16	39
{F.. 135		11	5	2	6	5	5	8	7	11	7	7	7	11	14	34
Others of this group.....	{M.. 9	2	5				1		2							1
{F.. 5	1	2	1					2								
2. Diseases of the nervous system..	1,857	510	736	90	57	70	62	51	52	54	65	73	94	84	77	292
Males.....	987	288	394	56	43	35	38	26	34	30	33	35	48	40	35	140
Females.....	870	222	342	34	14	35	24	25	18	24	32	38	46	44	42	152
Inflammation of the brain.....	{M.. 62	24	41	6	4	3	3	1	1		1		1			1
{F.. 45	14	22	2	3	4	2	3	3	2		1	1	1	2	2	
Meningitis.....	{M.. 143	47	78	10	12	6	11	4	4	7	1	1	3			6
{F.. 128	38	85	12	3	5	6	6	2	2	2	4	2	1	1	1	2
Apoplexy.....	{M.. 138	2				4	3	4	6	7	7	10	13	9	15	58
{F.. 162		2				1	4	5	2	8	5	13	20	18	18	66
Paralysis.....	{M.. 100	2	4	1		1	1	2	7	3	7	3	11	12	9	39
{F.. 89	1	2				1	2	1		3	7	6	8	11	4	44
Paralysis, general (of insane).....	{M.. 15							2	2		1	3	4	1		2
{F.. 6									1		1	2	1			1
Tetanus and trismus nascentium.....	{M.. 180	125	130	13	15	5	4	1	5	2	2	1				2
{F.. 111	84	90	3	2	1	1	1	2	3		4	1		1	1	2
Chorea.....	{M..															
{F..																
Epilepsy.....	{M.. 33	1	2	4	1	8	3	2	1	2	3	2	1	1		3
{F.. 37	6	7	1	2	7	5	5	3		2	1	1	3	1	2	2
Convulsions.....	{M.. 93	64	83	6	1		1	1	1						1	
{F.. 100	56	84	4	2	5				2			1				
Mental diseases.....	{M.. 24			1	1		2	4	2	1	1	1	4	4	1	2
{F.. 26						2		4	3	2		2	4	1	1	7
Diseases of the brain.....	{M.. 161	21	52	14	9	7	8	2	2	7	5	10	5	10	7	23
{F.. 132	21	47	11	2	6	3	3	3	4	4	8	3	6	5	10	20
Diseases of the spinal cord.....	{M.. 14	2	2			1	1		1		3		2	2	1	1
{F.. 15	1	1				2	1	2		1	2	1	1	2		3
Locomotor ataxia.....	{M.. 9								1	1	1	2	3		1	
{F.. 1											1					
Others of this class.....	{M.. 15			1			1	3	1		1	2	1	1	1	3
{F.. 18		1	2	1		1				1		3	1	2	2	5
3. Diseases of the circulatory system.	1,265	37	45	12	16	22	49	55	66	69	77	89	96	93	145	431
Males.....	650	21	24	9	12	8	21	33	29	31	38	46	46	44	61	248
Females.....	615	16	21	3	4	14	28	22	37	38	39	43	50	49	84	183
Pericarditis.....	{M.. 12	1	1	2		1	1	1	1			1	1	1		2
{F.. 7						1	1	1	1					2	1	
Diseases of the heart.....	{M.. 580	9	12	7	12	7	20	26	25	28	36	44	42	42	56	223
{F.. 569	11	15	3	4	13	27	19	19	34	36	37	40	45	44	79	173
Angina pectoris.....	{M.. 9								1			1	1		1	5
{F.. 12										1	1	1	5	2	1	1
Diseases of the arteries.....	{M.. 25								2		1		1		3	18
{F.. 11										1				1		9
Aneurism.....	{M.. 13							6		3	1		1	1	1	
{F.. 8								2	1		1	2			2	
Embolism.....	{M..															
{F.. 1									1							
Others of this class.....	{M.. 11	11	11													
{F.. 7		5	6												1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,684	557	1,075	90	64	124	165	143	100	110	99	116	101	84	107	306
Males.....	1,515	319	593	41	35	73	108	95	68	71	57	64	56	51	57	146
Females.....	1,169	238	482	49	29	51	57	48	32	39	42	52	45	33	50	160
Croup.....	{M.. 112	63	101	10				1								3
{F.. 89	49	80	3				1			1		1				
Pneumonia.....	{M.. 1,111	181	363	27	30	68	94	84	58	59	50	59	44	36	42	97
{F.. 834	135	300	40	25	43	53	40	27	36	35	40	37	28	42		88
Laryngitis.....	{M.. 4	1	2				1			1						
{F.. 2	1	2														
Bronchitis.....	{M.. 169	56	99	1	3		7	5	4	3	1	1	2	9	7	27
{F.. 166	44	84	4	3	5	2	4	1	1	1	7	3	4	6		41
Pleurisy.....	{M.. 41	4	6	2	2	2	4	3	2	5	2	1	3	1	2	6
{F.. 24	3	5					2	1	1	1	2	1	1	1		9
Asthma.....	{M.. 27		1	1					2		3		3	1	4	12
{F.. 29	2	4	1								3	3	3		1	14
Others of this class.....	{M.. 51	14	21			3	2	2	2	3	1	3	4	4	2	4
{F.. 25	4	7	1	1	3	1	2	3			1		1			5
5. Diseases of the digestive system.	1,026	195	365	37	24	35	59	43	40	45	54	55	56	51	41	121
Males.....	550	104	198	21	15	21	21	29	27	23	27	28	32	30	22	56
Females.....	476	91	167	16	9	14	38	14	13	22	27	27	24	21	19	65
Dentition.....	{M.. 74	38	74													
{F.. 56	28	56														
Angina.....	{M.. 17	6	13	2					1							1
{F.. 10	3	7		1			1									1
Gastritis.....	{M.. 33	8	12				3		2			3	3	4	2	3
{F.. 45	6	9	1		3	4	1	1	3	2	4	3	5	5	4	
Diseases of the stomach.....	{M.. 29	2	9	5	1		1	1		2	2	3		1	2	2
{F.. 30	4	7	2		1	4	2	2	2	2	2	1		2		5
Obstruction of the bowels.....	{M.. 24	3	5		1	1	2	5	1	1	1	1	1	1	1	4
{F.. 31	3	8	1	2	2		1	1	1	3	4	4	4			4
Appendicitis.....	{M.. 24			3	6	2	5	2			1	2	2			1
{F.. 12		1	2	1	2				1	2		2	2			1
Hernia.....	{M.. 19	1	3			2		1		1		3	1	1	2	5
{F.. 6		1										1	1			3
Other diseases of the bowels.....	{M.. 42	11	20	2	1	2		3			3	2	2	2		5
{F.. 33	11	14	1				1		4	1	2	2	1	2	2	5
Jaundice.....	{M.. 30	7	11	1	1		2	3	2	1		1	2			6
{F.. 11	4	6	1			1	1									2
Inflammation and abscess of the liver.....	{M.. 70	5	9	2		4	4	5	8	7	6	3	6	3	6	7
{F.. 55	1	6		2	3	9	1	4	1	5	10	2	1	1	1	10
Other diseases of the liver.....	{M.. 79		1	2	4	1	3	4	4	9	8	4	9	13	6	11
{F.. 41	4	7	2			1	4	1	1	5	5	2	4	4	3	12
Peritonitis.....	{M.. 29	3	6	1	2	2	4	4	2	1	1	2	1		1	2
{F.. 60	1	2	3	2	3	15	5	2	8	5		4	4	4	1	6
Ascites.....	{M.. 24		3	2	1						3		3	4	1	7
{F.. 24	1	1				3	1	1	1	1	1	1	1	2	2	10
Others of this class.....	{M.. 56	20	32	4	1	3	2	1	1		2	4	2	1	1	2
{F.. 62	25	42	3	1			1	1	1	3	2	1	2	3		2
6. Diseases of the urinary system and male organs of generation.	794	5	23	10	8	20	36	46	40	62	67	73	88	73	76	172
Males.....	458	3	15	4	4	8	10	24	27	29	38	43	55	45	44	112
Females.....	336	2	8	6	4	12	26	22	13	33	29	30	33	28	32	60
Bright's disease.....	{M.. 348			2	3	7	7	22	22	23	31	33	48	39	37	74
{F.. 289			4	4	10	18	18	11	26	27	30	29	26	29	29	57
Calculus, urinary.....	{M.. 9			1							1				2	5
{F.. 3										1					1	1
Diseases of the kidney.....	{M.. 34	2	13	1	1		2	1	3		1	1	2	3		6
{F.. 18	2	8	2				3			2		1				2
Diseases of the bladder.....	{M.. 22		1				1		1	1		3	1	1	2	11
{F.. 1									1							
Others of this class.....	{M.. 45	1	1			1		1	1	5	5	6	4	2	3	16
{F.. 25					2	5	4	2	3	2		3	2	2	2	
7. Diseases of the female organs of generation.	74			1	2	5	9	10	4	10	10	11	1	1	5	5
Ovarian tumors.....	10			1		1	1	1			2	1		1		1
Ovarian diseases.....																
Diseases of the tubes.....	9						3	3	1	1	1					
Uterine tumors.....	13							1	1	3	3	1	1		1	2
Uterine diseases.....	17					1	2	2		3	4	2			3	
Others of this class.....	25				2	3	3	3	1	3		7			1	2

571

LOUISIANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	288				4	45	70	66	49	30	13	5	1		1	4
Abortion	10					1	4	2	1	1	1					
Childbirth	175				4	26	41	35	30	20	9	5	1		1	3
Puerperal septicemia	74					13	15	22	14	7	2					1
Extra-uterine pregnancy	2						2									
Others of this class	27					5	8	7	4	2	1					
9. Diseases of the bones and joints.	32	4	9	1	2	3	3	2	1	3	1	3	1	1		
Males	21	3	6	1	1	2	1	2	1	3		1		1		2
Females	11	1	3		1	1	2				1	2	1			
Diseases of the spine. {M..... F.....	7 3	3	3					1		2		1 2				
Abscess, lumbar and psoas. {M..... F.....	3					1			1					1		
Diseases of the bones. {M..... F.....	4 4		2 1			1 1			1				1			1
Diseases of the hip-joint. {M..... F.....	5 1		3		1			1								
Others of this class. {M..... F.....	2 3		1	1	1		1									1
10. Diseases of the skin	45	9	14				1	3	1		2	2	4	2	6	10
Males	32	7	11				1	2			1	2	3	2	2	8
Females	13	2	3					1	1		1		1		4	2
Abscess	8 6	4 2	6 2					1 1				1				
Carbuncle	13 3							1			1 1	1	3 1	2	1 1	4
Others of this class. {M..... F.....	11 4	3	5 1				1								1 1	4 2
11. Diseases of the absorbent system.	6	2	2			1	1		1	1						
Males	5	2	2			1			1	1						
Females	1						1									
Addison's disease. {M..... F.....																
Diseases of the spleen. {M..... F.....	1 1					1	1									
Others of this class. {M..... F.....	4	2	2						1	1						
12. Accidents and injuries	1,092	96	212	69	70	90	117	105	88	70	50	42	40	30	27	82
Males	790	49	105	43	48	65	97	87	80	62	44	32	29	23	23	52
Females	302	47	107	26	22	25	20	18	8	8	6	10	11	7	4	30
Burns and scalds. {M..... F.....	58 105	5 5	39 42	5 16	2 8	3 7	 7	 1	 3	 2	 3	2 2	1 2	1 2	1 1	3 11
Drowning	121 20	3	10 4	14 2	20 3	11 5	14	10 1	7 1	6	6	3 2	9 1	1	3	7 1
Exposure and neglect. {M..... F.....	14 14	8 8	10 8				2	1		1 1	1 1			1		2
Gunshot wounds	173 21		1	5 1	12 1	27 4	40 6	29 3	22	11 2	10 2	5 1	3 1	4	3	2 1
Homicide	48 6		1		1	4 1	7 1	10 1	8	5 1	5	1	3	3		2
Infanticide	1	1	1													
Injuries by machinery. {M..... F.....	5							2	1		1		1			
Railroad accidents	57 12	1 1	2 3	6 3	1 1	7	7	5 1	4	8	4	2 1	3 1	2	2	4
Suffocation	31 23	20 15	22 17	2	1	1	1	1	1					2	1	1 3
Suicide by shooting. {M..... F.....	25						3	3	4	2	2	6	2	2		1
Suicide by drowning. {M..... F.....	4 2						1	1	1			1				2
Suicide by poison	11 3						3	1	6	1			1			
Other suicides	15 3							4 1	2 1	2	2		2	1	1	1
Sunstroke	27 12		1	1 1	2 3		2	1	4	5 2	1	5 2	1 1	2		3 2
Surgical operations. {M..... F.....	6 6					1	1		1	2 1	2 1		1	1		1
Wounds	17 3					1	1	3 1	2	3		1			1 1	5 1
Others of this class. {M..... F.....	177 72	11 17	21 30	10 3	11 4	11 6	19 3	17 4	18 2	14 1	10 1	6 2	4 3	5 3	13 2	18

CAUSE OF DEATH	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known
All causes	20,422	4,227	6,249	674	433	692	874	867	780	830	805	778	887	866	1,066	4,621
Males.....	10,526	2,315	3,360	308	204	319	434	428	387	423	443	420	483	465	552	2,300
Females.....	9,896	1,912	2,889	366	229	373	440	439	393	407	362	358	404	401	514	2,321
Unknown cause.....	806	254	301	15	12	15	23	17	15	16	18	21	21	20	25	287
Males.....	393	139	163	6	4	8	7	9	5	7	10	13	11	12	12	126
Females.....	413	115	138	9	8	7	16	8	10	9	8	8	10	8	13	161
1. General diseases.																
General diseases—A.....	3,586	1,209	1,971	284	127	140	145	91	74	80	62	67	65	66	83	331
Males.....	1,799	620	1,004	125	53	72	78	45	38	45	34	39	36	32	42	156
Females.....	1,787	589	967	159	74	68	67	46	36	35	28	28	29	34	41	175
Measles.....{M.....	48	21	41	3	1	1	2									
{F.....	54	13	40	5	1	2	2	3	1							
Scarlet fever.....{M.....	18	1	11	5	1	1										
{F.....	21	3	18	1	1		1									
Diphtheria.....{M.....	260	13	151	76	19	5			1	1	4	1	2			
{F.....	291	13	142	110	29	5	1	1	1					1		1
Whooping cough.....{M.....	42	18	40	1		1										
{F.....	60	27	58	1		1										
Malarial fever.....{M.....	69	8	22		4	6	2	1	1	2	3	4	2	2	8	12
{F.....	62	9	20	4		4	7	5	2	3	3	1	2	3	2	6
Influenza.....{M.....	104	6	14	3		2	6	2	4	4	6	2	8	4	9	40
{F.....	117	2	9	3		1	3		4	2	2	4	9	5	16	59
Typhoid fever.....{M.....	288	7	17	10	17	46	50	36	22	22	12	16	12	8	4	16
{F.....	222	1	7	16	34	34	32	23	13	12	7	10	7	8	6	13
Cholera morbus.....{M.....	29	5	9	1	1	1	1		1	2	1	1	1	3		7
{F.....	19	3	4		1			1	1	1		1	1	1	1	7
Colitis.....{M.....	10	1	3									2	1			4
{F.....	7	4	6													1
Diarrhea.....{M.....	76	30	42	7	1	2			1	3			1	1	2	16
{F.....	82	41	52	4						2	1		2	3	3	15
Dysentery.....{M.....	78	21	37	4			1			2	1	2	2	3	6	20
{F.....	87	16	29	4	1	3	1	2	1		3	2	3	3	4	31
Enteritis.....{M.....	257	175	220	6	4		2			2	1	4	1		3	14
{F.....	218	133	171	3	2	3	2		2	4	4	2	1	4	4	16
Cholera infantum.....{M.....	337	272	337													
{F.....	358	287	358													
Fever.....{M.....	2		1													1
{F.....	1							1								
Cerebro-spinal fever.....{M.....	40	14	23	4	3	2	3		1	1	2				1	
{F.....	34	7	18	6	3	3		3								1
Smallpox.....{M.....																
{F.....	1				1											
Erysipelas.....{M.....	31	5	6				2	2	1	1	2		1	8	1	7
{F.....	22	9	10				1		2	1	1		1	1	1	4
Septicemia.....{M.....	63	12	15	4	2	4	6	4	4	4	3	4	3	3	7	
{F.....	82	9	9	2		10	17	7	9	6	5	5	2	2	1	7
Venereal diseases.....{M.....	23	10	14				1		2	1	1	1			3	
{F.....	25	12	14		1	1			2	3	2	1			1	
Others of this group.....{M.....	24	1	1	1		1	2				1	3	1		2	12
{F.....	24		2			1						1	1	3	2	14
General diseases—B.....	370	254	278	5	1	4	8	6	7	15	12	9	8	3	4	10
Males.....	213	134	148	2		2	5	2	5	14	12	8	6	2	2	5
Females.....	157	120	130	3	1	2	3	4	2	1		1	2	1	2	5
Alcoholism.....{M.....	44						3	1	3	9	11	7	4	1	1	4
{F.....	7						1	2	1	1		1				1
Parasitic diseases.....{M.....	1		1													
{F.....	3		2	1												
Lead poison.....{M.....																
{F.....																
Other poisons.....{M.....	26	2	8	2		2	2	1	2	5	1	1	2		1	3
{F.....	20		5	1	1	2	2	2	1				1	1	1	
Inanition.....{M.....	142	132	139											1	1	1
{F.....	127	120	123	1									1		1	1
General diseases—C.....	1,749	779	843	6	4	2	3	2	2	2	5	1	8	5	26	840
Males.....	818	429	460	2	1	1	1	1	2		2	1	2	4	6	335
Females.....	931	350	383	4	3	1	2	1		2	3		6	1	20	505
Old age.....{M.....	278														3	275
{F.....	466														12	454
Premature birth.....{M.....	162	162	162													
{F.....	135	135	135													
Malformation.....{M.....	29	27	28				1									
{F.....	17	16	17													
Debility and atrophy.....{M.....	317	209	239	2	1	1		1	2		2	1	1	4	3	60
{F.....	300	186	218	4	3	1	2	1		2	3		6	1	8	51
Others of this group.....{M.....	32	31	31										1			
{F.....	13	13	13													

573

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	3,510	115	236	83	81	228	329	346	280	269	260	238	203	207	188	562
Males.....	1,669	65	135	38	30	78	158	164	128	125	130	108	99	88	89	299
Females.....	1,841	50	101	45	51	150	171	182	152	144	130	130	104	119	99	263
Anemia.....	M.. 13 F.. 23	4 2	4 3	1 1	3	2	2	1 5	1	2	1	1	1	2	1	1
Diabetes.....	M.. 39 F.. 35	1 1	1 1	1 3	1	1	2	2	3	1	5	1	4	1	5	12
Rheumatism.....	M.. 71 F.. 58	3 1	3 1	5 3	2	2	4	2	2	4	7	3	5	7	4	2
Scrofula and tabes.....	M.. 25 F.. 17	10 1	17 3	2	1	1	3	1	1	1	1	1	2	1	3	1
Hydrocephalus.....	M.. 43 F.. 36	16 17	33 27	3 9	2	1	1	1	1	1	1	1	1	1	1	2
Tuberculosis, general.....	M.. 27 F.. 8	1 1	1 3	3 2	2	1	7	3	2	1	1	1	1	3	1	1
Consumption.....	M.. 1,133 F.. 1,185	31 21	64 49	22 30	17 42	68 135	138 159	151 163	112 128	109 103	97 95	81 61	59 45	48 52	42 34	125 89
Cancer.....	M.. 208 F.. 340	1 1	2 1	2 1	2	1	2	2	6	6	12	19	23	21	27	84
Tumor.....	M.. 11 F.. 33	1 1	1 1	1	1	1	1	1	1	1	2	2	1	2	2	7
Dropsy.....	M.. 86 F.. 91	1 2	6 3	1 1	1	1	2	1	2	3	4	2	4	4	8	47
Others of this group.....	M.. 13 F.. 15	2 4	4 9	1	1	2	1	1	2	1	1	1	1	1	1	1
2. Diseases of the nervous system..	2,480	587	802	54	35	36	42	42	47	55	67	94	137	131	177	761
Males.....	1,331	340	461	25	22	16	22	26	23	27	38	45	63	74	101	388
Females.....	1,149	247	341	29	13	20	20	16	24	28	29	49	74	57	76	373
Inflammation of the brain.....	M.. 53 F.. 36	25 18	39 23	1 3	2	1	1	1	2	1	1	2	1	1	1	3
Meningitis.....	M.. 169 F.. 143	63 48	119 95	12 13	8 1	2 7	5 6	5 5	2	4	3	1	1	3	1	3
Apoplexy.....	M.. 283 F.. 265	3 2	3 3	1	1	1	3	5	4	8	15	16	24	25	44	134
Paralysis.....	M.. 312 F.. 312	3 4	5 8	1	3	1	2	2	5	4	5	12	16	31	38	189
Paralysis, general (of insane). ..	M.. 17 F.. 8	1 1	1 1	1	1	1	1	1	1	1	3	1	4	2	2	5
Tetanus and trismus nascentium.	M.. 46 F.. 18	22 11	23 11	2 1	4	3	2	1	1	1	2	2	1	1	2	3
Chorea.....	M.. 1 F.. 2	1 1	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy.....	M.. 26 F.. 19	3 2	4 3	1	2	3	4	1	2	2	1	1	2	2	2	4
Convulsions.....	M.. 268 F.. 205	211 156	255 186	5 2	3	3	1	3	2	3	2	2	1	1	1	2
Mental diseases.....	M.. 51 F.. 31	1 1	1 1	1	2	1	1	1	2	2	4	4	6	4	3	23
Diseases of the brain.....	M.. 79 F.. 79	8 6	10 12	3 5	2	4	7	4	4	4	4	4	7	4	6	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,026	702	1,300	98	48	60	92	103	91	95	97	108	113	112	150	559
Males.....	1,601	400	698	46	26	32	46	54	52	56	54	66	69	63	67	272
Females.....	1,425	302	602	52	22	28	46	49	39	39	43	42	44	49	83	287
Croup.....	91	28	83	5	2				1							
{M.....	71	22	53	14	1		2				1					
{F.....																
Pneumonia.....	1,144	254	456	32	16	29	37	41	45	48	41	54	55	44	51	195
{M.....	1,023	193	421	32	18	21	41	34	38	32	28	34	37	34	65	188
{F.....																
Laryngitis.....	9	1	3	1					1		3	1				
{M.....	2		1					1								
{F.....																
Bronchitis.....	205	93	127	5	2		3	5	2	1	3	5	5	6	5	36
{M.....	198	68	101	5	2	2	1	3		2	4	3	3	7	4	61
{F.....																
Pleurisy.....	33		1		1	1	2	1	2	2	2		1	3	3	14
{M.....	22			1		1		2			1	2	2	1	5	7
{F.....																
Asthma.....	32					1	2	1	1	2		2	1	3	2	17
{M.....	29						1	2	1	3	4			3	3	12
{F.....																
Others of this class.....	87	24	28	3	5	1	2	6		3	5	4	7	7	6	10
{M.....	80	19	26		1	4	1	7		2	5	3	2	4	6	19
{F.....																
5. Diseases of the digestive system.	993	140	228	34	34	48	51	56	47	47	45	40	50	56	72	185
Males.....	495	83	127	15	15	25	21	17	16	22	29	19	27	29	41	92
Females.....	498	57	101	19	19	23	30	39	31	25	16	21	23	27	31	93
Dentition.....	25	11	25													
{M.....	13	6	13													
{F.....																
Angina.....	8	1	2	2				2			1					1
{M.....	5		1	1	2	1										
{F.....																
Gastritis.....	88	12	26		1	2	3	3	3	6	6	2	4	3	9	20
{M.....	83	10	23	2	1	5	1	3	6	3	2	3	5	5	3	21
{F.....																
Diseases of the stomach.....	39	8	13	1				1	1	4	1	4	3	4		7
{M.....	39	5	6	1	1		1	2	3	4	1	4	1	1	4	10
{F.....																
Obstruction of the bowels.....	21	6	7	1		2	1	2	1	1	1			2	2	1
{M.....	34	5	7	1	2	1	3	7		2	1		2	1	1	6
{F.....																
Appendicitis.....	51		2	2	8	7	9	1	1	4	4	1	4	3	1	4
{M.....	44			7	6	5	6	6	3	1	3	2	2			3
{F.....																
Hernia.....	24	3	3			2			2		1		1	2	3	10
{M.....	19	2	3								1		2	2	4	7
{F.....																
Other diseases of the bowels.....	11	4	4				2		2	1						2
{M.....	10	4	4	2	1											
{F.....																
Jaundice.....	19	8	8	1			2		2		1		1		2	2
{M.....	22	6	7			1		1	1	1			1	3	1	6
{F.....																
Inflammation and abscess of the liver.....	21	1	2				1	1		2	4	1	1	2	3	4
{M.....	16		1						1			3	1	2	3	5
{F.....																
Other diseases of the liver.....	65	3	3	1			1	3	1	2	3	9	5	10	9	18
{M.....	39						1	1	1	3	2	5	1	5	8	12
{F.....																
Peritonitis.....	52	3	4	5	5	12	1	3	3	1	3	1	3	1	4	6
{M.....	101	1	4	4	6	9	16	18	14	9	4	1	2	3	3	8
{F.....																
Ascites.....	11		1								2				1	7
{M.....	13		1					1						2	3	6
{F.....																
Others of this class.....	60	23	27	2	1		1	1		1	2	1	5	2	7	10
{M.....	60	18	31	1		1			2	2	2	3	5	3	1	9
{F.....																
6. Diseases of the urinary system and male organs of generation.	1,195	9	23	13	14	27	36	51	48	64	86	69	108	106	133	417
Males.....	716	6	16	5	5	10	18	24	24	40	48	33	65	67	78	283
Females.....	479	3	7	8	9	17	18	27	24	24	38	36	43	39	55	134
Bright's disease.....	593			3	5	10	16	22	21	35	44	32	52	63	68	222
{M.....	415			7	8	16	16	21	18	20	34	32	41	33	53	116
{F.....																
Calculus, urinary.....	6						1	1			1		1	1		1
{M.....	1								1							
{F.....																
Diseases of the kidney.....	47	3	13						2	3	1	1	5	1	3	18
{M.....	31	3	7		1	1	1	1	2	3	2	1	2	2	1	7
{F.....																
Diseases of the bladder.....	27							1			1		3		2	20
{M.....	3											1				2
{F.....																
Others of this class.....	43	3	3	2			1		1	2	1		4	2	5	22
{M.....	29			1			1	5	3	1	2	2		4	1	9
{F.....																
7. Diseases of the female organs of generation.	39				1		4	3	3	9	6	4	4		2	3
Ovarian tumors.....	10									2	2	1	3		2	
Ovarian diseases.....	1								1							
Diseases of the tubes.....	7						2	3		2						
Uterine tumors.....	9								1	2	1	2	1			2
Uterine diseases.....	2									1	1					
Others of this class.....	10				1		2		1	2	2	1				1

575

MARYLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with preg- nancy.	154					23	26	23	28	36	15	1	1	1		
Abortion	15					1	3	4	3	4						
Childbirth.....	83					13	12	13	17	16	9	1	1	1		
Puerperal septicemia.....	25					3	4	3	5	8	2					
Extra-uterine pregnancy.....	2									2						
Others of this class.....	29					6	7	3	3	6	4					
9. Diseases of the bones and joints.	46	10	14	2	3	4	4	1	3	2	2	1	2	2	2	
Males.....	27	5	8	2	1	3	4	1	2		1	1	1	1	1	1
Females.....	19	5	6		2	1			1	2	1		1	1	1	3
Diseases of the spine.....	13	3	6	2			1		1		1	1		1		
{M.....	13	3	6	2			1		1		1	1		1		
{F.....	11	4	4		2	1			1	1			1			1
Abscess, lumbar and.....	2										1			1		
{M.....	8	2	2		1	1	2	1							1	
{F.....	3		1												1	
Diseases of the hip.....	4					1	1		1							1
{M.....	4					1	1		1							
{F.....	1	1	1													
Others of this class.....	2					1				1			1			1
{M.....	2					1				1						
{F.....	2															
10. Diseases of the skin.....	38	12	16			2	1	1	1	1	2			4	3	7
Males.....	17	4	7			2	1				1			1	1	4
Females.....	21	8	9					1	1	1	1			3	2	3
Abscess.....	8		1			2	1							1		3
{M.....	8		1			2	1							1		3
{F.....	15	6	6					1	1	1	1			3	1	1
Carbuncle.....	3		1								1					1
{M.....	3		1								1					
{F.....																
Others of this class.....	6	4	5												1	
{M.....	6	4	5												1	
{F.....	6	2	3												1	2
11. Diseases of the absorbent sys- tem.	12	1	2	2		1		1	2				1	1	1	1
Males.....	5	1	2	1		1			1							
Females.....	7			1				1	1				1	1	1	1
Addison's disease.....	1								1							
{M.....	1															
{F.....																
Diseases of the spleen.....	2			1												1
{M.....	2			1												
{F.....																
Others of this class.....	4	1	2	1		1									1	
{M.....	4	1	2	1		1									1	
{F.....	5							1	1				1	1	1	
12. Accidents and injuries.....	992	80	157	66	48	65	72	92	74	70	65	51	46	33	38	115
Males.....	724	45	84	37	35	52	62	72	63	52	51	45	42	28	31	70
Females.....	268	35	73	29	13	13	10	20	11	18	14	6	4	5	7	45
Burns and scalds.....	54	5	32	7	3			1	1	1	3		1	1		4
{M.....	54	5	32	7	3			1	1	1	3		1	1		4
{F.....	85	2	26	21	5	8	3	3	1	2	4	2	1	1	1	7
Drowning.....	116		2	8	14	17	14	9	11	6	10	7	3	1	4	10
{M.....	116		2	8	14	17	14	9	11	6	10	7	3	1	4	10
{F.....	10			1	1	1	1	2	1	2		1		1	1	
Exposure and neglect.....	6	2	2								2					2
{M.....	6	2	2								2					2
{F.....	5	4	4													1
Gunshot wounds.....	41		2	3	4	11	2	8	6		2	1				2
{M.....	41		2	3	4	11	2	8	6		2	1				2
{F.....	9		1	1	1		1	3	1	1						
Homicide.....	21					3	2	3	3	2		4		1	2	1
{M.....	21					3	2	3	3	2		4		1	2	1
{F.....	3					1		1			1					
Infanticide.....	1	1	1													
{M.....	1	1	1													
{F.....																
Injuries by machin- ery.....	1								1							
{M.....	1								1							
{F.....																
Railroad accidents.....	81			9	3	3	13	13	5	5	6	5	8	3	4	4
{M.....	81			9	3	3	13	13	5	5	6	5	8	3	4	4
{F.....	10		1	1	3	1				1	1		2			1
Suffocation.....	25	16	17			1	1	2		1	1		1		1	1
{M.....	25	16	17			1	1	2		1	1		1		1	1
{F.....	25			1					1							2
Suicide by shooting.....	17						1	1	3	2	2	4	1	1	2	
{M.....	17						1	1	3	2	2	4	1	1	2	
{F.....																
Suicide by drowning.....	2								1			1				1
{M.....	2								1			1				
{F.....	1															
Suicide by poison.....	16						1	3	2	3	1	2	3			2
{M.....	16						1	3	2	3	1	2	3			2
{F.....	4															
Other suicides.....	40					3		5	2	9	5	4	4	2	3	3
{M.....	40					3		5	2	9	5	4	4	2	3	3
{F.....	11					1	1	1		3	3		1	1		1
Sunstroke.....	17	3	3				2		2	3	1		1	1	2	2
{M.....	17	3	3				2		2	3	1		1	1	2	2
{F.....	6	2	2								1			1	1	
Surgical operations.....	3															3
{M.....	3															3
{F.....	7							2	2	1	1					
Wounds.....	20					4	2	2	2	2	1	4	1		1	1
{M.....	20					4	2	2	2	2	1	4	1		1	1
{F.....	1			1												
Others of this class.....	264	18	25	10	11	10	25	25	25	18	17	13	19	18	13	35
{M.....	264	18	25	10	11	10	25	25	25	18	17	13	19	18	13	35
{F.....	90	11	20	4	3		2	5	4	9	3	3	1	3	4	2

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	17,005	3,569	5,059	624	471	634	813	770	769	732	712	594	600	633	724	3,810
Males	9,354	1,998	2,787	346	213	311	391	381	415	393	399	350	390	386	415	2,177
Females	7,651	1,571	2,272	278	258	323	422	389	354	339	313	244	270	247	309	1,633
Unknown cause	788	504	551	16	10	11	10	11	9	13	10	11	14	11	16	95
Males.....	442	292	321	7	2	3	4	6	4	4	6	5	7	5	11	57
Females.....	346	212	230	9	8	8	6	5	5	9	4	6	7	6	5	38
1. General diseases.																
General diseases—A	2,592	816	1,352	239	124	99	112	96	84	80	43	39	42	36	38	208
Males.....	1,362	442	722	121	49	51	50	52	55	39	23	22	23	28	21	106
Females.....	1,230	374	630	118	75	48	62	44	29	41	20	17	19	8	17	102
Measles.....{M..	43	10	32	2	3	3	1	1						1		
{F..	36	16	30	2		3					1					
Scarlet fever.....{M..	50	6	36	8	2	1				1	1					1
{F..	42	3	23	11	3	4										1
Diphtheria.....{M..	185	8	87	63	20	9	4							2		
{F..	172	4	63	54	36	10	3	2		1	1	1	1			
Whooping cough.....{M..	70	55	69	1												
{F..	94	60	90	4												
Malarial fever.....{M..	3							1						1	1	
{F..	6	2	2			1			1		1				3	
Influenza.....{M..	72	16	18	2		2	1	3	1	1	1	1	3		3	36
{F..	80	11	15	5	3	1	4		1	3	2	2	1		6	37
Typhoid fever.....{M..	233	5	16	13	11	25	32	36	37	27	11	9	4	6	1	5
{F..	153	3	13	14	16	19	31	15	8	8	6	7	7	3	1	5
Cholera morbus.....{M..	103	36	49	8	6		4	1	4		2	1	4	5	4	15
{F..	109	26	47	12	5	3	3	7	1	7	1	1	3	1	2	16
Colitis.....{M..	5	1	3				1							1		1
{F..	3	1	2													
Diarrhea.....{M..	50	24	32	5				1	1	1		1			2	7
{F..	33	10	21	4	1			1	1	1			1		1	2
Dysentery.....{M..	28	7	13	3				1	1			1		1	2	6
{F..	19	5	10													9
Enteritis.....{M..	98	59	81	6					1	1			1	2	1	6
{F..	102	56	75	2		1	2	2	4	2	1		1	1	3	8
Cholera infantum.....{M..	205	161	205													
{F..	172	130	172													
Fever.....{M..	9	3	7									1				1
{F..	6	4	4	1	1											
Cerebro-spinal fever.....{M..	45	12	25	4	3	4	3	2	2	1					1	
{F..	38	10	23	3	4	4	1	1	1	1						
Smallpox.....{M..	7						3	1	1					2		
{F..	15	2	4	1	2		1	3		1		3				
Erysipelas.....{M..	35	9	10					3		3	2	2	2	3	2	8
{F..	35	15	16			2	1	2	1	1			1			11
Septicemia.....{M..	78	12	18	6	2	6	1	2	7	4	5	4	9	4	3	7
{F..	87	9	12	4	3		16	11	10	15	5	2	2	2	2	3
Venereal diseases.....{M..	18	14	15						1			1				1
{F..	8	3	4						1			1	1			1
Others of this group.....{M..	25	4	6		2	1					1	1			1	13
{F..	20	4	4	1	1				1	1	2		1		1	8
General diseases—B	429	308	326	5	1	2	7	7	8	9	11	12	7	5	8	21
Males.....	269	183	191	4		2	4	5	6	6	11	11	6	5	4	14
Females.....	160	125	135	1	1		3	2	2	3		1	1		4	7
Alcoholism.....{M..	45							1	4	4	9	8	6	4	3	6
{F..	1									1						
Parasitic diseases.....{M..																
{F..	1	1	1													
Lead poison.....{M..																
{F..																
Other poisons.....{M..	33	2	7	3		2	4	3	2	1	2	3		1	1	4
{F..	27	2	11	1	1		2	2	2	2		1			3	2
Inanition.....{M..	191	181	184	1				1		1						4
{F..	131	122	123				1						1		1	5
General diseases—C	1,278	389	401	1		2	1		2		3		3	4	11	850
Males.....	653	209	215			1			2				2	2	3	427
Females.....	625	180	186	1		1	1				1		1	2	8	423
Old age.....{M..	416														2	411
{F..	416														6	410
Premature birth.....{M..	104	104	104													
{F..	83	83	83													
Malformation.....{M..	21	21	21													
{F..	28	26	28													
Debility and atrophy.....{M..	98	71	76			1			2		1		2	2	1	13
{F..	91	64	68	1		1	1				2		1	2	2	13
Others of this group.....{M..	14	14	14													
{F..	7	7	7													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	3,216	118	228	63	83	218	309	301	267	234	246	171	200	184	190	522
Males	1,569	67	128	33	26	84	140	120	125	113	131	91	98	95	102	283
Females	1,647	51	100	30	57	134	169	181	142	121	115	80	102	89	88	239
Anemia	{M.. 26	5	6	1	1	1	1	—	—	2	3	—	3	2	1	5
{F.. 29	2	3	—	—	—	—	—	3	—	3	—	4	3	3	2	3
Diabetes	{M.. 75	1	5	5	2	3	3	2	7	4	5	3	6	5	4	21
{F.. 50	1	2	1	4	3	1	3	3	4	3	—	—	6	2	5	13
Rheumatism	{M.. 52	—	5	4	4	1	3	1	—	—	5	6	5	6	2	10
{F.. 35	1	1	5	1	2	1	1	1	—	3	3	—	2	1	2	12
Scrofula and tabes	{M.. 14	—	2	2	1	1	4	3	1	—	—	—	—	—	—	—
{F.. 16	1	2	1	2	—	—	4	—	—	1	—	—	1	1	—	1
Hydrocephalus	{M.. 60	20	40	4	3	5	3	1	1	—	—	1	1	—	—	—
{F.. 48	15	34	5	2	4	1	2	—	—	—	—	—	—	—	—	—
Tuberculosis, general	{M.. 30	2	2	3	—	4	2	3	4	1	2	5	—	2	1	1
{F.. 23	2	5	2	1	2	3	1	3	2	1	1	—	1	1	—	—
Consumption	{M.. 878	30	52	12	11	66	119	104	106	87	92	51	38	34	38	68
{F.. 966	22	39	13	43	120	153	157	129	86	61	38	38	27	22	40	—
Cancer	{M.. 320	4	6	—	—	—	3	4	5	14	23	23	38	39	49	116
{F.. 339	1	2	1	—	3	4	9	4	21	34	26	41	43	38	113	—
Tumor	{M.. 34	2	5	—	2	1	—	2	1	3	1	—	3	3	4	9
{F.. 40	2	4	1	—	—	—	2	2	3	9	3	—	2	3	5	6
Dropsy	{M.. 69	1	1	2	1	1	1	—	—	1	—	1	4	4	3	50
{F.. 90	—	2	—	1	—	—	1	—	1	1	5	8	7	13	51	—
Others of this group	{M.. 11	2	4	—	1	1	1	—	—	—	1	—	—	—	—	3
{F.. 11	4	6	1	2	—	—	—	—	—	1	—	—	1	—	—	—
2. Diseases of the nervous system ..	1,857	458	671	75	49	38	39	42	46	47	50	74	82	82	91	471
Males	1,052	263	375	50	22	19	24	25	23	29	32	44	44	37	49	279
Females	805	195	296	25	27	19	15	17	23	18	18	30	38	45	42	192
Inflammation of the brain	{M.. 81	25	46	11	1	2	4	1	3	2	2	2	3	2	—	2
{F.. 53	18	32	4	4	6	1	2	1	—	—	1	—	—	—	1	1
Meningitis	{M.. 183	56	109	21	8	4	7	5	6	2	7	2	3	3	—	6
{F.. 134	50	88	13	11	1	5	4	4	4	—	1	1	—	2	3	1
Apoplexy	{M.. 206	2	5	1	1	1	1	2	1	6	11	13	13	13	22	116
{F.. 180	2	4	1	3	2	1	2	4	6	5	13	17	24	20	78	—
Paralysis	{M.. 180	3	4	1	2	—	1	3	2	9	6	10	8	7	17	110
{F.. 143	3	6	1	—	1	—	—	2	4	2	8	7	17	12	83	—
Paralysis, general (of insane)	{M.. 10	—	—	—	—	—	—	—	1	1	—	2	2	1	—	3
{F.. 6	—	—	—	—	—	—	—	—	2	1	—	2	—	1	—	—
Tetanus and trismus nascentium	{M.. 26	3	4	4	4	3	3	4	—	—	—	1	—	1	1	1
{F.. 12	3	5	2	3	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	{M.. —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{F.. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	{M.. 49	9	13	2	6	5	3	5	5	1	1	1	2	—	1	4
{F.. 34	8	10	2	3	4	3	4	3	2	1	—	2	1	—	2	4
Convulsions	{M.. 177	144	169	6	—	—	—	—	1	—	—	1	—	—	—	—
{F.. 146	102	132	1	1	—	—	2	3	2	3	1	—	—	—	—	1
Mental diseases	{M.. 13	—	—	—	—	—	2	1	1	—	—	2	1	—	2	4
{F.. 19	—	—	—	—	—	—	1	2	1	1	1	5	—	—	—	7
Diseases of the brain	{M.. 80	17	20	2	—	1	2	2	—	6	2	7	6	7	4	21
{F.. 53	9	18	3	3	3	1	1	5	2	1	1	3	2	—	10	—
Diseases of the spinal cord	{M.. 17	2	3	2	—	—	—	1	1	1	—	—	3	1	1	4
{F.. 4	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1
Locomotor ataxia	{M.. 10	—	—	—	—	—	—	—	1	1	—	2	2	1	1	2
{F.. 2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Others of this class	{M.. 20	2	2	—	—	3	1	1	1	—	3	1	1	1	—	6
{F.. 18	—	1	—	—	1	1	1	1	—	3	1	3	—	2	—	5
3. Diseases of the circulatory system.	1,270	89	107	22	37	34	37	28	48	54	62	56	74	83	115	513
Males	722	54	62	10	9	18	13	13	21	31	31	30	45	57	73	309
Females	548	35	45	12	28	16	24	15	27	23	31	26	29	26	42	204
Pericarditis	{M.. 11	—	2	2	1	—	—	—	—	2	1	—	2	1	—	—
{F.. 6	—	—	—	1	—	1	2	—	—	—	2	—	—	—	—	—
Diseases of the heart	{M.. 669	44	50	8	8	18	13	13	20	29	26	29	41	52	67	295
{F.. 513	30	40	10	28	15	21	14	24	22	27	26	27	25	40	194	—
Angina pectoris	{M.. 9	—	—	—	—	—	—	—	—	—	1	—	—	2	2	4
{F.. 11	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	7
Diseases of the arteries	{M.. 12	—	—	—	—	—	—	—	—	—	—	—	—	1	3	8
{F.. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism	{M.. 11	—	—	—	—	—	—	—	1	—	3	1	2	1	1	2
{F.. 4	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1
Embolism	{M.. —	—	—	—	—	—	1	1	2	—	2	—	—	—	—	1
{F.. 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Others of this class	{M.. 10	10	10	—	—	—	—	—	—	—	—	—	—	—	—	—
{F.. 6	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,078	471	809	78	36	53	59	52	65	66	77	68	73	67	98	477
Males.....	1,153	262	432	42	16	25	38	33	42	39	47	49	46	45	46	253
Females.....	925	209	377	36	20	28	21	19	23	27	30	19	27	22	52	224
Croup.....	M.. 68 F.. 63	23 19	54 53	12 9	1 1	1										
Pneumonia.....	M.. 781 F.. 598	160 118	273 222	23 20	13 11	20 21	33 14	30 15	36 23	30 20	39 19	40 15	33 18	28 14	28 41	155 145
Laryngitis.....	M.. 9 F.. 6	2	4 3	2 1	1		1					1	1		1	
Bronchitis.....	M.. 141 F.. 133	50 44	70 66	2 2	4 4	2 3	2 1			4	1 2	2	4 1	5 3	4 4	47 45
Pleurisy.....	M.. 19 F.. 19	1 1	1 3	1 3	1	1		1 3	2	2 1					1	8 5
Asthma.....	M.. 44 F.. 23		2			1				1		1	5 3	7	4 4	25 12
Others of this class.....	M.. 91 F.. 83	26 25	30 28	2 1	1 3	2 5	3 2	2	4	2 6	7 6	5 3	3 5	4 4	8 3	18 17
5. Diseases of the digestive system.	1,249	301	389	43	66	60	70	52	50	47	54	56	40	54	55	213
Males.....	692	159	211	24	42	32	31	24	24	30	33	32	27	30	33	119
Females.....	557	142	178	19	24	28	39	28	26	17	21	24	13	24	22	94
Dentition.....	M.. 15 F.. 9	9 4	15													
Angina.....	M.. 17 F.. 8	2 3	6 3	2 1	3 1	2	1	1	1			1				1
Gastritis.....	M.. 72 F.. 65	8 8	16 11	3 1	1 1		1 2	1 4	1 1	3 1	1 4	4 1	6 2	5 3	5 3	25 29
Diseases of the stomach.....	M.. 51 F.. 39	11 7	15 8		1	1		1 2	3 1	1 1	3 1	5 3	2 1	4 2	3 3	13 14
Obstruction of the bowels.....	M.. 49 F.. 36	9 8	12 11		2 3	4 1	3 1		1 1	3 1	5 3	4 1	3 2	1 2	2 3	10 6
Appendicitis.....	M.. 105 F.. 52	1	2 3	12 4	17 10	17 10	10 7	10 5	7 6	4 1	4	8 2	2	3 3		9 1
Hernia.....	M.. 20 F.. 19	3 2	4 2			1	1 1	1 1		1 1	1	2 1	1		4 1	5 9
Other diseases of the bowels.....	M.. 24 F.. 17	7 8	11 9	1		1	2 1	1 2		1 1	2 1		1		1 1	3 1
Jaundice.....	M.. 17 F.. 14	7 12	7 12		1		1				1	1		2 1		4
Inflammation and abscess of the liver.....	M.. 19 F.. 16		2				2 1	3 1	3 2	3 1	1 2			1 3	2 1	4 3
Other diseases of the liver.....	M.. 68 F.. 39	2 1	2 2	1	2		1 1	1	1 1	6 1	3 2	1 6	9 3	10 2	7 4	24 18
Peritonitis.....	M.. 90 F.. 118	5 1	11 6	5 7	16 10	6 12	8 22	5 11	6 12	4 8	10 5	4 8	1 2	3 5	1 3	10 7
Ascites.....	M.. 5 F.. 5					1				1			1		1	2 3
Others of this class.....	M.. 140 F.. 120	95 87	110 100		1	1	1 2		2	4 2	2 2	3 1	1 1	1 2	7 2	9 3
6. Diseases of the urinary system and male organs of generation.	833	23	37	11	14	18	33	39	41	43	46	50	68	59	63	311
Males.....	528	13	20	6	7	6	17	20	17	24	20	25	45	37	45	239
Females.....	305	10	17	5	7	12	16	19	24	19	26	25	23	22	18	72
Bright's disease.....	M.. 351 F.. 228			5 4	6 6	4 9	14 13	15 14	14 17	17 16	16 22	17 18	36 21	31 20	28 14	145 54
Calculus, urinary.....	M.. 2 F..														1	1
Diseases of the kidney.....	M.. 66 F.. 36	12 6	18 13	1 1	1	2	2 1	2		1	2 2	3 6	1	3 1	5 1	25 8
Diseases of the bladder.....	M.. 47 F.. 7		2			1				1 1	1	2	3	1	5	34 3
Others of this class.....	M.. 62 F.. 34	1 2	2 2			2	1 2	3 3	3 7	5 2	1 2	3 1	5 2	2 1	6 3	31 7
7. Diseases of the female organs of generation.	55	1	1			3	3	6	3	9	12	3	2	3	3	7
Ovarian tumors.....	7									2		1	1	1		2
Ovarian diseases.....	1										1					
Diseases of the tubes.....	7					1	1	2	1	1	1					
Uterine tumors.....	12									1	4			2	1	4
Uterine diseases.....	3									2		1				
Others of this class.....	25	1	1			2	2	4	2	3	6	1	1		2	1

MINNESOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with preg- nancy.	200					12	38	43	40	36	26	1	1			3
Abortion	10						3	3	2		2					
Childbirth	104					5	14	17	22	24	18		1			3
Puerperal septicemia	66					4	15	18	13	9	6	1				
Extra-uterine pregnancy	1									1						
Others of this class	19					3	6	5	3	2						
9. Diseases of the bones and joints.	45	8	14	5	3	2	2	3	2	4	2	2	3	1	2	
Males	31	4	9	4	3	1	2	3	2	1	1	1	2	1	1	
Females	14	4	5	1		1				3	1	1	1		1	
Diseases of the spine {M..	21	4	8	3	1	1	2	1		1	1	1	1		1	
{F..	9	3	3			1				2	1	1			1	
Abscess, lumbar and psoas. {M..	2								1				1			
{F..																
Diseases of the bones {M..	4				1			1	1					1		
{F..	3		1													
Diseases of the hip joint. {M..	2			1				1								
{F..	1									1						
Others of this class. {M..	2		1		1											
{F..	1	1	1													
10. Diseases of the skin.	35	12	13				4	2		2	3	2	2	2		5
Males	22	7	8					2		1	3	2	1	2		3
Females	13	5	5				4			1			1			2
Abscess. {M..	9	4	4					2			1			1		1
{F..	7	3	3				2			1						1
Carbuncle {M..	4									1		1	1	1		
{F..																
Others of this class. {M..	9	3	4				2				2	1				2
{F..	6	2	2										1			1
11. Diseases of the absorbent sys- tem.	14	1	3	1	2		1	1	3			2	1			
Males	9	1	3	1	1			1	2			1				
Females	5				1		1		1			1	1			
Addison's disease {M..	3							1	1			1				
{F..																
Diseases of the spleen {M..	2				1				1							
{F..	2				1								1			
Others of this class. {M..	4	1	3	1												
{F..	3						1		1			1				
12. Accidents and injuries.	1,066	70	157	65	46	82	88	87	101	88	67	47	48	42	34	114
Males	850	42	90	44	36	69	68	77	92	76	60	37	44	42	27	88
Females	216	28	67	21	10	13	20	10	9	12	7	10	4		7	26
Burns and scalds {M..	46	3	22	3		3	5		2		2	1	1	1	2	4
{F..	54		23	14	2	2	1	2	1	2		1			1	5
Drowning {M..	105		13	14	10	23	11	11	5	8	2	1	1	1	1	4
{F..	14		7	2	1	1	2					1				
Exposure and neglect {M..	13	3	6		1			2	1	1			1			1
{F..	9	7	7		1					1						
Gunshot wounds {M..	50		1	4	7	15	4	7	3	5		1	1			2
{F..	10		1	1	1	3	3		1							
Homicide {M..	20		1	2		1	2	2	3	3	1			2		3
{F..	2								1	1						
Infanticide {M..																
{F..	1	1	1													
Injuries by machin- ery. {M..	7					2			2	2					1	
{F..																
Railroad accidents {M..	109			7		2	7	17	21	14	15	2	5	6	2	11
{F..	6		1					1	1		1	1				1
Suffocation {M..	33	19	21		1			3	1		1				2	2
{F..	16	10	12	1			2			1						
Suicide by shooting. {M..	26					1	1	2	4	3	2	1	5	3	1	3
{F..																
Suicide by drowning {M..	5								1		1			1	1	1
{F..																
Suicide by poison {M..	16						2	1	1	2	2	1	2	1	2	2
{F..	10					3		1	1	1		2			1	1
Other suicides {M..	52					4	1	4	6	5	5	7	8	2	4	6
{F..	13						3	1	2	2	2	2	1			
Sunstroke {M..	3											1		1		1
{F..																
Surgical operations {M..	6				1	1	1			1			1		1	1
{F..	8					1		1				2	1		2	
Wounds {M..	12		1		1		2	2	2	3		1				
{F..																
Others of this class. {M..	347	17	25	14	15	17	32	26	40	28	29	21	19	24	10	47
{F..	73	10	15	3	5	3	9	4	2	3	4	1	2		3	

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	20,251	3,542	6,483	1,029	827	1,363	1,539	1,236	932	774	750	650	693	550	703	2,722
Males.....	10,299	1,906	3,446	517	422	638	774	574	426	373	352	309	358	283	365	1,462
Females.....	9,952	1,636	3,037	512	405	725	765	662	506	401	398	341	335	267	338	1,260
Unknown cause	1,989	870	1,193	91	63	71	70	56	37	36	40	39	36	34	39	134
Males.....	1,010	470	649	52	34	30	29	15	13	15	14	16	16	15	18	94
Females.....	979	400	544	39	29	41	41	41	24	21	26	23	20	19	21	90
I. General diseases.																
General diseases—A	6,416	1,107	2,456	505	371	493	506	364	270	198	192	119	161	98	137	546
Males.....	3,299	596	1,300	238	175	222	277	195	140	104	104	56	84	49	73	282
Females.....	3,117	511	1,156	267	196	271	229	169	130	94	88	63	77	49	64	264
Measles.....{M..	459	151	302	33	30	19	27	6	7	9	6	5	6	1	2	6
{F..	491	124	274	30	28	42	14	13	27	15	15	8	6		6	13
Scarlet fever.....{M..	21	7	15	5					1							
{F..	23	2	10	11	2											
Diphtheria.....{M..	42	13	31	5	3			1		2						
{F..	43	10	25	12	3	1				1			1			
Whooping cough.....{M..	91	47	85	4		1	1									
{F..	84	46	77	6				1								
Malarial fever.....{M..	498	50	148	56	35	43	47	37	21	16	21	7	17	9	11	30
{F..	485	51	138	59	41	43	37	38	13	9	21	8	12	11	12	43
Influenza.....{M..	304	82	109	10	7	6	8	10	5	4	5	3	10	13	13	101
{F..	283	43	75	12	10	10	11	8	11	7	10	7	13	7	15	87
Typhoid fever.....{M..	667	38	141	57	57	83	93	67	45	29	22	13	18	6	7	29
{F..	703	34	140	71	78	110	89	48	42	25	16	20	17	13	9	25
Cholera morbus.....{M..	56	9	29	4	2		2	2	4	1	1			2	4	5
{F..	58	12	26	2	2	1	2	2	2	2	1	1		3	3	11
Colitis.....{M..	5	1	2				1						1			1
{F..	5	1	3							1						1
Diarrhea.....{M..	104	13	39	12	1	2	2	2	2	2	1	4	4	1	6	26
{F..	110	26	56	16	2	3	1	3	6	2		2	3	2	1	13
Dysentery.....{M..	213	43	122	3	8	5	10	1	3	1	6	3	10	8	6	27
{F..	167	27	81	11	3	3	9	2	2	5	6	3	5	4	7	26
Enteritis.....{M..	86	21	51	8	6	3	5	3		2		3				5
{F..	82	25	46	7	3	3	2	4	1	1	3	2	1	3	1	5
Cholera infantum.....{M..	94	52	94													
{F..	76	44	76													
Fever.....{M..	68	24	41	7	1	5	3	2	1	2	1	1			1	3
{F..	76	18	39	7	5	3	2	3	2	1	1	1	3			9
Cerebro-spinal fever.....{M..	20	2	9	3	1		2	3					1		1	
{F..	15	3	6	2	1	2	1	1					2			
Smallpox.....{M..	471	29	56	29	17	49	67	56	47	31	36	14	13	6	15	35
{F..	311	26	55	17	14	40	47	36	16	17	14	9	13	6	5	22
Erysipelas.....{M..	14	2	3	1	1	1	1	1	1				1			4
{F..	15	11	12			1										2
Septicemia.....{M..	38	2	5	1	6	2	4	1	3	2	2		1	1	4	6
{F..	51	4	8	1	3	5	11	8	3	4	1	2			1	4
Venereal diseases.....{M..	22	8	8			1	3	2		3	2	1	1		1	
{F..	14	2	4				1	1	3	3					1	1
Others of this group.....{M..	26	2	10		2	1	1	1			1	2	1	2	2	4
{F..	25	2	5	3	1	4	2	1	2	1			1		3	2
General diseases—B.....	128	43	83	7	5	1	3	7	4			4	6	2	1	5
Males.....	69	23	42	3	3		2	3	4			4	2	2	1	3
Females.....	59	20	41	4	2	1	1	4					4			2
Alcoholism.....{M..	6						1	1	1			1	1	1		
{F..																
Parasitic diseases.....{M..	21	5	18	2	1											
{F..	26	4	22	3	1											
Lead poison.....{M..																
{F..																
Other poisons.....{M..	23	1	6	1	2		1	2	3			3	1	1	1	2
{F..	14		1	1		1	1	4					4			2
Inanition.....{M..	19	17	18													1
{F..	19	16	18		1											
General diseases—C.....	525	137	145	4	2	2			1	1	2	2	2	7	8	349
Males.....	238	74	77	4	2	2					2	1	1	3	2	144
Females.....	287	63	68						1	1		1	1	4	6	205
Old age.....{M..	131														1	130
{F..	198														6	192
Premature birth.....{M..	54	54	54													
{F..	43	43	43													
Malformation.....{M..	15	12	12	3												
{F..	11	9	11													
Debility and atrophy.....{M..	33	3	6	1	2	2					2	1	1	3	1	14
{F..	30	6	9						1	1		1	1	4		13
Others of this group.....{M..	5	5	5													
{F..	5	5	5													

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	3,161	70	222	78	102	298	397	374	272	208	190	193	159	138	139	391
Males.....	1,357	34	118	38	42	108	172	135	100	90	72	75	74	56	68	209
Females.....	1,804	36	104	40	60	190	225	239	172	118	118	118	85	82	71	182
Anemia.....	M..... 2 F..... 5		1	1	1				1			2			1	
Diabetes.....	M..... 15 F..... 3		1		1	1		1	1		2	1		1		6
Rheumatism.....	M..... 69 F..... 55	2	3	2	6	1	6	3	3	2	1	8	9	7	2	19
Scrofula and tabes.....	M..... 73 F..... 58	11	26	5	5	7	4	4	5	2	1	2	4	1	3	4
Hydrocephalus.....	M..... 8 F..... 3	1	4			1				1		1		1		
Tuberculosis, general.....	M..... 1 F.....		1			1				1						1
Consumption.....	M..... 878 F..... 1,251	16	55	14	23	86	149	115	82	78	55	50	42	28	33	68
Cancer.....	M..... 84 F..... 174	2	3			1	2	1	2	2	8	8	8	3	13	33
Tumor.....	M..... 14 F..... 39	1	2	3	2		1		1	1	1		1		1	2
Dropsy.....	M..... 212 F..... 215	3	26	13	5	11	10	10	7	4	4	5	10	15	16	76
Others of this group.....	M..... 1 F..... 1	1	1					1								49
2. Diseases of the nervous system.....	1,270	269	458	109	66	72	55	39	17	24	27	37	56	36	44	230
Males.....	666	152	245	56	29	45	31	18	5	11	15	14	32	17	23	125
Females.....	604	117	213	53	37	27	24	21	12	13	12	23	24	19	21	105
Inflammation of the brain.....	M..... 77 F..... 63	11	32	12	1	7	5	4	1	2	2	1	3	3		4
Meningitis.....	M..... 115 F..... 96	20	50	17	12	18	4	5	1	2	1		3			2
Apoplexy.....	M..... 47 F..... 47						2					1		2	2	3
Paralysis.....	M..... 122 F..... 114	2	7	1	1	1	1	1		3	2	5	9	5	13	73
Paralysis, general (of insane). Tetanus and trismus nascentium.	M..... 2 F..... 3										1		1			
Chorea.....	M..... 1 F..... 2				1											
Epilepsy.....	M..... 39 F..... 32	3	5	3	6	6	7	4	1		3		1			3
Convulsions.....	M..... 106 F..... 82	83	96	8				1								1
Mental diseases.....	M..... 10 F..... 2						1			2	1	1				5
Diseases of the brain.....	M..... 117 F..... 133	26	44	13	7	13	11	1	1	1	3	2	5	1	2	13
Diseases of the spinal cord.....	M..... 2 F..... 2			1												11
Locomotor ataxia.....	M..... 3 F.....												1	1		1
Others of this class.....	M..... 11 F..... 20	1	2			1	4	2	1	1			2			4
3. Diseases of the circulatory system.....	895	23	34	12	13	22	42	40	36	43	57	64	71	49	103	309
Males.....	401	12	17	7	7	11	9	14	11	15	13	28	29	21	51	168
Females.....	494	11	17	5	6	11	33	26	25	28	44	36	42	28	52	141
Pericarditis.....	M..... 3 F..... 4				1		1			1						1
Diseases of the heart.....	M..... 394 F..... 482	12	17	7	7	11	8	14	11	14	12	27	28	21	51	166
Angina pectoris.....	M..... 3 F..... 4										1	1	1			
Diseases of the arteries.....	M..... F.....															
Aneurism.....	M..... 1 F..... 3							1	1		1					1
Embolism.....	M..... F..... 1						1									
Others of this class.....	M..... F.....															

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	2,955	666	1,138	90	98	175	188	135	110	114	135	97	104	94	120	357
Males.....	1,611	368	610	47	57	105	101	69	63	57	72	54	61	53	62	207
Females.....	1,344	298	528	43	41	70	87	66	47	57	63	43	43	41	58	157
Croup.....	{M. 205	139	196	7	2											
{F. 204	143	197	6	1												
Pneumonia.....	{M. 1,223	184	337	36	44	100	97	63	61	55	67	46	52	48	53	164
{F. 945	124	264	27	34	65	77	61	42	51	56	34	38	38	43	43	115
Laryngitis.....	{M. 1															1
{F. 3				1				1			1					
Bronchitis.....	{M. 103	39	63	2	4	1	2	3	1	1	2	4	2	4	1	13
{F. 102	27	51	5	6			5	1	2	2	2	4	1	1	4	18
Pleurisy.....	{M. 19	1	1		3	1	1	2	1				1		3	6
{F. 29	1	2			1				1	3	1	4	1		6	10
Asthma.....	{M. 31		5		2						2	3	5		3	11
{F. 25	1	3	1		1		1	2			1	1	2	1	3	9
Others of this class.....	{M. 29	5	8	2	2	3	1	1		1	1	1	1	1	2	5
{F. 36	2	11	3		3	4	1		2	1	2		1	1	2	5
5. Diseases of the digestive system.	968	193	398	41	23	38	51	39	33	28	33	34	39	39	45	127
Males.....	525	100	215	20	15	20	25	19	15	13	19	15	18	27	26	78
Females.....	443	93	183	21	8	18	26	20	18	15	14	19	21	12	19	49
Dentition.....	{M. 57	19	57													
{F. 50	21	50														
Angina.....	{M. 20	6	10	2			1	1		1			1	2		2
{F. 8		4	2				1	1								
Gastritis.....	{M. 50	6	13	3			6	3	2			2	2	2	7	10
{F. 57	4	11		2	1	5	2	2	2	5	4	3	4	5	11	
Diseases of the stomach.....	{M. 52	6	20	5	4	2	2	2	4		2	1	1		1	8
{F. 58	5	22	8	2	4		2	2	3	2	3	1	1	1	3	6
Obstruction of the bowels.....	{M. 9	1	2			2			1			1		1		2
{F. 8						1	1	2				1	2		1	
Appendicitis.....	{M. 29		2	1	2	4	3	2	2		4	2		1	2	3
{F. 9						2	3	1		1		1				1
Hernia.....	{M. 21	1	1				2		1	2	1			2	1	11
{F. 4				1					1	1						1
Other diseases of the bowels.....	{M. 60	8	24	2	2	3	3			4		1	2	4	4	9
{F. 47	9	20	4		1	2	2			1		1	1	2	3	10
Jaundice.....	{M. 13	9	9		1		1		1							1
{F. 18	7	8		1	2	1	1	1	1			1				2
Inflammation and abscess of the liver.....	{M. 35		2	1		1	1	1			2	2	4	5	6	10
{F. 26	2	5			2	2	3		2		2	2	2	1		5
Other diseases of the liver.....	{M. 45	2	8		1	4	2		2	1	4	2	2	6	4	9
{F. 27	2	3	1			2			3	3	1	2	3	1	4	4
Peritonitis.....	{M. 20	1	2	2		1	3	2	1	1	1	1	1	1	1	3
{F. 24	3	4	1		3	4	4	2	2	2			2	1		1
Ascites.....	{M. 17		1		2	1	2			1	3		3			4
{F. 17		3	2		2	1			1	1	2		3	1		1
Others of this class.....	{M. 97	41	64	4	5	2	1	2	2	1	2	3	2	3		6
{F. 90	40	53	4	1		4	2	2	3	1	1	6	4	1	3	7
6. Diseases of the urinary system and male organs of generation.	432	9	23	10	18	27	32	24	22	17	11	22	28	27	38	133
Males.....	317	5	16	9	10	17	21	13	14	11	8	16	22	22	28	110
Females.....	115	4	7	1	8	10	11	11	8	6	3	6	6	5	10	23
Bright's disease.....	{M. 167			4	4	9	13	6	9	6	8	12	11	19	17	49
{F. 71			1	2	6	8	6	6	7	3	2	4	5	4	5	18
Calculus, urinary.....	{M. 20		1	1					1	1		1	1	1	3	10
{F. 1																1
Diseases of the kidney.....	{M. 53	2	10	2	2		3		1				6	2	2	25
{F. 21	2	4			2		3		2			1	1	1	3	3
Diseases of the bladder.....	{M. 25	1	1				1		1			2	3		3	14
{F. 3	2	2										1				
Others of this class.....	{M. 52	2	4	2	4	8	4	7	2	4		1	1		3	12
{F. 19		1			6	2	2	2	1	1	1				2	1
7. Diseases of the female organs of generation.	51				2	3	1	5	10	9	7	3	5	2	1	3
Ovarian tumors.....	2								1							1
Ovarian diseases.....	3								1	1						1
Diseases of the tubes.....																
Uterine tumors.....	3								1	1				1		
Uterine diseases.....	11					1		1	3	3			1		1	1
Others of this class.....	32				2	2	1	4	4	4	7	3	4	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSISSIPPI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	259				2	51	61	46	46	26	20	2	1		1	3
Abortion	19					5	4	4	4		2					
Childbirth	187				2	35	48	31	32	20	14	1	1		1	2
Puerperal septicemia	40					7	6	11	6	5	3	1				1
Extra-uterine pregnancy																
Others of this class	13					4	3		4	1	1					
9. Diseases of the bones and joints.	45	5	9	5	5	5	2	2	2	2	1	3	2	1	1	5
Males	24	2	3	5	4	3		1	1	1	1	2	2	1		
Females	21	3	6		1	2	2	1	1	1		1			1	5
Diseases of the spine (M..)	8	1	1	4	3											
Diseases of the spine (F..)	13	2	4		1	1	2	1				1				3
Abscess, lumbar and psoas (M..)																
Abscess, lumbar and psoas (F..)																
Diseases of the bones (M..)	4		1			1			1			1				
Diseases of the bones (F..)	3					1			1	1						
Diseases of the hip-joint (M..)	2				1			1								
Diseases of the hip-joint (F..)	1	1	1													
Others of this class (M..)	10	1	1	1		2				1	1	1	2	1		
Others of this class (F..)	4		1												1	2
10. Diseases of the skin.	42	5	10			1	2	4	2	4	2	3	3	1	2	8
Males	24	3	5				2	3	1	3		2	2	1		5
Females	18	2	5			1		1	1	1	2	1	1		2	3
Abscess (M..)	9						2	1	1	1		2		1		1
Abscess (F..)	6		1							1	1				1	2
Carbuncle (M..)	5	1	1					2					1			1
Carbuncle (F..)	2										1				1	
Others of this class (M..)	10	2	4							2			1			3
Others of this class (F..)	10	2	4			1		1	1			1	1			1
11. Diseases of the absorbent system.	9						2		1	1		3			2	
Males	7						1		1	1		3			1	
Females	2						1								1	
Addison's disease (M..)																
Addison's disease (F..)																
Diseases of the spleen (M..)	5						1		1	1		1			1	
Diseases of the spleen (F..)	2						1								1	
Others of this class (M..)	2											2				
Others of this class (F..)																
12. Accidents and injuries.	1,106	145	314	77	57	104	127	101	69	63	33	25	20	22	22	72
Males	751	67	149	38	44	75	104	89	58	52	32	23	15	16	12	44
Females	355	78	165	39	13	29	23	12	11	11	1	2	5	6	10	28
Burns and scalds (M..)	85	3	55	12	3	2	2	1	1					1	1	7
Burns and scalds (F..)	157	10	75	27	4	11	11	4	6	3		1	3	2	3	7
Drowning (M..)	55		2	4	11	11	7	11	2	3	1	1	1			1
Drowning (F..)	8		1		1	1	1	1				1		1		1
Exposure and neglect (M..)	20	11	17									1				2
Exposure and neglect (F..)	27	17	21	2			2									2
Gunshot wounds (M..)	166		5	3	11	20	32	35	17	12	6	10	4	4		7
Gunshot wounds (F..)	19	1	2	1	3	7	1	2	1					1		1
Homicide (M..)	75		1	2	1	8	16	10	13	12	4	3	2		2	1
Homicide (F..)	11			1		2	3	1	2	1	1					
Infanticide (M..)	1	1	1													
Infanticide (F..)	1	1	1													
Injuries by machinery (M..)	12					2	1	1	3	2		2		1		
Injuries by machinery (F..)																
Railroad accidents (M..)	53				3	7	10	7	7	5	7		1	2	2	2
Railroad accidents (F..)	4		1				1			1					1	
Suffocation (M..)	34	30	31	1			1		1							
Suffocation (F..)	37	31	34	1	1										1	
Suicide by shooting (M..)	7					1	1		1	1	1	1				1
Suicide by shooting (F..)	1															
Suicide by drowning (M..)																
Suicide by drowning (F..)	2					1				1						
Suicide by poison (M..)	2				1							1				
Suicide by poison (F..)																
Other suicides (M..)	9						1		3	1	1		1		1	1
Other suicides (F..)																
Sunstroke (M..)	8						1	2		2		1	1		1	
Sunstroke (F..)	2			1									1			
Surgical operations (M..)	4						1		1	1				1		
Surgical operations (F..)	1									1						
Wounds (M..)	12			2			2	3			1	1			2	1
Wounds (F..)	2	2	2													
Others of this class (M..)	208	22	37	14	14	24	29	19	9	13	11	2	5	7	3	21
Others of this class (F..)	83	16	28	6	4	6	4	4	2	4			1	2	5	17

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

MISSOURI.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	38,084	6,806	11,472	1,494	1,058	1,650	2,133	1,906	1,768	1,719	1,545	1,523	1,557	1,700	1,726	6,833
Males.....	20,480	3,742	6,128	763	527	775	1,032	968	883	922	833	897	914	972	1,003	3,863
Females.....	17,604	3,064	5,344	731	531	875	1,101	938	885	797	712	626	643	728	723	2,970
Unknown cause.....	1,382	748	896	35	24	25	26	18	22	18	35	26	21	28	29	179
Males.....	747	420	497	21	12	13	11	5	9	11	16	12	11	15	15	99
Females.....	635	328	399	14	12	12	15	13	13	7	19	14	10	13	14	80
1. General diseases.																
General diseases—A	8,040	1,698	3,686	633	409	449	428	317	256	245	201	195	179	182	172	688
Males.....	4,149	908	1,923	315	191	206	231	172	124	125	109	110	98	93	87	365
Females.....	3,891	790	1,763	318	218	243	197	145	132	120	92	85	81	89	85	323
Measles.....	M.. 253	47	138	26	19	21	11	10	4	6	6	3	2	1	1	5
F.. 241	40	127	22	12	20	8	9	14	5	8	4	4	4	4	1	3
Scarlet fever.....	M.. 65	9	37	25	1											2
F.. 69	5	47	10	7			1	1	1						1	1
Diphtheria.....	M.. 260	17	152	76	21	2			1				2	2		4
F.. 234	14	128	78	18	5		3	1	1			1				
Whooping cough.....	M.. 167	93	160	7												
F.. 213	99	192	18	3												
Malarial fever.....	M.. 494	63	144	57	30	26	26	27	23	19	25	19	17	13	12	56
F.. 471	64	162	59	31	33	32	12	22	15	10	15	15	10	13	11	46
Influenza.....	M.. 166	25	38	5	2	3	5	3	1	3	3	6	9	6	13	69
F.. 189	23	34		3	9	3	2	6	5	12	6	6	12	11	15	71
Typhoid fever.....	M.. 926	27	102	69	81	110	148	95	66	53	39	41	26	29	15	52
F.. 864	24	109	66	107	147	104	62	44	42	25	32	29	24	20	53	
Cholera morbus.....	M.. 144	40	74	3	2	9	6	3	3	3	5	5	5	6	6	14
F.. 127	41	70	6	3	9	4	3	3	4	4	5	2	3	2	4	8
Colitis.....	M.. 29	8	17								3	4	1	1		3
F.. 19	1	11					2		1	1	1				1	3
Diarrhea.....	M.. 142	28	64	3	1	2		1	2	3		1	6	12	10	37
F.. 110	28	56	11	1	1			1		2	1	3	1	5	6	22
Dysentery.....	M.. 198	36	125	5	1	3	4	2	2	3	2	3	4	3	7	34
F.. 192	37	114	1	1			2	2	4	4	1	3	8	4	9	39
Enteritis.....	M.. 341	159	238	7	9	4	5	6	4	10	6	9	3	9	8	23
F.. 309	118	181	10	9	4	6	14	7	10	5	6	7	7	6	9	35
Cholera infantum.....	M.. 462	258	462													
F.. 393	212	393														
Fever.....	M.. 33	6	9	2	2	3	5	4	1	2			2	1		2
F.. 29	7	13	5	1	1	1	2	2		1	1	1				2
Cerebro-spinal fever.....	M.. 144	30	73	17	13	11	3	3	5	3	4	3	2	2		5
F.. 117	22	51	23	13	7	3	6	4	2	1	1	1		2	1	3
Smallpox.....	M.. 43	7	10	1		1	7	7	3	6	1	1	2	1	1	2
F.. 23	7	8	1		2	3	2		2	3	1	1				1
Erysipelas.....	M.. 61	22	25	3	3	3	1	1	1	2	4	2	2	2		12
F.. 59	25	28	2				1	1	2	1	3	4	2	8	1	6
Septicemia.....	M.. 135	18	28	6	4	6	5	8	7	7	8	9	7	3	9	28
F.. 175	11	21	4	7	5	25	24	18	25	13	6	4	9	3	11	
Venereal diseases.....	M.. 31	8	9	1	1	2	2	1	1	3	1	3	4	1	1	1
F.. 16	8	9		1				1	1		2		1			1
Others of this group.....	M.. 55	7	18	2	1		3	1		2	2	1	4	1	4	16
F.. 41	4	9	2	1			1		4	1	1			1	3	18
General diseases—B	861	604	666	12	1	11	19	20	19	22	11	16	11	17	11	25
Males.....	480	314	347	5		3	8	12	14	16	8	14	9	14	9	21
Females.....	381	290	319	7	1	8	11	8	5	6	3	2	2	3	2	4
Alcoholism.....	M.. 48						1	7	7	2	7	7	5	6	4	2
F.. 5							1	1		2		1				
Parasitic diseases.....	M.. 6		5	1						1						
F.. 12		7	4													
Lead poison.....	M.. 5							1	1	1		1				1
F..																
Other poisons.....	M.. 85	4	19	2		3	7	4	6	12	1	5	4	5	5	12
F.. 60	6	15	2	1	8	10	7	5	3	3	3	1		2		3
Inanition.....	M.. 336	310	323	2						1		1		3		6
F.. 304	284	297	1										2	1	2	1
General diseases—C	2,035	794	848	6	5	2	3	5	3	7	4	5	11	21	44	1,071
Males.....	1,053	451	476	3	4	2	1	2		5	3	1	6	10	24	516
Females.....	982	343	372	3	1		2	3	3	2	1	4	5	11	20	555
Old age.....	M.. 500														13	487
F.. 538															14	524
Premature birth.....	M.. 236	236	236													
F.. 187	187	187	187													
Malformation.....	M.. 37	35	35	1	1											
F.. 29	27	29	29													
Debility and atrophy.....	M.. 268	168	193	2	3	2	1	2		5	3	1	6	10	11	29
F.. 213	114	141	3	1			2	3	3	2	1	4	5	11	6	31
Others of this group.....	M.. 12	12	12													
F.. 15	15	15	15													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	6,147	159	352	95	106	434	712	639	595	473	403	359	354	378	339	908
Males.....	2,934	77	175	41	41	159	272	304	275	230	198	185	177	193	195	489
Females.....	3,213	82	177	54	65	275	440	335	320	243	205	174	177	185	144	419
Anemia.....{M..	27	8	11	2	1	1	—	1	—	2	2	—	5	—	1	1
{F..	51	11	14	2	1	3	6	5	4	2	4	1	1	2	2	4
Diabetes.....{M..	72	1	2	1	2	5	5	5	1	6	5	—	6	5	4	25
{F..	49	1	2	—	2	4	2	2	2	3	2	3	3	8	5	11
Rheumatism.....{M..	109	1	5	6	11	5	5	2	3	6	4	6	5	12	11	28
{F..	87	—	4	5	8	6	3	4	1	8	2	5	6	5	5	25
Scrofula and tuberc..{M..	45	6	16	2	2	2	7	—	2	1	2	3	2	1	3	2
{F..	48	7	12	5	2	—	6	5	5	1	2	4	2	—	1	3
Hydrocephalus.....{M..	57	18	40	8	—	3	1	2	1	—	1	—	—	—	—	1
{F..	52	19	38	5	1	2	1	1	3	—	—	—	1	—	—	—
Tuberculosis, general{M..	11	—	1	—	—	1	—	2	1	—	—	4	2	—	—	—
{F..	5	—	1	—	—	—	1	—	1	1	—	—	1	—	—	—
Consumption.....{M..	1,967	29	61	16	20	133	230	282	245	202	151	134	114	108	94	177
{F..	2,140	39	80	23	44	254	405	302	267	179	138	81	90	73	56	148
Cancer.....{M..	374	1	4	2	2	3	10	2	10	9	17	22	32	53	55	153
{F..	534	—	6	3	1	1	4	9	26	36	47	66	52	75	56	152
Tumor.....{M..	42	3	7	—	1	1	5	2	1	1	5	4	—	1	2	12
{F..	69	2	7	2	—	2	3	1	4	2	4	6	9	10	6	14
Dropsy.....{M..	211	5	17	3	2	2	8	5	11	3	11	12	10	13	25	89
{F..	162	—	6	8	5	3	5	5	7	11	6	8	12	11	14	61
Others of this group..{M..	19	5	11	1	—	3	1	1	—	—	—	—	1	—	—	1
{F..	16	3	7	1	1	—	4	1	—	—	—	—	—	1	—	1
2. Diseases of the nervous system..	4,130	889	1,503	183	130	127	96	102	114	118	131	130	182	210	211	893
Males.....	2,256	485	780	100	63	60	52	49	65	67	69	75	110	115	130	521
Females.....	1,874	404	723	83	67	67	44	53	49	51	62	55	72	95	81	372
Inflammation of the brain..{M..	239	76	152	19	7	9	12	4	4	7	2	3	6	4	5	5
{F..	210	67	137	14	9	13	7	6	3	3	2	2	3	—	2	9
Meningitis.....{M..	433	129	239	55	25	21	10	12	14	8	10	7	10	7	4	11
{F..	394	91	237	37	31	21	12	15	8	8	3	5	2	5	1	9
Apoplexy.....{M..	309	2	3	—	—	3	7	5	9	13	17	14	28	38	40	132
{F..	239	1	6	1	2	8	4	6	5	6	16	15	22	25	23	100
Paralysis.....{M..	461	5	12	1	1	5	2	5	8	14	15	21	30	36	48	263
{F..	363	4	12	2	3	3	7	3	10	8	20	9	30	32	36	188
Paralysis, general (of insane)..{M..	28	—	—	—	—	—	—	—	—	1	4	7	4	6	2	4
{F..	5	—	—	—	—	—	—	—	—	—	1	1	1	1	—	1
Tetanus and trismus nascentium..{M..	55	38	40	—	5	3	1	2	—	—	—	1	1	—	—	2
{F..	45	36	36	1	—	1	1	1	2	1	—	1	—	—	—	1
Chorea.....{M..	4	1	1	—	1	—	—	—	—	—	—	—	—	—	—	2
{F..	5	1	2	—	2	—	—	—	—	—	—	1	—	—	—	—
Epilepsy.....{M..	66	3	4	1	9	6	5	9	4	7	3	3	3	3	1	8
{F..	52	12	12	—	2	5	5	3	3	6	5	2	2	3	2	2
Convulsions.....{M..	217	165	204	3	3	1	1	2	1	—	1	—	1	—	—	—
{F..	193	135	176	6	—	4	1	2	1	2	—	—	—	—	—	1
Mental diseases.....{M..	37	—	—	—	1	—	—	2	2	6	2	2	2	2	3	15
{F..	50	—	—	—	—	—	1	2	7	5	4	7	4	9	2	9
Diseases of the brain..{M..	309	59	105	15	7	6	14	5	20	9	11	14	19	11	19	54
{F..	222	46	87	15	15	9	5	9	6	6	7	5	6	10	9	33
Diseases of the spinal cord..{M..	44	6	16	4	4	4	—	3	2	1	3	2	2	—	1	2
{F..	45	10	16	5	2	2	—	2	1	4	2	5	—	1	1	4
Locomotor ataxia.....{M..	19	—	1	—	—	—	—	—	1	1	—	—	3	5	3	5
{F..	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Others of this class..{M..	35	1	3	2	—	2	—	—	—	—	1	1	1	3	4	18
{F..	49	1	2	2	1	1	1	4	3	2	2	2	1	8	5	15
3. Diseases of the circulatory system.	2,306	133	164	43	54	44	66	91	91	119	123	144	162	202	211	792
Males.....	1,268	75	90	22	24	15	28	46	43	61	60	79	97	120	116	467
Females.....	1,038	58	74	21	30	29	38	45	48	58	63	65	65	82	95	325
Pericarditis.....{M..	17	—	1	—	—	—	3	2	2	1	1	—	1	—	2	4
{F..	21	—	1	—	3	1	1	1	2	3	1	2	2	2	1	1
Diseases of the heart..{M..	1,128	43	55	21	22	14	24	43	39	52	51	71	90	111	104	431
{F..	933	28	42	21	25	26	34	42	43	52	59	56	63	76	91	303
Angina pectoris.....{M..	38	—	—	—	1	—	—	1	2	2	3	5	2	4	4	14
{F..	29	—	—	—	1	2	1	1	2	2	2	2	—	2	3	11
Diseases of the arteries..{M..	18	—	—	—	—	—	—	—	—	1	—	1	—	3	2	11
{F..	8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	6
Aneurism.....{M..	24	—	—	—	—	1	1	—	—	5	—	2	2	1	4	3
{F..	10	—	—	—	1	—	2	—	—	1	—	3	—	1	—	2
Embolism.....{M..	9	—	—	1	1	—	—	—	—	—	—	—	2	1	—	4
{F..	5	—	—	—	—	—	—	1	1	—	—	—	—	1	—	2
Others of this class..{M..	34	32	34	—	—	—	—	—	—	—	—	—	—	—	—	—
{F..	32	30	31	—	—	—	—	—	—	—	—	1	—	—	—	—

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	6,359	1,163	2,256	270	108	211	274	245	212	256	264	279	252	319	331	1,082
Males.....	3,557	652	1,225	131	48	122	161	146	117	152	171	175	161	194	177	577
Females.....	2,802	511	1,031	139	60	89	113	99	95	104	93	104	91	125	154	505
Croup.....	{M.. 331	132	300	30	1											
{F.. 299	121	256	39	1												
Pneumonia.....	{M.. 2,539	346	655	78	42	111	149	125	99	133	152	156	135	145	140	419
{F.. 1,903	266	552	81	50	79	94	77	78	91	81	90	70	103	120		337
Laryngitis.....	{M.. 16		7	4		1					1	1	1	1		
{F.. 13	2	9	1			1			1						1	
Bronchitis.....	{M.. 359	138	203	11	1	2	3	9	4	6	5	5	7	17	14	72
{F.. 354	90	173	6	5	4	9	9	7	4	2	4	8	8	16		99
Pleurisy.....	{M.. 49		3	1		1	2	4	3	5	1	2	2	6	6	13
{F.. 34		2	2	1	1	3	4	1	1	3	2	1	2	2	2	9
Asthma.....	{M.. 78		1	1	1	2			1		2	3	7	11	9	40
{F.. 66	3	5	1			1	3		1		2	1	5	6	14	27
Others of this class..	{M.. 185	36	56	6	3	5	7	8	10	8	10	8	9	14	8	33
{F.. 133	29	34	9	3	5	5	6	8	7	4	7	5	6	1	33	
5. Diseases of the digestive system.	2,479	421	684	96	92	98	123	119	125	107	113	131	132	119	140	400
Males.....	1,299	242	377	51	52	52	54	44	48	47	58	72	73	64	74	233
Females.....	1,180	179	307	45	40	46	69	75	77	60	55	59	59	55	66	167
Dentition.....	{M.. 42	21	42													
{F.. 36	21	36														
Angina.....	{M.. 30	1	17	7	1		2				1					2
{F.. 40	6	19	8	5	1			2		1				2		1
Gastritis.....	{M.. 178	28	43	8	5	2	4	5	6	5	8	15	13	8	13	43
{F.. 191	21	48	5	2	3	5	7	13	18	8	4	16	9	14		39
Diseases of the stomach.....	{M.. 166	35	64	6	4	2	5	2	3	2	7	7	9	5	11	39
{F.. 145	26	41	6	3	3	9	6	7	6	3	9	9	9	4	8	31
Obstruction of the bowels.....	{M.. 62	9	15	5	4	4	5	2	1	3		4	3	4	4	8
{F.. 68	6	11	1	2	1	6	3	4	4	4	5	5	5	6		11
Appendicitis.....	{M.. 133	2	2	5	22	25	21	12	6	7	10	7	5	2	5	4
{F.. 71		1	9	12	10	8	10	5	4	1	4	1	3	2	2	1
Hernia.....	{M.. 53	2	5				3	1		4	2	5	3	1	2	27
{F.. 33	3	6			2			1	1	2	4	1	3	2		11
Other diseases of the bowels.....	{M.. 97	26	43	3	1	7	5	4	4	3		1	5	4	7	10
{F.. 74	15	35	1	6			4	3	1	3	2	2	4	1		12
Jaundice.....	{M.. 53	30	31	2	1				1	2		2	2	2		10
{F.. 40	20	21		1		1			4	2	2	2	2	1		4
Inflammation and abscess of the liver.....	{M.. 80	7	8	3	1	1	1	4	4	3	6	8	7	6	6	22
{F.. 60	1	4		2	6	4	2	5	1	2	3	2	5	7		17
Other diseases of the liver.....	{M.. 154	7	8	1	2	1	1	5	11	10	13	12	13	22	18	37
{F.. 79	5	6			1	2	2	3	2	7	7	9	10	9		21
Peritonitis.....	{M.. 83	11	14	7	7	9	3	7	7	3	6	3	5	2	1	9
{F.. 205	1	10	9	5	18	30	35	31	18	18	13	5	2	3		8
Ascites.....	{M.. 34	1	3		4			1	1	1	2	3	2	5	3	9
{F.. 28	1	2	3		1	2	1		2	2	1	3	1	5		5
Others of this class.....	{M.. 134	62	82	4		1	4	1	4	4	3	5	6	3	4	13
{F.. 110	53	67	3	2		2	3	1		2	5	4	6	9		6
6. Diseases of the urinary system and male organs of generation.	1,608	25	58	30	18	27	51	55	67	98	87	105	131	120	166	595
Males.....	1,086	18	36	20	9	12	29	30	37	58	49	78	83	81	114	450
Females.....	522	7	22	10	9	15	22	25	30	40	38	27	48	39	52	145
Bright's disease.....	{M.. 700			18	5	8	19	23	26	41	37	61	56	59	83	264
{F.. 358				8	6	9	16	18	20	26	31	20	38	27	43	96
Calculus, urinary.....	{M.. 5						1									4
{F.. 5							1		1		1		1			1
Diseases of the kidney.....	{M.. 156	16	30	2		3	2	1	4	7	4	6	10	4	12	71
{F.. 59	3	16	1	2	2		1	2	2	4		3	2	5		19
Diseases of the bladder.....	{M.. 59						3	1	1			1	2	3	9	39
{F.. 9	3	3							3							3
Others of this class.....	{M.. 166	2	6		4	1	4	5	6	10	8	10	15	15	10	72
{F.. 91	1	3	1	1	4	4	5	7	7	6	4	7	7	9		26
7. Diseases of the female organs of generation.	123	2	2		1	13	12	19	17	15	16	6	10	5	3	4
Ovarian tumors.....	17					2	1	1	3	2	1	1	3		1	2
Ovarian diseases.....	3								1		1					
Diseases of the tubes.....	13					1	2	4	1	3	1	1				
Uterine tumors.....	24					1	1	1	3	6	3	1	4	4		
Uterine diseases.....	15					2	1	4	1	2	3	1			1	
Others of this class.....	51	2	2		1	7	7	8	9	1	7	2	3	1	1	2

587

MISSOURI—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	355				2	39	85	80	60	54	32	3				
Abortion	14						3	3	4	3	1					
Childbirth.....	160				2	23	38	33	22	22	19	1				
Puerperal septicemia.....	144					13	32	31	29	27	11	1				
Extra-uterine pregnancy.....	3						1		1	1						
Others of this class.....	34					3	11	13	4	1	1	1				
9. Diseases of the bones and joints.	177	43	88	13	15	6	8	6	5	7	3	4	6	1	7	
Males.....	102	23	42	7	10	4	5	3	3	6	2	2	4	1	7	6
Females.....	75	20	46	6	5	2	3	3	2	1	1	2	2			2
Diseases of the spine {M..	76	21	39	6	8	2	3		2	5	2		2	1	2	4
{F..	62	20	43	5	3	2	2	2	2		1	1				1
Abscess, lumbar and psoas. {M..	6							2	1	1		1				1
{F..	3				1			1					1			
Diseases of the bones {M..	13	1	2		2	2						1	2		3	1
{F..	7		2		1		1			1		1				1
Diseases of the hip-joint. {M..	5	1	1	1			2	1								
{F..	2		1	1												
Others of this class. {M..	2														2	
{F..	1										1					
10. Diseases of the skin.....	83	27	33	3	1	1	1	3	2	5	5	5	3	6	3	12
Males.....	46	13	15	2		1	1	3		2	4	2	3		3	8
Females.....	37	14	18	1	1				2	3	1	3		4		4
Abscess..... {M..	20	3	3	1		1		2		1	4	1	3		1	3
{F..	16	5	6	1					2			2		2		3
Carbuncle..... {M..	12			1				1		1		1		2	2	4
{F..	4				1				1	1				1		
Others of this class. {M..	14	10	12				1				1	1				1
{F..	17	9	12						1					1		1
11. Diseases of the absorbent system.	27	1	5	1		1	4	1	3	3	1	1	1	2	1	3
Males.....	12		2				1		3					2	1	3
Females.....	15	1	3	1		1	3	1		3	1	1	1			
Addison's disease {M..	2								2							
{F..	2					1	1									
Diseases of the spleen {M..	4						1		1					1		1
{F..	7		1				1			3	1		1			
Others of this class. {M..	6		2											1	1	2
{F..	6	1	2	1			1	1				1				
12. Accidents and injuries.....	1,972	99	231	74	92	162	225	186	177	172	116	114	102	90	58	173
Males.....	1,491	64	143	45	73	126	178	152	145	142	86	92	82	68	51	108
Females.....	481	35	88	29	19	36	47	34	32	30	30	22	20	22	7	65
Burns and scalds. {M..	75	6	45	2	5	3	4	2	3	3	2	2		1	2	1
{F..	83	2	28	10	1	4	6	4	6	4	2	2		1	4	9
Drowning..... {M..	99	1	5	9	10	14	11	8	7	10	4	5	6	3	1	6
{F..	9		2		1	1	1	1	1	1				1		
Exposure and neglect {M..	11	5	6				1	1	1	1			1			1
{F..	5	3	4													
Gunshot wounds {M..	142	1	2	3	13	15	36	20	14	13	2	9	3	5	3	4
{F..	20		1	3	2	4	5		1	3						1
Homicide {M..	104			1	2	9	15	24	13	17	6	5	4	5	2	1
{F..	7					1	1	1	1			3				
Infanticide {M..																
{F..																
Injuries by machinery. {M..	8						1	1	3	1	2					
{F..																
Railroad accidents {M..	174		3	3	5	20	26	27	29	16	9	9	9	4	3	11
{F..	14		2			2	2	1		1	1		2	1		2
Suffocation {M..	38				1	3	1	1	2	2	2		1	1		1
{F..	21	16	16		1		2		1							1
Suicide by shooting. {M..	36					2	6	2	2	7	3	2	1	2	5	4
{F..	6				1	1	3	1								
Suicide by drowning {M..	5									1			1	2		1
{F..	1								1							
Suicide by poison {M..	17					1	2	2	3	3		2	2		1	1
{F..	9					2	3	1	2			1				
Other suicides {M..	132					3	12	9	18	16	12	15	16	17	7	7
{F..	48					7	5	6	6	2	8	1	2	5	1	5
Sunstroke {M..	24		1	1		1			1	2	2	4	4	2		6
{F..	5										1			2	1	1
Surgical operations. {M..	18						3	3	2	2	1	1	2	2		2
{F..	51				1		10	5	5	8	6	6	5	4		1
Wounds {M..	15		1			3	4	1	3	1	2					
{F..	2		1		1											
Others of this class. {M..	593	30	57	26	37	52	56	51	44	47	39	38	32	24	27	63
{F..	200	14	34	16	11	14	9	14	8	11	13	8	10	5	3	

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	2,188	306	512	84	38	76	119	120	154	180	133	138	112	102	78	342
Males.....	1,387	178	279	34	25	36	66	69	92	131	96	98	83	76	59	243
Females.....	801	128	233	50	13	40	53	51	62	49	37	40	29	26	19	99
Unknown cause.....	101	44	54	1	2	6	3	3	4	2	1	3	1	2	1	18
Males.....	53	22	24	1	2	4	2	1	1	2	1		1	1	1	12
Females.....	48	22	30			2	1	2	3			3		1		6
1. General diseases.																
General diseases—A.....	326	86	167	30	7	12	15	12	13	15	12	10	6	2	3	22
Males.....	166	45	80	12	3	7	6	6	7	9	10	5	3	2	2	14
Females.....	160	41	87	18	4	5	9	6	6	6	2	5	3		1	8
Measles.....{M.....	8	1	5	2				1								
{F.....	9	2	9													
Scarlet fever.....{M.....	13		9	3	1											
{F.....	13		9	3	1											
Diphtheria.....{M.....	5	1	2	2			1									
{F.....	19	2	9	8	1		1									
Whooping cough.....{M.....	9	5	9													
{F.....	10	3	9	1												
Malarial fever.....{M.....	4	1	1	1							1					1
{F.....	1						1									
Influenza.....{M.....	10							1	3		1	1		1		3
{F.....	7									3						4
Typhoid fever.....{M.....	29	2	3	1	1	4	3	3	3	2	2	1	1		2	3
{F.....	13	1	3	2	1	2		2		1	1		1			
Cholera morbus.....{M.....	14	8	12	1		1	2					1				1
{F.....	10	3	5		1	1										
Colitis.....{M.....									1							
{F.....	1															
Diarrhea.....{M.....	9	4	5	1												3
{F.....	11	2	7	2		1										1
Dysentery.....{M.....	2		1						1							
{F.....	2		2													
Enteritis.....{M.....	7	4	6													1
{F.....	5	3	3						1	1						
Cholera infantum.....{M.....	22	15	22													
{F.....	25	21	25													
Fever.....{M.....	2									1	1					
{F.....																
Cerebro-spinal fever.....{M.....	13	2	3	1	1	1				1	4	1		1		
{F.....	9	2	4	2					1		1		1			
Smallpox.....{M.....	3					2										1
{F.....	1						1									
Erysipelas.....{M.....	2	1	1				1									
{F.....	2	1	1					1								
Septicemia.....{M.....	8									3	1	1	2			1
{F.....	19					1	4	3	3	1		3	1		1	2
Venereal diseases.....{M.....	4						1	1		2						
{F.....																
Others of this group.....{M.....	2	1	1									1				
{F.....	3	1	1									1				1
General diseases—B.....	66	18	19	1		1	2	4	3	12	3	7	4	1	1	8
Males.....	46	12	13	1				1	1	9	2	7	3	1	1	7
Females.....	20	6	6			1	2	3	2	3	1		1			1
Alcoholism.....{M.....	22								1	7	2	4	1	1	1	5
{F.....	6					1		3		1						1
Parasitic diseases.....{M.....																
{F.....																
Lead poison.....{M.....	1												1			
{F.....	1												1			
Other poisons.....{M.....	12	1	2	1				1		2		3	1			2
{F.....	7						2		2	2	1					
Inanition.....{M.....	11	11	11													
{F.....	6	6	6													
General diseases—C.....	101	43	45	1					2	1	2	1	1	2	2	44
Males.....	61	26	28	1					1	1	1	1	1	2	2	23
Females.....	40	17	17						1							21
Old age.....{M.....	21														2	19
{F.....	15															15
Premature birth.....{M.....	16	16	16													
{F.....	11	11	11													
Malformation.....{M.....	1	1	1													
{F.....	1	1	1													
Debility and atrophy.....{M.....	19	5	7	1					1	1	1	1	1	2		4
{F.....	13	5	5						1		1					6
Others of this group.....{M.....	4	4	4													
{F.....																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	282	6	16	6	11	22	15	13	23	30	23	28	17	21	16	41
Males.....	163	5	11	1	7	8	5	8	10	16	13	17	15	16	11	25
Females.....	119	1	5	5	4	14	10	5	13	14	10	11	2	5	5	16
Anemia.....	M..... F.....	1 1								1						
Diabetes.....	M..... F.....	8 4			2	1						1 2	1	2		2
Rheumatism.....	M..... F.....	8 3		1	1		1	1		1	1	4				
Scrofula and tabes.....	M..... F.....	1 4								1	1			1		1
Hydrocephalus.....	M..... F.....	3	1	1				1								1
Tuberculosis, general.....	M..... F.....	2		1						1						
Consumption.....	M..... F.....	97 67	2 1	6 5	3 3	5 13	5 9	6 4	10 10	12 5	6 6	6 1	10 1	11 2	4 1	10 4
Cancer.....	M..... F.....	25 30					1		2	1 6	4 2	3 7	1 1	3 1	5 2	8 8
Tumor.....	M..... F.....	3 3	1	1						1 1				1	1	1
Dropsy.....	M..... F.....	14 7	1	1	2	2		1	1		1	2 1	3		2 1	2 2
Others of this group.....	M..... F.....	2									1	1				
2. Diseases of the nervous system..	211	41	59	10	2	8	6	7	11	14	14	16	10	9	12	33
Males.....	145	26	38	6	1	4	4	5	7	12	10	10	4	7	8	29
Females.....	66	15	21	4	1	4	2	2	4	2	4	6	6	2	4	4
Inflammation of the brain.....	M..... F.....	14 3	3 2	7 2	1 1		1		1		1		1	1		
Meningitis.....	M..... F.....	21 22	8 7	12 12	4 3	1	1			1 2		1		1		1
Apoplexy.....	M..... F.....	24 13		2			2		1	2	1	3 2	1 2	1 2	4 1	9 1
Paralysis.....	M..... F.....	17 10						1	2		2	2 1		2	1	10 1
Paralysis, general (of insane).....	M..... F.....	1							1							
Tetanus and trismus nascentium.....	M..... F.....	1						1								
Chorea.....	M..... F.....															
Epilepsy.....	M..... F.....	6 5				1 1		1 2		1		1				2
Convulsions.....	M..... F.....	17 5	14 5	16 5	1											
Mental diseases.....	M..... F.....	17 3						1	2	4	3	3	1		1	2 2
Diseases of the brain.....	M..... F.....	22 4	1	3		2 1		2	1	3	1	1 1		2	2 1	4
Diseases of the spinal cord.....	M..... F.....															
Locomotor ataxia.....	M..... F.....	2											1			1
Others of this class.....	M..... F.....	3 1								1	2					
3. Diseases of the circulatory system.	122	6	6	5	3	4	7	7	6	13	12	6	10	6	6	31
Males.....	76	3	3	3	3	3	2	3	2	5	6	4	9	5	6	23
Females.....	46	3	3	2	1	5	5	4	4	8	6	2	1	1		9
Pericarditis.....	M..... F.....	1 1													1	
Diseases of the heart.....	M..... F.....	68 44	2 2	2 2	3 2	3 1	2 5	2 4	2 4	5 8	5 5	3 2	8 1	4 1	5	21 9
Angina pectoris.....	M..... F.....	1 1									1					1
Diseases of the arteries.....	M..... F.....	2						1					1			
Aneurism.....	M..... F.....	2										1		1		
Embolism.....	M..... F.....	1									1					
Others of this class.....	M..... F.....	1 1	1 1	1 1												

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	493	39	94	16	6	1	27	27	40	40	35	43	37	34	22	71
Males.....	348	25	50	4	3	1	21	23	31	35	27	35	29	23	16	50
Females.....	145	14	44	12	3		6	4	9	5	8	8	8	11	6	21
Croup.....	(M.. 11	1	11													
.....(F.. 16	4	14	2													
Pneumonia.....	(M.. 302	17	29	4	2	1	20	21	29	34	26	29	28	21	15	43
.....(F.. 105	5	21	9	3			6	4	9	4	7	7	8	8	4	15
Laryngitis.....	(M.. 1		1													
.....(F..																
Bronchitis.....	(M.. 19	5	7		1				1	1		4		2		3
.....(F.. 15	4	7							1					2	1	4
Pleurisy.....	(M.. 2						1	1								
.....(F.. 3											1				1	1
Asthma.....	(M.. 5											1			1	3
.....(F.. 4	1	1										1		1		1
Others of this class.....	(M.. 8	2	2					1	1		1	1	1			1
.....(F.. 2		1	1													
5. Diseases of the digestive system.	120	16	33	2		7	9	8	6	10	7	7	9	5	5	12
Males.....	63	10	19	1		3	1	3	2	6	5	5	6	3	3	6
Females.....	57	6	14	1		4	8	5	4	4	2	2	3	2	2	6
Dentition.....	(M.. 2	1	2													
.....(F.. 3	3	3														
Angina.....	(M.. 1	1	1				1									
.....(F.. 1																
Gastritis.....	(M.. 6	1	1								1		3	1		
.....(F.. 9	2	4						1	1	1				1		1
Diseases of the stomach.....	(M.. 4		2							1		1				
.....(F.. 7							2	2	1					1		
Obstruction of the bowels.....	(M.. 6		1			1					1		1	1		1
.....(F.. 4		1					1					1			1	
Appendicitis.....	(M.. 6		1	1		1				3						
.....(F.. 8		1	1			4	2									
Hernia.....	(M.. 6	1	1					1		1		1				2
.....(F.. 2													2			
Other diseases of the bowels.....	(M.. 5	2	2					1					2			
.....(F.. 2		1														1
Jaundice.....	(M.. 1		1													
.....(F..																
Inflammation and abscess of the liver.....	(M.. 5	1	1			1		1			1	1			1	1
.....(F.. 2																
Other diseases of the liver.....	(M.. 5										1	1			1	2
.....(F..																
Peritonitis.....	(M.. 8	1	1				1		2	1	1	1		1		
.....(F.. 14	1	2					2	1	2	3	1		1			2
Ascites.....	(M.. 1															1
.....(F.. 3			1					1								1
Others of this class.....	(M.. 7	2	5												2	
.....(F.. 2		1	1								1					
6. Diseases of the urinary system and male organs of generation.	61		1	2	1	1	1	2	6	2	4	4	5	5	4	23
Males.....	46		1				1		5	2	2	3	5	3	4	20
Females.....	15			2	1	1		2	1		2	1		2		3
Bright's disease.....	(M.. 35								5	2	2	3	5	2	4	12
.....(F.. 12				1	1	1		2			1	1		2		3
Calculus, urinary.....	(M..															
.....(F..																
Diseases of the kidney.....	(M.. 7		1				1							1		4
.....(F..																
Diseases of the bladder.....	(M.. 1															1
.....(F..																
Others of this class.....	(M.. 3															3
.....(F.. 3				1					1		1					
7. Diseases of the female organs of generation.	6					1		2	2	1						
Ovarian tumors.....	1									1						
Ovarian diseases.....																
Diseases of the tubes.....	1								1							
Uterine tumors.....																
Uterine diseases.....	1					1										
Others of this class.....	3							2	1							

CAUSE, SEX, AND AGE.

591

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MONTANA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	33					7	5	10	5	3	1	2				
Abortion.....	2					1	1									
Childbirth.....	16					3	2	5	3	2		1				
Puerperal septicemia.....	10					3		4		1	1	1				
Extra-uterine pregnancy.....	2						2									
Others of this class.....	3							1	2							
9. Diseases of the bones and joints.	4			1							1				1	1
Males.....	2										1				1	
Females.....	2			1												1
Diseases of the spine.....	1										1					
Abscess, lumbar and psoas.....	1															1
Diseases of the bones.....	1			1												
Diseases of the hip-joint.....	1														1	
Others of this class.....	1															
10. Diseases of the skin.....	7			1			1			2	1					2
Males.....	5						1			1	1					2
Females.....	2			1						1						
Abscess.....	4						1			1	1					1
Carbuncle.....	2			1						1						
Others of this class.....	1															1
11. Diseases of the absorbent system.	1								1							
Males.....									1							
Females.....	1															
Addison's disease.....																
Diseases of the spleen.....																
Others of this class.....	1								1							
12. Accidents and injuries.....	254	7	18	8	6	6	28	25	32	35	17	11	12	15	5	36
Males.....	213	4	12	4	6	6	23	19	25	33	17	11	7	13	4	33
Females.....	41	3	6	4			5	6	7	2			5	2	1	3
Burns and scalds.....	6		2						1		2					1
Drowning.....	5		2	2										1		
Exposure and neglect.....	12		3				1		1	2		2				3
Gunshot wounds.....	2								2							
Homicide.....	4	2	3													1
Infanticide.....	1	1	1													
Injuries by machinery.....	16			1	1	2	2	2	3	3			1			2
Railroad accidents.....	2			1												
Suffocation.....	13			1			1	1	4	2		1			1	4
Suicide by shooting.....	4															1
Suicide by drowning.....	1															
Suicide by poison.....	3						1	1			1					
Other suicides.....	5						1	1	3							
Sunstroke.....	14						1	1	1	6	3		1	2		1
Surgical operations.....	3									1						
Wounds.....	1															
Others of this class.....	113	1	2		3	4	15	15	13	18	9	7	5	8	2	12
	10	1	2					1		1			2	1	1	2

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D	1,206	33	68	19	36	68	97	100	98	87	86	68	90	75	75	239
Male	574	21	34	13	15	31	37	44	41	41	39	32	42	33	39	133
Female	632	12	34	6	21	37	60	56	57	46	47	36	48	42	36	106
Anemia	{M.. 9	1	1			1						2		1	1	3
	{F.. 8	4	4		1									1	1	1
Diabetes	{M.. 43			4	2	3	2	1	1	4		1	2	3	5	15
	{F.. 19		3	1	1	2	1		2	2	1	2	1		1	2
Rheumatism	{M.. 26	1	1	2	4	2		1	2		1	1	1		2	9
	{F.. 26	1	3	1	5	1	1	2	1	3	1	1	2	1	2	2
Scrofula and tabes ..	{M.. 11	1	1					2	1	1			1		1	3
	{F.. 14		1	1	2			3	1	1	2		1	1		1
Hydrocephalus	{M.. 17	7	11	2	2	2										
	{F.. 8	1	6		1		1									
Tuberculosis, general	{M.. 11		2			1	1		3		1	1	1			1
	{F.. 1											1				
Consumption	{M.. 265	4	10	3	5	19	33	39	27	24	28	12	15	11	12	27
	{F.. 327	4	12	1	9	31	53	48	41	30	26	9	11	13	12	31
Cancer	{M.. 118	2	2			1		1	4	9	7	12	12	12	15	43
	{F.. 142	1	1				3	1	6	6	14	18	25	17	12	39
Tumor	{M.. 12	3	4						1	1			2	1		3
	{F.. 33		2	2		2		1	2	1	3	1	4	4	4	7
Dropsy	{M.. 59	1	1		2	2	1		2	2	1	3	8	5	3	29
	{F.. 51		1		2	1	1	1	3	3		4	4	4	4	23
Others of this group ..	{M.. 3	1	1	2												
	{F.. 3	1	1						1					1		
2. Diseases of the nervous system..	965	207	308	29	22	19	21	20	23	33	42	32	51	52	64	249
Males	552	114	167	16	13	10	10	14	10	15	24	19	31	29	35	159
Females	413	93	141	13	9	9	11	6	13	18	18	13	20	23	29	90
Inflammation of the brain.	{M.. 47	17	30	3	1	3	1		1		2	1		1	1	3
	{F.. 49	17	31	3	2		3	2		1	2	2		1	1	1
Meningitis	{M.. 75	23	47	7	4	3	5	2		2	1		2			2
	{F.. 63	21	40	7	1	1	2	1	2	3	2	1			1	2
Apoplexy	{M.. 88	1	1					2	1	1	5	4	7	12	14	41
	{F.. 56	2	2	1		1			2	2	2	3	7	8	7	23
Paralysis	{M.. 131	2	2		3		1	1	3	5	4	7	9	7	10	79
	{F.. 98		1		2		1		3	4	4	3	6	7	14	53
Paralysis, general (of insane).	{M.. 34				1			1	4	2	6	2	6	1	4	7
	{F.. 11								1		2	1	2		3	2
Tetanus and trismus nascentium.	{M.. 11	6	6		2		1						2			
	{F.. 5	1	1	1						1	2					
Chorea	{M..				1		1									
	{F.. 2															
Epilepsy	{M.. 14	4	5	1			1	3		1	1	1	1		1	1
	{F.. 16	4	5	1		1	2	2		1			1	1	1	
Convulsions	{M.. 64	54	62			1		1								
	{F.. 42	36	42													
Mental diseases	{M.. 9							1			1			1		6
	{F.. 10					1		1	1		3	2	1			1
Diseases of the brain ..	{M.. 50	7	12	4	1	1	1	1	1	4	3	2	3	2	4	11
	{F.. 37	7	13		3	5	1		5	3	1			3		3
Diseases of the spinal cord.	{M.. 11		1	1	1	2		1				1			1	3
	{F.. 6	2	2							1			1		1	1
Locomotor ataxia	{M.. 6										1			2	1	2
	{F.. 5		1										2	1	1	
Others of this class ..	{M.. 12		1					1				1	1	3		5
	{F.. 13	3	3				1		1	2		1		2		3
3. Diseases of the circulatory system.	612	60	71	12	16	16	20	19	24	29	24	42	42	41	73	183
Males	345	38	44	7	5	7	3	10	13	12	11	17	31	26	45	114
Females	267	22	27	5	11	9	17	9	11	17	13	25	11	15	28	69
Pericarditis	{M.. 1						1						1			
	{F.. 3		1									1				
Diseases of the heart ..	{M.. 319	28	34	7	5	7	3	7	13	11	11	16	27	24	45	109
	{F.. 247	19	23	5	11	9	14	8	11	16	13	23	10	13	25	66
Angina pectoris	{M.. 10							3					1	1		5
	{F.. 8							1				1	1	1	2	2
Diseases of the arteries.	{M..															
	{F.. 1															1
Aneurism	{M.. 3									1				1	1	
	{F.. 4						2							1	1	
Embolism	{M.. 1											1				
	{F.. 1									1						
Others of this class ..	{M.. 11	10	10										1			
	{F.. 3	3	3													

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,113	256	467	44	17	40	34	23	27	30	43	35	40	48	56	209
Males.....	614	151	260	21	9	23	17	12	15	14	19	20	25	28	32	119
Females.....	499	105	207	23	8	17	17	11	12	16	24	15	15	20	24	90
Croup.....	36	19	33	3	1											
M.....	30	11	24	5												
F.....	36	19	33	3	1											
Pneumonia.....	459	92	173	15	8	20	15	10	13	12	17	17	21	20	27	91
M.....	364	71	144	16	6	15	14	10	10	14	19	14	10	14	16	62
F.....																
Laryngitis.....																
M.....	51	21	28	1			1	1			1			3	4	12
F.....	48	17	27				1				1			5	4	10
Pleurisy.....	8		2	1						1				2		2
M.....	12			1				1	1	1	1		1			6
F.....																
Asthma.....	16	2	2				1					2	1	2	1	7
M.....	14				1		1				1		1		3	7
F.....																
Others of this class.....	44	17	22	1	1	3		1	2	1	1	1	3	1	1	7
M.....	31	6	12	1		2	1		1	1	2	1	3	1	1	5
F.....																
5. Diseases of the digestive system.	602	107	148	21	32	30	25	33	31	35	19	25	36	35	34	98
Males.....	332	65	86	10	16	17	12	15	13	15	8	15	23	23	21	53
Females.....	270	42	62	11	16	13	13	18	18	20	11	10	13	12	13	40
Dentition.....	2	1	2													
M.....	4	3	4													
F.....																
Angina.....	5	1	2		1				2							
M.....	12	1	4	4	1			1		2						
F.....																
Gastritis.....	35	4	9	3					2			3	3	2	2	11
M.....	26	2	4		1	2	1		2	1	1		1	2	1	10
F.....																
Diseases of the stomach.....	26	3	4	1		1	1		1	1	1	1	3	1	4	7
M.....	30	5	6		1	1	2		2		3		1	4	1	8
F.....																
Obstruction of the bowels.....	24	5	7	2			1		1	2	1	1		1	1	7
M.....	12	3	4				1		1	1	2			1		2
F.....																
Appendicitis.....	56	1	2	1	11	10	6	7	1	4	1	2	4	2	2	3
M.....	37	1	1	5	7	6	4	7	1	3		1	1			
F.....																
Hernia.....	13	1	1			1				3				2	2	7
M.....	7								1						2	1
F.....																
Other diseases of the bowels.....	18	6	8		1	1			2	1	1			1		3
M.....	19	6	8		2			1	1	2		1	1			3
F.....																
Jaundice.....	11	3	3	1						1			1	4	1	
M.....	7	3	4										2	1		
F.....																
Inflammation and abscess of the liver.....	7		1							2				2	1	1
M.....	8	1	2		1				1	2					1	1
F.....																
Other diseases of the liver.....	38	2	2				1	1	3	2	1	5	3	1	5	14
M.....	25	1	2		1	1			1		2	2	1	4	4	7
F.....																
Peritonitis.....	34	2	2	1	3	3	3	6	1	3	1	1	3	4	2	1
M.....	45	1	2	2	2	2	5	8	7	5	2	3	5		1	1
F.....																
Ascites.....	5												2			3
M.....	7										1				1	5
F.....																
Others of this class.....	58	36	43	1		1		1		1	2	2	2	3	1	1
M.....	31	15	21			1			1	1	3	1			1	2
F.....																
6. Diseases of the urinary system and male organs of generation.	324	12	15	4	3	5	10	10	11	16	26	20	20	29	32	123
Males.....	226	9	10	1	2	3	5	7	5	10	18	8	13	17	29	98
Females.....	98	3	5	3	1	2	5	3	6	6	8	12	7	12	3	25
Bright's disease.....	151			1	2	1	2	7	4	9	15	7	12	13	20	58
M.....	61			3	1	1	3	1	3	4	5	9	5	10	3	13
F.....																
Calculus, urinary.....	3								1							2
M.....	1															
F.....																
Diseases of the kidney.....	32	6	7			1	2					1	1		5	15
M.....	27	2	4			1	2		3	2	1	2	2			8
F.....																
Diseases of the bladder.....	15						1							2	2	10
M.....																
F.....																
Others of this class.....	25	3	3			1				1	3			2	2	13
M.....	9	1	1					2			2					4
F.....																
7. Diseases of the female organs of generation.	27					1	5		4	5	3	4	2	1		2
Ovarian tumors.....	4						1		1	1						1
Ovarian diseases.....	2										1			1		
Diseases of the tubes.....	4						1			1	1	1				
Uterine tumors.....	7								1	2		2	1			1
Uterine diseases.....																
Others of this class.....	10					1	3		2	1	1	1	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEBRASKA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	93					3	18	19	23	18	12					
Abortion.....	6							2	2	2						
Childbirth.....	53					1	10	8	12	14	8					
Puerperal septicemia.....	25					1	7	7	6	1	3					
Extra-uterine pregnancy.....	4						1		3							
Others of this class.....	5					1		2		1	1					
9. Diseases of the bones and joints.	29	11	15	1	1	1	2	1		1			2	1		4
Males.....	12	2	5			1	2	1		1				1		1
Females.....	17	9	10	1	1								2			3
Diseases of the spine.....	8	2	5				1	1								1
Abscess, lumbar and psoas.....	14	8	9										2			3
Diseases of the bones.....	3					1				1				1		
Diseases of the hip-joint.....	3	1	1	1	1											
Others of this class.....	1						1									
10. Diseases of the skin.....	14	5	6			1	1				1		2		1	2
Males.....	6	1	2										1		1	2
Females.....	8	4	4			1	1				1		1			
Abscess.....	4		1										1		1	1
Carbuncle.....	5	2	2			1	1						1			
Others of this class.....	1															1
11. Diseases of the absorbent system.	13		4					1			2	1		2	2	1
Males.....	7		3								1	1			1	1
Females.....	6		1					1			1			2	1	
Addison's disease.....	2										1					1
Diseases of the spleen.....	4		3									1				
Others of this class.....	2		1											1		
12. Accidents and injuries.....	586	46	99	39	37	49	50	39	50	43	37	22	26	19	22	54
Males.....	419	23	47	26	30	36	44	33	38	32	31	17	21	11	19	34
Females.....	167	23	52	13	7	13	6	6	12	11	6	5	5	8	3	20
Burns and scalds.....	21	3	17	1	2						1					
Drowning.....	33		15	7		1	1	1	3	2	1	1	1			
Exposure and neglect.....	35	1	2	3	9	7	4	1	4	1	1		1		2	
Gunshot wounds.....	10		4	1	1	2			1	1						
Homicide.....	9	7	9													
Infanticide.....	14	8	10	2												2
Injuries by machinery.....	38	1	3		4	9	11	3	2	2	1	2			1	
Railroad accidents.....	1					1										
Suffocation.....	6						1		1	3	1					1
Suicide by shooting.....	3	1	1													
Suicide by drowning.....	1	1	1													
Suicide by poison.....	9							2			1					
Other suicides.....	7					3	2		1	4	1	1		1		
Sunstroke.....	28					3	2	6	5		1	2	2	3		4
Surgical operations.....	10				1	2			2	1		1		2		1
Wounds.....	3	2	1								1				1	2
Others of this class.....	177	4	9	16	13	11	13	10	15	17	15	7	13	7	11	20
	62	11	18	2	4	3		4	3	3	3	2	2	2	2	14

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA.

[illegible]

NEVADA—Continued.

[illegible]

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	67	10	19		1	1	4	1	5	1	2	2	4	6	8	13
Males.....	39	4	8		1	1	3	1	4		1	2	3	4	6	5
Females.....	28	6	11				1		1	1	1		1	2	2	8
Croup.....{M..	1		1													
{F..	4	3	4													
Pneumonia.....{M..	35	3	6		1	1	3	1	4		1	2	3	3	5	5
{F..	20	3	6				1		1	1	1		1	1	2	6
Laryngitis.....{M..																
{F..																
Bronchitis.....{M..	2	1	1												1	
{F..	2		1													1
Pleurisy.....{M..																
{F..	2													1		
Asthma.....{M..	1													1		
{F..																
Others of this class..{M..																
{F..																
5. Diseases of the digestive system.	25	1	3	1	1		2	4		1	1	1	1		3	7
Males.....	13		1				1	3								6
Females.....	12	1	2	1	1		1	1		1	1	1	1		3	1
Dentition.....{M..	1		1													
{F..																
Angina.....{M..																
{F..	1	1	1													
Gastritis.....{M..	2							1								1
{F..	1							1								
Diseases of the stom- {M..																
ach. {F..	3		1												2	
Obstruction of the {M..	2											1				1
bowels. {F..																
Appendicitis {M..	2							1					1			
{F..	1				1											
Hernia {M..	3															3
{F..	1															1
Other diseases of the {M..																
bowels. {F..																
Jaundice {M..																
{F..																
Inflammation and ab- {M..																
scess of the liver. {F..	1			1												
Other diseases of the {M..	1															1
liver. {F..	1														1	
Peritonitis.....{M..	2						1	1								
{F..	3						1			1	1					
Ascites {M..																
{F..																
Others of this class..{M..																
{F..																
6. Diseases of the urinary system and male organs of generation.	12						1						2	1	2	6
Males.....	8												1		2	5
Females.....	4						1						1	1		1
Bright's disease{M..	4														1	3
{F..	4						1						1	1		1
Calculus, urinary....{M..																
{F..																
Diseases of the kid- {M..	2														1	1
ney. {F..																
Diseases of the blad- {M..	1															1
der. {F..																
Others of this class..{M..	1												1			
{F..																
7. Diseases of the female organs of generation.	1								1							
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....																
Others of this class.....	1								1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NEVADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	3						2	1								
Abortion																
Childbirth	1						1									
Puerperal septicemia																
Extra-uterine pregnancy	1						1									
Others of this class	1							1								
9. Diseases of the bones and joints.	1	1	1													
Males	1	1	1													
Females																
Diseases of the spine. {M. {F.	1	1	1													
Abscess, lumbar and {M. psoas. {F.																
Diseases of the bones. {M. {F.																
Diseases of the hip. {M. joint. {F.																
Others of this class. {M. {F.																
10. Diseases of the skin	2										1				1	
Males	2										1				1	
Females																
Abscess {M. {F.	1										1					
Carbuncle {M. {F.	1														1	
Others of this class. {M. {F.																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease. {M. {F.																
Diseases of the spleen {M. {F.																
Others of this class. {M. {F.																
12. Accidents and injuries	38		1		1	4	4	3		2	3	1	5	2	4	8
Males	37		1		1	4	4	3		2	3	1	5	2	3	8
Females	1														1	
Burns and scalds. {M. {F.	1															1
Drowning {M. {F.	1		1													
Exposure and neglect {M. {F.	2															2
Gunshot wounds . . . {M. {F.	2					1								1		
Homicide {M. {F.																
Infanticide {M. {F.																
Injuries by machinery. {M. {F.																
Railroad accidents. {M. {F.	3						1								2	
Suffocation {M. {F.																
Suicide by shooting. {M. {F.																
Suicide by drowning. {M. {F.																
Suicide by poison. {M. {F.	1														1	
Other suicides. {M. {F.	8						1	2		1	1		1	1		1
Sunstroke {M. {F.																
Surgical operations. {M. {F.																
Wounds {M. {F.																
Others of this class. {M. {F.	19				1	3	2	1		1	2	1	4			4

NEW MEXICO.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	2,674	562	1,112	202	95	108	112	112	99	106	84	72	73	84	90	325
Males	1,455	326	601	96	43	37	46	61	54	56	46	44	46	54	57	214
Females	1,219	236	511	106	52	71	66	51	45	50	38	28	27	30	33	111
Unknown cause	404	146	207	20	15	13	13	7	7	18	11	10	7	13	12	51
Males	231	90	121	12	4	4	6	4	1	13	8	6	4	6	9	33
Females	173	56	86	8	11	9	7	3	6	5	3	4	3	7	3	18
1. General diseases.																
General diseases—A	997	259	595	138	43	30	22	21	16	18	8	11	12	10	20	53
Males	489	141	307	64	20	11	8	9	8	5	1	4	6	6	10	30
Females	508	118	288	74	23	19	14	12	8	13	7	7	6	4	10	23
Measles	{M.. 41	13	32	6	2											1
{F.. 30	11	20	2				2			1	1					1
Scarlet fever	{M.. 21	7	14	2	1		1	1		1						1
{F.. 23	5	17	1	1			1			1					1	1
Diphtheria	{M.. 29	8	20	6		1										2
{F.. 27	5	14	6	4						1	1				1	
Whooping cough	{M.. 13	10	12	1												
{F.. 16	9	15	1													
Malarial fever	{M.. 41	8	19	4		3	1		1	1		1	2	1	2	6
{F.. 48	14	24	6		1	5				1	1			1	2	7
Influenza	{M.. 15	5	7	3					1						2	2
{F.. 11	1	3	2						1				1			4
Typhoid fever	{M.. 47	11	22	3	4	2	1	1	3	1		2	1	1	1	5
{F.. 55	5	19	6	2	4	4	3		1	6	1	3	1	1	2	2
Cholera morbus	{M.. 10	2	4	2									1		1	2
{F.. 9	1	3							1	1	1		1		1	1
Colitis	{M..															
{F..																
Diarrhea	{M.. 15	6	9	2									1	2		1
{F.. 4	1	4														
Dysentery	{M..															
{F.. 2												1		1		
Enteritis	{M.. 6	4	5					1								
{F.. 4	1	2	1					1								
Cholera infantum	{M.. 13	8	13													
{F.. 15	10	15														
Fever	{M.. 92	30	64	7	2	2		3		1		1	1	2	2	7
{F.. 102	24	57	11	3	3	1	7		1	1	2	2	3	1	3	7
Cerebro-spinal fever	{M.. 1														1	
{F.. 2	1	1						1								
Smallpox	{M.. 133	25	81	28	11	2	5	1	1	1						3
{F.. 154	26	89	38	11	11	1	1		4							
Erysipelas	{M.. 3	2	2						1							
{F.. 2	1	1								1						
Septicemia	{M.. 5							2	1		1				1	
{F..																
Venereal diseases	{M.. 2	1	2													
{F.. 1	1	1	1													
Others of this group	{M.. 2	1	1			1										
{F.. 3	2	3														
General diseases—B	20	10	12			3			1	1		1				2
Males	14	7	9			1			1	1		1				1
Females	6	3	3			2										1
Alcoholism	{M.. 2								1	1						
{F..																
Parasitic diseases	{M..															
{F..																
Lead poison	{M..															
{F..																
Other poisons	{M.. 6	1	3			1						1				1
{F.. 3	1	1	1			2										
Inanition	{M.. 6	6	6													
{F.. 3	2	2														1
General diseases—C	49	7	8											1	1	39
Males	30	5	6													24
Females	19	2	2											1	1	15
Old age	{M.. 23															23
{F.. 16															1	15
Premature birth	{M.. 2	2	2													
{F.. 1	1	1	1													
Malformation	{M..															
{F..																
Debility and atrophy	{M.. 4	2	3													1
{F.. 2	1	1	1											1		
Others of this group	{M.. 1	1	1													
{F..																

NEW MEXICO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued.																
General diseases—D.....	281	5	15	7	7	17	20	27	32	24	17	15	21	14	18	47
Males.....	154	2	8	4	2	6	7	15	21	13	9	9	13	6	11	30
Females.....	127	3	7	3	5	11	13	12	11	11	8	6	8	8	7	17
Anemia.....	M..... F.....															
Diabetes.....	M..... F.....	1 1							1						1	
Rheumatism.....	M..... F.....	11 5	1	1	1			2 1		1		2 1		1	1	
Scrofula and tabes.....	M..... F.....	3	1					1					1			2
Hydrocephalus.....	M..... F.....	2	1					1								
Tuberculosis, general.....	M..... F.....	1				1										
Consumption.....	M..... F.....	84 68	1 2	2 1	1 4	5 9	6 12	11 9	17 8	11 5	6 4	3 4	6 3	1 3		14 4
Cancer.....	M..... F.....	16 15	3	4		1			1 1		1 3	2 1	3 1	1	5 1	3 2
Tumor.....	M..... F.....	9 7	1	3	2 1			1			1		1		1 1	3 2
Dropsy.....	M..... F.....	28 30		1		1	1		2 2	1 3	2 2	2	3 3	3 5	4 5	9 7
Others of this group.....	M..... F.....															
2. Diseases of the nervous system..	125	29	63	8	1	1	1	1	1	1	7	1	7	3	6	24
Males.....	74	18	36	3	1		1		1	1	3	1	5	2	4	16
Females.....	51	11	27	5		1		1			4		2	1	2	8
Inflammation of the brain.....	M..... F.....	18 21	7 8	14 13	1 3	1		1					1		1	3
Meningitis.....	M..... F.....	6 6	1	5 6	1											
Apoplexy.....	M..... F.....	6 3	1	1							1 1		1			3 2
Paralysis.....	M..... F.....	30 10	2	6 2	1				1	1	1 2	1	3 2	2	4 1	11 2
Paralysis, general (of insane). Tetanus and trismus nascentium.	M..... F..... M..... F.....															
Chorea.....	M..... F.....															
Epilepsy.....	M..... F.....	1 3		1 2			1									
Convulsions.....	M..... F.....	5 3	3 1	4 3	1											
Mental diseases.....	M..... F.....							1								
Diseases of the brain.....	M..... F.....	7 2	4	5 1	1						1					1
Diseases of the spinal cord.	M..... F.....															
Locomotor ataxia.....	M..... F.....															
Others of this class.....	M..... F.....	1 2												1		1 1
3. Diseases of the circulatory system.	70	4	7	2	4	2	1	5	1	6	1	4	4	7	5	21
Males.....	41	3	3		1		1	5	1	3	1	3	2	4	4	13
Females.....	29	1	4	2	3	2				3		1	2	3	1	8
Pericarditis.....	M..... F.....															
Diseases of the heart.....	M..... F.....	39 28	3	3	1		1	4	1	3	1	3	2	4	4	12 8
Angina pectoris.....	M..... F.....	1						1								
Diseases of the arteries.	M..... F.....															
Aneurism.....	M..... F.....	1														1
Embolism.....	M..... F.....															
Others of this class.....	M..... F.....															

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
4. Diseases of the respiratory system.	338	72	153	16	12	11	18	13	13	15	7	8	12	15	13	32
Males	191	43	84	7	6	4	10	8	8	9	2	5	10	12	6	20
Females	147	29	69	9	6	7	8	5	5	6	5	3	2	3	7	12
Croup	{M.. 21 {F.. 24	{4 {4	{18 {17	{2 {6	{1 {1											
Pneumonia	{M.. 129 {F.. 103	{26 {21	{47 {45	{4 {2	{3 {5	{4 {7	{10 {7	{6 {5	{6 {4	{9 {6	{1 {3	{4 {3	{7 {2	{9 {2	{4 {6	{15 {6
Laryngitis	{M.. {F..															
Bronchitis	{M.. 13 {F.. 4	{8 {1	{11 {1		{1 {1									{1 {1		{3 {3
Pleurisy	{M.. 10 {F.. 4		{1 {1						{1 {1				{2 {2	{2 {1	{1 {1	{3 {2
Asthma	{M.. 6 {F.. 2	{2 {1	{3 {1					{1 {1				{1 {1				{1 {1
Others of this class	{M.. 12 {F.. 10	{3 {2	{4 {5	{1 {1	{1 {1		{1 {1	{1 {1			{1 {1		{1 {1		{1 {1	{1 {1
5. Diseases of the digestive system.	128	21	31	5	2	5	6	4	4	5	13	6	5	9	7	26
Males	79	13	19	3	1	3	3	2	1	1	9	1	1	8	7	20
Females	49	8	12	2	1	2	3	2	3	4	4	5	4	1		6
Dentition	{M.. {F.. 1	{1 {1	{1 {1													
Angina	{M.. 4 {F.. 2	{1 {1	{3 {1	{1 {1												
Gastritis	{M.. 12 {F.. 6	{3 {1	{3 {2	{1 {1			{1 {1			{2 {2				{1 {1		{5 {1
Diseases of the stom- ach.	{M.. 11 {F.. 1	{3 {1	{3 {1					{1 {1			{1 {1		{1 {1	{1 {1	{2 {2	{2 {1
Obstruction of the bowels.	{M.. {F.. 1		{1 {1													
Appendicitis	{M.. {F..															
Hernia	{M.. 1 {F.. 2		{1 {2													
Other diseases of the bowels.	{M.. 13 {F.. 7	{2 {2	{4 {2	{1 {1	{1 {1	{1 {1	{2 {1		{1 {1	{1 {1				{1 {1	{1 {1	{2 {1
Jaundice	{M.. 1 {F.. 2										{1 {1					{2 {2
Inflammation and ab- scess of the liver.	{M.. 11 {F.. 9		{1 {1		{1 {1		{1 {1		{1 {1		{2 {2	{1 {2		{3 {2	{2 {2	{2 {2
Other diseases of the liver.	{M.. 7 {F.. 2	{1 {1	{1 {1			{1 {1	{1 {1					{1 {1		{2 {2		{2 {2
Peritonitis	{M.. 1 {F.. 5		{1 {1					{2 {2	{1 {1	{1 {1						{1 {1
Ascites	{M.. 11 {F.. 8			{1 {1		{1 {1		{1 {1	{1 {1		{2 {2		{2 {2		{2 {2	{5 {1
Others of this class	{M.. 6 {F.. 4	{2 {1	{3 {2			{1 {1	{1 {1				{1 {1					{1 {1
6. Diseases of the urinary system and male organs of generation	39		1	1		2	3	3		3	3	3		4	4	12
Males	30					1	1	2		2	2	3		4	4	11
Females	9		1	1		1	2	1		1	1					1
Bright's disease	{M.. 17 {F.. 5					{1 {1	{1 {1			{2 {1	{2 {1	{2 {1		{3 {1	{1 {1	{5 {1
Calculus, urinary	{M.. {F..															
Diseases of the kid- ney.	{M.. 6 {F.. 3		{1 {1	{1 {1				{2 {1				{1 {1		{1 {1		{2 {2
Diseases of the blad- der.	{M.. 3 {F..														{1 {1	{2 {2
Others of this class	{M.. 4 {F.. 1						{1 {1								{2 {2	{2 {2
7. Diseases of the female organs of generation.	3						1	1		1						
Ovarian tumors																
Ovarian diseases																
Diseases of the tubes																
Uterine tumors	2						1	1								
Uterine diseases	1									1						
Others of this class																

603

NEW MEXICO—Continued.

[illegible]

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	21, 068	4, 200	7, 219	754	642	1, 039	1, 335	945	802	789	746	692	777	643	765	3, 920
Males.....	10, 427	2, 310	3, 869	344	297	465	622	414	345	332	330	351	396	332	383	1, 947
Females.....	10, 641	1, 890	3, 350	410	345	574	713	531	457	457	416	341	381	311	382	1, 973
Unknown cause.....	2, 105	1, 130	1, 389	48	31	40	50	28	32	27	33	28	51	35	32	281
Males.....	1, 076	619	764	19	15	12	18	8	12	8	13	14	26	14	15	138
Females.....	1, 029	511	625	29	16	28	32	20	20	19	20	14	25	21	17	143
1. General diseases.																
General diseases—A.....	5, 173	1, 111	2, 353	278	225	312	335	186	138	130	130	117	120	95	116	638
Males.....	2, 529	597	1, 225	122	98	142	189	94	63	57	57	62	55	39	50	276
Females.....	2, 644	514	1, 128	156	127	170	146	92	75	73	73	55	65	56	66	362
Measles.....(M..	115	33	77	7	5	9	7	1		2	2	2	2	1		
(F..	108	28	57	7	11	13	7	3	3	1	3	2			1	
Scarlet fever.....(M..	14	4	12		1		1									
(F..	10	1	8		1											1
Diphtheria.....(M..	43	3	22	13	1	1	3		1							2
(F..	77	14	49	18	6	2		1					1			
Whooping cough.....(M..	134	86	128	4	1	1										
(F..	136	68	126	7	3											
Malarial fever.....(M..	247	28	88	24	17	21	15	10	7	5	6	15	7	4	7	21
(F..	280	25	95	31	16	21	16	14	12	9	8	11	9	7	5	26
Influenza.....(M..	350	65	99	7	6	5	10	5	5	7	4	8	11	13	14	156
(F..	449	64	105	8	3	7	3	5	9	8	15	11	20	23	25	207
Typhoid fever.....(M..	637	27	87	33	51	84	132	64	34	31	37	24	18	5	10	27
(F..	613	22	65	52	70	110	90	44	24	33	23	19	22	14	14	33
Cholera morbus.....(M..	68	14	36	2	2	3	1	3	3	1		2	1	1	5	8
(F..	56	13	34	4		1		1	2	1	1			1	2	9
Colitis.....(M..	14	4	12									1				1
(F..	20	6	14	1									1			4
Diarrhea.....(M..	126	49	87	7	1		1	2	2	1			2	5	4	14
(F..	131	34	72	8	1	1	1	2	3	4	5	1	2	3	7	21
Dysentery.....(M..	271	83	208	7	7	5	2	2	2	1		3	6	2	3	23
(F..	243	60	157	11	3		7	1	5	5	4	2	5	5	5	33
Enteritis.....(M..	77	34	64	2	1	1	1		1		1			1	1	4
(F..	73	18	56	1			4	4	1	2	1		1			3
Cholera infantum.....(M..	216	121	216													
(F..	223	122	223													
Fever.....(M..	61	15	36	4	1	1	5	3	2	4	1	1		1		2
(F..	62	16	24	4	5	4	6	2	3	1	1	2	2	1	1	6
Cerebro-spinal fever.....(M..	25	10	14	5		2	2		1	1						
(F..	21	7	14	1	1	2		1		1						1
Smallpox.....(M..	28	8	12		1	1	4	1	1	2	1	1	2			2
(F..	23	1	2	1	2	3	1	3		1	2	2	1		2	3
Erysipelas.....(M..	32	7	11	2			3	1	1		1	3	2	2	1	5
(F..	31	9	15	1	2	3				1	2	1		1		5
Septicemia.....(M..	43		7	2	3	5	1	2	1	1	1	2	4	3	5	6
(F..	66	4	8	1	2	2	8	10	9	6	7	3	1	1	2	6
Venereal diseases.....(M..	12	3	5			2	1		2					1		1
(F..	8	1	1			1	1		3		1				1	
Others of this group.....(M..	16	3	4	3		1				1	3					4
(F..	14	1	3		1		2	1	1			1			1	4
General diseases—B.....	183	48	98	14	4	7	6	13	6	3	8	4	5	1	5	9
Males.....	116	24	58	8	3	6	4	7	4	3	6	4	5		4	4
Females.....	67	24	40	6	1	1	2	6	2		2			1	1	5
Alcoholism.....(M..	29			2			2	4	1	2	5	3	5		2	3
(F..	2								1		1					
Parasitic diseases.....(M..	23	1	17	5	1											
(F..	19	1	13	5		1										
Lead poison.....(M..	2					1		1								
(F..																
Other poisons.....(M..	31		13	1	2	5	2	2	3	1	1	1			1	2
(F..	13		3	1	1		1	3	1							
Inanition.....(M..	31	23	28												2	1
(F..	33	23	24				1	3			1			1		3
General diseases—C.....	703	228	252	3		2	1	2	3	2	2		2	5	13	416
Males.....	337	125	137				1							2	4	193
Females.....	366	103	115	3		2		2	3	2	2		2	3	9	223
Old age.....(M..	182														1	181
(F..	211														5	206
Premature birth.....(M..	76	76	76													
(F..	68	68	68													
Malformation.....(M..	16	16	16													
(F..	11	8	11													
Debility and atrophy.....(M..	54	24	36				1							2	3	12
(F..	72	23	32	3		2		2	3	2	2		2	3	4	17
Others of this group.....(M..	9	9	9													
(F..	4	4	4													

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	3,660	109	275	78	120	249	448	343	276	257	233	215	213	162	167	624
Males.....	1,508	56	134	33	43	86	177	133	106	94	85	90	83	73	71	300
Females.....	2,152	53	141	45	77	163	271	210	170	163	148	125	130	89	96	324
Anemia.....{M.....	7	2	2			2					1	2				
{F.....	12	2	4		1		3	3	1							
Diabetes.....{M.....	37		1	3	1	3	3	3		1	3	3		3	4	9
{F.....	18		2	1	3			2		2	1	2	3	1	1	
Rheumatism.....{M.....	61	3	4	1	2	7	4	2	2	5	4	6	2	2	1	19
{F.....	50	1			1	4	3	1	4	2	2		7	3	5	16
Scrofula and tabes..{M.....	72	6	19	2	3	2	4	5	6	4	5	1	2	4	5	10
{F.....	100	8	26	7	5	3	6	4	11	6	3	5	5	1	6	12
Hydrocephalus.....{M.....	12	5	9		1		2									
{F.....	14	10	12					1	1							
Tuberculosis, general {M.....	2		1				1									
{F.....	2		1													
Consumption.....{M.....	976	30	61	12	24	65	157	115	89	75	60	68	56	42	39	113
{F.....	1,374	21	63	22	57	141	238	178	128	113	95	58	64	46	43	128
Cancer.....{M.....	103		1	1		2	1	1	3	5	7	4	6	9	10	53
{F.....	247	1	4	1		1	2	3	5	19	26	34	36	23	18	75
Tumor.....{M.....	14	2	3	1	1			3						1		5
{F.....	46	2	4	2		1	2	3	5		6	5	4	2	4	8
Dropsy.....{M.....	221	7	31	13	11	5	5	3	6	4	5	6	17	12	12	91
{F.....	280	4	16	12	10	12	16	15	15	20	15	21	11	13	19	85
Others of this group {M.....	3	1	2					1								
{F.....	9	4	7			1	1									
2. Diseases of the nervous system..	1,793	352	589	64	53	57	42	55	51	45	51	56	65	69	104	492
Males.....	918	202	327	36	28	29	18	28	19	21	25	30	32	39	49	237
Females.....	875	150	262	28	25	28	24	27	32	24	26	26	33	30	55	255
Inflammation of the brain {M.....	82	22	40	5	6	7	3	3		3		4	2	3	2	4
{F.....	68	22	34	9	2	4	2	1	1	4	2	2	2	1	1	3
Meningitis.....{M.....	174	57	120	15	9	7	2	4	5	3	3	1				5
{F.....	146	45	104	8	12	5	4	3	3	1	2	2		1		1
Apoplexy.....{M.....	95	2	2	2		2	1	2	2	3	5	4	5	13	7	47
{F.....	92			2	1	4	1		8	4	6	5	6	7	10	38
Paralysis.....{M.....	253	5	6	4	3	1	3	2		4	6	14	17	13	31	149
{F.....	299	5	13	2	1	2	1	7	5	7	8	12	13	13	34	181
Paralysis, general (of insane). {M.....	2										1					1
{F.....																
Tetanus and trismus nascentium. {M.....	29	19	20	4	1	1							1	1	1	
{F.....	17	14	17													
Chorea.....{M.....							1									
{F.....	1															
Epilepsy.....{M.....	66	16	20	1	6	6	3	8	6	2	4	3			1	6
{F.....	54	10	14	1	6	3	5	6	3	6	1	1		1	2	5
Convulsions.....{M.....	75	56	69	1	2				1	1						1
{F.....	82	42	59	2		2	8	2	2		2		1			4
Mental diseases.....{M.....	25					1	2	2	1	1	1	1	1	6	1	8
{F.....	18						1	2	4		1	2	2	1		5
Diseases of the brain {M.....	92	20	45	4	1	3	3	6	3	3	4	1	5	1	3	10
{F.....	59	10	18	3	3	5	2	4	2				3	3	4	12
Diseases of the spinal cord. {M.....	5						1		1			1		1		1
{F.....																
Locomotor ataxia.....{M.....	4													1	2	1
{F.....																
Others of this class..{M.....	16	5	5			1		1		1	1	1	1		1	4
{F.....	39	2	3	1		2		2	4	2	4	2	6	3	4	6
3. Diseases of the circulatory system.	1,184	37	56	18	18	33	45	30	42	58	45	56	81	79	97	526
Males.....	581	20	33	12	6	12	19	7	15	20	14	30	44	42	47	280
Females.....	603	17	23	6	12	21	26	23	27	38	31	26	37	37	50	246
Pericarditis.....{M.....	4							1					1		2	
{F.....	2					1										
Diseases of the heart {M.....	558	19	32	12	6	12	19	6	15	20	14	28	41	42	44	267
{F.....	577	15	21	6	12	20	25	22	25	37	28	23	37	36	48	237
Angina pectoris.....{M.....	12											1			1	10
{F.....	16							1	1		2	2		1	2	7
Diseases of the arteries. {M.....	1												1			1
{F.....	1															
Aneurism.....{M.....	5											1	1			3
{F.....	3								1		1					1
Embolism.....{M.....																
{F.....	2						1			1						
Others of this class..{M.....	1	1	1													
{F.....	2	2	2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,171	729	1,324	116	78	156	165	115	91	94	134	107	114	104	105	468
Males.....	1,721	413	723	54	35	83	98	65	45	52	80	62	65	66	63	230
Females.....	1,450	316	601	62	43	73	67	50	46	42	54	45	49	38	42	238
Croup.....	276	176	264	10	1		1									2
M.....	227	147	214	10					1							
F.....																
Pneumonia.....	1,169	181	340	33	27	77	89	59	39	46	72	54	55	51	53	174
M.....	958	122	269	39	39	65	56	44	39	38	44	34	45	30	36	180
F.....																
Laryngitis.....	6		5											1		
M.....	3	1	1	2												
F.....																
Bronchitis.....	133	46	92	5	3	2		2	1	1	1	3	4	3	3	13
M.....	157	39	96	9	1	3	5	2	2	1	5	2	2	3	3	23
F.....																
Pleurisy.....	53	1	3	2	2	2	4	2	2	1	2	2	1	3	4	23
M.....	40		2		1	2	2	2	2	2	4		1	2	1	19
F.....																
Asthma.....	35	4	7	1					1	1	2		2	2	3	16
M.....	26		1			1	2		1	1		5	1	3	2	9
F.....																
Others of this class.....	49	5	12	3	2	2	4	2	2	3	3	3	3	6		4
M.....	39	7	18	2	2	2	2	2	1		1	4				5
F.....																
5. Diseases of the digestive system.	1,191	291	511	45	43	35	59	47	38	40	30	35	47	50	55	156
Males.....	611	154	263	29	24	13	24	22	28	16	13	20	27	24	28	80
Females.....	580	137	248	16	19	22	35	25	10	24	17	15	20	26	27	76
Dentition.....	53	18	53													
M.....	39	13	39													
F.....																
Angina.....	12	3	8	1												3
M.....	10	5	7	2				1								
F.....																
Gastritis.....	72	10	19	3	3	1	5	1	5	2	3	6	6	3	4	11
M.....	92	8	24		3	2	3	8	5	11	3	2	3	7	5	16
F.....																
Diseases of the stomach.....	27	2	7	2	3	1		1	2		2		1	3	3	2
M.....	28	3	10	2	1	2		1			2		1	1	5	3
F.....																
Obstruction of the bowels.....	22	3	6	5	2	1		2	1		1				1	3
M.....	15		1		2		3	2		1	1	2	1		1	1
F.....																
Appendicitis.....	32			1	3	3	8	6	3	2			1	1		4
M.....	20		3	1	4	4	1							3	2	1
F.....																
Hernia.....	25		1	1				1	2	1		2		2	4	11
M.....	5											2	1			2
F.....																
Other diseases of the bowels.....	77	22	48	7	2		2	1	1	3		2	1	3	1	6
M.....	72	25	44	2	2	2	1	3		1			1	1	2	13
F.....																
Jaundice.....	30	18	19	2	1	4	5	2	1	1	2		3	1		7
M.....	40	15	16		1								1			
F.....																
Inflammation and abscess of the liver.....	36	5	6		1	1	1	4	2		4	3	5	2	5	2
M.....	24		4		1	1	1		1	2	2	2	1	3	2	6
F.....																
Other diseases of the liver.....	44	8	14		2	1	1	1	1	2	1	4		3	3	11
M.....	46	3	9	2	2	1	4	2		2	3	2	4	4	3	8
F.....																
Peritonitis.....	15	1	1		1	4	1		4	1	1					2
M.....	28	1	2	4	2	4	7	2	2	2	1			1		1
F.....																
Ascites.....	23	1	3	1	4								2	2	2	9
M.....	28		1		1		3	2	1	1		1	2	2	2	11
F.....																
Others of this class.....	143	63	78	6	3		4	5	6	4	1	3	8	4	5	16
M.....	133	64	88	3	1	2	5	2	2	3	5	2	5	4	4	7
F.....																
6. Diseases of the urinary system and male organs of generation.	454	13	35	6	6	10	16	12	14	31	23	24	34	21	37	185
Males.....	300	6	18	4	3	6	8	4	7	12	11	14	22	14	30	147
Females.....	154	7	17	2	3	4	8	8	7	19	12	10	12	7	7	38
Bright's disease.....	149			2	3	5	6	2	3	10	8	6	15	9	20	60
M.....	94			1	3	3	7	3	4	11	10	7	10	5	7	23
F.....																
Calculus, urinary.....	39	2	4	1		1						2		2	3	26
M.....	4	1	1							1						2
F.....																
Diseases of the kidney.....	62	4	13	1			1	1	3	1	3	4	6	2	6	21
M.....	35	5	13	1			1	3	2	4	1	1	1			8
F.....																
Diseases of the bladder.....	25						1						1		1	22
M.....	3	1	1							1			1			
F.....																
Others of this class.....	25		1					1	1	1		2		1		18
M.....	18		2			1		2	1	2		2		2		5
F.....																
7. Diseases of the female organs of generation.	64					1	12	8	4	6	7	11	3	1	3	8
Ovarian tumors.....	7						1			1	2	1				2
Ovarian diseases.....																
Diseases of the tubes.....	1						1									
Uterine tumors.....	5							1			1	1			1	1
Uterine diseases.....	25					1	6	1	1	3	2	3	1		2	5
Others of this class.....	26						4	6	3	2	2	6	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	269					35	73	49	48	36	13	6	1			8
Abortion	12					1	1	2	5	1	2					
Childbirth	167					22	47	27	26	23	10	5	1			6
Puerperal septicemia	62					5	17	17	11	9	1	1				1
Extra-uterine pregnancy	2								1	1						
Others of this class	26					7	8	3	5	2						1
9. Diseases of the bones and joints.	58	8	19	1	4	5	2	4	4	2	3	4	3	1	2	4
Males	25	4	10		2	2		2		1	1	2	1		1	3
Females	33	4	9	1	2	3	2	2	4	1	2	2	2	1	1	1
Diseases of the spine. {M.	16	2	8		1	2				1		2	1			1
{F.	25	4	9	1	2	1	2	1	2	1	1	2	1	1	1	
Abscess, lumbar and {M.	2							1								1
{F.	2															
Diseases of the bones. {M.	3	1	1		1			1								1
{F.	3										1		1			
Diseases of the hip. {M.	1										1					
{F.	3							1	2							
Others of this class. {M.	3	1	1												1	1
{F.	2					2										
10. Diseases of the skin	61	19	26	2	3	2	1	1	3	5	1	2		1	2	12
Males	33	13	19		2		1	1	2	2		2				4
Females	28	6	7	2	1	2			1	3	1			1	2	8
Abscess. {M.	14	7	7		1		1		2	2		1				1
{F.	10	2	3	1					1	2	1				1	
Carbuncle. {M.	3	1	1		1											1
{F.	4									1					1	2
Others of this class. {M.	16	5	11				1					1				3
{F.	14	4	4	1	1	2								1		5
11. Diseases of the absorbent system.	10			1	1	3				1	1	2				1
Males	4			1	1	1					1					
Females	6					2				1		2				1
Addison's disease. {M.	1										1					
{F.	1					1										
Diseases of the spleen {M.	1			1												
{F.	1															
Others of this class. {M.	2				1	1										1
{F.	5					1				1		2				
12. Accidents and injuries	989	125	292	80	56	92	80	52	52	52	32	25	38	19	27	92
Males	668	77	158	26	37	73	65	43	44	46	24	21	36	19	21	55
Females	321	48	134	54	19	19	15	9	8	6	8	4	2		6	37
Burns and scalds. {M.	109	8	71	7	4	3	3	3	1	2	3		1		2	9
{F.	172	6	77	53	13	6	4	4	1	1	2		1		2	8
Drowning	72		7	6	7	15	7	3	5	5	5	4	2	1	2	3
{F.	9		2		1	3		1								2
Exposure and neglect. {M.	22	13	16			2	1				1		1			1
{F.	17	10	15													1
Gunshot wounds {M.	69			3	7	12	9	5	10	6	2	5	4	1	1	4
{F.	6				1	4						1				
Homicide	43					6	5	6	7	11	3	1		2	2	
{F.	5					1	1			1	1					1
Infanticide. {M.	1															
{F.	1	1	1													
Injuries by machinery. {M.	13			1	2	1	1	3	1	2			2			
{F.																
Railroad accidents. {M.	63			1	4	8	14	7	7	4	3	1	1	2	1	10
{F.	3				1							1				1
Suffocation	40	38	38	1	1											
{F.	15	11	13													2
Suicide by shooting. {M.	5					1	1	1			1					1
{F.																
Suicide by drowning. {M.	1														1	
{F.	1															1
Suicide by poison. {M.	4										1		2			1
{F.	2						2									
Other suicides. {M.	11							2	1	1		1	3	1	1	1
{F.	3										2		1			
Sunstroke	10					1		2	1			1	1		1	3
{F.	1						1									
Surgical operations. {M.																1
{F.	2								1							
Wounds	11			1		1	4					1		1	1	2
{F.	1															1
Others of this class. {M.	195	18	26	6	12	23	20	11	11	15	5	7	19	11	9	20
{F.	83	20	26	1	3	5	7	3	6	4	3	2				19

NORTH DAKOTA.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	381	14	35	6	17	35	48	26	37	36	29	28	20	11	17	36
Males.....	177	6	16	3	5	15	19	10	21	18	12	14	10	5	11	18
Females.....	204	8	19	3	12	20	29	16	16	18	17	14	10	6	6	18
Anemia.....{M..	1							1		1					1	
{F..	2															
Diabetes.....{M..	6					1	1		1		1				1	1
{F..	6		1			1								2		2
Rheumatism.....{M..	10		1		1					2		2			3	1
{F..	7				1			1		2	1	1				1
Scrofula and tabes.....{M..	6				1			1	1		1	1				1
{F..	4	1	1		1	1					1					
Hydrocephalus.....{M..	4	1														
{F..	7	1	5	1		1										
Tuberculosis, general.....{M..	3						1					1				1
{F..	2		1				1									
Consumption.....{M..	106	5	10	2	2	13	17	8	15	15	8	6	4	1	1	4
{F..	140	6	10	2	9	17	28	14	14	13	12	8	5	3	2	3
Cancer.....{M..	29							1	3			3	5	4	3	8
{F..	21				1					2	3	4	2		2	7
Tumor.....{M..	5				1	1						1			2	
{F..	6											1	1	1	2	1
Dropsy.....{M..	6		1	1					1							2
{F..	7								1				2			4
Others of this group.....{M..	1									1						
{F..	2		1						1							
2. Diseases of the nervous system..	238	76	114	11	13	8	8	10	10	6	7	10	7	6	4	24
Males.....	132	39	59	4	7	2	7	3	4	4	4	8	4	3	1	22
Females.....	106	37	55	7	6	6	1	7	6	2	3	2	3	3	3	2
Inflammation of the brain.....{M..	22	8	15	1	3		1	1								1
{F..	20	5	11	3	1	3					1				1	
Meningitis.....{M..	20	6	10	2	1	1	1				1	2	1			1
{F..	16	6	11	2	1	1				1						
Apoplexy.....{M..	19		1		1		1	1	1	2	1	1	1			9
{F..	7	2	2		1				1	1				2		
Paralysis.....{M..	12		1		1		1		3			1				5
{F..	15		1	1	1		1	2	2		1	1	1		2	2
Paralysis, general (of insane).{M..	1												1			
{F..																
Tetanus and trismus nascentium.....{M..	2	1	1													1
{F..																
Chorea.....{M..	1			1												
{F..																
Epilepsy.....{M..	6		1		1	1				1		1		1		
{F..	8	1	2			2		1	2			1				
Convulsions.....{M..	30	23	28									1				1
{F..	30	22	25	1	1			2	1							
Mental diseases.....{M..	10						2	1		1	2	1		2		1
{F..	4							1			1		2			
Diseases of the brain.....{M..	5	1	2				1					1	1			
{F..	5	1	2		1			1						1		
Diseases of the spinal cord.....{M..	1															1
{F..	1		1													
Locomotor ataxia.....{M..	1															1
{F..																
Others of this class.....{M..	2														1	1
{F..																
3. Diseases of the circulatory system.	116	9	18	3	6	4	4	5	6	5	7	8	8	9	6	27
Males.....	54	5	10	2	2	2	2	3	2	1	4	2	5	4	2	13
Females.....	62	4	8	1	4	2	2	2	4	4	3	6	3	5	4	14
Pericarditis.....{M..																
{F..																
Diseases of the heart.....{M..	53	5	10	2	1	2	2	3	2	1	4	2	5	4	2	13
{F..	61	4	8	1	4	2	2	2	4	4	3	6	3	5	4	13
Angina pectoris.....{M..	1				1											
{F..																
Diseases of the arteries.....{M..																
{F..																
Aneurism.....{M..																
{F..	1															1
Embolism.....{M..																
{F..																
Others of this class.....{M..																
{F..																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	307	60	126	19	9	6	11	11	10	9	7	8	10	14	10	57
Males.....	152	30	56	11	3	1	7	5	4	7	3	6	4	9	4	32
Females.....	155	30	70	8	6	5	4	6	6	2	4	2	6	5	6	25
Croup.....{M..	18	6	14	4												
{F..	11	2	8	2	1											
Pneumonia.....{M..	100	16	27	6	3	1	7	5	3	7	2	4	3	5	2	25
{F..	110	19	48	5	4	4	2	6	3	2	3	2	5	4	6	18
Laryngitis.....{M..																
{F..	3	1	2	1												
Bronchitis.....{M..	12	6	11											1		1
{F..	10	4	8													2
Pleurisy.....{M..	6	1	2								1			2		1
{F..	2	1	1				1									
Asthma.....{M..	6								1				1	1	1	2
{F..	6										1			1		4
Others of this class.....{M..	9	1	2	1								2			1	3
{F..	11	3	3		1	1	1		3				1			1
5. Diseases of the digestive system.	180	52	70	8	5	15	6	9	8	10	10	6	6	3	5	19
Males.....	106	32	41	5	2	9	2	5	2	4	6	4	6	3	3	14
Females.....	74	20	29	3	3	6	4	4	6	6	4	2			2	5
Dentition.....{M..	2	2	2													
{F..	4	2	4													
Angina.....{M..	3	1	2	1												
{F..	3		1	1		1										
Gastritis.....{M..	10	1	2	1						2	1		1	1		2
{F..	4	2	2	1							1					
Diseases of the stomach.....{M..	5			1		1							1			2
{F..	4		2					1				1				
Obstruction of the bowels.....{M..	7	1	3		1	1		1			1					
{F..	6		1	1	1	1						1			1	
Appendicitis.....{M..	15	1	1	1		5		1	1	2	1		1		1	1
{F..	10				2	3	2		1	1						1
Hernia.....{M..	8	1	1									1		1		5
{F..																
Other diseases of the bowels.....{M..	8	6	7						1							
{F..	2	1	1							1						
Jaundice.....{M..	5	4	4		1											
{F..	3	1	1				1								1	
Inflammation and abscess of the liver.....{M..	2										1			1		
{F..	4		1			1		1	1							
Other diseases of the liver.....{M..	11	1	1			1		1				2	2		2	2
{F..	7	2	3							3						1
Peritonitis.....{M..	8	1	1	1		1	2	1			1	1				
{F..	11	2	2				1	2	3		2					1
Ascites.....{M..	1															1
{F..	2									1	1					
Others of this class.....{M..	21	13	17					1			1		1			1
{F..	14	10	11				1		1							2
6. Diseases of the urinary system and male organs of generation.	56	2	2	4	1	1	1	4	1	4	4	3	5	2	6	18
Males.....	33			2		1		2	1	2	2	1	2	1	4	15
Females.....	23	2	2	2	1		1	2		2	2	2	3	1	2	3
Bright's disease.....{M..	23					1		2	1		2	1	2	1	2	11
{F..	14			1				2		2	1	2	2	1	2	1
Calculus, urinary.....{M..	1															1
{F..	1															
Diseases of the kidney.....{M..	5			1						1					2	1
{F..	5	1	1		1		1									2
Diseases of the bladder.....{M..	1															1
{F..	1	1	1													
Others of this class.....{M..	3			1						1						1
{F..	2			1							1					
7. Diseases of the female organs of generation.	7						1		1	1		3		1		
Ovarian tumors.....	2											2				
Ovarian diseases.....																
Diseases of the tubes.....	1						1									
Uterine tumors.....	1													1		
Uterine diseases.....																
Others of this class.....	3								1	1		1				

CAUSE, SEX, AND AGE.

611

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NORTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	44					2	4	10	13	10	3	2				
Abortion	1								1							
Childbirth.....	33					1	3	7	8	10	2	2				
Puerperal septicemia	5						1		3		1					
Extra-uterine pregnancy.....	2							2								
Others of this class	3					1		1	1							
9. Diseases of the bones and joints	8	3	3	1	1						1	1			1	
Males.....	5	1	1	1	1						1				1	
Females.....	3	2	2									1				
Diseases of the spine.....	2	1	1	1								1				
{M.....	2	1	1	1								1				
{F.....	3	2	2													
Abscess, lumbar and psoas.....																
{M.....																
{F.....																
Diseases of the bones.....	2										1				1	
{M.....																
{F.....																
Diseases of the hip-joint.....	1				1											
{M.....																
{F.....																
Others of this class.....																
{M.....																
{F.....																
10. Diseases of the skin	6		1	1			1		1			1				1
Males.....																
Females.....	6		1	1			1		1			1				1
Abscess.....																
{M.....																
{F.....	4			1			1		1							1
Carbuncle.....																
{M.....																
{F.....																
Others of this class.....	2		1									1				
{M.....																
{F.....																
11. Diseases of the absorbent system.	1									1						
Males.....																
Females.....	1									1						
Addison's disease.....																
{M.....																
{F.....																
Diseases of the spleen.....																
{M.....																
{F.....																
Others of this class.....										1						
{M.....																
{F.....	1															
12. Accidents and injuries.....	127	10	22	10	11	10	12	12	5	8	12	6	2	4	2	11
Males.....	95	4	11	7	7	7	10	10	4	8	11	6	2	4	1	7
Females.....	32	6	11	3	4	3	2	2	1		1				1	4
Burns and scalds.....			3				1									
{M.....	4															
{F.....	6			2		1	1		1							1
Drowning.....			1	1	2		4				1					
{M.....	9															
{F.....	1		1													
Exposure and neglect.....			1													
{M.....	1	1														
{F.....	5	4	4			1										
Gunshot wounds.....					1	2	2									
{M.....	5															
{F.....	1				1											
Homicide.....								2	1							1
{M.....	4															
{F.....																
Infanticide.....																
{M.....																
{F.....																
Injuries by machinery.....																
{M.....																
{F.....																
Railroad accidents.....								2	1					1		1
{M.....	5															
{F.....																
Suffocation.....						1										
{M.....	1															
{F.....	1	1	1													
Suicide by shooting.....										1						
{M.....	1															
{F.....																
Suicide by drowning.....																
{M.....																
{F.....																
Suicide by poison.....																
{M.....																
{F.....																
Other suicides.....							1	2	1		5	3	1			2
{M.....	15															
{F.....	1															
Sunstroke.....																
{M.....																
{F.....																
Surgical operations.....																1
{M.....	1															
{F.....																
Wounds.....						1										
{M.....	1															
{F.....																
Others of this class.....																
{M.....	48	3	6	6	4	3	2	4	1	7	5	3	1	3	1	2
{F.....	17	1	5	1	3		1	2			1				1	3

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	53,362	8,819	13,358	1,583	1,034	1,733	2,419	2,388	2,189	2,227	2,133	2,124	2,259	2,529	2,796	14,590
Males.....	28,648	4,913	7,295	834	507	806	1,211	1,137	1,068	1,182	1,180	1,188	1,237	1,418	1,629	7,956
Females.....	24,714	3,906	6,063	749	527	927	1,208	1,251	1,121	1,045	953	936	1,022	1,111	1,167	6,634
Unknown cause.....	1,269	523	580	21	9	23	28	30	27	27	35	31	41	54	44	319
Males.....	653	280	312	10	4	7	12	10	12	15	14	15	17	26	26	173
Females.....	616	243	268	11	5	16	16	20	15	12	21	16	24	28	18	146
1. General diseases.																
General diseases—A	8,449	2,165	3,821	568	281	405	394	379	310	250	215	161	189	181	198	1,097
Males.....	4,360	1,198	2,026	253	135	190	211	186	160	125	113	85	93	99	111	573
Females.....	4,089	967	1,795	315	146	215	183	193	150	125	102	76	96	82	87	524
Measles.....{M..	81	29	61	5	3	3	5	1	1	1	2	1	1	1	1	1
{F..	85	19	57	11	1	1	4	1	5	2	1	2	2	1	1	1
Scarlet fever.....{M..	166	9	106	44	9	4	1	1	1	1	1	1	1	1	1	1
{F..	168	12	93	50	15	3	3	1	1	1	1	1	1	1	1	1
Diphtheria.....{M..	323	28	176	90	29	12	6	2	3	2	1	1	1	1	1	2
{F..	375	14	158	146	36	11	5	2	4	6	2	2	1	1	1	1
Whooping cough.....{M..	184	103	174	6	1	2	1	1	1	1	1	1	1	1	1	1
{F..	217	107	207	6	2	1	1	1	1	1	1	1	1	1	1	1
Malarial fever.....{M..	91	12	19	5	1	7	11	2	3	5	5	5	5	7	2	14
{F..	65	5	12	3	1	5	6	3	5	4	6	2	2	4	2	10
Influenza.....{M..	277	21	25	2	4	2	2	7	15	7	8	8	11	12	16	158
{F..	328	15	28	5	3	3	3	11	11	9	4	6	10	9	18	208
Typhoid fever.....{M..	962	6	40	46	60	127	151	133	100	73	64	37	29	25	30	47
{F..	833	11	47	53	63	164	105	108	63	44	40	29	39	21	13	44
Cholera morbus.....{M..	191	54	97	6	6	4	4	3	5	4	3	4	6	4	8	37
{F..	166	39	73	3	6	5	12	5	4	7	4	1	2	4	9	31
Colitis.....{M..	34	18	28	2	1	1	1	1	1	1	1	1	1	1	1	1
{F..	25	7	16	2	1	1	1	1	1	1	1	1	1	1	2	2
Diarrhea.....{M..	156	31	43	1	1	1	2	3	3	3	2	2	5	14	14	66
{F..	115	32	45	5	1	1	3	2	2	1	2	4	4	5	7	34
Dysentery.....{M..	201	28	93	5	1	4	5	4	2	1	1	4	4	6	8	63
{F..	198	21	76	3	1	1	2	1	6	3	3	7	4	8	9	78
Enteritis.....{M..	416	252	336	5	1	5	3	4	5	5	5	1	6	8	7	30
{F..	376	188	280	4	1	1	5	9	5	6	8	6	4	8	7	32
Cholera infantum.....{M..	685	517	685	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	575	427	575	1	1	1	1	1	1	1	1	1	1	1	1	1
Fever.....{M..	7	3	5	1	1	1	1	2	2	1	1	1	1	1	1	1
{F..	8	2	4	1	1	1	1	2	2	1	1	1	1	1	1	1
Cerebro-spinal fever.....{M..	136	38	73	20	10	7	4	10	3	2	2	1	2	1	1	1
{F..	113	27	62	16	8	7	4	4	1	5	1	2	1	1	1	1
Smallpox.....{M..	18	6	7	1	1	1	3	1	2	1	1	2	2	1	1	1
{F..	17	3	4	1	1	1	2	1	1	3	1	1	2	1	1	1
Erysipelas.....{M..	78	11	12	2	3	2	1	3	7	3	4	4	4	6	3	25
{F..	62	12	13	1	1	3	1	3	3	3	1	3	9	2	4	19
Septicemia.....{M..	208	16	27	12	6	9	11	8	10	15	12	8	11	11	12	56
{F..	258	16	30	6	4	9	26	37	37	33	22	8	7	10	7	22
Venereal diseases.....{M..	40	13	14	1	1	1	1	1	1	5	4	4	4	1	3	3
{F..	23	7	9	1	1	1	1	2	2	4	4	2	1	1	2	1
Others of this group.....{M..	106	3	5	4	1	1	4	1	2	2	1	4	4	4	7	67
{F..	82	3	6	2	1	1	2	1	4	2	2	3	6	9	5	39
General diseases—B	1,140	779	845	13	6	9	12	20	28	29	27	18	27	24	13	69
Males.....	689	442	474	7	3	5	7	10	21	22	21	17	21	19	13	49
Females.....	451	337	371	6	3	4	5	10	7	7	6	1	6	5	20	20
Alcoholism.....{M..	108	1	1	1	1	1	2	5	14	12	11	12	13	13	6	18
{F..	11	1	1	1	1	1	1	1	1	4	2	1	2	1	1	1
Parasitic diseases.....{M..	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Lead poison.....{M..	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other poisons.....{M..	80	6	19	3	1	4	3	4	5	9	10	4	4	4	2	8
{F..	51	5	14	1	1	4	3	8	5	3	4	1	1	3	1	4
Inanition.....{M..	490	436	452	2	1	1	1	1	2	1	1	1	3	1	5	20
{F..	385	332	354	4	2	1	2	1	1	1	1	1	3	2	1	15
General diseases—C	3,827	1,287	1,352	5	11	8	26	24	25	22	29	17	22	42	74	2,170
Males.....	1,906	691	719	2	4	5	12	9	13	12	11	13	10	24	34	1,038
Females.....	1,921	596	633	3	7	3	14	15	12	10	18	4	12	18	40	1,132
Old age.....{M..	921	1	1	1	1	1	1	1	1	1	1	1	1	1	10	911
{F..	1,037	1	1	1	1	1	1	1	1	1	1	1	1	1	17	1,020
Premature birth.....{M..	382	382	382	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	295	295	295	1	1	1	1	1	1	1	1	1	1	1	1	1
Malformation.....{M..	55	50	51	1	2	1	1	1	1	1	1	1	1	1	1	1
{F..	55	50	52	1	1	1	1	1	1	1	1	1	1	1	1	1
Debility and atrophy.....{M..	503	214	241	2	2	5	12	9	12	12	11	13	10	24	24	126
{F..	504	222	257	3	6	2	14	15	12	9	18	4	11	18	23	112
Others of this group.....{M..	45	45	45	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	30	29	29	1	1	1	1	1	1	1	1	1	1	1	1	1

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	9,791	228	450	121	153	561	959	864	795	722	667	648	603	652	615	1,981
Males.....	4,665	121	238	59	51	210	416	377	364	353	327	311	289	337	308	1,025
Females.....	5,126	107	212	62	102	351	543	487	431	369	340	337	314	315	307	956
Anemia.....{M..	63	6	11	1	1	1	1		4	1	4	5	5	8	7	14
{F..	57	8	10	3		6	2	3	2	2	5	5	3	2	4	10
Diabetes.....{M..	158	2	5	6	6	7	3	6	6	12	9	5	11	17	13	52
{F..	108		1	5	2	4	9	9	8	3	5	5	8	19	14	16
Rheumatism.....{M..	160		4	5	7	6	8	5	7	9	7	10	8	17	11	56
{F..	147	1	4	4	12	8	9	4	4	4	8	5	12	8	18	49
Scrofula and tabes.....{M..	95	15	29	4		5	12	4	4	7		3	6	3	6	12
{F..	105	9	20	5	2	10	7	11	4	6	6	2	4	8	6	14
Hydrocephalus.....{M..	75	29	48	10	2	6	2	1	2	1		1				2
{F..	82	26	54	11	2	3	6		3	1		1		1		
Tuberculosis, general.....{M..	19		2	2		1		3		2	3		2	1		3
{F..	35	1	1	1	3	3	4	2	5		2	1	4	1	4	4
Consumption.....{M..	2,874	54	114	19	32	170	378	348	315	288	249	214	151	155	119	322
{F..	2,915	50	98	19	70	304	486	435	356	272	192	142	114	87	90	250
Cancer.....{M..	775		1	3		4	7	7	18	21	32	55	87	99	111	330
{F..	1,168	1	1	3	2	3	7	15	36	64	89	147	129	154	124	394
Tumor.....{M..	82	3	5	3	1	2	1	2	5	4	7	8	5	5	9	25
{F..	144	1	5	4	1	3	6	3	7	10	24	15	14	13	14	25
Dropsy.....{M..	338	5	9	5	2	6	3	1	2	8	14	7	13	30	32	206
{F..	339	6	9	3	6	7	6	5	7	6	8	13	25	22	33	189
Others of this group.....{M..	26	7	10	1		2	1		1		2	3	1	2		3
{F..	26	4	9	4	2		1		1	1	1	1	1			5
2. Diseases of the nervous system..	7,735	1,575	2,311	204	145	138	156	155	142	184	231	269	344	391	465	2,600
Males.....	4,319	894	1,286	126	74	72	93	87	73	108	151	155	186	218	288	1,402
Females.....	3,416	681	1,025	78	71	66	63	68	69	76	80	114	158	173	177	1,198
Inflammation of the brain.....{M..	235	88	153	16	10	7	7	5	4	6	4	1	1	3	4	14
{F..	176	59	112	6	8	5	2	8	4	7	2	2	5	2	1	12
Meningitis.....{M..	665	209	382	60	31	28	34	24	13	19	16	13	14	7	7	17
{F..	524	155	328	41	33	20	18	14	7	10	7	11	10	5	3	17
Apoplexy.....{M..	897	15	19	5	4	2	10	13	17	21	38	47	74	81	129	437
{F..	626	7	10	2	2	3	3	8	12	16	21	42	65	67	68	307
Paralysis.....{M..	995	8	14	6	2	4	4	5	11	15	37	35	39	60	87	676
{F..	944	4	9	5	6	6	8	7	5	10	19	30	42	61	64	672
Paralysis, general (of insane).{M..	51								1	6	10	10	4	6	6	8
{F..	21						1		1	2	5		1	1		10
Tetanus and trismus nascentium.....{M..	67	14	17	11	12	8	4	3	2	2	3	1	1			3
{F..	19	9	10			1	1		1	1		1	2	2		
Chorea.....{M..	3					3										
{F..	13			1	3	4	2					1				2
Epilepsy.....{M..	118	8	10	4	4	7	16	16	5	10	6	7	2	11	6	14
{F..	79	8	8	5	6	7	9	7	5	7	3	4	2		2	14
Convulsions.....{M..	593	469	566	13	4		1	1	1				3			4
{F..	492	384	462	8	2	1	1	4	8			1		1		4
Mental diseases.....{M..	131						3	5	8	8	7	11	8	16	13	52
{F..	101					1	4	5	6	7	7	7	7	8	12	37
Diseases of the brain.....{M..	392	67	98	9	5	13	9	11	9	16	17	15	24	26	26	114
{F..	237	48	68	7	8	11	11	9	8	6	9	5	12	9	11	63
Diseases of the spinal cord.....{M..	57	14	22	1	1		1	3		1	4	4	2	1	2	15
{F..	43	3	12	3	1	3		1	1				4	3	2	13
Locomotor ataxia.....{M..	31						2	1		1	4	6			1	10
{F..	11									1	1	1		3	5	
Others of this class.....{M..	84	2	5	1	1		2		2	3	5	5	8	7	7	38
{F..	130	4	6		2	4	3	5	11	9	6	9	8	11	9	47
3. Diseases of the circulatory system.	4,631	253	291	60	74	73	85	98	120	188	179	203	304	396	442	2,118
Males.....	2,601	144	166	33	32	27	43	46	58	86	96	98	152	227	270	1,267
Females.....	2,030	109	125	27	42	46	42	52	62	102	83	105	152	169	172	851
Pericarditis.....{M..	16			1	1	1	2			1	1		1	4	3	1
{F..	18		1		3	3	1		1	1	1	2				5
Diseases of the heart.....{M..	2,354	102	123	30	29	26	38	41	52	78	82	94	140	199	244	1,178
{F..	1,856	86	99	26	39	43	39	46	52	95	76	96	142	157	164	782
Angina pectoris.....{M..	118			1			2	1	2	4	8	2	7	18	18	55
{F..	74						2	3	6	4	3	6	8	9	7	26
Diseases of the arteries.....{M..	36	1	1							1	1		2	4	4	23
{F..	30									1				2		27
Aneurism.....{M..	26				2		1	3	3	2	4	2	1	2	1	5
{F..	15			1				3	2	1	2	1				4
Embolism.....{M..	10	3	4					1					1			4
{F..	12								1		1		1	1	1	7
Others of this class.....{M..	41	38	38	1					1							1
{F..	25	23	25													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	6,901	1,247	2,490	290	117	139	167	184	189	204	212	227	210	252	342	1,878
Males.....	3,667	732	1,395	157	49	71	80	88	97	120	120	123	130	140	189	908
Females.....	3,234	515	1,095	133	68	68	87	96	92	84	92	104	80	112	153	970
Croup.....	316	51	257	52	5	2	1	1	1	1	1	1	1	1	1	1
M.....	238	28	177	45	9	2	1	1	1	1	1	1	1	1	1	1
F.....	27	3	13	3	5	1	1	1	1	1	1	1	1	1	1	1
Pneumonia.....	2,431	475	838	88	39	57	64	69	88	82	102	102	92	102	135	573
M.....	2,175	344	697	68	46	52	59	73	72	68	67	79	55	74	109	656
F.....	27	5	13	3	5	1	1	1	2	1	1	2	2	2	2	2
Laryngitis.....	27	3	15	5	5	1	1	1	1	1	1	1	1	1	1	1
M.....	445	132	195	8	2	5	4	6	2	10	6	5	12	13	14	163
F.....	444	96	146	11	5	5	9	6	5	2	9	7	8	18	26	187
Bronchitis.....	73	2	5	2	1	3	3	6	6	9	3	6	3	4	6	24
M.....	61	1	2	1	1	1	7	3	2	4	1	7	4	4	3	26
F.....	133	8	11	2	2	2	1	1	3	3	1	3	12	9	13	76
Asthma.....	91	3	3	1	1	1	1	2	3	1	3	1	5	7	6	58
M.....	242	59	76	4	2	4	9	5	5	15	7	5	9	12	20	69
F.....	198	44	57	1	7	7	9	11	9	8	11	9	12	8	7	42
Others of this class.....	198	44	57	1	7	7	9	11	9	8	11	9	12	8	7	42
5. Diseases of the digestive system.	3,372	492	674	102	79	125	159	171	163	168	161	165	183	216	213	793
Males.....	1,721	269	369	57	41	61	67	67	62	75	85	102	98	99	121	417
Females.....	1,651	223	305	45	38	64	92	104	101	93	76	63	85	117	92	376
Dentition.....	23	13	23	2	2	2	2	2	2	2	2	2	2	2	2	2
M.....	20	12	20	2	2	2	2	2	2	2	2	2	2	2	2	2
F.....	29	5	13	6	4	1	4	1	1	1	1	1	1	1	1	1
Angina.....	34	4	14	3	4	1	1	1	1	1	1	1	1	1	1	1
M.....	245	33	44	3	2	8	3	6	7	11	13	14	22	20	20	82
F.....	252	28	42	6	2	8	5	16	11	12	5	12	11	19	16	87
Diseases of the stomach.....	153	16	22	1	1	1	1	5	2	6	11	9	11	13	15	56
M.....	126	18	23	2	2	2	7	7	3	5	5	5	8	12	5	42
F.....	97	15	24	1	4	4	4	7	1	6	4	5	7	4	5	21
Obstruction of the bowels.....	135	9	13	6	1	2	5	8	8	10	5	6	7	14	8	42
M.....	183	5	17	17	21	26	22	17	15	9	10	3	6	7	8	8
F.....	98	1	11	7	14	12	12	12	7	10	3	1	1	1	1	7
Appendicitis.....	81	5	6	4	1	5	2	3	6	3	2	3	7	8	31	31
M.....	47	2	2	1	1	1	1	1	2	2	2	2	9	7	2	15
F.....	95	34	49	4	1	4	2	2	1	1	5	4	2	4	4	16
Other diseases of the bowels.....	81	19	30	1	3	4	3	3	2	3	2	2	4	4	3	17
M.....	56	24	26	1	1	1	3	1	1	1	1	4	3	1	2	13
F.....	67	24	27	1	1	1	2	2	2	1	2	1	4	6	2	17
Inflammation and abscesses of the liver.....	68	3	3	1	1	2	6	3	5	2	7	9	2	7	6	23
M.....	71	4	9	1	1	2	6	2	2	6	7	4	3	10	7	14
F.....	251	12	19	4	1	3	4	4	7	12	17	26	24	21	27	86
Other diseases of the liver.....	168	8	9	4	2	2	4	1	5	6	9	10	16	23	23	54
M.....	197	8	20	15	15	25	17	7	15	13	10	11	8	6	9	26
F.....	327	8	17	8	15	27	46	49	47	31	20	12	7	8	8	32
Peritonitis.....	52	2	2	1	1	1	2	1	1	1	5	5	5	7	3	20
M.....	50	2	2	1	2	1	1	1	1	3	2	1	4	3	6	23
F.....	191	101	113	4	2	3	3	2	1	2	4	2	5	5	15	33
Others of this class.....	175	85	96	1	1	1	2	3	6	7	5	5	10	7	9	23
6. Diseases of the urinary system and male organs of generation.	2,366	39	65	36	12	31	48	70	85	98	123	156	165	168	246	1,063
Males.....	1,571	21	39	20	5	14	27	33	34	45	66	97	107	115	162	807
Females.....	795	18	26	16	7	17	21	37	51	53	57	59	58	53	84	256
Bright's disease.....	988	14	2	12	23	28	29	38	43	70	88	82	104	455	455	455
M.....	551	11	7	12	15	23	36	36	42	36	44	41	66	182	182	182
F.....	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
Calculus, urinary.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
M.....	186	12	23	3	1	3	3	1	1	2	10	11	3	14	17	97
F.....	90	15	22	3	2	2	2	2	3	4	4	8	6	3	6	25
Diseases of the kidney.....	172	1	2	1	1	1	2	2	1	1	1	3	4	8	20	129
M.....	21	1	2	1	1	1	2	2	1	2	2	1	1	2	2	14
F.....	215	7	13	2	1	2	1	2	2	4	12	12	12	11	18	123
Others of this class.....	129	3	4	2	3	3	4	12	12	13	9	13	8	7	10	32
7. Diseases of the female organs of generation.	161	2	7	15	23	22	15	21	18	13	8	5	12	1	3	12
Ovarian tumors.....	29	1	1	1	1	1	3	3	2	5	4	5	1	1	1	3
Ovarian diseases.....	8	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1
Diseases of the tubes.....	23	2	6	8	3	3	3	3	3	3	3	3	3	3	3	1
Uterine tumors.....	34	1	1	1	1	1	2	5	1	8	6	3	1	2	4	4
Uterine diseases.....	13	4	3	4	3	4	4	3	1	1	1	1	2	1	1	1
Others of this class.....	54	1	3	8	5	7	4	7	7	7	5	3	1	1	3	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OHIO—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	364				1	30	75	96	70	58	24	4	1	1		4
Abortion	22						4	8	2	7						1
Childbirth.....	154					8	31	39	33	25	12	3		1		2
Puerperal septicemia.....	134				1	17	32	34	23	18	7	1	1			
Extra-uterine pregnancy.	6							2	1	2						1
Others of this class.....	48					5	8	13	11	6	5					
9. Diseases of the bones and joints.	191	44	70	16	8	7	11	8	4	7	7	6	4	8	11	24
Males.....	92	18	34	9	2	2	4	4		4	5	1	2	5	6	14
Females.....	99	26	36	7	6	5	7	4	4	3	2	5	2	3	5	10
Diseases of the spine. {M..	65	17	32	6		2	1	3		2	3		1	2	4	9
{F..	70	26	36	4	3	2	5	2	1	2	1	3	1	2	3	5
Abscess, lumbar and {M..	3									1					1	1
{F..	1															1
Diseases of the bones. {M..	14	1	2	2	1		2			1	1			2	1	2
{F..	15			2		1	2	1	2			1	1	1	1	3
Diseases of the hip. {M..	4			1	1			1		1						
{F..	7			2	2			1	1							
Others of this class. {M..	6						1					1	1	1		2
{F..	6			1	1						1	1			1	1
10. Diseases of the skin.....	105	25	31	3	3	1	4	4	3	3	5	4	2	5	5	32
Males.....	55	15	18	1	1	1	1	1	1		4	2	1	4	3	17
Females.....	50	10	13	2	2		3	3	2	3	1	2	1	1	2	15
Abscess..... {M..	25	6	7	1			1	1			3	1	1	1		9
{F..	28	4	5	2	2		1	3	1	2		2	1	1	1	7
Carbuncle..... {M..	13	1	1			1			1		1	1		2	2	4
{F..	7						1				1				1	4
Others of this class. {M..	17	8	10		1									1	1	4
{F..	15	6	8				1		1	1						4
11. Diseases of the absorbent system.	29	4	4	2	1		4	2		3	2	3	2	1	1	4
Males.....	17	4	4				2	2		1	2	2	1		1	2
Females.....	12			2	1		2			2		1	1	1		2
Addison's disease. {M..	2						1									1
{F..	2									1			1			
Diseases of the spleen {M..	7	1	1					1			2	1			1	1
{F..	2				1											1
Others of this class. {M..	8	3	3				1	1		1		1	1			1
{F..	8			2			2			1		1		1		1
12. Accidents and injuries.....	3,031	158	374	142	132	176	276	260	206	249	195	194	149	130	122	426
Males.....	2,332	84	215	100	106	141	236	217	173	216	165	167	130	105	97	264
Females.....	699	74	159	42	26	35	40	43	33	33	30	27	19	25	25	162
Burns and scalds. {M..	127	9	74	10	4	2	5	5	6	4	6	3	2	1	1	4
{F..	162	4	56	13	12	13	10	6	1	6	5	7		4	6	23
Drowning..... {M..	198		13	27	30	29	16	14	15	12	8	5	3	8	5	13
{F..	33	2	10	5		3	4	1	2	1			1	2	1	3
Exposure and neglect {M..	14	5	6			1	1	1			1					4
{F..	6			1		1								1		2
Gunshot wounds. {M..	109	1	1	6	13	27	14	9	6	7	8	7	3	2	5	1
{F..	16		2		4				4	1	1	1	1	1		1
Homicide..... {M..	49		1		2	1	9	6	3	4		8	5	3	3	4
{F..	17		1				3	4	3	1	2	1		1		1
Infanticide..... {M..																
{F..	2	2	2													
Injuries by machinery. {M..	5					1	1	1	1				1			
{F..	1			1												
Railroad accidents. {M..	510		7	16	22	27	62	66	51	61	35	33	38	28	20	44
{F..	48		5	9	1	3	4	2	1	1	4	2	1	4		11
Suffocation..... {M..	69	32	36	2	1	1	5	2	3	4	4	2		1	1	7
{F..	50	33	37		1			1					1	3	3	4
Suicide by shooting. {M..	80						13	9	10	11	12	6	7	2	2	8
{F..	6						1	1	1			2				
Suicide by drowning. {M..	9						2		1	1			1	2	1	1
{F..	9						2	2					2	1	1	1
Suicide by poison. {M..	49					2	3	8	6	4	6	6	5	4	4	1
{F..	25					7	3	5		3	4		1			2
Other suicides..... {M..	150				1	1	10	9	8	22	12	20	10	11	13	30
{F..	39					4	4	5	6	2	3		1	5	1	8
Sunstroke..... {M..	24	3	5	1				1		3		2	4	2	1	5
{F..	8	1	2		1							1	1		1	2
Surgical operations. {M..	12	1	2			1	1	3	1		1			1	1	1
{F..	22	1	2				1	3	5		2		1		1	
Wounds..... {M..	51		4	1	1		5	10	4	3	2	7	5	3		6
{F..	2			1	1											
Others of this class. {M..	876	33	66	37	32	48	89	73	58	80	70	68	46	34	40	135
{F..	253	31	42	12	6	4	7	13	10	12	9	11	9	3	11	104

CAUSE OF DEATH.		All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes		3,181	744	1,319	182	120	157	170	132	101	121	112	101	99	124	91	352
Males.....		1,741	421	714	95	67	82	89	58	47	60	54	55	59	79	52	230
Females.....		1,440	323	605	87	53	75	81	74	54	61	58	46	40	45	39	122
Unknown cause.....		271	143	182	7	8	5	8	3	3	3		5	6	5	8	28
Males.....		133	74	90	4	3	2	2	1				2	5		5	19
Females.....		138	69	92	3	5	3	6	2	3	3		3	1	5	3	9
1. General diseases.																	
General diseases—A		941	242	524	79	52	52	44	28	16	26	22	22	19	15	11	31
Males.....		524	135	283	42	28	30	30	17	10	13	10	14	11	9	5	22
Females.....		417	107	241	37	24	22	14	11	6	13	12	8	8	6	6	9
Measles.....{M..		33	10	24	2	2	1	2	1			1					
{F..		15	1	6	4	1	1	1	1							1	
Scarlet fever.....{M..		4		3		1											
{F..		7	1	3	4												
Diphtheria.....{M..		24	3	8	9	6	1										
{F..		22	3	11	7	4											
Whooping cough.....{M..		19	10	17		2											
{F..		31	17	30	1												
Malarial fever.....{M..		75	18	31	4	5	4	5	2	4		3	4	3	2		8
{F..		59	6	21	7	3	7	2	2		4	4	3	2	1	2	1
Influenza.....{M..		14	5	6	3		1	1			1		1			1	2
{F..		9	3	4													
Typhoid fever.....{M..		126	12	24	13	9	20	18	11	4	9	4	7	2	3		2
{F..		75	7	17	6	12	12	4	5	3	4	5	2	1	3		1
Cholera morbus.....{M..		25	10	17			1	1	1		1			1	1		2
{F..		26	9	17	2	3						1					3
Colitis.....{M..		4	1	4													
{F..																	
Diarrhea.....{M..		23	5	15	4		1						1			1	1
{F..		14	5	11	1	1											1
Dysentery.....{M..		39	8	32	4										1	1	1
{F..		29	8	19	3					1			2	2		2	
Enteritis.....{M..		8		3		2		1						1	1		
{F..		7	4	6												1	
Cholera infantum.....{M..		75	40	75													
{F..		70	28	70													
Fever.....{M..		9	2	9													
{F..		15	2	8	1			3			1			1	1		
Cerebro-spinal fever.....{M..		11	3	6		1	2				1						1
{F..		10	2	6	1				1	1	1						
Smallpox.....{M..		16	6	6	1			3	1	1		2					1
{F..		8	5	5						1	1			1			
Erysipelas.....{M..		3	1	1						1					1		
{F..		7	5	5				1					1				
Septicemia.....{M..		10		1	1						1			1	1	1	3
{F..		10		1			1	2	2			2		1			1
Venereal diseases.....{M..		4			1				1							1	
{F..		1									1						
Others of this group.....{M..		2	1	1													1
{F..		2	1	1							1						
General diseases—B		19	7	10		1		1	1		1	1			1	1	2
Males.....		11	4	6		1		1				1					2
Females.....		8	3	4					1		1				1	1	
Alcoholism.....{M..		2										1					1
{F..																	
Parasitic diseases.....{M..															1		
{F..		1															
Lead poison.....{M..																	
{F..																	
Other poisons.....{M..		4		1		1		1									1
{F..		3							1		1					1	
Inanition.....{M..		5	4	5													
{F..		4	3	4													
General diseases—C		124	67	69	1										1	2	51
Males.....		73	43	45												1	27
Females.....		51	24	24	1					1					1	1	24
Old age.....{M..		25															25
{F..		24															24
Premature birth.....{M..		32	32	32													
{F..		18	18	18													
Malformation.....{M..		9	9	9													
{F..		4	3	3	1												
Debility and atrophy.....{M..		6	1	3												1	2
{F..		5	3	3											1	1	
Others of this group.....{M..		1	1	1													
{F..																	

OKLAHOMA—Continued.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	439	102	199	33	11	14	16	13	16	13	20	14	18	19	12	41
Males.....	247	55	106	17	6	11	13	5	7	8	13	7	11	12	7	24
Females.....	192	47	93	16	5	3	3	8	9	5	7	7	7	7	5	17
Croup.....	M.. 36	14	31	5												
Pneumonia.....	M.. 180	31	63	12	5	8	11	5	7	8	11	5	8	8	6	23
Laryngitis.....	F.. 133	26	52	12	5	2	3	7	9	3	7	6	6	4	4	13
Bronchitis.....	M.. 2	1	1									1				
Pleurisy.....	F.. 14	7	8				1					1	2	2		
Asthma.....	F.. 16	5	10			1		1		1				2		1
Others of this class..	M.. 1															1
F.. 8	2	5			1	3	1				1		1	2	1	1
5. Diseases of the digestive system.	206	55	88	13	8	9	8	11	5	5	10	6	6	10	8	19
Males.....	116	35	48	7	6	5	4	4	3	1	5	6	3	8	4	12
Females.....	90	20	40	6	2	4	4	7	2	4	5		3	2	4	7
Dentition.....	M.. 6	4	6													
Angina.....	F.. 3		3													
Gastritis.....	M.. 3		1	1												1
Diseases of the stom-ach.	F.. 11	2	7	3		1										
Obstruction of the bowels.	M.. 16	4	6	1							1	2	1	3		2
Appendicitis.....	F.. 11	1	2		1		1	4		1					2	
Hernia.....	M.. 21	3	6	2			2	2	1		2	3		1	1	1
Other diseases of the bowels.	F.. 21	6	10	2		2		1	2				1			3
Jaundice.....	M.. 2	1	1		1											
Inflammation and abscess of the liver.	F.. 3	1	3													
Other diseases of the liver.	M.. 8	1	1		3	1	1	2								
Peritonitis.....	F.. 2		1								1					
Ascites.....	M.. 3	2	2													1
Others of this class..	F.. 1													1		
6. Diseases of the urinary system and male organs of generation.	65	7	7		1	3	2	6		3	1	4	4	8	5	21
Males.....	45	4	4		1		1	3		1		3	3	6	4	19
Females.....	20	3	3			3	1	3		2	1	1	1	2	1	2
Bright's disease.....	M.. 28				1			2		1		2	2	4	4	12
Calculus, urinary....	F.. 15					3	1	3		1	1	1	1	2	1	1
Diseases of the kidney.	M.. 1															1
Diseases of the bladder.	F.. 8	2	2									1	1	1		3
Others of this class..	M.. 4	1	1				1	1								1
7. Diseases of the female organs of generation.	13					1	1	1	1	1	3	3	1		1	
Ovarian tumors.....	1														1	
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	3						1	1					1			
Uterine diseases.....																
Others of this class.....	9					1			1	1	3	3				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OKLAHOMA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	56					6	18	6	7	10	7	1				1
Abortion	1					1										
Childbirth.....	37					1	10	5	6	7	7					1
Puerperal septicemia.....	14					4	7		1	2						
Extra-uterine pregnancy.....																
Others of this class	4						1	1		1		1				
9. Diseases of the bones and joints.	9	2	5	2		1		1								
Males	6	1	3	2				1								
Females	3	1	2			1										
Diseases of the spine. {M..	4	1	3	1												
{F..	3	1	2			1										
Abscess, lumbar and {M..																
psaos. {F..																
Diseases of the bones. {M..	1			1												
{F..																
Diseases of the hip. {M..																
joint. {F..																
Others of this class.. {M..	1							1								
{F..																
10. Diseases of the skin	7	1	3	2						1						1
Males	6	1	2	2						1						1
Females	1		1													
Abscess..... {M..	3			2						1						
{F..																
Carbuncle..... {M..	1															1
{F..																
Others of this class.. {M..	2	1	2													
{F..	1		1													
11. Diseases of the absorbent system.	1												1			
Males																
Females	1												1			
Addison's disease.. {M..																
{F..																
Diseases of the spleen {M..													1			
{F..	1															
Others of this class.. {M..																
{F..																
12. Accidents and injuries.....	146	13	36	13	4	13	13	9	8	12	6	5	11	2	4	10
Males.....	108	10	23	5	3	11	8	8	7	10	6	5	10	2	4	6
Females.....	38	3	13	8	1	2	5	1	1	2			1			4
Burns and scalds... {M..	5		5													
{F..	8	1	5	2									1			
Drowning..... {M..	9		1	2	1	1	1		1	1	1					
{F..	4		2	1	1											
Exposure and neglect {M..	1	1	1													
{F..																
Gunshot wounds... {M..	19		1	1		5	2	1	2	1	2	1	2		1	
{F..	4		1	1			1			1						
Homicide..... {M..	3							1		2						
{F..																
Infanticide..... {M..																
{F..																
Injuries by machinery. {M..	1			1												
{F..																
Railroad accidents.. {M..	6				1		3	1					1			
{F..																
Suffocation..... {M..	5	5	5													
{F..																
Suicide by shooting.. {M..	3									1	1					1
{F..	2						2									
Suicide by drowning.. {M..	1						1									
{F..																
Suicide by poison... {M..	2							1						1		
{F..	1								1							
Other suicides..... {M..	4							1	1	2						
{F..																
Sunstroke..... {M..	1															1
{F..																
Surgical operations.. {M..																
{F..																
Wounds..... {M..	2								1							1
{F..																
Others of this class.. {M..	47	4	10	1	1	5	2	3	2	3	2	4	7	1	3	3
{F..	18	2	5	4		2	1	1		1						4

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	3,396	372	623	137	119	161	180	160	153	180	163	149	176	154	191	850
Males.....	2,019	215	353	71	64	77	88	87	82	106	101	96	108	96	124	566
Females.....	1,377	157	270	66	55	84	92	73	71	74	62	53	68	58	67	284
Unknown cause	108	52	61	1	5	3		1	1	1		4	2	1	7	21
Males.....	61	31	37		3							1	1		7	12
Females.....	47	21	24	1	2	3		1	1	1		3	1	1		9
1. General diseases.																
General diseases—A	538	125	221	43	24	26	22	25	14	17	13	7	19	12	11	84
Males.....	304	73	132	17	14	10	8	15	9	6	6	5	14	8	9	51
Females.....	234	52	89	26	10	16	14	10	5	11	7	2	5	4	2	33
Measles.....{M.....	9	4	6	2		1										
{F.....	5		1	2		1					1					
Scarlet fever.....{M.....	4		1	1		1			1							
{F.....	6		4	1					1							
Diphtheria.....{M.....	12		4	5	2	1										
{F.....	17		4	9	1	2		1								
Whooping cough.....{M.....	13	13	15													
{F.....	17	10	17													
Malarial fever.....{M.....	11	1	3	1				1		1		1		1		3
{F.....	12	4	4	1		1		1			1	1	1			2
Influenza.....{M.....	39	2	3		1					1	1		3	2	5	23
{F.....	27	1	4	1	1	2								2	1	16
Typhoid fever.....{M.....	55	1	7	6	6	6	4	7	6	4	2	1	3	1		2
{F.....	51		6	7	5	7	7	7	2	3	2	1	2			2
Cholera morbus.....{M.....	20	5	14					2							1	1
{F.....	12	5	5	1						3			1	1		1
Colitis.....{M.....	4	1	3					1								
{F.....	3	1	2								1					
Diarrhea.....{M.....	11	4	8													3
{F.....	5	2	2		1											2
Dysentery.....{M.....	13	4	6	1			2						1			3
{F.....	4	2	2													2
Enteritis.....{M.....	27	12	19	1	2							2	2			1

621

OREGON—Continued.

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	390	45	85	16	10	12	12	13	10	17	27	24	21	20	21	102
Males.....	252	21	44	9	6	5	7	8	8	9	19	18	18	14	18	69
Females.....	138	24	41	7	4	7	5	5	2	8	8	6	3	6	3	33
Croup.....	{M. 9	2	5	2	1											1
{F. 9	5	7	2													
Pneumonia.....	{M. 204	16	32	4	5	4	6	5	8	6	19	18	17	13	15	52
{F. 101	14	25	4	3	6	3	5	1	7	6	6	3	3	3	3	26
Laryngitis.....	{M. 3	1	2					1								
{F. 3																
Bronchitis.....	{M. 18	2	5	1				2						1	1	8
{F. 10	2	4					1		1		1			1		2
Pleurisy.....	{M. 3									1					1	1
{F. 3																
Asthma.....	{M. 3					1										3
{F. 3																2
Others of this class.....	{M. 12			2		1	1			2			1		1	4
{F. 15	3	5	1	1			1			1	1			2		3
5. Diseases of the digestive system.	247	32	43	12	15	23	14	13	13	6	14	8	10	11	9	56
Males.....	142	18	23	6	7	14	10	7	6	6	6	5	6	4	5	37
Females.....	105	14	20	6	8	9	4	6	7		8	3	4	7	4	19
Dentition.....	{M. 1															
{F. 1																
Angina.....	{M. 1	1	1													
{F. 5	1	2	1		2											
Gastritis.....	{M. 18	4	4	1					1			1	3	1		7
{F. 14	3	4	1		1		1	1			1				1	4
Diseases of the stomach.....	{M. 15	2	3											2		10
{F. 12									1		1	1		2	2	5
Obstruction of the bowels.....	{M. 14					4					2	2			1	5
{F. 9	1	2			1		1				1		2	1		1
Appendicitis.....	{M. 32			3	5	6	7	4	1	4	1		1			
{F. 14		1	4	5	2	1	1									
Hernia.....	{M. 5								1						2	2
{F. 7	1	1											2	2		2
Other diseases of the bowels.....	{M. 7	2	3								1					3
{F. 3	1	2												1		
Jaundice.....	{M. 3	2	2					1								
{F. 6	5	5														1
Inflammation and abscess of the liver.....	{M. 9			1	1		1		1	1			2			2
{F. 2															1	1
Other diseases of the liver.....	{M. 4											1				2
{F. 5									1			1		1		2
Peritonitis.....	{M. 20	3	3	1	1	4	2	1	2	1	1	1			1	2
{F. 17				2	3	3	3	1	3		4					1
Ascites.....	{M. 3							1								1
{F. 1								1								
Others of this class.....	{M. 11	4	7												1	3
{F. 10	2	3		1				1	1		1	1				2
6. Diseases of the urinary system and male organs of generation.	126	5	5	3	2	2	6	2	3	4	7	3	12	5	17	55
Males.....	95	3	3	3	1	1	1	1	2	2	4	2	5	5	14	51
Females.....	31	2	2		1	1	5	1	1	2	3	1	7		3	4
Bright's disease.....	{M. 60			2	1	1	1		2	2	4	2	3	4	10	28
{F. 24				1	1	3	1		2	3	1	5		3		4
Calculus, urinary.....	{M. 1															
{F. 1																
Diseases of the kidney.....	{M. 10	3	3					1							2	4
{F. 3	1	1											2			
Diseases of the bladder.....	{M. 7												1	1	1	4
{F. 1	1	1	1													
Others of this class.....	{M. 18			1									1		1	15
{F. 3							2		1							
7. Diseases of the female organs of generation.	13	1	1			1	2	2	4		1	1	1			
Ovarian tumors.....	3								1			1	1			
Ovarian diseases.....	1	1	1													
Diseases of the tubes.....	2						1	1								
Uterine tumors.....	1							1								
Uterine diseases.....																
Others of this class.....	6					1	1		3		1					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

OREGON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	25					1	8	3	2	7	3	1				
Abortion	4						1			3						
Childbirth	11					1	1	3		2	3	1				
Puerperal septicemia	7						4		2	1						
Extra-uterine pregnancy																
Others of this class	3						2			1						
9. Diseases of the bones and joints.	24	1	3	4		2		1		2		1	3	2	4	2
Males	16	1	2	3		2		1		2		1	2	1	1	1
Females	8		1	1									1	1	3	1
Diseases of the spine (M..)	8	1	2					1		1			2	1	1	
(F..)	4		1											1	2	
Abscess, lumbar and (M..)																
(M..)																
Diseases of the bones (M..)	2			1								1				
(F..)	2												1		1	
Diseases of the hip (M..)	5			2		2				1						
(F..)	1			1												
Others of this class (M..)	1															1
(F..)	1															1
10. Diseases of the skin	8	3	5													3
Males	5	1	3													2
Females	3	2	2													1
Abscess (M..)	3															1
(F..)	2	2	2													
Carbuncle (M..)																
(F..)																
Others of this class (M..)	2	1	1													1
(F..)	1															1
11. Diseases of the absorbent system.	5				1				1		2					1
Males	3								1							1
Females	2				1						1					
Addison's disease (M..)																
(F..)																
Diseases of the spleen (M..)	2										1					1
(F..)																
Others of this class (M..)	1								1							
(F..)	2				1						1					
12. Accidents and injuries	264	7	28	22	13	15	29	20	16	20	18	15	14	12	9	33
Males	208	5	17	17	10	13	22	17	15	16	14	14	13	11	6	23
Females	56	2	11	5	3	2	7	3	1	4	4	1	1	1	3	10
Burns and scalds (M..)	8		7	1												
(F..)	9		4	2											1	2
Drowning (M..)	47		2	5	7	3	7	2	4	3	3	2	2	2	1	4
(F..)	6		2	1	1	1				1						
Exposure and neglect (M..)	1															
(F..)		1	1													
Gunshot wounds (M..)	23			1		3	3	3		5	1	1	1	1	1	3
(F..)	1										1					
Homicide (M..)	5										1			1	1	2
(F..)	2						1									1
Infanticide (M..)																
(F..)																
Injuries by machinery (M..)	1									1						
(F..)																
Railroad accidents (M..)	22			2	1	3	3	3	3	1	2	1	1			2
(F..)	1			1												
Suffocation (M..)	2	2	2													
(F..)	3		1	1		1										
Suicide by shooting (M..)	7						1	1		2	2					1
(F..)																
Suicide by drowning (M..)	1							1								
(F..)																
Suicide by poison (M..)	4												1	2		1
(F..)	6				1		1		1			1		1		
Other suicides (M..)	9						1		2	1	1	1		2		1
(F..)	7						3	1		1	1		1			
Sunstroke (M..)	1														1	
(F..)																
Surgical operations (M..)	1														1	
(F..)	2						1				1					
Wounds (M..)	5	1	1					1	2							1
(F..)																
Others of this class (M..)	73	2	5	8	2	4	7	7	4	3	4	9	8	3	1	8
(F..)	17	1	3	1			1	1		1	1				2	7

PENNSYLVANIA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	90,199	18,409	29,049	3,290	1,861	2,641	3,737	3,808	3,632	3,639	3,521	3,518	3,762	3,933	4,363	19,445
Males.....	49,150	10,427	16,080	1,700	993	1,414	2,059	2,100	1,963	2,014	1,969	2,066	2,170	2,258	2,360	10,004
Females.....	41,049	7,982	12,969	1,590	868	1,227	1,678	1,708	1,669	1,625	1,552	1,452	1,592	1,675	2,003	9,441
Unknown cause	1,870	844	975	30	27	26	38	31	36	44	41	44	48	57	70	403
Males.....	1,019	470	537	17	14	14	13	17	18	24	18	28	17	34	41	227
Females.....	851	374	438	13	13	12	25	14	18	20	23	16	31	23	29	176
1. General diseases.																
General diseases—A	16,321	4,439	8,699	1,496	554	593	743	600	415	373	325	282	277	239	283	1,412
Males.....	8,573	2,450	4,638	709	252	308	423	358	225	192	170	163	151	127	137	720
Females.....	7,748	1,989	4,061	787	302	285	320	242	190	181	155	119	126	112	146	722
Measles.....	M.. 416	100	347	42	9	5	5	3	1	1	2	2	1	1	1	2
F.. 399	84	329	32	9	11	5	1	4	5	2	2	1	1	1	1	1
Scarlet fever	M.. 444	51	281	113	28	9	6	3	1	2	2	1	1	1	1	1
F.. 450	37	273	111	42	11	4	4	3	2	2	1	1	1	1	1	1
Diphtheria	M.. 1,394	100	875	357	98	28	17	4	3	1	1	1	1	1	3	5
F.. 1,411	66	743	472	112	33	16	15	4	3	3	1	4	1	1	1	6
Whooping cough.....	M.. 333	196	319	10	1	1	1	1	1	1	1	1	1	1	1	1
F.. 369	191	346	16	2	1	1	1	1	1	1	1	1	1	1	1	1
Malarial fever.....	M.. 75	8	14	4	7	5	9	10	3	3	3	3	3	3	2	12
F.. 65	5	14	2	1	1	4	9	6	4	3	1	3	2	1	1	14
Influenza.....	M.. 454	42	62	9	2	7	12	11	13	11	20	20	15	27	31	214
F.. 524	37	62	6	3	5	16	11	10	15	14	19	19	16	26	43	278
Typhoid fever.....	M.. 1,617	13	77	92	74	207	316	271	147	118	86	69	57	34	21	48
F.. 1,162	14	69	77	103	177	203	115	92	75	68	43	51	30	23	23	36
Cholera morbus	M.. 322	106	177	22	5	7	3	4	8	5	12	10	10	6	6	49
F.. 316	78	158	13	7	8	7	6	7	8	9	8	8	8	16	9	52
Colitis.....	M.. 53	30	39	1	1	2	2	1	1	1	1	1	1	1	1	6
F.. 45	23	31	2	2	2	2	2	1	1	4	4	2	2	2	2	2
Diarrhea	M.. 291	93	142	13	4	3	3	4	4	2	7	10	10	14	14	75
F.. 226	73	114	16	3	1	2	5	3	6	2	4	6	7	9	9	48
Dysentery	M.. 227	37	84	6	1	4	6	4	8	5	4	7	9	5	12	72
F.. 228	36	76	3	1	2	2	5	4	5	7	6	6	6	7	12	94
Enteritis	M.. 791	502	661	10	2	3	5	10	7	11	8	11	5	7	10	41
F.. 707	384	531	16	4	5	7	7	10	7	7	7	4	10	7	16	76
Cholera infantum	M.. 1,350	1,053	1,350	1	1	1	1	1	1	1	1	1	1	1	1	1
F.. 1,153	864	1,153	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fever.....	M.. 10	3	7	1	1	1	1	1	1	1	1	1	1	1	1	1
F.. 6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Cerebro-spinal fever.....	M.. 149	28	79	20	11	11	11	4	3	3	3	2	1	1	1	1
F.. 101	25	58	9	5	10	8	2	2	2	2	1	1	1	1	1	2
Smallpox.....	M.. 12	2	2	1	4	3	3	1	1	1	1	1	1	1	1	1
F.. 9	1	3	1	1	1	3	3	3	3	3	3	3	3	3	3	3
Erysipelas.....	M.. 145	36	44	4	1	5	4	9	4	8	10	9	5	5	5	37
F.. 102	29	34	1	1	1	3	1	3	6	8	8	6	4	7	7	20
Septicemia	M.. 262	24	38	9	9	8	18	15	11	17	16	17	19	17	16	52
F.. 318	22	35	8	6	16	37	52	34	36	25	15	11	6	14	23	23
Venereal diseases	M.. 46	18	22	1	2	1	4	1	3	5	1	1	3	3	3	1
F.. 25	15	17	1	1	1	1	1	3	1	1	1	1	1	1	1	1
Others of this group.....	M.. 182	8	18	2	2	2	5	6	1	5	7	13	5	12	104	
F.. 132	5	15	4	1	1	4	4	3	4	2	5	6	5	9	70	
General diseases—B	1,686	1,062	1,172	10	3	17	30	34	58	74	53	58	49	39	27	62
Males.....	1,000	575	630	3	2	8	18	25	45	58	41	43	39	33	20	35
Females.....	686	487	542	7	1	9	12	9	13	16	12	15	10	6	7	27
Alcoholism.....	M.. 220	2	1	1	1	5	17	25	42	25	31	25	21	14	11	11
F.. 36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
Parasitic diseases.....	M.. 5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F.. 6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Lead poison	M.. 13	1	1	1	1	1	1	2	5	1	1	1	1	1	1	1
F.. 5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Other poisons	M.. 124	5	21	1	1	6	9	7	17	11	14	9	10	10	3	6
F.. 81	2	18	1	1	1	9	10	6	7	6	5	5	7	1	3	7
Inanition.....	M.. 638	569	602	1	1	3	1	1	1	2	2	4	2	2	2	17
F.. 558	481	517	3	3	3	1	3	3	3	1	4	1	4	3	3	18
General diseases—C	7,070	3,561	3,836	13	11	8	10	8	9	14	11	22	20	42	101	2,965
Males.....	3,586	2,008	2,157	5	7	3	4	3	5	9	4	11	9	19	36	1,264
Females.....	3,584	1,553	1,679	8	4	5	6	5	4	5	7	11	11	23	65	1,701
Old age.....	M.. 1,151	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,137
F.. 1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,559	1,528
Premature birth.....	M.. 859	859	859	859	859	859	859	859	859	859	859	859	859	859	859	859
F.. 637	637	637	637	637	637	637	637	637	637	637	637	637	637	637	637	637
Malformation	M.. 128	125	127	127	127	127	127	127	127	127	127	127	127	127	127	127
F.. 93	90	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
Debility and atrophy.....	M.. 1,328	954	1,101	5	6	3	4	3	5	9	4	11	9	19	22	127
F.. 1,198	779	903	8	4	5	6	6	4	4	5	7	11	11	23	34	173
Others of this group.....	M.. 70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
F.. 47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued.																
General diseases—D.....	13,388	397	750	195	232	658	1,142	1,249	1,064	1,036	962	934	919	849	892	2,506
Males.....	6,466	241	432	108	87	266	538	576	510	504	469	459	446	410	423	1,238
Females.....	6,922	156	318	87	145	392	604	673	554	532	493	475	473	439	469	1,268
Anemia.....{M..	79	11	15	3	3	1	3	4	1	3	1	5	5	7	9	19
{F..	96	7	12		3	8	11	7	3	5	11	8	7	3	5	13
Diabetes.....{M..	228	2	6	8	8	9	8	8	13	11	11	15	13	17	22	79
{F..	199		1	5	11	6	6	10	5	13	7	7	19	24	32	53
Rheumatism.....{M..	199	4	9	12	14	13	10	14	5	6	13	14	10	13	13	53
{F..	189	2	11	14	11	7	6	5	9	11	6	12	16	9	15	57
Scrofula and tabes..{M..	95	16	31	3	1	3	4	10	8	5	5	6	3	6	5	5
{F..	93	8	14	6	2	6	3	8	7	15	7	7	5	2	1	10
Hydrocephalus.....{M..	171	73	128	15	7	4	2	4	3	1	5	1		1		
{F..	122	44	86	13	3	8	3	2	1	1	2			1	1	1
Tuberculosis, general{M..	27	1	4		2	4	4	4	4	1		4				
{F..	41	1	5	1	1	3	2	4	7	4	3	5	4	1	1	
Consumption.....{M..	4,007	91	168	44	40	213	488	502	439	428	353	307	267	215	182	361
{F..	3,784	74	140	31	100	335	553	608	450	360	270	197	160	139	133	308
Cancer.....{M..	963	4	7		3	3	8	16	23	33	52	72	106	104	136	400
{F..	1,644	1	5	1	2	4	6	14	44	94	144	194	217	208	206	505
Tumor.....{M..	122	5	12	5	2	7	4	3	9	4	11	8	10	13	11	23
{F..	195	2	10	2	4	5	4	7	11	20	19	20	16	15	14	48
Dropsy.....{M..	513	13	20	12	6	5	5	9	4	10	13	26	31	33	43	296
{F..	520	7	14	13	6	7	9	7	16	8	22	23	26	35	61	273
Others of this group..{M..	62	21	32	6	1	4	2	2	1	2	5	1	1	1	2	2
{F..	39	10	20	1	2	3	1	1	1	1	2	2	3	2		
2. Diseases of the nervous system..	12,405	3,001	4,388	321	176	201	180	175	240	306	368	443	523	621	742	3,721
Males.....	6,903	1,749	2,517	192	105	101	90	89	149	180	229	253	304	348	391	1,955
Females.....	5,502	1,252	1,871	129	71	100	90	86	91	126	139	190	219	273	351	1,766
Inflammation of the brain..{M..	265	100	171	28	9	10	3	2	4	2	6	7	2	2	4	15
{F..	179	54	108	21	5	10	4	3	1	4	2	2	4	5	1	9
Meningitis.....{M..	929	294	598	88	41	37	24	22	23	23	16	14	12	7	5	19
{F..	684	220	464	51	33	31	16	18	7	11	12	7	11		6	17
Apoplexy.....{M..	1,632	16	21	3	2	7	15	13	29	40	68	78	116	171	185	884
{F..	1,403	12	16	2	3	5	10	10	9	24	46	85	94	141	163	795
Paralysis.....{M..	1,165	14	21	9	3	2	3	7	26	28	35	47	71	83	104	726
{F..	1,074	9	17	3	3	9	5	5	13	16	18	37	40	81	121	706
Paralysis, general (of insane)..{M..	104			1				2	6	13	21	13	16	10	10	12
{F..	23							1	2		6	1		1	1	11
Tetanus and trismus naseentium..{M..	135	29	34	12	29	11	7	6	6	2	6	5	5	1	6	5
{F..	33	9	11			5	4	3	1	4	3		1	1		
Chorea.....{M..	7			2				1	1			2		1		
{F..	9			1		4	2	1					1			
Epilepsy.....{M..	152	16	18	3	5	13	13	16	15	11	4	9	13	4	11	17
{F..	101	9	13	4	6	5	10	9	8	11	5	3	8	4	4	11
Convulsions.....{M..	1,529	1,163	1,462	26	9	4	2	4	3	4	2	2	1	1	2	7
{F..	1,198	842	1,086	28	4	11	13	12	8	11	5	2	3		2	13
Mental diseases.....{M..	186					5	4	2	10	17	24	19	18	16	18	53
{F..	160			1	2	3	6	7	9	10	17	16	14	13	16	46
Diseases of the brain..{M..	539	107	178	14	5	8	16	8	17	30	29	34	29	23	25	123
{F..	419	82	137	9	11	13	11	9	13	24	13	21	22	11	19	106
Diseases of the spinal cord..{M..	77	5	7	5	2	3	3	2	3	1	6	3	5	9	7	21
{F..	53	5	8	5	1	2	2		5	2	3	4	5	7	2	7
Locomotor ataxia.....{M..	71							1	2	5	8	12	5	9	6	23
{F..	20						1	1		3		3	4	5		3
Others of this class..{M..	112	5	7	1		1		3	4	4	4	8	11	11	8	50
{F..	146	10	11	4	3	2	6	7	15	6	9	9	12	4	16	42
3. Diseases of the circulatory system.	7,291	647	739	125	161	140	190	192	234	273	375	366	473	602	682	2,739
Males.....	4,021	390	443	57	72	69	87	89	115	146	203	197	268	352	374	1,549
Females.....	3,270	257	296	68	89	71	103	103	119	127	172	169	205	250	308	1,190
Pericarditis.....{M..	39		1	2	8	3	3	3	1	3	3		2	2	1	7
{F..	38	1	4	2	4	3	1	2	2	2	2	4		2	2	8
Diseases of the heart..{M..	3,556	264	311	55	62	64	78	82	110	129	186	178	237	316	338	1,410
{F..	2,932	185	219	65	83	67	92	90	112	116	156	148	186	234	290	1,074
Angina pectoris.....{M..	147				1	2	2		4	6	9	14	20	18	18	71
{F..	120			1	2		6	4	2	5	7	11	8	12	11	51
Diseases of the arteries..{M..	76								1	1		2	6	8	11	49
{F..	55								1			1	5		3	44
Aneurism.....{M..	58					2	2	4	10	7	7	7	6	5	5	8
{F..	24					1	4	1	1	4	3	1	1	1	2	6
Embolism.....{M..	13	2	2			1	2				1	1	1		1	4
{F..	23		1			3	2		1		3	2	5	1		5
Others of this class..{M..	132	124	129		2								1			
{F..	78	71	72			1		1								2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	14,129	3,252	6,421	609	169	272	341	391	394	446	398	430	529	526	648	2,555
Males.....	7,763	1,850	3,577	325	88	133	190	234	222	280	246	300	314	303	363	1,188
Females.....	6,366	1,402	2,844	284	81	139	151	157	172	166	152	130	215	223	285	1,367
Croup.....	M.. 581	92	457	114	6	1		1		1						1
F.....	483	64	369	103	3	1		1		1						4
Pneumonia.....	M.. 5,352	1,264	2,362	167	63	112	159	196	187	233	189	243	235	217	248	741
F.....	4,455	982	1,900	139	66	115	114	120	140	131	127	102	162	171	213	955
Laryngitis.....	M.. 47	4	23	3	3				4	3	1		2	2	2	4
F.....	29	4	16	3	2	1	1	1	1				1			3
Bronchitis.....	M.. 797	333	500	18	6	4	6	9	2	6	10	11	21	16	30	158
F.....	716	251	394	16	4	9	7	6	9	8	4	11	18	20	26	184
Pleurisy.....	M.. 177	7	21	9	2	7	7	4	10	9	18	10	7	10	16	47
F.....	138	3	13	8	3	3	10	11	6	5	8	4	10	5	6	46
Asthma.....	M.. 308	4	5	1	1	3	2	4	4	7	10	18	29	36	45	143
F.....	130	4	5	2		1	2	3	2	7	3	5	9	12	19	60
Others of this class..	M.. 501	146	209	13	7	6	16	20	15	21	18	18	20	22	22	94
F.....	415	94	147	13	3	9	17	15	14	14	9	8	15	15	21	115
5. Diseases of the digestive system.	4,812	788	1,099	120	165	174	213	228	253	250	254	243	253	303	298	959
Males.....	2,583	472	623	70	101	103	115	112	113	120	142	132	145	173	158	476
Females.....	2,229	316	476	50	64	71	98	116	140	130	112	111	108	130	140	483
Dentition.....	M.. 59	40	59													
F.....	68	37	68													
Angina.....	M.. 49	9	22	4	5	1	4	2	2		2	1	2			4
F.....	50	8	15	12	5	3	3	1	1		2	1		3		4
Gastritis.....	M.. 421	74	103	15	7	11	8	11	12	20	17	19	40	34	116	
F.....	429	43	88	10	2	5	15	17	17	15	21	20	28	22	30	139
Diseases of the stom-ach.	M.. 194	30	38	4	1	1	5	4	5	8	11	9	13	19	19	57
F.....	116	15	20	2	1	6	5	5	4	7	4	5	5	6	13	33
Obstruction of the bowels.	M.. 160	31	40	7	6	6	14	13	5	4	5	6	7	9	10	28
F.....	151	17	24	1		6	7	15	7	6	13	10	6	9	15	32
Appendicitis.....	M.. 287	1	5	14	45	42	41	35	31	13	12	13	12	9	4	11
F.....	126	1	3	9	25	14	13	10	11	10	6	4	6	4	4	7
Hernia.....	M.. 90	13	15		2	1	1	5	4	8	4	2	9	5	6	28
F.....	92	5	6					5	4	3	3	12	9	7	12	34
Other diseases of the bowels.	M.. 105	33	40	1	1	2	5	4	2	3	4	3	7	8	2	23
F.....	98	28	38	1	2	4	2	7	4	2	6	2	2	6	4	18
Jaundice.....	M.. 128	76	77	2			1		3	2	2	3	3	9	3	23
F.....	109	35	42	2					5	4	3	4	2	10	9	28
Inflammation and abscess of the liver.	M.. 101	10	11	2	6	1	2	2	4	8	8	10	6	10	9	22
F.....	93	3	5	1		3	1	3	4	5	5	7	10	11	10	28
Other diseases of the liver.	M.. 397	12	14		1	3	3	9	21	37	42	46	41	43	40	97
F.....	220	16	24	2	1		1	5	8	13	14	18	18	25	23	68
Peritonitis.....	M.. 308	21	43	17	25	34	27	23	23	17	18	18	14	12	14	23
F.....	431	19	34	7	24	30	49	67	60	28	21	13	15	11	11	23
Ascites.....	M.. 43	1	1		2		2	1		1	2	3	1	4	6	20
F.....	49		2		2		1	2		1	1	2	1	4	2	32
Others of this class..	M.. 241	121	155	4		1	2	6	2	7	12	1	11	5	11	24
F.....	197	89	107	3	2		2	3	5	4	6	5	8	8	7	37
6. Diseases of the urinary system and male organs of generation.	4,170	68	158	70	70	62	120	163	209	202	252	307	335	380	386	1,456
Males.....	2,476	47	90	36	29	27	56	85	100	95	130	176	208	248	238	958
Females.....	1,694	21	68	34	41	35	64	78	109	107	122	131	127	132	148	498
Bright's disease.....	M.. 1,582			29	18	22	42	53	72	71	83	131	149	184	158	570
F.....	1,192			25	33	25	44	52	76	70	93	98	92	99	113	372
Calculus, urinary.....	M.. 18	3	3		1		1	1		1	1	1		1	1	7
F.....	3	1	1								1	1				
Diseases of the kidney.	M.. 254	29	65	2	1	2	6	8	5	4	10	9	6	10	21	105
F.....	145	17	58	3	1	5	2	1	7	4	3	5	10	8	5	33
Diseases of the bladder.	M.. 129	2	6					2		3	3	4	8	3	9	91
F.....	28	1	2	1				2	1	3		1	1	3	2	12
Others of this class..	M.. 493	13	16	5	9	3	7	21	23	16	33	31	45	50	49	185
F.....	326	2	7	5	7	5	18	23	25	30	25	26	24	22	28	81
7. Diseases of the female organs of generation.	208	1	2		2	7	13	26	25	26	32	18	20	11	11	15
Ovarian tumors.....	46					1	1	5	4	5	7	6	5	4	2	6
Ovarian diseases.....	13						1		2	2	2	2	1	1		2
Diseases of the tubes.....	20					2	3	5	4	6						
Uterine tumors.....	45				1			3	1	4	9	6	6	2	9	4
Uterine diseases.....	13						3	2	3	2			1			2
Others of this class.....	71	1	2		1	4	5	11	11	7	14	4	7	4		1

CAUSE, SEX, AND AGE.

627

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

PENNSYLVANIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	639					41	112	126	152	121	71	12	1			3
Abortion	25						9	9	6	1						
Childbirth	306					12	44	52	73	67	48	8	1			1
Puerperal septicemia	195					9	40	42	47	42	12	2				1
Extra-uterine pregnancy	23					1	1	9	2	1						
Others of this class	90					19	18	14	17	9	10	2				1
9. Diseases of the bones and joints.	229	43	64	22	15	23	9	13	12	9	5	8	8	8	6	27
Males	121	20	33	12	8	14	5	11	7	5	1	4	4	1	2	14
Females	108	23	31	10	7	9	4	2	5	4	4	4	4	7	4	13
Diseases of the spine	{M.. 57 F.. 60	{19 17	{24 24	{4 3	{1 3	{7 5	{2 4	{7 1	{1 2	{1 2	{1 2	{1 2	{1 2	{1 3	{1 3	{6 4
Abscess, lumbar and psoas.	{M.. 4 F.. 3	{ 1	{1 1	{ 1	{ 	{ 	{1 	{ 	{1 	{ 	{ 	{ 	{1 	{ 	{ 	{1
Diseases of the bones	{M.. 27 F.. 20	{1 4	{4 4	{2 2	{2 2	{3 2	{1 	{3 	{2 1	{2 2	{ 1	{1 	{3 	{ 	{1 	{3 4
Diseases of the hip-joint	{M.. 19 F.. 12	{ 1	{2 2	{5 3	{4 2	{3 1	{ 	{1 1	{1 1	{2 	{ 1	{1 	{ 1	{ 	{ 	{
Others of this class	{M.. 14 F.. 13	{ 	{2 	{1 1	{1 1	{1 1	{1 	{ 	{2 1	{ 	{ 	{1 1	{ 	{4 	{1 	{4 5
10. Diseases of the skin	175	55	70	5	7	2	3	6	4	2	5	4	11	18	8	30
Males	97	30	37	2	4	1	2		1	2	3	3	6	12	6	18
Females	78	25	33	3	3	1	1	6	3	3	2	1	5	6	2	12
Abscess	{M.. 49 F.. 37	{11 6	{17 8	{2 3	{3 1	{1 1	{2 1	{ 5	{1 3	{1 	{1 2	{3 1	{6 2	{4 3	{2 1	{6 6
Carbuncle	{M.. 16 F.. 7	{ 	{ 	{ 	{1 	{ 	{ 	{ 	{ 	{1 	{1 	{ 	{3 	{6 	{3 1	{4 1
Others of this class	{M.. 32 F.. 34	{19 19	{20 25	{ 	{ 2	{ 	{ 	{1 	{ 	{ 	{1 	{ 	{ 	{2 1	{1 	{8 5
11. Diseases of the absorbent system.	61	5	8	4	4	2	3	7	3	4	1	4	3	4	7	7
Males	36	4	7	2	2	2		3	2	2	1	2	2	2	4	5
Females	25	1	1	2	2		3	4	1	2		2	1	2	3	2
Addison's disease	{M.. 8 F.. 5	{ 	{ 	{1 	{1 1	{1 	{ 	{ 2	{ 1	{2 	{ 	{1 	{ 	{1 	{1 	{ 1
Diseases of the spleen	{M.. 9 F.. 7	{ 	{ 	{1 	{ 	{ 	{ 	{2 2	{ 1	{ 	{ 1	{1 1	{ 1	{1 	{2 	{4
Others of this class	{M.. 19 F.. 13	{4 1	{7 1	{1 1	{1 1	{1 	{ 3	{1 	{2 1	{ 	{1 1	{1 1	{1 1	{1 1	{1 3	{1 1
12. Accidents and injuries	5,745	246	668	270	265	415	590	559	524	459	368	343	293	234	202	555
Males	4,556	121	359	162	222	365	518	498	451	397	312	295	257	196	167	357
Females	1,189	125	309	108	43	50	72	61	73	62	56	48	36	38	35	198
Burns and scalds	{M.. 277 F.. 364	{12 14	{134 134	{21 54	{6 23	{6 19	{16 20	{19 16	{16 28	{12 13	{7 6	{11 6	{7 8	{5 7	{4 7	{13 23
Drowning	{M.. 310 F.. 37	{2 2	{22 10	{34 3	{59 3	{34 4	{18 	{19 2	{16 6	{20 1	{14 4	{19 1	{13 1	{12 	{12 1	{18 1
Exposure and neglect	{M.. 26 F.. 25	{7 13	{9 16	{2 	{ 1	{ 	{ 	{1 	{2 1	{ 1	{3 	{3 	{ 	{1 1	{3 	{2 5
Gunshot wounds	{M.. 127 F.. 17	{ 	{1 	{6 5	{13 1	{17 1	{27 1	{16 2	{7 1	{6 3	{8 1	{5 1	{9 	{3 	{3 	{6 1
Homicide	{M.. 63 F.. 14	{ 	{1 1	{1 1	{2 	{5 	{12 3	{11 	{6 1	{9 2	{6 2	{2 2	{5 1	{ 	{2 	{1 1
Infanticide	{M.. 1 F.. 3	{1 3	{1 3	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
Injuries by machinery	{M.. 65 F.. 2	{ 	{1 	{1 	{1 	{7 	{13 1	{11 1	{8 	{7 	{8 	{3 	{4 	{ 	{ 	{1
Railroad accidents	{M.. 1,037 F.. 73	{2 	{20 4	{34 15	{45 4	{92 4	{152 9	{150 3	{130 3	{87 6	{80 4	{62 2	{48 	{37 2	{33 2	{67 15
Suffocation	{M.. 93 F.. 54	{39 38	{49 44	{2 	{ 	{3 1	{6 	{1 1	{4 	{4 2	{3 	{2 1	{2 1	{ 1	{3 1	{14 2
Suicide by shooting	{M.. 82 F.. 9	{ 	{ 	{ 	{1 	{1 1	{11 2	{7 	{6 1	{12 	{8 1	{11 2	{7 2	{5 	{1 	{12
Suicide by drowning	{M.. 10 F.. 4	{ 	{ 	{ 	{ 	{2 	{1 1	{1 	{1 	{ 	{1 	{ 	{1 	{1 	{1 	{3
Suicide by poison	{M.. 32 F.. 24	{ 	{ 	{ 	{ 	{ 2	{3 4	{3 6	{3 1	{5 4	{5 2	{8 1	{2 	{1 	{1 2	{1 2
Other suicides	{M.. 201 F.. 41	{ 	{ 	{ 	{ 	{4 6	{17 4	{11 4	{17 2	{20 5	{18 7	{21 6	{25 5	{22 	{19 	{27 2
Sunstroke	{M.. 52 F.. 38	{4 7	{9 12	{3 1	{ 	{1 	{5 1	{3 1	{4 2	{7 	{3 1	{3 1	{4 2	{2 4	{1 3	{7 10
Surgical operations	{M.. 22 F.. 30	{2 	{5 1	{2 1	{ 	{3 	{1 3	{2 5	{2 5	{1 2	{ 5	{ 3	{2 1	{2 1	{1 	{1 3
Wounds	{M.. 88 F.. 6	{ 2	{2 2	{1 1	{4 	{13 	{10 	{9 	{11 1	{8 1	{4 	{5 	{7 	{3 	{7 1	{4
Others of this class	{M.. 2,070 F.. 448	{52 46	{105 82	{55 27	{91 11	{179 10	{226 23	{234 19	{218 21	{199 22	{144 23	{140 22	{121 15	{102 22	{76 18	{180 133

SOUTH CAROLINA.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	17,166	3,477	6,198	722	554	943	1,177	920	676	718	661	571	636	490	599	2,301
Males.....	8,461	1,824	3,256	364	259	417	505	420	272	302	315	291	344	261	292	1,163
Females.....	8,705	1,653	2,942	358	295	526	672	500	404	416	346	280	292	229	307	1,138
Unknown cause.....	1,304	690	859	44	28	26	40	37	27	22	27	12	26	21	28	107
Males.....	672	363	465	30	13	12	15	13	10	7	8	5	16	10	15	53
Females.....	632	327	394	14	15	14	25	24	17	15	19	7	10	11	13	54
1. General diseases.																
General diseases—A.....	4,665	1,041	2,221	285	198	249	292	200	157	159	122	104	106	91	100	381
Males.....	2,320	543	1,148	148	85	103	140	93	68	71	61	60	56	46	53	188
Females.....	2,345	498	1,073	137	113	146	152	107	89	88	61	44	50	45	47	193
Measles.....{M..	54	13	29	5	4	2	3	1	1	1	1	2	3	1	1	1
{F..	48	10	24	3	1	3	1	2	1	7	1	2	2	1	1	2
Scarlet fever.....{M..	14	4	5	3	1	1	1	1	1	1	1	1	1	2	2	1
{F..	13	2	4	3	1	2	1	1	1	1	1	1	1	1	1	1
Diphtheria.....{M..	45	7	34	9	2	1	1	1	1	1	1	1	1	1	1	1
{F..	38	3	27	7	2	1	1	1	1	1	1	1	1	1	1	1
Whooping cough.....{M..	81	42	78	3	1	1	1	1	1	1	1	1	1	1	1	1
{F..	95	43	90	4	1	1	1	1	1	1	1	1	1	1	1	1
Malarial fever.....{M..	358	48	130	34	18	21	29	21	13	16	12	11	11	10	11	21
{F..	391	37	138	40	23	27	35	23	11	20	9	13	7	11	9	25
Influenza.....{M..	249	67	106	11	1	6	2	5	7	4	9	5	9	8	11	65
{F..	243	45	72	5	8	11	5	10	8	9	5	4	9	11	10	76
Typhoid fever.....{M..	446	15	64	41	37	56	77	39	28	26	26	13	10	6	4	19
{F..	524	17	71	37	61	80	80	38	37	31	26	11	13	11	10	18
Cholera morbus.....{M..	44	12	23	2	3	1	2	1	1	4	1	3	1	1	1	3
{F..	43	13	27	1	1	1	1	4	2	1	1	1	1	1	1	5
Colitis.....{M..	9	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	9	5	8	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhea.....{M..	104	30	63	6	1	1	2	1	1	1	1	3	1	3	3	20
{F..	53	18	32	3	1	1	1	1	1	1	3	2	3	2	1	6
Dysentery.....{M..	296	84	210	11	2	1	1	5	1	7	4	13	4	3	6	28

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,926	527	900	71	49	106	101	64	49	78	44	58	70	42	58	236
Males.....	1,034	290	496	37	19	54	59	36	22	36	28	29	44	28	27	119
Females.....	892	237	404	34	30	52	42	28	27	42	16	29	26	14	31	117
Croup.....	{M.. 98	58	91	4	1		1	1								
{F.. 116	80	109	4	1	2											
Pneumonia.....	{M.. 725	174	307	26	15	51	51	31	20	30	25	23	31	20	18	77
{F.. 599	119	240	26	24	41	33	25	22	33	12	21	17	12	20	73	
Laryngitis.....	{M.. 3		1			1	1									
{F.. 4		1	1	1												1
Bronchitis.....	{M.. 87	43	76	2	1	2	3						1	1	2	5
{F.. 73	25	36	2		4		1	2	2		2	4	1	2	17	
Pleurisy.....	{M.. 64	3	7	3	2		2	3	2	3	1	3	7	4	5	22
{F.. 43	1	1	1	1	1	2	4		4	3	4	3	1	5	14	
Asthma.....	{M.. 24	1	1	2								3	3	3	1	11
{F.. 24	1	4	1		1		1	1	1		2	1		2	11	
Others of this class.....	{M.. 33	11	19				1	1		3	2		2		1	4
{F.. 33	11	13		2	3	5	1	2	2	1		1		2	1	
5. Diseases of the digestive system.	1,075	288	589	40	37	29	31	31	23	30	26	34	39	30	31	105
Males.....	571	150	315	19	20	18	18	17	3	13	13	22	27	17	16	53
Females.....	504	138	274	21	17	11	13	14	20	17	13	12	12	13	15	52
Dentition.....	{M.. 120	42	120													
{F.. 120	46	120														
Angina.....	{M.. 10	4	9	1												
{F.. 5		4	1													
Gastritis.....	{M.. 55	7	21	4	2	1	3	1		2	1	2	8		3	7
{F.. 54	7	16	2	2	3	2	2		2		3	3	2	5	12	
Diseases of the stomach.....	{M.. 16	5	9			1	1	1				1		1	1	1
{F.. 22	5	8	2	2			2		3					1	4	
Obstruction of the bowels.....	{M.. 16	6	7			2		1	1	2						3
{F.. 11		2		1		1		1		1	3		2	1		
Appendicitis.....	{M.. 26			4	4	1	4		2	5	2	1	1		1	2
{F.. 14	1	1	3	1	1		1	4	2	2		1	1			
Hernia.....	{M.. 20	5	5					1		1	1		3			9
{F.. 3							1		1	1			1			
Other diseases of the bowels.....	{M.. 44	13	28	2	3		3		1	1		2		4		3
{F.. 42	13	23	3	2	3	2	1		1			1	2	1		
Jaundice.....	{M.. 39	18	21	3	1	1	2	3		1		3	2	2	3	
{F.. 33	14	16	1	1	1	2	2	1	2		1			2	4	
Inflammation and abscess of the liver.....	{M.. 20	2	4	1	1	1			2	1		3		1	6	
{F.. 16	2	3	1					2	1		4		1		4	
Other diseases of the liver.....	{M.. 29	1	5	1			1	1		1	2	5	2	1	2	8
{F.. 18	1	3	3						2	2		2	3		3	
Peritonitis.....	{M.. 21	1	4	2	1	2	2	2		1	1	4		1		1
{F.. 29	5	7	1		1	5	4	7	1	1	1	1	1	1	1	
Ascites.....	{M.. 26		4	1	2		4	1				1	3	3	7	
{F.. 27	1	3	5		1			2		1	1	2	1	2	9	
Others of this class.....	{M.. 129	46	78	4	7	6	3	3		1	2	5	9	2	3	6
{F.. 110	43	68	4	5	1	1	2	3	3	2	6		1	3	12	
6. Diseases of the urinary system and male organs of generation.	572	5	34	9	15	19	35	18	19	29	47	40	48	38	58	163
Males.....	337	4	23	4	7	11	16	8	4	13	23	27	30	21	35	115
Females.....	235	1	11	5	8	8	19	10	15	16	24	13	18	17	23	48
Bright's disease.....	{M.. 237			2	6	8	10	6	2	13	17	25	28	17	29	74
{F.. 188				5	6	4	15	8	15	13	22	13	16	15	17	39
Calculus, urinary.....	{M.. 6			1											1	4
{F.. 1															1	
Diseases of the kidney.....	{M.. 55	3	22		1	3	2		2		4		1	2	2	16
{F.. 24	1	11		1	2		2	1					2	1	4	
Diseases of the bladder.....	{M.. 18						2	1			1				1	13
{F.. 5										1				3	1	
Others of this class.....	{M.. 21	1	1	1			2	1			1	2	1	2	2	8
{F.. 17				1	2	2	1	1	3	1	1	2	2	2	2	3
7. Diseases of the female organs of generation.	55				1	3	4	7	5	11	2	10	4	1	1	6
Ovarian tumors.....	3						1		2							
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....	7						1		2		1	1	1		1	
Uterine diseases.....	24					2	1	5	4	3	1	2	3			3
Others of this class.....	21				1	1	2	1	1	4	1	7			1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH CAROLINA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	290				3	60	82	53	29	33	22	4	1	1		2
Abortion	8					2	1	2		2	1					
Childbirth	193				3	41	44	34	24	22	17	4	1	1		2
Puerperal septicemia	56					11	23	8	4	8	2					
Extra-uterine pregnancy																
Others of this class	33					6	14	9	1	1	2					
9. Diseases of the bones and joints.	25	4	9	5	3	1		1	1		2			1	1	1
Males	17	3	6	4	3	1					1				1	1
Females	8	1	3	1				1	1		1			1		
Diseases of the spine. {M..	10	3	5	2	2						1					
{F..	3	1	2					1								
Abscess, lumbar and {M..																
{F..																
Diseases of the bones. {M..	5			2	1										1	1
{F..	3			1							1			1		
Diseases of the hip. {M..																
{F..																
Others of this class.. {M..	2		1			1										
{F..	2		1						1							
10. Diseases of the skin	50	12	20	1	3	1		1	2	3	3	2	4	2	2	6
Males	29	8	15		2			1		1	1	2	1	1	1	4
Females	21	4	5	1	1	1			2	2	2		3	1	1	2
Abscess	13		3		2			1		1		1	1	1	1	2
{F..	13	2	2	1		1			2	2	1		2		1	1
Carbuncle	1															1
{F..	3										1		1			1
Others of this class.. {M..	15	8	12								1	1				1
{F..	5	2	3		1									1		
11. Diseases of the absorbent system.	4						1		1				2			
Males	3						1		1				1			
Females	1												1			
Addison's disease.. {M..																
{F..																
Diseases of the spleen {M..																
{F..																
Others of this class.. {M..	3						1		1				1			
{F..	1												1			
12. Accidents and injuries	979	131	331	72	63	85	88	83	52	30	28	23	21	17	15	71
Males	623	62	159	27	40	68	74	69	41	23	24	23	18	12	9	36
Females	356	69	172	45	23	17	14	14	11	7	4		3	5	6	35
Burns and scalds.. {M..	102	12	80	9	2	1	1		1	2					1	5
{F..	182	8	97	34	11	11	4	3	2		1		1	1	3	14
Drowning	60	1	8	2	8	6	11	7	4	3	4		3		1	3
{F..	14			2	1	1	1	1	5		2					1
Exposure and neglect {M..	21	14	17			1		1	1					1		
{F..	38	25	29	2		2		2	1	1						1
Gunshot wounds .. {M..	120		7	6	12	24	24	15	10	4	5	5	3		1	4
{F..	14	1	2	2	4		2	2	10	1					1	
Homicide	41				2	3	10	14	2	3	3	1	1		1	1
{F..	7					1	3	1		1						1
Infanticide																
{M..																
{F..																
Injuries by machinery. {M..	6				2	1							2			1
{F..																
Railroad accidents.. {M..	61		1	1	5	8	10	10	9	2	1	3	3	1	1	6
{F..	3			1	1			1								
Suffocation	13	12	13						1							
{F..	21	18	19		1											
Suicide by shooting.. {M..	6						1	1	1		1	2				
{F..	1									1						
Suicide by drowning.. {M..	1															1
{F..																
Suicide by poison .. {M..	4						1		1			1		1		
{F..																
Other suicides	6				1		1	1			1	1	1			
{F..	1					1										
Sunstroke	10	1	1			1			2	1			2	1		2
{F..	1							1								
Surgical operations.. {M..	2			1							1		1			
{F..	2															
Wounds	7				1	1		1				1			1	1
{F..	3	3	3													
Others of this class.. {M..	163	22	32	9	7	22	15	19	10	8	8	9	2	7	3	12
{F..	69	14	22	3	5	1	4	3	2	2	1		2	4	2	18

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	628	22	70	32	41	67	66	49	33	30	32	29	24	41	33	81
Males.....	285	12	36	15	10	26	29	22	17	13	14	11	10	18	17	47
Females.....	343	10	34	17	31	41	37	27	16	17	18	18	14	23	16	34
Anemia.....	M..... 3		2					1								
	F.....															
Diabetes.....	M..... 13		1	3	1	2	1			1		1			1	2
	F..... 9			1	2					1	1	1		1	1	1
Rheumatism.....	M..... 14			2	1	1	1	1		1					2	
	F..... 7					3										3
Scrofula and tabes.....	M..... 8		1		1	1		2	2							
	F..... 5		3				2									
Hydrocephalus.....	M..... 5	2	5													
	F..... 8	1	5		2										1	
Tuberculosis, general.....	M..... 1						1									
	F..... 1				1											
Consumption.....	M..... 181	7	23	10	6	21	26	18	15	9	8	6	4	8	9	18
	F..... 244	9	25	15	24	38	33	24	15	13	15	7	8	10	4	13
Cancer.....	M..... 34					1				1	4	3	5	7	2	11
	F..... 43							1	1	2	2	7	5	8	6	11
Tumor.....	M..... 4	1	1		1						1				1	
	F..... 6			1				2		1						1
Dropsy.....	M..... 20	1	1							1	1	1	1	2	2	11
	F..... 19				2		2					3	1	2	4	5
Others of this group.....	M..... 2	1	2													
	F..... 1		1													
2. Diseases of the nervous system..	273	70	111	11	4	4	5	5	4	5	12	13	11	17	20	51
Males.....	162	48	71	7	2	1	3	3	2	1	8	8	3	11	13	29
Females.....	111	22	40	4	2	3	2	2	2	4	4	5	8	6	7	22
Inflammation of the brain.....	M..... 17	3	10	1		1	1		1			1				2
	F..... 7	3	5	1									1			
Meningitis.....	M..... 25	11	17	2			1			1		1	1		1	1
	F..... 15	2	9	1	1			2	1							1
Apoplexy.....	M..... 23			1				1			1	1	1	2	6	10
	F..... 14									1	1		1	2		9
Paralysis.....	M..... 25							1			2	3	1	3	3	12
	F..... 24		2		1					1	2	1	3	3	4	7
Paralysis, general (of insane). ..	M..... 2											1			1	
	F..... 1															1
Tetanus and trismus nascentium.....	M..... 2			1							1					
	F.....															
Chorea.....	M.....															
	F.....															
Epilepsy.....	M..... 7	3	4	1					1							1
	F..... 6	2	3				1					1				1
Convulsions.....	M..... 35	28	34											1		1
	F..... 22	14	19				1					1				
Mental diseases.....	M..... 6										3			1		2
	F..... 1														1	
Diseases of the brain.....	M..... 13	1	4	1	2		1	1			1			2	1	
	F..... 10		1	2		1			1	2			2		1	
Diseases of the spinal cord.....	M.....															
	F..... 1	1	1													
Locomotor ataxia.....	M..... 2											1			1	
	F..... 1															1
Others of this class.....	M..... 5	2	2			2					1	2	1	2	1	1
	F..... 9															
3. Diseases of the circulatory system.	174	12	15	6	3	3	3	9	6	7	8	11	8	13	14	68
Males.....	106	9	10	2	1	3	2	4	3	4	3	5	6	9	9	45
Females.....	68	3	5	4	2		1	5	3	3	5	6	2	4	5	23
Pericarditis.....	M..... 2				1											1
	F.....															
Diseases of the heart.....	M..... 101	8	9	2		3	2	4	3	4	3	5	6	8	9	43
	F..... 65	3	4	4	2		1	5	3	3	5	6	1	4	5	22
Angina pectoris.....	M..... 1													1		
	F..... 1															
Diseases of the arteries.....	M.....															
	F.....															
Aneurism.....	M..... 1															1
	F.....															
Embolism.....	M.....															
	F..... 1															1
Others of this class.....	M..... 1	1	1													
	F..... 1															

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

SOUTH DAKOTA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	52					3	11	11	14	9	3	1				
Abortion	1						1									
Childbirth	33					1	7	6	10	7	1	1				
Puerperal septicemia	15					1	3	4	3	2	2					
Extra-uterine pregnancy																
Others of this class	3					1		1	1							
9. Diseases of the bones and joints.	10	2	3	2	1	1	2			1						
Males	6	2	2	1		1	2									
Females	4		1	1	1					1						
Diseases of the spine {M..	1						1									
{F..	3		1	1						1						
Abscess, lumbar and {M..																
psoas. {F..																
Diseases of the bones {M..	4	1	1	1		1	1									
{F..	1				1											
Diseases of the hip {M..																
joint. {F..																
Others of this class {M..	1	1	1													
{F..																
10. Diseases of the skin	11	2	4	1		1				1	1		1			2
Males	6	1	1	1		1				1			1			1
Females	5	1	3								1					1
Abscess	5	1	1	1		1				1			1			1
{F..	4	1	2								1					
Carbuncle																
{M..																
{F..																
Others of this class {M..	1															1
{F..	1		1													
11. Diseases of the absorbent system.	4										1	1	1			1
Males	2											1	1			
Females	2										1					1
Addison's disease {M..																
{F..																
Diseases of the spleen {M..	1											1				
{F..	1										1					
Others of this class {M..	1												1			
{F..	1															1
12. Accidents and injuries	212	21	41	9	22	16	13	13	8	8	15	12	7	7	6	35
Males	152	11	19	6	17	13	11	12	6	6	9	8	7	7	5	26
Females	60	10	22	3	5	3	2	1	2	2	6	4			1	9
Burns and scalds {M..	6	1	5													1
{F..	10		5			1			1	1		1			1	
Drowning	16		2	1	4	5	1	1			1				1	
{F..	5		2		2				1							
Exposure and neglect {M..	2	2	2													
{F..	4	3	4													
Gunshot wounds {M..	12			1	4	2	2	1		2						
{F..	1		1													
Homicide																
{M..																
{F..																
Infanticide																
{M..																
{F..																
Injuries by machinery {M..	2						1		1							
{F..																
Railroad accidents {M..	7						1		1		1			1		3
{F..	1							1								
Suffocation	4	4	4													1
{F..	5	4	4													
Suicide by shooting {M..	8					1	1	1			1		1		1	2
{F..																
Suicide by drowning {M..																
{F..																
Suicide by poison {M..	2						1				1					1
{F..	1															
Other suicides	8					1	1		2			1		1	1	1
{F..																
Sunstroke	4		1									1				2
{F..																
Surgical operations {M..																
{F..	1										1					
Wounds																
{M..																
{F..																
Others of this class {M..	81	4	5	4	9	4	3	9	2	4	5	6	6	5	2	17
{F..	32	3	6	3	3	2	2			1	5	3				7

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29.	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	30,572	5,546	9,729	1,285	1,018	1,734	2,061	1,743	1,236	1,233	1,121	1,106	1,232	1,050	1,131	4,893
Males	15,354	2,977	5,156	607	452	794	981	787	577	568	546	577	648	566	575	2,520
Females	15,218	2,569	4,573	678	566	940	1,080	956	659	665	575	529	584	484	556	2,373
Unknown cause	2,279	1,139	1,423	71	37	59	66	59	40	37	45	46	37	42	45	272
Males	1,180	622	766	38	19	25	26	23	19	14	19	21	19	28	23	140
Females	1,099	517	657	33	18	34	40	36	21	23	26	25	18	14	22	132
1. General diseases.																
General diseases—A	7,879	1,316	3,077	524	363	517	505	358	249	249	217	213	234	175	199	999
Males	3,977	700	1,598	237	149	240	292	188	116	140	114	121	118	98	93	473
Females	3,902	616	1,479	287	214	277	213	170	133	109	103	92	116	77	106	526
Measles.....{M..	394	93	257	34	20	24	22	2	6	5	3	6	4	1	3	7
{F..	400	84	211	41	22	28	18	14	14	12	13	9	7	2	3	6
Scarlet fever.....{M..	17	2	14	1				1				1				
{F..	20	4	9	8		2	1									
Diphtheria.....{M..	89	11	60	24		1	2				1					1
{F..	109	10	68	30	8		1	1					1			
Whooping cough.....{M..	183	95	173	5	4	1										
{F..	242	120	227	12	2	1										
Malarial fever.....{M..	505	47	128	56	36	31	48	31	25	23	27	25	16	19	8	32
{F..	482	39	128	58	40	40	31	29	19	18	20	16	12	12	14	45
Influenza.....{M..	494	79	104	9	4	9	9	5	4	12	8	15	18	24	24	249
{F..	555	51	76	12	7	11	17	18	10	11	10	14	24	24	34	287
Typhoid fever.....{M..	879	35	106	60	52	134	164	101	50	55	27	39	25	19	10	37
{F..	830	24	98	76	103	158	98	59	47	37	27	20	27	15	19	46
Cholera morbus.....{M..	91	26	53	4	2	1	2	3	2	2	2	2	4	1	1	12
{F..	78	16	46	2	1	3	3	2	2		1	2	7	2		7
Colitis.....{M..	30	9	17	1				1		1	3	1		2	3	1
{F..	27	10	15	1	1			1					3	1	2	3
Diarrhea.....{M..	164	23	62	4	3	1	2	2	1	5	6	5	16	4	13	40
{F..	147	26	69	8	1	3	4	1	4	4	4	5	4		10	30
Dysentery.....{M..	341	47	166	16	7	7	9	12	5	11	13	11	14	10	15	45
{F..	322	37	130	18	7	7	6	10	12	6	11	8	17	8	14	68
Enteritis.....{M..	155	48	103	6	3	3	3	3	3	4	1	4	2	2	5	13
{F..	145	52	95	6	6	3	1	3	4	2	2	2	7	4	2	8
Cholera infantum.....{M..	247	128	247													
{F..	206	97	206													
Fever.....{M..	73	13	27	6	5	9	7	1	3	2	3	2	2			6
{F..	80	9	23	6	8	5	8	9	3	2	2	6	2	2	2	2
Cerebro-spinal fever.....{M..	62	13	38	4	4	3	3	4		2			1	1		2
{F..	40	12	31	1	1		1	4				1		1		
Smallpox.....{M..	62	5	5		3	8	10	5	6	5	4	2	5	2	3	4
{F..	32	5	8	2	1	2	5	1	2	1	1	1	2	2	1	3
Erysipelas.....{M..	32	11	13		1		1	2	1	3	1	1		1		8
{F..	47	7	15	2	3	1	6	2	2	2	3	1	1	1		8
Septicemia.....{M..	103	7	15	6	4	6	3	9	4	8	10	4	8	9	7	10
{F..	94	7	14	2	1	7	9	12	11	11	7	6	2	3	2	7
Venereal diseases.....{M..	34	6	6			2	6	5	2	1	4	2	2	1		3
{F..	29	5	6	1		5	3	4	2	2		1			2	3
Others of this group.....{M..	22	2	4	1	1		1	1	4	1	1	1	1	2	1	3
{F..	17	1	4	1	2	1	1		1	1	2				1	3
General diseases—B	332	173	220	8		7	19	7	11	8	9	8	10	6	7	12
Males	204	102	123	5		4	12	4	7	7	9	7	9	5	5	7
Females	128	71	97	3		3	7	3	4	1		1	1	1	2	5
Alcoholism.....{M..	38							2	1	3	4	7	6	4	5	2
{F..	1															1
Parasitic diseases.....{M..	13	1	11	2												
{F..	17	2	14	3												
Lead poison.....{M..	2											1	1			
{F..																
Other poisons.....{M..	43	5	8	3		4	9	3	4	3	2		4	1		2
{F..	31		8			3	7	2	4	1			1	1	2	2
Inanition.....{M..	108	96	164				1									3
{F..	79	69	75					1				1				2
General diseases—C	995	356	330	4	1	4	1	4		1	7	6	3	3	9	562
Males	458	184	203	3		2	1	1			2	3		3	4	236
Females	537	172	187	1	1	2		3		1	5	3	3		5	326
Old age.....{M..	218														3	215
{F..	307														3	304
Premature birth.....{M..	129	129	129													
{F..	120	120	120													
Malformation.....{M..	24	21	24													
{F..	15	14	15													
Debility and atrophy.....{M..	77	24	40	3		2	1	1			2	3		3	1	21
{F..	88	31	45	1	1	2		3		1	5	3	3		2	22
Others of this group.....{M..	10	10	10													
{F..	7	7	7													

637

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	6,256	157	462	195	254	561	806	692	461	410	389	320	336	287	270	813
Males.....	2,545	78	235	81	87	206	304	245	171	140	151	117	160	126	115	407
Females.....	3,711	79	227	114	167	355	502	447	290	270	238	203	176	161	155	406
Anemia.....	M..... 15 F..... 17	1 4	2 4	2 1	1 2	1 1	 1	1 1	1 1	1	1	1	1	1	 1	4 3
Diabetes.....	M..... 36 F..... 16		3 3	1 1	 1	3 1	2 1	1 2	1 1		3 2	1 1	4	2 1	 1	15 1
Rheumatism.....	M..... 117 F..... 78	 1	3 1	3 2	10 2	12 5	4 5	5 5	2	6 2	8 2	3 5	7 4	6 6	3 4	45 35
Scrofula and tabes.....	M..... 145 F..... 209	19 16	44 61	16 23	9 17	17 14	11 23	6 11	3 5	6 6	6 4	6 6	4 10	3 8	4 6	10 15
Hydrocephalus.....	M..... 39 F..... 22	8 8	21 11	9 3	5 2	1		 1	 1	 1	1 2		1	 1		1
Tuberculosis, general.....	M..... 10 F..... 8			 1		1 1	2 1	1 1		 1	3			1 1	1 1	1 2
Consumption.....	M..... 1,736 F..... 2,715	41 45	119 116	36 72	53 126	169 317	271 452	219 398	153 258	114 212	108 179	91 134	109 99	85 83	63 87	146 182
Cancer.....	M..... 143 F..... 304		3	 2	 3	 3	3 7	7 9	2 9	2 24	11 28	7 35	14 41	11 31	17 33	66 82
Tumor.....	M..... 25 F..... 41	1 1	6 2	3	 2	 2	2 2	 2	1 1	1 3	2 4	1 4	1 2	1 7	3 5	4 5
Dropsy.....	M..... 268 F..... 293	5 1	27 21	10 11	8 13	2 12	9 10	5 17	7 14	10 21	9 16	7 18	20 19	15 22	24 18	115 81
Others of this group.....	M..... 11 F..... 8	3 3	7 8	1	1				1					1		
2. Diseases of the nervous system.....	2,514	555	973	137	100	96	60	66	55	59	67	80	82	84	104	551
Males.....	1,364	301	546	77	51	54	25	29	33	29	41	41	40	47	57	294
Females.....	1,150	254	427	60	49	42	35	37	22	30	26	39	42	37	47	257
Inflammation of the brain.....	M..... 150 F..... 106	52 37	101 65	13 3	6 6	4 9	5 4	2 3	2 3	 1	2	3 5	2 3	1 1	 2	8 2
Meningitis.....	M..... 311 F..... 284	82 84	182 166	33 26	16 27	22 14	6 8	6 9	12 4	4 5	3 5	8 4	3 3	4 5	3 2	9 6
Apoplexy.....	M..... 143 F..... 84	1 3	1 4	2	3	3	3 2	9 4	2 2	2 7	13 3	9 5	14 8	12 6	18 11	52 32
Paralysis.....	M..... 248 F..... 248	1 3	11 7	1 2	3 3	5 1	4 5	 1	7 2	5 4	8 5	4 8	9 12	15 16	17 19	159 163
Paralysis, general (of insane).....	M..... 20 F..... 8							1	 1		4 1	1	3 2	1	3 1	7 3
Tetanus and trismus nascentium.....	M..... 31 F..... 16	14 9	17 9	 2	3 2	4		 1	1 1	2		1		1 1		2
Chorea.....	M..... 3 F..... 4			2 1	 1					 1	1					1
Epilepsy.....	M..... 58 F..... 29	11 4	16 4	2 2	5	7 5	 3	6 2	4 1	2 2	3 2	3 3	 1	2	1	7 4
Convulsions.....	M..... 124 F..... 116	94 74	116 95	4 3	2 1	 5	2	4	1	2	1	1			1	2
Mental diseases.....	M..... 15 F..... 16					1	 1	1	 1	3 2	1 2	 4	1	2 1	2 2	4 3
Diseases of the brain.....	M..... 215 F..... 169	45 37	96 69	18 21	11 8	8 4	6 7	2 7	5 3	7 4	5 4	9 5	4 7	7 3	9 3	28 24
Diseases of the spinal cord.....	M..... 10 F..... 11	 2	3 6		2	 2				2		1	1	 2		1 1
Locomotor ataxia.....	M..... 3 F..... 2								 1		1	1	1 1			
Others of this class.....	M..... 33 F..... 57	1 1	3 2	2	 1	 2	1 3	1 7	 2	2 2	 3	1 4	2 5	2 2	4 6	15 18
3. Diseases of the circulatory system.....	1,318	72	92	13	15	29	43	44	54	72	66	78	116	100	136	460
Males.....	714	42	56	5	8	17	21	21	25	33	25	48	62	57	81	255
Females.....	604	30	36	8	7	12	22	23	29	39	41	30	54	43	55	205
Pericarditis.....	M..... 5 F..... 4		1				1		1		2	1		1		2
Diseases of the heart.....	M..... 673 F..... 572	34 26	47 32	5 8	8 7	17 12	21 20	20 23	21 27	30 38	23 39	44 30	59 50	52 38	77 53	249 195
Angina pectoris.....	M..... 22 F..... 12								3 1	3		2	3 2	4 4	3 2	4 3
Diseases of the arteries.....	M..... 1 F..... 1															1 1
Aneurism.....	M..... 3 F..... 6						1	1			 1	1	 2		1	2
Embolism.....	M..... 2 F..... 5								1	 1	 1			1		1 2
Others of this class.....	M..... 8 F..... 4	8 4	8 4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,898	1,301	2,135	177	109	199	236	191	151	167	154	176	219	173	187	624
Males.....	2,640	689	1,113	83	53	104	142	112	90	94	105	107	125	92	96	324
Females.....	2,258	612	1,022	94	56	95	94	79	61	73	49	69	94	81	91	300
Croup.....	510	342	488	18	3							1				1
M.....	448	297	424	22												1
F.....																
Pneumonia.....	1,762	259	479	56	41	92	127	98	80	82	96	93	109	71	85	253
M.....	1,423	235	456	58	49	81	71	65	48	61	44	59	79	64	66	222
F.....																
Laryngitis.....	6	1	2			1						1		1		1
M.....	4		1	1		1										1
F.....																
Bronchitis.....	203	71	117	6	3	3	6	7	2	6	2	4	9	7	4	27
M.....	230	65	114	9	5	5	6	8	4	1		5	7	5	14	47
F.....																
Pleurisy.....	35				1	2	3	2	1	2	3		2	2	3	14
M.....	27	1	4			2	1		2	1		1	1	2	3	10
F.....																
Asthma.....	21	1	2		1		2	2		3		2		6	2	5
M.....	32		2		1		2	2	2	2	1	1	3	3	3	10
F.....																
Others of this class.....	103	15	25	3	4	6	6	5	7	1	4	7	5	5	2	23
M.....	94	14	21	4	1	6	14	4	5	8	4	2	4	7	5	9
F.....																
5. Diseases of the digestive system.	1,633	282	560	61	40	71	83	84	60	66	56	68	83	83	86	227
Males.....	830	145	300	37	18	37	36	44	30	25	23	38	40	46	41	118
Females.....	803	137	260	24	22	34	47	40	30	41	33	30	43	42	45	112
Dentition.....	57	18	57													
M.....	43	14	43													
F.....																
Angina.....	25	6	14	2			1		1		1		1		1	4
M.....	24	2	11	6	1		1		1		1			1		2
F.....																
Gastritis.....	91	14	31	5		4		3	5	4	4	1	3	10	6	15
M.....	115	18	33	2	3	4	7	11	3	4	8	3	8	8	5	16
F.....																
Diseases of the stomach.....	95	18	41	7	3	4	3	3	2	5	3	3	2	5	3	11
M.....	118	23	39	2	7	4	8	4	4	6	2	5	8	5	5	19
F.....																
Obstruction of the bowels.....	26	5	7			3	3	1	1			4	2		2	3
M.....	22	3	4	1	1	2	2	1	1		1	1	2	1	1	4
F.....																
Appendicitis.....	49		1	4	5	5	5	14	3	2	2	3		2		3
M.....	21		1	3	1	1	2	4	1	1	3	1			2	1
F.....																
Hernia.....	17	2	4	1	1	1	1			1			2		3	3
M.....	9		1						2	1		1	1	2		1
F.....																
Other diseases of the bowels.....	100	23	42	3		5	6	3	4	2	3	1	3	5	7	16
M.....	73	13	28	2	1	4	3	2	2	4	2	2	4	2	5	12
F.....																
Jaundice.....	47	27	31	2			1						3	6		4
M.....	38	13	15				2		1	2	1	1	2	2	4	8
F.....																
Inflammation and abscess of the liver.....	50	2	8			1	5	3	3	3	2	3	7	3	4	6
M.....	42	2	6	3		2	1	2	2	5	2	3	1	3	2	10
F.....																
Other diseases of the liver.....	76	3	8	3	1	1	1	3	5	5	2	12	8	5	9	13
M.....	56	5	9	2		2	1	3	2	4	2	5	8	4	8	6
F.....																
Peritonitis.....	46		2	5	3	5	7	9	3	1		2	1	2	2	4
M.....	64	2	4	1	3	7	12	11	4	6	3	3	2	3	2	3
F.....																
Ascites.....	38	1	6		1	1		1	2			4	4	3	2	14
M.....	51	1	4		1	3	3	1	2	5	2	3	1	4	4	18
F.....																
Others of this class.....	113	26	48	3	4	7	3	4	1	2	6	5	4	5	2	19
M.....	127	41	62	2	4	5	5	1	5	3	6	2	6	7	7	12
F.....																
6. Diseases of the urinary system and male organs of generation.	612	13	26	10	9	11	12	38	31	31	34	32	50	56	51	221
Males.....	408	9	16	4	4	7	7	12	20	18	19	21	35	41	35	169
Females.....	204	4	10	6	5	4	5	26	11	13	15	11	15	15	16	52
Bright's disease.....	222			3	3	6	3	4	8	14	13	15	25	29	17	82
M.....	113			3	3	2		9	8	6	9	7	10	8	10	38
F.....																
Calculus, urinary.....	12	1	1				1								1	9
M.....	6							1							1	2
F.....																
Diseases of the kidney.....	84	3	10				1	3	4	2	2	1	5	8	10	38
M.....	43	4	9	1	1		3	6	1	3	4	1	1	1	4	8
F.....																
Diseases of the bladder.....	18						1				1	1		1	2	12
M.....	8					2	1	1						3	1	
F.....																
Others of this class.....	72	5	5	1	1	1	1	5	8	2	3	4	5	3	5	28
M.....	34		1	2	1		1	9	2	4	2	2	4	2		4
F.....																
7. Diseases of the female organs of generation.	99				1	11	8	16	10	14	9	10	8	4	4	4
Ovarian tumors.....	10					1		2	1	2	1	1			1	1
Ovarian diseases.....	1							1								
Diseases of the tubes.....	5					1		1	3							
Uterine tumors.....	10						1				3	2	2	1		
Uterine diseases.....	16					2	2	3	2	4		1	1		1	
Others of this class.....	57				1	7	5	8	4	8	5	6	5	3	2	3

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

TENNESSEE—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	285				2	41	77	56	39	38	22	4	1	1		4
Abortion	15					1	4	4	4	1						1
Childbirth	153				2	18	34	27	23	26	17	2		1		3
Puerperal septicemia	89					14	30	20	11	6	5	2	1			
Extra-uterine pregnancy	1							1								
Others of this class	27					8	9	4	1	5						
9. Diseases of the bones and joints.	134	36	73	10	13	8	4	2	2		1	4	1	4	3	9
Males	69	19	36	4	9	3	2		1			3	1	2	3	5
Females	65	17	37	6	4	5	2	2			1			2		4
Diseases of the spine {M..	53	17	33	3	6	2	1		1			2	1	1	1	2
{F..	51	15	34	5	1	4	1	1			1			1		3
Abscess, lumbar and {M..																
psaos. {F..	1			1												
Diseases of the bones {M..	7	2	2		1							1			1	2
{F..	7	1	2		1		1		1					1		1
Diseases of the hip {M..	1				1											
joint. {F..	4	1	1		2			1								
Others of this class {M..	8		1	1	1	1	1							1	1	1
{F..	2					1						1				
10. Diseases of the skin	57	17	25	2	2		2	4	1	2		2	2	1	1	13
Males	37	10	15	1	1		2	2	1	2		2		1	1	9
Females	20	7	10	1	1			2					2			4
Abscess	15	5	7		1		1	1	1	1						3
{F..	10	3	5	1	1			1								2
Carbuncle	6						1	1				1			1	2
{F..	2							1					1			
Others of this class {M..	16	5	8	1						1		1		1		4
{F..	8	4	5										1			2
11. Diseases of the absorbent system.	16	2	2	1	1	2		2		2	1		3	1		1
Males	7	2	2	1	1			1		1			1			
Females	9					2		1		1	1		2	1		1
Addison's disease {M..	1												1			
{F..	3									1	1			1		
Diseases of the spleen {M..	2	2	2													
{F..	1							1								
Other of this class {M..	4			1	1			1		1						1
{F..	5					2							2			
12. Accidents and injuries	1,265	127	271	72	71	118	139	120	72	77	44	59	47	25	29	121
Males	921	74	147	31	52	95	111	105	64	65	38	48	38	20	21	86
Female	344	53	124	41	19	23	28	15	8	12	6	11	9	5	8	35
Burns and scalds {M..	83	6	61	9	1			4			1		2			5
{F..	143	7	62	26	12	8	10	3		3	1	3	5	2	2	6
Drowning	43		2	3	6	7	7	4	1	2	1		5	2	1	2
{F..	11		3	1	1	1	3	1		1						
Exposure and neglect {M..	21	14	14				1					3	1		1	1
{F..	14	6	8					1	1							3
Gunshot wounds {M..	150			2	10	27	26	30	17	13	5	9	4	2	1	4
{F..	20		1	3		4	6	1	4		1					
Homicide	78			1	2	8	16	14	7	8	5	7	3			7
{F..	14			1		4	3	4	1					1		
Infanticide	1	1	1													
{F..	1	1	1													
Injuries by machinery {M..	5					2	1					1			1	
{F..	1			1												
Railroad accidents {M..	107		1		4	11	24	18	12	7	4	4	6	4	3	9
{F..	9			1	1			1		1		1			2	2
Suffocation	37	31	32					1	1	1	1					1
{F..	31	26	29									1				
Suicide by shooting {M..	8					1			2	1	1				1	2
{F..	1						1									
Suicide by drowning {M..	1															1
{F..																
Suicide by poison {M..	10							2	1	2	2				2	1
{F..	3							1			1		1			
Other suicides {M..	31					3		4	5	3	2	4	4	1		5
{F..	3									2		1				
Sunstroke	7	1	1		1			1				1	1			2
{F..	2	1	2													
Surgical operations {M..	3		1							1				1		
{F..	6						2			2		1		1		
Wounds	13		1	1			1	2	2			2		2		2
{F..																
Others of this class {M..	323	21	33	15	28	36	34	25	16	27	16	17	12	8	11	45
{F..	85	12	18	8	5	5	3	3	2	3	3	4	3	1	4	23

VITAL STATISTICS.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
All causes	34,160	7,604	13,888	1,794	1,192	1,615	2,011	1,742	1,410	1,269	1,207	1,152	1,142	877	978	3,883
Males.....	18,045	4,086	7,396	887	586	802	991	783	651	634	623	687	682	515	588	2,220
Females.....	16,115	3,518	6,492	907	606	813	1,020	959	759	635	584	465	460	362	390	1,663
Unknown cause	2,941	1,328	1,847	151	81	74	92	88	60	65	53	49	51	38	53	239
Males.....	1,592	729	1,025	74	44	36	46	42	23	26	25	25	27	19	27	153
Females.....	1,349	599	822	77	37	38	46	46	37	39	28	24	24	19	26	86
1. General diseases.																
General diseases—A	10,971	2,621	6,022	865	495	560	554	409	311	251	210	212	182	140	152	608
Males.....	5,493	1,347	3,075	397	222	274	301	179	138	114	109	126	99	65	86	308
Females.....	5,478	1,274	2,947	468	273	286	253	230	173	137	101	86	83	75	66	300
Measles.....	{M.. 646	{M.. 144	{M.. 419	{M.. 61	{M.. 29	{M.. 29	{M.. 37	{M.. 17	{M.. 11	{M.. 11	{M.. 6	{M.. 9	{M.. 10	{M.. 1	{M.. 1	{M.. 6
F.. 766	F.. 149	F.. 433	F.. 61	F.. 36	F.. 38	F.. 33	F.. 36	F.. 29	F.. 29	F.. 15	F.. 15	F.. 11	F.. 9	F.. 9	F.. 1	F.. 20
Scarlet fever.....	{M.. 309	{M.. 54	{M.. 220	{M.. 60	{M.. 16	{M.. 5	{M.. 4	{M.. 2								
F.. 398	F.. 51	F.. 255	F.. 84	F.. 26	F.. 16	F.. 5	F.. 3	F.. 3	F.. 3	F.. 1	F.. 1	F.. 1	F.. 1	F.. 1	F.. 1	F.. 1
Diphtheria	{M.. 171	{M.. 37	{M.. 131	{M.. 28	{M.. 4	{M.. 3	{M.. 1									
F.. 174	F.. 25	F.. 118	F.. 39	F.. 5	F.. 2		F.. 4		F.. 1	F.. 1	F.. 2	F.. 1				
Whooping cough.....	{M.. 259	{M.. 167	{M.. 244	{M.. 10	{M.. 4											
F.. 317	F.. 186	F.. 306	F.. 7	F.. 2	F.. 1		F.. 1									
Malarial fever.....	{M.. 667	{M.. 106	{M.. 273	{M.. 71	{M.. 42	{M.. 51	{M.. 43	{M.. 28	{M.. 19	{M.. 21	{M.. 13	{M.. 18	{M.. 17	{M.. 14	{M.. 9	{M.. 48
F.. 664	F.. 126	F.. 294	F.. 76	F.. 49	F.. 38	F.. 44	F.. 30	F.. 19	F.. 12	F.. 15	F.. 19	F.. 12	F.. 16	F.. 16	F.. 9	F.. 31
Influenza.....	{M.. 212	{M.. 43	{M.. 63	{M.. 1	{M.. 5	{M.. 8	{M.. 5	{M.. 7	{M.. 4	{M.. 4	{M.. 7	{M.. 8	{M.. 6	{M.. 9	{M.. 16	{M.. 78
F.. 185	F.. 23	F.. 31	F.. 4	F.. 2	F.. 3	F.. 5	F.. 9	F.. 4	F.. 4	F.. 8	F.. 6	F.. 11	F.. 6	F.. 13	F.. 13	F.. 79
Typhoid fever.....	{M.. 1,014	{M.. 79	{M.. 204	{M.. 66	{M.. 65	{M.. 129	{M.. 159	{M.. 94	{M.. 62	{M.. 49	{M.. 44	{M.. 45	{M.. 24	{M.. 18	{M.. 16	{M.. 39
F.. 1,000	F.. 72	F.. 235	F.. 87	F.. 110	F.. 132	F.. 115	F.. 80	F.. 50	F.. 46	F.. 26	F.. 21	F.. 16	F.. 19	F.. 13	F.. 13	F.. 50
Cholera morbus	{M.. 196	{M.. 67	{M.. 135	{M.. 6	{M.. 10	{M.. 5	{M.. 3	{M.. 2	{M.. 3	{M.. 1	{M.. 4	{M.. 3	{M.. 4		{M.. 8	{M.. 12
F.. 165	F.. 49	F.. 100	F.. 11	F.. 7	F.. 3	F.. 3	F.. 8	F.. 4	F.. 2	F.. 7	F.. 3	F.. 4	F.. 4	F.. 3	F.. 2	F.. 8
Colitis	{M.. 41	{M.. 14	{M.. 36						{M.. 1		{M.. 2					{M.. 2
F.. 16	F.. 7	F.. 13							F.. 1							F.. 1
Diarrhea	{M.. 175	{M.. 58	{M.. 106	{M.. 6	{M.. 5	{M.. 2		{M.. 3	{M.. 2	{M.. 3	{M.. 1	{M.. 3	{M.. 7	{M.. 4	{M.. 3	{M.. 30
F.. 151	F.. 46	F.. 89	F.. 7	F.. 2				F.. 3	F.. 4		F.. 5	F.. 1	F.. 6	F.. 3	F.. 5	F.. 24
Dysentery.....	{M.. 447	{M.. 85	{M.. 279	{M.. 21	{M.. 6	{M.. 7	{M.. 6	{M.. 5	{M.. 9	{M.. 6	{M.. 7	{M.. 16	{M.. 10	{M.. 8	{M.. 16	{M.. 51
F.. 347	F.. 85	F.. 214	F.. 18	F.. 2	F.. 6	F.. 3	F.. 9	F.. 5	F.. 3	F.. 5	F.. 7	F.. 4	F.. 8	F.. 9	F.. 9	F.. 54
Enteritis.....	{M.. 368	{M.. 146	{M.. 289	{M.. 17	{M.. 11	{M.. 6	{M.. 8	{M.. 2	{M.. 4	{M.. 1	{M.. 4	{M.. 5	{M.. 5	{M.. 3	{M.. 3	{M.. 10
F.. 373	F.. 139	F.. 268	F.. 30	F.. 11	F.. 7	F.. 6	F.. 5	F.. 7	F.. 7	F.. 9	F.. 1	F.. 5	F.. 2	F.. 3	F.. 6	F.. 13
Cholera infantum.....	{M.. 424	{M.. 217	{M.. 424													
F.. 377	F.. 193	F.. 377														
Fever.....	{M.. 193	{M.. 57	{M.. 131	{M.. 25	{M.. 3	{M.. 5	{M.. 7	{M.. 5	{M.. 2	{M.. 3	{M.. 2	{M.. 1	{M.. 2		{M.. 1	{M.. 6
F.. 154	F.. 57	F.. 96	F.. 14	F.. 5	F.. 7	F.. 3	F.. 8	F.. 5	F.. 6	F.. 2	F.. 2	F.. 1	F.. 1	F.. 1	F.. 1	F.. 4
Cerebro-spinal fever.....	{M.. 39	{M.. 8	{M.. 18	{M.. 5	{M.. 6	{M.. 4		{M.. 2	{M.. 1	{M.. 1	{M.. 1			{M.. 1		
F.. 43	F.. 12	F.. 26	F.. 3	F.. 5	F.. 2	F.. 2	F.. 1	F.. 1	F.. 1	F.. 1		F.. 1				
Smallpox.....	{M.. 95	{M.. 13	{M.. 22	{M.. 3	{M.. 7	{M.. 10	{M.. 13	{M.. 7	{M.. 10	{M.. 5	{M.. 9	{M.. 1	{M.. 3	{M.. 1		{M.. 4
F.. 51	F.. 12	F.. 19	F.. 6	F.. 2	F.. 2	F.. 6	F.. 1	F.. 1	F.. 1	F.. 3	F.. 2	F.. 1	F.. 1	F.. 1		F.. 6
Erysipelas.....	{M.. 56	{M.. 20	{M.. 29	{M.. 1		{M.. 3	{M.. 2	{M.. 2	{M.. 2	{M.. 3	{M.. 1	{M.. 3	{M.. 1	{M.. 1	{M.. 2	{M.. 6
F.. 45	F.. 21	F.. 25	F.. 2	F.. 2	F.. 3		F.. 4	F.. 3	F.. 3		F.. 1	F.. 2		F.. 1	F.. 1	F.. 2
Septicemia	{M.. 104	{M.. 22	{M.. 24	{M.. 7	{M.. 7	{M.. 7	{M.. 7	{M.. 1	{M.. 4	{M.. 3	{M.. 5	{M.. 9	{M.. 7	{M.. 3	{M.. 11	{M.. 9
F.. 189	F.. 16	F.. 27	F.. 10	F.. 5	F.. 24	F.. 23	F.. 25	F.. 32	F.. 16	F.. 10	F.. 4	F.. 5	F.. 5	F.. 1	F.. 2	F.. 5
Venereal diseases	{M.. 21	{M.. 3	{M.. 4		{M.. 2	{M.. 1	{M.. 1	{M.. 3	{M.. 1	{M.. 1	{M.. 1			{M.. 2	{M.. 1	{M.. 4
F.. 11	F.. 1	F.. 1	F.. 1	F.. 1	F.. 1	F.. 2	F.. 1	F.. 1	F.. 1	F.. 1		F.. 1	F.. 1	F.. 1		F.. 1
Others of this group.....	{M.. 56	{M.. 7	{M.. 24	{M.. 9	{M.. 5	{M.. 2	{M.. 2	{M.. 1		{M.. 2		{M.. 5	{M.. 1		{M.. 1	{M.. 4
F.. 52	F.. 5	F.. 20	F.. 8	F.. 1	F.. 2	F.. 1	F.. 2	F.. 5	F.. 1	F.. 2	F.. 2	F.. 4	F.. 2	F.. 2	F.. 3	F.. 3
General diseases—B	558	303	398	15	6	7	11	16	16	13	15	18	17	8	4	14
Males.....	320	156	209	6	2	3	7	7	12	10	14	14	16	6	4	10
Females.....	238	147	189	9	4	4	4	9	4	3	1	4	1	2	1	4
Alcoholism.....	{M.. 38							{M.. 1	{M.. 5	{M.. 6	{M.. 9	{M.. 5	{M.. 5	{M.. 1	{M.. 3	{M.. 3
F.. 2	F.. 2															
Parasitic diseases.....	{M.. 9		{M.. 7	{M.. 1			{M.. 1									
F.. 10	F.. 2	F.. 4	F.. 2	F.. 1							F.. 1	F.. 1		F.. 1		
Lead poison.....	{M.. 4		{M.. 1				{M.. 1			{M.. 1				{M.. 1		
F.. 4	F.. 4															
Other poisons.....	{M.. 92	{M.. 6	{M.. 30	{M.. 5	{M.. 2	{M.. 3	{M.. 4	{M.. 6	{M.. 7	{M.. 3	{M.. 5	{M.. 9	{M.. 11	{M.. 4	{M.. 1	{M.. 2
F.. 56	F.. 2	F.. 19	F.. 6	F.. 3	F.. 3	F.. 4	F.. 9	F.. 3	F.. 3	F.. 3	F.. 3	F.. 3	F.. 1	F.. 1	F.. 1	F.. 2
Inanition.....	{M.. 177	{M.. 150	{M.. 171				{M.. 1									{M.. 5
F.. 170	F.. 143	F.. 166	F.. 1						F.. 1						F.. 2	F.. 2
General diseases—C	1,337	627	659		2	1	2	4	3	1	3	2	12	7	22	619
Males.....	679	346	360		2	1		1	1		1	1	3	2	12	295
Females.....	658	281	299				2	3	2	1	2	1	9	5	10	324
Old age.....	{M.. 283														{M.. 9	{M.. 274
F.. 307	F.. 307														F.. 8	F.. 299
Premature birth.....	{M.. 283	{M.. 283	{M.. 283													
F.. 214	F.. 214	F.. 214														
Malformation	{M.. 28	{M.. 27	{M.. 28													
F.. 32	F.. 31	F.. 32														
Debility and atrophy.....	{M.. 78	{M.. 29	{M.. 42		2	1		1	1		1	1	3	2	3	21
F.. 97	F.. 28	F.. 45					2	3	2	1	2	1	9	5	2	25
Others of this group.....	{M.. 7	{M.. 7	{M.. 7													
F.. 8	F.. 8															

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General disease—D.....	4,339	108	278	74	96	265	586	490	403	351	319	284	274	189	203	577
Males	2,060	55	150	36	37	113	221	205	188	161	132	153	126	98	106	334
Females	2,279	53	128	38	59	152	315	285	215	190	187	131	148	91	97	243
Anemia	{M.. 6	1	2				1							1		2
{F.. 15	1	1			1		7	3	1				1			1
Diabetes	{M.. 50	1	5	1	2	3	3	2	2	2		2	2	4	3	19
{F.. 29			4	5	1		1	1	1	1	1	4	5		1	4
Rheumatism	{M.. 77	2	8	5	3	8	7		4	5	2	3	2	4	6	20
{F.. 71	1	7	3	6	5	3	3	3	2	2	1		5	5	4	25
Scrofula and tabes ..	{M.. 56	8	24	3	1	1	6	2	1	2		4	2	2	3	5
{F.. 43	7	16	2	1	2	3	3	4	3	3	1	2		2	1	3
Hydrocephalus	{M.. 28	9	20		4	2	2									
{F.. 26	14	21	2	1				2								
Tuberculosis, general	{M.. 9	1	2						2	2	1					2
{F.. 6	1	1						1		1	1					2
Consumption	{M.. 1,393	23	54	8	15	83	192	191	168	127	111	118	89	59	50	128
{F.. 1,558	18	45	15	42	128	281	245	180	149	124	86	81	41	41	100	
Cancer	{M.. 197	1	2	3	3	2	3	6	7	10	11	18	16	18	20	78
{F.. 281	3	4	3	1		10	11	14	21	35	23	42	27	28	62	
Tumor	{M.. 41	3	7	3	1	3			1	2	3	2	4	3	5	7
{F.. 50	3	4		3	5	2	5	3	4	7	4	4	3	3	3	3
Dropsy	{M.. 196	4	22	13	8	11	7	4	2	11	2	6	11	7	19	73
{F.. 196	3	22	8	3	12	8	9	11	9	17	12	10	13	19	43	
Others of this group.	{M.. 7	2	4						1		2					
{F.. 4	2	3						1								
2. Diseases of the nervous system.	2,741	722	1,191	195	116	107	87	72	77	74	71	90	102	85	89	385
Males	1,480	389	645	102	58	56	45	35	33	41	43	45	67	48	57	205
Females	1,261	333	546	93	58	51	42	37	44	33	28	45	35	37	32	180
Inflammation of the	{M.. 103	34	63	11	7	3	4	5	1		1	2	2	2		2
brain. {F.. 98		34	66	7	4	5	3	2		3	2	2	1			3
Meningitis	{M.. 296	80	168	37	20	15	12	7	6	9	4	3	6		1	8
{F.. 227	71	136	32	15	9	7	7	1	7	4	4	6	1	1	1	3
Apoplexy	{M.. 138	1	3	2	3	2	2	1	3	6	9	12	18	14	12	51
{F.. 102	1	3	4	2	1	3	3	3	8	2	5	10	7	9	4	41
Paralysis	{M.. 225	8	21	3	2	7	3	3	2	7	8	10	17	13	31	98
{F.. 198	2	5	8	3	6	4	3	4	6	5	11	14	15	16	98	
Paralysis, general (of	{M.. 11						1		3			4	1			2
insane). {F.. 4								1						1	1	1
Tetanus and trismus	{M.. 80	44	49	8	5	1	5	2	4	2	2	1		1		
nascentium. {F.. 56	33	34	7	6	2	2	2	1	2		1					1
Chorea	{M..					3										
{F.. 3																
Epilepsy	{M.. 54	9	13	2	2	10	3	3	2	2	5	1	2	3	1	5
{F.. 56	13	16	2	7	8	4	4	2	3	6		3	1	1		3
Convulsions	{M.. 134	105	128	1			1			2						2
{F.. 147	100	120	5	1	7	6	2	3			1					2
Mental diseases	{M.. 43						3	3	2	5	4	3	7	5	2	9
{F.. 32						1	3	8	3	1		7		2	2	5
Diseases of the brain	{M.. 352	103	193	36	18	14	10	9	8	7	6	4	9	9	8	21
{F.. 289	74	159	26	18	8	9	11	8	8	7	1	8	6	4	16	
Diseases of the spinal	{M.. 12	1	2	1		2		1		1	1	2	1			1
cord. {F.. 7	4	6		1												
Locomotor ataxia ..	{M.. 5								1			2	1		1	
{F..																
Others of this class	{M.. 27	4	5	1	1	2	1	1	1		3	1	3	1	1	6
{F.. 42	1	1	2	1	1	1	1	3	6	3	3	5	3	2	4	7
3. Diseases of the circulatory system.	1,339	83	115	15	23	38	57	66	75	66	84	74	120	96	118	392
Males	710	42	64	8	11	15	18	26	30	26	42	38	69	58	67	238
Females	629	41	51	7	12	23	39	40	45	40	42	36	51	38	51	154
Pericarditis	{M.. 9					2	1			1	2			2		1
{F.. 6		1			1	1						1		1	1	
Diseases of the heart.	{M.. 664	37	58	7	11	13	16	26	27	21	39	37	65	53	64	227
{F.. 590	37	46	7	9	22	36	38	42	40	38	34	49	35	48	146	
Angina pectoris	{M.. 16									3	1		2	2	3	5
{F.. 17					1		2	1			2	1	1		1	8
Diseases of the arter-	{M.. 3														1	2
ies. {F.. 1														1		
Aneurism	{M.. 8								3	1		1	2			1
{F.. 8					1		1	1	2		1		1	1		
Embolism	{M.. 4			1			1									2
{F.. 3									1		1				1	
Others of this class	{M.. 6	5	6													
{F.. 4	4	4	4													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	4,274	1,065	1,921	183	132	182	208	195	150	151	162	170	154	125	127	414
Males.....	2,450	614	1,080	108	65	105	121	99	68	82	97	124	111	79	77	234
Females.....	1,824	451	841	75	67	77	87	96	82	69	65	46	43	46	50	180
Croup.....	384	206	354	24	2				2	1		1				4
(M.....)	384	206	354	24	2				2	1		1				4
(F.....)	265	143	247	13	1											
Pneumonia.....	1,650	284	512	69	60	97	108	89	64	72	89	106	95	55	62	172
(M.....)	1,650	284	512	69	60	97	108	89	64	72	89	106	95	55	62	172
(F.....)	1,182	204	410	40	57	63	72	82	68	56	54	40	37	35	41	127
Laryngitis.....	7		5	1							1					
(M.....)	7		5	1							1					
(F.....)	3		2	1												
Bronchitis.....	242	102	170	5		3	6	1	1	4	3	3	8	11	4	23
(M.....)	242	102	170	5		3	6	1	1	4	3	3	8	11	4	23
(F.....)	235	85	148	17	7	4	6	4	3	5	3	1	1	5	3	28
Pleurisy.....	28	1	4	2	1	1	2	4		1		2	2	1	1	7
(M.....)	28	1	4	2	1	1	2	4		1		2	2	1	1	7
(F.....)	19	2	3		3		2	4	2		1					4
Asthma.....	40		1	1			2	2	1			2	3	6	6	20
(M.....)	40		1	1			2	2	1			2	3	6	6	20
(F.....)	40	2	4							2	3	2	1	2	6	16
Others of this class.....	99	21	34	6	2	4	5	5	2	5	4	11	3	6	4	8
(M.....)	99	21	34	6	2	4	5	5	2	5	4	11	3	6	4	8
(F.....)	80	15	27	4	2	7	5	4	7	5	4	2	4	4		5
5. Diseases of the digestive system.	2,304	484	942	129	101	121	106	83	80	86	88	101	91	71	79	226
Males.....	1,289	260	505	65	50	68	62	48	49	53	42	63	58	47	48	131
Females.....	1,015	224	437	64	51	53	44	35	31	33	46	38	33	24	31	95
Dentition.....	70	23	70													
(M.....)	70	23	70													
(F.....)	49	19	49													
Angina.....	73	16	55	9		1	2		1	1	1	1	1			1
(M.....)	73	16	55	9		1	2		1	1	1	1	1			1
(F.....)	69	14	43	11	5	2	1	1	1			3	1			1
Gastritis.....	119	21	42	5	2	1	6	2	5	3	6	5	9	6	6	21
(M.....)	119	21	42	5	2	1	6	2	5	3	6	5	9	6	6	21
(F.....)	118	21	51	1	3		5	3	4	4	3	9	6	4	6	19
Diseases of the stomach.....	164	32	76	18	7	2	4	6	3	6	6	5	8	6	4	13
(M.....)	164	32	76	18	7	2	4	6	3	6	6	5	8	6	4	13
(F.....)	150	27	62	19	9	7	6	5	2	2	6	6	3	3	5	15
Obstruction of the bowels.....	52	13	22	1	2	2	5	2	4	4	1		2	2	1	4
(M.....)	52	13	22	1	2	2	5	2	4	4	1		2	2	1	4
(F.....)	30	6	9	3	1	1	1	2	2	3	5	1			1	1
Appendicitis.....	89	1	2	5	12	17	14	8	8	5	3	5	2	3	1	4
(M.....)	89	1	2	5	12	17	14	8	8	5	3	5	2	3	1	4
(F.....)	44		2	2	11	9	3	1	2	3	4	2	2	1		2
Hernia.....	17	1	2				2	1		2		2		2		6
(M.....)	17	1	2				2	1		2		2		2		6
(F.....)	9	2	2								2	1		1	1	2
Other diseases of the bowels.....	115	32	60	6	3	6	2	1	3	4	1	3	2	3	5	16
(M.....)	115	32	60	6	3	6	2	1	3	4	1	3	2	3	5	16
(F.....)	112	25	58	7	4	2	6	6	5	3	3	2	1	2	3	10
Jaundice.....	157	38	45	7	7	25	9	13	10	9	6	10	4	5	1	6
(M.....)	157	38	45	7	7	25	9	13	10	9	6	10	4	5	1	6
(F.....)	87	28	33	9	7	12	4	4	1		3	2	6	1	1	4
Inflammation and abscess of the liver.....	98	8	15	3	1	5	6	6	4	8	3	11	9	8	6	13
(M.....)	98	8	15	3	1	5	6	6	4	8	3	11	9	8	6	13
(F.....)	61	7	17	2	4	2	4	1	2	3	3	2	2	4	5	10
Other diseases of the liver.....	94	11	19	1			3	1	2	5	8	9	13	7	8	18
(M.....)	94	11	19	1			3	1	2	5	8	9	13	7	8	18
(F.....)	40	5	10	2			1	2	1	3	2	3	4	2	3	7
Peritonitis.....	51	3	7	6	6	4	7	3	1	2	2	5	3	1	1	3
(M.....)	51	3	7	6	6	4	7	3	1	2	2	5	3	1	1	3
(F.....)	71	3	6	4	2	14	8	8	7	7	8	3	1	2		1
Ascites.....	27		3	1			1	1	1	1	1	2	1	2	5	9
(M.....)	27		3	1			1	1	1	1	1	2	1	2	5	9
(F.....)	26	2	2		2			1	2	1	3		1	3	3	8
Others of this class.....	163	61	87	3	10	5	2	4	7	3	4	5	4	2	10	17
(M.....)	163	61	87	3	10	5	2	4	7	3	4	5	4	2	10	17
(F.....)	149	65	93	4	3	4	5	1	2	4	4	4	6	1	3	15
6. Diseases of the urinary system and male organs of generation.	758	28	51	16	12	19	34	33	38	37	51	42	53	62	75	235
Males.....	536	13	28	8	3	9	16	16	22	25	33	24	38	57	60	197
Females.....	222	15	23	8	9	10	18	17	16	12	18	18	15	5	15	38
Bright's disease.....	307			6		6	8	13	10	16	23	17	29	41	44	94
(M.....)	307			6		6	8	13	10	16	23	17	29	41	44	94
(F.....)	141			5	7	5	12	12	9	8	14	11	13	4	14	27
Calculus, urinary.....	15		1										1	2	3	8
(M.....)	15		1													
(F.....)	4	1	2								1				1	
Diseases of the kidney.....	109	9	23	2	3	3	3	2	6	4	8	5	2	5	7	36
(M.....)	109	9	23	2	3	3	3	2	6	4	8	5	2	5	7	36
(F.....)	45	12	19	2	1	2	2		3	2	2	3	1			8
Diseases of the bladder.....	44							1	1	2	1		2		4	32
(M.....)	44							1	1	2	1		2		4	32
(F.....)	2													1		
Others of this class.....	61	4	4				5	1	5	3	1	2	4	7	2	27
(M.....)	61	4	4				5	1	5	3	1	2	4	7	2	27
(F.....)	30	2	2	1	1	3	4	4	4	2	1	4	1			3
7. Diseases of the female organs of generation.	124				2	13	10	16	15	17	13	23	5	6	1	3
Ovarian tumors.....	17					1	2	2	4	4	2	1	1			
Ovarian diseases.....	3						1							2		
Diseases of the tubes.....	8						1	2	1	2	1		1			
Uterine tumors.....	14						1		2	1	2	7		1		
Uterine diseases.....	29				1	4	1	5	2	5	1	7	1			2
Others of this class.....	53				1	8	4	7	6	5	7	8	2	3	1	1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

TEXAS—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	459				1	63	116	115	77	45	30	7				5
Abortion	18						8	1	4	3	1	1				
Childbirth	271				1	40	62	68	47	29	19	2				3
Puerperal septicemia	144					18	39	39	23	11	9	3				2
Extra-uterine pregnancy	1								1							
Others of this class	25					5	7	7	2	2	1	1				
9. Diseases of the bones and joints	88	22	39	11	7	5	3	3	2	2	3	3	1	2	5	2
Males	51	10	21	6	3	2	1	3	1	2	3	2	1		4	2
Females	37	12	18	5	4	3	2		1			1		2	1	
Diseases of the spine. {M..	27	9	15	5	1	1		2	1			1			1	
{F..	22	10	13	3		2						1		2	1	
Abscess, lumbar and {M..	2			1						1						
{F..	1															
Diseases of the bones. {M..	14	1	5		1		1	1		1	1	1	1		1	1
{F..	6		2		3				1							
Diseases of the hip {M..	2					1					1					
{F..	4			2		1	1									
Others of this class. {M..	6		1		1						1				2	1
{F..	4	2	2		1		1									
10. Diseases of the skin	79	15	21	4	3	2	1	6	4	3	3	2	8	6	3	13
Males	46	10	15	3		1		2	3	3		1	5	5		8
Females	33	5	6	1	3	1	1	4	1		3	1	3	1	3	5
Abscess	23	3	4	2		1		2	2	2			5	2		3
{F..	22	4	5		3	1		3	1		2	1	2	1	1	2
Carbuncle	8	1	1							1				2		4
{F..	2										1				1	
Others of this class. {M..	15	6	10	1					1			1		1		1
{F..	9	1	1	1			1	1					1		1	3
11. Diseases of the absorbent system.	17	1	4		3	1		2	1		2	2		1		1
Males	8	1	3		2			1				2				
Females	9		1		1	1		1	1		2			1		1
Addison's disease. {M..	1											1				
{F..																
Diseases of the spleen {M..	4		2					1				1				
{F..	6					1		1	1		1			1		1
Others of this class. {M..	3	1	1		2											
{F..	3		1		1						1					
12. Accidents and injuries	1,831	197	400	136	112	157	194	144	98	107	100	73	72	41	47	150
Males	1,331	114	216	74	87	119	153	119	83	91	82	69	62	31	40	105
Females	500	83	184	62	25	38	41	25	15	16	18	4	10	10	7	45
Burns and scalds. {M..	94	15	71	5	4		2	1	2	1		1	1		1	5
{F..	177	5	66	35	11	15	14	5	6	3	6	2	1		2	11
Drowning	121	2	16	17	18	19	14	12	3	4	5	1	2	2	2	6
{F..	28		4	7	4	5	2	3		1			1		1	
Exposure and neglect {M..	15	12	12													2
{F..	19	10	15	1						1	1			1		
Gunshot wounds. {M..	236		3	14	11	26	36	37	23	27	13	16	8	6	4	12
{F..	28	1	3	4	2	2	8	3	3	1	2					
Homicide	98				1	6	16	18	10	8	12	8	10	4	1	4
{F..	15		2			1	3	2			1	1	1	1		3
Infanticide																
{F..	2	2	2													
Injuries by machinery. {M..	20			2	1	3	3	1	4	1	1		2			2
{F..																
Railroad accidents. {M..	123	1	1	6	9	12	24	9	11	10	10	8	7	4	5	7
{F..	10			3		1	1				1				1	3
Suffocation	49	44	45			1								1	1	1
{F..	42	32	36	1	2	1	1				1					
Suicide by shooting. {M..	32					3	6	5		2	4	3	5	1	2	1
{F..	4						1	1		1	1					
Suicide by drowning. {M..	3					1									2	
{F..																
Suicide by poison. {M..	29					2	6	1	6	2	3	4	5			
{F..	6					3	1		1	1				1		
Other suicides. {M..	52					3	3	3	4	6	8	4	4	2	5	10
{F..	6					3		1			1			1		
Sunstroke	28		3			1	3		1	4	2	2	4	2	1	5
{F..	7	2	3		1								1			2
Surgical operations. {M..	8	1	1	1		1				1				1		3
{F..	12						5	1	3		1		1	1		
Wounds	22			1	2	4	4			2	1		1	1	2	4
{F..	4		1				1									2
Others of this class. {M..	401	39	64	28	41	37	36	32	19	23	23	22	13	7	13	43
{F..	140	31	52	11	5	7	9	5	5	5	3	1	5	5	3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS
YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	300	14	19	6	6	12	19	26	17	31	14	18	16	27	24	65
Males.....	170	8	10	2	1	5	9	10	11	20	9	11	14	18	15	35
Females.....	130	6	9	4	5	7	10	16	6	11	5	7	2	9	9	30
Anemia.....	M.. 4 F.. 4	1 1	1 2					1		1	1					1
Diabetes.....	M.. 11 F.. 3			1	1	1					1		1	1	3	4
Rheumatism.....	M.. 11 F.. 11	1	2	1		2	1		1	1				1		3
Scrofula and tabes.....	M.. F.. 1								1							
Hydrocephalus.....	M.. 6 F.. 2	6 2	6 2													
Tuberculosis, general.....	M.. 1 F.. 1	1	1			1										
Consumption.....	M.. 89 F.. 54		2	2	2	4	8	10	9	16	7	9	8	8	4	8
Cancer.....	M.. 36 F.. 32							4		1	1	2	5	6	7	15
Tumor.....	M.. 3 F.. 3		1											1		1
Dropsy.....	M.. 8 F.. 15				1		3	1	1	1				1	3	4
Others of this group.....	M.. 1 F.. 4					1		1	1						1	1
2. Diseases of the nervous system..	299	78	114	14	6	17	9	10	7	9	10	7	8	9	11	68
Males.....	174	56	75	7	3	9	6	6	5	4	5	4	2	6	7	35
Females.....	125	22	39	7	3	8	3	4	2	5	5	3	6	3	4	33
Inflammation of the brain.....	M.. 15 F.. 8	4 2	7 2	1 2	1 1	2 2			1		1			1		1
Meningitis.....	M.. 34 F.. 25	15 5	25 18	3 3	1		1	1	1							2
Apoplexy.....	M.. 31 F.. 16	1	1	1		1	3	1		1	1	3	2	1	4	12
Paralysis.....	M.. 27 F.. 30			2	1	1			1	2	1	1		1	1	17
Paralysis, general (of insane). ..	M.. 2 F.. 2						2			2	1	1	4	1	2	16
Tetanus and trismus nascentium.....	M.. 4 F..	2	2			1		1								
Chorea.....	M.. F.. 1					1										
Epilepsy.....	M.. 9 F.. 6	2	2			3		2			1					1
Convulsions.....	M.. 37 F.. 20	32 13	36 16	1			1	1		1						1
Mental diseases.....	M.. 5 F.. 1						1	1	1		1		1			1
Diseases of the brain.....	M.. 6 F.. 9		1 3			1			1	1	1	1			1	3
Diseases of the spinal cord.....	M.. 1 F.. 1		1		1											
Locomotor ataxia.....	M.. F.. 1												1			
Others of this class.....	M.. 3 F.. 5					3								3		1
3. Diseases of the circulatory system.	233	18	20	18	16	16	16	15	9	15	7	12	8	11	18	52
Males.....	115	13	13	2	7	10	4	10	3	5	3	4	2	8	12	32
Females.....	118	5	7	16	9	6	12	5	6	10	4	8	3	3	6	20
Pericarditis.....	M.. F.. 3			2		1										
Diseases of the heart.....	M.. 107 F.. 107	12 3	12 5	2 14	7 8	10 5	4 12	10 4	3 5	5 9	2 4	3 8	1 6	8 3	10 5	30 19
Angina pectoris.....	M.. 7 F.. 2										1	1	1		2	2
Diseases of the arteries.....	M.. F.. 2				1										1	
Aneurism.....	M.. F..															
Embolism.....	M.. F.. 1							1								
Others of this class.....	M.. 1 F.. 3	1 2	1 2													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
4. Diseases of the respiratory system.	476	122	219	21	9	19	17	9	12	13	12	7	16	11	21	90
Males.....	280	64	118	9	8	11	8	6	8	11	8	4	12	7	16	54
Females.....	196	58	101	12	1	8	9	3	4	2	4	3	4	4	5	36
Croup.....	12	2	11	1												
M.....	12	2	11	1												
F.....	9	2	6	3												
Pneumonia.....	205	47	85	6	5	10	8	4	8	11	6	2	11	7	11	31
M.....	142	43	74	8	1	3	7	2	3	2	3	3	4	3	4	25
F.....	1			1												
Laryngitis.....	1					1										
M.....	1					1										
F.....	25	8	14	1	1										2	7
Bronchitis.....	26	13	19								1					6
M.....	3														1	2
F.....	4		1	1			1	1								
Pleurisy.....	15							1			1	2	1		1	9
M.....	5														1	4
F.....	19	7	8		2	1		1			1				1	5
Others of this class..	9		1			4	1		1					1		1
M.....																
F.....																
5. Diseases of the digestive system.	216	29	46	13	14	11	18	11	12	11	10	8	9	9	14	30
Males.....	135	18	29	6	5	5	11	5	8	11	6	5	6	6	10	22
Females.....	81	11	17	7	9	6	7	6	4		4	3	3	3	4	8
Dentition.....	7	3	7													
M.....																
F.....	2		1							1						
Angina.....	1		1													
M.....	14	1	5	1					1	1	1	2		1	1	1
F.....	10		1	1	1		2						1		1	3
Gastritis.....	9	1	1					1		1	1	1		1		3
M.....	2	1	1												1	
F.....	8	1	1				1				2		1			3
Obstruction of the bowels.	4	1	1	1											1	1
M.....	27		1	3	3	3	5	3	4	1				1	1	2
F.....	15	1	2	2	4	2	2	1			1	1				
Appendicitis.....	9	2	3				1							1	1	3
M.....	3										1			1		
F.....	7	1	1							1			1			4
Other diseases of the bowels.	5	2	2		1			1				1				
M.....	6	4	4											1	1	1
F.....	5	2	3					1								
Jaundice.....	4															
M.....	2						1			3				2		
F.....	12										1	2	3	1	4	1
Inflammation and abscess of the liver.	3														1	1
M.....	21	1	1	2	2	2	3		3	3	1				2	2
F.....	20		1	2	3	4	2	3	3		1					1
Peritonitis.....	3	1	1												1	1
M.....	3			1			1		1							
F.....	6	3	3					1								2
Ascites.....	3															1
M.....	8	4	5									1	1			1
F.....																
Others of this class..																
M.....																
F.....																
6. Diseases of the urinary system and male organs of generation.	129	1	1	2	6	3	5	6	7	13	9	6	9	10	6	46
Males.....	84	1	1	1	5	2	1	2	4	6	4	2	9	7	4	36
Females.....	45			1	1	1	4	4	3	7	5	4		3	2	10
Bright's disease.....	57			1	5	2	1	1	3	3	4	2	6	6	3	20
M.....	37			1			3	3	1	7	5	4		2	2	9
F.....	2															2
Calculus, urinary.....																
M.....	8	1	1						1				2	1		3
F.....	5				1				2					1		1
Diseases of the kidney.	9									2			1			6
M.....	8							1		1					1	5
F.....	3					1	1	1								
Diseases of the bladder.																
M.....	8									1					1	1
F.....																
Others of this class..																
M.....																
F.....																
7. Diseases of the female organs of generation.	8						1			1	1	3			1	1
Ovarian tumors.....	1															1
Ovarian diseases.....																
Diseases of the tubes.....	1										1					
Uterine tumors.....	1											1				
Uterine diseases.....																
Others of this class..	5						1			1		2			1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UTAH—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	40					3	9	8	6	5	7	2				
Abortion																
Childbirth	19					3	2	2	3	3	5	1				
Puerperal septicemia	10						3	3	2	1	1					
Extra-uterine pregnancy																
Others of this class	11						4	3	1	1	1	1				
9. Diseases of the bones and joints.	14	7	9	2						1				1		1
Males	8	4	6	1										1		
Females	6	3	3	1						1						1
Diseases of the spine {M..	8	4	6	1										1		
{F..	5	3	3	1						1						
Abscess, lumbar and {M..																
{F..																
Diseases of the bones {M..																
{F..																
Diseases of the hip {M..																
{F..																
Others of this class {M..																
{F..	1															1
10. Diseases of the skin	4										1		1	1	1	
Males	3										1		1	1		
Females	1														1	
Abscess {M..	3										1		1	1		
{F..																
Carbuncle {M..																
{F..																
Others of this class {M..															1	
{F..	1															
11. Diseases of the absorbent system.	1							1								
Males																
Females	1							1								
Addison's disease {M..																
{F..	1							1								
Diseases of the spleen {M..																
{F..																
Others of this class {M..																
{F..																
12. Accidents and injuries	422	7	30	10	14	42	43	59	42	40	50	28	12	5	7	40
Males	392	5	17	9	13	39	39	58	40	39	50	28	11	5	6	38
Females	30	2	13	1	1	3	4	1	2	1			1		1	2
Burns and scalds {M..	2		2													
{F..	4		3			1										
Drowning {M..	17		8	3			2				3		1			
{F..	4		4													
Exposure and neglect {M..	1															1
{F..																
Gunshot wounds {M..	10				1	3		3		2	1					
{F..																
Homicide {M..	9			1			2	1		1	2			1	1	
{F..	1			1												
Infanticide {M..																
{F..																
Injuries by machinery {M..																
{F..																
Railroad accidents {M..	26				1	2	2		4	3	8	4	1		1	
{F..	1								1							
Suffocation {M..	6	1	1					1	1			2		1		
{F..	2	1	1			1										
Suicide by shooting {M..	4										2	1	1			
{F..																
Suicide by drowning {M..																
{F..																
Suicide by poison {M..	3								1	2						
{F..	1												1			
Other suicides {M..	11					1	1	1	1		1	1	1			4
{F..																
Sunstroke {M..	2			1							1					
{F..																
Surgical operations {M..	1										1					
{F..	2	1	1				1									
Wounds {M..	1						1									
{F..																
Others of this class {M..	299	4	6	4	11	33	31	52	33	31	31	20	7	3	4	33
{F..	15		4		1	1	3	1	1	1					1	2

VIRGINIA.																	
CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.	
All causes	25,252	4,921	7,748	943	639	1,189	1,565	1,147	1,004	943	953	879	1,009	920	1,163	5,150	
Males.....	13,112	2,717	4,184	472	294	573	811	529	473	444	457	463	544	489	608	2,771	
Females.....	12,140	2,204	3,564	471	345	616	754	618	531	499	496	416	465	431	555	2,379	
Unknown cause	2,049	1,080	1,282	49	24	37	48	35	38	32	43	48	42	33	58	280	
Males.....	1,064	583	680	31	12	21	23	14	22	15	20	23	21	17	21	144	
Females.....	985	497	602	18	12	16	25	21	16	17	23	25	21	16	37	136	
I. General diseases.																	
General diseases—A	5,274	1,234	2,264	382	215	290	292	226	148	121	107	121	114	103	124	767	
Males.....	2,750	701	1,235	189	87	133	166	112	71	66	59	80	53	55	60	384	
Females.....	2,524	533	1,029	193	128	157	126	114	77	55	48	41	61	48	64	383	
Measles.....	{M.. 148	47	108	13	5	9	7	2	1	1		1				1	
	{F.. 149	37	71	16	14	12	4	10	4	1	3		2	6		6	
Scarlet fever	{M.. 27	8	19	4	2		1			1							
	{F.. 26	3	12	4	3	2	2	1	1								
Diphtheria	{M.. 125	9	71	41	7	3	1	1		1					1		
	{F.. 150	8	70	52	22	2			1			1	1				
Whooping cough.....	{M.. 139	66	122	16	1												
	{F.. 153	66	138	12	2	1											
Malarial fever.....	{M.. 201	33	72	21	10	12	19	8	5	8	5	10	5	5	2	19	
	{F.. 208	19	61	28	14	22	12	14	7	3	5	7	3	5	7	20	
Influenza.....	{M.. 357	51	77	7	4	8	5	8	4	12	7	12	7	7	16	183	
	{F.. 397	45	65	8	6	14	9	8	7	12	7	8	15	16	23	199	
Typhoid fever.....	{M.. 497	13	44	41	32	76	88	62	35	22	18	28	9	11	9	22	
	{F.. 417	13	40	33	46	79	67	43	18	16	15	10	12	7	6	25	
Cholera morbus.....	{M.. 51	17	27	4	5	2		1		1	2			2	2	5	
	{F.. 54	11	27	2	2		2	2	1	2		1	3		2	10	
Colitis.....	{M.. 21	4	11	1				1	1	1				1	1	4	
	{F.. 15	5	10						1						3	1	
Diarrhea	{M.. 123	37	61	9	2		3	1	3		1	3	6	4	8	22	
	{F.. 118	28	45	7	6	1		4	7	3	3	3	5	3	7	24	
Dysentery	{M.. 239	70	139	15	6	2	5	1	1	5	2	4	8	10	12	29	
	{F.. 187	40	84	9	3	6	3	5	2	3	1	4	8	7	7	45	
Enteritis	{M.. 109	54	78	1		4	1	1		1	4	5	3	1	2	8	
	{F.. 95	36	63	1		2	3	3	2	3	1	3	4		3	7	
Cholera infantum.....	{M.. 313	229	313														
	{F.. 257	173	257														
Fever	{M.. 37	9	19	2	2	2	4	1	2		1	2		1		1	
	{F.. 33	8	18	5	1	4	3		1	1		1	2	1		1	
Cerebro-spinal fever.....	{M.. 43	12	20	7	6	1	1	3	3					1		1	
	{F.. 39	8	19	7	2	2	2	2	2	1	2						
Smallpox.....	{M.. 178	15	18	2	4	8	19	15	12	10	15	7	12	3	1	52	
	{F.. 85	9	16	5	3	1	10	7	12	2	5	2	1	1		20	
Erysipelas	{M.. 28	7	10	1		2		2	1			1	1	4	1	5	
	{F.. 20	4	4			1		2			1		2		1	9	
Septicemia	{M.. 63	7	10	3		3	10	3	2	3	3	5	1	4	2	14	
	{F.. 79	11	18	3	3	5	7	9	7	6	4	1	2	2	3	9	
Venereal diseases.....	{M.. 22	10	10				1	2	1		1	2			1	4	
	{F.. 16	4	5			1	2	3	4	1							
Others of this group.....	{M.. 29	3	6	1	1	1	1						1	1	3	14	
	{F.. 21	5	6	1	1	2		1			1		1		1		
General diseases—B	279	119	165	11	4	8	8	9	13	9	9	8	10	7	7	11	
Males.....	166	61	91	3	2	1	4	7	13	6	7	8	6	5	5	8	
Females.....	113	58	74	8	2	7	4	2		3	2		4	2	2	3	
Alcoholism	{M.. 41						2	6	7	3	2	6	4	3	3	5	
	{F.. 5		1							1	1		1		1		
Parasitic diseases.....	{M.. 17	1	14	1		1										1	
	{F.. 19	1	11	7		1											
Lead poison	{M..																
	{F..																
Other poisons	{M.. 34	2	12	2	2		2	1	5	2	3	1		1	2	1	
	{F.. 25	4	7	1	1	3	4	2		2	1		2		1	1	
Inanition.....	{M.. 74	58	65		1	3			1	1	2	1	2	1		1	
	{F.. 64	53	55										1	2		2	
General diseases—C	1,339	454	501	7	2	4	3	3	8	3	2	8	11	9	27	751	
Males.....	685	265	292	2	2	2	2	1	2	1		3	5	5	12	356	
Females.....	654	189	209	5		2	1	2	6	2	2	5	6	4	15	395	
Old age.....	{M.. 338														6	332	
	{F.. 375														10	365	
Premature birth.....	{M.. 132	132	132														
	{F.. 96	96	96														
Malformation	{M.. 21	20	21														
	{F.. 16	14	16														
Debility and atrophy.....	{M.. 187	106	132	2	2	2	2	1	2	1		3	5	5	6	24	
	{F.. 160	72	90	5		2	1	2	6	2	2	5	6	4	5	30	
Others of this group.....	{M.. 7	7	7														
	{F.. 7	7	7														

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	4,714	120	313	95	137	385	615	434	360	318	302	227	253	233	250	792
Males.....	2,086	70	163	44	55	144	266	183	145	146	109	96	109	111	116	399
Females.....	2,628	50	150	51	82	241	349	251	215	172	193	131	144	122	134	393
Anemia.....	{M.. 11		2	2		1			2		1			1	1	1
	{F.. 10		3			2		1			1	1				2
Diabetes.....	{M.. 45		5	2	3	5	4	5	2	3		4	3		1	8
	{F.. 21			1	1	3	3	1		1	2	2	1	1	1	4
Rheumatism.....	{M.. 82	3	4	3	2	4	2	5	4		1	1	3	6	6	30
	{F.. 88	1	2	2	6	5	4	4	5	6	3	4	5	3	9	
Scrofula and tubercles.....	{M.. 78	9	26	5	6	7	7	3	3	3	2	2	1	1	4	8
	{F.. 69	7	15	12	11	6	6	4	3	1	3			1	2	5
Hydrocephalus.....	{M.. 29	17	20	2	1	2		1				1				2
	{F.. 14	2	11	1				1	1							
Tuberculosis, general.....	{M.. 2						1	1								
	{F.. 4				1				3							
Consumption.....	{M.. 1,402	37	81	19	33	118	241	159	125	124	77	64	78	70	58	155
	{F.. 1,821	36	94	30	54	207	320	223	177	127	139	85	81	60	58	166
Cancer.....	{M.. 156				2	2	1	2	4	6	13	13	10	15	21	67
	{F.. 305		1			4	4	5	15	25	31	26	33	36	43	82
Tumor.....	{M.. 12	2	3					1					2	4		2
	{F.. 60		1	1	1		2	3	2	6	1	6	6	8	4	19
Dropsy.....	{M.. 252	2	14	11	8	5	8	6	5	10	13	11	12	13	23	113
	{F.. 229	4	17	4	8	14	10	8	9	6	13	7	18	13	17	85
Others of this group.....	{M.. 17		8				2				2			1	2	2
	{F.. 7		6					1								
2. Diseases of the nervous system..	2,620	561	799	97	52	70	73	54	52	65	97	106	129	147	176	703
Males.....	1,430	325	454	53	25	27	44	24	31	36	50	57	76	87	86	380
Females.....	1,190	236	345	44	27	43	29	30	21	29	47	49	53	60	90	323
Inflammation of the brain.....	{M.. 101	32	54	12	8	6	5	1	3	1	1	1	3		1	5
	{F.. 90	30	51	10	4	6		4	3	1	2			2	1	6
Meningitis.....	{M.. 225	71	132	20	11	9	16	6	7	4	8	1	1	1	1	8
	{F.. 189	51	99	21	11	17	10	5	4	2	5	3	3	1	2	6
Apoplexy.....	{M.. 197							3	5	9	8	18	30	22	20	82
	{F.. 186	1	1				5	6	3	9	13	20	16	18	26	69
Paralysis.....	{M.. 398	2	4	4	1	2	5	2	2	6	15	17	28	44	45	223
	{F.. 362	2	3	5	1	3	3	3	2	7	16	19	23	29	50	198
Paralysis, general (of insane).....	{M.. 18							1	2	1	3	4		3	2	2
	{F.. 4													1	1	2
Tetanus and trismus nascentium.....	{M.. 48	30	30	6	2	2		1	2				1	2	1	1
	{F.. 18	14	14			1		1	1	1						
Chorea.....	{M.. 1							1								
	{F..															
Epilepsy.....	{M.. 48	7	8	2		2	8	3	4	4	6	4		1	2	4
	{F.. 23	4	6	1	2	4	1	3		1		1	1		1	2
Convulsions.....	{M.. 191	156	187	1	1		1						1		1	1
	{F.. 164	118	141	4	2	6	3	3		2	1					
Mental diseases.....	{M.. 28						1		1	3	1	4	3	3	2	10
	{F.. 32				1	1	1	1		3	4	1	2	1	1	16
Diseases of the brain.....	{M.. 134	24	35	7	1	5	6	6	5	4	8	5	6	7	9	30
	{F.. 85	15	27	3	5	5	5	4	4	2	2	3	1	4	5	15
Diseases of the spinal cord.....	{M.. 10	3	4	1		1							1			3
	{F.. 8		2		1				1	1			1			2
Locomotor ataxia.....	{M.. 7									1				2	1	3
	{F.. 3															1
Others of this class.....	{M.. 24				1		2			3		3	2	2	2	9
	{F.. 26	1	1				1		3		4	2	4	4	2	5
3. Diseases of the circulatory system.	1,539	66	90	20	28	23	48	52	71	76	92	90	118	116	156	559
Males.....	822	34	48	9	15	13	28	21	30	37	38	47	68	63	87	318
Females.....	717	32	42	11	13	10	20	31	41	39	54	43	50	53	69	241
Pericarditis.....	{M.. 2					1					1					
	{F.. 1		1													
Diseases of the heart.....	{M.. 778	30	44	9	15	12	27	21	29	33	37	45	65	62	81	298
	{F.. 681	26	35	11	13	10	18	29	38	37	54	40	49	51	65	231
Angina pectoris.....	{M.. 26						1		1	3		1	2	1	5	12
	{F.. 17						1	1	1			2	1	1	4	6
Diseases of the arteries.....	{M.. 5							1								5
	{F.. 3															2
Aneurism.....	{M.. 6									1		1	1		1	2
	{F.. 4								2	1						1
Embolism.....	{M.. 1															1
	{F.. 5						1			1		1		1		1
Others of this class.....	{M.. 4	4	4													
	{F.. 6	6	6													

TABLE 3.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,560	797	1,386	130	65	141	166	122	125	116	127	113	140	120	173	636
Males.....	1,950	423	738	73	37	95	108	59	61	53	85	56	77	58	96	354
Females.....	1,610	374	648	57	28	46	58	63	64	63	42	57	63	62	77	282
Croup.....	{M.. 200	103	184	14	2											
{F.. 162	86	148	10	2					1						1	
Pneumonia.....	{M.. 1,366	245	426	48	29	86	96	43	50	46	73	42	68	38	70	251
{F.. 1,063	209	366	38	20	43	43	57	52	52	40	32	46	42	48	57	179
Laryngitis.....	{M.. 7		1				1	2						1	1	1
{F.. 7		2	2	1							1					1
Bronchitis.....	{M.. 166	56	98	7	1	3	3	3	1	1		2	3	7	5	32
{F.. 195	68	114	4	1	1	3	2	3	3	5	1	3	5	2	4	47
Pleurisy.....	{M.. 48		3	2	1	2	3	1	4	1	2	2	2	4	3	18
{F.. 37	1	1	2	1		3			2	2	1	1	6	1	4	13
Asthma.....	{M.. 48		2			1	1	2	1		2		1	4	5	29
{F.. 61		2						2	4	7	1	5	4	6	8	22
Others of this class..	{M.. 115	19	24	2	4	3	4	8	5	5	8	10	3	4	12	23
{F.. 85	10	15	1	3	2	9	2	2	9	6	2	6	5	3	3	20
5. Diseases of the digestive system.	1,426	342	571	47	37	49	68	42	44	46	51	56	68	49	71	227
Males.....	715	177	295	20	19	23	24	14	23	17	24	28	38	24	41	125
Females.....	711	165	276	27	18	26	44	28	21	29	27	28	30	25	30	102
Dentition.....	{M.. 108	52	108													
{F.. 92	37	92														
Angina.....	{M.. 14	3	4	1	3		1								1	4
{F.. 14	2	9	3										1			1
Gastritis.....	{M.. 89	11	24	2	2	1	1	1	5	1	4	5	6	7	5	25
{F.. 119	14	26	10			2	8	9	7	4	2	8	4	6	8	25
Diseases of the stomach.....	{M.. 27	4	9			1			1	1		3	6		1	5
{F.. 37	3	5	1	1	1	4	1	1	1	4	1	1	2	3	2	10
Obstruction of the bowels.....	{M.. 24	2	3	2	2	1	1	1		1		4	1	2		6
{F.. 29	8	9		1		1	2	2	1	2	1	1	1	2	2	6
Appendicitis.....	{M.. 50	1	6	2	4	11	7	3	2	2	2	1	1	2	3	4
{F.. 30	2	3	2	4	4	4	2	2	1	3	2	4	1			
Hernia.....	{M.. 36	4	5		1		1		1		5		2	3	4	14
{F.. 8	2	2									1	2	2			1
Other diseases of the bowels.....	{M.. 55	17	28	2	2	2	1		1	1	1		1	1	1	14
{F.. 45	15	23	2	3					1		2	1	2	1	1	9
Jaundice.....	{M.. 29	17	21		1						2		2	1	2	
{F.. 27	13	15				3	1					1		1		6
Inflammation and abscess of the liver.....	{M.. 45	2	5	1			3	5	6	4	2	4	1	1	4	9
{F.. 33	1	2	1				1	1		3	4		3	3	7	8
Other diseases of the liver.....	{M.. 70	5	8	1		3	4		3	3	4	3	11	1	11	18
{F.. 45	3	4		2	1	2	1	3	3	3	1	3	4	2	3	16
Peritonitis.....	{M.. 44	5	6	3	4	4	4		3	2	1	4	2	2	4	5
{F.. 77	2	5	2	5	14	15	9	4	6	7	2	2	2	3		3
Ascites.....	{M.. 20	1	2	4					1			1	1	1	1	9
{F.. 27	1	1	1	1	1	2	4	2	2		1	2	1	1	2	7
Others of this class..	{M.. 104	53	66	2			1	4		2	3	3	4	3	4	12
{F.. 128	62	80	5	1	2	2			1	4	5	3	7	3	5	10
6. Diseases of the urinary system and male organs of generation.	735	11	34	8	10	12	27	22	28	33	40	35	69	67	77	273
Males.....	479	7	16	5	3	5	10	9	15	13	25	24	45	44	54	211
Females.....	256	4	18	3	7	7	17	13	13	20	15	11	24	23	23	62
Bright's disease.....	{M.. 304			3	3	4	7	7	12	11	18	19	33	30	43	114
{F.. 188			3	6	5	12	10	9	14	10	9	21	21	21	47	
Calculus, urinary.....	{M.. 12			1									1	1	1	8
{F.. 2																2
Diseases of the kidney.....	{M.. 81	5	14			1	1	1		2	4	2	5	8	5	38
{F.. 42	4	18			1	4	2	3	1	3		1	1	1	7	
Diseases of the bladder.....	{M.. 37	1	1	1			1		1		1	1	2	5	1	23
{F.. 8							1	1		1		2		1	1	1
Others of this class..	{M.. 45	1	1				1	1	2		2	2	4		4	28
{F.. 16					1	1			1	4	2	2	2			5
7. Diseases of the female organs of generation.	64				1	4	7	4	5	8	7	7	5	3	5	8
Ovarian tumors.....	10					2		1		2	1	1	1	1	1	
Ovarian diseases.....	2				1				1							
Diseases of the tubes.....	1						1									
Uterine tumors.....	8									2	2	1		1	2	
Uterine diseases.....	17						2	1	2	2	2		1		1	6
Others of this class.....	26					2	4	2	2	2	2	5	3	1	1	2

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
8. Affections connected with pregnancy.	256				4	30	52	44	40	49	27	6	1	1		2
Abortion	11					2	1	3	1	1	2					1
Childbirth.....	162				3	18	35	25	26	34	15	4	1	1		
Puerperal septicemia	57				1	6	7	14	12	10	4	2				1
Extra-uterine pregnancy.....	2								1		1					
Others of this class.....	24					4	9	2		4	5					
9. Diseases of the bones and joints.	84	10	33	7	6	5	4	3	4	3	3	4	1	1	3	7
Males.....	47	5	20	1	4	3	3	2	1	1	3	3	1	1		4
Females.....	37	5	13	6	2	2	1	1	3	2		1			3	3
Diseases of the spine.....	33	4	18	1	3	3	2	2		1			1			2
{M.....	33	4	18	1	3	3	2	2		1			1			2
{F.....	25	3	9	3	2	2	1		2	2					2	2
Abscess, lumbar and.....	3						1		1			1				
{M.....	3											1				
{F.....	2							1								
Diseases of the bones.....	3										2					1
{M.....	3															
{F.....	7	1	3	2					1						1	
Diseases of the hip.....	1				1											
{M.....	1				1											
{F.....																
Others of this class.....	7	1	2								1	2		1		1
{M.....	7	1	2													1
{F.....	3	1	1	1												1
10. Diseases of the skin.....	59	17	26	1	1	2	3		1	1	4	4	5	2	1	8
Males.....	28	7	11			2	3			1	2	1	4		1	3
Females.....	31	10	15	1	1				1		2	3	1	2		5
Abscess.....	10	1	4				2					1	1		1	1
{M.....	10	1	4				2					1	1		1	1
{F.....	11	3	3	1	1						2	1	1	1		1
Carbuncle.....	4						1						1			2
{M.....	4						1									2
{F.....	6	1	2									2				2
Others of this class.....	14	6	7			2				1	2		2			2
{M.....	14	6	7			2										2
{F.....	14	6	10						1					1		
11. Diseases of the absorbent system.	10		2							1	1	2	1	1	1	1
Males.....	2		1									1				
Females.....	8		1							1	1	1	1	1	1	1
Addison's disease.....																
{M.....																
{F.....																
Diseases of the spleen.....														1		
{M.....																
{F.....	1															
Others of this class.....	2		1									1			1	1
{M.....	2		1													1
{F.....	7		1							1	1	1	1		1	
12. Accidents and injuries.....	1,244	110	282	89	53	129	151	97	67	62	41	44	42	28	34	125
Males.....	888	59	140	42	33	104	130	83	59	52	35	36	41	19	29	85
Females.....	356	51	142	47	20	25	21	14	8	10	6	8	1	9	5	40
Burns and scalds.....	104	6	62	13	6	1	4	2	2	2	1	2	1			8
{M.....	104	6	62	13	6	1	4	2	2	2	1	2	1			8
{F.....	167	2	64	37	15	7	7	4	4	6		4	1	3	1	14
Drowning.....	97	1	10	4	12	20	15	9	4	4	2	5	3	3	1	5
{M.....	97	1	10	4	12	20	15	9	4	4	2	5	3	3	1	5
{F.....	13		5	2		5	1									
Exposure and neglect.....	38	17	23	1		1		2					1	1	2	7
{M.....	38	17	23	1		1		2								7
{F.....	28	18	23			1	2	1								1
Gunshot wounds.....	84	1	3	1	6	15	18	11	7	5	5	5		3	2	3
{M.....	84	1	3	1	6	15	18	11	7	5	5	5		3	2	3
{F.....	5					2	1							1		1
Homicide.....	47				1	3	9	6	4	6	2	2	5		2	7
{M.....	47				1	3	9	6	4	6	2	2	5		2	7
{F.....	10		2				2	2		1						3
Infanticide.....																
{M.....																
{F.....	1	1	1													
Injuries by machinery.....	17				1	2	7		3	2	1					1
{M.....	17				1	2	7		3	2	1					1
{F.....	1				1											
Railroad accidents.....	127			6	1	19	30	24	13	8	6	7	5	2	3	3
{M.....	127			6	1	19	30	24	13	8	6	7	5	2	3	3
{F.....	5			1			1	1			2					
Suffocation.....	22	15	15			1	1	1		1					1	2
{M.....	22	15	15			1	1	1		1						2
{F.....	25	18	21			1	1				1					1
Suicide by shooting.....	16					1	3	1		4		1	1	1		4
{M.....	16					1	3	1		4		1	1	1		4
{F.....																
Suicide by drowning.....	2								1		1					
{M.....	2								1		1					
{F.....																
Suicide by poison.....	2					1			1				1		1	
{M.....	2					1			1							
{F.....	2															
Other suicides.....	8					1		2	1	1	2		1			1
{M.....	8					1		2	1	1	2					1
{F.....	4						1					1				
Sunstroke.....	22	2	3	1	1		5	1	1			1	3	1	1	4
{M.....	22	2	3	1	1		5	1	1			1				4
{F.....	8		2			1			2		1	1			1	
Surgical operations.....	5					1	2				1				1	3
{M.....	5					1	2								1	3
{F.....	4															
Wounds.....	14			1		4		1					2		3	3
{M.....	14			1		4		1							3	3
{F.....	1															
Others of this class.....	283	17	24	15	5	36	38	23	23	19	14	13	18	8	12	35
{M.....	283	17	24	15	5	36	38	23	23	19	14	13	18	8	12	35
{F.....	82	12	24	7	3	6	3	6	1	3	2	2		5	1	19

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	4,910	629	1,050	177	154	214	293	251	261	349	312	284	270	239	245	811
Males.....	3,148	379	609	113	72	104	166	145	166	239	218	215	194	174	185	548
Females.....	1,762	250	441	64	82	110	127	106	95	110	94	69	76	65	60	263
Unknown cause	163	53	70	2	3	2	3	9	4	7	5	6	8	8	6	30
Males.....	103	31	37	1	1	2	2	6	3	5	3	5	6	6	5	21
Females.....	60	22	33	1	2		1	3	1	2	2	1	2	2	1	9
1. General diseases.																
General diseases—A	787	163	327	63	44	44	54	38	33	29	24	19	15	19	13	65
Males.....	455	92	181	39	22	24	30	20	20	19	18	14	10	10	9	39
Females.....	332	71	146	24	22	20	24	18	13	10	6	5	5	9	4	26
Measles.....	{M. 6 F. 5	{3 1	{5 2		{1 1	{1 1	1									1
Scarlet fever.....	{M. 31 F. 22	{1 3	{14 13	{10 7	{3 1	{2	1						1			1
Diphtheria.....	{M. 53 F. 45	{3 3	{21 15	{17 10	{9 12	{6 2	1	1	2	1	1					
Whooping cough.....	{M. 19 F. 15	{17 11	{19 13		{1 1		1									
Malarial fever.....	{M. 5 F. 8						1	1	1						1	2
Influenza.....	{M. 27 F. 26	{4 2	{5 5	{2			1			1	2	1		1		14
Typhoid fever.....	{M. 107 F. 64		{8 8	{4 2	{4 4	{11 12	21 9	14 6	10 5	9 3	8 3	7 3	2 3	4 2	2 1	3 3
Cholera morbus.....	{M. 25 F. 20	{8 2	{13 11	{2 1	{3 1	{1 1	2		1		1	1	1	2 1		2 1
Colitis.....	{M. 2 F. 1		{2 1													
Diarrhea.....	{M. 17 F. 3	{6 2	{12 3				1								1	3
Dysentery.....	{M. 21 F. 11	{4 3	{8 6			2		2	1	3	1	1	2	1	1	1
Enteritis.....	{M. 17 F. 19	{7 9	{12 17	{1 1	{1			1	1	1				1		
Cholera infantum.....	{M. 42 F. 42	{28 26	{42 42													
Fever.....	{M. 5 F. 6	{1	{2 1		{1		1		2 1			1			1	1
Cerebro-spinal fever.....	{M. 10 F. 6	{1 1	{6 1	{2 1	{1 1	{1	2			1		1				
Smallpox.....	{M. 13 F. 4	{1	{2			1	3	1	1		1	1	1		1	1
Erysipelas.....	{M. 11 F. 1	{2	{3									1	1	1	1	4
Septicemia.....	{M. 29 F. 31	{3 3	{4 4	{1 1	{2		2 3	2 10	3 4	4 3	3 1		1		1	6
Venereal diseases.....	{M. 5 F. 1	{3	{3							1			1		1	
Others of this group.....	{M. 10 F. 2					1			1		3	1	1	1		2
General diseases—B	123	63	69			1	1	1	8	10	5	6	3	10	3	6
Males.....	89	42	47			1		1	5	7	4	6	3	8	2	5
Females.....	34	21	22				1		3	3	1			2	1	1
Alcoholism.....	{M. 25 F. 1								2	5	3	4	2	7	1	1
Parasitic diseases.....	{M. F.															
Lead poison.....	{M. 1 F.											1				
Other poisons.....	{M. 19 F. 9	{2	{6 1			1		1	3 2	1 2	1 1	1		1	1	3
Inanition.....	{M. 44 F. 24	{40 21	{41 21						1				1			1
General diseases—C	250	96	101					1	1			2	3	2	6	134
Males.....	159	59	62					1	1			2	3	2	4	84
Females.....	91	37	39												2	50
Old age.....	{M. 81 F. 49														3 1	78 48
Premature birth.....	{M. 39 F. 16	{39 16	{39 16													
Malformation.....	{M. 6 F. 12	{5 12	{6 12													
Debility and atrophy.....	{M. 29 F. 12	{11 7	{13 9					1	1			2	3	2	1 1	6 2
Others of this group.....	{M. 4 F. 2	{4 2	{4 2													

653

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D	925	24	69	22	31	64	82	72	58	88	84	65	62	53	57	118
Males.....	500	15	41	13	13	16	28	38	32	47	46	41	38	39	36	72
Females.....	425	9	28	9	18	48	54	34	26	41	38	24	24	14	21	46
Anemia.....	{M.. 6	1	1		1					1		1			2	
{F.. 6			1	1			1	1			1					1
Diabetes.....	{M.. 20		1	1		1		2		3	1	2	2		3	4
{F.. 10			1	1	1					1		1		1	1	3
Rheumatism.....	{M.. 14		1		2				2	2	1	1	1		1	3
{F.. 6					2						2		1			1
Scrofula and tabes ..	{M.. 5		1	3		1										
{F.. 8		2	4				2				1				1	
Hydrocephalus.....	{M.. 19	7	11	5					2			1				
{F.. 11		1	6	2		3										
Tuberculosis, general	{M.. 2									1				1		
{F.. 3						1	1			1						
Consumption.....	{M.. 298	6	20	4	10	11	25	33	26	35	37	24	22	17	11	23
{F.. 265	5	13	4	15	40	50	33	23	27	16	11	11	11	5	3	14
Cancer	{M.. 97		1				1	3	2	3	7	9	11	18	14	28
{F.. 88				1		1			1	11	16	11	11	6	11	19
Tumor.....	{M.. 10		1			1				1				1	3	3
{F.. 11			1						1	1	2	1		1	3	1
Dropsy	{M.. 23		3				1					3	2	1	2	11
{F.. 15			1			2			1				1	1	2	7
Others of this group	{M.. 6	1	1			2	1			1				1		
{F.. 2	1	1			1											
2. Diseases of the nervous system.	497	75	120	15	14	14	13	11	20	22	30	31	40	35	33	99
Males.....	321	49	72	10	4	7	10	5	12	13	21	22	27	21	28	69
Females.....	176	26	48	5	10	7	3	6	8	9	9	9	13	14	5	30
Inflammation of the	{M.. 18	6	11						1			1		2		3
brain.....	{F.. 7	3	5		1	1										
Meningitis	{M.. 54	12	27	9	3	6	1	1	1	1	2		1			2
{F.. 41	9	20	4	4	4	2	1	1	1	2	1	1				1
Apoplexy	{M.. 67	1	1				1		4	2	3	3	9	7	13	24
{F.. 25					2				1	2	1	1	2	4	3	9
Paralysis	{M.. 65		1				1	2	2	2	4	4	6	7	10	26
{F.. 34	1	2					1	1		1		5	5	5	1	14
Paralysis, general (of	{M.. 14						1		1	1	4	5		1		1
insane).	{F..															
Tetanus and trismus	{M.. 1			1												
nascentium.	{F..															
Chorea	{M..															
{F.. 1					1											
Epilepsy.....	{M.. 7				1		3			1					1	1
{F.. 4						1	1		2							
Convulsions	{M.. 24	20	21						1			1				1
{F.. 18	11	16						1	1							
Mental diseases	{M.. 27							1	1	2	6	5	6	1	1	4
{F.. 18								1	3	4	6	1	2	1		
Diseases of the brain	{M.. 35	9	10			1	3	1		3		2	4	2	3	6
{F.. 19	2	5	1	2				1			1		3	2		1
Diseases of the spinal	{M.. 5	1	1										1			
cord.	{F.. 3								1		2		1	1	1	
Locomotor ataxia ...	{M.. 3									1		1		1		
{F..																
Others of this class.	{M.. 1															1
{F.. 6						1		1				1		1		2
3. Diseases of the circulatory sys- tem.	435	20	27	8	7	9	18	14	11	32	23	46	37	39	42	122
Males.....	292	13	19	5	1	3	9	7	3	24	15	39	25	33	31	78
Females.....	143	7	8	3	6	6	9	7	8	8	8	7	12	6	11	44
Pericarditis	{M.. 1														1	
{F.. 1		1	1													
Diseases of the heart	{M.. 274	12	18	5	1	3	8	7	3	23	15	35	23	31	28	74
{F.. 135	5	6	3	6	6	6	6	7	8	8	8	7	12	5	9	44
Angina pectoris	{M.. 7						1					2		2		2
{F.. 4							1							1	2	
Diseases of the arter- ies.	{M..															
{F..																
Aneurism	{M.. 9									1		2	2		2	2
{F.. 1							1									
Embolism	{M..															
{F.. 1							1									
Others of this class .	{M.. 1	1	1													
{F.. 1	1	1														

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	547	87	151	16	18	20	25	15	24	36	40	37	35	25	25	80
Males.....	361	49	84	9	7	11	19	12	20	27	32	26	30	18	16	50
Females.....	186	38	67	7	11	9	6	3	4	9	8	11	5	7	9	30
Croup.....	21	9	16	4												1
{M.....	21	9	16	4												
{F.....	24	5	16	5	3											
Pneumonia.....	269	27	49	5	7	10	18	11	14	22	27	25	21	15	10	35
{M.....	110	17	29	1	6	9	6	3	4	5	5	9	5	6	5	17
{F.....																
Laryngitis.....	2	1	2													
{M.....	2		1													
{F.....				1												
Bronchitis.....	25	6	11						1		2		2	1	2	6
{M.....	25	10	15							1					2	4
{F.....											2	1				
Pleurisy.....	11						1		1		2	1	3	1	1	1
{M.....	6	1	1		2					1				1		1
{F.....																
Asthma.....	5								1	1			1		1	1
{M.....	7										1				1	5
{F.....																
Others of this class.....	28	6	6			1		1	3	4	1		3	1	2	6
{M.....	12	5	5						2			1			1	3
{F.....																
5. Diseases of the digestive system.	287	32	55	19	13	11	20	20	17	18	18	17	14	15	18	32
Males.....	160	18	30	9	7	6	9	7	7	10	13	9	7	11	17	18
Females.....	127	14	25	10	6	5	11	13	10	8	5	8	7	4	1	14
Dentition.....	2		2													
{M.....																
{F.....																
Angina.....	5		2	2			1									
{M.....	7		4	2					1							
{F.....																
Gastritis.....	14	1	2						2				1	2	5	2
{M.....	20	3	5			1		3	1					2	1	7
{F.....																
Diseases of the stomach.....	8		2						1	1		1			1	2
{M.....	7	2	2				2		1	1		1				1
{F.....																
Obstruction of the bowels.....	17	3	4	1		1	1	1	1	2		1	2	2		1
{M.....	8						1	1		2	2	2				
{F.....																
Appendicitis.....	34		1	2	6	4	5	4	2	3	3	2	1		1	
{M.....	17		1	5	4	1		3	1				1			
{F.....																
Hernia.....	9	3	3											2		4
{M.....	3	1	2										1			
{F.....																
Other diseases of the bowels.....	11	3	5	2					1			1			1	1
{M.....	3	1	3													
{F.....																
Jaundice.....	6	3	3								1				2	
{M.....	4	2	2				1						1			
{F.....																
Inflammation and abscess of the liver.....	4										1				3	
{M.....																
{F.....																
Other diseases of the liver.....	24	1	1							2	4	2	3	4	2	6
{M.....	7							1			1	1	2			2
{F.....																
Peritonitis.....	17			2	1	1	2	2	2		3	1		1	1	1
{M.....	38	2	3	3	2	3	7	5	4	3	1	3	2			2
{F.....																
Ascites.....	2														1	1
{M.....	3								1					1		1
{F.....																
Others of this class.....	7	4	5								1	1				1
{M.....	10	3	3						2	2	1	1				1
{F.....																
6. Diseases of the urinary system and male organs of generation.	206	5	11	4	2	4	5	4	9	25	15	10	20	16	15	66
Males.....	155	5	8	4	2			2	3	15	12	8	16	12	14	59
Females.....	51		3			4	5	2	6	10	3	2	4	4	1	7
Bright's disease.....	104			3	2			2	2	13	8	7	11	10	12	34
{M.....	36					2	3	2	4	8	2	1	4	4	1	5
{F.....																
Calculus, urinary.....																
{M.....																
{F.....																
Diseases of the kidney.....	15	2	4	1						1		1		1		7
{M.....	4		3									1				
{F.....																
Diseases of the bladder.....	14						1			1	4		2			7
{M.....	1															
{F.....																
Others of this class.....	22	3	4				2	1		1			3	1	2	11
{M.....	10								2		1					2
{F.....																
7. Diseases of the female organs of generation.	10					1	1			1	2		2	3		
Ovarian tumors.....	3												1	2		
Ovarian diseases.....	2									1	1					
Diseases of the tubes.....																
Uterine tumors.....	2										1			1		
Uterine diseases.....	1						1									
Others of this class.....	2					1							1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WASHINGTON—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	49					7	7	16	10	3	5	1				
Abortion	4						1	3								
Childbirth	23					4	3	7	4	2	3					
Puerperal septicemia	18					3	2	4	5	1	2	1				
Extra-uterine pregnancy																
Others of this class	4						1	2	1							
9. Diseases of the bones and joints.	18	2	4		1	2	3		1	1	4		1			1
Males	12	1	2			2	1		1	1	3		1			1
Females	6	1	2		1		2				1					
Diseases of the spine (M..)	5	1	2			1	1			1						
Diseases of the spine (F..)	5	1	2		1		2									
Abscess, lumbar and psoas (M..)	2								1							1
Abscess, lumbar and psoas (F..)																
Diseases of the bones (M..)	4										3		1			
Diseases of the bones (F..)																
Diseases of the hip-joint (M..)	1					1										
Diseases of the hip-joint (F..)																
Others of this class (M..)																
Others of this class (F..)	1										1					
10. Diseases of the skin	11	3	3				1	1		2						4
Males	8	3	3				1			1						3
Females	3							1								1
Abscess (M..)	5	1	1				1			1						2
Abscess (F..)	2							1		1						
Carbuncle (M..)																
Carbuncle (F..)	1															1
Others of this class (M..)	3	2	2													1
Others of this class (F..)																
11. Diseases of the absorbent system.	4										3				1	
Males	4										3				1	
Females																
Addison's disease (M..)	3										2				1	
Addison's disease (F..)																
Diseases of the spleen (M..)																
Diseases of the spleen (F..)																
Others of this class (M..)	1										1					
Others of this class (F..)																
12. Accidents and injuries	598	6	43	28	21	35	60	49	65	75	54	44	30	14	26	54
Males	529	2	23	23	15	32	57	46	59	70	48	43	28	14	22	49
Females	69	4	20	5	6	3	3	3	6	5	6	1	2		4	5
Burns and scalds (M..)	16		8	1	1			1		2		1				2
Burns and scalds (F..)	14		7	4	2										1	
Drowning (M..)	88		11	6	1	9	14	5	11	10	5	4	1	3	2	6
Drowning (F..)	9		5	1		1	1								1	
Exposure and neglect (M..)	4	1	1							1					1	1
Exposure and neglect (F..)	1		1													
Gunshot wounds (M..)	52			1	7	7	10	5	5	3	4	4	1		2	3
Gunshot wounds (F..)																
Homicide (M..)	16			1					4	2	2	1	2	1	3	
Homicide (F..)	6					1		1	3	1						
Infanticide (M..)																
Infanticide (F..)																
Injuries by machinery (M..)	2												1		1	
Injuries by machinery (F..)																
Railroad accidents (M..)	49			3			8	6	5	9	6	3	1	1	2	5
Railroad accidents (F..)	1															1
Suffocation (M..)	9				1		1		2		1	2				2
Suffocation (F..)	2	2	2													
Suicide by shooting (M..)	13						5		2	1		1	3			1
Suicide by shooting (F..)																
Suicide by drowning (M..)	3					1							1			1
Suicide by drowning (F..)	1								1							
Suicide by poison (M..)	10						2		2	2	2		1		1	
Suicide by poison (F..)	3				1											1
Other suicides (M..)	32					1	1	3	4	3	3	4	2	4	1	6
Other suicides (F..)	7						1	1	1	1	1	1	1			
Sunstroke (M..)	1												1			
Sunstroke (F..)																
Surgical operations (M..)	4			1			1			1					1	
Surgical operations (F..)	7						1	1	1	2	1		1			
Wounds (M..)	26			1		1	1	2	7	3	1	3	1		3	3
Wounds (F..)																
Others of this class (M..)	204	1	3	9	5	13	14	24	17	33	24	20	13	5	5	19
Others of this class (F..)	18	2	5		3	1					4				2	3

[illegible]

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
1. General diseases—Continued.																
General diseases—D.....	1,850	53	111	31	52	149	260	189	143	105	107	101	100	99	84	319
Males.....	763	16	44	13	18	50	89	71	59	47	44	48	43	47	44	146
Females.....	1,087	37	67	18	34	99	171	118	84	58	63	53	57	52	40	173
Anemia.....	{M.. 8				1						1			1	2	3
{F.. 8				1			2	3					1			1
Diabetes.....	{M.. 14					3		1	1	2	3	2		1	1	
{F.. 9				1	2		1						1		1	3
Rheumatism.....	{M.. 32		1	1	2		2	1	1	4	1	2	1	3	1	12
{F.. 35				2	5	1	2	2		1	2	2	1	3	4	10
Scrofula and tabes.....	{M.. 22	1	5	1			2	2	2	1	3		2	1	2	1
{F.. 33	7	11	3	4	1	3	2	2	3			1			1	4
Hydrocephalus.....	{M.. 7	1	4				2									1
{F.. 7	4	6		1												
Tuberculosis, general.....	{M.. 1						1									
{F.. 1	1															
Consumption.....	{M.. 503	8	23	4	10	44	81	64	52	36	32	38	22	24	23	50
{F.. 770	23	37	9	17	93	153	108	76	54	45	32	36	26	14	70	
Cancer.....	{M.. 73			1	2	1	1	1	1	2	1	5	11	11	6	30
{F.. 115	1	3			2	1	1	2	2	8	15	13	17	12		39
Tumor.....	{M.. 16	4	6	2	1				1		1		2	2		1
{F.. 13	1	2					2			1	2	1		2		3
Dropsy.....	{M.. 83		2	4	2	2	2	2	1	2	2	1	5	4	9	47
{F.. 93		5	2	4	2	7	2	3			6	2	5	4	8	43
Others of this group.....	{M.. 4	2	3													1
{F.. 3		2	1													
2. Diseases of the nervous system.....	1,037	214	374	43	22	30	24	26	18	25	33	23	25	51	43	300
Males.....	558	121	192	23	13	23	13	14	13	16	19	10	16	26	21	159
Females.....	479	93	182	20	9	7	11	12	5	9	14	13	9	25	22	141
Inflammation of the brain.....	{M.. 73	25	44	7	5	4	2	2		2	2			1		4
{F.. 77	29	64	3				2	1			1	1		1		3
Meningitis.....	{M.. 96	36	66	7	3	3	2	2	4	2	2	1	2			2
{F.. 87	29	59	9	5	1	4	3				2	1	1		2	
Apoplexy.....	{M.. 57	2	2			1	2	2	2			4	5	7	2	30
{F.. 39	1	1					1	1	1	1	2	2	4	2	4	20
Paralysis.....	{M.. 135			1	1	1		1	1	5	5	2	4	11	10	93
{F.. 143	1	3	1		2		1	1		2	5	2	1	16	10	99
Paralysis, general (of insane).....	{M.. 2											1	1			
{F.. 2														1		1
Tetanus and trismus nascentium.....	{M.. 3					2		1								
{F.. 2			2													
Chorea.....	{M.. 1		1													
{F.. 4					1	2						1				
Epilepsy.....	{M.. 29	8	8	1	1	6	1	2	3	2	3	1				1
{F.. 22	3	6	2	2	1	1	1	1	1			1	1	2		4
Convulsions.....	{M.. 49	34	42	3					1					1		3
{F.. 34	20	31	1	1												
Mental diseases.....	{M.. 37					3	2	3	1	3	4		1	1	5	11
{F.. 14							2		2	2	2		1	1	2	2
Diseases of the brain.....	{M.. 43	10	20	3	3	1	3	1	1		2	1	1	2	1	4
{F.. 20	2	5						4			1	1	1	1	1	6
Diseases of the spinal cord.....	{M.. 11	6	8								1		1			1
{F.. 15	6	11	2		1											1
Locomotor ataxia.....	{M.. 3									1						2
{F.. 3																
Others of this class.....	{M.. 19		1	1		2	1		1	1				1	3	8
{F.. 20	2	2					1	1	4	1		4		1	2	5
3. Diseases of the circulatory system.....	517	40	46	4	8	13	21	19	23	15	20	21	37	34	48	208
Males.....	274	20	21	2	3	7	7	6	11	8	7	16	16	14	29	127
Females.....	243	20	25	2	5	6	14	13	12	7	13	5	21	20	19	81
Pericarditis.....	{M.. 3						1		1							1
{F.. 1			1													
Diseases of the heart.....	{M.. 255	19	20	2	3	7	4	5	10	8	6	16	16	11	28	119
{F.. 224	17	22	1	5	6	11	11	10	7	13	5	20	19	19	19	75
Angina pectoris.....	{M.. 7						1							3	1	2
{F.. 12							2	2	1				1	1		5
Diseases of the arteries.....	{M.. 2															2
{F.. 3							1	1	1							1
Aneurism.....	{M.. 4															
{F.. 3																
Embolism.....	{M.. 1										1					
{F.. 1																
Others of this class.....	{M.. 2	1	1													1
{F.. 3	3	3	3													

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	1,260	368	643	73	32	41	35	29	25	25	24	24	25	37	32	215
Males.....	687	206	369	34	18	22	13	16	13	12	11	16	9	28	14	112
Females.....	573	162	274	39	14	19	22	13	12	13	13	8	16	9	18	103
Croup.....	186	100	171	13	2											
{M.....	140	75	125	13	1	1										
{F.....																
Pneumonia.....	402	90	172	20	12	20	12	11	11	11	8	15	8	21	9	72
{M.....	320	66	119	23	10	12	14	10	10	11	8	7	11	5	11	69
{F.....																
Laryngitis.....	2			1			1									
{M.....	37	11	16	1	1			2	1	1				2		13
{F.....	45	14	21	1		1	1	1			1		2	2	2	13
Bronchitis.....	18						1	1	1					2		12
{M.....	14						3	1			3	1	2			3
{F.....																
Pleurisy.....	17		1		1									2	3	10
{M.....	17		1				1						1	1	1	12
{F.....																
Asthma.....	27	5	9		2	2		2			2	1	1	1	2	5
{M.....	35	7	8	1	3	4	2	1	2	2	1			1	4	6
{F.....																
Others of this class..																
5. Diseases of the digestive system.	530	89	137	23	9	16	25	18	13	14	31	27	29	33	34	121
Males.....	295	50	83	12	4	8	11	9	5	7	19	11	18	16	19	73
Females.....	235	39	54	11	5	8	14	9	8	7	12	16	11	17	15	48
Dentition.....	7	2	7													
{M.....	4	3	4													
{F.....																
Angina.....	3	1	1								1				1	
{M.....	2		1					1								
{F.....																
Gastritis.....	66	6	13	2		1	4	2	2	1	3	1	4	8	6	19
{M.....	48	9	12	4	1	1	4	1	1	1	3	2	2	5	3	8
{F.....																
Diseases of the stomach.....	34	2	4	1	1	1	1	2			3	1	2		4	14
{M.....	39	4	8	1		4	3	1		1	3	2	2	6	2	6
{F.....																
Obstruction of the bowels.....	16	4	5	2		1	1	1		1	1		1			3
{M.....	9	1	2	1	1		1					1			2	1
{F.....																
Appendicitis.....	15	1	2	1	2	2		1		3	1		1		1	1
{M.....	5			2	1	1	1									
{F.....																
Hernia.....	8	1	2								1					5
{M.....	8	1	1									1		1	1	4
{F.....																
Other diseases of the bowels.....	27	7	16	1	1	1	1			1		1	1		1	3
{M.....	22	5	8	2			1		2			1		1	1	6
{F.....																
Jaundice.....	15	6	6	1										2		6
{M.....	7	3	3								1		1	1		1
{F.....																
Inflammation and abscess of the liver.....	19	2	2	1			1	1	2		2	2		3	1	4
{M.....	13		1			1		1		1		1	1		1	6
{F.....																
Other diseases of the liver.....	32	3	6			1	1	1	1		4	3	4	2	2	7
{M.....	19	1	1			1	1		2				4	2	3	5
{F.....																
Peritonitis.....	12		1	1		1	1	1		1			2		2	2
{M.....	17	1	1		1		3	4	2	1	2	2		1		
{F.....																
Ascites.....	12	1	1	1			1				2	2	1			4
{M.....	17							1	1	1	1	4			1	8
{F.....																
Others of this class..	29	14	17	1							1	1	2	1	1	5
{M.....	25	11	12	1	1					2	2	2	1		1	3
{F.....																
6. Diseases of the urinary system and male organs of generation.	281	10	17	6	8	10	8	7	10	8	13	12	14	24	17	127
Males.....	200	5	10	2	3	5	6	4	6	4	6	7	9	18	13	107
Females.....	81	5	7	4	5	5	2	3	4	4	7	5	5	6	4	20
Bright's disease.....	115			1	2	5	4	2	2	4	4	5	6	12	8	60
{M.....	57			3	4	3	2	3	3	4	3	4	4	4	4	16
{F.....																
Calculus, urinary.....	6						1		1		1	1			1	1
{M.....																
{F.....																
Diseases of the kidney.....	46	4	8	1	1		1	2	1				2	3	3	24
{M.....	15	2	4		1	1			1		3	1	1	1		2
{F.....																
Diseases of the bladder.....	16										1	1	1		1	12
{M.....																
{F.....																
Others of this class..	17	1	2						2					3		10
{M.....	9	3	3	1		1					1			1		2
{F.....																
7. Diseases of the female organs of generation.	28				1	3	5	3	4	3	2	3		1	1	2
Ovarian tumors.....																
Ovarian diseases.....	1														1	
Diseases of the tubes.....	2							2								
Uterine tumors.....	6					2	1				2	1				
Uterine diseases.....	6					1	1		1	1				1		1
Others of this class..	1				1	2	2	2	1	2		2				1

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WEST VIRGINIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	102					14	18	26	21	8	12	3				
Abortion	6					1	1	1	2	1						
Childbirth.....	49					8	8	9	10	5	7	2				
Puerperal septicemia.....	33					4	5	12	7	2	2	1				
Extra-uterine pregnancy.	3							2			1					
Others of this class	11					1	4	2	2		2					
9. Diseases of the bones and joints.	80	39	56	5	2	2	2		2	2		2		2		5
Males.....	45	22	32	3	2	1			2			1		1		3
Females.....	35	17	24	2		1	2			2		1		1		2
Diseases of the spine {M..	39	20	30	3	1	1						1				3
{F..	33	17	24	1		1	2			2		1		1		1
Abscess, lumbar and {M..	1								1							
{F..																
Diseases of the bones {M..	4	1	1		1				1					1		
{F..	1															1
Diseases of the hip {M..																
{F..	1			1												
Others of this class {M..	1	1	1													
{F..																
10. Diseases of the skin	21	6	11	1				1			1	1		2	1	3
Males.....	14	4	8	1				1			1	1			1	1
Females.....	7	2	3											2		2
Abscess..... {M..	6	1	1	1				1			1				1	1
{F..	4	1	1											1		2
Carbuncle..... {M..	2	1	1									1				
{F..																
Others of this class {M..	6	2	6													
{F..	3	1	2											1		
11. Diseases of the absorbent system.	5	1	1								1	1		1	1	
Males.....	3	1	1									1			1	
Females.....	2										1			1		
Addison's disease.... {M..																
{F..																
Diseases of the spleen {M..											1					
{F..	1															
Others of this class {M..	3	1	1									1			1	
{F..	1													1		
12. Accidents and injuries.....	597	41	117	43	36	72	79	63	31	22	24	16	11	13	10	60
Males.....	457	25	68	26	25	59	71	59	28	16	21	14	11	10	8	41
Females.....	140	16	49	17	11	13	8	4	3	6	3	2		3	2	19
Burns and scalds.... {M..	32	1	23	5							1	1				2
{F..	61	2	24	13	5	6	1		2	1	1	1		1		6
Drowning..... {M..	25		3	4	4	6	4	2		1	1					
{F..	10		3	2	1	3				1						
Exposure and neglect {M..	5	5	5			1	1	1								
{F..	5	2	2													
Gunshot wounds.... {M..	42		1	1	5	9	7	5	5	2	3	1		1		2
{F..	4					3				1						
Homicide..... {M..	15					1	3	2	3		1	1			1	3
{F..	2										1					1
Infanticide..... {M..																
{F..																
Injuries by machinery. {M..	5					1					2		1	1		
{F..																
Railroad accidents.. {M..	98	3	5	4	3	13	24	12	5	6	8	3	1	1	3	10
{F..	5		1		2		1							1		
Suffocation..... {M..	12	8	9					1		1						1
{F..	7	5	7													
Suicide by shooting.. {M..	3						2				1					
{F..																
Suicide by drowning. {M..	1										1					
{F..	2							1			1					
Suicide by poison.... {M..	2					1							1			
{F..	1						1									
Other suicides..... {M..	10					2		2	1			3	2			
{F..	2						1								1	
Sunstroke..... {M..	3														1	2
{F..																
Surgical operations.. {M..											1					
{F..	1															
Wounds..... {M..	10		1	1			2	2			1			1	1	1
{F..	1															1
Others of this class {M..	194	8	21	11	13	26	29	33	11	6	2	5	6	6	2	20
{F..	39	7	12	2	3		3	2	1	2		1		1	1	11

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
All causes	24,928	5,213	7,241	824	546	732	1,060	958	848	937	936	802	894	999	1,122	7,029
Males.....	13,815	2,950	4,009	433	274	341	503	481	455	489	534	476	534	604	624	4,058
Females.....	11,113	2,263	3,232	391	272	391	557	477	393	448	402	326	360	395	498	2,971
Unknown cause	916	366	426	26	20	9	20	30	21	22	26	20	26	25	31	214
Males.....	499	210	242	14	12	3	7	12	10	9	15	8	18	12	22	115
Females.....	417	156	184	12	8	6	13	18	11	13	11	12	8	13	9	99
I. General diseases.																
General diseases—A	3,523	1,300	1,998	265	127	99	122	97	73	83	52	48	47	39	84	389
Males.....	1,835	706	1,049	144	55	49	65	55	36	34	27	20	25	30	39	207
Females.....	1,688	594	949	121	72	50	57	42	37	49	25	28	22	9	45	182
Measles.....{M..	38	9	28	3	3		1			1						2
{F..	65	15	41	9	1	8	2	2							1	1
Scarlet fever.....{M..	195	9	66	31	4	1		2			1					
{F..	95	8	60	21	7		1	3		2						1
Diphtheria.....{M..	185	8	81	65	18	9	4	3	2	1						2
{F..	167	8	60	57	34	6	5	3						1		1
Whooping cough.....{M..	96	73	92	3	1											
{F..	122	78	113	6	2											1
Malarial fever.....{M..	22	4	4		2	2	3	2	1			1		1		5
{F..	15	1	2		1	1	2	1		2		1			2	3
Influenza.....{M..	98	12	18	4				1	2		3	2		2	3	61
{F..	143	16	24	2	1		2	2	3	2	4	4	7	3	7	82
Typhoid fever.....{M..	220		8	7	11	25	42	38	22	21	12	6	7	7	7	7
{F..	145	4	15	9	15	25	23	11	8	16	5	5	5	1	5	2
Cholera morbus.....{M..	133	49	71	10	5	6	2	1	2	1	1	3	3	3	8	17
{F..	114	30	45	6	5	3	5	2	5	5	5	2	2	1	3	25
Colitis.....{M..	12	7	8												1	3
{F..	7	1	2	1					1		1	1				1
Diarrhea.....{M..	93	39	53	3	1									1	4	29
{F..	60	33	42	2	2			1		1					5	6
Dysentery.....{M..	56	19	30	1	1		1			1	1			1	6	13
{F..	60	16	33	1							1	2	1	1	4	17
Enteritis.....{M..	225	147	177	5		2	1	2	1	2	2	3	2	2	4	22
{F..	184	109	141	2	3		4		3	4	1	3	1	1	7	14
Cholera infantum.....{M..	357	292	357													
{F..	318	234	318													
Fever.....{M..	6	2	3						1							2
{F..	12	4	4			1	1	2	2	1			1			
Cerebro-spinal fever.....{M..	25	2	12	6	3		1		1			1				1
{F..	15	4	9	2	1			1	1	1						
Smallpox.....{M..	3	1	2							1						
{F..	4	1	1							1				2		
Erysipelas.....{M..	28	9	11		1	1		1	1					2	3	7
{F..	22	7	7			2				1		1			3	8
Septicemia.....{M..	104	18	22	6	4	2	8	4	3	5	7	4	5	6	6	22
{F..	104	13	18	1		4	11	14	14	12	8	6	3		7	6
Venereal diseases.....{M..	6	5	5							1						
{F..	12	10	10									1				1
Others of this group.....{M..	23	1	1		1	1	2	1						1	1	14
{F..	24	2	4	2			1			1		1		1	1	13
General diseases—B	514	344	369	5	2	5	7	7	9	8	23	17	14	7	7	34
Males.....	297	190	203	2	1	2	3	2	5	5	19	12	12	6	5	20
Females.....	217	154	166	3	1	3	4	5	4	3	4	5	2	1	2	14
Alcoholism.....{M..	49									2	16	7	10	4	1	7
{F..	10		1				1		2		2	2				2
Parasitic diseases.....{M..	1			1												1
{F..	1															
Lead poison.....{M..	1											1				
{F..																
Other poisons.....{M..	41		6	2	1	2	3	2	3	3	2	3	2	2	3	7
{F..	32	1	5	1	1	3	1	5	2	3	2	2		1		6
Inanition.....{M..	205	190	197								1	1			1	5
{F..	174	153	160	1			2					1	2		2	6
General diseases—C	2,362	737	757	2	2	4	10	9	8	10	18	11	21	24	34	1,452
Males.....	1,257	422	432		2	3	6	4	4	7	8	7	12	13	13	746
Females.....	1,105	315	325	2		1	4	5	4	3	10	4	9	11	21	706
Old age.....{M..	665														2	663
{F..	651														8	643
Premature birth.....{M..	247	247	247													
{F..	179	179	179													
Malformation.....{M..	35	33	33			1										1
{F..	32	31	32													
Debility and atrophy.....{M..	274	107	117		2	2	6	4	4	7	8	7	12	13	10	82
{F..	213	75	84	2		1	4	5	4	3	10	4	9	11	13	63
Others of this group.....{M..	36	35	35												1	
{F..	30	30	30													

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
1. General diseases—Continued. General diseases—D.....	4,286	106	220	56	89	246	381	372	258	287	292	263	249	304	283	986
Males.....	2,067	59	125	25	32	89	141	162	126	138	147	127	122	158	141	534
Females.....	2,219	47	95	31	57	157	240	210	132	149	145	136	127	146	142	452
Anemia.....	{M.. 31	5	5	2		2	1	2	1	1		3	3	1	2	8
{F.. 24	2	5		1					2	2	1	1	2		3	7
Diabetes.....	{M.. 83			2	3	7	6	3	2	1	6	4	9	6	8	26
{F.. 66	1	5	7	4	2	1	8	2	2	1	3	2	5	10	3	13
Rheumatism.....	{M.. 101	2	4	6	6	6	4	5	3	5	3	4	3	4	9	39
{F.. 51		2	2	2	2	6	2	1	3	2	1	2	1	3	3	21
Scrofula and tabes.....	{M.. 17	3	8	1	1								2	1	1	3
{F.. 15		1				2			4	1	1	1	1		2	2
Hydrocephalus.....	{M.. 34	10	25	2	1			1	1	1	1	1				1
{F.. 34	18	27	3		1	1			1							1
Tuberculosis, general.....	{M.. 5		1			1		1						2		
{F.. 6	1	1		1			2	1								1
Consumption.....	{M.. 1,087	22	53	7	16	69	120	140	110	115	97	65	60	75	38	122
{F.. 1,263	19	42	17	44	138	229	187	105	120	90	59	47	46	26	26	113
Cancer.....	{M.. 466	1	3	2	1	1	2	6	5	9	27	38	34	54	58	226
{F.. 514	1	1			3		5	11	17	38	53	55	59	82	82	190
Tumor.....	{M.. 53	4	6		1	1	3		2	2	6	2	4	5	9	12
{F.. 67					1	1	1	2	5	4	7	4	7	10	7	18
Dropsy.....	{M.. 167	2	6	1	1	2	4	3	2	4	6	9	6	10	16	97
{F.. 164		4	1	4	4	4	2	6		1	4	14	9	17	14	84
Others of this group.....	{M.. 23	10	14	2	2		1	1			1	1	1			
{F.. 15	5	7	1				2							1	2	2
2. Diseases of the nervous system..	3,212	888	1,218	103	47	54	81	62	71	59	91	75	104	133	153	961
Males.....	1,827	509	682	51	20	23	45	34	48	33	52	50	60	93	92	544
Females.....	1,385	379	536	52	27	31	36	28	23	26	39	25	44	40	61	417
Inflammation of the brain.....	{M.. 99	18	37	8	1	1	6	1	5	4	1	5	4	5	1	20
{F.. 52	13	24	5	4	1	2	2	2	3		4		1	1	1	4
Meningitis.....	{M.. 244	82	140	22	7	7	12	4	7	8	8	5	6	3	5	10
{F.. 205	55	120	27	11	14	7	9	2	1	5	4	1	1			3
Apoplexy.....	{M.. 403	5	5	2		1	8	6	10	9	11	17	19	31	43	241
{F.. 276	4	6	2		1	1	2	2	4	6	8	7	25	14	20	178
Paralysis.....	{M.. 320	7	12	4	2	3	2	3	6	2	18	14	10	33	26	185
{F.. 247	2	5	4	1	3	5	6	6	4	5	7	7	2	11	24	163
Paralysis, general (of insane). ..	{M.. 3										1					2
{F.. 4										1				1		1
Tetanus and trismus nascentium.	{M.. 18	5	6	1	1	2	2	3	1	1	1					
{F.. 10	7	7	1				1		1		1					
Chorea.....	{M.. 1		1													
{F.. 1																
Epilepsy.....	{M.. 52	8	8	4	2	2	7	6	5	1	2	2	2	2	2	7
{F.. 30	4	4		4	3	2	2		4	4	2	2		2	3	2
Convulsions.....	{M.. 465	370	444	5	3		1	3	2	2	1			2		2
{F.. 369	276	341	7	2	1	6	3	3	2	1	2				1	3
Mental diseases.....	{M.. 44						5	2			1	3	8	3	4	18
{F.. 59			1			3	3	3	5	6	1	3	3	3	3	28
Diseases of the brain.....	{M.. 115	11	23	4	3	5	1	2	6	2	7	1	7	7	6	41
{F.. 82	16	23	2	2	5	5	5		3	1	4	2	4	2	5	24
Diseases of the spinal cord.....	{M.. 35	3	6	1	1		4	1	2	1	1	1	2	5	2	8
{F.. 16	1	4	1		1	1	1		2	1			1	1	1	3
Locomotor ataxia.....	{M.. 13					1			2	2			2	1	2	3
{F.. 3												1	1		1	
Others of this class.....	{M.. 16		1			1	2			1		2		1	1	7
{F.. 31	1	1	2	2	2	2	1			1		1	6	4	1	8
3. Diseases of the circulatory system.	2,262	97	129	46	40	49	56	54	54	88	97	90	128	136	196	1,099
Males.....	1,303	60	83	17	24	21	19	28	20	45	49	58	75	76	110	678
Females.....	959	37	46	29	16	28	37	26	34	43	48	32	53	60	86	421
Pericarditis.....	{M.. 7					1						1	1	1		3
{F.. 6				2			1			1					2	
Diseases of the heart.....	{M.. 1,202	53	75	16	23	20	19	27	17	44	44	55	67	70	97	628
{F.. 903	34	43	27	15	27	27	34	24	32	40	44	30	50	59	82	396
Angina pectoris.....	{M.. 40			1				1	2		2	1	5	4	5	19
{F.. 18					1	1	1			1		1	2		1	10
Diseases of the arteries.....	{M.. 37										1	1	1		7	27
{F.. 8														1		7
Aneurism.....	{M.. 7								1	1	2		1		1	1
{F.. 5									1			1				3
Embolism.....	{M.. 3	1	1		1									1		
{F.. 14							1	1	1	2	3		1		1	4
Others of this class.....	{M.. 7	6	7		1											
{F.. 5	3	3														

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
4. Diseases of the respiratory system.	3,184	845	1,319	124	54	58	84	72	83	90	84	100	100	90	131	795
Males.....	1,766	482	731	65	23	25	47	41	43	51	57	70	68	48	69	428
Females.....	1,418	363	588	59	31	33	37	31	40	39	27	30	32	42	62	367
Croup.....	86	25	66	17	1	1	1									
(M.....)	73	21	58	12	1					1			1			
(F.....)																
Pneumonia.....	1,161	286	453	38	18	22	40	39	37	44	45	50	53	34	42	246
(M.....)	861	191	329	31	24	26	28	24	31	27	21	22	24	27	41	206
(F.....)																
Laryngitis.....	12	3	6	2						1		1	1			1
(M.....)	14	1	8	2	1	1										2
(F.....)																
Bronchitis.....	284	126	154	7	2	1	3		2	2		5	4	4	11	89
(M.....)	294	116	148	9	1		2	2	2	1	2	3	4	8	10	102
(F.....)																
Pleurisy.....	34	2	7		2			1	1	1	5	2	1		3	11
(M.....)	24	1	3	1	3	3			2	2	2	2	1		1	4
(F.....)																
Asthma.....	77	3	4				1			1		2	4	4	10	51
(M.....)	50			1			3	2	1	2	2	1	1	5	5	27
(F.....)																
Others of this class.....	112	37	41	1		1	2	1	3	2	7	10	5	6	3	30
(M.....)	102	33	42	3	1	3	4	3	4	6		2	1	2	5	26
(F.....)																
5. Diseases of the digestive system.	1,636	393	488	69	74	63	71	56	60	74	73	40	54	89	75	350
Males.....	904	233	276	34	35	30	36	27	28	42	36	19	28	62	34	217
Females.....	732	160	212	35	39	33	35	29	32	32	37	21	26	27	41	133
Dentition.....	21	18	21													
(M.....)	13	8	13													
(F.....)																
Angina.....	13	3	4	1	2	2	3	1								
(M.....)	11	2		4	2	1		1	1							
(F.....)																
Gastritis.....	122	24	33	2	2		1	1	1	4	3	3	4	11	5	52
(M.....)	109	19	32	5	2	1		2	4	3	6	1	5	7	5	36
(F.....)																
Diseases of the stomach.....	71	7	7		1	3		1	1	3	3	2	4	8	7	31
(M.....)	45	9	9				3	2	2	4	4		1	3	5	12
(F.....)																
Obstruction of the bowels.....	60	9	11	2	2	2	3	1	4	5	2	1	2	4	2	19
(M.....)	53	3	5	2	4	1	2	3	2	1	6	1	2	5	5	14
(F.....)																
Appendicitis.....	140	1	3	11	19	14	17	11	12	17	15		2	4	4	11
(M.....)	77		2	12	23	12	7	5	2	2	6	2		1	1	2
(F.....)																
Hernia.....	29	4	4				1		2					2	3	16
(M.....)	25	1	1			1			1	1	1	2	4	1	2	11
(F.....)																
Other diseases of the bowels.....	34	14	17	1	1	2	1	2		2	1			1	1	5
(M.....)	25	12	14				1	1	1			1				7
(F.....)																
Jaundice.....	32	16	17			1		1					2	7		4
(M.....)	18	6	8	1					1	2				2	3	1
(F.....)																
Inflammation and abscess of the liver.....	20	2	2	2			3		2		1	2		3		6
(M.....)	13	1	1							1	1		2		1	7
(F.....)																
Other diseases of the liver.....	79	4	5				1	1		4	6	6	7	12	8	29
(M.....)	56	3	4	1			3		2	2	2	6	6	3	10	17
(F.....)																
Peritonitis.....	108	7	18	14	8	6	6	7	3	6	3	5	3	6	2	21
(M.....)	145	9	18	10	7	17	17	15	14	14	3	4	1	2	5	12
(F.....)																
Ascites.....	7	1	1								2		1			3
(M.....)	6								1		1	2	1		1	
(F.....)																
Others of this class.....	168	123	133	1				1	3	1	1		2	4	2	20
(M.....)	136	87	103		1		2		1	2	1	2	4	3	3	14
(F.....)																
6. Diseases of the urinary system and male organs of generation.	874	15	46	23	10	12	21	28	28	43	36	32	49	68	50	428
Males.....	603	7	20	16	6	6	8	13	16	20	19	16	31	49	39	344
Females.....	271	8	26	7	4	6	13	15	12	23	17	16	18	19	11	84
Bright's disease.....	387			15	4	3	7	7	10	17	18	14	27	32	31	202
(M.....)	188			5	4	6	7	11	11	15	12	13	15	14	8	67
(F.....)																
Calculus, urinary.....	4							1						1		4
(M.....)	2															
(F.....)																
Diseases of the kidney.....	70	2	15	1	2	2	1	3	2	1		1	2	6	2	32
(M.....)	53	7	23	1			3	2	1	4	1	3	2	3	1	9
(F.....)																
Diseases of the bladder.....	78	2	2			1			2	1				8	4	60
(M.....)	9	1	2					1			2			1	1	2
(F.....)																
Others of this class.....	64	3	3					3	2	1	1	1	2	3	2	46
(M.....)	19		1	1			3			4	2		1		1	6
(F.....)																
7. Diseases of the female organs of generation.	44					3	1	9	4	9	5	2	4	4	2	1
Ovarian tumors.....	5							1			2		1		1	
Ovarian diseases.....																
Diseases of the tubes.....	5						1	1	2			1				
Uterine tumors.....	10							1			1				1	
Uterine diseases.....	9					1		2		1		1	1	2		1
Others of this class.....	15					2		4	2	4	2			1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WISCONSIN—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	190				1	13	44	36	39	35	17	2				3
Abortion	17					1	3	4	6	3						
Childbirth	107					8	22	20	20	21	12	1				3
Puerperal septicemia	48				1	1	12	10	9	11	4					
Extra-uterine pregnancy	1								1							
Others of this class	17					3	7	2	3		1	1				
9. Diseases of the bones and joints.	65	12	18	8	1	1	2	2	1	5	2	5	4	5	3	8
Males	37	6	11	3	1	1	1			2	2	5	2	3	3	3
Females	28	6	7	5			1	2	1	3			2	2		5
Diseases of the spine	{M.. 21	{F.. 4	{M.. 7	{F.. 2						1	2	4	1		1	3
Abscess, lumbar and psoas	{M.. 18	{F.. 5	{M.. 5	{F.. 4				2	1	2			1	1		2
Diseases of the bones	{M.. 14	{F.. 1	{M.. 3	{F.. 1	1	1	1			1			1	3	2	
Diseases of the hip-joint	{M.. 3	{F.. 1	{M.. 1	{F.. 2						1						
Others of this class	{M.. 1	{F.. 4		1								1				3
10. Diseases of the skin.	64	20	24	1	2	1	1	2	1	2		1	2	3	3	21
Males	34	9	10		2	1				1		1	2	1	3	13
Females	30	11	14	1			1	2	1	1				2		8
Abscess	{M.. 18	{F.. 4	{M.. 5	{F.. 1	1	1							2	1	1	7
Carbuncle	{M.. 2				1					1				1		4
Others of this class	{M.. 14	{F.. 5	{M.. 5						1		1			1		6
11. Diseases of the absorbent system.	22	2	5			1	1	2	2		2		2	3	2	2
Males	13	1	3			1		2	2					2	1	2
Females	9	1	2				1				2		2	1	1	
Addison's disease	{M.. 4	{F.. 1			1		1	2							1	
Diseases of the spleen	{M.. 4	{F.. 1	2						1					1		
Others of this class	{M.. 5	{F.. 8	1						1		2		2	1	1	2
12. Accidents and injuries.	1,774	88	224	96	77	114	158	120	136	122	118	96	90	69	68	286
Males	1,373	56	142	62	61	87	125	101	117	102	103	83	79	51	53	207
Females	401	32	82	34	16	27	33	19	19	20	15	13	11	18	15	79
Burns and scalds	{M.. 49	{F.. 1	{M.. 28	{F.. 4		1	1	2	2	3	1		2	2	2	3
Drowning	{M.. 74	{F.. 2	{M.. 34	{F.. 17	5		2	1	1	4		2	2	3	1	2
Exposure and neglect	{M.. 172	{F.. 9	{M.. 25	{F.. 32	22	20	10	5	9	12	6	3	3	3	3	13
Gunshot wounds	{M.. 20	{F.. 6	{M.. 2	{F.. 2		1	2	1		1		2				3
Homicide	{M.. 16	{F.. 4	{M.. 7	{F.. 8		2	1					1	2	2	2	4
Infanticide	{M.. 16	{F.. 6														2
Injuries by machinery	{M.. 53	{F.. 5	{M.. 3	{F.. 4	3	7	7	4	4	7	5	2	1	2	1	3
Railroad accidents	{M.. 19	{F.. 5			2	3	1	2		5		1	4			1
Suffocation	{M.. 1	{F.. 1	1													1
Suicide by shooting	{M.. 6				3	1		1								1
Suicide by drowning	{M.. 211	{F.. 4	{M.. 1	{F.. 1	17	31	17	30	18	15	14	19	12	9	23	
Suicide by poison	{M.. 8										2					1
Other suicides	{M.. 50	{F.. 26	{M.. 28	{F.. 1	2	2	2		1	4			1	1	1	8
Sunstroke	{M.. 27	{F.. 13	{M.. 16	{F.. 2	2	1			1	1	1	1	1	1	3	3
Surgical operations	{M.. 29						1		5	1	5	6	1	2	2	8
Wounds	{M.. 3								1							3
Others of this class	{M.. 9	{F.. 4							2	2	1		2			1
Others of this class	{M.. 83	{F.. 23				1	4	5	13	9	8	10	7	1	7	19
Sunstroke	{M.. 14	{F.. 2	3					2	1		2		1	1		4
Surgical operations	{M.. 9	{F.. 1	1			1	1	1			1		1	1		2
Wounds	{M.. 15			2		1	4		2	1	1	1	1	1		1
Others of this class	{M.. 22	{F.. 3	2	1		2	2	3	1	2	3	1			1	4
Others of this class	{M.. 623	{F.. 21	56	26	23	30	52	55	52	49	40	43	38	24	25	110
Others of this class	{M.. 187	{F.. 10	16	9	8	15	17	10	6	9	10	3	3	7	9	62

[illegible]

665

WYOMING—Continued.

[illegible]

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and un- known.
4. Diseases of the respiratory sys- tem.	159	47	69	7	2	5	2	9	14	15	8	6	6	4	2	10
Males.....	109	29	41	5	5	1	9	12	9	8	6	5	2	2	4	
Females.....	50	18	28	2	2	1	1	2	6	1	1	1	2	2	6	
Croup.....{M..	4	2	4													
{F..	1	1	1													
Pneumonia.....{M..	82	17	23	3	4	1	9	9	9	8	6	4	2	2	2	2
{F..	27	5	9	2	1	1	1	2	6	1	1	1	2	2	2	2
Laryngitis.....{M..	1				1											
{F..																
Bronchitis.....{M..	16	9	13	2												1
{F..	17	9	15										1			1
Pleurisy.....{M..	1												1			
{F..																
Asthma.....{M..	1															1
{F..	1															1
Others of this class..{M..	4	1	1						3							
{F..	4	3	3		1											
5. Diseases of the digestive system .	47	8	11	3	5	3	3	2	1	3	3	1	1	4	3	4
Males.....	19	3	3	1	3	3		1	1	1	1	1		2	1	1
Females.....	28	5	8	2	2		3	1		2	2		1	2	2	3
Dentition.....{M..																
{F..																
Angina.....{M..																
{F..																
Gastritis.....{M..	1									1						
{F..	4						1	1							2	
Diseases of the stom-ach..{M..	1													1		
{F..																
Obstruction of the bowels..{M..	4			1	1	2		1								1
{F..	3						1									
Appendicitis.....{M..	3				1	1						1		1		
{F..	5			1	1					1	1					
Hernia.....{M..																
{F..	1													1		
Other diseases of the bowels..{M..	4	3	3								1					
{F..	2	2	2													
Jaundice.....{M..																
{F..	1		1													
Inflammation and ab- scess of the liver..{M..	1				1											
{F..	1									1						
Other diseases of the liver..{M..	3								1					1	1	
{F..	1	1	1													
Peritonitis.....{M..	1			1												
{F..	6	1	2		1		1			1						1
Aseites.....{M..	1															1
{F..	2												1			1
Others of this class..{M..																
{F..	2	1	2													
6. Diseases of the urinary system and male organs of generation.	12	3	4		2								1	1	3	1
Males.....	4	1	2		1										1	
Females.....	8	2	2		1								1	1	2	1
Bright's disease.....{M..	2				1										1	
{F..	6				1								1	1	2	1
Calculus, urinary.....{M..																
{F..																
Diseases of the kid- ney.....{M..	1	1	1													
{F..	2	2	2													
Diseases of the blad- der.....{M..																
{F..																
Others of this class..{M..	1		1													
{F..																
7. Diseases of the female organs of generation.																
Ovarian tumors.....																
Ovarian diseases.....																
Diseases of the tubes.....																
Uterine tumors.....																
Uterine diseases.....																
Others of this class.....																

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

WYOMING—Continued.

CAUSE OF DEATH.	All ages.	Under 1	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 and over and unknown.
8. Affections connected with pregnancy.	19					1	6	6		5	1					
Abortion	2									2						
Childbirth	12					1	5	3		3						
Puerperal septicemia	4						1	2			1					
Extra-uterine pregnancy																
Others of this class	1							1								
9. Diseases of the bones and joints.	3	1	2	1												
Males	3	1	2	1												
Females																
Diseases of the spine. {M..	2	1	2													
{F..																
Abscess, lumbar and {M..																
psoas. {F..																
Diseases of the bones. {M..																
{F..																
Diseases of the hip {M..	1			1												
joint. {F..																
Others of this class. {M..																
{F..																
10. Diseases of the skin	2		1				1									
Males	2		1				1									
Females																
Abscess	2		1				1									
Carbuncle																
Others of this class. {M..																
{F..																
11. Diseases of the absorbent system.																
Males																
Females																
Addison's disease. {M..																
{F..																
Diseases of the spleen {M..																
{F..																
Others of this class. {M..																
{F..																
12. Accidents and injuries	106	2	6	2	7	11	9	15	12	16	6	7	2	2	1	10
Males	96	1	5	2	6	11	9	13	11	14	5	7	1	2	1	9
Females	10	1	1		1			2	1	2	1		1			1
Burns and scalds. {M..	3		2					1								
{F..	1												1			
Drowning	4		1			1		2								
{F..	1				1											
Exposure and neglect {M..	4				2							2				
{F..	1	1	1													
Gunshot wounds. {M..	10				2	2	1	2		1	1					1
{F..																
Homicide	3		1							1	1					
{F..																
Infanticide	1	1	1													
{F..																
Injuries by machinery. {M..																
{F..																
Railroad accidents. {M..	22			1		4	6	3	2	2	1	1				2
{F..																
Suffocation																
Suicide by shooting. {M..																
{F..																
Suicide by drowning. {M..																
{F..																
Suicide by poison. {M..	3										1	1			1	
{F..	2								1							1
Other suicides	1									1						1
{F..	1															
Sunstroke																
{F..																
Surgical operations. {M..																
{F..																
Wounds																
{F..																
Others of this class. {M..	45			1	2	4	2	5	9	10	1	3	1	2		5
{F..	4							2		1	1					




TABLE 9.

DEATHS IN THE UNITED STATES, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM
EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
WHITE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	892,092	170,665	49,212	22,890	14,648	10,493	267,908	30,272	19,160	28,877	39,519	39,927
2	Males	477,080	95,344	26,033	11,938	7,458	5,340	146,113	15,570	9,780	14,242	19,661	20,008
3	Females	415,012	75,321	23,179	10,952	7,190	5,153	121,795	14,702	9,380	14,635	19,858	19,919
4	Unknown cause	28,159	13,480	1,449	656	412	314	16,311	846	496	559	628	586
5	Males	15,068	7,459	768	335	220	161	8,943	445	247	283	273	249
6	Females	13,091	6,021	681	321	192	153	7,368	401	249	276	355	337
7	1. General diseases.												
8	General diseases—A	175,356	48,323	21,078	9,421	6,165	4,557	89,544	12,697	6,088	7,112	7,523	6,025
9	Males	90,128	26,126	10,974	4,752	3,012	2,268	47,132	6,121	2,755	3,389	4,077	3,204
10	Females	85,228	22,197	10,104	4,669	3,153	2,289	42,412	6,576	3,333	3,723	3,446	2,821
11	Measles	(M.. 4,946 F.. 5,267)	(M.. 1,232 F.. 1,100)	(M.. 1,263 F.. 1,138)	(M.. 566 F.. 569)	(M.. 275 F.. 313)	(M.. 175 F.. 174)	(M.. 3,511 F.. 3,294)	(M.. 399 F.. 438)	(M.. 182 F.. 198)	(M.. 185 F.. 242)	(M.. 189 F.. 178)	(M.. 98 F.. 161)
12	Scarlet fever	(M.. 3,008 F.. 3,061)	(M.. 296 F.. 227)	(M.. 427 F.. 396)	(M.. 452 F.. 441)	(M.. 450 F.. 443)	(M.. 332 F.. 368)	(M.. 1,957 F.. 1,875)	(M.. 763 F.. 799)	(M.. 138 F.. 187)	(M.. 53 F.. 79)	(M.. 32 F.. 36)	(M.. 20 F.. 23)
13	Diphtheria	(M.. 7,746 F.. 8,065)	(M.. 587 F.. 454)	(M.. 1,061 F.. 966)	(M.. 1,120 F.. 1,045)	(M.. 1,011 F.. 1,020)	(M.. 851 F.. 886)	(M.. 4,630 F.. 4,371)	(M.. 2,144 F.. 2,482)	(M.. 535 F.. 694)	(M.. 182 F.. 210)	(M.. 82 F.. 83)	(M.. 35 F.. 62)
14	Whooping cough	(M.. 3,657 F.. 4,261)	(M.. 2,221 F.. 2,289)	(M.. 764 F.. 978)	(M.. 274 F.. 441)	(M.. 133 F.. 203)	(M.. 83 F.. 110)	(M.. 3,475 F.. 4,021)	(M.. 111 F.. 164)	(M.. 21 F.. 27)	(M.. 10 F.. 12)	(M.. 3 F.. 2)	(M.. F.. 4)
15	Malarial fever	(M.. 4,749 F.. 4,536)	(M.. 598 F.. 542)	(M.. 334 F.. 358)	(M.. 180 F.. 199)	(M.. 138 F.. 162)	(M.. 126 F.. 134)	(M.. 1,376 F.. 1,395)	(M.. 424 F.. 470)	(M.. 271 F.. 259)	(M.. 335 F.. 308)	(M.. 356 F.. 309)	(M.. 278 F.. 240)
16	Influenza	(M.. 6,283 F.. 7,504)	(M.. 754 F.. 543)	(M.. 165 F.. 135)	(M.. 69 F.. 82)	(M.. 44 F.. 45)	(M.. 26 F.. 39)	(M.. 1,058 F.. 844)	(M.. 97 F.. 105)	(M.. 55 F.. 74)	(M.. 82 F.. 115)	(M.. 125 F.. 127)	(M.. 112 F.. 173)
17	Typhoid fever	(M.. 15,606 F.. 13,242)	(M.. 392 F.. 384)	(M.. 341 F.. 341)	(M.. 240 F.. 268)	(M.. 223 F.. 266)	(M.. 194 F.. 156)	(M.. 1,390 F.. 1,415)	(M.. 905 F.. 1,001)	(M.. 899 F.. 1,339)	(M.. 1,900 F.. 2,124)	(M.. 2,565 F.. 1,768)	(M.. 1,951 F.. 1,160)
18	Cholera morbus	(M.. 2,970 F.. 2,718)	(M.. 886 F.. 684)	(M.. 341 F.. 310)	(M.. 206 F.. 159)	(M.. 75 F.. 71)	(M.. 43 F.. 38)	(M.. 1,551 F.. 1,262)	(M.. 164 F.. 133)	(M.. 106 F.. 78)	(M.. 72 F.. 81)	(M.. 70 F.. 89)	(M.. 50 F.. 87)
19	Colitis	(M.. 720 F.. 589)	(M.. 304 F.. 232)	(M.. 121 F.. 106)	(M.. 39 F.. 29)	(M.. 27 F.. 9)	(M.. 7 F.. 2)	(M.. 498 F.. 378)	(M.. 13 F.. 11)	(M.. 2 F.. 3)	(M.. 3 F.. 3)	(M.. 7 F.. 11)	(M.. 10 F.. 6)
20	Diarrhea	(M.. 3,601 F.. 2,852)	(M.. 1,171 F.. 951)	(M.. 394 F.. 348)	(M.. 134 F.. 110)	(M.. 28 F.. 36)	(M.. 20 F.. 13)	(M.. 1,747 F.. 1,458)	(M.. 141 F.. 145)	(M.. 47 F.. 50)	(M.. 25 F.. 19)	(M.. 35 F.. 27)	(M.. 46 F.. 40)
21	Dysentery	(M.. 4,809 F.. 4,433)	(M.. 899 F.. 775)	(M.. 993 F.. 772)	(M.. 359 F.. 316)	(M.. 159 F.. 120)	(M.. 90 F.. 72)	(M.. 2,500 F.. 2,055)	(M.. 202 F.. 142)	(M.. 75 F.. 52)	(M.. 67 F.. 46)	(M.. 101 F.. 56)	(M.. 82 F.. 77)
22	Enteritis	(M.. 9,370 F.. 8,529)	(M.. 5,598 F.. 4,476)	(M.. 1,387 F.. 1,240)	(M.. 354 F.. 311)	(M.. 125 F.. 140)	(M.. 94 F.. 97)	(M.. 7,558 F.. 6,264)	(M.. 191 F.. 192)	(M.. 76 F.. 67)	(M.. 77 F.. 68)	(M.. 72 F.. 93)	(M.. 87 F.. 123)
23	Cholera infantum	(M.. 12,544 F.. 10,933)	(M.. 9,189 F.. 7,829)	(M.. 2,763 F.. 2,490)	(M.. 424 F.. 404)	(M.. 114 F.. 116)	(M.. 47 F.. 58)	(M.. 12,537 F.. 10,927)					
24	Fever	(M.. 767 F.. 742)	(M.. 216 F.. 197)	(M.. 126 F.. 101)	(M.. 42 F.. 33)	(M.. 26 F.. 20)	(M.. 17 F.. 20)	(M.. 427 F.. 371)	(M.. 55 F.. 60)	(M.. 27 F.. 22)	(M.. 32 F.. 42)	(M.. 36 F.. 37)	(M.. 31 F.. 43)
25	Cerebro-spinal fever	(M.. 2,145 F.. 1,705)	(M.. 565 F.. 447)	(M.. 306 F.. 231)	(M.. 153 F.. 124)	(M.. 101 F.. 100)	(M.. 79 F.. 56)	(M.. 1,204 F.. 958)	(M.. 247 F.. 210)	(M.. 130 F.. 140)	(M.. 144 F.. 90)	(M.. 84 F.. 63)	(M.. 76 F.. 56)
26	Smallpox	(M.. 802 F.. 564)	(M.. 113 F.. 94)	(M.. 34 F.. 43)	(M.. 35 F.. 23)	(M.. 21 F.. 27)	(M.. 28 F.. 14)	(M.. 231 F.. 201)	(M.. 49 F.. 73)	(M.. 29 F.. 34)	(M.. 50 F.. 42)	(M.. 91 F.. 53)	(M.. 72 F.. 31)
27	Erysipelas	(M.. 1,502 F.. 1,206)	(M.. 411 F.. 379)	(M.. 44 F.. 48)	(M.. 19 F.. 11)	(M.. 11 F.. 9)	(M.. 6 F.. 5)	(M.. 491 F.. 452)	(M.. 22 F.. 17)	(M.. 23 F.. 16)	(M.. 31 F.. 37)	(M.. 33 F.. 30)	(M.. 54 F.. 41)
28	Septicemia	(M.. 2,716 F.. 3,371)	(M.. 306 F.. 265)	(M.. 54 F.. 63)	(M.. 43 F.. 45)	(M.. 28 F.. 33)	(M.. 34 F.. 31)	(M.. 465 F.. 437)	(M.. 134 F.. 93)	(M.. 111 F.. 69)	(M.. 104 F.. 179)	(M.. 144 F.. 439)	(M.. 128 F.. 447)
29	Venereal diseases	(M.. 603 F.. 427)	(M.. 290 F.. 248)	(M.. 19 F.. 11)	(M.. 8 F.. 8)	(M.. 5 F.. 5)	(M.. 1 F.. 1)	(M.. 323 F.. 273)	(M.. 1 F.. 4)	(M.. 2 F.. 4)	(M.. 9 F.. 8)	(M.. 5 F.. 11)	(M.. 25 F.. 12)
30	Others of this group	(M.. 1,584 F.. 1,223)	(M.. 98 F.. 81)	(M.. 37 F.. 29)	(M.. 35 F.. 21)	(M.. 18 F.. 15)	(M.. 15 F.. 15)	(M.. 203 F.. 161)	(M.. 59 F.. 37)	(M.. 26 F.. 20)	(M.. 28 F.. 18)	(M.. 47 F.. 34)	(M.. 49 F.. 35)
31	General diseases—B	16,167	9,241	595	255	158	78	10,327	159	73	164	333	465
32	Males	9,917	5,120	327	141	83	50	5,721	84	42	70	178	292
33	Females	6,250	4,121	268	114	75	28	4,606	75	31	94	155	173
34	Alcoholism	(M.. 2,284 F.. 403)		(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 2 F.. 1)	(M.. 3 F.. 3)	(M.. 5 F.. 3)	(M.. 1 F.. 3)	(M.. 2 F.. 3)	(M.. 39 F.. 18)	(M.. 153 F.. 50)
35	Parasitic diseases	(M.. 113 F.. 112)	(M.. 12 F.. 13)	(M.. 22 F.. 24)	(M.. 22 F.. 18)	(M.. 16 F.. 23)	(M.. 11 F.. 8)	(M.. 83 F.. 86)	(M.. 16 F.. 16)	(M.. 2 F.. 1)	(M.. 2 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)
36	Lead poison	(M.. 80 F.. 24)	(M.. 2 F.. 6)	(M.. 1 F.. 1)	(M.. 1 F.. 1)			(M.. 4 F.. 8)	(M.. 1 F.. 1)		(M.. 2 F.. 2)	(M.. 3 F.. 3)	(M.. 6 F.. 1)
37	Other poisons	(M.. 1,875 F.. 1,120)	(M.. 91 F.. 70)	(M.. 135 F.. 77)	(M.. 83 F.. 64)	(M.. 42 F.. 30)	(M.. 19 F.. 14)	(M.. 370 F.. 255)	(M.. 49 F.. 40)	(M.. 31 F.. 22)	(M.. 60 F.. 86)	(M.. 128 F.. 125)	(M.. 123 F.. 114)
38	Inanition	(M.. 5,565 F.. 4,591)	(M.. 5,015 F.. 4,032)	(M.. 168 F.. 166)	(M.. 35 F.. 30)	(M.. 25 F.. 21)	(M.. 18 F.. 5)	(M.. 5,261 F.. 4,254)	(M.. 14 F.. 18)	(M.. 8 F.. 8)	(M.. 4 F.. 4)	(M.. 7 F.. 12)	(M.. 9 F.. 8)
39	General diseases—C	58,739	26,775	958	206	72	51	28,062	93	60	57	104	112
40	Males	29,990	15,128	464	108	46	24	15,770	46	32	38	46	40
41	Females	28,749	11,647	494	98	26	27	12,292	47	28	19	58	72
42	Old age	(M.. 12,008 F.. 14,088)											
43	Premature birth	(M.. 7,634 F.. 5,701)	(M.. 7,634 F.. 5,701)					(M.. 7,634 F.. 5,701)					
44	Malformation	(M.. 1,371 F.. 1,142)	(M.. 1,320 F.. 1,090)	(M.. 16 F.. 23)	(M.. 6 F.. 6)	(M.. 3 F.. 5)	(M.. 2 F.. 2)	(M.. 1,345 F.. 1,126)	(M.. 5 F.. 5)	(M.. 5 F.. 5)	(M.. 3 F.. 1)	(M.. 1 F.. 1)	(M.. F.. 1)
45	Debility and atrophy	(M.. 8,130 F.. 7,232)	(M.. 5,331 F.. 4,273)	(M.. 448 F.. 471)	(M.. 102 F.. 92)	(M.. 42 F.. 21)	(M.. 24 F.. 25)	(M.. 5,947 F.. 4,882)	(M.. 41 F.. 42)	(M.. 27 F.. 23)	(M.. 35 F.. 18)	(M.. 45 F.. 57)	(M.. 40 F.. 71)
46	Others of this group	(M.. 843 F.. 586)	(M.. 843 F.. 586)			(M.. 1 F.. 1)		(M.. 844 F.. 583)					

671

WHITE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
37,276	38,074	35,880	34,948	37,241	39,141	43,455	48,329	49,179	43,207	31,289	15,969	5,298	1,709	5,434	1
19,142 18,134	20,229 17,845	19,678 16,207	19,813 15,135	20,975 16,266	21,791 17,350	23,748 19,707	26,411 21,918	26,599 22,580	23,090 20,117	16,223 15,066	7,822 8,147	2,250 3,048	658 1,051	3,282 2,152	2 3
537	599	611	582	635	691	741	894	909	819	596	304	115	53	647	4
235 302	274 325	305 306	307 275	336 299	384 307	413 328	501 393	497 412	473 346	333 263	148 156	54 61	19 34	349 298	5 6
4,892	4,461	3,823	3,493	3,417	3,309	3,716	4,335	4,529	4,177	3,201	1,645	500	164	705	7
2,501 2,391	2,293 2,168	1,970 1,853	1,987 1,506	1,826 1,591	1,746 1,563	1,820 1,896	2,125 2,210	2,181 2,348	2,018 2,159	1,552 1,649	797 848	198 302	56 105	380 325	8 9
75 162	60 150	57 127	64 80	49 77	11 46	14 25	14 23	7 22	12 13	5 8	2 4	----- 1	----- -----	12 13	10
14 19	6 17	7 6	1 1	2 2	1 1	1 4	1 2	2 2	----- -----	1 2	1 1	1 -----	----- -----	7 5	11
35 40	18 27	11 16	12 17	14 16	10 9	5 9	6 5	3 5	3 5	4 1	4 1	1 -----	----- -----	12 12	12
2 6	2 2	5 3	4 -----	----- 1	3 -----	2 -----	1 1	3 2	2 1	3 3	----- -----	1 1	----- -----	9 11	13
199 215	179 151	179 161	197 146	163 129	164 118	121 132	132 143	127 139	127 94	54 63	31 31	6 2	1 6	29 25	14
137 173	151 177	197 211	215 200	223 310	272 359	385 561	551 705	721 910	715 917	673 802	855 424	107 176	21 68	31 43	15
1,431 886	1,160 739	839 578	719 466	511 431	377 351	285 280	223 257	183 186	117 99	42 57	22 20	5 1	1 2	81 82	16
48 78	50 92	56 79	78 52	92 70	100 90	99 86	116 109	113 106	93 98	58 71	28 31	9 13	4 3	13 10	17
8 13	7 11	20 13	18 13	20 15	11 10	20 22	19 27	22 18	20 15	11 9	6 6	2 3	----- -----	3 2	18
36 43	46 44	34 39	60 45	98 55	155 76	177 112	229 128	216 171	202 147	154 118	75 78	16 19	10 8	52 30	19
91 73	85 75	94 108	113 106	142 119	123 130	186 196	214 280	217 287	208 291	172 181	84 103	15 35	7 7	31 14	20
68 108	85 117	96 114	109 112	102 109	111 124	135 176	160 239	140 220	141 199	88 116	43 60	5 10	4 6	22 12	21
----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	7 6	22
22 23	16 19	15 21	19 15	9 17	9 6	11 9	14 14	14 12	9 7	11 10	2 4	----- 2	----- -----	8 8	23
44 37	54 33	40 29	34 25	19 17	22 13	15 9	8 3	8 8	6 6	4 3	----- -----	1 1	----- -----	5 4	24
49 23	54 22	38 22	39 17	32 11	25 8	12 9	9 5	5 4	5 1	2 -----	----- 1	----- -----	----- -----	10 7	25
59 32	59 58	72 48	72 44	76 56	105 60	73 69	100 63	76 61	72 54	50 41	23 16	5 5	1 1	5 5	26
125 410	181 384	134 223	148 119	183 95	164 107	172 91	182 71	110 77	109 51	71 34	27 13	3 9	----- -----	21 23	27
28 19	37 19	31 24	30 17	30 8	27 4	23 7	10 7	5 4	7 1	----- -----	----- -----	----- -----	----- -----	10 5	28
30 31	43 31	45 31	55 31	61 53	56 51	84 99	136 123	209 114	170 130	149 130	94 55	21 24	7 7	12 8	29
611	730	589	576	495	409	294	283	187	170	72	51	10	6	163	30
445 166	570 160	479 110	465 111	399 96	321 88	227 67	205 78	117 70	112 58	41 31	30 21	5 5	2 4	112 51	31
267 51	392 70	321 62	292 46	264 32	195 21	114 15	111 12	43 6	34 4	6 1	4 1	----- -----	----- -----	38 8	33
----- -----	2 2	2 2	1 1	1 1	1 -----	----- -----	1 1	1 1	----- -----	1 -----	----- -----	----- -----	----- -----	----- -----	34
11 4	15 2	6 -----	11 -----	8 1	4 3	3 1	3 -----	2 4	2 -----	----- -----	----- -----	----- -----	1 -----	----- -----	35
161 99	157 78	142 38	150 47	113 47	103 42	89 30	65 38	43 26	45 16	12 9	6 -----	----- 1	1 -----	27 7	36
6 12	6 8	8 8	11 17	13 15	18 22	21 21	25 27	28 35	31 38	22 21	20 20	5 4	1 3	47 36	37
123	135	144	140	213	348	728	1,536	3,665	5,775	7,911	5,679	2,601	965	288	38
62 61	59 76	66 78	75 65	99 114	157 191	322 406	712 824	1,748 1,917	2,698 3,077	3,776 4,135	2,630 3,049	1,097 1,504	370 595	147 141	39
----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	73 75	41
----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	42
1 -----	----- -----	----- -----	----- -----	----- -----	2 -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	9 1	43
61 61	59 75	66 78	75 65	98 113	155 190	172 170	241 232	273 270	310 302	242 280	129 145	40 64	9 20	65 65	44
----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	----- -----	45

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	146,124	4,378	2,209	1,113	697	502	8,899	1,923	2,322	7,471	13,312	14,190
2	Males	70,135	2,387	1,176	598	354	270	4,785	985	907	2,841	5,722	6,515
3	Females	75,989	1,991	1,033	515	343	232	4,114	938	1,415	4,630	7,590	7,675
4	Anemia	{M.. 910	131	26	7	9	6	179	28	16	25	28	29
	{F.. 1,223	112	28	11	13	8	172	22	27	71	92	83	
5	Diabetes	{M.. 2,571	15	18	16	14	13	76	90	114	133	108	106
	{F.. 1,955	9	15	13	21	8	66	66	94	73	78	76	
6	Rheumatism	{M.. 2,257	31	19	15	10	21	96	115	135	125	88	89
	{F.. 2,035	27	11	15	8	17	78	98	121	102	85	69	
7	Scrofula and tabes	{M.. 1,214	232	112	52	20	18	434	46	16	56	70	61
	{F.. 1,286	176	101	39	18	18	352	35	40	72	94	90	
8	Hydrocephalus	{M.. 2,179	792	432	207	112	74	1,617	205	66	55	44	32
	{F.. 1,786	655	345	156	114	68	1,338	174	62	62	33	31	
9	Tuberculosis, general	{M.. 614	39	23	13	9	10	94	25	14	33	46	79
	{F.. 536	50	22	6	8	4	90	22	31	32	60	51	
10	Consumption	{M.. 43,670	824	410	194	109	87	1,624	271	378	2,233	5,122	5,898
	{F.. 44,003	742	393	179	108	67	1,489	362	877	4,026	6,871	6,846	
11	Cancer	{M.. 11,072	32	12	16	8	10	78	29	29	43	69	126
	{F.. 16,900	32	11	14	8	9	74	30	25	45	87	232	
12	Tumor	{M.. 1,203	64	16	24	18	8	130	44	23	44	43	37
	{F.. 1,906	42	19	18	15	9	103	27	28	42	63	74	
13	Dropsy	{M.. 3,919	63	61	34	32	17	207	107	96	69	83	45
	{F.. 3,919	45	51	42	19	13	170	83	90	86	103	104	
14	Others of this group	{M.. 526	164	47	20	13	6	250	25	20	25	21	13
	{F.. 440	101	37	22	11	11	182	19	20	19	24	19	
15	2. Diseases of the nervous system	106,616	21,252	6,120	2,675	1,644	1,129	32,820	3,296	2,006	2,089	1,985	2,113
16	Males	58,522	12,251	3,249	1,414	861	589	18,364	1,796	1,079	1,128	1,040	1,121
17	Females	48,094	9,001	2,871	1,261	783	540	14,456	1,500	927	961	945	992
18	Inflammation of the brain	{M.. 3,068	1,056	450	214	115	73	1,908	224	113	100	90	55
	{F.. 2,403	817	387	150	95	75	1,524	168	104	100	77	64	
19	Meningitis	{M.. 9,985	3,375	1,528	684	424	270	6,281	895	409	381	288	258
	{F.. 7,978	2,526	1,322	637	383	281	5,149	762	410	274	224	200	
20	Apoplexy	{M.. 13,618	157	30	14	10	11	222	34	26	58	103	161
	{F.. 11,818	124	37	19	17	4	201	29	35	68	90	122	
21	Paralysis	{M.. 10,786	121	43	28	23	15	230	71	51	64	54	94
	{F.. 9,620	84	42	35	23	17	201	64	34	66	91	91	
22	Paralysis, general (of insane)	{M.. 874							1	2	1	3	20
	{F.. 332								1	1		3	9
23	Tetanus and trismus nascentium	{M.. 1,152	447	13	8	14	9	491	98	172	81	53	45
	{F.. 482	279	4	2	4	6	295	30	19	16	16	14	
24	Chorea	{M.. 60	3		3	3	1	10	9	2	7	3	2
	{F.. 110	3	1	1	2	3	10	6	31	31	7	1	
25	Epilepsy	{M.. 1,625	153	23	10	11	5	202	53	86	184	142	164
	{F.. 1,197	136	19	16	9	7	187	46	61	106	115	108	
26	Convulsions	{M.. 7,360	5,743	736	270	129	78	6,956	122	45	16	21	22
	{F.. 5,891	4,171	679	240	135	64	5,289	118	33	60	65	82	
27	Mental diseases	{M.. 1,777							3	3	19	62	76
	{F.. 1,574								2	5	21	55	74
28	Diseases of the brain	{M.. 5,905	1,064	377	157	112	114	1,824	238	141	165	171	161
	{F.. 4,456	755	328	144	103	69	1,399	224	156	155	133	132	
29	Diseases of the spinal cord	{M.. 835	93	38	20	13	12	176	33	22	27	27	25
	{F.. 669	73	40	15	10	10	148	31	22	19	12	15	
30	Locomotor ataxia	{M.. 528	1		2			3		2	2	5	9
	{F.. 170		1	1				2	1			3	2
31	Others of this class	{M.. 949	38	11	4	7	1	61	15	5	23	18	29
	{F.. 1,394	33	11	1	2	4	51	18	16	45	54	78	
32	3. Diseases of the circulatory system	68,416	3,998	255	167	150	201	4,771	1,101	1,259	1,368	1,666	1,827
33	Males	37,206	2,309	139	95	88	109	2,740	532	524	617	701	819
34	Females	31,210	1,689	116	72	62	92	2,031	569	735	751	965	1,008
35	Pericarditis	{M.. 402	11	3	1	4	3	22	18	30	26	21	18
	{F.. 376	11	2	2	4	9	28	25	31	31	22	14	
36	Diseases of the heart	{M.. 33,157	1,617	129	90	77	100	2,013	501	479	575	651	745
	{F.. 28,377	1,236	109	68	56	78	1,547	534	687	697	861	917	
37	Angina pectoris	{M.. 1,543							3	4	10	14	29
	{F.. 1,114								5	9	13	46	35
38	Diseases of the arteries	{M.. 773	2					2	1		1		5
	{F.. 432	1	1					2		1		1	2
39	Aneurism	{M.. 445							2	6	2	12	18
	{F.. 195								2	5	4	10	14
40	Embolism	{M.. 181	18		1	1	1	21	5	3	3	3	3
	{F.. 237	2		1			1	4	1		5	23	22
41	Others of this class	{M.. 705	661	7	3	6	5	682	2	2			1
	{F.. 479	439	4	1	2	4	450	2	2	1	2	4	

CAUSE, COLOR, AND RACE.

673

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,652	11,557	10,431	9,664	9,501	9,312	9,011	8,756	7,282	5,046	2,644	1,016	230	70	835	1
6,109	5,697	5,148	4,753	4,677	4,501	4,405	4,391	3,734	2,548	1,356	511	98	27	425	2
6,543	5,860	5,283	4,911	4,824	4,811	4,606	4,365	3,548	2,498	1,288	505	132	43	410	3
29	30	50	53	76	74	80	82	44	49	26	6		1	5	} 4
71	80	82	73	91	82	77	72	60	39	15	6	2		6	
113	108	146	145	181	181	250	283	244	173	80	23	6		11	} 5
63	81	90	107	179	237	241	204	155	86	41	9	3	1	5	
83	101	92	123	115	177	171	208	215	160	106	37	3	3	15	} 6
74	92	84	98	136	134	166	212	187	154	85	42	9	1	8	
58	49	49	50	52	57	64	61	41	22	15	1	1	2	9	} 7
98	65	58	59	66	54	50	46	44	30	18	7	1		7	
46	30	23	21	10	5	5	5	3	4	1				7	} 8
23	15	14	8	6	6	4	2	4	2					2	
51	52	45	47	40	34	15	19	12	7	1					} 9
54	37	29	35	22	18	17	15	7	7	3	3			3	
5,383	4,835	3,920	3,170	2,730	2,285	1,797	1,543	1,158	687	261	86	17	4	268	} 10
5,386	4,269	3,122	2,260	1,881	1,618	1,414	1,293	1,005	641	276	103	22	7	235	
213	342	591	859	1,146	1,325	1,538	1,570	1,364	937	493	198	49	11	62	} 11
507	943	1,426	1,873	2,026	2,192	2,069	1,917	1,475	1,051	557	212	59	14	86	
55	55	86	91	93	102	108	109	88	55	28	5	1		6	} 12
109	134	190	170	161	182	185	163	136	83	31	12	1	1	11	
63	79	116	174	218	244	365	495	552	445	341	153	21	5	41	} 13
130	130	172	209	243	272	370	422	463	402	260	110	35	19	46	
15	16	30	20	16	17	12	16	13	9	4	2		1	1	} 14
28	14	16	19	13	16	13	19	12	3	2	1			1	
2,350	2,909	3,300	3,943	4,704	5,522	6,672	8,141	8,722	7,704	5,048	2,086	540	120	546	15
1,323	1,691	1,926	2,194	2,599	3,078	3,587	4,523	4,712	4,074	2,668	1,009	224	45	341	16
1,027	1,218	1,374	1,749	2,105	2,444	3,085	3,618	4,010	3,630	2,380	1,077	316	75	205	17
59	60	56	59	57	54	40	55	53	32	24	14	2		13	} 18
46	36	44	36	35	33	27	31	23	25	15	6	4	1		
226	243	179	185	157	114	76	90	76	56	23	9	4		35	} 19
153	126	129	129	80	76	75	59	48	37	26	7	3		11	
255	368	560	717	1,020	1,322	1,612	1,937	1,964	1,626	1,062	390	80	13	88	} 20
173	265	427	686	911	1,113	1,376	1,567	1,703	1,464	948	434	131	36	39	
172	275	354	441	566	772	1,010	1,487	1,759	1,635	1,121	438	93	25	74	} 21
118	165	247	329	488	673	964	1,262	1,547	1,549	1,029	487	128	31	56	
68	109	136	139	97	77	68	51	41	22	13	10	2		14	} 22
26	23	36	18	25	24	30	38	39	31	14	6	3		5	
48	20	26	26	23	23	16	10	11	5		1			3	} 23
17	17	18	5	5	13	9	3	2	2	1					
3		3	3	6	2	2	2	2	1	1		1		1	} 24
.....	1		5	2	1	4	4	1	3	2	1				
115	122	94	81	58	58	65	52	50	46	24	9	2		18	} 25
81	98	54	63	50	42	50	34	41	25	14	4	4		14	
21	23	11	19	20	11	8	8	16	5	6	1	1	1	27	} 26
60	49	28	15	8	8	11	14	9	6	8	1	2		25	
88	134	132	116	132	144	154	204	171	164	101	37	11		26	} 27
97	133	128	121	124	108	143	137	132	129	93	37	16	1	18	
203	233	241	237	278	289	319	355	373	327	220	77	19	4	30	} 28
140	165	143	184	207	172	207	277	265	234	158	62	19	5	19	
18	39	50	49	72	62	63	76	40	36	16	2			2	} 29
25	36	28	40	43	54	50	47	44	30	16	3	3		3	
20	34	38	67	60	70	69	71	39	24	10	1			4	} 30
4	14	10	15	20	28	25	15	14	8	6	2			1	
27	31	46	55	53	80	85	125	117	95	47	20	9	2	6	} 31
87	90	82	103	107	99	114	130	142	87	50	27	3	1	10	
2,178	2,701	3,003	3,375	4,495	5,375	6,736	7,924	8,016	6,493	3,793	1,536	353	76	370	32
1,020	1,328	1,472	1,795	2,507	3,064	3,842	4,535	4,637	3,751	2,098	803	165	34	222	33
1,158	1,373	1,531	1,580	1,988	2,311	2,894	3,389	3,379	2,742	1,695	733	188	42	148	34
17	30	24	15	32	32	22	33	24	24	7	3	2		2	} 35
25	16	24	20	14	22	23	32	16	11	14	4	2		2	
933	1,174	1,311	1,621	2,233	2,739	3,444	4,084	4,246	3,407	1,888	729	150	30	204	} 36
1,041	1,277	1,417	1,438	1,855	2,121	2,684	3,114	3,113	2,529	1,531	677	165	36	136	
36	60	69	81	140	158	234	244	187	155	85	25	2		7	} 37
44	50	48	86	81	108	127	154	135	86	65	14	5		3	
2	6	10	15	32	63	84	118	134	132	103	45	11	4	5	} 38
2	3	4	5	12	26	35	54	86	73	68	30	15	5		
25	52	49	49	53	56	42	31	24	17	3				4	} 39
19	10	17	18	13	14	13	15	12	15	7	4	1	1	1	
6	6	8	12	14	16	12	23	22	14	9	1				} 40
25	16	20	12	11	20	12	17	16	20	7	4			2	
1		1	2	3		4	2		2	3					} 41
2	1	1	1	2		3	3	1	3	3				1	

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	
1	4. Diseases of the respiratory system	133,392	29,730	12,519	6,050	3,484	2,206	53,989	4,832	1,985	3,027	3,744	3,894	
2	Males.....	72,187	16,916	6,788	3,202	1,799	1,103	29,808	2,473	971	1,693	2,155	2,182	
3	Females.....	61,205	12,814	5,731	2,848	1,685	1,103	24,181	2,359	1,014	1,334	1,589	1,712	
4	Croup.....	M.. 5,830 F.. 4,804	M.. 2,267 F.. 1,821	M.. 965 F.. 746	M.. 814 F.. 637	M.. 615 F.. 523	M.. 395 F.. 345	M.. 5,056 F.. 4,072	M.. 684 F.. 620	M.. 51 F.. 49	M.. 9 F.. 9	M.. 6 F.. 9	M.. 3 F.. 1	
5	Pneumonia.....	M.. 49,727 F.. 41,186	M.. 9,582 F.. 7,118	M.. 4,502 F.. 3,849	M.. 1,893 F.. 1,731	M.. 939 F.. 887	M.. 537 F.. 565	M.. 17,453 F.. 14,150	M.. 1,407 F.. 1,365	M.. 768 F.. 809	M.. 1,457 F.. 1,091	M.. 1,875 F.. 1,250	M.. 1,865 F.. 1,400	
6	Laryngitis.....	M.. 434 F.. 378	M.. 68 F.. 50	M.. 54 F.. 59	M.. 32 F.. 35	M.. 42 F.. 48	M.. 28 F.. 24	M.. 224 F.. 216	M.. 70 F.. 62	M.. 16 F.. 12	M.. 3 F.. 10	M.. 5 F.. 7	M.. 5 F.. 11	
7	Bronchitis.....	M.. 9,056 F.. 9,191	M.. 3,653 F.. 2,875	M.. 1,030 F.. 889	M.. 345 F.. 351	M.. 134 F.. 161	M.. 99 F.. 110	M.. 5,261 F.. 4,386	M.. 164 F.. 175	M.. 50 F.. 58	M.. 59 F.. 83	M.. 81 F.. 115	M.. 96 F.. 101	
8	Pleurisy.....	M.. 1,337 F.. 1,024	M.. 44 F.. 28	M.. 48 F.. 29	M.. 31 F.. 23	M.. 23 F.. 10	M.. 11 F.. 10	M.. 157 F.. 100	M.. 40 F.. 44	M.. 32 F.. 21	M.. 56 F.. 33	M.. 60 F.. 62	M.. 71 F.. 58	
9	Asthma.....	M.. 1,430 F.. 1,064	M.. 48 F.. 33	M.. 8 F.. 8	M.. 3 F.. 1	M.. 2 F.. 3	M.. 3 F.. 2	M.. 64 F.. 47	M.. 11 F.. 10	M.. 3 F.. 5	M.. 15 F.. 7	M.. 10 F.. 16	M.. 14 F.. 21	
10	Others of this class.....	M.. 4,373 F.. 3,558	M.. 1,254 F.. 889	M.. 181 F.. 151	M.. 84 F.. 70	M.. 44 F.. 53	M.. 30 F.. 47	M.. 1,593 F.. 1,210	M.. 97 F.. 83	M.. 51 F.. 60	M.. 94 F.. 101	M.. 118 F.. 130	M.. 128 F.. 120	
11	5. Diseases of the digestive system.....	52,979	8,743	2,430	953	603	489	13,218	1,910	1,789	2,023	2,388	2,517	
12	Males.....	27,639	4,987	1,264	485	298	246	7,230	999	995	1,048	1,123	1,106	
13	Females.....	25,340	3,806	1,166	468	305	243	5,988	911	794	975	1,265	1,411	
14	Dentition.....	M.. 712 F.. 676	M.. 383 F.. 353	M.. 295 F.. 287	M.. 23 F.. 31	M.. 7 F.. 3	M.. 2 F.. 2	M.. 710 F.. 676						
15	Angina.....	M.. 596 F.. 618	M.. 98 F.. 85	M.. 66 F.. 63	M.. 58 F.. 50	M.. 47 F.. 43	M.. 36 F.. 48	M.. 305 F.. 289	M.. 89 F.. 133	M.. 32 F.. 53	M.. 16 F.. 24	M.. 24 F.. 11	M.. 15 F.. 16	
16	Gastritis.....	M.. 3,769 F.. 3,967	M.. 645 F.. 513	M.. 195 F.. 213	M.. 70 F.. 88	M.. 46 F.. 51	M.. 30 F.. 34	M.. 986 F.. 899	M.. 103 F.. 96	M.. 36 F.. 51	M.. 45 F.. 72	M.. 78 F.. 128	M.. 84 F.. 183	
17	Diseases of the stomach.....	M.. 2,523 F.. 2,261	M.. 378 F.. 311	M.. 140 F.. 117	M.. 60 F.. 56	M.. 36 F.. 33	M.. 36 F.. 34	M.. 650 F.. 551	M.. 96 F.. 94	M.. 60 F.. 52	M.. 48 F.. 74	M.. 57 F.. 108	M.. 79 F.. 108	
18	Obstruction of the bowels.....	M.. 1,778 F.. 1,733	M.. 329 F.. 193	M.. 40 F.. 32	M.. 38 F.. 23	M.. 22 F.. 39	M.. 16 F.. 13	M.. 445 F.. 300	M.. 86 F.. 59	M.. 63 F.. 39	M.. 84 F.. 47	M.. 75 F.. 62	M.. 87 F.. 90	
19	Appendicitis.....	M.. 3,125 F.. 1,733	M.. 20 F.. 10	M.. 9 F.. 12	M.. 12 F.. 11	M.. 22 F.. 10	M.. 25 F.. 15	M.. 88 F.. 58	M.. 210 F.. 181	M.. 427 F.. 275	M.. 445 F.. 265	M.. 441 F.. 194	M.. 343 F.. 176	
20	Hernia.....	M.. 960 F.. 781	M.. 109 F.. 41	M.. 14 F.. 6	M.. F.. 1	M.. 3 F.. 1	M.. 2 F.. 3	M.. 128 F.. 52	M.. 10 F.. 4	M.. 9 F.. 1	M.. 25 F.. 5	M.. 25 F.. 2	M.. 26 F.. 5	
21	Other diseases of the bowels.....	M.. 1,494 F.. 1,220	M.. 427 F.. 326	M.. 159 F.. 123	M.. 47 F.. 42	M.. 23 F.. 22	M.. 14 F.. 9	M.. 670 F.. 522	M.. 48 F.. 35	M.. 29 F.. 29	M.. 43 F.. 29	M.. 49 F.. 27	M.. 36 F.. 57	
22	Jaundice.....	M.. 1,201 F.. 988	M.. 595 F.. 371	M.. 19 F.. 9	M.. 11 F.. 18	M.. 5 F.. 6	M.. 2 F.. 9	M.. 632 F.. 413	M.. 29 F.. 23	M.. 12 F.. 16	M.. 31 F.. 19	M.. 26 F.. 31	M.. 31 F.. 28	
23	Inflammation and abscess of the liver.....	M.. 1,326 F.. 1,213	M.. 77 F.. 64	M.. 16 F.. 22	M.. 12 F.. 13	M.. 6 F.. 11	M.. 10 F.. 10	M.. 121 F.. 120	M.. 29 F.. 18	M.. 26 F.. 19	M.. 22 F.. 30	M.. 51 F.. 48	M.. 68 F.. 51	
24	Other diseases of the liver.....	M.. 3,955 F.. 2,477	M.. 143 F.. 114	M.. 28 F.. 20	M.. 21 F.. 15	M.. 7 F.. 4	M.. 8 F.. 7	M.. 207 F.. 160	M.. 27 F.. 26	M.. 28 F.. 20	M.. 24 F.. 16	M.. 46 F.. 41	M.. 92 F.. 68	
25	Peritonitis.....	M.. 2,604 F.. 4,232	M.. 187 F.. 148	M.. 63 F.. 57	M.. 53 F.. 46	M.. 31 F.. 36	M.. 28 F.. 29	M.. 362 F.. 316	M.. 201 F.. 175	M.. 217 F.. 201	M.. 235 F.. 354	M.. 210 F.. 550	M.. 190 F.. 562	
26	Ascites.....	M.. 437 F.. 494	M.. 12 F.. 11	M.. 11 F.. 6	M.. 6 F.. 3	M.. 2 F.. 3	M.. 4 F.. 2	M.. 35 F.. 25	M.. 7 F.. 9	M.. 19 F.. 11	M.. 4 F.. 13	M.. 8 F.. 16	M.. 9 F.. 14	
27	Others of this class.....	M.. 3,159 F.. 2,947	M.. 1,534 F.. 1,266	M.. 209 F.. 199	M.. 74 F.. 71	M.. 41 F.. 43	M.. 33 F.. 28	M.. 1,891 F.. 1,607	M.. 64 F.. 58	M.. 37 F.. 27	M.. 26 F.. 27	M.. 33 F.. 47	M.. 46 F.. 52	
28	6. Diseases of the urinary system and male organs of generation.....	41,156	804	239	198	190	159	1,590	611	521	703	1,253	1,567	
29	Males.....	25,552	486	127	94	108	82	897	334	246	320	559	721	
30	Females.....	15,604	318	112	104	82	77	693	277	275	383	694	846	
31	Bright's disease.....	M.. 17,481 F.. 12,041	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td>M.. F..<td></td></td></td></td>	M.. F.. <td>M.. F..<td>M.. F..<td></td></td></td>	M.. F.. <td>M.. F..<td></td></td>	M.. F.. <td></td>		
32	Calculus, urinary.....	M.. 237 F.. 75	M.. 7 F.. 10	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 2	M.. 1 F.. 1	M.. 11 F.. 12	M.. 6 F.. 3	M.. 3 F.. 3	M.. 3 F.. 3	M.. 8 F.. 4	M.. 7 F.. 3	
33	Diseases of the kidney.....	M.. 2,625 F.. 1,445	M.. 328 F.. 233	M.. 111 F.. 99	M.. 87 F.. 90	M.. 95 F.. 73	M.. 70 F.. 71	M.. 691 F.. 566	M.. 36 F.. 26	M.. 24 F.. 20	M.. 34 F.. 33	M.. 45 F.. 48	M.. 49 F.. 50	
34	Diseases of the bladder.....	M.. 2,037 F.. 266	M.. 17 F.. 14	M.. 5 F.. <td>M.. F.. 2</td> <td>M.. F..<td>M.. F.. 1</td><td>M.. F.. 17</td><td>M.. F.. 25</td><td>M.. F.. 4</td><td>M.. F.. 6</td><td>M.. F.. 3</td><td>M.. F.. 15</td><td>M.. F.. 20</td></td>	M.. F.. 2	M.. F.. <td>M.. F.. 1</td> <td>M.. F.. 17</td> <td>M.. F.. 25</td> <td>M.. F.. 4</td> <td>M.. F.. 6</td> <td>M.. F.. 3</td> <td>M.. F.. 15</td> <td>M.. F.. 20</td>	M.. F.. 1	M.. F.. 17	M.. F.. 25	M.. F.. 4	M.. F.. 6	M.. F.. 3	M.. F.. 15	M.. F.. 20
35	Others of this class.....	M.. 3,172 F.. 1,777	M.. 134 F.. 61	M.. 10 F.. 13	M.. 6 F.. 12	M.. 12 F.. 7	M.. 8 F.. 5	M.. 170 F.. 98	M.. 35 F.. 29	M.. 34 F.. 31	M.. 29 F.. 62	M.. 64 F.. 113	M.. 84 F.. 168	
36	7. Diseases of the female organs of generation.....	2,661	11	2		1	2	16	2	18	117	259	340	
37	Ovarian tumors.....	439		1				1	2		7	25	35	
38	Ovarian diseases.....	135	1					1			4	16	22	
39	Diseases of the tubes.....	306	1					1			18	45	72	
40	Uterine tumors.....	569					1	1		1	4	15	24	
41	Uterine diseases.....	278								1	17	39	51	
42	Others of this class.....	934	9	1		1	1	12		16	67	119	136	

CAUSE, COLOR, AND RACE.

675

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,049	4,575	4,570	4,707	5,128	5,468	6,319	6,999	7,081	5,975	3,970	1,845	512	147	576	1
2,226	2,702	2,780	2,887	3,006	3,021	3,264	3,494	3,417	2,873	1,820	823	180	56	356	2
1,823	1,873	1,790	1,820	2,122	2,447	3,055	3,505	3,664	3,102	2,150	1,022	332	91	220	3
1	3	1	2	5	3	2	1	2	1	2	1	1	1	7	4
7	4	4	2	5	3	4	4	1	3	3	1	1	1	6	5
1,922	2,327	2,365	2,405	2,426	2,260	2,426	2,473	2,314	1,887	1,157	513	107	34	286	6
1,492	1,545	1,461	1,457	1,653	1,874	2,261	2,478	2,455	2,039	1,386	632	190	43	155	7
14	7	16	13	13	9	12	7	4	6	6	2	2	2	2	8
13	5	4	1	3	8	4	2	7	7	3	1	1	1	2	9
72	94	105	133	186	294	304	428	525	531	394	194	52	16	17	10
106	85	109	153	197	289	405	589	712	671	499	291	108	39	20	11
70	79	83	74	76	79	94	97	106	91	43	19	2	1	7	12
56	56	57	52	51	46	68	79	99	68	45	17	8	1	3	13
17	24	40	70	107	139	182	207	223	152	96	35	6	2	13	14
21	28	32	38	68	72	136	149	152	131	78	30	9	3	11	15
130	168	170	192	198	240	244	281	243	206	122	59	13	2	24	16
128	150	123	117	145	155	177	204	238	185	136	51	17	5	23	17
2,282	2,509	2,643	2,554	2,733	2,960	3,073	3,226	2,887	2,216	1,196	498	120	22	215	18
1,021	1,147	1,403	1,404	1,477	1,637	1,681	1,677	1,501	1,163	614	238	55	12	108	19
1,261	1,362	1,240	1,150	1,256	1,323	1,392	1,549	1,386	1,053	582	260	65	10	107	20
														2	21
22	7	12	10	10	5	10	12	11	7	7	1	1	1	1	22
15	8	6	11	10	13	2	9	5	5	4	2	2	2	2	23
107	119	158	188	222	264	290	306	313	251	139	48	14	6	12	24
141	183	167	155	212	230	280	317	319	253	174	72	21	2	12	25
64	90	129	143	150	173	178	196	162	141	66	25	2	2	12	26
87	119	82	100	116	121	142	151	158	105	53	25	8	1	7	27
63	68	63	86	97	91	89	104	117	97	32	19	6	6	6	28
72	87	118	98	94	118	114	136	116	90	49	25	4	2	13	29
231	208	187	147	102	79	71	50	46	28	13	2	2	7	7	30
119	105	81	72	48	44	32	32	18	17	9	1	1	1	6	31
27	41	41	47	44	76	81	88	94	101	61	24	5	1	6	32
24	40	54	65	84	82	86	94	84	54	21	20	1	1	3	33
40	40	42	30	53	70	54	68	80	62	46	21	7	7	6	34
48	48	38	33	33	41	42	61	55	52	28	21	5	4	12	35
29	25	27	30	37	63	41	48	55	42	27	11	2	2	3	36
29	27	24	27	44	50	48	68	58	34	26	11	5	5	7	37
85	85	100	103	123	101	118	96	84	63	34	8	2	1	6	38
54	73	80	93	81	96	110	118	97	70	37	13	2	2	3	39
155	262	362	370	405	462	459	448	304	201	65	21	6	1	10	40
102	158	181	196	242	249	263	256	234	158	72	25	1	1	9	41
147	141	165	145	96	119	103	83	78	50	29	12	3	3	18	42
497	429	296	170	133	129	109	115	85	54	17	14	5	5	21	43
7	8	30	23	25	33	42	52	48	41	26	16	1	1	3	44
16	20	25	29	27	35	42	52	56	52	30	13	2	2	7	45
44	53	87	82	113	101	145	126	109	79	69	31	6	1	16	46
57	65	88	101	132	115	122	140	101	109	62	19	11	1	5	47
1,732	2,136	2,333	2,521	3,079	3,464	4,019	4,394	4,410	3,572	1,985	861	159	46	200	48
860	1,056	1,298	1,424	1,872	2,180	2,598	2,979	3,122	2,641	1,521	652	111	26	135	49
872	1,080	1,035	1,097	1,207	1,284	1,421	1,415	1,288	931	464	209	48	20	65	50
681	860	1,044	1,149	1,513	1,724	1,977	2,092	2,013	1,569	770	280	42	9	90	51
665	840	847	919	1,028	1,089	1,208	1,156	1,072	737	361	163	32	15	40	52
5	5	9	7	13	18	22	32	36	23	19	7	3	3	1	53
4	2	6	6	5	1	5	7	7	5	6	1	1	1	1	54
62	56	78	81	99	116	166	237	270	287	178	82	16	3	15	55
59	64	59	61	65	56	55	90	65	65	37	12	5	2	7	56
16	22	32	38	64	94	172	281	404	363	276	161	22	7	9	57
5	16	5	6	7	25	30	23	36	38	18	13	7	1	1	58
96	113	135	149	183	228	261	337	399	399	278	122	28	7	21	59
139	158	118	105	102	113	123	139	108	86	42	20	4	1	18	60
333	337	344	279	184	117	105	81	55	39	16	6	3	2	8	61
38	41	50	53	46	32	30	33	20	14	6	1	1	1	3	62
29	22	13	10	3	7	2	4	2	2	2	2	2	2	2	63
63	56	31	12	4	1	1	1	2	2	2	2	2	2	2	64
39	72	115	83	70	42	42	26	17	12	4	1	1	1	1	65
41	40	19	16	9	7	11	7	8	5	4	4	1	1	2	66
123	106	116	105	52	28	20	10	6	8	2	4	1	1	2	67

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	7,816								9	660	1,700	1,818
2	Abortion	464									30	86	120
3	Childbirth	3,290								3	277	628	665
4	Puerperal septicemia	2,824								5	222	692	735
5	Extra-uterine pregnancy	172									2	24	50
6	Others of this class	1,066								1	129	270	248
7	9. Diseases of the bones and joints	2,760	595	189	102	63	67	1,016	214	184	171	137	99
8	Males	1,565	317	103	58	38	44	560	118	114	102	84	62
9	Females	1,195	278	86	44	25	23	456	96	70	69	53	37
10	Diseases of the spine	880	272	82	52	27	26	459	71	51	44	34	21
	{M..	751	241	77	35	22	17	392	54	31	36	30	15
11	Abscess, lumbar and psoas	55	2	1				3		3		11	8
	{F..	30	2		1			3	2	1	1	2	2
12	Diseases of the bones	367	33	14	4	6	13	70	20	32	32	24	22
	{F..	211	19	8	3	3	5	38	21	23	15	13	9
13	Diseases of the hip-joint	136	4	1		4	3	12	21	22	20	9	10
	{F..	72	8	1	3		1	13	13	9	11	4	6
14	Others of this class	127	6	5	2	1	2	16	6	6	6	6	1
	{F..	131	8		2			10	6	6	6	4	5
15	10. Diseases of the skin	1,855	522	93	36	18	13	682	48	32	37	55	55
16	Males	1,033	281	49	22	7	7	366	27	16	17	23	26
17	Females	822	241	44	14	11	6	316	21	16	20	32	29
18	Abscess	490	96	22	10	4	6	138	23	13	13	16	19
	{F..	416	96	15	6	5	3	125	18	12	13	24	21
19	Carbuncle	168	8	1	1			10	1	2	2	4	4
	{F..	74	3		3			6		1	1	3	4
20	Others of this class	375	177	26	11	3	1	218	3	1	2	3	3
	{F..	332	142	29	5	6	3	185	3	3	6	5	4
21	11. Diseases of the absorbent system	678	52	25	9	9	7	192	27	22	21	35	40
22	Males	370	36	15	5	9	4	69	19	14	13	15	21
23	Females	308	16	10	4		3	33	8	8	8	20	19
24	Addison's disease	93							2	2	4	4	7
	{F..	78								1	3	6	5
25	Diseases of the spleen	94	8	3		5	1	17	3	3	4	4	6
	{F..	71	4	2	1		2	9	2	2		7	4
26	Others of this class	183	28	12	5	4	3	52	14	9	5	7	8
	{F..	159	12	8	3		1	24	6	5	5	7	10
27	12. Accidents and injuries	49,218	2,761	1,051	1,049	982	718	6,561	2,513	2,296	3,298	4,397	4,279
28	Males	37,768	1,591	590	629	535	383	3,728	1,591	1,838	2,683	3,665	3,650
29	Females	11,450	1,170	461	420	447	335	2,833	922	458	615	732	629
30	Burns and scalds	2,067	132	278	359	288	137	1,194	155	57	41	72	72
	{F..	2,918	95	224	251	291	228	1,089	495	166	141	134	124
31	Drowning	4,151	24	101	77	54	56	312	447	547	482	442	338
	{F..	569	14	66	37	22	13	152	57	46	74	33	25
32	Exposure and neglect	334	133	13	5	1	4	156	3	7	3	8	5
	{F..	229	126	10	7	3	3	149	3	2	8	10	4
33	Gunshot wounds	2,506	7	6	10	10	14	47	83	226	390	371	305
	{F..	335	5	4	8	9	5	31	41	38	47	56	23
34	Homicide	1,042			3	1	6	10	18	22	57	145	161
	{F..	203		1	4	3	3	11	12	6	20	29	24
35	Infanticide	15	15					15					
	{F..	21	21					21					
36	Injuries by machinery	280		1		1		2	6	7	41	42	36
	{F..	12	1		1			2	3	1	1	1	1
37	Railroad accidents	5,867	10	11	20	14	24	79	199	241	446	802	760
	{F..	505	4	9	10	12	12	47	61	32	40	42	23
38	Suffocation	1,208	648	29	19	8	10	714	17	25	30	47	40
	{F..	720	464	34	15	10	10	533	23	4	14	11	17
39	Suicide by shooting	1,162								3	19	121	119
	{F..	99								1	11	22	10
40	Suicide by drowning	155									4	9	9
	{F..	82									6	11	11
41	Suicide by poison	743								2	22	68	81
	{F..	443								6	70	82	64
42	Other suicides	2,144							1	8	57	123	156
	{F..	518								5	41	64	60
43	Sunstroke	447	45	10	3	1	3	62	13	6	11	28	28
	{F..	166	36	10	5	3	2	56	4	3	4	6	4
44	Surgical operations	220	16	4	3		3	26	10	1	12	15	23
	{F..	432	7		2	1	1	11	5	5	11	59	57
45	Wounds	617	4	4	4	12	4	28	21	17	59	72	76
	{F..	51	6	2	1	1		10	8	3	2	2	3
46	Others of this class	14,810	557	133	126	145	122	1,083	618	669	1,009	1,300	1,441
	{F..	4,147	391	101	79	92	58	721	210	140	125	170	179

CAUSE, COLOR, AND RACE.

677

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,489	1,291	678	90	13	6	1	1		5					55	1
96	90	33	1	1	1				1					5	2
630	617	377	51	7	5				1					29	3
551	397	177	26	5		1			3					10	4
44	38	11	1											2	5
168	149	80	11				1							9	6
94	109	94	101	97	84	87	88	87	53	26	14	3		2	7
45	66	62	54	54	39	56	53	40	35	10	8	2		1	8
49	43	32	47	43	45	31	35	47	18	16	6	1		1	9
11	29	25	18	19	17	21	18	15	17	6	4				
21	29	12	26	20	22	18	15	12	10	3	3	1		1	10
6	6		3	2	1	4	2	3	2					1	11
2	1	2	3	5	3			3							
17	18	17	17	20	12	19	20	9	11	4	3				12
16	5	9	9	11	6	5	6	13	2	8	2				
8	6	10	4	5	4	1	2	1	1						13
4	5		1				1	2		2					
3	7	10	12	8	5	11	11	12	4		1	2			14
6	3	9	8	6	14	8	13	17	6	3	1				
57	72	75	76	87	96	98	112	92	79	61	23	5	1	12	15
22	40	39	45	56	62	54	71	58	49	40	13	2		7	16
35	32	36	31	31	34	44	41	34	30	21	10	3	1	5	17
14	27	27	20	36	31	23	28	25	15	15	3			3	18
22	22	20	16	13	19	22	26	12	13	9	4	2		3	
5	7	6	14	12	21	20	20	16	12	9	2			1	19
1	2	8	5	9	5	8	3	9	3	5				1	
3	6	6	11	8	10	11	23	17	22	16	8	1		3	20
12	8	8	10	9	10	14	12	13	14	7	6	1	1	1	
49	44	53	50	44	48	48	37	30	17	7				4	21
27	21	27	29	21	22	28	19	13	7	3				2	22
22	23	26	21	23	23	20	18	17	10	4				2	23
6	9	10	13	10	9	9	3	2	2					1	24
6	9	8	4	9	9	6	5	2	3	1				1	
8	6	7	7	4	3	10	6	3	2	1					25
8	7	7	2	6	5	2	4	3	2	1					
13	6	10	9	7	10	9	10	8	3	2				1	26
8	7	11	15	8	12	12	9	12	5	2				1	
3,848	3,909	3,189	2,797	2,416	1,932	1,807	1,522	1,227	1,067	763	405	147	37	808	27
3,246	3,285	2,698	2,394	2,046	1,579	1,451	1,126	822	648	391	160	59	11	697	28
602	624	491	403	370	353	356	396	405	419	372	245	88	26	111	29
76	68	64	50	41	29	34	25	20	22	21	3		1	22	30
120	109	71	64	52	50	65	49	58	53	42	19	6		11	
267	283	246	171	139	123	91	72	46	30	9	3	2	1	100	31
33	29	18	16	17	12	12	14	8	10	1				12	
12	12	12	19	11	11	16	15	8	14	7	7	1		7	32
4	6	3	2	1	7	2	5	2	8	4	3	3		3	
219	227	161	131	93	74	64	24	15	10	4	3	2		57	33
24	28	12	10	7	6	2	2		2	1				5	
143	137	81	72	60	40	39	12	15	4	3	1			22	34
24	21	17	11	7	4	1	4	2	3	2				5	
.....															35
34	33	23	16	18	5	6	7	1	2					1	36
1	1	1													
666	585	426	368	337	229	218	116	91	71	42	13		2	176	37
26	24	29	27	26	24	18	25	24	20	6	1	1		9	
43	55	44	31	20	23	28	26	12	15	4	3	1		30	38
9	12	5	8	6	10	10	7	9	7	5	1			29	
122	149	145	124	108	73	53	45	32	19	7	2			21	39
15	11	7	11	3	4		1	1	1		1				
12	12	13	11	21	14	14	11	5	14	4				2	40
7	7	5	5	9	7	6	2	4	2						
86	79	92	76	79	39	46	31	21	8	2	1			10	41
49	50	35	24	14	14	10	7	8	3	1		1		5	
193	215	233	243	213	185	162	129	91	63	28	5	3		36	42
52	58	55	40	34	30	21	26	11	6	7	3	1		4	
31	42	33	32	37	28	21	23	24	17	4	2	2		3	43
2	6	8	7	11	7	14	9	13	9	3					
11	17	14	12	11	18	16	17	7	2	4				4	44
55	63	51	32	30	20	13	9	3	3	1	1			3	
59	55	38	42	36	28	30	18	11	6	4		1		16	45
2	2	1	2		2	3	3	3	1	1	1			1	
1,272	1,316	1,073	996	822	660	613	555	423	351	248	117	47	7	190	46
179	197	173	144	153	156	179	233	259	291	298	215	75	26	24	

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
TOTAL COLORED.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	147,002	28,660	10,667	5,246	2,990	2,061	49,624	6,476	5,340	9,232	11,485	8,766
2	Males	74,531	15,329	5,566	2,720	1,484	1,000	26,099	3,090	2,416	4,087	5,591	4,165
3	Females	72,471	13,331	5,101	2,526	1,506	1,061	23,525	3,386	2,924	5,145	5,894	4,601
4	Unknown cause	12,380	5,518	931	470	221	179	7,319	456	324	394	452	366
5	Males	6,250	2,962	492	264	117	83	3,918	226	142	159	196	148
6	Females	6,130	2,556	439	206	104	96	3,401	230	182	235	256	218
7	1. General diseases.												
8	General diseases—A	34,463	7,433	4,305	2,028	1,112	812	15,690	2,538	1,841	2,259	2,337	1,635
9	Males	17,576	3,918	2,216	1,018	527	403	8,082	1,234	830	1,093	1,261	827
10	Females	16,887	3,515	2,089	1,010	585	409	7,608	1,304	1,011	1,166	1,076	808
11	Measles.....(M..)	1,285	360	229	122	84	47	842	142	74	73	59	21
12	(F..)	1,368	320	238	119	90	51	818	131	97	109	63	44
13	Scarlet fever.....(M..)	127	29	20	14	8	2	73	19	11	5	5	2
14	(F..)	137	19	21	14	11	6	71	22	10	14	7	2
15	Diphtheria.....(M..)	324	61	46	48	37	21	213	66	28	7	4	
16	(F..)	340	37	31	41	27	34	170	106	35	10	3	6
17	Whooping cough.....(M..)	944	467	245	98	53	24	887	43	5	5	1	
18	(F..)	1,096	510	279	117	69	39	1,014	58	14	3	1	1
19	Malarial fever.....(M..)	2,748	312	286	165	100	89	952	286	181	223	233	148
20	(F..)	2,841	293	259	181	116	86	935	307	214	282	219	170
21	Influenza.....(M..)	1,435	312	104	47	22	22	507	48	24	48	46	45
22	(F..)	1,423	272	100	44	25	15	456	40	40	59	53	42
23	Typhoid fever.....(M..)	3,275	172	181	115	81	63	612	321	313	461	500	290
24	(F..)	3,256	141	164	124	75	81	585	345	433	546	397	242
25	Cholera morbus.....(M..)	400	107	60	32	11	12	222	21	20	14	15	11
26	(F..)	321	60	35	28	14	8	145	24	13	10	12	14
27	Colitis.....(M..)	50	19	6	3		1	29			1	1	3
28	(F..)	62	23	12	6		1	42	1	2			2
29	Diarrhea.....(M..)	671	185	126	56	18	13	398	41	13	15	11	11
30	(F..)	586	168	116	46	22	7	359	36	9	8	9	14
31	Dysentery.....(M..)	1,303	314	267	111	42	36	770	68	28	26	38	31
32	(F..)	1,165	263	260	101	37	14	675	52	14	21	35	27
33	Enteritis.....(M..)	888	381	178	57	24	20	660	32	21	13	17	13
34	(F..)	870	353	156	63	25	10	607	42	17	22	25	24
35	Cholera infantum.....(M..)	1,118	733	305	61	11	8	1,118					
36	(F..)	981	638	264	55	13	11	981					
37	Fever.....(M..)	625	167	89	46	24	22	348	53	20	31	43	18
38	(F..)	683	184	81	35	33	19	352	59	44	38	40	31
39	Cerebro-spinal fever.....(M..)	177	46	8	9	4	7	74	23	18	14	12	10
40	(F..)	147	28	13	7	8	5	61	25	18	12	7	12
41	Smallpox.....(M..)	1,314	106	26	19	4	10	165	48	43	117	190	158
42	(F..)	804	86	32	13	12	14	157	32	30	75	112	85
43	Erysipelas.....(M..)	80	11	2	1	1		15	2	4	4	8	4
44	(F..)	73	20	3			1	24	4	4	3	5	4
45	Septicemia.....(M..)	317	35	10	8	1	2	56	9	17	17	30	24
46	(F..)	372	23	7	7	4	1	42	11	11	33	51	62
47	Venereal diseases.....(M..)	331	79	14	4	2		99	4	3	11	36	32
48	(F..)	230	58	13	6	3	2	82	1		12	28	22
49	Others of this group.....(M..)	164	22	14	2		4	42	8	7	8	12	6
50	(F..)	132	19	5	3	1	4	32	8	6	9	9	4
51	General diseases—B	2,080	1,090	182	140	68	50	1,530	109	16	33	51	52
52	Males	1,131	589	91	70	38	29	817	46	6	17	33	25
53	Females	949	501	91	70	30	21	713	63	10	16	18	27
54	Alcoholism.....(M..)	104	2					2	1		2	7	11
55	(F..)	20											2
56	Parasitic diseases.....(M..)	152	17	34	31	20	20	122	25			2	
57	(F..)	174	15	39	37	20	12	123	42	4	2		1
58	Lead poison.....(M..)	5					1	1			1		
59	(F..)	4	1				1	2					
60	Other poisons.....(M..)	227	20	21	23	16	6	86	13	6	14	23	14
61	(F..)	168	8	17	18	3	6	52	15	4	11	17	20
62	Inanition.....(M..)	643	550	36	16	2	2	606	7			1	
63	(F..)	583	477	35	15	7	2	536	6	2	3	1	4
64	General diseases—C.....	6,745	2,659	211	81	34	10	2,995	26	11	22	19	15
65	Males	3,240	1,425	104	42	18	4	1,593	10	6	8	10	7
66	Females	3,505	1,234	107	39	16	6	1,402	16	5	14	9	8
67	Old age.....(M..)	1,354											
68	(F..)	1,772											
69	Premature birth.....(M..)	756	756					756					
70	(F..)	629	629					629					
71	Malformation.....(M..)	107	94	3	3	1	2	103	3			1	
72	(F..)	85	80	2	1	1	1	85					
73	Debility and atrophy.....(M..)	967	519	101	39	17	2	678	7	6	8	9	7
74	(F..)	953	460	105	38	15	5	623	16	5	14	9	8
75	Others of this group.....(M..)	56	56					56					
76	(F..)	66	65					65					

679

TOTAL COLORED.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6, 581	6, 293	5, 559	5, 253	5, 425	4, 028	4, 723	3, 861	3, 894	2, 832	2, 497	1, 278	837	1, 012	2, 006	1
3, 207 3, 374	3, 067 3, 226	2, 755 2, 804	2, 716 2, 537	2, 940 2, 485	2, 233 1, 795	2, 521 2, 202	2, 152 1, 709	2, 162 1, 732	1, 537 1, 295	1, 302 1, 195	635 643	366 471	387 625	1, 103 903	2 3
248	249	262	237	287	208	283	252	186	182	175	77	57	64	302	4
106 142	102 147	121 141	109 128	144 143	101 107	139 144	115 137	101 85	95 87	97 78	35 42	20 37	25 39	151 151	5 6
1, 096	939	811	741	761	541	680	529	545	383	343	176	95	91	332	7
546 550	465 474	452 359	407 334	409 352	270 271	372 308	282 247	305 240	223 160	173 170	90 86	42 53	35 56	178 154	8 9
11 32	13 16	8 12	9 11	9 7	4 5	3 6	4 1	1 2	4 1	1 2	2		1	7 8	10
3 3	2 4				3 1	3	1								11
1 1		1		1		1		1						1	12
	3		1	2	1	1				1					13
1		1			2									3 1	14
115 75	83 90	85 89	75 73	77 74	50 61	67 64	46 53	43 40	30 23	16 14	11 10	5 5	3 9	19 34	15
19 43	32 40	35 35	35 40	40 62	47 58	82 66	76 64	95 81	82 63	74 79	44 34	20 27	21 27	15 14	16
147 157	128 129	106 90	109 73	73 50	44 44	46 54	22 24	33 29	18 7	15 11	9 5	2 5	1 3	25 27	17
6 16	10 14	10 8	7 6	13 11	5 8	15 9	5 9	8 7	4 4	3 5	2 2		1	6 4	18
2 1	1 1	3	2	1 1	1 3	1 2	3 1	1 1		1 3				1	19
8 19	9 12	9 18	15 10	23 17	17 10	21 14	23 13	16 12	15 7	6 5	4 3	2 3	1 4	13 4	20
27 28	32 26	20 16	38 32	42 37	28 18	37 38	30 33	35 37	25 23	12 22	3 8	2 7	4 5	7 11	21
12 14	15 18	12 10	18 14	16 17	11 11	11 5	11 11	10 9	1 6	6 4	2 4	2 1	1	4 9	22
															23
10 20	19 19	8 7	8 11	17 8	6 9	11 11	7 4	7 4	4 9	8 5	2 9	2 1		3 1	24
5 5	3 2	5 2	4	5	1	2 1	1		1					1	25
125 66	85 45	88 40	42 28	48 34	24 17	36 15	20 19	37 9	14 4	10 5	3 1	2 1	1 2	58 27	26
6	2 3	5 1	3 4	5 2	1 3	3 2	6 2	4 2	3 2	3 6	1	1		1 1	27
18 32	13 32	26 17	13 20	15 15	12 8	17 13	12 1	7 4	11 2	7 5	5 6	1 1	2 2	5 4	28
23 29	15 18	26 7	22 8	15 8	8 3	11 3	11 1	4 1	3 1	1 3				7 4	29
8 8	3 2	5 3	7 3	9 7	8 9	5 4	4 11	3 3	8 5	11 1	5 1	1 2	2	4 3	3

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	29,948	793	682	486	321	202	2,484	1,063	1,341	3,176	4,453	3,416
2	Males.....	13,465	401	361	260	165	101	1,288	453	477	1,175	1,907	1,389
3	Females.....	16,483	392	321	226	156	101	1,196	610	864	2,001	2,546	2,027
4	Anemia.....												
	(M.....	38	7	2	1	1		11	1	2	2	2	2
	(F.....	64	9	3	3	1		16	3	4	5	6	7
5	Diabetes.....												
	(M.....	79		4	2			6		5		1	6
	(F.....	67			1	1		2	3		3	1	1
6	Rheumatism.....												
	(M.....	412	7	3	3	5		18	12	18	20	18	15
	(F.....	363	10	2	3	3	1	19	13	18	22	18	15
7	Scrofula and tabes.....												
	(M.....	493	48	42	31	25	14	160	67	42	35	43	30
	(F.....	496	45	41	25	23	13	147	77	61	43	35	24
8	Hydrocephalus.....												
	(M.....	177	62	34	16	10	3	125	15	8	7	6	2
	(F.....	160	52	31	13	14	6	116	12	5	9	2	5
9	Tuberculosis, general.....												
	(M.....	98	3	2	3	2		10	3	6	9	23	9
	(F.....	61	3	4	3			10	4	4	7	8	6
10	Consumption.....												
	(M.....	9,956	218	194	132	80	62	686	254	341	1,041	1,717	1,256
	(F.....	12,121	227	171	117	78	62	655	400	714	1,804	2,321	1,811
11	Cancer.....												
	(M.....	364	4			2		6	4	6	5	13	8
	(F.....	1,139	2	1	2			5	3	5	13	33	40
12	Tumor.....												
	(M.....	102	6	3	2	1	2	14	4	6	6	4	6
	(F.....	216	8		1	3		12	2	3	9	14	17
13	Dropsy.....												
	(M.....	1,681	29	63	59	37	18	206	89	42	48	80	53
	(F.....	1,745	21	54	51	27	17	170	90	48	86	107	100
14	Others of this group.....												
	(M.....	65	17	14	11	2	2	46	4	1	2		2
	(F.....	51	15	14	7	6	2	44	3			1	1
15	2. Diseases of the nervous system.....	10,963	2,903	658	310	202	170	4,243	524	377	416	388	329
16	Males.....	5,667	1,632	363	169	100	78	2,342	278	190	199	214	166
17	Females.....	5,296	1,271	295	141	102	92	1,901	246	187	217	174	163
18	Inflammation of the brain.....												
	(M.....	425	87	50	29	12	17	195	53	23	35	31	14
	(F.....	345	64	29	19	17	11	140	48	32	23	14	14
19	Meningitis.....												
	(M.....	802	198	102	53	38	23	414	88	66	61	48	29
	(F.....	658	134	94	49	32	32	341	83	56	46	36	21
20	Apoplexy.....												
	(M.....	694	6	2	3	1	1	13	4	3	9	22	24
	(F.....	771	7	5	1	2	2	17	6	7	6	12	25
21	Paralysis.....												
	(M.....	1,014	12	11	8	9	4	44	24	10	16	20	16
	(F.....	1,142	13	11	2	2	2	30	13	14	21	21	24
22	Paralysis, general (of insane).....												
	(M.....	73										1	2
	(F.....	24											2
23	Tetanus and trismus nascentium.....												
	(M.....	364	238	5		1	3	247	18	23	11	9	14
	(F.....	261	198	8	1	1		208	3	8	9	6	6
24	Chorea.....												
	(M.....	3								1			1
	(F.....	6							1	2	1		
25	Epilepsy.....												
	(M.....	290	41	8	5	5	1	60	17	20	30	38	26
	(F.....	214	33	7	6	5	3	54	6	17	31	16	12
26	Convulsions.....												
	(M.....	1,188	919	121	46	16	14	1,116	26	12	5	2	8
	(F.....	1,066	725	104	45	32	21	927	28	9	30	21	12
27	Mental diseases.....												
	(M.....	133								3	6	10	9
	(F.....	133								1	4	9	15
28	Diseases of the brain.....												
	(M.....	574	117	61	25	17	15	235	44	25	25	27	21
	(F.....	534	89	33	16	10	20	168	55	37	37	24	28
29	Diseases of the spinal cord.....												
	(M.....	35	4	1				5	3	4	1	1	1
	(F.....	38	1	4	1	1		7	2	2	5	3	1
30	Locomotor ataxia.....												
	(M.....	9										1	
	(F.....	5											
31	Others of this class.....												
	(M.....	63	10	2		1		13	1			5	6
	(F.....	99	7		1		1	9	1	2	4	11	3
32	3. Diseases of the circulatory system.....	7,375	174	51	27	20	18	290	83	119	167	343	324
33	Males.....	3,598	95	31	10	12	11	159	33	55	80	129	148
34	Females.....	3,777	79	20	17	8	7	131	50	64	87	214	176
35	Pericarditis.....												
	(M.....	55	1	2				3	2	1	5	6	6
	(F.....	43				1	1	2	2	4	1	4	2
36	Diseases of the heart.....												
	(M.....	3,343	72	28	10	12	11	133	30	51	71	121	136
	(F.....	3,562	66	20	17	7	6	116	47	60	83	203	157
37	Angina pectoris.....												
	(M.....	52							1		3	1	1
	(F.....	76									1	2	9
38	Diseases of the arteries.....												
	(M.....	44											
	(F.....	19											
39	Aneurism.....												
	(M.....	70								1	1		5
	(F.....	44							1		1	2	6
40	Embolism.....												
	(M.....	11								2		1	
	(F.....	16									1	3	2
41	Others of this class.....												
	(M.....	23	22	1				23					
	(F.....	17	13					13					

681

COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2, 401	2, 149	1, 778	1, 552	1, 410	951	944	759	683	399	316	127	61	61	424	1
1, 030 1, 371	985 1, 164	773 1, 005	734 818	712 698	524 427	484 460	428 331	371 312	215 184	180 136	63 64	31 30	34 27	212 212	2 3
2	2	2	3	2	1	2	2	3	1	1			1	1	4
1	2	6	3	3	1	2		1							
3	7	6	5	8	7	9	2	4	4			3	2	1	5
2	3	6	4	7	9	6	5	3	4	3	3				
17	13	22	27	37	27	28	26	40	29	20	9	5	6	5	6
16	20	20	23	20	20	31	17	32	22	15	7	4	6	5	
17	20	6	17	10	7	10	8	6	4	2		1		8	7
14	21	14	10	14	5	8	4	3	5	2			2	7	
5	1	4	1	1	1		1	1							8
2	2	3	3				1								
9	11	3	3	3	3	1	4			1					9
8	3	2	2	1	1	2		1	1					1	
902	851	627	566	486	323	269	210	133	68	47	13	8	7	151	
1, 134	878	707	460	368	198	172	147	100	63	31	12	2	5	139	10
16	19	24	38	42	39	34	37	24	18	9	5	3	2	12	
66	113	133	173	153	96	105	56	49	31	23	13	8	3	18	11
7	8	10	4	11	4	3	6	2	3	2	1		1		12
14	15	21	28	20	11	20	7	9	6	1	2			5	
50	52	66	70	112	112	128	135	158	88	96	35	11	16	34	
114	107	93	111	112	85	114	92	114	52	61	27	16	10	36	13
2	1	3							1	2				1	14
			1		1										
272	312	354	442	546	423	510	441	447	341	237	116	59	50	136	15
137	157	176	198	273	213	244	217	216	164	104	56	21	20	82	16
135	155	178	244	273	210	266	224	231	177	133	60	38	30	54	17
11	8	8	9	8	7	6	3	5	4	2	2			3	
8	11	6	11	9	6	6	6	4	3	2	1			1	18
24	17	9	6	12	4	4	6	3	4	1				6	
14	10	7	6	7	3	9	3	5	3		1		3	4	19
15	30	43	68	88	68	80	66	58	39	30	15	9	3	7	
25	44	43	82	91	80	85	65	66	47	25	18	11	4	12	20
17	46	47	53	99	72	108	101	120	88	56	33	10	12	22	
25	34	59	85	103	84	118	116	126	100	82	32	25	16	14	21
11	4	12	7	12	8	4	4	3	1		1			3	
4	1	2	6	6	2	1									22
6	7	3	4	4	3	5	4		3					3	
6	3	2	1	3	2	1	1	2					1		23
									1						
	1		1												24
18	8	15	10	6	11	7	6	7	3	2	1		1	4	
8	15	9	7	11	5	4	2	4	2	2	1		3	5	25
3	1	4	2	3				1		1				9	
7	2	4	2	5	1	4	2	1	3					8	26
8	13	8	6	11	12	10	7	8	5	3	3	1		10	
14	6	21	13	8	3	5	7	10	6	3	3	1	1	3	27
20	17	22	26	24	19	13	13	7	12	8	1	1	1	13	
20	16	18	20	13	18	25	19	10	5	12	3	1		5	28
3	3	2	3	1	1	3	1		1	1			1		
1	5	2	2	1	2		1		1	1				2	29
			3	2	2	1								1	
				2	1								1		30
1	3	3	1	3	6	3	6	4	3	2			2	1	
3	7	5	8	14	3	8	3	3	7	6	1		1		31
410	525	585	591	663	559	687	551	501	370	245	117	59	52	134	32
183	244	266	278	319	293	352	289	259	204	139	52	25	16	75	33
227	281	319	313	344	266	335	262	242	166	106	65	34	36	59	34
3	5	3	2	7	3	2	4	1	2						
3	2	5	4	2	5	2	2	2		1					35
166	222	238	259	299	261	335	269	244	193	136	50	23	15	71	
214	269	294	296	328	250	322	250	230	155	101	62	32	34	59	36
2	5	7	3	5	4	4	4	5	4	1				2	37
3	2	9	7	9	4	8	7	4	8	1	1	1			
1		4	3	4	3	3	8	6	4	2	2	2	1	1	38
	1	2	1	1	1		1	3	2	2	2	1	2		
9	10	14	11	3	2	8	3	1	1					1	39
4	5	8	5	2	4	2	1	2	1						
2	2			1			1	2							40
2	1	1		2	2		1	1							
1	1					1				1					41

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
TOTAL COLORED—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	20,643	5,111	2,131	1,037	517	286	9,082	721	570	1,043	1,363	952
2	Males.....	11,485	2,757	1,096	539	262	146	4,800	343	282	578	817	573
3	Females.....	9,158	2,354	1,035	498	255	140	4,282	378	288	465	546	379
4	Croup.....	978	693	127	66	36	17	939	30	3		1	3
	{M.....	872	633	99	52	33	13	830	23	7		1	2
	{F.....												
5	Pneumonia.....	8,613	1,561	747	377	181	113	2,979	264	230	528	750	503
	{M.....	6,445	1,301	698	348	182	95	2,624	286	235	398	451	309
	{F.....												
6	Laryngitis.....	33	8	4	2	2	2	18	1		2	1	3
	{M.....	15	2	2	1	1		6	1		1	1	
	{F.....												
7	Bronchitis.....	975	390	184	74	35	11	694	28	15	15	24	18
	{M.....	1,001	337	198	79	21	24	659	49	23	30	25	22
	{F.....												
8	Pleurisy.....	242	6	2	5	3		16	7	9	9	16	16
	{M.....	203	10	8	3	3		24	3	5	8	18	19
	{F.....												
9	Asthma.....	249	8	7	6	1		22	4	4	1	2	7
	{M.....	263	5	6	5	4	1	21	3	2	2	8	9
	{F.....												
10	Others of this class	395	91	25	9	4	3	132	9	21	23	23	23
	{M.....	359	66	24	10	11	7	118	13	15	24	42	18
	{F.....												
11	5. Diseases of the digestive system.....	7,250	1,712	1,104	292	130	81	3,319	284	179	278	404	320
12	Males.....	3,818	912	591	147	68	41	1,759	149	88	124	183	151
13	Females.....	3,432	800	513	145	62	40	1,560	135	91	154	221	169
14	Dentition.....	657	232	370	45	9	1	657					
	{M.....	598	223	312	56	6	1	598					
	{F.....												
15	Angina.....	107	40	12	9	8	7	76	9	1		2	2
	{M.....	91	17	9	10	3	3	42	10	3	4	2	4
	{F.....												
16	Gastritis.....	283	47	27	10	6	3	93	12	4	3	9	11
	{M.....	323	43	25	6	10	4	88	20	3	17	18	24
	{F.....												
17	Diseases of the stomach	176	29	9	4	4	3	49	11	5	7	9	7
	{M.....	182	32	16	10	3	3	64	13	11	6	8	13
	{F.....												
18	Obstruction of the bowels.....	116	11	1	2		1	15	4	5	10	9	9
	{M.....	118	8	2		1	2	13	2	1	8	15	14
	{F.....												
19	Appendicitis.....	157	2	1	1	1	1	6	5	12	21	27	22
	{M.....	96	4	1		1	1	6	9	5	17	10	9
	{F.....												
20	Hernia.....	197	23	3	4	2		32	1	2	5	7	4
	{M.....	41	6		1			7		1	1		
	{F.....												
21	Other diseases of the bowels	316	86	43	20	8	1	158	13	11	12	16	10
	{M.....	272	69	35	12	11	3	130	14	13	17	15	7
	{F.....												
22	Jaundice.....	157	81	9	3	1	2	96	8	4	5	6	9
	{M.....	139	72	5	1		1	79	4	2	8	11	7
	{F.....												
23	Inflammation and abscess of the liver.....	224	14	4	6	1	4	29	8	5	7	23	17
	{M.....	150	7	5	5	3	3	23	2	6	5	18	9
	{F.....												
24	Other diseases of the liver.....	271	13	7	6	8	4	38	12	5	10	15	13
	{M.....	148	11	7	4	4		26	7	3	5	11	2
	{F.....												
25	Peritonitis.....	241	16	7	6	3	2	34	24	11	24	30	19
	{M.....	424	14	6	3	3	3	29	13	21	47	87	56
	{F.....												
26	Ascites.....	191	4	4	4	4	7	23	10	8	4	13	7
	{M.....	183	5	4	4	4	2	19	11	7	10	14	11
	{F.....												
27	Others of this class	725	314	94	27	13	5	453	32	15	16	17	21
	{M.....	667	289	86	33	14	14	436	30	15	9	12	13
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	3,785	64	54	38	17	20	193	66	62	102	186	187
29	Males.....	2,317	32	32	23	11	13	111	34	27	47	86	101
30	Females.....	1,468	32	22	15	6	7	82	32	35	55	100	86
31	Bright's disease.....	1,516							22	18	33	59	78
	{M.....	1,132							24	30	42	78	62
	{F.....												
32	Calculus, urinary.....	105	5	1	1			7	3	2	1		1
	{M.....	14	2		2	1		5				1	
	{F.....												
33	Diseases of the kidney.....	322	17	29	22	9	13	90	6	4	5	10	7
	{M.....	162	22	18	12	5	7	64	5	3	4	9	8
	{F.....												
34	Diseases of the bladder.....	135	1	2		1		4				9	2
	{M.....	25	4					4			2	1	2
	{F.....												
35	Others of this class	239	9			1		10	3	3	8	8	13
	{M.....	135	4	4	1			9	3	2	7	11	14
	{F.....												
36	7. Diseases of the female organs of generation.....	592	3					3		17	57	69	70
37	Ovarian tumors.....	39								1	6	4	2
38	Ovarian diseases.....	10								1	1	1	2
39	Diseases of the tubes.....	46									3	13	12
40	Uterine tumors.....	88										2	9
41	Uterine diseases.....	128								2	13	17	15
42	Others of this class	281	3					3		13	34	32	30

CAUSE, COLOR, AND RACE.

683

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	785	710	668	761	565	657	509	505	326	257	122	54	56	182	1
478	437	423	406	474	351	363	300	314	180	135	73	23	24	111	2
277	348	287	262	287	214	294	209	191	146	122	49	31	32	71	3
	1	1	2	1	1									1	4
411	383	373	340	397	271	294	227	253	142	95	54	17	18	84	
240	277	232	198	224	161	217	147	134	102	87	30	22	20	51	5
1		1	2		2		2								6
1		1				1		1			1				
12	14	16	23	25	19	7	16	19	6	9	4	2		9	7
13	17	8	19	17	13	23	18	16	20	11	8		3	7	
18	14	5	12	14	17	19	19	16	12	10	6	2	1	4	8
5	14	6	15	15	11	19	6	10	9	5	3	4	1	3	
11	4	13	12	19	29	25	25	22	14	15	7	2	4	7	9
5	19	18	19	20	18	26	27	25	10	14	4	4	7	2	
25	22	15	17	18	13	18	11	4	6	6	2		1	6	10
13	20	21	9	11	10	8	11	5	5	5	3	1	1	6	
267	262	247	273	274	242	235	201	154	101	80	38	16	16	60	11
132	119	112	154	156	139	138	121	96	69	51	21	8	11	37	12
135	143	135	119	118	103	97	80	58	32	29	17	8	5	23	13
															14
2	3	2	1	2	1		1	3	1				1		
2		3	4	3	3	1	2	2	1	4	1				15
13	10	12	18	26	18	14	14	9	7	5	1	1	1	2	
18	17	14	18	20	19	16	10	5	3	5	3	2	1	2	16
7	13	5	9	9	9	7	7	8	5	4	4		1		
6	9	9	7	5	5	5	8	5	1	1	2	1		3	17
9	4	5	8	3	11	8	3	6	2	1				4	
8	6	11	9	6	8	4	5	4	1		2			1	18
14	9	10	4	4	7	5	6	1	2	1					
8	7	4	4	5	4	4	3	1						1	19
9	6	11	14	9	15	14	12	16	12	9	7	2	3	7	
1	1	4	4	6	5	3	4		2			1		2	20
9	10	6	10	8	10	10	6	7	10	5	2	1		2	
10	9	3	8	5	8	6	4	10	4	5		1	2	1	21
5	2	2	2	8	4	2	2		1		1				
3	7	4	2	2	1	2	2	3						1	22
14	11	13	19	17	12	20	8	8	3	4			1	5	
9	9	13	10	6	6	11	9	4	4	3	2			1	23
18	18	16	28	22	17	16	19	5	6	4		1		8	
10	5	15	13	14	10	7	6	5	4	1	3			1	24
17	11	8	17	9	5	10	10	6	3	1				2	
38	49	31	16	14	6	8	3	2						4	25
4	5	8	5	15	14	14	16	11	12	10	4	2	3	3	
9	10	7	7	14	13	10	9	14	8	6	1		1	2	26
11	17	14	19	24	16	18	17	16	5	7	2	1	1	3	
13	14	17	17	18	15	20	15	3	3	4	3	3	1	6	27
199	247	271	325	348	284	346	289	280	157	99	59	21	15	49	28
93	133	147	189	225	177	232	217	210	119	71	38	17	13	30	29
106	114	124	136	123	107	114	72	70	38	28	21	4	2	19	30
66	105	121	150	171	130	158	133	124	66	33	21	8	4	16	31
86	83	105	116	102	90	101	61	58	32	22	20	4	2	14	
	3		4	1	5	12	21	14	11	7	4	4	2	3	32
	1	1			2		1	1	2						
10	9	11	11	22	23	27	26	16	22	12	2	4	1	4	33
11	8	6	4	7	6	8	5	7	3	3	1				
2	4	2	8	11	5	16	11	32	10	5	6		4	4	34
1	3	2	4	1	1	1	1	1	1						
15	12	13	16	20	14	19	26	24	10	14	5	1	2	3	35
8	19	10	12	13	8	4	4	3		3				5	
60	69	67	76	31	15	16	18	6	6					12	36
7	6	1	8	2	1		1								37
2	1	1		1											38
9	5	2	2												39
11	13	16	18	6	4	3	3	1						2	40
10	19	10	6	7	3	9	4	2	4					7	41
21	25	37	42	15	7	4	10	3	2					3	42

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	1,883								23	381	485	329
2	Abortion	114								1	21	27	30
3	Childbirth.....	1,237								19	238	296	207
4	Puerperal septicemia.....	383								2	77	118	73
5	Extra-uterine pregnancy.....	16										3	3
6	Others of this class	133								1	45	41	16
7	9. Diseases of the bones and joints.....	261	28	15	19	8	8	78	24	17	20	18	15
8	Males.....	152	16	10	9	3	3	41	14	12	14	9	11
9	Females.....	109	12	5	10	5	5	37	10	5	6	9	4
10	Diseases of the spine.....	{M.. 78 {F.. 62	10 10	6 3	9 8	1 4	3 2	29 27	9 5	8 4	7 3	2 5	8 2
11	Abscess, lumbar and psoas.....	{M.. 8 {F.. 5							1 2		1	1	
12	Diseases of the bones.....	{M.. 28 {F.. 19	3 2	2 2	1	1	2	6 5	2	2	3 1	1 2	
13	Diseases of the hip-joint.....	{M.. 13 {F.. 10							2 2	1	2	3	2 1
14	Others of this class	{M.. 25 {F.. 13	3 2	2	1	1	1	6 5	2 1		3	2 1	1 1
15	10. Diseases of the skin	303	59	25	6	8	2	100	4	13	10	9	18
16	Males.....	171	37	14	4	5	2	62	3	8	4	9	10
17	Females.....	132	22	11	2	3		38	1	5	6		8
18	Abscess.....	{M.. 92 {F.. 55	15 8	6		2 1	1	24 9	2 1	6 1	3 2	7	6 6
19	Carbuncle.....	{M.. 12 {F.. 14	1					1		2			2 1
20	Others of this class	{M.. 67 {F.. 63	22 13	8 11	4 2	3 2	1	38 28	1		1 4	2	2 1
21	11. Diseases of the absorbent system.....	36	4	1				5	1		4	3	3
22	Males.....	15	2					2			2	1	1
23	Females.....	21	2	1				3	1		2	2	2
24	Addison's disease.....	{M.. 1 {F.. 1											
25	Diseases of the spleen.....	{M.. 4 {F.. 5									1	1	1 2
26	Others of this class	{M.. 10 {F.. 15	2 2	1				2 3	1		2 1	2	
27	12. Accidents and injuries.....	8,295	1,109	317	312	332	223	2,293	577	430	770	905	735
28	Males.....	5,646	551	165	165	158	86	1,125	267	293	587	736	608
29	Females.....	2,649	558	152	147	174	137	1,168	310	137	183	169	127
30	Burns and scalds.....	{M.. 683 {F.. 1,104	54 46	99 88	122 113	126 144	54 113	455 504	84 234	17 63	12 56	15 42	7 23
31	Drowning.....	{M.. 572 {F.. 95	5 7	10 4	12 6	6 6	8 1	41 18	54 14	73 11	86 14	76 9	63 6
32	Exposure and neglect.....	{M.. 166 {F.. 193	91 113	12 13	4 6	1 5	3 4	111 141	3 5	2 1	5 7	1 7	4 5
33	Gunshot wounds.....	{M.. 1,065 {F.. 154	1 4	4 3	4 2	5 2	4 3	18 14	31 9	75 20	163 33	225 30	185 22
34	Homicide.....	{M.. 491 {F.. 93			1 3			1 3	4 3	13 3	53 12	103 22	95 19
35	Infanticide.....	{M.. 8 {F.. 3	8 3					8 3					
36	Injuries by machinery.....	{M.. 40 {F.. 1							1	3	5	9	2
37	Railroad accidents.....	{M.. 509 {F.. 49	3 1		1 1	1 1	1	6 3	12 3	27 4	73 5	97 5	70 6
38	Suffocation.....	{M.. 246 {F.. 274	199 226	10 13	3 3	1 2	3	213 247	2 3		4 2	4 2	1 1
39	Suicide by shooting.....	{M.. 28 {F.. 4									4 1	6 1	5 1
40	Suicide by drowning.....	{M.. 2 {F.. 2										1	
41	Suicide by poison.....	{M.. 18 {F.. 21								1	7	5 9	2 3
42	Other suicides.....	{M.. 61 {F.. 16								2	1 3	6 3	9 4
43	Sunstroke.....	{M.. 88 {F.. 30	3 5	1	1	1 1	1	7 6	1 2	2 4	4	5 1	5 1
44	Surgical operations.....	{M.. 21 {F.. 31								1	2	1 4	1 6
45	Wounds.....	{M.. 73 {F.. 11	1 4					1 4	4 1	1	6 1	13 2	7 1
46	Others of this class.....	{M.. 1,575 {F.. 568	186 156	29 28	17 16	17 13	15 12	264 225	71 36	76 24	171 39	170 31	152 29

CAUSE, COLOR, AND RACE.

685

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
256	232	105	31	4	3	3	2	1						28	1
16	10	6	1											2	2
177	174	71	23	4	2	3	1	1						21	3
46	39	20	4				1							3	4
6	3				1										5
11	6	8	3											2	6
14	12	11	11	6	8	11	4	6	2		1	1	1	1	7
7	9	6	8	3	5	3	2	4	1		1		1	1	8
7	3	5	3	3	3	8	2	2	1			1			9
2	3	2	4	1	1		1							1	10
4	2	2	1	2	2	3									
2	1			1	1										11
		1		1											
3	2	1	1		1	1	1	3	1						12
	1	1	1		1	4	1	1	1						
	3	1	1			1									13
2		1	1												
		2	2	1	2	1		1			1		1		14
1						1	1	1				1			
14	22	16	13	19	12	15	9	8	4	5	4	2	3	3	15
8	11	9	8	11	6	4	5	3	3	1	2	1		3	16
6	11	7	5	8	6	11	4	5	1	4	2	1	3		17
8	8	5	7	6	3	1			1			1		1	18
3	8	5	4	3	3	4	2	2		2					
		2	1	1			1	2						1	19
	2	1	1	2		3		1		1			1		
	3	2		4	3	3	2	1	2		2			1	20
3	1	1		3	3	4	2	2	1	1	2	1	2		
3	3	1	5	5	2		1								21
2	1		3	1	1		1								22
1	2	1	2	4	1										23
					1										24
	1														
	1		1												25
	1				1										
2			2	1			1								26
1		1	2	4											
537	441	289	227	215	136	150	98	90	72	75	27	21	25	182	27
460	371	240	186	167	109	110	66	56	42	37	19	9	8	150	28
77	70	49	41	48	27	40	32	34	30	38	8	12	17	32	29
9	9	7	2	6	5	5	5	8	3	10	8	3	4	9	30
22	11	10	11	13	13	15	15	14	17	13	2	6	9	11	
35	36	26	16	17	8	9	2	2	2	1	1			24	31
8	2	3	3	1	2	2	1							1	
4	2	1	3	4	2	6	4	2	4	3		2	1	2	32
2	5	2		2	3	1	1	3	2	3	1				
130	80	39	44	17	6	10	3	3	2	2		1		31	33
7	6	3	1	3	2	1				1				2	
58	54	38	18	21	5	3	3	3	1	1				17	34
5	8	4	3	1	1					1				8	
															35
6	4	3	2	2	1		2								36
55	44	28	11	16	9	15	10	9	3	5	1		1	17	37
2	3	4	2	5		3			1	2			1		
2	2	2	3	1	5	2			2					3	38
2		2	2	2		1	1		2	1				1	
1	3	3	2	1	2						1				39
	1														
1								1							40
5		2	1	2											41
	1			1											
10	6	9	5	4	3	2	1	1	1					1	42
2	1	1		1						1					
11	13	3	6	9	4	3	2	5		1	1	1	1	4	43
2	3	2	2	3		1	1	1						1	
1	5	3		1	3		1	1			1			2	44
7	5	3	2		1					1					
10	4	4	5	2	2	3	1		2	1	3			4	45
1						1									
123	108	72	68	64	54	52	32	21	22	12	4	2	1	36	46
16	24	15	17	16	5	15	13	16	8	17	3	6	7	6	

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE

INDIANS.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,801	718	437	226	163	112	1,656	418	292	328	284	199
2	Males.....	2,377	393	201	107	78	54	833	180	138	127	147	105
3	Females.....	2,424	325	236	119	85	58	823	238	154	201	137	94
4	Unknown cause	960	187	97	52	26	25	387	84	64	38	39	27
5	Males.....	460	105	42	24	13	14	198	30	28	13	13	13
6	Females.....	500	82	55	28	13	11	189	54	36	25	26	14
7	1. General diseases.												
	General diseases—A	1,095	228	192	79	61	38	598	126	56	58	26	24
8	Males.....	554	123	89	39	27	20	298	60	31	23	12	14
9	Females.....	541	105	103	40	34	18	300	66	25	35	14	10
10	Measles..... {M..	111	21	15	12	4	6	58	24	14	4	1	2
	{F..	111	14	16	6	12	4	52	20	10	6	6	
11	Scarlet fever..... {M..	4	2					2	1	1			
	{F..	5	1		1			2	1	1	1		
12	Diphtheria	6	1	2		1		4	1		1		
	{F..	6	2		2	1		5			1		
13	Whooping cough..... {M..	57	25	16	4	5	1	51	3	1			
	{F..	75	23	23	9	3	5	63	7	2	2		
14	Malarial fever..... {M..	56	5	6	1	4	2	18	11	2	4		1
	{F..	58	7	8	5		1	21	6	3	2	3	3
15	Influenza..... {M..	48	3	5	3	1	4	16	1	2	3	2	
	{F..	39	6		1	4	2	13	4	1	2	2	1
16	Typhoid fever..... {M..	49	3	5	4	2		14	5	4	4	2	5
	{F..	39	1	5	3	2	1	12	8	2	11		1
17	Cholera morbus	21	5	3	2	1	1	12	2	2			1
	{F..	18	4	1	2	1		8	2	2			
18	Colitis												
	{M..	3	1					1					
	{F..												
19	Diarrhea	33	16	6	3	1	2	28	2				
	{F..	28	9	8	3	3		23	4	1			
20	Dysentery	39	5	13	5	1	1	25	2	2		2	2
	{F..	35	8	11	2	4		25	4		1		
21	Enteritis..... {M..	20	9	3		3		15	2	1			
	{F..	12	3	3				6	1	1	2		
22	Cholera infantum..... {M..	22	13	6	3			22					
	{F..	34	16	15			3	34					
23	Fever..... {M..	35	9	6	2	3	2	22	4	2		2	
	{F..	43	6	12	4	3	2	27	2	2	3	1	1
24	Cerebro-spinal fever..... {M..	15	4			1	1	6			3	1	2
	{F..	11	2	1	1	1		5	4		1		1
25	Smallpox..... {M..	14	2					2			3	1	
	{F..	11							2		1	2	
26	Erysipelas	4		1				1					
	{M..												
	{F..												
27	Septicemia	10		1				1	1				1
	{F..	6	1					1	1		1		1
28	Venereal diseases	10		1				1	1		1	1	1
	{F..	5	1					1					1
29	Others of this group..... {M..				1			1			1		
	{F..	2											
30	General diseases—B	49	21	2	1			24	3	2		2	
31	Males.....	28	13	1				14	2	1		1	
32	Females.....	21	8	1	1			10	1	1		1	
33	Alcoholism..... {M..	5	1					1					
	{F..	3											
34	Parasitic diseases..... {M..	2	1					1					
	{F..	2							1				
35	Lead poison												
	{M..												
	{F..												
36	Other poisons	10	2					2	2	1		1	
	{F..	5											
37	Inanition..... {M..	11	9	1				10					
	{F..	11	8	1	1			10		1			
38	General diseases—C	159	19		2	2		23				1	
39	Males.....	70	10		2	2		14				1	
40	Females.....	89	9					9					
41	Old age..... {M..	47											
	{F..	68											
42	Premature birth..... {M..	7	7					7					
	{F..	5	5					5					
43	Malformation	1				1		1					
	{F..	1	1					1					
44	Debility and atrophy..... {M..	14	2		2	1		5				1	
	{F..	13	1					1					
45	Others of this group..... {M..	1	1					1					
	{F..	2	2					2					

687

INDIANS.

[illegible]

CAUSE, COLOR, AND RACE.

689

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
76	50	55	51	37	31	28	27	23	10	11	3	3	1	15	1
43	28	21	24	14	16	20	15	13	4	4	2	2	1	11	2
33	22	34	27	23	15	8	12	10	6	7	1	1	1	4	3
					1			1							4
															5
				1		2		2						1	6
1	2	2	3	1	2	1		1	1	1					7
2	1		2		1	1	1	1						1	8
	1	3	1	1										1	9
															10
41	27	17	19	12	13	16	13	6	3	3	2	1		9	11
31	19	28	18	17	11	6	12	6	4	5	1	1		3	12
		1	2					1				1			13
1		1	4	4	1								1		14
		2								1					15
		1	1	1	1	1	1	1	1						16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
															27
															28
															29
															30
															31
															32
9	3	6	6	6	4	4	7	4	4	3		1			33
5	1	4	2	3	2	3	4	2	1	1		1			34
4	2	2	4	3	2	1	3	2	3	2					35
															36
5	1	3	2	3	1	3	4	2	1	1		1			37
4	2	2	4	3	1	1	2	2	3	2					38
		1			1		1								39
															40
															41

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
INDIANS—Continued.

CAUSE OF DEATH.		Allages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	566	113	70	30	28	13	254	46	23	21	12	20
2	Males.....	285	58	35	12	12	7	124	19	16	10	7	10
3	Females.....	281	55	35	18	16	6	130	27	7	11	5	10
4	Croup.....	{M. 33 F. 36	15 16	10 9	4 4	2 3		31 32	2 2	2			
5	Pneumonia.....	{M. 215 F. 194	32 23	20 23	6 9	9 11	6 3	73 69	14 22	16 4	7 10	6 5	9 10
6	Laryngitis.....	{M. 4 F. 4	2					2					
7	Bronchitis.....	{M. 23 F. 38	9 15	5 3	1 4	1 2	1 3	17 27	3 1		1		
8	Pleurisy.....	{M. 5 F. 4			1			1				1	1
9	Asthma.....	{M. 2 F. 3							1				
10	Others of this class.....	{M. 3 F. 6									2		
11	5. Diseases of the digestive system.....	159	39	16	9	4	1	69	15	5	4	8	5
12	Males.....	83	19	10	5	1		35	11	2	1	4	2
13	Females.....	76	20	6	4	3	1	34	4	3	3	4	3
14	Dentition.....	{M. 1 F. 3	1 2	1				1 3					
15	Angina.....	{M. 4 F. 1	2		1			3 1	1				
16	Gastritis.....	{M. 10 F. 11	2	1	1			4 2	3 1				2
17	Diseases of the stomach.....	{M. 9 F. 14	3 3	2		1		3 6	1 1			2 2	
18	Obstruction of the bowels.....	{M. 3 F. 3			1			1	1	1			
19	Appendicitis.....	{M. 3 F. 3									1		
20	Hernia.....	{M. 3 F. 2		1				1					
21	Other diseases of the bowels.....	{M. 11 F. 5	2 1	2 2	1			5 3				1	1
22	Jaundice.....	{M. 1 F. 2								1			
23	Inflammation and abscess of the liver.....	{M. 3 F. 5	1		2			1 2					1
24	Other diseases of the liver.....	{M. 4 F. 4											
25	Peritonitis.....	{M. 8 F. 9	2			1		3 1	2 2				
26	Ascites.....	{M. 3 F. 2								1		1	
27	Others of this class.....	{M. 20 F. 22	6 14	6 1	1 1			13 16	3			1	1
28	6. Diseases of the urinary system and male organs of generation.....	43		1				1	1	3	3		2
29	Males.....	34								3	1		2
30	Females.....	9		1				1	1		2		
31	Bright's disease.....	{M. 22 F. 6								2	2		1
32	Calculus, urinary.....	{M. 2 F. 2											
33	Diseases of the kidney.....	{M. 2 F. 2							1				
34	Diseases of the bladder.....	{M. 3 F. 3											
35	Others of this class.....	{M. 5 F. 1		1				1		1	1		1
36	7. Diseases of the female organs of generation.....	5	1					1					1
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....	1											
41	Uterine diseases.....												
42	Others of this class.....	4	1					1					1

691

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
16	12	26	13	16	26	16	11	17	12	10	1	4	3	7	1
8 8	7 5	13 13	10 3	6 10	13 13	8 8	6 5	8 9	9 3	4 6	 1	2 2	1 2	4 3	2 3
7 8	5 4	12 13	8 3	6 10	12 9	8 7	5 3	8 6	9 2	3 4	 1	2 2	1 1	4 1	4 5
.....		1	1												6
.....	1 1				1 1		1	2	1	2				2	7
.....			1		1	1	1	1							8
1					1		1			1					9
.....	1				1										10
9	2	6	4	5	5	4	5	3	4	1		1		4	11
6 3	1 1	2 4	3 1	1 4	4 1	4	2 3	2 1	3 1	1		1		4	12 13
.....															14
1			1	1	1 1	1				1		1			16
1		1 1	1		1		1	1							17
.....															18
2															19
.....							1		1					2	20
1			1	1			1	1							21
.....						1									22
.....			1	1		1	1								23
.....					1		1		1					1	24
1	1 1	2						1							25
.....				1					1					1	26
2 1		1 1		1	1	1									27
1	2	2	3	4	1	6	6	2	2	2	1	1			28
1	2	2	2 1	4	1	4 2	4 2	2	2	2	1	1			29 30
.....	1	2	1	3	1	3 1	4 2	2	1	2					31
.....						1			1						32
.....			1			1					1				33
1	1		1												34
.....				1								1			35
1		2													36
.....															37
.....															38
.....		1													39
.....															40
1		1													41
.....															42

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
INDIANS—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	66									11	12	10
2	Abortion	4									2	1	1
3	Childbirth	50									6	9	6
4	Puerperal septicemia	11									3	1	3
5	Extra-uterine pregnancy												
6	Others of this class	1										1	
7	9. Diseases of the bones and joints	14			1	1		2	5		1	2	1
8	Males	7											
9	Females	7			1	1		2	1		1	1	1
10	Diseases of the spine	1											
11	Abscess, lumbar and psoas	5			1	1		2	3				1
12	Diseases of the bones	1										1	
13	Diseases of the hip-joint	3							1		1	1	
14	Others of this class	2											
15	10. Diseases of the skin	7											
16	Males	5	2					2					
17	Females	2	1					1					
18	Abscess	3											
19	Carbuncle	2	1					1					
20	Others of this class	2	1					1					
21	11. Diseases of the absorbent system	2										1	
22	Males												
23	Females	2										1	
24	Addison's disease												
25	Diseases of the spleen												
26	Others of this class	2										1	
27	12. Accidents and injuries	219	21	5	4	9	4	43	17	12	12	17	15
28	Males	140	10		2	5	1	18	8	8	10	15	11
29	Females	79	11	5	2	4	3	25	9	4	2	2	4
30	Burns and scalds	5			1	2		3				1	
31	Drowning	13				1	1	3	6	1			
32	Exposure and neglect	4			1			2	3	1	1		1
33	Gunshot wounds	14	5				1	6		2			
34	Homicide	17	7	1		3	1	12	1				1
35	Infanticide	16							1	1	1	1	3
36	Injuries by machinery	12									1	1	1
37	Railroad accidents	2											
38	Suffocation	1	1					1					
39	Suicide by shooting	5									1	1	1
40	Suicide by drowning	1											
41	Suicide by poison												
42	Other suicides	4										2	
43	Sunstroke	3										2	
44	Surgical operations	1				1		1					
45	Wounds	3									1		
46	Others of this class	49	4			1		5	4	4	4	6	3
		33	4	3	1		1	9	2	1	2		1

CAUSE, COLOR, AND RACE.

693

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

INDIANS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	9	5	3				1							1	1
															2
13	9	4	2											1	3
1		1	1				1								4
															5
															6
	1				1	1									7
	1				1	1									8
															9
															10
															11
															12
	1					1									13
					1										14
	1	2					1				1				15
	1	1					1				1				16
		1													17
	1	1					1								18
		1													19
											1				20
1															21
															22
1															23
															24
															25
															26
1															27
15	9	12	9	8	6	11	7	8	3	3	1	2	3	6	28
11	8	10	5	7	4	8	3	4	3	2	1			4	29
4	1	2	4	1	2	3	4	4		1		2	3	2	30
1		1	1			1						1		1	31
1	2	1			1										32
1	1				2	2	1			1					33
2	2					2		1						2	34
2	1	1	2	1	1				1						35
1		1													36
															37
1	2	4	1	1		1	1	1	1				1		38
															39
				1							1				40
															41
															42
1		1		1											43
															44
					1	1									45
4		3	3	3	2	2	1	2	1	1				1	46
1	1		2			1	3	4		1		1	2	2	

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
CHINESE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,150	48	11	7	8	7	81	18	10	12	40	57
2	Males.....	1,045	25	8	5	3	4	45	8	6	7	36	49
3	Females	105	23	3	2	5	3	36	10	4	5	4	8
4	Unknown cause	58	2					2		2			2
5	Males.....	55	1					1		1			2
6	Females	3	1					1		1			
7	1. General diseases. General diseases—A	75	8	1	1		2	12	2		2	4	3
8	Males.....	62	1	1			1	3				4	3
9	Females	13	7		1		1	9	2		2		
10	Measles..... {M..												
	{F..												
11	Scarlet fever												
	{M..												
	{F..												
12	Diphtheria..... {M..				1			1	2				
	{F..	3											
13	Whooping cough	1		1				1					
	{M..												
	{F..	2	1				1	2					
14	Malarial fever..... {M..	2											
	{F..												
15	Influenza..... {M..												
	{F..												
16	Typhoid fever	15					1	1				1	1
	{M..												
	{F..												
17	Cholera morbus	4											
	{M..												
	{F..												
18	Colitis												
	{M..												
	{F..												
19	Diarrhea	1	1					1					
	{M..												
	{F..												
20	Dysentery	6										2	1
	{M..												
	{F..	1	1					1					
21	Enteritis	14											
	{M..												
	{F..												
22	Cholera infantum	1	1					1					
	{M..												
	{F..												
23	Fever..... {M..	11										1	
	{F..	3	1					1			2		
24	Cerebro-spinal fever..... {M..												
	{F..												
25	Smallpox..... {M..												
	{F..												
26	Erysipelas..... {M..	1											
	{F..	1	1					1					
27	Septicemia	2											
	{M..												
	{F..	2	2					2					
28	Venereal diseases..... {M..	3											1
	{F..												
29	Others of this group..... {M..	2											
	{F..												
30	General diseases—B	9	3					3					
31	Males.....	9	3					3					
32	Females												
33	Alcoholism..... {M..	1											
	{F..												
34	Parasitic diseases..... {M..												
	{F..												
35	Lead poison												
	{M..												
	{F..												
36	Other poisons	4											
	{M..												
	{F..												
37	Inanition..... {M..	4	3					3					
	{F..												
38	General diseases—C	32	5					5				1	
39	Males.....	24	2					2				1	
40	Females	8	3					3					
41	Old age..... {M..	15											
	{F..	4											
42	Premature birth..... {M..	1	1					1					
	{F..												
43	Malformation	1	1					1					
	{M..												
	{F..												
44	Debility and atrophy..... {M..	8	1					1				1	
	{F..	2	1					1					
45	Others of this group..... {M..												
	{F..												

695

CHINESE.

[illegible]

[illegible]

697

CHINESE—Continued.

[illegible]

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	185	21	7	5	7	2	42	8	4	2	12	6
2	Males.....	157	14	5	4	3	2	28	4	3	2	11	4
3	Females.....	28	7	2	1	4		14	4	1		1	2
4	Croup.....	{M..											
		{F..											
5	Pneumonia.....	{M.. 130	12	3	4	3	2	24	3	3	1	10	4
		{F.. 25	7	2	1	4		14	4	1		1	2
6	Laryngitis.....	{M..											
		{F..											
7	Bronchitis.....	{M.. 12	2	1				3	1				
		{F.. 2											
8	Pleurisy.....	{M.. 8									1	1	
		{F..											
9	Asthma.....	{M.. 1											
		{F..											
10	Others of this class.....	{M.. 6		1				1					
		{F.. 1											
11	5. Diseases of the digestive system.....	58		1			1	2			1	3	1
12	Males.....	51									1	2	
13	Females.....	7		1			1	2				1	1
14	Dentition.....	{M..											
		{F..											
15	Angina.....	{M.. 1											
		{F..											
16	Gastritis.....	{M.. 7											
		{F.. 2										1	
17	Diseases of the stomach.....	{M.. 1											
		{F..											
18	Obstruction of the bowels.....	{M.. 2											
		{F..											
19	Appendicitis.....	{M.. 3										1	
		{F..											
20	Hernia.....	{M.. 3											
		{F..											
21	Other diseases of the bowels.....	{M..											
		{F..											
22	Jaundice.....	{M.. 1											
		{F..											
23	Inflammation and abscess of the liver.....	{M.. 6										1	
		{F.. 1											1
24	Other diseases of the liver.....	{M.. 20											
		{F..											
25	Peritonitis.....	{M.. 7									1		
		{F.. 2		1				1					
26	Ascites.....	{M..											
		{F..											
27	Others of this class.....	{M..					1	1					
		{F.. 2											
28	6. Diseases of the urinary system and male organs of generation.....	75							1	1			2
29	Males.....	70							1				1
30	Females.....	5								1			1
31	Bright's disease.....	{M.. 64							1				1
		{F.. 4											1
32	Calculus, urinary.....	{M..											
		{F..											
33	Diseases of the kidney.....	{M.. 5											
		{F.. 1								1			
34	Diseases of the bladder.....	{M.. 1											
		{F..											
35	Others of this class.....	{M..											
		{F..											
36	7. Diseases of the female organs of generation.....	1									1		
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....												
41	Uterine diseases.....												
42	Others of this class.....	1									1		

699

CHINESE—Continued.

[illegible]

VITAL STATISTICS.

TABLE 9.—DEATHS IN THE UNITED STATES FROM EACH SPECIFIED DISEASE
CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3											1
2	Abortion												
3	Childbirth	1											1
4	Puerperal septicemia	2											
5	Extra-uterine pregnancy												
6	Others of this class												
7	9. Diseases of the bones and joints	1											
8	Males	1											
9	Females												
10	Diseases of the spine {M..... {F.....												
11	Abscess, lumbar and psoas {M..... {F.....												
12	Diseases of the bones {M..... {F.....	1											
13	Diseases of the hip-joint {M..... {F.....												
14	Others of this class {M..... {F.....												
15	10. Diseases of the skin	2											
16	Males	2											
17	Females												
18	Abscess {M..... {F.....	1											
19	Carbuncle {M..... {F.....	1											
20	Others of this class {M..... {F.....												
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease {M..... {F.....												
25	Diseases of the spleen {M..... {F.....												
26	Others of this class {M..... {F.....												
27	12. Accidents and injuries	87	1					1	2		1	3	6
28	Males	81									1	2	6
29	Females	6	1					1	2			1	
30	Burns and scalds {M..... {F.....	3 2							1			1	
31	Drowning {M..... {F.....	8										1	1
32	Exposure and neglect {M..... {F.....	2											
33	Gunshot wounds {M..... {F.....	3										1	
34	Homicide {M..... {F.....	19 1											
35	Infanticide {M..... {F.....												
36	Injuries by machinery {M..... {F.....	1											1
37	Railroad accidents {M..... {F.....	2									1		
38	Suffocation {M..... {F.....	4											
39	Suicide by shooting {M..... {F.....	3											
40	Suicide by drowning {M..... {F.....												
41	Suicide by poison {M..... {F.....	4											1
42	Other suicides {M..... {F.....	15 1											3
43	Sunstroke {M..... {F.....	1	1					1					
44	Surgical operations {M..... {F.....												
45	Wounds {M..... {F.....												
46	Others of this class {M..... {F.....	17 1							1				

CAUSE, COLOR, AND RACE.

701

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	1														1
															2
															3
1	1														4
															5
															6
	1														7
	1														8
															9
															10
															11
	1														12
															13
															14
			1			1									15
			1			1									16
						1									17
						1									18
			1												19
															20
															21
															22
															23
															24
															25
															26
10	13	12	13	11	5	1		2	2					5	27
9	13	12	13	11	5	1		2	2					4	28
1			1		2									1	29
															30
1	2	1	1	1											31
			1											1	32
1			1												33
5	5	3	2	2										2	34
														1	35
															36
	1														37
		1	1		2										38
	1	1	1												39
															40
1				2											41
1	2	4	1	2		1		1	1						42
															43
															44
															45
1	2	2	4	4	1			1	1					1	46




TABLE 10.

DEATHS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY COLOR AND RACE.

VITAL STATISTICS.

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE
WHITE.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	475,640	94,269	23,747	10,986	7,276	5,153	141,431	13,969	7,666	11,763	18,689	21,436
2	Males.....	253,491	52,972	12,593	5,746	3,708	2,596	77,615	7,205	3,931	5,931	9,443	11,112
3	Females.....	222,149	41,297	11,154	5,240	3,568	2,557	63,816	6,764	3,735	5,832	9,246	10,324
4	Unknown cause	4,106	1,375	120	54	45	27	1,621	90	60	75	97	128
5	Males.....	2,286	786	65	27	25	14	917	44	26	38	46	63
6	Females.....	1,820	589	55	27	20	13	704	46	34	37	51	65
7	1. General diseases.												
8	General diseases—A	81,864	27,470	9,204	4,352	3,111	2,300	46,437	5,684	1,928	1,997	2,615	2,342
9	Males.....	42,252	14,965	4,762	2,202	1,564	1,134	24,627	2,739	883	982	1,412	1,273
10	Females.....	39,612	12,505	4,442	2,150	1,547	1,166	21,810	2,945	1,045	1,015	1,203	1,069
11	Measles.....	(M.. 1,785 F.. 1,828)	477 420	600 592	259 260	119 119	74 73	1,529 1,464	133 166	29 48	14 33	28 23	13 21
12	Scarlet fever.....	(M.. 1,672 F.. 1,623)	111 73	215 190	265 256	285 257	177 217	1,053 993	456 461	77 79	29 32	19 20	13 12
13	Diphtheria	(M.. 4,893 F.. 5,044)	335 247	730 688	780 735	688 694	582 587	3,115 2,951	1,316 1,516	259 314	70 95	39 52	23 32
14	Whooping cough.....	(M.. 1,566 F.. 1,762)	937 912	354 420	130 184	60 98	29 47	1,510 1,661	32 65	2 8	2 4	2 1	2 2
15	Malarial fever.....	(M.. 931 F.. 847)	85 71	36 35	20 34	23 24	20 16	184 180	37 62	23 25	49 41	77 71	66 47
16	Influenza.....	(M.. 2,782 F.. 3,715)	234 193	49 47	19 32	23 17	10 18	335 307	39 37	18 29	33 45	58 60	58 87
17	Typhoid fever.....	(M.. 5,157 F.. 3,771)	42 33	30 38	35 42	45 55	53 39	205 207	248 238	257 332	568 553	888 590	774 428
18	Cholera morbus.....	(M.. 846 F.. 818)	184 155	60 60	67 59	28 18	8 8	347 300	43 28	28 22	12 26	21 21	17 19
19	Colitis.....	(M.. 456 F.. 402)	229 176	55 59	16 16	16 6	3 1	319 258	10 6	2 3	2 3	4 6	8 6
20	Diarrhea.....	(M.. 1,777 F.. 1,556)	750 640	144 124	42 28	9 8	11 5	956 805	55 55	11 20	10 6	17 10	17 20
21	Dysentery.....	(M.. 1,341 F.. 1,374)	212 195	140 98	60 43	38 31	26 13	476 380	46 23	19 9	18 8	40 20	37 22
22	Enteritis.....	(M.. 7,388 F.. 6,746)	4,775 3,780	1,020 943	229 208	84 86	56 63	6,164 5,080	106 108	40 39	36 37	44 61	63 88
23	Cholera infantum.....	(M.. 6,983 F.. 6,005)	5,652 4,804	1,088 978	156 144	55 47	26 27	6,977 6,000					
24	Fever.....	(M.. 46 F.. 38)	13 13	3 2	1 2	 1	1 1	18 19	2 2	1 2	3 1	2 3	1 3
25	Cerebro-spinal fever.....	(M.. 1,074 F.. 861)	286 217	173 107	79 70	64 54	35 31	637 479	128 106	64 73	58 51	45 27	34 26
26	Smallpox.....	(M.. 152 F.. 88)	10 7	3 8	6 3	2 3	1	22 21	2 9	2 8	9 5	22 17	13 7
27	Erysipelas.....	(M.. 822 F.. 607)	215 198	17 17	3 6	4 4	3 2	242 227	5 3	7 4	15 10	15 16	31 22
28	Septicemia.....	(M.. 1,230 F.. 1,443)	128 116	21 19	15 13	12 17	13 12	189 177	55 44	31 21	36 54	71 182	64 196
29	Venereal diseases.....	(M.. 419 F.. 334)	254 225	13 9	3 6	3 3	1 1	274 244	1 1	2 2	3 5	2 10	13 11
30	Others of this group.....	(M.. 932 F.. 750)	36 30	11 8	17 9	6 5	5 5	75 57	25 15	11 7	15 6	18 13	23 20
31	General diseases—B	10,917	6,438	321	95	70	28	6,952	62	24	87	210	351
32	Males.....	6,661	3,540	184	52	34	20	3,830	31	14	31	108	221
33	Females.....	4,256	2,898	137	43	36	8	3,122	31	10	56	102	130
34	Alcoholism.....	(M.. 1,652 F.. 359)			1			1	1	1		27	125
35	Parasitic diseases.....	(M.. 18 F.. 16)	3 2	6 2	2		1	12 14	1			14	48
36	Lead poison.....	(M.. 44 F.. 23)	1 5		1			2 7				2	1
37	Other poisons.....	(M.. 1,097 F.. 620)	40 23	55 25	31 19	17 14	9 6	152 87	19 14	8 5	28 51	76 80	89 75
38	Inanition.....	(M.. 3,850 F.. 3,238)	3,496 2,868	123 109	18 20	17 14	10 2	3,664 3,013	10 14	5 5	3 4	3 8	5 6
39	General diseases—C	38,220	19,808	755	154	49	43	20,809	62	32	31	57	69
40	Males.....	19,273	11,215	370	85	34	20	11,724	32	16	19	24	23
41	Females.....	18,947	8,593	385	69	15	23	9,085	30	16	12	33	46
42	Old age.....	(M.. 6,356 F.. 8,399)											
43	Premature birth.....	(M.. 5,182 F.. 3,835)	5,182 3,835					5,182 3,835					
44	Malformation.....	(M.. 888 F.. 714)	862 692	7 11	5 2	1 1		875 707	3 2	2 2	1		
45	Debility and atrophy.....	(M.. 6,238 F.. 5,573)	4,564 3,642	363 374	80 67	32 14	20 22	5,059 4,119	29 28	14 14	18 12	24 32	23 46
46	Others of this group.....	(M.. 609 F.. 426)	607 424			1		608 424					

CAUSE, COLOR, AND RACE.

705

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900.

WHITE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21,230	22,250	20,334	20,124	21,372	22,733	24,867	26,742	26,515	23,293	16,893	8,722	3,050	903	1,658	1
11,446 9,784	12,395 9,855	11,586 8,748	11,485 8,639	12,017 9,355	12,439 10,294	13,135 11,732	13,883 12,859	13,594 12,921	11,759 11,534	8,125 8,768	3,927 4,795	1,159 1,891	304 599	1,000 658	2 3
120	169	162	168	164	194	196	199	193	154	111	51	18	1	135	4
66 54	96 73	99 63	106 62	88 76	115 79	119 77	118 81	106 87	76 78	54 57	22 29	9 9	1	77 58	5 6
2,037	1,852	1,535	1,421	1,428	1,531	1,804	2,086	2,207	2,025	1,604	823	264	71	173	7
1,094 943	1,006 846	834 701	805 616	774 654	788 743	859 945	965 1,121	1,025 1,182	890 1,135	710 894	365 458	93 171	29 42	99 74	8 9
11 18	7 18	3 9	2 10	7 2	1 7	2	2 2	1 1	3 1					2	10
10 8	5 7	5 5	1 1			1		1 1		1	1			1 1	11
25 24	11 14	1 7	11 9	7 10	5 5	3 5	2 2	1 2		1 3		1		3 2	12
2 5	2 2	3 3	1		1	2		1		1 1		1 1		4 7	13
47 58	51 33	46 30	57 29	38 31	47 33	42 41	47 44	43 50	39 29	19 27	10 12	2		7 3	14
86 90	82 87	116 108	108 114	111 160	136 201	212 320	254 385	327 441	307 490	294 410	150 217	42 96	8 20	8 11	15
610 335	483 262	302 203	239 134	184 122	137 104	105 86	62 71	49 58	18 21	5 12	5 4			18 11	16
20 24	17 34	27 25	36 18	37 31	38 32	34 41	47 42	48 50	35 41	18 35	11 17	3 8	3 2	4 2	17
5 8	6 8	13 8	9 10	9 11	8 5	8 15	11 20	13 12	15 9	7 6	4 4	2 3		1 1	18
17 24	23 21	21 18	21 23	42 25	72 45	76 61	98 74	110 89	97 100	73 87	34 45	10 15	6 5	11 8	19
39 29	41 29	35 39	42 51	50 43	37 69	79 83	87 131	88 134	73 137	75 89	38 56	7 16	4 3	10 7	20
47 81	63 81	59 84	76 85	70 91	86 95	102 130	109 195	107 175	101 153	65 98	34 47	5 9	4 5	4 4	21
.....														6 5	22
.....		4	4	3		1	4		1	1	1				23
3								1	1		2	1			24
17 19	22 17	16 19	17 19	9 5	8 7	6 3	5 2	4 4	2 2	1 1				1	25
14 6	20 6	8 2	13 2	10 3	10 2	2	1	1	2					1	26
39 12	40 39	51 21	41 17	52 29	63 33	46 44	53 32	44 35	39 30	24 21	8 7	4 3	1	2 1	27
73 172	88 155	80 93	76 62	90 51	85 63	68 44	90 32	48 36	44 27	30 13	8 9			4 3	28
15 10	20 13	18 14	14 9	15 3	15 2	11 1	4 2	3 3	4 1					5 3	29
17 17	25 20	26 13	37 23	40 35	39 40	59 71	89 85	136 90	110 90	96 90	61 37	16 14	3 5	6 2	30
456	568	432	401	339	279	189	184	112	104	43	26	5	5	88	31
340 116	443 125	342 90	316 85	265 74	207 72	143 46	133 51	70 42	64 40	22 21	17 9	3 2	1 4	20 3	32
219 44	314 65	230 58	211 43	184 30	128 21	68 15	75 8	23 4	18 3	4 1	4			20 3	33
.....		1	1	1	1		1								34
5 4	11 2	4	6	4 1	1 3	3 1	3		1					1	35
113 62	113 53	101 27	93 30	64 34	67 31	60 15	39 25	29 11	25 10	7 9	4			10 1	36
3 6	5 5	6 5	5 12	12 9	10 17	12 15	15 18	18 25	20 27	11 11	9 9	3 2	1 3	30 24	37
74	90	84	77	122	222	465	978	2,152	3,253	4,344	3,159	1,507	530	103	38
36 38	40 50	37 47	38 39	55 67	90 132	199 266	433 545	963 1,189	1,473 1,780	1,946 2,398	1,340 1,819	561 946	173 357	51 52	39 40
.....						87 160	294 388	823 1,005	1,311 1,607	1,831 2,230	1,283 1,730	540 912	170 341	17 26	41
.....															42
1							1							6 1	43
35 38	40 50	37 47	38 39	55 67	90 131	112 106	139 156	140 183	161 173	115 168	57 89	21 34	3 16	28 25	44
.....					1			1							45

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	79,166	2,590	1,236	606	421	283	5,136	1,020	1,058	3,653	6,930	8,063
2	Males.....	39,403	1,441	655	335	201	149	2,781	509	401	1,519	3,310	4,034
3	Females	39,763	1,149	581	271	220	134	2,355	511	657	2,134	3,620	4,029
4	Anemia	{M.. 599	73	15	4	5	2	99	16	8	12	22	21
	{F.. 849	70	22	9	11	6	118	10	14	48	61	47	
5	Diabetes.....	{M.. 1,384	7	5	5	2	5	24	33	56	56	50	65
	{F.. 1,261	4	2	9	3	22	32	41	31	47	44		
6	Rheumatism	{M.. 890	10	6	6	5	6	33	49	40	35	32	44
	{F.. 907	16	6	4	5	4	35	45	48	47	35	33	
7	Scrofula and tabes.....	{M.. 429	123	31	11	2	3	170	18	2	18	29	26
	{F.. 479	83	26	15	4	7	135	10	11	36	35	35	
8	Hydrocephalus.....	{M.. 1,652	586	336	166	89	63	1,240	156	47	35	31	24
	{F.. 1,350	480	285	122	95	58	1,040	130	37	41	22	21	
9	Tuberculosis, general.....	{M.. 455	37	19	12	7	9	84	24	12	22	36	60
	{F.. 388	43	16	4	6	4	73	16	24	26	41	35	
10	Consumption	{M.. 25,948	442	207	101	67	47	864	153	190	1,278	3,017	3,686
	{F.. 21,874	348	182	88	70	37	725	217	429	1,839	3,278	3,617	
11	Cancer	{M.. 6,233	6	4	3	2	4	19	8	9	15	41	63
	{F.. 10,524	9	1	1	3	1	15	12	12	16	39	137	
12	Tumor.....	{M.. 673	17	5	10	10	4	46	19	11	23	27	29
	{F.. 936	14	6	9	9	5	43	12	14	21	32	34	
13	Dropsy	{M.. 798	20	5	2	4	1	32	16	13	11	14	9
	{F.. 885	10	5	2	1	2	20	14	15	18	16	11	
14	Others of this group	{M.. 342	120	22	15	8	5	170	17	13	14	11	7
	{F.. 310	72	28	15	7	7	129	13	12	11	14	15	
15	2. Diseases of the nervous system.....	58,876	11,943	3,125	1,355	805	549	17,777	1,412	834	810	883	1,124
16	Males.....	31,788	6,904	1,693	728	416	278	10,019	771	464	447	460	602
17	Females	27,088	5,039	1,432	627	389	271	7,758	641	370	363	423	522
18	Inflammation of the brain	{M.. 577	157	70	46	14	12	299	42	14	16	17	9
	{F.. 435	104	45	28	15	12	204	23	22	16	18	20	
19	Meningitis	{M.. 5,825	2,043	931	422	247	148	3,791	459	185	161	147	166
	{F.. 4,627	1,551	773	365	232	164	3,085	409	198	120	116	113	
20	Apoplexy.....	{M.. 9,473	120	24	7	8	8	167	18	15	35	57	115
	{F.. 8,944	91	20	10	9	4	134	16	16	32	51	85	
21	Paralysis	{M.. 4,327	48	9	10	11	4	82	26	19	21	19	41
	{F.. 4,028	32	19	11	7	7	76	17	8	25	35	47	
22	Paralysis, general (of insane)	{M.. 396							1	2	1	1	13
	{F.. 168											1	5
23	Tetanus and trismus nascentium.....	{M.. 706	290	5	5	7	6	313	53	115	46	30	27
	{F.. 266	173	4		2	2	181	4	8	6	9	4	
24	Chorea	{M.. 32			1	2	1	4	3	1	6	2	1
	{F.. 53	2	1	1		2	6	3	13	14	4		
25	Epilepsy.....	{M.. 637	39	10	4	2	2	57	18	29	65	44	60
	{F.. 511	32	6	7	5	1	51	20	28	39	35	51	
26	Convulsions	{M.. 4,796	3,736	502	185	84	53	4,560	75	25	6	13	13
	{F.. 3,821	2,729	454	158	91	52	3,484	77	14	21	29	50	
27	Mental diseases	{M.. 938							2	2	5	32	33
	{F.. 945								3	9	26	39	
28	Diseases of the brain	{M.. 2,823	427	130	39	35	33	664	61	50	59	74	92
	{F.. 2,201	295	101	40	24	22	482	52	50	57	69	58	
29	Diseases of the spinal cord	{M.. 488	35	11	5	5	10	66	8	4	18	12	14
	{F.. 409	20	7	7	4	4	42	15	5	8	8	14	
30	Locomotor ataxia	{M.. 366	1		1			2		1	1	3	4
	{F.. 119								1			2	
31	Others of this class	{M.. 404	8	1	3	1	1	14	5	2	7	9	14
	{F.. 561	10	2			1	13	4	5	16	20	36	
32	3. Diseases of the circulatory system	40,574	2,175	110	81	87	109	2,562	682	767	793	960	1,118
33	Males.....	21,510	1,255	60	48	48	51	1,462	318	294	369	414	530
34	Females	19,064	920	50	33	39	58	1,100	364	473	424	546	588
35	Pericarditis.....	{M.. 301	8	3		4	2	17	16	26	23	16	17
	{F.. 297	10	1	2	3	8	24	18	22	24	17	10	
36	Diseases of the heart	{M.. 18,583	733	52	44	39	45	913	296	262	337	380	473
	{F.. 17,012	581	46	29	35	46	737	339	442	387	486	524	
37	Angina pectoris	{M.. 1,027							2	1	6	7	21
	{F.. 742								3	5	7	25	
38	Diseases of the arteries	{M.. 617	2					2	1		1		2
	{F.. 382	1	1					2		1		1	
39	Aneurism	{M.. 316								3		8	13
	{F.. 97								2	2	1	1	5
40	Embolism	{M.. 140	13		1		1	15	2	1	2	3	3
	{F.. 179	2		1			1	4	1		4	14	19
41	Others of this class	{M.. 526	499	5	3	5	3	515	1	1			1
	{F.. 355	326	2	1	1	1	3	333	1	1	1	2	4

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,582	7,012	5,995	5,532	5,315	5,126	4,771	4,418	3,331	2,343	1,150	421	100	21	189	1
4,017	3,747	3,179	2,865	2,684	2,463	2,260	2,083	1,600	1,112	521	178	44	9	87	2
3,565	3,265	2,816	2,667	2,631	2,663	2,511	2,335	1,731	1,231	629	243	56	12	102	3
19	23	39	34	56	56	54	54	29	30	19	5		1	2	4
52	60	53	53	65	69	57	58	40	26	10	4	2		2	
67	64	95	85	122	113	156	156	113	82	35	6	3		3	5
32	51	57	74	122	159	179	152	115	68	24	6	2		3	
44	44	39	54	53	83	69	81	75	57	37	12	1	1	7	6
44	39	44	50	60	54	77	91	70	65	42	20	5		3	
19	24	14	19	7	18	19	22	14	4	4			1	1	7
41	26	24	26	26	15	17	15	8	9	9				1	
36	21	19	15	10	5	4	1	1	2	1				4	8
13	12	10	8	4	4		1	4	2					1	
42	38	27	36	29	14	9	10	5	6	1				2	9
40	26	23	27	14	10	10	12	2	4	2	1				
3,611	3,254	2,488	1,968	1,575	1,227	949	714	489	294	100	28	6	1	56	10
2,916	2,337	1,558	1,080	909	779	655	586	418	289	120	54	10	3	55	
121	209	355	524	725	813	858	872	711	514	237	92	30	4	13	11
315	610	915	1,196	1,286	1,410	1,329	1,204	889	627	333	118	28	6	27	
32	35	51	68	59	65	51	62	49	28	16	2				12
56	71	86	87	85	91	88	82	63	41	19	8			3	
17	23	33	49	38	58	82	102	106	89	69	32	4		5	13
30	20	33	53	51	63	89	122	115	97	69	32	9	3	1	
9	12	19	13	10	11	9	9	8	6	2	1		1		14
26	13	13	13	9	9	10	12	7	3	1					
1,315	1,739	1,875	2,358	2,807	3,311	4,041	4,670	4,870	4,394	2,883	1,190	338	77	168	15
764	1,011	1,110	1,294	1,530	1,800	2,097	2,449	2,533	2,231	1,431	524	121	27	103	16
551	728	765	1,064	1,277	1,511	1,944	2,221	2,337	2,163	1,452	666	217	50	65	
16	20	19	11	19	13	14	17	24	13	10	4				18
17	10	17	14	16	14	5	14	8	7	5	1	1		3	
133	142	109	129	97	71	53	63	44	39	13	9	2		12	19
89	77	66	83	50	45	47	48	32	20	17	5	3		4	
191	259	405	503	729	936	1,133	1,306	1,340	1,146	754	260	57	9	38	20
116	196	308	513	688	867	1,073	1,207	1,263	1,119	741	357	111	30	21	
99	166	192	227	268	335	413	528	647	624	408	151	32	14	15	21
53	82	100	155	188	277	413	522	631	644	455	202	68	14	16	
35	47	57	56	38	36	34	26	17	15	8	6	2		1	22
13	12	17	4	13	13	13	21	22	18	11	3	2			
29	11	16	17	15	13	5	5	6	3					2	23
11	10	10	3	2	7	8	1	1	1						
3		1	1	4		1	2	1	1			1			24
		2	2	2	1	3	2	2	2	1					
46	68	44	37	22	24	31	22	28	22	10	6	2		2	25
32	48	30	32	28	20	34	20	18	14	7	2	2			
10	13	3	13	11	3	7	7	13	4	4	1	1		14	26
37	29	17	7	6	5	10	10	5	2	2	1	2		10	
51	74	59	50	53	70	91	127	99	91	59	28	7		5	27
50	69	62	64	64	63	102	93	92	96	67	32	12	1	1	
110	139	120	133	155	165	183	199	209	193	138	52	15	3	9	28
77	115	78	110	116	101	140	161	167	165	108	51	13	4	7	
14	30	37	34	51	38	44	52	28	26	10	1			1	29
15	31	20	25	34	43	36	37	34	25	12	2	2		1	
13	23	26	54	43	60	46	41	25	18	4	1			1	30
2	9	6	12	15	19	16	12	10	8	5	2				
14	19	22	29	25	36	42	54	52	36	13	5	2	1	3	31
39	40	34	40	55	36	44	53	54	39	21	8	1	1	2	
1,377	1,715	1,902	2,175	2,806	3,354	4,048	4,552	4,602	3,706	2,170	902	206	45	132	32
682	900	987	1,133	1,539	1,875	2,240	2,490	2,520	2,027	1,124	444	78	14	70	33
695	815	915	1,042	1,267	1,479	1,808	2,062	2,082	1,679	1,046	458	128	31	62	
15	22	20	11	25	23	16	21	14	14	4				1	35
23	13	20	15	10	18	19	25	13	10	10	3	2		1	
612	777	863	1,006	1,344	1,632	1,945	2,204	2,244	1,791	971	389	69	13	62	36
615	749	841	935	1,172	1,340	1,660	1,861	1,889	1,521	915	411	105	26	57	
27	45	51	55	94	106	170	135	125	101	57	19	1		4	37
27	35	27	61	59	77	81	105	79	57	51	13	5		1	
2	5	8	13	26	57	68	99	106	98	83	35	8	1	2	38
1	3	4	5	11	21	34	49	81	63	58	26	15	5		
19	45	40	38	35	45	27	16	15	10	1				1	39
7	7	9	14	5	8	6	10	5	8	5	1	1			
6	6	4	10	13	12	11	15	16	13	7	1				40
20	8	13	11	8	15	8	11	15	17	5	4			2	
1				2		3				1					41
2		1	1	2			1		3	2				1	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	74,471	16,644	7,541	3,388	1,878	1,153	30,604	2,396	730	1,153	1,754	2,134
2	Males.....	39,589	9,532	4,111	1,770	947	565	16,925	1,221	344	633	999	1,231
3	Females.....	34,882	7,112	3,430	1,618	931	588	13,679	1,175	386	520	755	903
4	Croup.....	{M.. 1,461 F.. 1,251	{M.. 197 F.. 145	{M.. 305 F.. 246	{M.. 298 F.. 217	{M.. 223 F.. 202	{M.. 141 F.. 135	{M.. 1,164 F.. 945	{M.. 272 F.. 273	{M.. 11 F.. 19	{M.. 3 F.. 3	{M.. 3 F.. 1	{M.. 2 F.. 1
5	Pneumonia.....	{M.. 27,461 F.. 23,467	{M.. 5,664 F.. 4,229	{M.. 2,919 F.. 2,442	{M.. 1,140 F.. 1,072	{M.. 558 F.. 539	{M.. 308 F.. 331	{M.. 10,589 F.. 8,613	{M.. 715 F.. 689	{M.. 260 F.. 292	{M.. 510 F.. 398	{M.. 834 F.. 566	{M.. 1,042 F.. 708
6	Laryngitis.....	{M.. 310 F.. 266	{M.. 46 F.. 32	{M.. 46 F.. 44	{M.. 24 F.. 28	{M.. 34 F.. 39	{M.. 19 F.. 18	{M.. 169 F.. 161	{M.. 52 F.. 42	{M.. 9 F.. 6	{M.. 1 F.. 5	{M.. 4 F.. 4	{M.. 2 F.. 8
7	Bronchitis.....	{M.. 6,373 F.. 6,569	{M.. 2,738 F.. 2,098	{M.. 716 F.. 596	{M.. 236 F.. 253	{M.. 91 F.. 104	{M.. 67 F.. 69	{M.. 3,848 F.. 3,120	{M.. 101 F.. 98	{M.. 32 F.. 26	{M.. 34 F.. 49	{M.. 42 F.. 65	{M.. 56 F.. 63
8	Pleurisy.....	{M.. 751 F.. 575	{M.. 26 F.. 18	{M.. 38 F.. 22	{M.. 20 F.. 16	{M.. 17 F.. 7	{M.. 8 F.. 7	{M.. 109 F.. 70	{M.. 26 F.. 28	{M.. 14 F.. 10	{M.. 40 F.. 17	{M.. 42 F.. 45	{M.. 43 F.. 37
9	Asthma.....	{M.. 580 F.. 510	{M.. 24 F.. 16	{M.. 2 F.. 2	{M.. .. F.. ..	{M.. 1 F.. 1	{M.. .. F.. ..	{M.. 27 F.. 19	{M.. 7 F.. 5	{M.. 1 F.. 2	{M.. 8 F.. 1	{M.. 8 F.. 7	{M.. 7 F.. 9
10	Others of this class.....	{M.. 2,653 F.. 2,244	{M.. 837 F.. 574	{M.. 85 F.. 78	{M.. 52 F.. 32	{M.. 23 F.. 39	{M.. 22 F.. 28	{M.. 1,019 F.. 751	{M.. 48 F.. 40	{M.. 17 F.. 31	{M.. 37 F.. 47	{M.. 66 F.. 67	{M.. 79 F.. 78
11	5. Diseases of the digestive system.....	26,623	3,650	719	302	201	180	5,052	784	815	990	1,262	1,469
12	Males.....	13,601	2,094	370	159	92	89	2,804	405	456	504	552	629
13	Females.....	13,022	1,556	349	143	109	91	2,248	379	359	486	710	840
14	Dentition.....	{M.. 292 F.. 270	{M.. 183 F.. 169	{M.. 100 F.. 94	{M.. 6 F.. 4	{M.. 1 F.. 1	{M.. 2 F.. 2	{M.. 292 F.. 270	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..
15	Angina.....	{M.. 189 F.. 170	{M.. 20 F.. 13	{M.. 23 F.. 16	{M.. 16 F.. 14	{M.. 14 F.. 7	{M.. 7 F.. 14	{M.. 80 F.. 64	{M.. 30 F.. 39	{M.. 9 F.. 18	{M.. 4 F.. 4	{M.. 13 F.. 6	{M.. 6 F.. 7
16	Gastritis.....	{M.. 1,897 F.. 2,123	{M.. 375 F.. 277	{M.. 71 F.. 87	{M.. 19 F.. 31	{M.. 20 F.. 29	{M.. 8 F.. 18	{M.. 493 F.. 442	{M.. 30 F.. 37	{M.. 13 F.. 15	{M.. 20 F.. 23	{M.. 26 F.. 60	{M.. 51 F.. 81
17	Diseases of the stomach.....	{M.. 782 F.. 630	{M.. 61 F.. 40	{M.. 9 F.. 11	{M.. 3 F.. 3	{M.. 3 F.. ..	{M.. 6 F.. 4	{M.. 82 F.. 58	{M.. 7 F.. 5	{M.. 5 F.. 3	{M.. 10 F.. 18	{M.. 14 F.. 38	{M.. 30 F.. 38
18	Obstruction of the bowels.....	{M.. 1,084 F.. 1,130	{M.. 212 F.. 123	{M.. 20 F.. 14	{M.. 16 F.. 11	{M.. 7 F.. 17	{M.. 10 F.. 7	{M.. 265 F.. 172	{M.. 48 F.. 36	{M.. 29 F.. 15	{M.. 40 F.. 24	{M.. 41 F.. 37	{M.. 59 F.. 64
19	Appendicitis.....	{M.. 1,723 F.. 1,021	{M.. 8 F.. 6	{M.. 5 F.. 5	{M.. 4 F.. 5	{M.. 10 F.. 4	{M.. 12 F.. 7	{M.. 39 F.. 27	{M.. 107 F.. 97	{M.. 231 F.. 141	{M.. 239 F.. 148	{M.. 236 F.. 116	{M.. 193 F.. 124
20	Hernia.....	{M.. 523 F.. 480	{M.. 58 F.. 17	{M.. 5 F.. 2	{M.. .. F.. ..	{M.. .. F.. ..	{M.. 1 F.. 2	{M.. 64 F.. 21	{M.. 3 F.. 4	{M.. 5 F.. ..	{M.. 13 F.. 2	{M.. 11 F.. 1	{M.. 15 F.. 2
21	Other diseases of the bowels.....	{M.. 361 F.. 341	{M.. 99 F.. 78	{M.. 14 F.. 13	{M.. 4 F.. 2	{M.. 2 F.. 4	{M.. 1 F.. 2	{M.. 120 F.. 99	{M.. 5 F.. 6	{M.. 5 F.. 7	{M.. 10 F.. 13	{M.. 13 F.. 9	{M.. 15 F.. 24
22	Jaundice.....	{M.. 497 F.. 441	{M.. 272 F.. 176	{M.. 3 F.. 3	{M.. 7 F.. 8	{M.. 2 F.. 1	{M.. 1 F.. 5	{M.. 285 F.. 193	{M.. 4 F.. 5	{M.. 2 F.. 3	{M.. 4 F.. 4	{M.. 4 F.. 5	{M.. 12 F.. 7
23	Inflammation and abscess of the liver.....	{M.. 618 F.. 563	{M.. 33 F.. 26	{M.. 5 F.. 1	{M.. 2 F.. 1	{M.. 2 F.. 6	{M.. 7 F.. 3	{M.. 49 F.. 37	{M.. 10 F.. 7	{M.. 8 F.. 12	{M.. 7 F.. 8	{M.. 24 F.. 19	{M.. 35 F.. 26
24	Other diseases of the liver.....	{M.. 2,588 F.. 1,563	{M.. 35 F.. 31	{M.. 4 F.. 7	{M.. 6 F.. 5	{M.. 1 F.. 2	{M.. 1 F.. 2	{M.. 47 F.. 47	{M.. 7 F.. 9	{M.. 10 F.. 6	{M.. 10 F.. 7	{M.. 25 F.. 24	{M.. 60 F.. 45
25	Peritonitis.....	{M.. 1,695 F.. 2,924	{M.. 127 F.. 91	{M.. 35 F.. 36	{M.. 42 F.. 28	{M.. 17 F.. 21	{M.. 16 F.. 17	{M.. 237 F.. 193	{M.. 130 F.. 113	{M.. 133 F.. 128	{M.. 141 F.. 224	{M.. 133 F.. 382	{M.. 133 F.. 387
26	Ascites.....	{M.. 70 F.. 106	{M.. 2 F.. 3	{M.. 1 F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. 3 F.. 3	{M.. 1 F.. ..	{M.. 3 F.. ..	{M.. 1 F.. 1	{M.. 1 F.. ..	{M.. 1 F.. 6
27	Others of this class.....	{M.. 1,282 F.. 1,260	{M.. 609 F.. 506	{M.. 75 F.. 60	{M.. 34 F.. 31	{M.. 13 F.. 17	{M.. 17 F.. 8	{M.. 748 F.. 622	{M.. 23 F.. 21	{M.. 3 F.. 11	{M.. 5 F.. 10	{M.. 11 F.. 13	{M.. 19 F.. 29
28	6. Diseases of the urinary system and male organs of generation.....	27,507	471	137	124	128	115	975	412	301	420	826	1,137
29	Males.....	16,088	286	68	55	71	61	541	221	143	192	357	525
30	Females.....	11,419	185	69	69	57	54	434	191	158	228	469	612
31	Bright's disease.....	{M.. 11,541 F.. 9,156	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. 187 F.. 169	{M.. 114 F.. 143	{M.. 165 F.. 186	{M.. 291 F.. 370	{M.. 415 F.. 453
32	Calculus, urinary.....	{M.. 96 F.. 36	{M.. 2 F.. 6	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. .. F.. ..	{M.. 2 F.. 6	{M.. .. F.. ..	{M.. 2 F.. ..	{M.. 2 F.. ..	{M.. 5 F.. 2	{M.. 2 F.. 2
33	Diseases of the kidney.....	{M.. 1,012 F.. 721	{M.. 189 F.. 137	{M.. 61 F.. 61	{M.. 54 F.. 58	{M.. 63 F.. 51	{M.. 54 F.. 51	{M.. 421 F.. 358	{M.. 11 F.. 4	{M.. 4 F.. 2	{M.. 8 F.. 9	{M.. 15 F.. 18	{M.. 27 F.. 25
34	Diseases of the bladder.....	{M.. 1,242 F.. 171	{M.. 9 F.. 5	{M.. 1 F.. ..	{M.. .. F.. 2	{M.. .. F.. ..	{M.. 1 F.. ..	{M.. 11 F.. 7	{M.. 3 F.. 1	{M.. 5 F.. ..	{M.. 4 F.. ..	{M.. 6 F.. 2	{M.. 15 F.. 6
35	Others of this class.....	{M.. 2,197 F.. 1,335	{M.. 86 F.. 37	{M.. 6 F.. 8	{M.. 1 F.. 9	{M.. 8 F.. 6	{M.. 6 F.. 3	{M.. 107 F.. 63	{M.. 20 F.. 17	{M.. 18 F.. 13	{M.. 13 F.. 33	{M.. 40 F.. 77	{M.. 66 F.. 126
36	7. Diseases of the female organs of generation.....	1,636	8	1		1	1	11	1	6	54	166	227
37	Ovarian tumors.....	268							1		5	14	26
38	Ovarian diseases.....	92									1	12	16
39	Diseases of the tubes.....	270									16	41	64
40	Uterine tumors.....	427					1	1		1	2	7	18
41	Uterine diseases.....	111									11	21	26
42	Others of this class.....	468	8	1		1		10		5	19	71	77

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,291	2,687	2,496	2,598	2,957	3,242	3,699	4,103	4,103	3,417	2,390	1,125	348	93	151	1
1,304 987	1,637 1,050	1,549 947	1,579 1,019	1,685 1,272	1,714 1,528	1,786 1,913	1,899 2,204	1,872 2,231	1,522 1,895	997 1,393	466 659	119 229	28 65	79 72	2 3
1	1 2	1 1	1	1	2	1	1	1	1	1				1 1	4
1,105 793	1,380 858	1,280 757	1,309 785	1,343 960	1,255 1,143	1,314 1,381	1,306 1,494	1,249 1,445	964 1,181	600 838	269 368	66 123	15 31	56 44	5
10 8	6 4	11 2	9 1	10 3	6 7	7 3	5 1	2 4	3 5	4 1					6
44 69	64 55	75 62	81 108	116 138	208 212	212 308	284 448	361 512	350 483	272 395	138 228	39 89	11 29	5 12	7
50 43	62 37	54 35	49 33	46 28	45 24	38 39	42 30	37 39	30 32	15 17	7 8	1 2		1 1	8
8 9	14 10	19 15	30 17	46 40	58 35	76 68	89 90	75 67	49 65	35 35	14 13	3 3	1	5	9
87 64	110 84	109 75	101 74	124 102	142 105	138 114	172 141	148 163	126 129	70 107	38 41	10 12	1 5	11 14	10
1,386	1,534	1,598	1,523	1,570	1,667	1,677	1,694	1,473	1,130	584	257	73	11	74	11
621 765	703 831	856 742	848 675	845 725	918 749	893 784	849 845	721 752	557 573	264 320	112 145	31 42	5 6	28 46	12 13
															14
11 5	2 1	5 4	4 5	5 4	2 4	4 1	2 3	5	3 3	4 1					15
62 69	73 110	88 95	99 85	112 120	141 127	139 159	160 167	147 194	120 150	76 119	31 45	10 18	3 1	3 6	16
34 43	48 45	56 20	79 51	70 51	77 40	71 54	68 49	53 54	49 32	14 15	10 11			5 2	17
48 50	44 62	35 80	59 73	67 61	63 82	49 71	67 99	68 77	65 60	17 35	12 20	4 1		4 9	18
153 78	124 71	113 49	86 45	62 30	45 23	32 20	25 23	21 9	9 9	6 7	1			1 3	19
18 14	27 28	27 35	31 32	27 49	44 50	45 63	41 62	54 52	52 36	28 16	13 11	3 1	1	1 1	20
14 19	12 21	17 17	12 11	18 8	22 18	18 11	21 24	26 20	17 16	11 4	1 9	3 1		1 3	21
11 12	4 12	10 8	12 15	14 18	25 23	22 24	24 34	26 38	19 19	11 10	5 4	1 3		2 4	22
42 22	47 32	50 45	48 38	66 40	42 56	58 55	48 54	42 46	25 36	15 20	1 7	1 2		1 1	23
109 74	191 114	285 140	279 141	290 172	320 158	316 161	278 163	181 134	126 104	35 41	14 17	4 1	1	5 5	24
100 351	99 302	122 210	99 124	61 101	86 99	67 90	56 80	40 67	29 40	13 12	7 8	3 5		6 8	25
	5 2	7 5	5 7	5 4	5 10	8 13	8 18	8 12	4 11	4 7	1 1			2	26
19 25	27 31	41 34	35 48	48 67	46 59	64 62	51 69	50 49	39 57	30 33	16 11	2 6		5 2	27
1,271	1,594	1,738	1,885	2,238	2,489	2,759	2,804	2,652	2,088	1,184	528	102	27	77	28
620 651	788 806	956 782	1,037 848	1,332 906	1,487 1,002	1,666 1,093	1,767 1,037	1,693 959	1,426 662	842 342	367 161	67 35	13 14	48 29	29 30
514 504	647 650	782 658	852 724	1,094 779	1,210 858	1,314 951	1,284 865	1,129 831	882 545	433 285	161 133	29 26	6 11	32 15	31
2 3	4 1	6 1	4 2	10 2	10	8 3	11 4	12 3	11 3	3 3	2 1				32
23 33	33 32	35 31	32 29	43 34	40 30	46 23	73 36	65 19	67 19	40 13	25 3	2 1		2 2	33
9 4	12 10	21 3	23 3	46 4	52 17	110 23	178 15	229 23	214 25	180 11	99 11	18 5	5 1	2 1	34
72 107	92 113	112 89	126 90	139 87	175 97	188 93	221 117	258 83	252 70	186 30	80 13	18 4	2 1	12 12	35
224	219	225	164	107	64	52	44	31	23	11	2	2	1	2	36
20	22	30	36	29	20	17	20	14	7	5		1	1		37
22	17	9	6	3	1			3	2						38
57	48	28	11	3			1	1							39
32	56	92	66	54	29	28	14	12	11	4					40
16	12	9	5	2	2		3	2	2						41
77	64	57	40	16	12	7	3		3	2	2	1		2	42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	3,535								2	212	744	874
2	Abortion	240									12	45	65
3	Childbirth	906									37	133	189
4	Puerperal septicemia	1,542								2	93	375	412
5	Extra-uterine pregnancy	130									2	19	34
6	Others of this class	717									68	172	174
7	9. Diseases of the bones and joints	973	73	27	11	22	17	150	90	79	75	69	39
8	Males	555	38	13	5	17	15	88	43	45	52	45	25
9	Females	418	35	14	6	5	2	62	47	34	23	24	14
10	Diseases of the spine..... {M..	175	19	5	1	7	5	37	18	15	15	16	7
	{F..	138	16	6	3	4		29	19	11	4	9	3
11	Abscess, lumbar and psoas..... {M..	31	1					1		2		8	5
	{F..	20	2					2	2	1		2	
12	Diseases of the bones..... {M..	196	15	4	3	6	8	36	11	13	20	12	9
	{F..	135	11	8	2	1	2	24	14	13	8	9	7
13	Diseases of the hip-joint..... {M..	85	1	1		3	1	6	12	13	15	6	4
	{F..	38	3		1			4	10	5	10	1	
14	Others of this class	68	2	3	1	1	1	8	2	2	2	3	
	{F..	87	3					3	2	4	1	3	4
15	10. Diseases of the skin	879	257	30	16	9	4	316	22	10	9	25	23
16	Males	489	135	16	10	3	1	165	16	6	5	10	13
17	Females	390	122	14	6	6	3	151	6	4	4	15	10
18	Abscess..... {M..	263	53	11	6	3	1	74	15	6	4	8	10
	{F..	196	53	6	3	3	2	67	6	3	2	9	8
19	Carbuncle	70	2		1			3			1	1	1
	{F..	34	1		1			2			1	3	1
20	Others of this class..... {M..	156	80	5	3			88	1			1	2
	{F..	160	68	8	2	3	1	82		1	1	3	1
21	11. Diseases of the absorbent system	364	30	16	1	6	2	55	10	9	10	13	22
22	Males	188	19	10	1	6	2	38	8	4	6	8	10
23	Females	176	11	6				17	2	5	4	5	12
24	Addison's disease..... {M..	61							1	2	2	1	3
	{F..	55									2	2	4
25	Diseases of the spleen..... {M..	28	4			2		6				2	3
	{F..	27	2	1				3		1		2	3
26	Others of this class..... {M..	99	15	10	1	4	2	32	7	2	4	5	4
	{F..	94	9	5				14	2	4	2	1	5
27	12. Accidents and injuries.....	25,929	1,337	405	447	443	342	2,974	1,242	1,011	1,394	2,078	2,316
28	Males	19,808	762	216	269	250	197	1,694	847	835	1,134	1,698	1,933
29	Females	6,121	575	189	178	193	145	1,280	395	176	260	380	383
30	Burns and scalds..... {M..	1,008	47	102	153	128	63	493	76	25	16	44	44
	{F..	1,333	42	97	96	112	91	438	195	62	51	48	77
31	Drowning	2,688	15	27	22	27	34	125	300	334	258	268	224
	{F..	285	9	18	11	13	4	55	25	23	31	20	11
32	Exposure and neglect..... {M..	137	36	1	1		2	40	2	2	1	4	2
	{F..	71	31	3	2			36		1		5	
33	Gunshot wounds..... {M..	782	3	1	1	2	1	8	16	64	104	109	96
	{F..	116	2		3	4	3	12	8	6	10	24	9
34	Homicide..... {M..	375			1		3	4	8	9	20	59	59
	{F..	105		1	2	2	2	7	8	5	6	13	16
35	Infanticide..... {M..	11	11					11					
	{F..	11	11					11					
36	Injuries by machinery..... {M..	103		1				1			12	14	15
	{F..	5	1					1		1		1	
37	Railroad accidents..... {M..	3,289	4	8	9	14	20	55	135	136	212	381	409
	{F..	330	4	6	8	7	11	36	46	15	27	22	15
38	Suffocation..... {M..	695	324	13	11	6	6	360	10	11	19	30	25
	{F..	411	243	15	8	5	5	276	15	1	10	8	12
39	Suicide by shooting..... {M..	755									10	62	85
	{F..	53									5	7	6
40	Suicide by drowning..... {M..	110									3	6	7
	{F..	50									2	6	6
41	Suicide by poison..... {M..	540									13	42	60
	{F..	346								4	49	63	55
42	Other suicides..... {M..	1,177								3	22	61	78
	{F..	297								2	16	34	33
43	Sunstroke	265	39	6	3		2	50	8	1	8	14	19
	{F..	136	33	9	4	1		47	4	1	2	4	3
44	Surgical operations..... {M..	124	7	1	1		1	10	6		5	9	14
	{F..	265	3		2			5	2	3	5	34	34
45	Wounds	375	2	1	3	4	4	14	11	9	35	39	58
	{F..	31	1	1				2	6	2	2	2	3
46	Others of this class..... {M..	7,374	274	55	64	69	61	523	275	241	396	556	738
	{F..	2,276	195	39	42	49	29	354	86	47	44	89	103

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

WHITE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
755	598	297	28	4	1	1	1		3					15	1
49	50	16			1				1					1	2
209	202	117	11	2					1					5	3
329	213	97	12	2		1			1					5	4
34	30	9	1											1	5
134	103	58	4				1							3	6
52	48	57	48	54	42	34	46	45	22	15	6	2			7
27	29	38	28	32	20	18	26	17	15	3	3	1			8
25	19	19	20	22	22	16	20	28	7	12	3	1			9
5	9	10	7	8	7	3	6	5	6	1					}10
7	10	5	5	11	5	7	5	3	1	2	1	1			
3	1		2	2	1	2	1	2	1						}11
2	1	1	2	2	2			3							
10	11	11	10	13	6	7	11	5	7	2	2				}12
10	3	5	8	4	5	2	4	9	1	7	2				
8	3	8	1	4	3	1	1								}13
2	4							1		1					
1	5	9	8	5	3	5	7	5	1		1	1			}14
4	1	8	5	5	10	7	11	12	5	2					
35	43	45	40	42	50	55	52	35	40	19	12	3		3	15
14	24	25	24	27	34	28	29	19	25	15	7	1		2	16
21	19	20	16	15	16	27	23	16	15	4	5	2		1	17
9	19	17	13	16	18	15	13	9	8	7		1			}18
14	10	11	9	7	9	11	14	5	6	2	1	2			
4	2	3	7	6	8	8	9	5	7	2	2			1	}19
.....	1	3	2	5	2	4	2	5	2	1					
1	3	5	4	5	8	5	7	5	10	6	5				}20
7	8	6	5	3	5	12	7	6	7	1	4			1	
27	21	32	31	21	28	28	24	17	12	2				2	21
15	11	16	15	11	12	13	9	7	3	1				1	22
12	10	16	16	10	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						}24
4	7	6	2	4	7	6	5	2	3						
4	2	3	2	1		1	1	1	1	1					}25
4	1	2	2	2	1	1	2	1	2						
8	2	7	5	3	5	4	5	4	1					1	}26
4	2	8	12	4	8	8	8	7	4	1					
2,228	2,361	1,861	1,675	1,398	1,133	1,048	887	692	579	383	220	82	21	346	27
1,846	1,960	1,558	1,397	1,150	916	814	633	448	338	195	82	31	4	295	28
382	401	303	278	248	217	234	254	244	241	188	138	51	17	51	29
46	49	49	32	27	18	25	19	15	11	7	2			10	}30
72	69	47	46	32	32	43	30	35	27	16	8	3		2	
199	222	186	135	109	88	65	48	31	21	7	2			66	}31
23	20	14	11	12	8	7	9	5	2					9	
8	9	8	11	7	7	9	6	4	10	3	2			2	}32
2	3	2	2	1	3	2		1	4	3	2	1		3	
80	78	54	41	33	30	23	11	7	6	1	1	2		18	}33
15	15	5	4	3		2			2						
64	55	22	26	13	12	10	5	4	1	2				2	}34
16	11	9	4	5	2	1	2								
.....															}35
.....															
15	14	11	6	5	2	3	5								}36
1		1													
361	381	266	218	187	150	126	67	51	34	18	9		1	92	}37
19	15	15	19	15	17	11	15	15	16	4	1	1		3	
30	43	29	27	14	17	20	19	8	7	2	2			22	}38
8	8	3	6	4	9	8	6	7	3	3	1			23	
87	94	92	89	71	51	34	33	18	12	6	2			9	}39
12	7	3	5	3	2		1	1	1						
9	9	10	10	15	10	8	7	4	9	2				1	}40
5	3	3	4	6	5	4	1	3	2						
61	66	65	52	57	33	31	26	17	7	1				9	}41
36	46	26	20	11	10	6	5	7	3	1		1		3	
104	123	131	142	129	112	88	65	52	37	15	3	2		10	}42
29	38	37	29	18	14	12	14	7	5	5	3			1	
20	31	20	20	21	15	8	6	9	10	3	1			1	}43
2	6	6	5	9	7	12	7	11	7	3					
10	10	10	9	8	11	9	8	2	1	1				1	}44
37	36	33	22	19	16	6	8	2	2	1					
42	37	22	29	19	17	19	8	2	2	4		1		7	}45
1	2	1			2	2	1	1	1	1					
710	739	583	550	435	343	336	300	224	170	123	58	26	3	45	}46
104	122	98	99	110	90	118	155	149	166	150	123	45	17	7	

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE
TOTAL COLORED.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	37,029	7,951	2,239	1,034	549	367	12,140	1,076	919	1,657	2,671	2,500
2	Males.....	19,328	4,279	1,175	529	264	166	6,413	502	408	727	1,388	1,306
3	Females.....	17,701	3,672	1,064	505	285	201	5,727	574	511	930	1,283	1,194
4	Unknown cause.....	743	303	46	18	11	4	382	13	5	21	23	33
5	Males.....	391	154	22	10	5	2	193	11	4	9	9	16
6	Females.....	352	149	24	8	6	2	189	2	1	12	14	17
7	1. General diseases.												
8	General diseases—A	6,363	1,828	684	315	162	121	3,110	357	239	311	428	362
9	Males.....	3,273	948	355	141	78	61	1,583	176	111	142	249	197
10	Females.....	3,090	880	329	174	84	60	1,527	181	128	169	179	165
11	Measles.....	87	21	20	13	5	5	64	10	7	2	2	1
12	Scarlet fever.....	101	26	20	20	11	4	81	11	1	2	1	4
13	Diphtheria.....	16	1	1	3	3	2	9	1	2	3	1	1
14	Whooping cough.....	16	1	1	2	3	2	8	3	1	3	1	1
15	Malarial fever.....	129	9	19	16	19	12	75	41	11	1	1	1
16	Influenza.....	135	5	15	17	11	15	63	43	20	4	2	1
17	Typhoid fever.....	152	68	46	19	12	1	146	4	1	1	1	1
18	Cholera morbus.....	189	73	50	27	14	11	175	12	1	1	1	1
19	Cholera infantum.....	372	32	22	10	13	10	87	40	17	23	40	27
20	Fever.....	376	28	27	23	12	8	98	31	27	38	34	25
21	Cerebro-spinal fever.....	168	22	11	3	3	3	39	4	5	6	6	9
22	Smallpox.....	217	25	7	6	2	3	43	4	7	6	6	6
23	Erysipelas.....	463	3	6	6	3	6	24	35	34	61	108	71
24	Septicemia.....	358	9	9	3	7	6	34	39	46	67	53	40
25	Venereal diseases.....	68	13	5	5	2	4	29	3	1	5	3	3
26	Others of this group.....	61	11	6	5	1	1	23	2	2	2	3	4
27	General diseases—B	906	670	43	20	11	3	747	14	1	7	15	17
28	Males.....	497	371	20	10	4	2	407	7	2	7	8	8
29	Females.....	409	299	23	10	7	1	340	7	1	5	8	9
30	Alcoholism.....	41	9	1	1	1	1	4	1	1	1	1	1
31	Parasitic diseases.....	3	1	1	1	1	1	2	1	1	1	1	1
32	Lead poison.....	5	1	1	1	1	1	4	1	1	1	1	1
33	Other poisons.....	2	1	1	1	1	1	2	1	1	1	1	1
34	Inanition.....	41	5	2	4	3	1	15	2	1	1	2	3
35	General diseases—C	34	1	2	2	2	1	5	1	1	2	7	4
36	Males.....	410	366	18	5	1	1	390	4	1	3	1	4
37	Females.....	361	298	20	7	6	1	331	5	1	3	1	4
38	Old age.....	2,925	1,633	148	51	27	4	1,863	16	6	10	11	9
39	Premature birth.....	1,418	881	73	25	14	4	993	4	3	3	5	4
40	Malformation.....	1,507	752	75	26	13	4	870	12	3	7	6	5
41	Debility and atrophy.....	317	186	1	1	1	1	2	1	1	1	1	1
42	Others of this group.....	486	299	1	1	1	1	4	1	1	1	1	1
43	Males.....	374	374	1	1	1	1	374	1	1	1	1	1
44	Females.....	299	299	1	1	1	1	299	1	1	1	1	1
45	Malformation.....	58	57	1	1	1	1	57	1	1	1	1	1
46	Debility and atrophy.....	50	50	1	1	1	1	50	1	1	1	1	1
47	Others of this group.....	647	428	73	25	14	4	540	3	3	3	5	4
48	Males.....	650	381	75	26	13	4	499	12	3	7	6	5
49	Females.....	22	22	1	1	1	1	22	1	1	1	1	1
50	Others of this group.....	22	22	1	1	1	1	22	1	1	1	1	1

713

TOTAL COLORED.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,955	2,083	1,952	1,795	1,750	1,374	1,288	1,027	877	624	498	278	162	197	206	1
1,113 842	1,145 938	1,064 888	1,010 785	987 763	758 616	652 636	531 496	438 439	296 328	225 273	114 164	57 105	67 130	127 79	2 3
19	33	30	28	35	18	25	21	13	12	7	3	1	1	20	4
13 6	14 19	16 14	19 9	21 14	13 5	14 11	10 11	5 8	7 5	4 3	2 1	1	1	11 9	5 6
200	204	192	176	177	135	127	115	72	53	50	24	6	7	18	7
117 83	105 99	113 79	100 76	97 80	58 77	63 64	51 64	34 38	28 25	22 28	13 11	1 5	3 4	10 8	8 9
				1										1	10
1	1														11
	1									1					12
														1	13
1														2	14
20 14	19 17	18 12	19 19	19 8	8 16	9 13	7 13	6 3	5 1	3 2	2 1	1 1	1	2 2	15
4 8	7 14	11 9	10 8	8 18	9 20	14 16	10 15	7 11	8 8	6 13	2 2	2 2	3 1	1	16
32 10	28 19	21 20	20 8	13 5	6 4	4 6	1 3	2 3	1	1				1 1	17
2 7	2 6	4 1	2 1	3 4	2	2 2	4 2	2 1		1	1				18
1		2	1	1			1	1							19
3 3	3 1	5 6	3 4	7 4	6 7	5 4	7 5	2 6	5 2	2 2	2 2		1	2	20
6 6	7 4	7 3	9 12	11 16	7 7	10 8	5 10	6 5	4 4	1 6	2 2	1			21
6 6	8 8	6 5	12 8	9 7	6 4	7 5	7 7	3 6	2	1 3	1 2			1 2	22
															23
	2	2	1 1	2	1										24
1 1	2 1	2	2	1	1	1			1					1	25
24 12	18 7	14 11	8 4	5 4	2 5	3 2	3 3	2	1						26
2		4 1	2	2 1	1 2	2	1	2	1 1	1	1				27
7 5	4 12	9 7	4 7	3 3	3 4	4 4	3	1 1	1	1	1 1			1	28
5 9	4 3	5 1	5 1	6 6	2 1	2				1	1			3	29
3 1		3 2	4 1	6 4	4 4	1 3	2 6	2	2 4	6 1	4	1	1	1	30
14	8	20	8	12	6	7	4	2	7	2	1	2	1	11	31
11 3	7 1	11 9	7 1	7 5	6	4 3	2 2	1 1	2 5	1 1		1 1	1	6 5	32
4	5 1	3 2	6	5 2	2	1	2		1 1					1 1	33
															34
		1		1											35
6 2	2	6 6			2	1 2								1 1	36
1 1		1 1	1	1 1	2	2 1		1	1 4	1 1		1 1	1	4 3	37
10	13	10	15	28	31	69	83	136	119	163	97	97	132	7	38
2 8	8 5	3 7	8 7	10 18	17 14	25 44	45 38	56 80	55 64	67 96	35 62	35 62	39 93	1 6	39 40
						14 30	35 29	49 69	51 60	65 88	33 55	33 58	37 92	5	41
															42
															43
2 8	8 5	3 7	8 7	10 18	17 14	11 14	10 9	7 11	4 4	2 8	2 7	2 4	2 1	1 1	44
															45

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	7,753	249	150	106	76	41	622	217	287	662	1,105	1,024
2	Males.....	3,939	145	79	64	35	17	340	92	98	257	533	486
3	Females.....	3,814	104	71	42	41	24	282	125	189	405	572	538
4	Anemia.....	M.. 19 F.. 41	5 5	1 1	 2	1		7 8	1 3	1 2	1 4	 2	 7
5	Diabetes.....	M.. 20 F.. 28				1		1	1		1		 2
6	Rheumatism.....	M.. 76 F.. 78	1 3	 1	1	1		3 5	4 3	2 5	2 7	3 1	3 1
7	Scrofula and tabes.....	M.. 62 F.. 70	4 5	4 5	4 1	2 3	1 3	15 17	5 8	5 9	3 7	9 5	4 7
8	Hydrocephalus.....	M.. 95 F.. 76	38 25	13 12	8 6	5 9	2 3	66 55	8 7	4 2	3 6	6	1 2
9	Tuberculosis, general.....	M.. 58 F.. 35	3 3	1 4	3 3	1		8 10	1 3	5 1	2 6	14 3	6 3
10	Consumption.....	M.. 3,244 F.. 2,896	76 54	49 39	39 25	22 24	11 15	197 157	63 96	75 167	242 369	481 540	461 498
11	Cancer.....	M.. 155 F.. 384	2 1			1		3 1	2		1 2	7 8	4 8
12	Tumor.....	M.. 21 F.. 37	2					2			1 1	2 5	1 2
13	Dropsy.....	M.. 150 F.. 146	2 1	3 2	5 2	1 2	1 1	12 8	5 3	5 3	2 2	11 8	3 8
14	Others of this group.....	M.. 33 F.. 23	12 7	8 7	4 3	1 1	2 2	27 20	3 1				1 1
15	2. Diseases of the nervous system.....	3,687	1,169	216	97	52	41	1,575	102	71	81	88	110
16	Males.....	1,892	653	134	54	28	18	887	53	37	35	49	60
17	Females.....	1,795	516	82	43	24	23	688	49	34	46	39	50
18	Inflammation of the brain.....	M.. 40 F.. 29	5 6	4 1	5 1	1 1	1 1	16 10	3 3	1 1	 2	3 2	6 2
19	Meningitis.....	M.. 288 F.. 205	82 53	43 23	21 19	16 9	11 12	173 116	22 22	17 11	11 9	17 12	12 7
20	Apoplexy.....	M.. 336 F.. 420	5 4	2 1	 1			7 6	1 1	 1	3 1	8 2	9 13
21	Paralysis.....	M.. 239 F.. 267	5 1	1 2	1 1	1	1 1	9 5	2	1	3 2	4 5	7 3
22	Paralysis, general (of insane).....	M.. 17 F.. 8											 2
23	Tetanus and trismus nascentium.....	M.. 201 F.. 145	145 119	4 1				149 120	7 3	10 4	6 2	1	7 5
24	Chorea.....	M.. 1 F.. 1									1		
25	Epilepsy.....	M.. 43 F.. 31	5		 1	1		6 1	1	1 4	3 1	1 3	5 3
26	Convulsions.....	M.. 479 F.. 426	372 301	57 46	23 17	5 14	2 6	459 384	6 10	1 2	1 6	 9	2 3
27	Mental diseases.....	M.. 43 F.. 47									2 3	4	2 3
28	Diseases of the brain.....	M.. 168 F.. 165	31 30	23 5	4 3	4	3 3	65 41	11 9	5 10	5 14	9 2	5 10
29	Diseases of the spinal cord.....	M.. 16 F.. 21	2	 3				2 3	 1	1 1	1 3	 2	 1
30	Locomotor ataxia.....	M.. 5 F.. 3											
31	Others of this class.....	M.. 17 F.. 27	1 2					1 2			 2	2 2	3
32	3. Diseases of the circulatory system.....	2,659	68	11	5	4	11	99	20	38	39	101	130
33	Males.....	1,374	39	8	2	2	7	58	6	16	20	50	72
34	Females.....	1,285	29	3	3	2	4	41	14	22	19	51	58
35	Pericarditis.....	M.. 34 F.. 32	1	2			 1	3 1	2 2	1	3	2 2	4 1
36	Diseases of the heart.....	M.. 1,200 F.. 1,149	24 18	6 3	2 3	2 2	7 3	41 29	4 12	15 18	17 18	47 47	62 45
37	Angina pectoris.....	M.. 28 F.. 42									 1	1 2	1 6
38	Diseases of the arteries.....	M.. 41 F.. 18											
39	Aneurism.....	M.. 53 F.. 22											5 6
40	Embolism.....	M.. 4 F.. 9											 1
41	Others of this class.....	M.. 14 F.. 13	14 11					14 11					

715

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
745	726	596	480	393	280	191	159	118	60	36	15	4	9	24	1
399 346	410 316	318 278	279 201	238 155	164 116	100 91	95 64	58 60	26 34	17 19	7 8	3 1	3 6	16 8	2 3
1	1	2	3	1	1										4
1	2	4	1	2		2	1	1					1		
	4		2	6	1	3							1		5
2		5	2	4	4	1	2		3	2					
6	3	9	7	9	7	2	3	6	4	2		1			
6	5	6	4	5	6	3	3	8	1	4			2		
3	3	1	2	4	1	4			1					2	7
2	5	1	1	4		1	1	1	1						
2	1	3	1												8
	1	2					1								
6	8	2		2	1	1	2								9
2	2	1	1	1		1		1							
364 303	359 241	264 183	240 109	182 74	111 50	69 41	65 27	30 17	15 7	10 5		1	1	11	10
6	11	15	12	24	23	13	17	10	2	1	1	1	1	1	11
20	47	57	62	50	39	30	21	16	14	5	2	1	1	1	
2	5	2	1	2		2	1								12
2	5	6	3	2	3	3	2	1	2						
7	14	17	11	8	19	6	7	12	3	4				1	13
8	8	13	18	13	10	9	6	15	6	3	3		2		
2	1	3							1					1	14
					1										
92	119	149	171	231	185	184	146	133	98	59	41	22	14	16	15
53 39	62 57	78 71	78 93	118 113	94 91	81 103	61 85	56 77	37 61	16 43	15 26	9 13	6 8	7 9	16 17
1		2	2	2	2	2									18
	1	1	1	3	1	1		1							
15	8	3	1	5	2		1	1							19
3	3	3	3	4	1	2	2	2	2				1	2	
6	20	24	32	50	40	41	31	24	18	6	8	5	2	1	20
7	24	26	47	51	52	52	30	36	33	13	14	6	2	3	
8	14	16	17	39	23	23	15	24	13	7	6	2	3	3	21
11	7	13	18	29	18	24	41	30	19	24	8	6	4		
1		2	4	4	3			1							22
1		2	1	3	1										
4	4	2	2	2	1	2	2		2						23
3	3	2	1		1	1									
															24
5	1	6	4	1	4	1	3	1							25
	6		2	6	2	2				1					
1		4	1	1		2			1					3	26
1		2	1		1									3	
5	5	4	2	4	5	2	4	2			1	1			27
5	1	9	3	3	2	3	3	4	3	1	2	1	1		
5	6	11	9	8	9	7	4	3	3	2		1			28
6	8	10	11	6	7	13	8	3	1	4	2				
2	3	1	1		1	2				1			1		29
1	2	1	1		2		1		1					1	
			3	1		1									30
				2	1										
1	1	3		1	4		1		1						31
	2	2	4	5	2	3		1	1						
150	231	260	273	263	235	219	187	139	114	75	40	15	12	19	32
84 66	122 109	133 127	139 134	135 128	120 115	123 96	91 96	71 68	56 58	42 33	16 24	3 12	5 7	12 7	33 34
1	4	2	2	4	2	1	1	1	1						35
3	2	4	4	1	3	2	1	2	1						
75 59	105 101	111 110	122 123	120 119	111 107	109 88	82 89	62 58	47 51	40 31	14 22	2 10	4 5	10 7	36
2	2	4	2	4	3	4		2	3						37
1	2	5	4	4	2	5	3	2	4			1			
1		4	3	3	3	3	7	6	4					1	38
	1	1	1	1	1		1	3	2	2	2	1	2		
5	9	12	10	3	1	6			1					1	39
1	1	6	2	1	1	1	1	2	1						
	2														40
1	1	1		2	1		1	1							
															41
1	1														

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	6,033	1,522	745	351	156	93	2,867	186	116	191	349	288
2	Males.....	3,283	819	375	183	74	42	1,493	80	48	100	211	179
3	Females.....	2,750	703	370	168	82	51	1,374	106	68	91	138	109
4	Croup.....	{M.. 66 F.. 52	{M.. 33 F.. 27	{M.. 9 F.. 7	{M.. 11 F.. 1	{M.. 4 F.. 6	{M.. 2 F.. 2	{M.. 59 F.. 43	{M.. 5 F.. 5	{M.. 1 F.. 2			1
5	Pneumonia.....	{M.. 2,437 F.. 1,931	{M.. 519 F.. 460	{M.. 261 F.. 255	{M.. 132 F.. 120	{M.. 57 F.. 60	{M.. 35 F.. 38	{M.. 1,004 F.. 933	{M.. 62 F.. 75	{M.. 35 F.. 54	{M.. 84 F.. 72	{M.. 185 F.. 111	{M.. 151 F.. 80
6	Laryngitis.....	{M.. 14 F.. 7	{M.. 3 F.. 1	{M.. 3 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 8 F.. 3	{M.. 1 F.. 1	{M.. 1 F.. 1			1
7	Bronchitis.....	{M.. 471 F.. 490	{M.. 210 F.. 176	{M.. 91 F.. 93	{M.. 36 F.. 41	{M.. 11 F.. 11	{M.. 2 F.. 9	{M.. 350 F.. 330	{M.. 8 F.. 16	{M.. 5 F.. 6	{M.. 5 F.. 13	{M.. 12 F.. 12	{M.. 8 F.. 14
8	Pleurisy.....	{M.. 42 F.. 46	{M.. 1 F.. 1	{M.. 3 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1		{M.. 1 F.. 6	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 4 F.. 1	{M.. 7 F.. 4	{M.. 3 F.. 7
9	Asthma.....	{M.. 70 F.. 72	{M.. 2 F.. 3	{M.. 1 F.. 3	{M.. 1 F.. 1			{M.. 4 F.. 6	{M.. 1 F.. 2			{M.. 1 F.. 2	{M.. 4 F.. 3
10	Others of this class.....	{M.. 183 F.. 152	{M.. 52 F.. 36	{M.. 10 F.. 8	{M.. 3 F.. 4	{M.. 3 F.. 3	{M.. 2 F.. 2	{M.. 67 F.. 53	{M.. 2 F.. 6	{M.. 6 F.. 5	{M.. 7 F.. 4	{M.. 6 F.. 9	{M.. 11 F.. 5
11	5. Diseases of the digestive system.....	1,756	300	138	29	14	14	495	51	49	85	148	135
12	Males.....	858	171	76	15	7	5	274	21	23	28	66	56
13	Females.....	898	129	62	14	7	9	221	30	26	57	82	79
14	Dentition.....	{M.. 100 F.. 93	{M.. 42 F.. 42	{M.. 51 F.. 43	{M.. 6 F.. 8	{M.. 1 F.. 1		{M.. 100 F.. 93					
15	Angina.....	{M.. 14 F.. 14	{M.. 3 F.. 1	{M.. 3 F.. 1		{M.. 2 F.. 1	{M.. 1 F.. 1	{M.. 6 F.. 5	{M.. 1 F.. 3	{M.. 1 F.. 1			1
16	Gastritis.....	{M.. 95 F.. 140	{M.. 22 F.. 19	{M.. 6 F.. 6	{M.. 3 F.. 1	{M.. 2 F.. 4	{M.. 1 F.. 1	{M.. 33 F.. 31	{M.. 1 F.. 5	{M.. 1 F.. 1	{M.. 1 F.. 5	{M.. 3 F.. 8	{M.. 2 F.. 14
17	Diseases of the stomach.....	{M.. 41 F.. 35	{M.. 3 F.. 4	{M.. 1 F.. 2				{M.. 4 F.. 6	{M.. 1 F.. 2	{M.. 1 F.. 2		{M.. 2 F.. 1	{M.. 3 F.. 2
18	Obstruction of the bowels.....	{M.. 46 F.. 78	{M.. 6 F.. 6	{M.. 1 F.. 1			{M.. 1 F.. 1	{M.. 7 F.. 8	{M.. 2 F.. 2	{M.. 2 F.. 1	{M.. 1 F.. 3	{M.. 5 F.. 11	{M.. 4 F.. 10
19	Appendicitis.....	{M.. 68 F.. 46	{M.. 1 F.. 1				{M.. 1 F.. 1	{M.. 1 F.. 2	{M.. 3 F.. 7	{M.. 5 F.. 1	{M.. 5 F.. 10	{M.. 19 F.. 4	{M.. 13 F.. 5
20	Hernia.....	{M.. 47 F.. 21	{M.. 11 F.. 3	{M.. 1 F.. 1				{M.. 12 F.. 3			{M.. 2 F.. 1	{M.. 2 F.. 1	{M.. 1 F.. 1
21	Other diseases of the bowels.....	{M.. 19 F.. 14	{M.. 9 F.. 3	{M.. 1 F.. 1			{M.. 1 F.. 1	{M.. 10 F.. 5		{M.. 1 F.. 1		{M.. 2 F.. 1	{M.. 2 F.. 2
22	Jaundice.....	{M.. 29 F.. 19	{M.. 21 F.. 10					{M.. 21 F.. 10				{M.. 1 F.. 3	{M.. 1 F.. 2
23	Inflammation and abscess of the liver.....	{M.. 61 F.. 28	{M.. 4 F.. 1		{M.. 1 F.. 1		{M.. 1 F.. 1	{M.. 5 F.. 2	{M.. 1 F.. 1	{M.. 2 F.. 1	{M.. 2 F.. 1	{M.. 7 F.. 4	{M.. 5 F.. 2
24	Other diseases of the liver.....	{M.. 94 F.. 43	{M.. 2 F.. 1	{M.. 1 F.. 1			{M.. 1 F.. 1	{M.. 4 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 2 F.. 1	{M.. 3 F.. 3	{M.. 9 F.. 1
25	Peritonitis.....	{M.. 143 F.. 266	{M.. 9 F.. 4	{M.. 4 F.. 3	{M.. 4 F.. 2	{M.. 2 F.. 1	{M.. 1 F.. 2	{M.. 20 F.. 12	{M.. 11 F.. 9	{M.. 9 F.. 16	{M.. 14 F.. 32	{M.. 17 F.. 46	{M.. 12 F.. 39
26	Ascites.....	{M.. 21 F.. 15								{M.. 2 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 2
27	Others of this class.....	{M.. 80 F.. 86	{M.. 41 F.. 34	{M.. 8 F.. 5	{M.. 2 F.. 2	{M.. 2 F.. 2	{M.. 1 F.. 1	{M.. 51 F.. 44	{M.. 2 F.. 1			{M.. 4 F.. 1	{M.. 2 F.. 1
28	6. Diseases of the urinary system and male organs of generation.....	1,940	26	22	12	6	7	73	38	24	40	85	97
29	Males.....	1,071	10	14	6	4	4	38	19	8	16	33	54
30	Females.....	869	16	8	6	2	3	35	19	16	24	52	43
31	Bright's disease.....	{M.. 844 F.. 735							{M.. 17 F.. 17	{M.. 6 F.. 15	{M.. 13 F.. 22	{M.. 29 F.. 44	{M.. 46 F.. 34
32	Calculus, urinary.....	{M.. 5 F.. 2	{M.. 1 F.. 1					{M.. 1 F.. 1		{M.. 1 F.. 1			
33	Diseases of the kidney.....	{M.. 63 F.. 52	{M.. 6 F.. 13	{M.. 13 F.. 7	{M.. 6 F.. 6	{M.. 4 F.. 2	{M.. 4 F.. 3	{M.. 33 F.. 31	{M.. 1 F.. 1		{M.. 1 F.. 1	{M.. 1 F.. 3	{M.. 1 F.. 2
34	Diseases of the bladder.....	{M.. 35 F.. 8	{M.. 1 F.. 1	{M.. 1 F.. 1				{M.. 2 F.. 1			{M.. 1 F.. 1	{M.. 1 F.. 1	{M.. 1 F.. 1
35	Others of this class.....	{M.. 124 F.. 72	{M.. 3 F.. 2	{M.. 1 F.. 1				{M.. 3 F.. 3	{M.. 1 F.. 2	{M.. 1 F.. 1	{M.. 2 F.. 1	{M.. 5 F.. 4	{M.. 6 F.. 7
36	7. Diseases of the female organs of generation.....	176	1					1		3	14	22	31
37	Ovarian tumors.....	16								1	3	2	
38	Ovarian diseases.....	8									1		2
39	Diseases of the tubes.....	38									1	10	12
40	Uterine tumors.....	52										1	6
41	Uterine diseases.....	6											1
42	Others of this class.....	56	1					1		2	9	9	10

CAUSE, COLOR, AND RACE.

717

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
248	270	259	237	244	189	182	125	91	77	47	27	5	9	26	1
170	151	155	149	146	112	86	63	47	35	25	12	2	3	16	2
78	119	104	88	98	77	96	62	44	42	22	15	3	6	10	3
	1	1													4
137	130	133	117	117	77	58	47	34	27	17	8	1	2	11	5
60	88	74	63	70	55	67	38	26	25	17	10	2	4	7	
1		1	1				1								6
1															
6	7	6	14	13	11	3	5	7	2	3	2	1		3	7
7	8	5	8	10	8	16	10	7	12	1	4		2	1	
6	3	1	4	2	3	3		1		1				1	8
2	3	2	4	6	1	5	2	1	1						
5	2	6	3	7	13	12	5	4	1	2					9
2	7	9	7	6	8	6	6	6	1	1					
15	9	8	10	7	8	10	5	1	5	2	2		1	1	10
6	12	13	6	6	5	2	6	4	3	3	1	1		2	
115	111	115	108	94	80	55	41	33	16	9	5	2	2	7	11
45	46	55	63	40	45	28	23	22	10	6	1	1	1	4	12
70	65	60	45	54	35	27	18	11	6	3	4	1	1	3	13
															14
1		2	1	1									1		15
1		1		1			1		1						
4	4	6	10	7	7	2	5	5	4	1					16
14	10	6	10	14	9	6	1		1	1	1		1		
1	8	1	5	3	2	3	2	3	1		1				17
3	4	4	2	2	2	1	2	1							
4		3	4	8	3	3	1	4							18
8	5	6	6	4	5	2	2	3			1			1	
4	4	5		1	5	1			1					1	19
4	4	1	2	3	3		2	1							
2	1	5	7	2	3	3	2	3	1	1					20
		1	3	3	3	2	2		2			1			
2		2			1										21
2	1			1				1							
1	1	1	1	1	1										22
1	1	1					1								
8	6	7	11	2	3	2									23
1	2	4	2	2		1	4	1			1				
4	9	10	11	12	9	8	4	2	2	1		1		1	24
5	2	11	4	7	4	2		1	1		1				
14	7	7	10	4	2	3	7	3		1				2	25
28	31	18	12	10	3	6	2	1						1	
	2	2		4	3	1	2		1	1					26
1	1	1	1	2	1	3			1					1	
	4	5	3	3	1	2		2		1					27
2	4	6	3	8	5	4	1	2		2					
114	158	185	206	207	166	177	121	115	54	37	20	4	7	12	28
62	85	96	112	127	95	97	77	71	33	22	10	2	5	9	29
52	73	89	94	80	71	80	44	44	21	15	10	2	2	3	30
51	72	81	94	109	80	81	61	50	26	14	6	1	1	6	31
46	60	78	81	68	65	76	42	38	20	13	10	2	2	2	
	1					1							1	1	32
		1													
	3	4	3	3	4	2	3	2	1					1	33
3	2	2	2	1	1	1		2	1						
	2	1	3	4	4	3	2	7	2	1	1		2		34
	1	1	2			1	1	1							
11	7	10	12	11	7	10	11	12	4	7	3	1	1	1	35
3	10	7	9	11	5	3	1	3		2				1	
31	20	19	19	5	1	4	3	1						2	36
6	1	1	1				1								37
2	1	1		1											38
6	5	2	2												39
8	8	10	11	3	1	1	1	1						1	40
2			1			2									41
7	5	5	4	1		1	1							1	42

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

TOTAL COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	237								3	47	69	52
2	Abortion	18									3	3	8
3	Childbirth	90								1	12	23	21
4	Puerperal septicemia	77								2	21	25	14
5	Extra-uterine pregnancy	10										3	2
6	Others of this class	42									11	15	7
7	9. Diseases of the bones and joints	77	2	1	1	4	2	10	6	3	6	7	7
8	Males	45	2	1	1	1	1	6	2	2	4	4	5
9	Females	32				3	1	4	4	1	2	3	2
10	Diseases of the spine {M..	17	1		1		1	3	1	1	3		4
	{F..	11				2		2	1	1	1	2	1
11	Abscess, lumbar and psoas {M..	5									1		
	{F..	4							2				
12	Diseases of the bones {M..	13	1			1		2		1			
	{F..	11					1	1				1	
13	Diseases of the hip-joint {M..	5										3	1
	{F..	4							1		1		1
14	Others of this class {M..	5		1				1	1			1	
	{F..	2				1		1					
15	10. Diseases of the skin	41	4	1		1		6		1		3	3
16	Males	23	3	1		1		5				3	2
17	Females	18	1					1		1			1
18	Abscess	11	2	1				3				1	1
	{F..	8											1
19	Carbuncle	2											
	{F..	1											
20	Others of this class {M..	10	1			1		2				2	1
	{F..	9	1					1		1			
21	11. Diseases of the absorbent system	13	3	1				4			1	2	1
22	Males	5	1					1			1		
23	Females	8	2	1				3				2	1
24	Addison's disease {M..												
	{F..												
25	Diseases of the spleen {M..	1											1
	{F..	1											
26	Others of this class {M..	4	1					1			1		
	{F..	7	2	1				3				2	
27	12. Accidents and injuries	1,720	173	33	29	25	26	286	56	73	142	215	201
28	Males	1,259	82	17	18	11	7	135	31	58	110	169	167
29	Females	461	91	16	11	14	19	151	25	15	32	46	34
30	Burns and scalds {M..	67	1	6	11	7	5	30	6	2	3	1	3
	{F..	137	2	9	6	12	15	44	17	7	12	11	6
31	Drowning	169	1	1	1			3	9	24	19	18	20
	{F..	10		1				1		1	4	1	
32	Exposure and neglect {M..	21	8					8	2			1	1
	{F..	22	13	3				16			1		
33	Gunshot wounds {M..	183							2	11	28	41	34
	{F..	22			1			1	1	2	1	7	4
34	Homicide	124								1	10	21	33
	{F..	29							1		1	5	7
35	Infanticide	1	1					1					
	{F..	1	1					1					
36	Injuries by machinery {M..	4										1	1
	{F..												
37	Railroad accidents {M..	154	2		1		1	4	5	11	16	24	20
	{F..	19	1				1	2		1	1	2	3
38	Suffocation	52	33	3	1			37			1	2	1
	{F..	61	46	2			3	51	2	2	1	1	
39	Suicide by shooting {M..	9										1	3
	{F..												
40	Suicide by drowning {M..	2										1	
	{F..	2											
41	Suicide by poison {M..	11										3	2
	{F..	18									5	9	3
42	Other suicides	26									1	4	6
	{F..	4										1	1
43	Sunstroke	33	3		1			4	1			3	
	{F..	8	2					2					
44	Surgical operations {M..	5											1
	{F..	20									1	4	2
45	Wounds	29								1	2	5	3
	{F..	3									1	1	
46	Others of this class {M..	369	33	7	3	4	1	48	6	8	30	44	39
	{F..	105	26	1	4	2		33	4	2	4	3	8

CAUSE, COLOR, AND RACE.

719

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

TOTAL COLORED—Continued

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
35	23	6												2	1
1	2	1													2
18	11	2												2	3
8	7														4
3	2														5
5	1	3													6
6	7	6	5	1	3	5		2	2			1			7
6	5	2	4	1	2	1		1	1						8
	2	4	1	1	1	4		1	1			1			9
1	2	1	1												10
	1	1	1												11
2	1			1	1										12
3	1	1	1		1	1		1	1						13
	1	1	1		1	4		1	1						14
															15
2	5	4	3	2	4	4	1	1	1			1			16
2	2	3	1	1	2	1		1	1			1			17
2	1	1	1	1	1										18
	3	1	1		2										19
		1	1												20
	1			1	1	1		1	1			1			21
1			2	1			1								22
1			1	1			1								23
															24
			1												25
1				1			1								26
			1	1											27
173	155	101	64	57	41	39	20	21	11	13	5	2	3	42	28
148	128	81	49	47	30	29	12	16	6	3	3		2	35	29
25	27	20	15	10	11	10	8	5	5	10	2	2	1	7	30
5	3	2	1		3	2	1	1		2	1			1	31
6	3	4	5	1	6	4	4	2	2	1		1		1	32
15	18	12	6	6	4	3					1			11	33
1	1		1												34
2		1		1		2	1			2	1		1	1	35
	1				1										36
30	13	6	7	3		1		2						5	37
2	2	2													38
15	16	12	4	6										6	39
3	3	1	1		1									6	40
															41
1				1											42
															43
16	18	8	4	5	4	4	3	6		1				5	44
1	2	2	1	2		1				1					45
1	1	1		1	3	2			1	1				1	46
	2	2	1												47
	1							1							48
4				2											49
				1											50
4	2	5	1	1		1		1							51
1	1														52
4	8	2	3	3	2	1		1						1	53
	1		1	1		1	1	1							54
1	3														55
4	3	2	2		1					1					56
6	3	2	3	2							1				57
						1	1								58
44	40	28	19	16	14	13	6	4	5				1	4	59
6	10	9	4	3	2	3	3	2	2	4	1	1	1		60

CAUSE, COLOR, AND RACE.

721

AND CLASS OF DISEASES, BY COLOR AND RACE: CENSUS YEAR 1900—Continued.

CHINESE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	114	130	143	110	55	42	29	8	2	3	1			6	1
65 7	108 6	127 3	141 2	105 5	54 1	38 4	29	8	2	1 2	1			5 1	2 3
.....		2	5	6	3	1	1	1							4
.....		2	5	6	3	1	1	1							5
.....															6
4	8	10	6	6	3	1	1								7
4	8	10	6	6	3	1	1								8
.....															9
.....															10
.....															11
.....															12
.....															13
.....	1														14
.....															15
2	2	2	1		1										16
1		1													17
.....															18
.....															19
.....															20
1	2	2	4	3	1		1								21
.....															22
.....	2	2	1	1	1										23
.....															24
.....															25
.....				1											26
.....		1					1								27
.....	1	1													28
.....		1		1											29
.....		1												1	30
.....		1												1	31
.....															32
.....															33
.....															34
.....															35
.....		1													36
.....														1	37
.....					1		4		1	2	1				38
.....					1		4		1		1				39
.....							4			2					40
.....									1		1				41
.....										2					42
.....															43
.....					1										44
.....															45

723

CHINESE—Continued.

[illegible]

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE
CHINESE—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	163	19	7	4	7	2	39	8	3	2	11	6
2	Males.....	138	12	5	3	3	2	25	4	3	2	10	4
3	Females.....	25	7	2	1	4		14	4			1	2
4	Croup.....	{M..... F.....											
5	Pneumonia.....	{M..... F.....	114 23	10 7	3 2	3 1	2 4	21 14	3 4	3	1	9 1	4 2
6	Laryngitis.....	{M..... F.....											
7	Bronchitis.....	{M..... F.....	12 1	2	1			3	1				
8	Pleurisy.....	{M..... F.....	6								1	1	
9	Asthma.....	{M..... F.....	1										
10	Others of this class.....	{M..... F.....	5 1		1			1					
11	5. Diseases of the digestive system.....	49		1			1	2			1	3	1
12	Males.....	42									1	2	
13	Females.....	7		1			1	2				1	1
14	Dentition.....	{M..... F.....											
15	Angina.....	{M..... F.....	1										
16	Gastritis.....	{M..... F.....	5 2									1	
17	Diseases of the stomach.....	{M..... F.....	1										
18	Obstruction of the bowels.....	{M..... F.....	1										
19	Appendicitis.....	{M..... F.....	3									1	
20	Hernia.....	{M..... F.....											
21	Other diseases of the bowels.....	{M..... F.....											
22	Jaundice.....	{M..... F.....	1										
23	Inflammation and abscess of the liver.....	{M..... F.....	6 1									1	1
24	Other diseases of the liver.....	{M..... F.....	17										
25	Peritonitis.....	{M..... F.....	7 2		1			1			1		
26	Ascites.....	{M..... F.....											
27	Others of this class.....	{M..... F.....	 2				1	1					
28	6. Diseases of the urinary system and male organs of generation.	69							1	1			2
29	Males.....	64							1				1
30	Females.....	5								1			1
31	Bright's disease.....	{M..... F.....	58 4						1				1 1
32	Calculus, urinary.....	{M..... F.....											
33	Diseases of the kidney.....	{M..... F.....	5 1							1			
34	Diseases of the bladder.....	{M..... F.....	1										
35	Others of this class.....	{M..... F.....											
36	7. Diseases of the female organs of generation.	1									1		
37	Ovarian tumors.....												
38	Ovarian diseases.....												
39	Diseases of the tubes.....												
40	Uterine tumors.....												
41	Uterine diseases.....												
42	Others of this class.....	1									1		

725

CHINESE—Continued.

[illegible]

TABLE 10.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

CHINESE—Continued.

CAUSE OF DEATH.		All ages	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	3											1
2	Abortion												
3	Childbirth.....	1											1
4	Puerperal septicemia.....	2											
5	Extra-uterine pregnancy.....												
6	Others of this class												
7	9. Diseases of the bones and joints.....	1											
8	Males.....	1											
9	Females.....												
10	Diseases of the spine.....	{M. F.											
11	Abscess, lumbar and psoas.....	{M. F.											
12	Diseases of the bones.....	{M. F.	1										
13	Diseases of the hip-joint.....	{M. F.											
14	Others of this class	{M. F.											
15	10. Diseases of the skin	1											
16	Males.....	1											
17	Females.....												
18	Abscess.....	{M. F.											
19	Carbuncle	{M. F.	1										
20	Others of this class.....	{M. F.											
21	11. Diseases of the absorbent system.....												
22	Males.....												
23	Females.....												
24	Addison's disease.....	{M. F.											
25	Diseases of the spleen.....	{M. F.											
26	Others of this class.....	{M. F.											
27	12. Accidents and injuries.....	54	1					1	2		1	2	5
28	Males.....	48									1	1	5
29	Females.....	6	1					1	2			1	
30	Burns and scalds.....	{M. F.	2 2						1			1	
31	Drowning	{M. F.	6									1	1
32	Exposure and neglect.....	{M. F.											
33	Gunshot wounds	{M. F.	1										
34	Homicide	{M. F.	15 1										
35	Infanticide	{M. F.											
36	Injuries by machinery	{M. F.	1										1
37	Railroad accidents	{M. F.	2								1		
38	Suffocation	{M. F.	2										
39	Suicide by shooting	{M. F.	2										
40	Suicide by drowning.....	{M. F.											
41	Suicide by poison	{M. F.	4										1
42	Other suicides.....	{M. F.	8 1										2
43	Sunstroke	{M. F.	1	1				1					
44	Surgical operations.....	{M. F.											
45	Wounds	{M. F.											
46	Others of this class.....	{M. F.	5 1						1				

727

CHINESE—Continued.




TABLE 11.

DEATHS OF WHITE PERSONS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR
ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS
OF DISEASES, BY BIRTHPLACES OF MOTHERS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE
MOTHERS BORN IN THE UNITED STATES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	143, 119	34, 861	7, 750	3, 720	2, 406	1, 707	50, 444	4, 922	2, 967	4, 114	5, 293	4, 960
2	Males.....	73, 765	19, 440	4, 080	1, 919	1, 209	892	27, 540	2, 523	1, 500	2, 011	2, 600	2, 354
3	Females.....	69, 354	15, 421	3, 670	1, 801	1, 197	815	22, 904	2, 399	1, 467	2, 103	2, 693	2, 606
4	Unknown cause	1, 349	576	35	16	17	11	655	32	22	34	27	30
5	Males.....	730	329	17	9	8	5	368	* 17	9	19	12	11
6	Females.....	619	247	18	7	9	6	287	15	13	15	15	19
7	1. General diseases. General diseases—A.....	27, 168	9, 740	2, 991	1, 464	1, 021	758	15, 974	1, 997	783	758	854	609
8	Males.....	13, 905	5, 315	1, 551	714	499	392	8, 471	968	346	380	459	314
9	Females.....	13, 263	4, 425	1, 440	750	522	366	7, 503	1, 029	437	378	395	295
10	Measles.....{M.. 538	151	164	61	29	22	427	42	17	9	14	7	7
	{F.. 624	142	176	74	35	19	446	63	26	18	14	10	10
11	Scarlet fever.....{M.. 554	35	70	73	87	66	331	173	22	12	7	3	3
	{F.. 522	18	53	73	76	75	295	157	34	10	10	5	5
12	Diphtheria.....{M.. 1, 490	80	183	221	197	192	873	450	93	29	19	11	11
	{F.. 1, 533	65	180	216	215	163	839	485	117	35	21	6	6
13	Whooping cough.....{M.. 661	413	138	48	23	13	635	17	1	1			
	{F.. 712	381	166	73	38	14	672	26	4	2			
14	Malarial fever.....{M.. 243	23	15	6	8	8	60	8	11	14	22	12	12
	{F.. 271	26	14	14	9	7	70	27	12	15	28	12	12
15	Influenza.....{M.. 1, 085	109	19	7	8	3	146	11	11	12	21	10	10
	{F.. 1, 496	102	21	18	9	12	162	17	16	17	22	28	28
16	Typhoid fever.....{M.. 1, 583	14	6	16	18	17	71	98	105	218	299	196	196
	{F.. 1, 205	9	14	18	22	16	79	87	143	203	181	111	111
17	Cholera morbus.....{M.. 300	83	34	25	14	3	159	18	15	6	5	4	4
	{F.. 267	62	19	25	6	3	115	12	11	9	9	5	5
18	Colitis.....{M.. 175	95	15	12	6	1	129	3		1	3	1	1
	{F.. 160	75	19	13	2		109	5	2		2	3	3
19	Diarrhea.....{M.. 602	285	48	10	4	3	350	22	5	3	6	6	6
	{F.. 507	246	36	10	4	1	297	21	5	2	1	7	7
20	Dysentery.....{M.. 377	75	66	21	16	14	192	18	7	4	6	8	8
	{F.. 431	82	44	23	15	7	171	14	4	3	3	4	4
21	Enteritis.....{M.. 2, 231	1, 532	304	87	30	19	1, 972	34	14	14	9	9	9
	{F.. 2, 052	1, 228	297	74	32	18	1, 649	33	15	7	10	18	18
22	Cholera infantum.....{M.. 2, 552	2, 063	386	66	22	15	2, 552						
	{F.. 2, 141	1, 697	331	69	25	16	2, 138						
23	Fever.....{M.. 16	1	2	1		1	5	1	1	2	1		
	{F.. 15	3					5	2	2	1	3		1
24	Cerebro-spinal fever.....{M.. 470	145	81	46	28	9	309	48	26	24	14	10	10
	{F.. 375	107	56	35	22	7	227	51	24	21	11	12	12
25	Smallpox.....{M.. 48	9	3	2	1	1	16			5	7	4	4
	{F.. 36	3	3	2	1		9	5	5	2	5	4	4
26	Erysipelas.....{M.. 244	80	5	1	2	1	89	2	4	2	4	6	6
	{F.. 164	67	5	1			74		3	3	6	5	5
27	Septicemia.....{M.. 375	40	6	7	3	3	59	12	10	17	21	19	19
	{F.. 462	47	6	8	8	4	73	16	10	24	63	55	55
28	Venereal diseases.....{M.. 93	64	3	1	1		69			1		5	5
	{F.. 72	55		1	2	1	59			2	1	1	1
29	Others of this group.....{M.. 268	18	3	3	2	1	27	11	4	6	1	3	3
	{F.. 218	10		2	1	1	14	8	4	4	5	8	8
30	General diseases—B.....	2, 976	2, 095	94	42	26	8	2, 265	20	13	24	48	69
31	Males.....	1, 702	1, 131	57	25	9	6	1, 228	11	9	9	27	43
32	Females.....	1, 274	964	37	17	17	2	1, 037	9	4	15	21	26
33	Alcoholism.....{M.. 199									1		3	22
	{F.. 34											2	5
34	Parasitic diseases.....{M.. 7	2	3	1			6						
	{F.. 9		2	2	5		9						
35	Lead poison.....{M.. 12			1			2					1	1
	{F.. 4	1									1		
36	Other poisons.....{M.. 267	20	17	6	6	4	67	6	5	8	22	16	16
	{F.. 162	10	10	6	1		37	4	2	12	15	19	19
37	Inanition.....{M.. 1, 217	1, 109	34	7	3	2	1, 155	5	3	1	1	4	4
	{F.. 1, 065	953	25	4	6	1	989	5	2	3	3	2	2
38	General diseases—C.....	13, 756	8, 216	261	49	14	19	8, 559	15	15	10	14	21
39	Males.....	7, 115	4, 669	136	28	9	7	4, 849	10	8	5	6	6
40	Females.....	6, 641	3, 547	125	21	5	12	3, 710	5	7	5	8	15
41	Old age.....{M.. 1, 950												
	{F.. 2, 523												
42	Premature birth.....{M.. 2, 269	2, 269						2, 269					
	{F.. 1, 676	1, 676						1, 676					
43	Malformation.....{M.. 420	410	1	2	1		414	3					
	{F.. 356	344	5	2	1		352		2		1		
44	Debility and atrophy.....{M.. 2, 240	1, 755	135	26	8	7	1, 931	7	8	5	6	6	6
	{F.. 1, 901	1, 342	120	19	4	12	1, 497	5	5	5	7	15	15
45	Others of this group.....{M.. 236	235					235						
	{F.. 185	185					185						

CAUSE, AND BIRTHPLACES OF MOTHERS.

731

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

MOTHERS BORN IN THE UNITED STATES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,400	4,147	4,185	4,491	4,900	5,614	6,474	7,629	8,223	8,339	6,590	3,588	1,340	268	231	1
2,162 2,238	2,064 2,083	2,107 2,078	2,278 2,213	2,522 2,378	2,893 2,721	3,359 3,115	3,997 3,632	4,190 4,033	4,210 4,129	3,176 3,414	1,585 2,003	511 829	75 193	108 123	2 3
26	45	41	31	38	56	52	57	63	52	38	20	10		20	4
16 10	25 20	27 14	16 15	18 20	33 23	31 21	32 25	35 28	26 26	14 24	7 13	5 5		9 11	5 6
497	398	404	353	354	400	442	622	711	771	671	380	138	22	30	7
266 231	210 188	206 198	188 165	189 165	208 192	203 239	302 320	342 369	348 423	278 393	161 219	45 93	8 14	13 17	8 9
5 11	4 14	3 5	5	4 1	1 6	1	1 2	1 1	2	1	1				10
2 5		2 2	1	1			1	1		1	1			1	11
7 5	3 6	1	3 6	3	3	2	2	1	1						12
1 1	1	1	1				1	1		1	1			3	13
12 11	6 8	9 10	7 8	9 7	10 8	13 6	9 9	14 15	14 10	8 9	5 5			1	14
19 19	22 28	34 41	41 32	35 44	54 62	67 92	101 150	126 167	142 215	130 205	72 113	28 57	3 8	1	15
160 90	108 61	91 63	64 44	52 36	45 27	23 15	18 27	17 16	8 11	3 5	3 3			4 3	16
7 8	2 2	3 8	8 3	10 2	5 8	11 10	10 6	15 14	8 12	8 21	5 8			1 1	17
2	2	2	3	3	4	2	3	5	9	4	1	3			18
3 5	3 2	3 7	3 3	7 4	22 11	19 8	33 15	36 24	41 31	17 30	14 22	4 9	2 1	3 2	19
9 8	8 4	2 8	4 11	7 9	1 13	9 22	15 25	18 33	20 37	29 28	13 26	3 7	2	2 1	20
9 13	10 15	7 13	9 14	11 20	14 19	14 22	26 41	24 47	25 53	18 38	10 20	1 3	1	1 1	21
														3	22
		1	1	1			2	1		1					23
6 7	5 6	7 4	9 5	3 1	3 1	1 2	3 1	2 1							24
2 1	3 2	1 1	4	4 2	2										25
8 1	7 3	10 2	4 5	8 3	16 6	14 10	16 12	16 11	20 8	11 9	5 1	2 1			26
16 41	19 35	22 24	22 19	27 16	20 21	22 17	34 13	20 12	18 13	11 6	6 3	1			27
1	1	4 2	1 3	3 2	2	1	2	2 1						2	28
2	6 2	4 4	4 5	5 9	9 7	6 13	27 21	44 21	41 27	37 38	26 15	6 8	1 3		29
73	61	65	65	56	52	35	35	30	26	13	9	2	2	13	30
50 23	44 17	47 18	54 11	38 18	39 13	26 9	19 16	14 16	20 6	8 5	5 4	2		9 4	31 32
24 3	29 9	28 6	28 4	26 5	17	10	5	2	3					1	33
							1								34
3 1	1	1	3	2											35
21 18	13 6	17 11	23 4	8 8	16 7	15 2	9 7	7 8	9	3 2	2				36
2 1	1 2	1 1	3	2 5	6 6	1 7	4 9	5 8	8 6	5 3	3 4	2		8 4	37
19	20	24	17	23	51	71	161	445	880	1,455	1,177	617	146	16	38
7 12	6 14	5 19	6 11	10 13	17 34	31 40	78 83	221 224	392 488	671 784	500 677	235 382	41 105	11 5	39 40
						11 19	44 46	180 170	341 438	634 730	474 646	226 372	39 101	1 1	41
															42
							1							3	43
7 12	6 14	5 19	6 11	10 13	17 34	20 21	34 36	41 54	50 50	37 54	26 31	9 10	2 4	7 4	44
									1						45

733

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	20,739	5,473	2,158	1,045	580	354	9,610	853	262	404	481	443
2	Males.....	10,588	3,076	1,145	551	296	179	5,247	439	130	219	265	230
3	Females.....	10,151	2,397	1,013	494	284	175	4,363	414	132	185	216	213
4	Croup.....	538	77	106	115	77	51	426	105	3		2	
	{M.....	423	47	72	74	58	56	307	103	7	1		
	{F.....												
5	Pneumonia.....	7,182	1,754	762	345	160	95	3,116	253	103	184	224	200
	{M.....	6,816	1,375	717	320	168	82	2,662	238	99	138	157	165
	{F.....												
6	Laryngitis.....	123	25	24	7	13	5	74	24	3		1	1
	{M.....	102	11	16	9	20	8	64	17	2	3		4
	{F.....												
7	Bronchitis.....	1,681	826	219	65	29	15	1,154	34	8	8	6	7
	{M.....	1,821	696	165	79	26	22	988	30	7	16	19	15
	{F.....												
8	Pleurisy.....	152	8	3	2	5	3	21	9	6	11	9	8
	{M.....	152	6	7	3	2	1	19	12	2	7	12	7
	{F.....												
9	Asthma.....	87	18					18	3	1		3	1
	{M.....	89	10	1				11	1	2		4	2
	{F.....												
10	Others of this class.....	825	368	31	17	12	10	438	11	6	16	20	13
	{M.....	748	252	35	9	10	6	312	13	13	20	24	20
	{F.....												
11	5. Diseases of the digestive system.....	7,807	1,395	281	135	78	78	1,967	324	311	346	386	410
12	Males.....	3,872	775	147	71	36	41	1,070	158	162	160	168	156
13	Females.....	3,935	620	134	64	42	37	897	166	149	186	218	254
14	Dentition.....	102	62	39	1			102					
	{M.....	98	60	36	1		1	98					
	{F.....												
15	Angina.....	70	3	8	5	8	4	28	14	4		7	1
	{M.....	71	5	5	9	4	6	29	19	8	1	1	3
	{F.....												
16	Gastritis.....	524	124	24	7	6	3	164	12	3	9	9	11
	{M.....	626	99	28	14	12	8	161	21	6	8	19	23
	{F.....												
17	Diseases of the stomach.....	228	26	4	2		3	35	3	3	7	2	3
	{M.....	199	17	4	2		2	25	1		8	10	16
	{F.....												
18	Obstruction of the bowels.....	339	81	10	4	4	5	104	19	14	13	13	14
	{M.....	320	49	7	4	5	3	68	11	7	8	7	18
	{F.....												
19	Appendicitis.....	483	2	2	2	3	4	13	40	70	71	64	59
	{M.....	316	4	2	1		4	11	35	56	57	36	30
	{F.....												
20	Hernia.....	110	20				1	21	1	3	1	3	3
	{M.....	106	6				1	7	3			1	2
	{F.....												
21	Other diseases of the bowels.....	148	55	6	3	2	1	67	1	1	2	5	4
	{M.....	124	39	4	1	3		47	5	3	7	2	4
	{F.....												
22	Jaundice.....	152	93	1	5			99	4		1	1	2
	{M.....	128	58	2	5	1	1	67	1	2	2		3
	{F.....												
23	Inflammation and abscess of the liver.....	153	13	2		2	4	21	1	1	3	7	9
	{M.....	153	7		1	2	1	11	4	6	6	7	12
	{F.....												
24	Other diseases of the liver.....	565	17	3	4		1	25	2	4	2	8	13
	{M.....	372	16	3	2		1	22	5	2	3	5	8
	{F.....												
25	Peritonitis.....	517	39	12	23	6	9	89	51	57	49	44	34
	{M.....	930	32	14	13	9	6	74	54	57	84	126	129
	{F.....												
26	Ascites.....	22							1	1			1
	{M.....	30											2
	{F.....												
27	Others of this class.....	459	240	36	15	5	6	302	9	1	2	5	2
	{M.....	462	228	29	11	6	3	277	7	2	2	4	4
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	7,561	201	49	45	36	42	373	135	122	183	226	254
29	Males.....	4,479	108	24	23	19	23	197	74	55	83	90	113
30	Females.....	3,082	93	25	22	17	19	176	61	67	100	136	141
31	Bright's disease.....	3,076							68	45	76	71	89
	{M.....	2,367							53	62	76	103	97
	{F.....												
32	Calculus, urinary.....	26	2					2		1		3	1
	{M.....	15											
	{F.....												
33	Diseases of the kidney.....	319	67	20	22	17	21	147	1	1	3	2	6
	{M.....	265	69	22	18	16	17	142	1		5	7	3
	{F.....												
34	Diseases of the bladder.....	443	1					1		2	1	1	4
	{M.....	61	2					2	1			1	1
	{F.....												
35	Others of this class.....	615	40	4	1	2	2	49	5	6	3	13	13
	{M.....	374	20	3	4	1	2	30	6	5	19	24	40
	{F.....												
36	7. Diseases of the female organs of generation.....	477	3	1		1	1	6		2	12	51	69
37	Ovarian tumors.....	88										3	8
38	Ovarian diseases.....	21										5	5
39	Diseases of the tubes.....	52									2	8	11
40	Uterine tumors.....	148					1	1			2	4	9
41	Uterine diseases.....	33									4	9	9
42	Others of this class.....	135	3	1		1		5		2	4	22	27

735

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
455	477	495	544	603	700	800	926	1,074	1,075	893	440	151	25	28	1
239 216	275 202	278 217	293 251	307 296	340 360	379 421	438 488	462 612	446 629	358 535	174 266	51 100	3 22	15 13	2 3
1	1	1		1	1					1				1	4
199 172	235 164	244 171	239 196	264 228	258 281	291 331	333 376	345 432	309 438	243 341	103 156	29 51	3 12	7 8	5
4 1		1 1		3 2	4 4	4	1		2 2	1					6
3 14	17 10	10 12	17 22	12 24	32 34	30 44	44 60	64 116	83 128	83 144	52 83	15 43		2 3	7
11 12	6 4	5 7	11 11	8 9	10 8	5 11	9 4	4 6	10 10	5 7	4 3		1		8
3 4	1 1	3 2	2 4	4 7	5 5	14 11	7 11	9 5	4 9	6 6	3 4				9
19 12	16 22	15 23	24 18	16 25	31 27	35 24	44 37	40 52	38 42	19 37	12 19	7 5		5 2	10
288	293	317	364	335	364	382	475	445	396	239	111	39	3	12	11
118 170	120 173	170 147	200 164	169 166	195 169	190 192	243 232	209 236	208 188	105 134	51 60	14 25	2 1	4 8	12 13
															14
2 1	1	2	2 4	3 1	1 1	2 1	1		1 1	1 1					15
9 14	13 25	20 19	22 18	22 29	24 25	34 30	35 43	44 57	47 53	25 53	14 14	5 8	1	1	16
7 12	12 8	15 5	15 9	17 12	19 8	15 17	23 12	17 21	24 16	8 8	3 7				17
12 9	5 15	4 20	14 16	16 15	16 19	6 20	21 23	24 22	26 18	9 14	6 7	3 1		1	18
40 20	24 13	27 18	30 9	13 8	11 7	9 3	6 7	4 1	1 2	1 3					19
2 2	2 5	2 5	7 7	3 5	10 10	6 15	8 19	10 12	13 4	7 6	7 2	1 1			20
4 3	2 8	2 3	6 5	3 4	10 4	3 2	8 9	9 8	10 4	7 1	1 3	2 1		1	21
1	1 2	3 1	2 2	2 3	7 4	5 5	5 11	7 12	6 6	3 3	1 3	1 1		1	22
6 4	7 5	8 5	8 9	15 9	11 6	13 15	13 9	15 18	8 11	6 11	1 4				23
9 6	25 15	51 15	58 31	50 34	57 42	57 30	87 50	48 43	47 38	17 13	4 9		1		24
23 93	20 70	25 48	25 37	15 27	18 28	18 30	21 22	11 24	8 13	6 4	2 5	1 3		2	25
	3 1	2		1 1	1 3	3 4	1 7	4 3	2 4	1 1	1			1	26
3 6	5 6	9 8	11 15	9 18	10 12	19 20	14 20	16 15	15 18	14 16	11 6	1 4		1 2	27
254	299	357	379	510	594	717	810	814	760	482	229	40	11	12	28
100 154	131 168	191 166	215 164	308 202	354 240	444 273	524 286	522 292	524 236	355 127	160 69	28 12	4 7	7 5	29 30
79 113	112 139	163 141	178 130	256 171	282 200	352 231	396 246	333 252	319 187	177 102	66 51	11 8		3	31
		1	1	2 1	3	1 2	3 1	3 2	5 2		2 3				32
5 15	4 10	8 9	6 10	10 8	10 6	11 9	22 10	22 7	30 14	17 5	14 3			1	33
1 1	1 3	4	8 1	11	16 7	31 8	58 2	88 7	78 10	84 6	41 7	10 3	2 1	1	34
15 25	14 16	15 16	22 23	29 22	43 27	49 23	45 27	76 24	92 23	77 11	37 7	7 1	2 1	3 4	35
44	58	47	58	40	27	20	15	13	9	4	1	1			36
6 3 8 8 4 15	8 3 15 15 1 16	8 1 3 22 3	12 2 2 24 1	12 1 2 18	8 2 16 3	6 2 11	5 2 7	5 1 6	4 2 4	3 1					37 38 39 40 41
															42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	867								1	84	221	232
2	Abortion	48									5	9	14
3	Childbirth	214									12	46	51
4	Puerperal septicemia	342								1	35	106	99
5	Extra-uterine pregnancy	35										7	7
6	Others of this class	228									32	53	61
7	9. Diseases of the bones and joints	334	36	13	5	9	5	68	20	31	29	27	12
8	Males	194	22	5	3	7	4	41	8	19	22	19	9
9	Females	140	14	8	2	2	1	27	12	12	7	8	3
10	Diseases of the spine {M..	63	12	2	1	3	2	20	4	6	4	6	3
	{F..	55	7	5	1	1		14	4	5	1	3	1
11	Abscess, lumbar and psoas {M..	12								1		4	1
	{F..	6	1					1	1				
12	Diseases of the bones {M..	66	8	1	2	3	1	15	2	5	11	5	2
	{F..	42	5	3	1	1	1	11	5	4		5	1
13	Diseases of the hip-joint {M..	31	1	1		1		3	2	6	6	2	3
	{F..	12							1	1	6		
14	Others of this class {M..	22	1	1			1	3		1	1	2	
	{F..	25	1					1	1	2			1
15	10. Diseases of the skin	257	74	12	4	2	2	94	8	3	3	5	3
16	Males	144	37	4	2	1	1	45	6		2	3	2
17	Females	113	37	8	2	1	1	49	2	3	1	2	1
18	Abscess {M..	73	12	3	2	1	1	19	6		2	2	2
	{F..	60	17	4	1	1	1	24	2	2	1		1
19	Carbuncle {M..	22	1					1				1	
	{F..	3	1					1					
20	Others of this class {M..	49	24	1				25					
	{F..	50	19	4	1			24		1		2	
21	11. Diseases of the absorbent system	135	15	5		3		23	3	3	4	8	5
22	Males	64	9	3		3		15	1	1	2	5	2
23	Females	71	6	2				8	2	2	2	3	3
24	Addison's disease {M..	22								1	1	1	
	{F..	23										1	1
25	Diseases of the spleen {M..	9	2			1		3				1	1
	{F..	11	2	1				3				1	
26	Others of this class {M..	33	7	3		2		12	1		1	3	1
	{F..	37	4	1				5	2	2	2	1	2
27	12. Accidents and injuries	6,146	598	123	144	152	104	1,121	417	348	426	484	418
28	Males	4,370	333	65	88	89	66	641	276	287	351	393	342
29	Females	1,776	265	58	56	63	38	480	141	61	75	91	76
30	Burns and scalds {M..	256	9	30	43	40	17	139	30	8	8	7	12
	{F..	352	14	29	30	37	26	136	69	18	14	11	13
31	Drowning {M..	664	4	12	8	13	9	46	115	135	88	77	45
	{F..	92	4	7	5	6	1	23	12	10	12	5	2
32	Exposure and neglect {M..	30	12	1				13	1	1			
	{F..	20	6					6				3	
33	Gunshot wounds {M..	237	1		1	2	1	5	5	21	45	34	19
	{F..	34	1			1	1	3	3	2	3	6	2
34	Homicide {M..	49			1		2	3	2	1	5	9	5
	{F..	20							4	1	1	1	4
35	Infanticide {M..	2	2					2					
	{F..	4	4					4					
36	Injuries by machinery {M..	26									7	2	2
	{F..												
37	Railroad accidents {M..	649	1	2	2	5	12	22	44	42	56	105	64
	{F..	89	1		1	2		4	19	6	12	7	4
38	Suffocation {M..	222	150	3	3	2	2	160	2	5	3	5	7
	{F..	170	116	6	4	1	3	130	6	1	3	1	2
39	Suicide by shooting {M..	176									4	18	20
	{F..	17									1	2	4
40	Suicide by drowning {M..	18									1	1	1
	{F..	19										2	1
41	Suicide by poison {M..	83									9	9	8
	{F..	73								2	16	9	6
42	Other suicides {M..	209									5	10	15
	{F..	67								2	1	8	6
43	Sunstroke {M..	45	16	1	2		2	21	1	1	4	2	4
	{F..	27	14	3	1			18	1	1			
44	Surgical operations {M..	28	3	1			1	5	2		3	1	1
	{F..	75	2		1			3	1	2		12	8
45	Wounds {M..	58	2		1		1	4	3	4	6	8	5
	{F..	5							2	1	1		
46	Others of this class {M..	1,618	133	15	27	27	19	221	71	69	107	105	134
	{F..	712	103	13	14	16	7	153	24	15	11	24	24

CAUSE, AND BIRTHPLACES OF MOTHERS.

737

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
144	115	59	3	1	1									6	1
7	11				1									1	2
44	30	26	2	1										2	3
49	33	17	1											1	4
9	10	2													5
35	31	14												2	6
8	13	11	14	23	13	12	16	16	7	7	5	2			7
2	8	7	8	11	7	6	10	4	6	3	3	1			8
6	5	4	6	12	6	6	6	12	1	4	2	1			9
	4		1	2	4	1	3	1	3	1					10
1	3	1	2	8	2	3	1	3		1	1	1			11
1			1	2	1			2							12
	3	1	4	5	2	2	2	1	2	2	2				13
3		1	3		2	1		3		2	1				14
1	1	4		1		1	1			1					15
1	2														16
		2	2	1		2	4	1	1		1	1			17
1		1	1	3	2	2	5	4	1						18
9	13	9	11	13	18	12	15	13	16	9	2	1			19
3	8	4	8	8	12	8	9	8	10	6	2				20
6	5	5	3	5	6	4	6	5	6	3		1			21
2	4	3	4	4	7	3	4	4	5	2					22
3	3	3	2	3	2	2	4	2	3	2		1			23
1	2		3	3	1	3	3	2	1	1					24
				1				1							25
	2	1	1	1	4	2	2	2	4	3	2				26
3	2	2	1	1	4	2	2	2	3	1					27
9	7	9	12	3	9	11	14	7	8						28
6	4	6	5	2	3	3	7		2						29
3	3	3	7	1	6	8	7	7	6						30
1	4	2	3	2	2	2	2		1						31
2	3	1	2	1	3	3	4	1	1						32
															33
2		1	1		1			1	2						34
1		1	1												35
3		3	1		1	1	5		1						36
		1	4		2	5	3	5	3						37
410	356	303	308	247	194	222	216	175	187	142	90	41	12	29	38
320	281	227	242	177	152	171	154	117	114	62	34	13	1	15	39
90	75	76	66	70	42	51	62	58	73	80	56	28	11	14	40
6	9	3	6	3	3	5	6	4	4	2				1	41
14	12	10	9	4	2	7	5	8	9	7	3			1	42
34	22	32	15	15	11	8	6	5	5	3	1			1	43
10	2	4	2	3	1	1	2	2						1	44
1	2		2	1		1	1	1	4	1	1				45
	2	1				1			3	2		1			46
26	17	17	9	9	12	9	5		2	1		1			47
6	4	2	1	1		1									48
10	5	2	2	1	1	1		1		1					49
3	3	1		1	1										50
															51
2	5	2	1	1		1	3								52
															53
68	58	44	31	27	19	23	20	9	7	6	2			2	54
5	3	1	4	5	2	4	1	6	3	3					55
7	4	2	2	3	5	5	3	1	2					6	56
2	3	1	4	1		1	2	1			1			11	57
20	18	14	24	16	12	9	7	7	3	1	2			1	58
3	2	1	1		2	1	1								59
	1		2	4		2	2	1	2						60
1			3	4	5	2		1							61
6	7	8	13	4	4	4	4	4	1	1				1	62
6	5	8	9	3	3	2	3		1						63
15	12	13	36	22	22	19	13	15	7	3	1	1		1	64
6	7	9	9	4	3	2	6	2		1					65
1	1	2	1		2	1		1	2	1					66
		1		1			1	2	2						67
2	3	3	1	1	1	2	3								68
6	9	9	5	10	5	1	3		1						69
4	4	1	3	3	5	3	2		1	1		1			70
	1														71
118	113	84	94	70	51	78	79	68	74	41	27	11	1	2	72
28	22	28	19	33	18	29	38	36	54	67	51	27	11		73

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	59,762	5,843	1,734	807	554	357	9,295	926	515	1,071	2,579	3,963
2	Males.....	29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
3	Females.....	29,767	2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
4	Unknown cause	302	36	3	1	1		41	6	3	4	12	20
5	Males.....	160	25	2		1		28	3		1	9	11
6	Females.....	142	11	1	1			13	3	3	3	3	9
7	1. General diseases.												
	General diseases—A	7,706	1,810	686	362	255	187	3,300	356	100	115	239	287
8	Males.....	3,756	1,027	371	176	129	93	1,796	177	48	55	119	148
9	Females.....	3,950	783	315	186	126	94	1,504	179	52	60	120	139
10	Measles.....	{M.. 155	40	53	21	11	13	138	12	1			1
	{F.. 136	32	42	20	8	11	113	12	4	1			3
11	Scarlet fever.....	{M.. 133	5	20	23	24	15	87	30	4	3	4	1
	{F.. 136	9	10	29	27	12	87	37	6	2	1	1	1
12	Diphtheria	{M.. 364	19	60	65	64	41	249	78	17	3	5	1
	{F.. 391	17	61	76	65	47	266	87	14	9	6	6	5
13	Whooping cough.....	{M.. 144	77	31	19	9	4	140	3				1
	{F.. 161	70	38	20	13	9	150	7					
14	Malarial fever.....	{M.. 68	3	1	2	2	1	9	1		4	6	4
	{F.. 94	2		2	1	1	6	2	1	4	4	7	3
15	Influenza.....	{M.. 410	15	3		3	1	22	5		5	10	15
	{F.. 673	7	3	1			11	11		4	4	14	21
16	Typhoid fever.....	{M.. 434	1	2	1	1	3	8	11	10	30	66	78
	{F.. 325		4	1		2	7	7	8	12	26	49	52
17	Cholera morbus	{M.. 86	8	1	3		1	13	2			2	2
	{F.. 77	3	3	2			8	1		1		1	1
18	Colitis.....	{M.. 29	16					16				1	1
	{F.. 49	14	9			1	24					2	1
19	Diarrhea	{M.. 206	65	10	3			78	4			2	4
	{F.. 200	30	12	1			43	5	1	1	3	3	4
20	Dysentery.....	{M.. 164	15	9	5	1		30	5	2	1	4	4
	{F.. 257	13	8	4		1	26		1			6	4
21	Enteritis.....	{M.. 633	337	73	17	6	5	438	13	4		3	15
	{F.. 691	275	60	13	4	6	358	11	2	4	9	9	18
22	Cholera infantum	{M.. 462	362	89	8	2	1	462					
	{F.. 335	270	54	9	2		335						
23	Fever.....	{M.. 1							1				
	{F.. 3	1		1			2						
24	Cerebro-spinal fever.....	{M.. 98	25	15	8	4	5	57	9	9	4	4	2
	{F.. 63	13	7	5	5	4	34	6	6	4	4	1	2
25	Smallpox.....	{M.. 19				1		1				2	2
	{F.. 8	1	1				2					1	
26	Erysipelas.....	{M.. 101	13	1			1	15			1		8
	{F.. 77	14	2	1			17	1				1	3
27	Septicemia	{M.. 122	13	1		1	2	17	2	1	2	8	5
	{F.. 136	2	1	1	1	1	5	5	2	1	4	14	18
28	Venereal diseases	{M.. 26	10	2				12				1	2
	{F.. 21	9					9					2	1
29	Others of this group.....	{M.. 101	3		1			4	1		2	1	3
	{F.. 117	1					1					2	1
30	General diseases—B	1,019	269	21	3	2	2	297	3	1	7	32	73
31	Males.....	685	156	14	2	1	2	175	2	1	2	23	53
32	Females.....	334	113	7	1	1		122	1		5	9	20
33	Alcoholism.....	{M.. 386										10	38
	{F.. 111											2	13
34	Parasitic diseases.....	{M.. 1											
	{F.. 1												
35	Lead poison	{M.. 4											
	{F.. 6												
36	Other poisons	{M.. 113	1	5	1		2	9	2	1	2	13	15
	{F.. 69	1	1					2			5	6	7
37	Inanition.....	{M.. 181	155	9	1	1		166					
	{F.. 148	112	6	1	1		120	1				1	
38	General diseases—C	3,729	1,304	73	17	3		1,397	4	2	1	4	10
39	Males.....	1,700	736	31	9	3		779	3	1	1	2	9
40	Females.....	2,029	568	42	8			618	1	1		2	1
41	Old age.....	{M.. 767											
	{F.. 1,187												
42	Premature birth.....	{M.. 284	284					284					
	{F.. 202	202						202					
43	Malformation	{M.. 52	50		1			51					
	{F.. 49	49						49					
44	Debility and atrophy.....	{M.. 515	320	31	8	3		362	3	1	1	2	9
	{F.. 528	255	42	8			305	1	1			2	1
45	Others of this group.....	{M.. 82	82					82					
	{F.. 63	62					62						

CAUSE, AND BIRTHPLACES OF MOTHERS.

739

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,017	4,156	3,480	3,282	3,921	4,197	4,619	4,280	3,736	2,573	1,718	827	307	163	137	1
2,243 1,774	2,274 1,882	1,916 1,564	1,690 1,592	1,987 1,934	2,029 2,168	2,094 2,525	1,852 2,428	1,596 2,140	1,219 1,354	731 987	373 454	120 187	62 101	62 75	2 3
14	27	16	19	28	25	20	24	12	12	11	5			3	4
9 5	15 12	10 6	10 9	17 11	10 15	11 9	9 15	4 8	2 10	6 5	2 3			3	5 6
298	269	211	216	258	298	423	408	365	275	174	70	22	9	13	7
148 150	124 145	114 97	111 105	114 144	123 175	164 259	166 242	129 236	106 169	64 110	36 34	6 16	6 3	2 11	8 9
2 1						1									10
3	1														11
4 2	1		2	1	3 1					1					12
1														2	13
6 8	4 4	3 1	7 5	1 3	4 10	2 13	7 8	2 11	6 2	1 5	1			1	14
16 22	21 25	24 27	26 29	25 54	27 56	45 91	48 91	42 87	40 65	27 41	9 16	3 10	1	4	15
68 49	52 32	28 17	24 16	18 17	11 11	15 12	8 11	3 3	3					1 1	16
3 1	2 8	6 2	5 1	4 5	11 3	7 12	9 11	11 10	4 6	2 3	1 1		2 1		17
1 1		1 1	1 3	4 2	1 2	1 4		1 2	1 1						18
3 7	4 3	5 1	6 8	9 9	7 15	15 19	19 16	18 16	14 24	14 22	4 2		1		19
8 7	4 12	4 10	8 11	7 10	9 23	16 34	18 30	8 37	7 27	4 11	1 6	1 1	1 1		20
8 19	10 18	13 18	10 16	14 24	15 28	24 37	25 45	17 40	10 23	5 14	5 2	1 3	2	1 2	21
															22
															23
2 2	1 2	3 3	2 2	2	2	1		1			1				24
4 2	2 1	1	1 1	1	2 1	1	1	1							25
5 2	6 10	15 4	6 5	8 6	10 7	9 9	8 5	2 3	2 3	2 1	3		1		26
10 22	11 22	9 8	4 3	12 7	12 7	6 7	10 5	3 4	6 3	3 2	1 1			1	27
3 2	3 3		2	1	1	1									28
1 3	2 2	2 1	7 5	7 7	8 10	13 21	15 15	11 21	12 15	3 8	8 5	1			29
109	125	82	58	53	61	44	24	16	13	7	5		1	8	30
80 29	100 25	56 26	40 18	40 13	42 19	26 18	15 9	11 5	6 7	3 4	3 2		1	6 2	31 32
68 15	86 15	43 20	32 12	35 9	28 10	18 10	13 2	6 1	3 1	2 1	2			2	33
					1										34
1 2	2	2			1	1		1							35
11 11	14 8	11 4	8 5	5 3	12 6	5 5	1 2	2 3	2 3	2					36
1		2	1	1	1 2	2 3	1 5	3 3	1 3	1 1	1 2		1	4 2	37
7	18	9	15	23	44	111	210	380	421	500	311	157	94	11	38
4 3	10 8	4 5	9 6	10 13	12 32	44 67	80 130	132 248	181 240	193 307	121 190	70 87	32 62	3 8	39 40
						27 47	55 100	116 206	164 216	184 284	118 186	68 84	32 60	3 4	41
															42
1															43
3 3	10 8	4 5	9 6	10 13	12 32	17 20	25 30	16 41	17 24	9 23	3 4	2 3	2	4	44
								1							45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN IRELAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	13,243	191	110	46	37	14	398	72	93	488	1,220	1,848
2	Males.....	6,851	100	65	25	19	8	217	32	28	204	606	969
3	Females.....	6,392	91	45	21	18	6	181	40	65	284	614	879
4	Anemia.....	(M.. 57 F.. 128)	(5 3)	(..... 2)	(..... 1)	(1 1)	(..... 1)	(6 8)	(.....)	(1 2)	(2 3)	(2 8)	(4 8)
5	Diabetes.....	(M.. 131 F.. 160)	(.....)	(1)	(1)	(.....)	(.....)	(2)	(4 1)	(3 3)	(1 1)	(5 1)	(6 4)
6	Rheumatism.....	(M.. 109 F.. 152)	(1 1)	(.....)	(.....)	(.....)	(1)	(2 1)	(3 5)	(1 1)	(1 3)	(5 4)	(6 5)
7	Serofula and tabes.....	(M.. 24 F.. 34)	(4 1)	(..... 1)	(..... 2)	(.....)	(.....)	(4 4)	(.....)	(..... 1)	(..... 1)	(3 2)	(6 5)
8	Hydrocephalus.....	(M.. 171 F.. 128)	(56 52)	(45 26)	(13 12)	(11 10)	(5 1)	(130 101)	(13 6)	(3 4)	(..... 3)	(5 3)	(..... 4)
9	Tuberculosis, general.....	(M.. 56 F.. 43)	(7 1)	(.....)	(1)	(2)	(.....)	(10 2)	(2 2)	(2 2)	(2)	(3 7)	(11 6)
10	Consumption.....	(M.. 5,407 F.. 4,108)	(24 28)	(17 14)	(9 5)	(4 5)	(2 2)	(56 54)	(7 25)	(15 47)	(193 265)	(577 582)	(923 810)
11	Cancer.....	(M.. 747 F.. 1,395)	(..... 1)	(.....)	(1)	(.....)	(.....)	(1 1)	(1)	(1)	(..... 1)	(1 4)	(9 22)
12	Tumor.....	(M.. 74 F.. 137)	(.....)	(.....)	(.....)	(..... 1)	(.....)	(..... 1)	(2 1)	(..... 1)	(3 1)	(2 3)	(2 8)
13	Dropsy.....	(M.. 54 F.. 69)	(.....)	(1)	(.....)	(.....)	(.....)	(1)	(.....)	(1 1)	(2)	(1)	(1 1)
14	Others of this group.....	(M.. 21 F.. 38)	(3 4)	(1 2)	(.....)	(1 1)	(2)	(5 9)	(.....)	(1 3)	(1 4)	(2)	(1 6)
15	2. Diseases of the nervous system.....	6,362	639	198	75	68	39	1,019	97	58	65	94	161
16	Males.....	3,023	375	87	44	38	14	558	54	35	41	40	83
17	Females.....	3,339	264	111	31	30	25	461	43	23	24	54	78
18	Inflammation of the brain.....	(M.. 25 F.. 23)	(5 3)	(1 2)	(1)	(.....)	(.....)	(7 5)	(.....)	(..... 1)	(1 1)	(1)	(3)
19	Meningitis.....	(M.. 501 F.. 379)	(157 102)	(54 73)	(31 19)	(20 21)	(6 14)	(268 229)	(38 32)	(16 11)	(17 8)	(12 11)	(26 13)
20	Apoplexy.....	(M.. 1,219 F.. 1,601)	(6 8)	(1 2)	(1 2)	(3)	(2 1)	(13 13)	(3)	(1 2)	(5 4)	(5 7)	(22 15)
21	Paralysis.....	(M.. 397 F.. 458)	(..... 1)	(..... 1)	(.....)	(2 1)	(2 2)	(2 5)	(2)	(1)	(2 1)	(4 4)	(5 7)
22	Paralysis, general (of insane).....	(M.. 36 F.. 19)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)
23	Tetanus and trismus nascentium.....	(M.. 50 F.. 19)	(8 9)	(.....)	(1)	(.....)	(.....)	(9 9)	(5)	(12 1)	(4)	(4 1)	(5)
24	Chorea.....	(M.. 4 F.. 4)	(.....)	(.....)	(.....)	(1)	(.....)	(1)	(1)	(2)	(1)	(.....)	(.....)
25	Epilepsy.....	(M.. 68 F.. 61)	(.....)	(.....)	(.....)	(.....)	(1)	(1)	(1)	(1 1)	(4 3)	(3 9)	(9 7)
26	Convulsions.....	(M.. 239 F.. 222)	(179 124)	(25 29)	(9 10)	(6 8)	(3 5)	(222 176)	(4 8)	(1)	(.....)	(6)	(1 7)
27	Mental diseases.....	(M.. 103 F.. 169)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(4 5)	(3 10)
28	Diseases of the brain.....	(M.. 270 F.. 255)	(20 17)	(5 4)	(1)	(5)	(2)	(33 23)	(1 1)	(2 4)	(5 6)	(6 4)	(9 10)
29	Diseases of the spinal cord.....	(M.. 38 F.. 53)	(.....)	(1)	(.....)	(.....)	(1)	(1 1)	(..... 1)	(1)	(2)	(1 3)	(1 1)
30	Locomotor ataxia.....	(M.. 36 F.. 11)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(1)	(.....)	(.....)	(.....)
31	Others of this class.....	(M.. 37 F.. 65)	(.....)	(.....)	(.....)	(1)	(.....)	(1)	(.....)	(.....)	(.....)	(1 3)	(2 5)
32	3. Diseases of the circulatory system.....	5,759	125	9	2	9	9	154	48	54	79	157	191
33	Males.....	2,660	73	6	1	4	5	89	25	21	39	67	106
34	Females.....	3,099	52	3	1	5	4	65	23	33	40	90	85
35	Pericarditis.....	(M.. 37 F.. 28)	(2)	(.....)	(.....)	(.....)	(.....)	(2)	(1)	(2)	(3)	(1)	(2)
36	Diseases of the heart.....	(M.. 2,390 F.. 2,861)	(42 27)	(6 3)	(1 1)	(4 5)	(5 4)	(58 40)	(24 21)	(18 33)	(35 38)	(65 85)	(100 75)
37	Angina pectoris.....	(M.. 75 F.. 73)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(1)	(.....)	(3 3)
38	Diseases of the arteries.....	(M.. 78 F.. 70)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(1)	(1)
39	Aneurism.....	(M.. 33 F.. 21)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(1 1)	(..... 1)
40	Embolism.....	(M.. 17 F.. 16)	(.....)	(.....)	(.....)	(.....)	(.....)	(.....)	(1)	(1)	(.....)	(1)	(3)
41	Others of this class.....	(M.. 30 F.. 30)	(29 25)	(.....)	(.....)	(.....)	(.....)	(29 25)	(.....)	(.....)	(.....)	(.....)	(2)

CAUSE, AND BIRTHPLACES OF MOTHERS.

741

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,686	1,523	1,126	894	944	807	734	589	426	217	98	38	13	3	26	1
964	864	633	479	491	391	349	252	189	104	43	19	5	1	11	2
722	659	493	415	453	416	385	337	237	113	55	19	8	2	15	3
5	2	6	2	4	5	7	7	1	3	2	2	1	1		
10	14	13	11	12	13	11	8	3	3	1	1				4
9	11	8	6	17	13	15	16	8	4	3					
7	5	7	13	25	27	26	19	13	7					1	5
12	9	7	4	9	12	8	10	12	6	2					
5	12	7	11	15	14	18	20	13	10	4	3	1			6
2	3		1			1	2	1							
5	2	2		3	1	2	4			2					7
3	2	4	6	1	2	1								1	8
1	2													1	
6	10	2	2	3		2		1							9
5	3		4	1	1	6	3	1							
909	791	552	379	340	234	180	104	87	38	13	3	1		5	10
632	520	308	201	183	144	122	93	72	28	11	5	1		5	
8	28	40	65	106	113	119	98	67	49	22	10	4		5	11
43	78	132	156	200	191	175	168	113	55	33	9	5	2	7	
7	4	5	9	8	8	9	7	5	3						
11	15	16	15	12	16	13	8	11	4	1					12
2	3	5	3	2	3	6	8	7	4	3	4				
1	4	2	2	1	9	11	12	10	6	4	1	1		1	13
1	1	4	2	1	1	1									
2	4	3	2	1		1	2	1							14
228	240	283	362	470	561	708	651	565	416	238	91	23	14	18	15
135	133	151	164	201	253	295	273	233	199	109	43	9	4	10	16
93	107	132	198	269	308	413	378	332	217	129	48	14	10	8	17
4	2			1	3	1	2	3		1					
2	1	1		2	2	3	3	1		1					18
24	23	11	23	14	8	8	5	3	3		2				
18	8	4	10	8	4	11	7	2	2	1					19
40	46	69	83	112	148	163	167	127	109	71	23	5	1	6	20
20	31	75	129	176	213	242	225	204	130	70	24	10	7	4	
11	18	24	26	26	37	55	46	58	47	17	12		1	3	21
8	8	11	25	28	43	67	74	67	52	35	14	3	2	4	
4	2	11	2	7	2	4	2	1	1						
1	2	3		2		1	3	3	2	2					22
2	4	1	2	1	1										
	4	2	1			1									23
1							1								24
9	4	5	5	4	8	6	3	3	2						
2	4	5	5	5	2	11	2		1	3	1				25
3	2	1	1			1		2	1					1	26
11	6	1	1	1	2		1	1	1						
5	7	4	3	4	9	19	15	9	8	8	2	3			27
8	8	4	10	12	13	33	14	25	13	10	4				
23	19	19	10	18	19	25	25	17	21	11	4	1	2		28
14	18	14	12	19	14	32	39	24	10	5	5		1		
4	1	1	3	5	6	7	2	1	2						
2	8	6	1	6	8	8	2	3	2				1		29
3	2	3	3	5	9	3	2	3	2						
	2		1	3	1	2	1	1							30
2	3	2	3	4	3	3	3	6	3	1					
7	7	7	3	7	6	5	7	2	4	2					31
253	334	349	374	459	612	720	673	598	365	197	88	28	11	15	32
121	150	149	160	215	273	335	294	270	191	90	44	8	4	9	33
132	184	200	214	244	339	385	379	328	174	107	44	20	7	6	34
3	4	3	4	3	4	1	1	2	1						
4	2	3	2	1	2	4	3	1	1						35
108	133	142	147	192	248	304	267	248	173	74	36	6	3	9	36
120	175	191	200	227	314	366	350	304	162	95	41	14	4	6	
7	4	2	4	9	8	10	10	6	3	6	2				37
4	4	5	8	11	10	9	10	4	2	2					
				2	6	16	14	13	11	6	6	2	1		38
	1			1	7	4	11	18	8	7	3	6	3		
3	9	2	4	6	4	1		1	2						39
2	1	1	3	2	2	2	4		1	1					
			1	3	3	3	2		1	3					40
2	1		1		4		1	1		1					
				2						1					41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN IRELAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	10,236	1,121	556	243	130	72	2,122	171	60	103	278	482
2	Males.....	5,130	604	306	121	65	40	1,136	83	24	55	161	273
3	Females.....	5,106	517	250	122	65	32	986	88	36	48	117	209
4	Croup.....	89 (M) 75 (F)	8 6	17 16	23 19	9 13	14 5	71 59	17 14	1			
5	Pneumonia.....	3,763 (M) 3,453 (F)	355 292	232 177	66 80	44 34	22 19	719 602	50 59	19 28	46 31	129 91	234 162
6	Laryngitis.....	24 (M) 22 (F)	1 4	1 2	3	1	1	3 10	6 3			3 1	1
7	Bronchitis.....	775 (M) 1,051 (F)	188 180	47 50	27 16	5 13	1 5	268 264	4 6	5 6	5 8	10 10	17 18
8	Pleurisy.....	114 (M) 101 (F)	1 1	1 2	1 2	3	1	6 6	1 3		3 1	10 8	9 12
9	Asthma.....	74 (M) 90 (F)	1	1		1		2 1					2 1
10	Others of this class.....	291 (M) 314 (F)	52 33	7 3	4 2	2 4	2 2	67 44	5 3	1	1 8	9 7	11 15
11	5. Diseases of the digestive system.....	3,268	216	40	21	6	9	292	46	44	60	121	203
12	Males.....	1,483	118	19	10	3	5	155	24	21	33	41	86
13	Females.....	1,785	98	21	11	3	4	137	22	23	27	80	117
14	Dentition.....	18 (M) 20 (F)	10 15	7 5	1			18 20					
15	Angina.....	13 (M) 5 (F)	2	1	1			3 1	1 1			3	1
16	Gastritis.....	253 (M) 378 (F)	14 13	4 4	1 2	1 1		20 20			2 2	2 11	17 25
17	Diseases of the stomach.....	106 (M) 106 (F)	2				1	3				2 7	12 5
18	Obstruction of the bowels.....	117 (M) 145 (F)	16 12	1	2 1	1	1	19 15	2 3	1 1	3	3 5	7 8
19	Appendicitis.....	126 (M) 100 (F)			1		1	1 2	8 9	9 9	18 11	12 11	13 13
20	Hernia.....	50 (M) 95 (F)	5 1	1				6 1					1
21	Other diseases of the bowels.....	24 (M) 26 (F)	5 3	1				5 4	1			1 1	2 4
22	Jaundice.....	40 (M) 49 (F)	15 8		1			16 9			1		2
23	Inflammation and abscess of the liver.....	73 (M) 91 (F)	1 3	1				2 3	1		1	1 5	4 3
24	Other diseases of the liver.....	395 (M) 324 (F)	1 1					1 1		1		4 5	17 12
25	Peritonitis.....	147 (M) 290 (F)	7 5	1 4	2 3		1	11 13	9 5	10 6	8 11	12 35	10 41
26	Ascites.....	7 (M) 9 (F)											
27	Others of this class.....	114 (M) 147 (F)	40 37	5 5	2 4	2 1	1 1	50 48	2			1	2 4
28	6. Diseases of the urinary system and male organs of generation.....	4,500	24	7	5	7	6	49	24	24	45	148	246
29	Males.....	2,321	18	3	3	2	3	29	14	13	23	65	107
30	Females.....	2,179	6	4	2	5	3	20	10	11	22	83	139
31	Bright's disease.....	1,860 (M) 1,917 (F)							12 9	10 10	20 18	59 70	100 121
32	Calculus, urinary.....	8 (M) 3 (F)									1		
33	Diseases of the kidney.....	93 (M) 50 (F)	16 4	2 4	3 2	2 5	3 3	26 18	1	1		1	2 4
34	Diseases of the bladder.....	155 (M) 34 (F)								1		1	1
35	Others of this class.....	205 (M) 175 (F)	2 2	1				3 2	1 1	1 1	2 4	5 11	5 13
36	7. Diseases of the female organs of generation.....	167	1					1			4	13	20
37	Ovarian tumors.....	28										3	1
38	Ovarian diseases.....	6										1	2
39	Diseases of the tubes.....	31									2	6	8
40	Uterine tumors.....	46											
41	Uterine diseases.....	11									2	1	2
42	Others of this class.....	45	1					1				2	7

CAUSE, AND BIRTHPLACES OF MOTHERS.

743

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
485	569	508	547	716	825	871	875	700	445	269	124	42	24	20	1
286	325	302	290	378	409	365	361	291	202	106	55	11	9	8	2
199	244	206	257	338	416	506	514	409	243	163	69	31	15	12	3
			1				1								4
251	282	258	243	290	297	264	259	194	127	55	32	6	2	6	5
154	196	174	192	236	305	350	322	258	128	96	33	18	8	10	
1	1	1	4	1	1	1	1	1	1	1					6
1	2				1	1	1								
12	15	17	17	40	65	58	60	69	53	31	19	4	6		7
16	17	19	29	57	71	110	133	114	77	46	32	12	5	1	
8	13	4	8	12	6	10	9	11	3	1					8
9	12	2	10	3	6	5	10	7	5		2				
1	2	2	4	12	12	9	12	5	3	5	1			2	9
2	2	2	4	11	11	15	20	7	9	5					
13	12	20	14	23	28	23	19	12	16	13	3	1	1		10
17	15	9	21	31	22	25	28	23	23	16	2	1	2	1	
214	250	255	231	293	310	282	260	199	121	55	20	5	2	5	11
100	111	135	105	141	140	124	103	83	54	17	7	2	1		12
114	139	120	126	152	170	158	157	116	67	38	13	3	1	5	13
															14
1	1				1	1		1							15
			1		1		1								
14	15	21	18	26	31	25	27	13	10	8	3		1		16
15	22	16	23	38	39	47	43	30	19	13	6	2		1	
6	8	7	12	16	9	7	8	9	5		2				17
15	8	4	9	14	13	5	5	11	3	2					
5	8	6	8	10	13	6	9	7	7		2	1			18
8	9	6	11	12	17	9	18	11	7	4				1	
12	9	19	9	5	2		3	3	3						19
9	9	4	2	6	3	5	3	3	1						
3	1	6	4	4	5	7	4	2	5	2					20
2	4	9	11	8	15	17	11	9	6	2					
	4	2		3		2	1	2		1					21
	3		2		2	3	3	2	1		1				
1	1	1	1	1	2	4	6	2	3	1					22
2	3	2	3	2	5	4	3	6	4	2				1	
11	5	8	3	8	5	10	4	6	2	2					23
4	7	14	7	5	10	9	11	9	3	1					
33	42	48	36	53	50	42	27	26	13	1		1			24
18	33	39	38	46	33	32	28	17	13	7	1				
11	12	12	9	6	16	9	3	5	4						25
36	38	24	13	14	15	13	11	8	1	2	2			2	
		2		1	1		2	1							26
				1	2	2	2	2							
3	5	3	5	8	5	11	9	6	2	2					27
5	3	2	6	6	15	12	18	8	9	5	1	1	1		
278	364	358	364	465	468	519	399	356	207	118	50	9	3	6	28
145	184	179	172	234	240	262	200	199	135	74	36	4	3	3	29
133	180	179	192	231	228	257	199	157	72	44	14	5		3	30
130	159	160	152	199	209	212	151	138	85	40	19	2	1	2	31
112	156	162	177	206	208	233	178	140	65	36	11	3		2	
1	2			1	1	2									32
1		1							1						
1	3	4	3	11	6	4	7	9	7	6	2				33
3	5	3	1	4	3	4	2	1		1					
2	2	2	6	9	10	23	25	25	21	17	9		2		34
1	3	1	1	2	3	6	5	4	2	1	2	1			
11	18	13	11	14	14	21	17	27	22	11	6	2		1	35
16	16	12	13	19	14	14	14	12	4	6	1	1		1	
28	22	30	14	10	6	5	5	4	1	4					36
2	2	5	3	3	3	2	2	1		1					37
3															38
6	4	4	1												39
5	5	10	8	6	2	3	2	3		2					40
2	2	1							1						41
10	9	10	2	1	1		1			1					42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN IRELAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	443									6	62	127
2	Abortion	18										1	5
3	Childbirth.....	136										13	30
4	Puerperal septicemia.....	184									4	28	63
5	Extra-uterine pregnancy.....	8										2	3
6	Others of this class	97									2	18	26
7	9. Diseases of the bones and joints.....	115	4	3	1	3	1	12	10	10	8	9	5
8	Males.....	65	2	1	1	3	1	8	4	6	5	5	4
9	Females.....	50	2	2				4	6	4	3	4	1
10	Diseases of the spine.....	18				1	1	2	2	3	3	1	1
	{M.....	17	2					2	4	3		2	
11	Abscess, lumbar and psoas.....	6	1					1				1	1
	{F.....	3											
12	Diseases of the bones.....	26	1	1		1		3	1	2	1	2	2
	{M.....	12		2				2		1	2	1	
13	Diseases of the hip-joint.....	7							1	1	1		
	{F.....	5							2		1		
14	Others of this class	8			1	1		2				1	
	{F.....	13										1	1
15	10. Diseases of the skin	86	8	2	2	1		13	2			3	3
16	Males.....	42	4	1	1			6	1			1	2
17	Females.....	44	4	1	1	1		7	1			2	1
18	Abscess.....	29	2	1	1			4	1				2
	{F.....	24	1			1		2	1			2	1
19	Carbuncle.....	6											
	{F.....	5											
20	Others of this class	7	2					2				1	
	{F.....	15	3	1	1			5					
21	11. Diseases of the absorbent system.....	29	1	3				4	1		1	1	3
22	Males.....	17		2				2	1				3
23	Females.....	12	1	1				2			1	1	
24	Addison's disease.....	8									1	1	1
	{F.....	3											
25	Diseases of the spleen.....	1											1
	{F.....	2											
26	Others of this class	8		2				2	1				1
	{F.....	7	1	1				2					
27	12. Accidents and injuries	2,798	94	23	29	32	18	196	86	66	85	186	284
28	Males.....	2,102	56	9	18	21	13	117	55	55	70	155	244
29	Females.....	696	38	14	11	11	5	79	31	11	15	31	40
30	Burns and scalds.....	90	1	4	11	11	4	31	3		2	7	3
	{F.....	172	2	11	7	10	5	35	18		3	5	14
31	Drowning.....	303	1	1	1	2	3	8	22	18	13	22	41
	{F.....	31	1	1				2	1	3	5	2	
32	Exposure and neglect.....	22	1					1				3	
	{F.....	5											
33	Gunshot wounds.....	41							1	3	5	2	8
	{F.....	5								1			
34	Homicide.....	26			1			1		1	1	7	4
	{F.....	8										1	
35	Infanticide.....												
	{F.....												
36	Injuries by machinery.....	9										2	
	{F.....												
37	Railroad accidents.....	412			1	2	2	5	6	8	19	36	68
	{F.....	30		1				1	1	1	1	1	2
38	Suffocation.....	72	31	1	1	1		34	1	3	2	3	2
	{F.....	39	26					26	1				2
39	Suicide by shooting.....	14											2
	{F.....	1											
40	Suicide by drowning.....	8										1	
	{F.....	4											
41	Suicide by poison.....	39										1	8
	{F.....	25										5	7
42	Other suicides.....	62								1	1	3	7
	{F.....	18											1
43	Sunstroke.....	30	3	1				4	1		1	2	2
	{F.....	19	1					1	1				1
44	Surgical operations.....	13							1			1	2
	{F.....	21								1	1	2	3
45	Wounds.....	52									3	6	10
	{F.....	4							1				1
46	Others of this class	909	19	2	4	5	4	34	20	22	23	63	87
	{F.....	314	8	1	3	1		13	8	4	5	10	9

745

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
122	97	27	1	1											1
6	4	2													2
39	47	7													3
51	27	9	1	1											4
	3														5
26	16	9													6
8	9	8	5	5	3	6	7	5	4	1					7
3	6	4	4	3	1	3	6	1	2						
5	3	4	1	2	2	3	1	4	2	1					
	1	1	2	2											
2	1	1		1		1									10
						1	1	1							
1	1				1										11
1	3	1	2		1	2	3		2						12
		1			1	1		2	1						
2	1	1													
	1							1							13
	1	1		1			2								
2		2	1	1		1	1	1	1	1					14
7	5	4	6	6	7	8	10	6	2	2	1	1			15
4	3	3	4	3	4	3	2	2		2	1	1			16
3	2	1	2	3	3	5	8	4	2						17
3	3	2	1	3	3	2	2	2				1			
2	1	1		1	2	2	6	1	2						18
1		1	2	1	1	1									
			1	1				2							19
			1							2	1				
1	1		1	1		3	2	1							20
1	1	2	4	4	3	3	1								21
	1	2	3	2	2	1									22
1			1	2	1	2	1								23
	1	1	1	2	1	1									24
						1									
1							1								25
		1	2		1										
		1	1	2	1		1								26
279	303	212	172	186	167	165	144	104	74	44	24	7	2	12	27
244	248	174	139	138	129	112	91	52	37	24	6	4	1	7	28
35	55	38	33	48	38	53	53	52	37	20	18	3	1	5	29
5	6	7	3	4	1	7	2	6		3					
8	14	10	6	8	6	16	9	10	4	3	1	1		1	30
35	41	17	17	13	24	7	14	6	4					1	31
2	5	3	1	3	2		1	1							
3	1	3		2	1	2	3	1	1	1					32
			1	1	1	1									
5	4	4	3	2	1	2		1							33
1		1	1							1					
4	3	3		1	1	1									
2	1	1		1				1							34
															35
3		1	2				1								36
44	45	30	32	22	34	23	11	5	7	3				4	37
3	3	1	3	2	1	3	4	2	1						
4	4	3	4	2	2	2	2	1	1		1			1	38
1		1	1	2		2	1			1				1	
3	2	3			1	2	1								39
								1							
2	2	1		2	1										40
	1	1					1								
5	5														
3	4	2	3	1	1		4	1						1	41
7	8	10	6	3	5	5	3	3	3						42
3	2	3		1	2		2	1							
	6	4	2	3	1		1								
	4	3		4		2		2	1						43
1	1	2	1	2			2								44
1	2	4	2	2	1	2									
8	6	2	5	3	2	4	2			1					45
								1	1						
112	114	76	61	65	55	57	45	27	21	16	5	4	1	1	46
11	19	8	17	23	24	27	35	34	30	15	17	2	1	2	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	41,375	5,794	1,549	700	522	364	8,929	999	548	837	1,426	1,835
2	Males.....	22,666	3,277	806	386	267	183	4,919	525	281	438	691	906
3	Females.....	18,709	2,517	743	314	255	181	4,010	474	267	399	735	929
4	Unknown cause	255	58	11	2	3	3	77	8	2	6	2	10
5	Males.....	137	26	5	1	1	2	35	3		3	1	4
6	Females.....	118	32	6	1	2	1	42	5	2	3	1	6
7	1. General diseases. General diseases—A	6,152	1,939	615	267	212	158	3,191	416	136	144	178	203
8	Males.....	3,299	1,076	308	152	119	78	1,733	203	72	81	89	106
9	Females.....	2,853	863	307	115	93	80	1,458	213	64	63	89	97
10	Measles.....{M..	117	29	50	15	6	3	103	7	1	1		1
	{F..	120	32	35	18	6	6	97	16		1	1	2
11	Scarlet fever.....{M..	94	2	11	19	16	14	62	25	5	1		
	{F..	110	1	18	14	15	14	62	35	5		2	2
12	Diphtheria.....{M..	404	25	52	68	59	44	248	114	27	10	1	
	{F..	370	17	54	43	43	45	202	117	24	7	4	4
13	Whooping cough.....{M..	76	43	15	10	3	1	72	1				
	{F..	109	49	35	9	4	2	99	5		2		1
14	Malarial fever.....{M..	80	4	1	2		3	10	2		3	11	2
	{F..	66	3	2	1	1		7	5	2	4	4	3
15	Influenza.....{M..	197	11					11	6		1	4	8
	{F..	204	7	2				9	3		2	1	4
16	Typhoid fever.....{M..	422	2	2	4	4	4	16	12	22	45	58	63
	{F..	314	3		1	5	2	11	15	21	35	50	47
17	Cholera morbus.....{M..	76	14		2	2		18	3	2	1	1	4
	{F..	77	13	5	1	1	1	21	1	2	4		4
18	Colitis.....{M..	33	13	2		2		17	2				1
	{F..	16	3	4	1			8					
19	Diarrhea.....{M..	167	61	18	3	2		84	4		1		1
	{F..	121	56	7	3			66	2	2			5
20	Dysentery.....{M..	101	10	9	5	5		29	3	4	1	2	
	{F..	103	12	4	4	1	1	22	1			2	1
21	Enteritis.....{M..	641	393	63	16	5	3	480	13	1	3	4	7
	{F..	538	291	69	12	8	5	385	8	2	2	7	5
22	Cholera infantum.....{M..	511	426	73	5	6	1	511					
	{F..	406	331	66	6	3		406					
23	Fever.....{M..	2		1				1					
	{F..	3	1					1		1			
24	Cerebro-spinal fever.....{M..	65	15	8	2	6	3	34	5	3	7	3	4
	{F..	40	10	4	1	6	2	23	2	4	2	1	1
25	Smallpox.....{M..	12									1	2	1
	{F..	2										1	
26	Erysipelas.....{M..	88	16	2		1		19	1	2	3	1	5
	{F..	46	14	1				15			1	1	2
27	Septicemia.....{M..	96	7	1	1	1	1	11	3	4	1	2	4
	{F..	116	9	1			2	12	3	1	3	13	15
28	Venereal diseases.....{M..	14	3					3					3
	{F..	14	9		1			10					
29	Others of this group.....{M..	103	2			1	1	4	2	1	2		2
	{F..	78	2					2				2	1
30	General diseases—B	665	288	10	4	5		307	7		12	18	24
31	Males.....	438	161	7	2	2		172	1		4	10	18
32	Females.....	227	127	3	2	3		135	6		8	8	6
33	Alcoholism.....{M..	143										1	9
	{F..	20										1	
34	Parasitic diseases.....{M..												
	{F..	1							1				
35	Lead poison.....{M..	6											1
	{F..	3											
36	Other poisons.....{M..	111	2	2	1	1		6	1		4	9	9
	{F..	57	3			2		5	2		8	6	5
37	Inanition.....{M..	178	159	5	1	1		166					
	{F..	146	124	3	2	1		130	3			1	
38	General diseases—C	2,682	1,014	48	7	4		1,073	3	3		7	11
39	Males.....	1,328	556	21	4	2		583	1	1		5	2
40	Females.....	1,354	458	27	3	2		490	2	2		2	9
41	Old age.....{M..	609											
	{F..	725											
42	Premature birth.....{M..	263	263					263					
	{F..	200	200					200					
43	Malformation.....{M..	45	44	1				45					
	{F..	28	26	1				27	1				
44	Debility and atrophy.....{M..	375	213	20	4	2		239	1	1		5	2
	{F..	378	209	26	3	2		240	1	2		2	9
45	Others of this group.....{M..	36	36					36					
	{F..	23	23					23					

747

MOTHERS BORN IN GERMANY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,088	2,234	2,270	2,165	2,193	2,362	2,646	2,921	3,093	2,511	1,475	597	156	51	39	1
1,106 982	1,277 957	1,376 894	1,329 836	1,331 862	1,347 1,015	1,513 1,133	1,575 1,346	1,609 1,484	1,304 1,207	739 736	285 312	68 88	23 28	24 15	2 3
7	5	11	20	7	15	18	23	15	17	8	2	1		1	4
2 5	2 3	6 5	14 6	5 2	8 7	12 6	16 7	8 7	9 8	6 2	1 1	1		1	5 6
193	164	145	140	129	136	169	179	239	221	112	46	5	2	4	7
101 92	96 68	87 58	84 56	79 50	86 50	94 75	83 96	122 117	95 126	57 55	25 21	2 3	1 1	3 1	8 9
2 2	1		1												}10
1		1													
	2	1								1					}11
1 5	1 1	1 1	1	2		1 1			1						
						2								1	}13
1				1											
9 5	7 3	5 2	10 5	3 2	4 4	4 4	4 4	4 4	1 5	1 1	2				}14
7 9	12 3	7 8	7 11	13 7	8 11	20 15	13 22	27 28	23 46	19 16	10 6	1 2	1		
50 30	43 29	29 16	30 9	15 13	16 8	12 8	4 7	6 10						1 1	}16
4 2		6 3	3 2	5 1	3 3	3 6	7 7	6 9	6 6	1 1	2 3		1		
1		3	1			1 1	1 1	3 2	2 1	1 2	1				}18
1 3	4 1	2	2	3 3	6 1	6 6	9 6	20 7	11 11	10 5	2 3			1	}19
1 1	2 1	2 4	2 6	3 2	4 3	8 1	13 14	12 14	6 15	6 14	3 2				
7 6	9 9	10 8	5 6	9 8	16 5	11 15	11 19	20 20	21 21	10 8	4 3	1			}21
															}22
		1													}23
1															
3 2	1	2	1			2			2	1					}24
	3	1	3		1										
1															}25
4 2	3 1	7 2	6 1	10 4	11 2	5 6	1 2	5 3	5 3		1				
7 16	7 14	6 8	10 5	11 5	8 5	8 5	6 4	5 5	2 2	1					}27
1 1	2	2 1	2		1	2									
2 5	1 2	5 1	3 6	7 2	8 7	9 7	14 10	17 15	15 11	7 6	3 1	1			}29
41	48	39	35	28	30	17	21	10	12	10	5			1	
33 8	41 7	33 6	30 5	22 6	22 8	13 4	15 6	7 3	7 5	6 4	4 1			1	}31
24 3	22 4	21 6	21 2	15	13	2 1	10 1		2 1	1	2				
															}33
															}34
	3 1		1	1			1								}35
1															
8 4	16 2	12	8 2	6 5	9 7	9 2	3 5	3	3 1	3 3	2				}36
1						2	1	4 2	2 3	2 1	1			1	
13	10	16	10	20	23	37	93	238	356	425	234	80	26	4	}38
7 6	8 2	9 7	6 4	11 9	12 11	19 18	39 54	104 134	173 183	197 228	103 131	34 46	12 14	2 2	
						8 6	26 39	91 114	156 168	182 211	98 127	34 44	12 14	2 2	}41
															}42
															}43
7 6	8 2	9 7	6 4	11 9	12 11	11 12	13 15	13 20	17 15	15 17	5 4	2			}44
															}45

TABLE 11.--DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN GERMANY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	7,843	148	62	38	18	20	286	56	74	237	530	694
2	Males.....	4,173	79	31	22	10	9	151	33	24	103	252	356
3	Females.....	3,670	69	31	16	8	11	135	23	50	134	278	338
4	Anemia.....{M..	41	2	1	1			3			1	1	
	{F..	56	3				2	6			3	3	2
5	Diabetes.....{M..	152				1		1		4	1	3	4
	{F..	174	1					1	4		2	6	4
6	Rheumatism.....{M..	93	1		1			2	3	1	4	2	5
	{F..	80	1			1		2	2	8	2	3	3
7	Scrofula and tabes.....{M..	30	11	4	1			16				6	
	{F..	14	3		1			4			1	2	1
8	Hydrocephalus.....{M..	95	28	16	13	5	3	65	11	1	1	3	1
	{F..	76	31	15	4	3	4	57	6	1	2	2	3
9	Tuberculosis, general.....{M..	26		1		1	1	3	3		1	3	3
	{F..	20	4			1		5		3			
10	Consumption.....{M..	2,613	28	9	5	3	5	50	10	13	87	225	330
	{F..	1,848	22	11	6	2	4	45	8	35	121	250	299
11	Cancer.....{M..	913							1	1	3	4	7
	{F..	1,174	2					2		1	1	5	19
12	Tumor.....{M..	80	2		1			3	2	1	2	3	6
	{F..	85			3		1	4	1			3	4
13	Dropsy.....{M..	100	1					1	3	2	1	1	
	{F..	124	1					1		2	2	3	2
14	Others of this group.....{M..	30	6	1				7		1	2	1	
	{F..	19	1	4	2	1		8	2			1	1
15	2. Diseases of the nervous system.....	4,776	776	194	88	59	30	1,147	94	45	63	66	89
16	Males.....	2,694	461	112	46	23	16	658	43	26	37	47	44
17	Females.....	2,082	315	82	42	36	14	489	51	19	26	19	45
18	Inflammation of the brain.....{M..	36	6	4	4		1	15	2		1	2	
	{F..	26	5	4	1	3		13	4			1	2
19	Meningitis.....{M..	412	114	57	27	14	5	217	24	16	8	17	10
	{F..	272	68	44	26	18	12	168	31	10	9	3	7
20	Apoplexy.....{M..	1,002	4	4	1			9	3	2	4	6	7
	{F..	869	11	2		2		15	3	2	1	2	10
21	Paralysis.....{M..	346	2		1			3	1	1	2	2	3
	{F..	264	2	1	2			5			1	2	5
22	Paralysis, general (of insane).....{M..	51											1
	{F..	15											
23	Tetanus and trismus nascentium.....{M..	44	18					18	3	4	7	2	1
	{F..	25	13	1		1		15	1	1		1	
24	Chorea.....{M..	1											
	{F..	4	1					1			3		
25	Epilepsy.....{M..	53	2	1				3		1	6	4	7
	{F..	36	1			1		2	2	1	6	3	2
26	Convulsions.....{M..	366	290	34	12	7	7	350	3	1		5	
	{F..	272	202	28	11	9	2	252	5			1	2
27	Mental diseases.....{M..	69									1		3
	{F..	91										2	8
28	Diseases of the brain.....{M..	219	24	10	1	2	3	40	6	1	6	5	11
	{F..	138	11	2	1	1		15	4	4	3	3	8
29	Diseases of the spinal cord.....{M..	42	1	2				3	1			2	
	{F..	30			1	1		2	1	1	1		1
30	Locomotor ataxia.....{M..	30										1	
	{F..	12										1	
31	Others of this class.....{M..	23										1	1
	{F..	28	1					1			2		
32	3. Diseases of the circulatory system.....	3,870	98	3	3	6	12	122	58	63	77	75	106
33	Males.....	2,060	55	2	1	3	5	66	30	26	26	33	44
34	Females.....	1,810	43	1	2	3	7	56	28	37	51	42	62
35	Pericarditis.....{M..	24	1					1	2	5	1	1	1
	{F..	31					3	3	3	3	3	4	1
36	Diseases of the heart.....{M..	1,820	26	2	1	3	5	37	25	21	25	32	38
	{F..	1,647	28		2	3	4	37	25	34	44	36	55
37	Angina pectoris.....{M..	87							1				3
	{F..	54									2		3
38	Diseases of the arteries.....{M..	58							1				
	{F..	43											
39	Aneurism.....{M..	28											1
	{F..	5											
40	Embolism.....{M..	14											1
	{F..	12									2	2	2
41	Others of this class.....{M..	29	28					28	1				
	{F..	18	15	1				16					1

749

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	718	708	623	599	602	555	550	420	280	98	34	3		7	1
413 356	422 296	414 294	357 266	335 264	316 286	280 275	289 261	210 210	141 139	54 44	18 16	1 2		4 3	2 3
1 3	2 5	4 6	4 5	6 3	5 6	6 5	5	1	7 2	1	1				4
8 3	9 4	11 8	11 6	13 13	9 29	27 33	23 29	15 18	8 11	3 2	2 1				5
3 3	5 4	3 3	12 4	6 3	14 4	6 5	9 9	6 14	8 5	2 4	2 2				
2			2		2			1	1						7
	1	1		1	1	1		1							
5 2	2	2	2	1		1									8
3 5	2 4	3 2	1	1 1	1	1			1						9
363 292	372 210	318 162	224 102	175 86	149 65	96 59	90 37	63 41	32 25	9 7	4 3			3 1	10
20 36	25 60	60 96	81 136	119 144	123 171	127 141	141 154	103 108	66 74	23 18	7 6	1		1 2	11
4 7	1 6	8 12	11 3	6 7	3 6	8 13	11 8	6 5	2 4	3 1					12
1 2	3	4 2	7 10	4 5	8 4	7 17	12 19	14 22	16 17	14 11	2 3	2			13
3 3	1 2	1	2	4	2	1 1	3	2							14
103	174	217	236	262	323	372	457	480	364	205	51	18	5	5	15
57 46	101 73	143 74	142 94	158 104	179 144	207 165	243 214	260 220	208 156	102 103	25 26	9 9	2 3	3 2	16 17
1	4	1	1	2 1	1	1	1 3	1	1	1	2				18
9 5	20 5	15 7	20 4	13 4	8 7	12 3	8 3	9 5	1	4 1	1				19
23 18	24 28	53 28	59 53	74 66	104 89	127 109	134 131	166 125	124 107	58 61	14 16	9 3		2	20
6 2	18 7	33 11	24 8	28 15	35 19	27 28	49 36	42 58	46 30	20 24	4 8		2 1		21
4 2	9 2	10 2	7 1	8 3	4	2	3 2	1 3	1	1					22
		2	2	1	2	1		1							23
3		1	1	1			1								24
		1													25
3 3	2 5	4 1	5 4	3 1	1 1	3 2	2	2 3	4	2	1				26
2	4	1	1	1 1	1	1	1	1						2	27
2 2	6 7	4 9	4 9	4 5	4 2	6 9	13 15	8 8	9 7	3 7	2				28
6 6	10 7	11 8	13 7	11 6	12 15	17 9	23 13	18 14	17 7	11 7	1 2				29
1 1	2 2	5 1	3 2	6	1 5	4 2	6 2	5 3	3 3			1			30
2 1	4 1	3 1	1	4 1	6 2	4 1	4 2	2							31
1	5	3	3	3	1 3	2 2		4 1	2 2	2 2					32
144	185	196	223	286	314	400	482	504	371	170	75	12	4	3	33
78 66	95 90	104 92	131 92	167 119	174 140	236 164	250 232	261 243	201 170	91 79	38 37	4 8	2 2	3 2	34 35
2	1	1	1	1	3 1	3 3	1 2	1	1 2						36
73 61	83 86	90 86	119 85	154 113	149 132	206 152	220 214	246 222	176 156	84 71	34 30	4 7	2 1	2	37
2 2	4 2	6 3	6 4	5 5	11 4	14 7	12 7	5 10	13 3	4 1	1 1				38
1	1	2		3 1	5 2	6 2	15 7	8 8	9 9	3 7	3 5	1	1		39
1	4	3	4	3	5 1	5	1 1	1 2							40
1 1	1 1	2 1	1 1	1	1	2	1 1	1 1	2		1				41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	6,562	1,096	522	239	144	92	2,093	183	63	84	147	174
2	Males.....	3,490	636	272	131	71	45	1,155	101	24	44	78	90
3	Females.....	3,072	460	250	108	73	47	938	82	39	40	69	84
4	Croup.....	114	14	19	25	19	16	93	21				
	{M.....	117	13	23	20	24	10	90	19	5	1		
	{F.....												
5	Pneumonia.....	2,321	367	197	82	38	19	703	62	16	37	63	82
	{M.....	1,981	261	180	69	36	26	572	48	27	31	60	69
	{F.....												
6	Laryngitis.....	27	2	1	3	5	1	12	6	1			
	{M.....	25	4	5	4	2	2	17	2	1	1		
	{F.....												
7	Bronchitis.....	626	193	47	17	6	7	270	10	4	1	6	2
	{M.....	630	144	36	11	5	7	203	10	1	4	8	5
	{F.....												
8	Pleurisy.....	70	4	4	3	2		13		2	2	3	3
	{M.....	45		3		1		4	1	1	1	3	2
	{F.....												
9	Asthma.....	108									2		1
	{M.....	89	1					1	1				
	{F.....												
10	Others of this class.....	224	56	4	1	1	2	64	2	1	2	6	2
	{M.....	185	37	3	4	5	2	51	1	4	2	8	8
	{F.....												
11	5. Diseases of the digestive system.....	2,680	260	49	13	20	17	359	47	52	71	94	127
12	Males.....	1,471	151	27	6	8	7	199	29	32	39	40	58
13	Females.....	1,209	109	22	7	12	10	160	18	20	32	54	69
14	Dentition.....	25	17	7		1		25					
	{M.....	21	12	9				21					
	{F.....												
15	Angina.....	6	1	2	1			4			1		
	{M.....	14	1	1	2		2	6		2	1		
	{F.....												
16	Gastritis.....	194	22	9	1	2		34	2	1			2
	{M.....	171	18	4	1	2	2	27	2			3	2
	{F.....												
17	Diseases of the stomach.....	68	2			1	1	4			2		2
	{M.....	39	3	2				5				4	2
	{F.....												
18	Obstruction of the bowels.....	85	14			1		15	5	4	3		2
	{M.....	98	4		1	1	1	7	3		3	3	2
	{F.....												
19	Appendicitis.....	171	1				1	2	5	17	19	23	21
	{M.....	89				1		1	4	8	10	7	11
	{F.....												
20	Hernia.....	74	3	1				4			3		2
	{M.....	71	1					1	1				
	{F.....												
21	Other diseases of the bowels.....	33	5	1				6		1	2	1	2
	{M.....	19	4	1				5			1	1	2
	{F.....												
22	Jaundice.....	35	15	1	1			17					3
	{M.....	28	6		1			7					1
	{F.....												
23	Inflammation and abscess of the liver.....	63	3					3	1			2	3
	{M.....	53	1					1				2	2
	{F.....												
24	Other diseases of the liver.....	419	3					3	1		3	5	5
	{M.....	166	2	1				3				3	4
	{F.....												
25	Peritonitis.....	172	10	3	3	3	4	23	14	9	6	9	13
	{M.....	319	6	2	1	6	3	18	6	10	17	30	42
	{F.....												
26	Ascites.....	9	1					1					
	{M.....	6											
	{F.....												
27	Others of this class.....	117	54	3			1	58	1				3
	{M.....	115	51	2	1	2	2	58	2			1	1
	{F.....												
28	6. Diseases of the urinary system and male organs of generation.....	2,842	22	4	7	12	6	51	34	29	29	64	94
29	Males.....	1,690	18	2	3	8	5	36	18	14	14	27	43
30	Females.....	1,152	4	2	4	4	1	15	16	15	15	37	51
31	Bright's disease.....	1,323							13	13	12	23	32
	{M.....	994							14	15	15	32	40
	{F.....												
32	Calculus, urinary.....	9	1					1				1	
	{M.....	5						1					
	{F.....												
33	Diseases of the kidney.....	84	13	2	3	7	5	30	1		1	1	2
	{M.....	51	1	2	3	4	1	11	1				4
	{F.....												
34	Diseases of the bladder.....	108	1					1	1	1	1		3
	{M.....	16			1			1					1
	{F.....												
35	Others of this class.....	166	3			1		4	3			3	6
	{M.....	86	2					2	1			4	6
	{F.....												
36	7. Diseases of the female organs of generation.....	164								1	3	17	22
37	Ovarian tumors.....	28									1	4	3
38	Ovarian diseases.....	12										1	2
39	Diseases of the tubes.....	22											11
40	Uterine tumors.....	43											
41	Uterine diseases.....	13									1	2	3
42	Others of this class.....	46								1	1	10	3

CAUSE, AND BIRTHPLACES OF MOTHERS.

751

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
261	271	255	255	270	309	364	464	547	450	257	82	21	9	3	1
145 116	173 98	157 98	164 91	161 109	151 158	185 179	245 219	247 300	211 239	110 147	34 48	9 12	4 5	2 1	2 3
	1							1							4
122 106	142 84	127 67	130 72	127 85	106 115	130 124	143 135	139 168	118 128	51 68	13 21	5 7	3 3	2 1	5
		4 1	1 1	1		1	1	2							6
11 6	8 4	8 8	6 9	11 11	20 24	25 27	54 60	68 84	65 74	37 63	16 23	3 4	1 2		7
3 2	8 3	8 9	5 1	5 1	4 2	2 2	5 2	3 3	4 5						8
2	2	1	5	5	12	12	17	24	8	15	1	1			9
	1	3	1	3	6	13	13	22	18	6	1				
7 2	13 5	9 10	17 7	12 9	9 11	15 13	25 9	13 20	16 14	7 9	4 1				10
133	167	218	184	191	181	230	212	190	141	52	20	6	1	4	11
61 72	88 79	136 82	113 71	117 74	106 75	133 97	109 103	100 90	71 70	30 22	6 14	1 5	1	2 2	12 13
															14
1		1		2	1										15
4 6	10 9	9 8	12 8	10 12	17 7	16 11	18 13	26 27	17 21	13 8	2 4	1 3			16
4 2	3 1	5 3	8 3	6 1	8 2	12 4	5 5	4 6	2 1	3					17
5 4	3 7	4 8	3 5	9 6	2 7	5 5	8 18	7 6	6 9	3				1	18
12 8	16 6	17 4	5 9	7 2	6 3	10 7	4 3	5 2	1 3	1					19
3 3	4 1	3 3	3 6	3 8	4 5	12 10	10 10	12 9	9 9	1 2			1		20
2		3	4	2	2	3	2	2	1						21
1		2	2	2	2		4	3	1						22
4	3	7	8	9	3	5	3	5	5	2					23
17 7	32 6	64 12	51 13	50 21	47 11	54 33	39 20	28 15	16 12	3 4	1 2				24
9 38	14 40	16 27	13 19	8 13	10 20	10 12	9 11	2 8	6 5		1				25
1		2	1	1	1		2			1					26
2	3 2	3 5	3 4	10 7	6 5	6 9	5 7	6 5	7 4	3 2	2 1			1	27
111	187	186	213	222	275	330	314	342	227	89	38	4	2	1	28
57 54	92 95	106 80	122 91	131 91	164 111	214 116	198 116	217 125	146 81	59 30	28 10	3 1	2	1	29 30
52 44	73 80	90 64	105 77	124 82	150 98	180 107	149 105	161 112	93 71	34 26	16 10	2 1		1	31
1 1		1	1	1	1	2	1		1	1					32
4	7 3	6 4	2 4	3 3	4 5	4 2	10 6	6 2	4	1	2		1		33
1	2	1	1	1	2	11	21	21	25	11	5				34
4 4	10 12	8 10	14 9	2 6	7 7	17 4	18 5	29 7	23 6	12 3	5	1			35
18	25	27	15	12	7	6	3	5	1	1			1		36
1	1	5	5	2	1		1	3					1		37
3	3	1	1		1										38
2	3	4	1				1								39
2	9	9	3	9	3	5		1	1	1					40
3	1		1		1			1							41
7	8	8	4	1	1	1	1								42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

CAUSE, AND BIRTHPLACES OF MOTHERS.

753

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
104	84	38	5			1									1
9	4	3													2
21	27	17	2												3
55	44	15	1			1									4
6	1	1													5
13	8	2	2												6
3	5	8	7	7	4	3	2	8	3						7
2	3	5	3	5	1	1	1	4	1						8
1	2	3	4	2	3	2	1	4	2						9
		2		1		1		1							}10
1	1	1	2		1				1						
				1				1							}11
2	2	1	2	3				2	1						}12
	1		1	1	1			2							
		1		1	1										}13
	1	1	1				1	1							}14
		2	1		1	2	1	1	1						
4	2	2	3	5	5	7	10	5	3	4	1				15
2	2	2	1	4	5	4	5	3	2	3	1				16
			2	2	1	3	5	2	1	1					17
1	2	1	1	2	1	2	1	1		2					}18
2			2			2	2	1							
1				2	2	2	1	2	2						}19
				1		1	1	1	1	1					
		1			2		3			1	1				}20
							2								
4	2	6	1	1	6	3		2	3						21
2		3			3	1		1							22
2	2	3	1	1	3	2		1	3						23
		1			2										}24
1	1	1		1	1	2		1	2						
		1													}25
	1														
2		1			1	1		1							}26
1		2	1		2				1						
180	187	198	195	154	132	134	111	88	62	44	9	6	1	6	27
146	154	171	162	136	120	114	82	65	39	24	2	4	1	3	28
34	33	27	33	18	12	20	29	23	23	20	7	2		3	29
4	4	4	3	4	3	2	5	1	2						}30
4	2	2	4	3	3	2	5	3	5	1					
9	14	19	16	6	6	6	8	3	2						}31
1	1	1	2	1			1	1	1						
	1			1				1	1	1					}32
1			1												
4	9	5	8	6	3	4	4								}33
1	1														
1	2	1		1	1	1			1						}34
1	2	1	1												
															}35
1	1			2		1									}36
27	16	16	17	17	22	14	4	5	8	2			1	1	}37
2	3	3	1	1	1	2	1	3	4		1			1	
2	1	4	2		3	1	1								}38
2	1		1		2			1	1					2	
14	16	21	17	13	10	7	3	3	3						}39
2	1		1												
2	1	1			1	1	4	1	2	1					}40
1				1		1									
10	11	10	5	10	13	9	7	6	1					1	}41
5	8	3	2	3	1	1	1	5		1		1			
14	13	21	24	18	17	21	12	12	7			1			}42
4	3	3	6	5		4	2	1		1					
1	5	1	8	6	1	1			1						}43
			1			2	2	1		1					
1		1	1		2										}44
5	2	1	1	2	1		1		1	1					
5	1	3	4	2		2	1	1							}45
		1			1										
51	59	64	57	50	38	44	33	32	11	15	2	3		1	}46
6	9	12	12	2	3	8	16	8	11	15	6	1			

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	14,364	1,745	438	226	132	83	2,624	305	174	265	421	554
2	Males.....	7,820	964	232	126	69	38	1,429	175	84	149	214	292
3	Females.....	6,544	781	206	100	63	45	1,195	130	90	116	207	262
4	Unknown cause.....	97	15	2			1	18		1	3	1	5
5	Males.....	51	7	1			1	9			2		2
6	Females.....	46	8	1				9		1	1	1	3
7	1. General diseases. General diseases—A	2,085	524	175	92	58	40	889	116	44	45	57	69
8	Males.....	1,085	262	95	52	34	15	458	59	17	23	34	46
9	Females.....	1,000	262	80	40	24	25	431	57	27	22	23	23
10	Measles..... {M.....	38	7	12	12	4		35	3				
	{F.....	35	9	14	3	3	2	31	1	1			
11	Scarlet fever..... {M.....	32	2	4	7	8	2	23	6	1	1		
	{F.....	45	1	5	7	5	7	25	11	3	3	1	
12	Diphtheria..... {M.....	98	8	19	15	13	10	65	24	4	1		1
	{F.....	84	6	7	14	8	13	48	24	6	2		1
13	Whooping cough..... {M.....	41	23	9	4	3		39	2				
	{F.....	52	26	12	4	3	3	48	3				
14	Malarial fever..... {M.....	20	2					2			1	1	
	{F.....	23	1					1	2				1
15	Influenza..... {M.....	116	4	1	2			7		1	1		2
	{F.....	148	5		1	1		7			2	2	3
16	Typhoid fever..... {M.....	186		1			1	2	10	9	18	23	36
	{F.....	96	2					2	5	9	13	10	10
17	Cholera morbus..... {M.....	25	3	1	2			6	1			1	
	{F.....	22	5		2	1		8		1		2	
18	Colitis..... {M.....	12	3	1				4	1				
	{F.....	13	3			1		4					
19	Diarrhea..... {M.....	51	16	3	1			20				1	
	{F.....	47	16	3	1			20	3			1	
20	Dysentery..... {M.....	44	3	2	2	3		10	1				2
	{F.....	47	1			1		2	1				1
21	Enteritis..... {M.....	140	80	16	2	2		100	2			2	
	{F.....	140	70	18	2	1		91	6	2			1
22	Cholera infantum..... {M.....	115	90	22	3			115					
	{F.....	126	105	16	5			126					
23	Fever..... {M.....	1											
	{F.....	4											2
24	Cerebro-spinal fever..... {M.....	25	6	4	1	1	1	13	3	1		3	2
	{F.....	23	3	3	1			7	1	5	1	2	1
25	Smallpox..... {M.....	2											
	{F.....	2											
26	Erysipelas..... {M.....	31	8					8			1		1
	{F.....	19	3					3				1	1
27	Septicemia..... {M.....	53	2				1	3	4	1		1	2
	{F.....	35	2	2				4			1	4	2
28	Venereal diseases..... {M.....	10	5					5					
	{F.....	8	4					4					
29	Others of this group..... {M.....	45			1			1	2			2	
	{F.....	31											
30	General diseases—B	238	101	7	1	1		110	1		2	4	6
31	Males.....	155	58	2				60	1		2	1	5
32	Females.....	83	43	5	1	1		50				3	1
33	Alcoholism..... {M.....	60											4
	{F.....	17											1
34	Parasitic diseases..... {M.....												
	{F.....												
35	Lead poison..... {M.....	3											
	{F.....												
36	Other poisons..... {M.....	32	2	1				3	1		2	1	1
	{F.....	13				1		1				2	
37	Inanition..... {M.....	60	56	1				57					
	{F.....	53	43	5	1			49				1	
38	General diseases—C	1,012	408	19	3		1	431		1	1		3
39	Males.....	512	220	9	2			231		1	1		
40	Females.....	500	188	10	1		1	200					3
41	Old age..... {M.....	246											
	{F.....	261											
42	Premature birth..... {M.....	100	100					100					
	{F.....	88	88					88					
43	Malformation..... {M.....	14	13					13			1		
	{F.....	11	11					11					
44	Debility and atrophy..... {M.....	133	88	9	2			99		1			
	{F.....	132	81	10	1		1	93					3
45	Others of this group..... {M.....	19	19					19					
	{F.....	8	8					8					

755

MOTHERS BORN IN ENGLAND AND WALES (WHITE).

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	2,414	62	25	10	5	4	106	28	23	61	140	178
2	Males.....	1,251	37	11	6	4	1	59	13	12	28	75	89
3	Females.....	1,163	25	14	4	1	3	47	15	11	33	65	89
4	Anemia..... {M.....	22									1		1
	{F.....	28	1		1			2	1		1	4	2
5	Diabetes..... {M.....	64								1	1	1	2
	{F.....	48								1	3	1	
6	Rheumatism..... {M.....	48		1				1		3		1	3
	{F.....	32							1	2	1	1	1
7	Scrofula and tabes..... {M.....	10	3					3	1				1
	{F.....	12	1		1			2					3
8	Hydrocephalus..... {M.....	47	20	10	4	2	1	37	4	1		1	
	{F.....	27	9	9	1		2	21	3				
9	Tuberculosis, general..... {M.....	13			1			1	1			2	2
	{F.....	16	1	2	1			4	1		1	1	1
10	Consumption..... {M.....	703	10		1	1		12	3	5	24	70	79
	{F.....	546	11	3		1	1	16	9	7	26	56	79
11	Cancer..... {M.....	274	1					1	2				
	{F.....	392								1	1	1	1
12	Tumor..... {M.....	31	1					1	1	1	1		
	{F.....	27										1	1
13	Dropsy..... {M.....	30							1				1
	{F.....	24											
14	Others of this group..... {M.....	9	2			1		3		1	1		
	{F.....	11	2					2					1
15	2. Diseases of the nervous system.....	1,953	206	54	28	17	7	312	25	20	21	19	23
16	Males.....	1,083	124	25	14	9	3	175	15	11	13	9	12
17	Females.....	870	82	29	14	8	4	137	10	9	8	10	11
18	Inflammation of the brain..... {M.....	16	3		1			4	1	2	1		
	{F.....	7				1		1					
19	Meningitis..... {M.....	131	45	11	10	7	1	74	9	3	4	3	5
	{F.....	99	21	16	8	5	2	52	6	5	3	5	4
20	Apoplexy..... {M.....	425	5					5					1
	{F.....	331	2	1				3			1	1	1
21	Paralysis..... {M.....	217	2	1				3	1	2		1	2
	{F.....	177	1	1				2	1				
22	Paralysis, general (of insane)..... {M.....	24									1		1
	{F.....	6											
23	Tetanus and trismus nascentium..... {M.....	11	1					1		4	3	1	
	{F.....	7	3					3					1
24	Chorea..... {M.....	2									2		
	{F.....	4								1			
25	Epilepsy..... {M.....	14											2
	{F.....	16								2		1	2
26	Convulsions..... {M.....	79	57	9	3	1	1	71	3				
	{F.....	78	51	9	3	2	1	66	1		1	1	1
27	Mental diseases..... {M.....	31										2	
	{F.....	28											1
28	Diseases of the brain..... {M.....	90	8	4		1		13	1		1	2	1
	{F.....	71	4	2	3		1	10	2		1	2	1
29	Diseases of the spinal cord..... {M.....	18	3				1	4			1		
	{F.....	14											
30	Locomotor ataxia..... {M.....	10											
	{F.....	2											
31	Others of this class..... {M.....	15											
	{F.....	30								1	2		
32	3. Diseases of the circulatory system.....	1,532	44	1	3		2	50	25	25	14	19	27
33	Males.....	847	28	1	2		2	33	14	5	8	8	15
34	Females.....	685	16		1			17	11	20	6	11	12
35	Pericarditis..... {M.....	14		1				1	1				1
	{F.....	9							1		1		
36	Diseases of the heart..... {M.....	739	15		1		2	18	12	5	7	8	14
	{F.....	609	11		1			12	10	19	5	11	11
37	Angina pectoris..... {M.....	41									1		
	{F.....	38											1
38	Diseases of the arteries..... {M.....	24											
	{F.....	11											
39	Aneurism..... {M.....	11								1			
	{F.....	5											
40	Embolism..... {M.....	4							1				
	{F.....	8											
41	Others of this class..... {M.....	14	13		1			14					
	{F.....	5	5					5					

757

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	192	184	235	178	226	184	190	133	107	39	16	4		3	1
102 85	103 89	90 94	118 117	88 90	115 111	98 86	99 91	69 64	54 53	26 13	10 6	2 2		1 2	2 3
1		2	5	2	3	1	2	1	2	1					4
2	1	2	1	4	4	3			1						5
1	3	4	7	6	8	9	5	8	8						6
2	1	3	3	4	8	5	8	4	5						7
4	1	1	1	2	7	7	6	7	3	2	1				8
.....				3	2	2	5	2	5	4	1				9
1		1	1		1	1	1		1						10
1	2	1		2	1										11
1				1	1										12
1	1			1	1										13
4	1	1	1	1	1	1	1	1							14
88	86	65	71	55	44	26	35	22	12	5				1	15
63	60	40	47	26	38	24	25	16	10	3		1			16
5	10	12	21	22	45	44	45	24	25	10	6	2			17
10	22	42	60	45	51	40	44	34	28	5	5	1		1	18
1		3	8		5	3	4	1	1	1					19
2	4	2	3	2	4	4		2	1					1	20
.....	1	1	2	1	1	5	1	4	3	7	3				21
.....				2	2	4	7	5	2						22
.....			1	1		1		1							23
.....		1	1	1		2	1	1		1					24
46	67	53	79	121	160	167	212	222	191	130	67	16	1	1	25
22	40	24	44	77	87	101	123	131	91	70	29	9			26
24	27	29	35	44	73	66	89	91	100	60	38	7	1	1	27
1		1	1	1	1	1		1	1	1	1				28
1	1	1		1	1			1							29
2	5	3	1	6	2	4	2	1	7						30
.....	4	3	7	1	1	3	2	3							31
6	8	7	18	39	46	61	72	62	51	33	12	4			32
5	7	16	9	23	42	34	38	45	50	33	19	4			33
3	10	6	9	14	21	19	25	42	22	25	9	3			34
2	3	1	5	5	18	18	28	29	27	20	14	2	1	1	35
2	4	2	3	2	2	1	3	1	1		1				36
3								1	2						37</

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,114	273	127	65	38	13	516	53	15	34	45	54
2	Males.....	1,149	165	71	38	16	5	295	34	6	18	25	31
3	Females.....	965	108	56	27	22	8	221	19	9	16	20	23
4	Croup.....	(M.. 34 F.. 19)	(M.. 2 F.. 1)	(M.. 8 F.. 1)	(M.. 8 F.. 6)	(M.. 5 F.. 7)	(M.. 1 F.. 1)	(M.. 24 F.. 16)	(M.. 9 F.. 3)	(M.. 1 F.. 1)			
5	Pneumonia.....	(M.. 793 F.. 657)	(M.. 89 F.. 66)	(M.. 51 F.. 44)	(M.. 22 F.. 13)	(M.. 7 F.. 13)	(M.. 2 F.. 5)	(M.. 171 F.. 141)	(M.. 17 F.. 13)	(M.. 4 F.. 6)	(M.. 15 F.. 13)	(M.. 21 F.. 14)	(M.. 28 F.. 18)
6	Laryngitis.....	(M.. 14 F.. 9)	(M.. 3 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 6)	(M.. 2 F.. 7)	(M.. 1 F.. 1)	(M.. 7 F.. 1)	(M.. 4 F.. 2)	(M.. 1 F.. 1)		(M.. 1 F.. 1)	
7	Bronchitis.....	(M.. 158 F.. 181)	(M.. 54 F.. 33)	(M.. 10 F.. 10)	(M.. 5 F.. 5)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 71 F.. 50)	(M.. 2 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 2)	(M.. 1 F.. 1)	(M.. 2 F.. 3)
8	Pleurisy.....	(M.. 23 F.. 22)			(M.. 1 F.. 1)			(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 2)	(M.. 1 F.. 2)	(M.. 1 F.. 1)
9	Asthma.....	(M.. 24 F.. 16)											
10	Others of this class.....	(M.. 103 F.. 61)	(M.. 17 F.. 8)	(M.. 2 F.. 2)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 22 F.. 12)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 3)	(M.. 1 F.. 1)
11	5. Diseases of the digestive system	916	75	15	6	4	4	104	11	14	23	36	49
12	Males.....	476	40	7	3	2	2	54	6	10	14	17	22
13	Females.....	440	35	8	3	2	2	50	5	4	9	19	27
14	Dentition.....	(M.. 6 F.. 9)	(M.. 3 F.. 6)	(M.. 2 F.. 2)	(M.. 1 F.. 1)			(M.. 6 F.. 9)					
15	Angina.....	(M.. 4 F.. 2)		(M.. 1 F.. 2)				(M.. 1 F.. 2)	(M.. 2 F.. 2)				
16	Gastritis.....	(M.. 67 F.. 83)	(M.. 8 F.. 7)	(M.. 2 F.. 2)		(M.. 1 F.. 1)		(M.. 8 F.. 10)	(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 1 F.. 2)	(M.. 1 F.. 1)
17	Diseases of the stomach.....	(M.. 43 F.. 19)	(M.. 1 F.. 1)					(M.. 1 F.. 1)	(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 3 F.. 2)
18	Obstruction of the bowels.....	(M.. 36 F.. 45)	(M.. 3 F.. 6)	(M.. 1 F.. 1)				(M.. 4 F.. 7)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 1)	(M.. 1 F.. 11)	(M.. 2 F.. 13)
19	Appendicitis.....	(M.. 53 F.. 21)				(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 2)	(M.. 1 F.. 1)	(M.. 6 F.. 1)	(M.. 5 F.. 5)	(M.. 9 F.. 5)	(M.. 9 F.. 2)
20	Hernia.....	(M.. 22 F.. 19)	(M.. 2 F.. 1)					(M.. 2 F.. 1)			(M.. 1 F.. 1)		
21	Other diseases of the bowels.....	(M.. 8 F.. 9)	(M.. 2 F.. 1)	(M.. 1 F.. 1)				(M.. 3 F.. 3)			(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 1)
22	Jaundice.....	(M.. 17 F.. 16)	(M.. 3 F.. 2)		(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 4 F.. 3)					(M.. 1 F.. 1)
23	Inflammation and abscess of the liver.....	(M.. 27 F.. 20)	(M.. 1 F.. 1)					(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)			(M.. 2 F.. 2)
24	Other diseases of the liver.....	(M.. 93 F.. 70)										(M.. 1 F.. 1)	(M.. 2 F.. 1)
25	Peritonitis.....	(M.. 52 F.. 78)	(M.. 2 F.. 2)	(M.. 2 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 1 F.. 1)	(M.. 5 F.. 4)	(M.. 2 F.. 1)	(M.. 2 F.. 3)	(M.. 6 F.. 1)	(M.. 3 F.. 11)	(M.. 3 F.. 13)
26	Ascites.....	(M.. 2 F.. 5)											
27	Others of this class.....	(M.. 46 F.. 44)	(M.. 17 F.. 8)	(M.. 1 F.. 1)	(M.. 2 F.. 1)	(M.. 1 F.. 1)		(M.. 20 F.. 10)	(M.. 1 F.. 2)			(M.. 1 F.. 1)	(M.. 3 F.. 5)
28	6. Diseases of the urinary system and male organs of generation.	1,052	7	3	5	2	3	20	7	8	16	30	42
29	Males.....	644	6	3	1	2	2	14	5	4	9	15	19
30	Females.....	408	1		4		1	6	2	4	7	15	23
31	Bright's disease.....	(M.. 460 F.. 327)							(M.. 4 F.. 2)	(M.. 2 F.. 2)	(M.. 8 F.. 6)	(M.. 13 F.. 10)	(M.. 16 F.. 17)
32	Calculus, urinary.....	(M.. 5 F.. 2)											
33	Diseases of the kidney.....	(M.. 41 F.. 22)	(M.. 4 F.. 1)	(M.. 3 F.. 3)	(M.. 1 F.. 3)	(M.. 2 F.. 1)	(M.. 1 F.. 1)	(M.. 10 F.. 5)				(M.. 3 F.. 3)	(M.. 1 F.. 1)
34	Diseases of the bladder.....	(M.. 64 F.. 7)						(M.. 1 F.. 1)					
35	Others of this class.....	(M.. 74 F.. 50)	(M.. 2 F.. 1)		(M.. 1 F.. 1)		(M.. 1 F.. 1)	(M.. 3 F.. 1)	(M.. 1 F.. 1)	(M.. 2 F.. 2)	(M.. 1 F.. 1)	(M.. 2 F.. 2)	(M.. 2 F.. 5)
36	7. Diseases of the female organs of generation.	44										1	3
37	Ovarian tumors.....	9											
38	Ovarian diseases.....	1											
39	Diseases of the tubes.....	2											
40	Uterine tumors.....	12											
41	Uterine diseases.....	4											1
42	Others of this class.....	16										1	2

CAUSE, AND BIRTHPLACES OF MOTHERS.

759

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	105	82	83	119	112	166	152	158	172	102	54	12	5	8	1
33	70	45	60	77	65	93	70	73	84	43	22	1	2	2	2
34	35	37	23	42	47	73	82	85	88	59	32	11	3	6	3
															4
31	61	35	45	67	44	67	42	48	51	30	13		2	1	5
29	29	31	19	34	28	58	51	57	54	35	20	5	1	1	
	1		1						1						6
	1				1			1							
	1	3	3	2	7	9	13	9	20	6	7	1			7
4	1	1	3	2	7	8	19	21	25	18	9	5	2		
1	2	2	2	2	2	3	2	2		1					8
	1	2	1	3		3	3		2	2					
	1		2	2	2	4	4	4						1	9
	1				2		7	1	3	2					
1	4	5	7	4	10	10	9	10	8	6	2				10
1	2	3		3	9	4	2	5	4	2	3	1		5	
40	56	68	68	59	69	73	82	64	56	29	10	3		2	11
15	23	38	36	27	37	39	51	32	35	13	5	2			12
25	33	30	32	32	32	34	31	32	21	16	5	1		2	13
															14
1															15
2	4	3	4	4	8	6	10	5	7	2	1	1			16
2	5	4	2	5	7	14	9	7	5	8	1				
1	1	5	5	3	4	5	4	5	3	1	1				17
1	2		3	2	2	2	2								
2	4	1	4	2	1	4	3		4		1				18
3	1	3	2	3	4	3	5	5	4		1				
3	5	6	2		1										19
	2	1	2		1		1	1							
1	1	1	1	2	3	2	2	4	2	1					20
1		1		5	3		2	2	2	2					
			1	1			1	1	2						21
						1		1	1					1	
			1		1	3	3		3	2					22
			3	4	1					1					
2	3	5	1	4	2	1	2	1	1	2					23
	1	3	2		3	1	2	2	2	2					
	3	9	8	6	12	16	17	10	7	2					24
5	9	8	7	7	7	5	6	8	3	1	2			1	
2	1	5	5	4	4	1	2	2	4	1	1	1			25
11	11	8	8	2		1	1	2			1				
			1					1							26
	1				1				2	1					
1	1	3	3	1	1	1	3	3	2	2	1				27
2	1	2	3	4	3	4	3	4	2	2		1			
34	44	76	76	86	116	102	104	113	98	45	25	7		3	28
13	18	36	38	48	77	67	73	72	71	36	22	5		2	29
21	26	40	38	38	39	35	31	41	27	9	3	2		1	30
12	13	29	32	37	63	52	57	50	43	18	10				31
12	20	32	33	33	34	30	24	35	23	9	2	2		1	
				1	1		1	1	1						32
							1	1							
2	2	2	1	2		3	6	3	4	4	2	1			33
		2	2	3			2	1	1	1					
			2	4	2	4	6	11	16	7	8	3			34
	2					1	1	2			1				
1	3	5	3	4	11	8	3	7	7	7	2	1		1	35
7	4	6	3	2	5	4	3	2	3						
7	7	5	7	5	3	1	1	1	2	1					36
	1			3			1	1	1						37
	1														38
2															39
		3	4	2	1	1			1						40
	2		1												41
5	3	2			2					1					42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	137									4	32	32
2	Abortion	6									1	1	1
3	Childbirth.....	35										5	8
4	Puerperal septicemia.....	58									1	19	15
5	Extra-uterine pregnancy.....	3											1
6	Others of this class	35									2	7	7
7	9. Diseases of the bones and joints.....	26	1				1	2	2	2	3	1	5
8	Males.....	15	1				1	2	2	2	2		3
9	Females.....	11									1	1	2
10	Diseases of the spine.....	4	1					1	1	1	1		
11	Abscess, lumbar and psoas.....	1											1
12	Diseases of the bones.....	7					1	1	1		1		2
13	Diseases of the hip-joint.....	1								1			2
14	Others of this class.....	2											
15	10. Diseases of the skin.....	20	4			1		5				1	
16	Males.....	11	2					2				1	
17	Females.....	9	2			1		3					
18	Abscess.....	6	1					1				1	
19	Carbuncle.....	2											
20	Others of this class.....	3	1			1		1					
21	11. Diseases of the absorbent system.....	10									1		
22	Males.....	7									1		
23	Females.....	3											
24	Addison's disease.....	3									1		
25	Diseases of the spleen.....	2											
26	Others of this class.....	2											
27	12. Accidents and injuries.....	714	25	10	13	6	7	61	37	21	37	35	58
28	Males.....	534	14	7	8	2	6	37	26	16	28	29	48
29	Females.....	180	11	3	5	4	1	24	11	5	9	6	10
30	Burns and scalds.....	24		1	4	1	2	8	3	2			2
31	Drowning.....	67	1	3	3	4		11	2	3	3	1	
32	Exposure and neglect.....	4											
33	Gunshot wounds.....	21							1		1	3	3
34	Homicide.....	7					1	1	2				
35	Infantide.....	3											
36	Injuries by machinery.....	1											
37	Railroad accidents.....	80			1		1	2	5	2	7	6	5
38	Suffocation.....	11	8		1			8					1
39	Suicide by shooting.....	7	5					6					
40	Suicide by drowning.....	23											1
41	Suicide by poison.....	2									1		1
42	Other suicides.....	7											3
43	Sunstroke.....	10									2	1	1
44	Surgical operations.....	34									1	1	2
45	Wounds.....	8											1
46	Others of this class.....	3	1					1	1				
		2	1										
		6											1
		11									2	1	2
		2											
		229	5	3	2	1	1	12	5	4	13	12	25
		77	4		1			5	4			2	4

761

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	18,605	5,742	1,155	537	386	261	8,081	628	422	690	964	906
2	Males.....	9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
3	Females.....	8,869	2,477	528	244	191	135	3,575	308	203	357	517	514
4	Unknown cause.....	221	116	11	3	4		134	8	6	4	3	6
5	Males.....	122	66	6		4		76	4	3	2	2	2
6	Females.....	99	50	5	3			58	4	3	2	1	4
7	1. General diseases. General diseases—A.....	4,269	2,099	426	210	169	116	3,020	229	115	110	139	91
8	Males.....	2,217	1,140	225	109	86	54	1,614	118	57	47	74	49
9	Females.....	2,052	959	201	101	83	62	1,406	111	58	63	65	42
10	Measles..... {M..	119	33	35	17	10	4	99	13	4	1	2	
	 {F..	113	23	38	13	10	5	89	10	4	2	3	1
11	Scarlet fever..... {M..	81	7	10	12	13	8	50	16	8	2		1
	 {F..	73	8	12	9	15	10	54	17	1	1		
12	Diphtheria..... {M..	204	20	31	25	30	31	137	44	13	7	2	1
	 {F..	200	12	23	30	26	21	112	58	19	4	5	
13	Whooping cough..... {M..	101	67	16	7	3	1	94	2			1	
	 {F..	114	72	16	14	4	2	108	3				
14	Malarial fever..... {M..	33	3	1	1	1	1	7	3		3	2	4
	 {F..	18	2	1		1	1	5	2	2	1	2	
15	Influenza..... {M..	87	17	6	3	4		30	2	1	2	5	2
	 {F..	151	22	3	2	4	1	32	3	5	4	2	5
16	Typhoid fever..... {M..	205	1	2	1	3	1	8	12	16	22	49	35
	 {F..	165	1		4	4	1	10	9	19	37	30	18
17	Cholera morbus..... {M..	38	7	2	3	2		14	4	2	1	1	
	 {F..	39	5	4	3	2	1	15	3		2	1	
18	Colitis..... {M..	12	7	2				9			1		
	 {F..	6	4	1				5					
19	Diarrhea..... {M..	104	70	8	2	1		81	6	2	1	2	
	 {F..	94	62	9	1		1	73	1	1	1		
20	Dysentery..... {M..	59	28	4	5	3	1	41	1	1	1		1
	 {F..	39	17	1	1		2	21		1		1	2
21	Enteritis..... {M..	247	182	26	8	2	1	219	3	2	1	2	1
	 {F..	210	140	24	5	3	3	175	2	2	3	4	2
22	Cholera infantum..... {M..	757	661	68	18	6	2	755					
	 {F..	635	552	61	10	5	6	634					
23	Fever..... {M..												
	 {F..	4	3	1				4					
24	Cerebro-spinal fever..... {M..	68	17	11	5	7	4	44	8	5	2	4	2
	 {F..	58	17	3	7	6	7	40	2	4	4	3	3
25	Smallpox..... {M..	2										1	
	 {F..	5		1				1			1	3	
26	Erysipelas..... {M..	26	8					8				1	
	 {F..	25	5	1	1	1		8					1
27	Septicemia..... {M..	40	6		1	1		8	3	1	3	2	2
	 {F..	64	2		1	2		5	1		2	11	9
28	Venereal diseases..... {M..	11	6	1				7					
	 {F..	12	8	2				10			1		
29	Others of this group..... {M..	23		2	1			3	1	2			
	 {F..	27	4				1	5					1
30	General diseases—B.....	422	281	11	3	2	3	300	5	2	4	7	14
31	Males.....	262	170	5	2		2	179	4			2	10
32	Females.....	160	111	6	1	2	1	121	1	2	4	5	4
33	Alcoholism..... {M..	37							1				3
	 {F..	12									1		
34	Parasitic diseases..... {M..	1							1				
	 {F..	2				2		2					
35	Lead poison..... {M..	2											
	 {F..	1		1				1					
36	Other poisons..... {M..	41	3	2	2			7				2	7
	 {F..	24		1	1		1	3	1		3	4	4
37	Inanition..... {M..	181	167	3			2	172	2			1	
	 {F..	121	111	4				115		2			
38	General diseases—C.....	1,676	1,242	34	3	3	2	1,284		1	1	9	4
39	Males.....	915	717	22	2	1		742				3	2
40	Females.....	761	525	12	1	2	2	542		1	1	6	2
41	Old age..... {M..	135											
	 {F..	166											
42	Premature birth..... {M..	342	342					342					
	 {F..	229	229					229					
43	Malformation..... {M..	50	46	2				48					
	 {F..	34	32	2				34					
44	Debility and atrophy..... {M..	363	304	20	2	1		327				3	2
	 {F..	311	243	10	1	2	2	258		1	1	6	2
45	Others of this group..... {M..	25	25					25					
	 {F..	21	21					21					

763

MOTHERS BORN IN CANADA (WHITE).

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	3, 074	167	62	36	25	16	306	47	58	223	385	367
2	Males	1, 408	102	37	16	12	9	176	22	25	84	154	143
3	Females	1, 666	65	25	20	13	7	130	25	33	139	231	224
4	Anemia	{M.. 30 F.. 58	{M.. 11 F.. 12	{M.. 2 F.. 1				{M.. 11 F.. 15		2		3	8
5	Diabetes	{M.. 41 F.. 44	{M.. 1 F.. 1	2		1		{M.. 3 F.. 1	4	3		1	2
6	Rheumatism	{M.. 22 F.. 29			1		1	{M.. 2 F.. 2	1	5	2		2
7	Scrofula and tabes	{M.. 31 F.. 29	{M.. 16 F.. 4	5	1		1	{M.. 23 F.. 9	1		1	2	3
8	Hydrocephalus	{M.. 84 F.. 60	{M.. 33 F.. 20	17	6	4	3	{M.. 63 F.. 41	9	3	1	2	1
9	Tuberculosis, general	{M.. 15 F.. 19	{M.. 1 F.. 1	2	1	1		{M.. 1 F.. 5		2		1	1
10	Consumption	{M.. 898 F.. 1, 027	{M.. 29 F.. 21	11	6	6	2	{M.. 54 F.. 47	5	10	79	142	130
11	Cancer	{M.. 215 F.. 327	{M.. 1 F.. 1			1	2	{M.. 3 F.. 1	1		1	3	5
12	Tumor	{M.. 21 F.. 29	{M.. 1 F.. 3		1		1	{M.. 2 F.. 4	1			1	2
13	Dropsy	{M.. 40 F.. 32	{M.. 2 F.. 3	1		1		{M.. 4 F.. 4			1	1	
14	Others of this group	{M.. 11 F.. 12	{M.. 7 F.. 1	1	1	1		{M.. 10 F.. 3	1		1		1
15	2. Diseases of the nervous system	1, 966	549	172	77	42	34	874	77	46	41	49	39
16	Males	1, 077	336	98	52	18	18	522	39	26	24	18	22
17	Females	889	213	74	25	24	16	352	38	20	17	31	17
18	Inflammation of the brain	{M.. 40 F.. 24	{M.. 12 F.. 11	5	7	1	2	{M.. 27 F.. 13	5	1	1	1	
19	Meningitis	{M.. 321 F.. 263	{M.. 142 F.. 90	53	30	8	11	{M.. 244 F.. 179	22	15	8	5	8
20	Apoplexy	{M.. 198 F.. 181	{M.. 6 F.. 4	1		1		{M.. 8 F.. 6	1	1	1	4	4
21	Paralysis	{M.. 126 F.. 131	{M.. 3 F.. 1	1				{M.. 4 F.. 3			2	2	1
22	Paralysis, general (of insane)	{M.. 11 F.. 6											1
23	Tetanus and trismus nascentium	{M.. 14 F.. 1	{M.. 2 F.. 1			1		{M.. 3 F.. 1	2		2	2	1
24	Chorea	{M.. 1 F.. 2								1			
25	Epilepsy	{M.. 26 F.. 25	{M.. 3 F.. 2	2	2	1		{M.. 8 F.. 3	1	4	5	2	2
26	Convulsions	{M.. 195 F.. 145	{M.. 140 F.. 91	30	10	3	1	{M.. 184 F.. 126	5	2		1	1
27	Mental diseases	{M.. 26 F.. 20											3
28	Diseases of the brain	{M.. 89 F.. 57	{M.. 28 F.. 12	6	3	3	3	{M.. 43 F.. 18	2	2	3	1	3
29	Diseases of the spinal cord	{M.. 11 F.. 14	{M.. 1 F.. 1	2			1	{M.. 1 F.. 3	1		1	1	
30	Locomotor ataxia	{M.. 6 F.. 3									1		
31	Others of this class	{M.. 13 F.. 18	{M.. 1 F.. 1					{M.. 1 F.. 1				1	3
32	3. Diseases of the circulatory system	1, 216	112	2	5	4	2	125	28	38	40	42	40
33	Males	598	56	2	2	2	2	64	14	14	16	14	16
34	Females	618	56		3	2		61	14	24	24	28	24
35	Pericarditis	{M.. 5 F.. 12	{M.. 1 F.. 1		1			{M.. 2 F.. 1	1	2			1
36	Diseases of the heart	{M.. 529 F.. 540	{M.. 38 F.. 37	2	2	2	2	{M.. 46 F.. 41	13	13	15	14	14
37	Angina pectoris	{M.. 22 F.. 24										3	1
38	Diseases of the arteries	{M.. 13 F.. 10	{M.. 1 F.. 1					{M.. 1 F.. 1					
39	Aneurism	{M.. 7 F.. 8								1			
40	Embolism	{M.. 4 F.. 7									1		1
41	Others of this class	{M.. 18 F.. 17	{M.. 18 F.. 17					{M.. 18 F.. 17					

765

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
292	255	208	168	186	154	135	108	81	54	29	11	1	1	5	1
128 164	119 136	96 112	71 97	89 97	78 76	69 66	57 51	46 35	30 24	14 15	5 6	1	1	1 4	2 3
1	1		3	2	1	4	1			1					4
8	2	3	2	3	4		4	2	2						
2	2	6	4	4	4	2	1	2	1						
1	4	2	4	3	4	8	3	1	2	1					5
	1	1	1	1	1	1	1	2	1						
3	1	1	1		2	2	1	1	1	2					
	1			1				1					1		
7	1	1													7
2	1			1	1										
	1	1	1												8
1	4	1	1		2		1								
3	1	2	1												9
116 126	100 92	67 57	41 39	43 34	39 16	23 20	20 9	15 5	6 8	5 4	2 2			1 4	10
5	7	19	14	29	26	32	26	19	19	6	2				11
10	30	39	43	51	47	32	26	23	8	7	2	1			
	1	1	3	5	2	1	2								12
1	4	3	3	4			6								
1		1	4	3	2	6	5	7	3	2	1				13
4		2	1	2	2	4	1	3	3	1	2				
	1														14
1		1	2		1		1								
40	77	42	73	71	87	92	103	102	87	37	18	4	1	6	15
15 25	42 35	20 22	34 39	29 42	51 36	45 47	52 51	60 42	46 41	19 18	8 10		1	4 2	16 17
	1			2	1			1	1						18
2	1	1		1	1	2				1					
6	5	1	3		1		1	1						1	19
4	4	1	3	2		2	2					1			
	13	11	11	10	30	17	22	26	23	10	4			2	20
3	8	11	20	17	15	25	27	18	19	3	3	1			
2	8	2	7	6	8	13	24	22	14	8	4				21
4	3	5	6	12	13	10	14	20	15	9	6	2			
	2		4	1	1	1		1	1						22
1						1		2	1						
	1		1	1	1										23
															24
		1							1						
	2	1	1			1									
	3		1	2	2	1	1		1	1					25
															26
3	2		1					1						1 2	
3	6	2	1	1	1	4	3	1	1						27
3	2	2	1	1	1	1	2	1	3	2	1				
3	2	2	1	6	6	5		4	5	1					28
2	4	2	5	3	2	4	2	1		1					
	1		1	1		3	1	1							29
	3		1	1		1	2								
	1		2	1	1										30
	1									1					
1		2	2		2	1	1	2	1				1		31
3	4			3	1		1		1						
46	71	68	64	92	84	92	131	99	80	51	17	5	2	1	32
16 30	29 42	33 35	32 32	42 50	45 39	46 46	78 53	58 41	43 37	24 27	10 7	3 2	1 1		33 34
	1			1	1	1	1	1		2					35
16 26	26 40	28 33	31 27	38 44	41 35	40 40	71 47	52 39	39 34	20 20	9 5	2 2	1 1		36
	1	2		3	4	4	2	3	2						37
1		1	1	3	1	4	2	2	2	2	1				
				1		1	2	1	2	4	1	1			38
				2						3	1				
	1	3	1			1	1								39
2	1		1		2		1								
	1						1	1							40
1		1	3						1						
															41

767

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
88	81	71	87	82	75	94	102	77	48	28	15	5	3	8	1
41	45	43	52	46	32	38	47	35	24	14	7	2	2	3	2
47	36	28	35	36	43	56	55	42	24	14	8	3	1	5	3
						1									4
32	38	35	34	39	21	23	31	17	13	9	4		1	3	5
33	29	20	20	27	34	44	39	31	13	7	7	1	1	3	
1				1			1								6
1	1														
4	1		4	3	4	6	5	10	7	4	2	1	1		7
5	1	2	8	4	5	6	9	6	7	6	1	1		1	
4	1	3	7		4	2	1		1			1			8
1	3	2	1	1				1	1						
		3	3			1	2		2						9
1		1	1	1	1	1	1		1						
	5	2	4	3	3	5	7	6	1	1	1				
6	2	3	5	3	3	5	6	4	2			1		1	10
50	58	38	48	39	37	36	37	36	28	11	6	1		4	11
20	24	20	22	16	22	17	22	21	11	6	6	1		2	12
30	34	18	26	23	15	19	15	15	17	5				2	13
															14
								2							15
									1						
2	4	1	2	1	5	2	4	2	1	1	3			1	16
3	5	5	3	2	2		2	2	3						
	1	1	4	1	2	2	3	1			1				17
3	4	1	1	1	1	1	2	1							
2	1	3		1		3	1		3						18
1	1	1	3		2	1	2	4	1	2					
10	4	1	4		1	1									19
2	3	3	3				1	1							
	2			1	2	1	2	4	1	3	1				20
	1	1	1	2	2	1	1	2							
1			1			1									21
1			2			2									
	1		1	1	2	1	1	2	2	1	1			1	22
1	3		1	3	1	2	3	1	1						23
2		2	3	1	1	5			2	1					
2	6	9	4	9	8	4	7	4	2						24
4	3	1	5	4	3	3	1	3	5			1			
2	1	5	5		3	1	1	1							25
12	14	6	3	10		4	2		2	1					
															26
	2		1				1		2	1				1	27
2	2	1	1	2	2	1		2	1						
39	42	37	49	47	55	59	58	50	42	11	8	1	3	2	28
14	16	16	25	23	35	42	40	40	30	7	6		3	2	29
25	26	21	24	24	20	17	18	10	12	4	2	1			30
11	13	14	17	19	27	28	25	24	20	4	4		2	2	31
23	20	15	20	17	19	16	16	9	12	4	2	1			
								1							32
2	2		1	2	4	1	4	1	2		1				33
		3	2	1			2								
				1	3	4	4	9	5	2	1		1		34
1	1	2	7	1	1	9	7	5	3	1					35
2	6	3	2	6	1	1		1							
8	9	9	8	1	2										36
1	1		1		2										37
	1														38
2		2	1												39
	1	6	3												40
3		1		1											41
2	6		3												

769

MOTHERS BORN IN CANADA (WHITE)—Continued.

PART II—VITAL STAT—49

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	6,095	1,437	449	172	125	94	2,277	254	124	180	302	356
2	Males.....	3,424	835	232	102	65	42	1,276	127	49	93	137	193
3	Females.....	2,671	602	217	70	60	52	1,001	127	75	87	165	163
4	Unknown cause.....	63	24	5	1	1	1	32	1	1	1	4	4
5	Males.....	29	8	3	1	1		13	1				3
6	Females.....	34	16	2			1	19		1	1	4	1
7	1. General diseases.												
8	General diseases—A.....	1,304	451	175	70	50	40	786	123	37	31	54	45
9	Males.....	692	255	88	45	28	16	432	58	14	11	24	29
10	Females.....	612	196	87	25	22	24	354	65	23	20	30	16
11	Measles..... {M..	36	8	12	4	4	2	30	6				
12	Scarlet fever..... {F..	30	3	10	3	4	3	23	7				
13	Diphtheria..... {M..	39	1	4	9	5	1	20	12	4		1	1
14	Whooping cough..... {F..	28	2	1		3	4	10	15	1			
15	Malarial fever..... {M..	85	8	12	18	12	5	55	26	2			1
16	Influenza..... {F..	90	5	14	11	10	13	53	29	6	1		
17	Typhoid fever..... {M..	37	23	11		2		36	1				
18	Cholera morbus..... {F..	42	20	11	6		1	38	1	3			
19	Colitis..... {M..	3		1				1	1		1	1	1
20	Diarrhea..... {F..	6											
21	Dysentery..... {M..	22	5	1	1			7	1				1
22	Enteritis..... {F..	24	6					6		1			3
23	Cholera infantum..... {M..	116		1	1		3	4	5	6	8	21	19
24	Fever..... {F..	90		1	1			2	4	6	13	22	8
25	Cerebro-spinal fever..... {M..	10	5	1	1			7				1	
26	Smallpox..... {F..	12	3	3				6	3				
27	Erysipelas..... {M..	2	2	1				2					
28	Septicemia..... {F..	2	1					2					
29	Venereal diseases..... {M..	16	6				2	8					
30	Others of this group..... {F..	16	7					7	2	1			
31	General diseases—B.....	132	62	4	1	2	1	70			2	2	7
32	Males.....	82	31	2	1	2		36				1	3
33	Females.....	50	31	2			1	34			2	1	4
34	Alcoholism..... {M..	25										1	1
35	Parasitic diseases..... {F..	2											
36	Lead poison..... {M..	1	1		1			1					
37	Other poisons..... {F..	1											
38	Inanition..... {M..	24	1	2		2		5					2
39	General diseases—C.....	381	253	8	1			262	2		1		
40	Males.....	210	156	2	1			159	1				
41	Females.....	171	97	6				103	1		1		
42	Old age..... {M..	41											
43	Premature birth..... {F..	61											
44	Malformation..... {M..	73	73	1				73					
45	Debility and atrophy..... {F..	49	49	1	1			49					
46	Others of this group..... {M..	13	12					13					
47		10	9					10					
48		76	64	1				66	1		1		
49		46	34	5				39	1				
50		7	7					7					
51		5	5					5					

771

MOTHERS BORN IN SCANDINAVIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
409	395	308	278	243	202	158	175	159	130	90	37	5	1	12	1
221 188	226 169	186 122	196 82	168 75	144 58	108 50	86 89	76 83	67 63	46 44	12 25	4 1	1	9 3	2 3
1	2	1	2	2	1	3	2	4		2					4
1	1 1	1	2	1 1	1	3	1 1	2 2		1 1					5 6
55	54	20	19	13	15	4	18	10	7	4	6		1	2	7
29 26	27 27	13 7	15 4	10 3	9 6	2 2	5 13	5 5	5 2	3 1	6		1	1 1	8 9
															10
	1 1							1							11
	1			1											12
															13
	1	1			1										14
3	2	3 1	1 1	1	2	1	1 3	2 2	2	1	1				15
24 18	15 12	3 2	5 2	3 1	1	1			1						16
		1			1		1								17
				1	1										18
		1 1		2	1 1	1	1		1	1			1	1 1	19
	3 1	1	2	1			1 7		1	1					20
2	1		2	2	2		1	1			1				21
2	2	1				1		2			1				22
															23
1	1		1				1								24
															25
	1				2										26
1 4	3 7	3 1	3	1				1							27
		1	1		1										28
	1 1		1		1		1 1	1	1	1	3				29
9	8	6	8	7	1	2	4	3	2					1	30
6 3 4 1	6 2 5 1	5 1 3	7 1 4	6 1 3	1 1	2	4	2 1	2					1	31 32
															33
															34
															35
2 2	1 1	2 1	3 1	3 1		2	2	2							36
									1					1	37
	2	2	2	2		3	3	18	29	34	18	3			38
	1 1	1 1	2	2		2 1	3	6 12	15 14	14 20	5 13	2 1			39 40
						2 1	2	6 11	14 14	12 20	5 12	2 1			41
															42
															43
	1 1	1 1	2	2			1		1	2					44
											1				45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	1,203	38	35	13	8	7	101	27	17	70	111	145
2	Males.....	625	19	14	9	4	5	51	11	4	35	38	70
3	Females.....	578	19	21	4	4	2	50	16	13	35	73	75
4	Anemia..... {M.....	6		1				1	1				
	{F.....	12	1					1	1	1			2
5	Diabetes..... {M.....	11									1		
	{F.....	5									1	1	
6	Rheumatism..... {M.....	12							1				
	{F.....	13	1					1	2	1	1	1	
7	Scrofula and tabes..... {M.....	8			1			1			1		1
	{F.....	7	4					4		1		1	
8	Hydrocephalus..... {M.....	41	7	9	5	3	2	26	4	1	4	1	2
	{F.....	35	12	12	3	2	1	30	4		1		
9	Tuberculosis, general..... {M.....	9	1	1				2			2	1	1
	{F.....	8		1				1		2	2	1	1
10	Consumption..... {M.....	448	11	3	3	1	3	21	5	3	25	36	65
	{F.....	389	1	6	1	2	1	11	6	7	27	66	68
11	Cancer..... {M.....	71									1		
	{F.....	82										2	3
12	Tumor..... {M.....	6											1
	{F.....	12		1				1	1		3		
13	Dropsy..... {M.....	8											
	{F.....	9							1				1
14	Others of this group..... {M.....	5									1		
	{F.....	6		1				1	1	1		1	
15	2. Diseases of the nervous system.....	563	179	54	16	11	16	276	15	9	8	10	12
16	Males.....	328	103	26	7	4	8	148	9	3	6	6	8
17	Females.....	235	76	28	9	7	8	128	6	6	2	4	4
18	Inflammation of the brain..... {M.....	11	3	2	1		1	7	1			1	
	{F.....	3		1				1	1	1			
19	Meningitis..... {M.....	85	32	14	5	1	4	56	4	2	5	2	2
	{F.....	75	32	12	5	5	6	60	4	4		1	2
20	Apoplexy..... {M.....	78	4					4					1
	{F.....	43	1	1				2				1	1
21	Paralysis..... {M.....	24							1				
	{F.....	20	1		1			2					
22	Paralysis, general (of insane)..... {M.....	4											2
	{F.....												
23	Tetanus and trismus nascentium..... {M.....	5							2			1	
	{F.....	7	2	2				4		1		1	
24	Chorea..... {M.....	1				1		1					
	{F.....	1		1				1					
25	Epilepsy..... {M.....	6	1	1				2			1	1	1
	{F.....	3	2					2			1		
26	Convulsions..... {M.....	74	59	7	1	2	1	70	1			1	
	{F.....	54	36	9	3		2	50	1				
27	Mental diseases..... {M.....	5											1
	{F.....	7											
28	Diseases of the brain..... {M.....	22	4	2			1	7					
	{F.....	19	1	2		2		5			1	1	
29	Diseases of the spinal cord..... {M.....	6					1	1					1
	{F.....	2	1					1					
30	Locomotor ataxia..... {M.....	3											
	{F.....												
31	Others of this class..... {M.....	4								1			1
	{F.....	1											
32	3. Diseases of the circulatory system.....	338	27	3	1	1	2	34	10	17	15	9	10
33	Males.....	188	16	1	1	1	1	20	6	5	9	5	4
34	Females.....	150	11	2			1	14	4	12	6	4	6
35	Pericarditis..... {M.....	11							2	1	2	1	
	{F.....	5							1		1		
36	Diseases of the heart..... {M.....	161	12	1	1	1	1	16	4	4	7	4	4
	{F.....	134	8	2			1	11	3	12	5	4	4
37	Angina pectoris..... {M.....	4											
	{F.....	1											
38	Diseases of the arteries..... {M.....	1											
	{F.....	3											
39	Aneurism..... {M.....	5											
	{F.....												
40	Embolism..... {M.....	2											
	{F.....	3											2
41	Others of this class..... {M.....	4	4					4					
	{F.....	4	3					3					

775

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	63									2	16	14
2	Abortion	7										3	2
3	Childbirth	13										2	3
4	Puerperal septicemia	34									2	9	8
5	Extra-uterine pregnancy												
6	Others of this class	9										2	1
7	9. Diseases of the bones and joints	20		1				1	6	3		2	
8	Males	12										2	
9	Females	8		1				1	4	1			
10	Diseases of the spine {M.....	5							2	1		1	
	{F.....	4							2				
11	Abscess, lumbar and psoas {M.....												
	{F.....												
12	Diseases of the bones {M.....	3							1				
	{F.....	1		1				1					
13	Diseases of the hip-joint {M.....	2							1			1	
	{F.....	2								1			
14	Others of this class {M.....	2											
	{F.....	1								1			
15	10. Diseases of the skin	7	3					3				1	1
16	Males	5	3					3					1
17	Females	2										1	
18	Abscess {M.....	4	3					3					1
	{F.....												
19	Carbuncle {M.....												
	{F.....												
20	Others of this class {M.....	1											
	{F.....	2										1	
21	11. Diseases of the absorbent system	2											
22	Males	2											
23	Females												
24	Addison's disease {M.....	1											
	{F.....												
25	Diseases of the spleen {M.....	1											
	{F.....												
26	Others of this class {M.....												
	{F.....												
27	12. Accidents and injuries	389	19	10	6	11	4	50	17	11	16	35	35
28	Males	332	12	9	4	6	3	34	13	9	15	27	28
29	Females	57	7	1	2	5	1	16	4	2	1	8	7
30	Burns and scalds {M.....	20	2	3	3	2	1	11	1				
	{F.....	20		1	2	5	1	9	2	2			2
31	Drowning {M.....	59		2		2	1	5	9	5	4	5	3
	{F.....	1											1
32	Exposure and neglect {M.....	1	1					1					
	{F.....	1	1					1					
33	Gunshot wounds {M.....	14	1					1		1	2	4	1
	{F.....	2									1	1	
34	Homicide {M.....	4											2
	{F.....	2											1
35	Infanticide {M.....												
	{F.....												
36	Injuries by machinery {M.....	2									1		
	{F.....												
37	Railroad accidents {M.....	45			1			1		2	4	4	1
	{F.....	3										1	1
38	Suffocation {M.....	8	4	1				5			1		
	{F.....	5	3					3	1			1	
39	Suicide by shooting {M.....	12										2	1
	{F.....	1											
40	Suicide by drowning {M.....	1											
	{F.....												
41	Suicide by poison {M.....	8											1
	{F.....	1										1	
42	Other suicides {M.....	25											1
	{F.....	5										1	1
43	Sunstroke {M.....	1											
	{F.....												
44	Surgical operations {M.....												
	{F.....	2											
45	Wounds {M.....	5											1
	{F.....												
46	Others of this class {M.....	127	4	3		2	1	10	3	1	2	12	17
	{F.....	14	3					3	1			3	1

CAUSE, AND BIRTHPLACES OF MOTHERS.

777

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15	11	4	1												1
1	1														2
3	4	1													3
9	4	1	1												4
															5
2	2	2													6
	3		3				1	1							7
	1		3					1							8
	2						1								9
	1		1				1								10
															11
	1		1												12
	1														13
			1					1							14
	1	1													15
		1													16
	1														17
															18
															19
		1													20
	1														21
1			1												22
1			1												23
			1												24
1															25
															26
45	43	37	20	27	16	14	12	2	2	4				3	27
40	38	34	20	26	16	12	11	2	1	3				3	28
5	5	3		1		2	1		1	1					29
1		2	2	2			1								30
	3	1		1											31
8	8	5	2	4	1										32
															33
2		1	1			1									34
2						1									35
	1														36
7	7	7	2	3	4	2			1					1	37
1						1									38
1		1	1	2	4										39
1				1											40
		1	1	3			2								41
	7	4	3	2	3	2	2		1						42
	1	1								1					43
1															44
	1	1													45
2						1									46
15	15	13	8	9	4	5	6	2		3				2	46
4						1	1								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	4,386	391	101	48	38	22	600	83	34	79	111	157
2	Males.....	2,338	232	55	26	20	10	343	45	16	32	59	75
3	Females.....	2,048	159	46	22	18	12	257	38	18	47	52	82
4	Unknown cause.....	31	3	2				5		1		1	1
5	Males.....	14	3	1				4					
6	Females.....	17		1				1		1		1	1
7	1. General diseases. General diseases—A.....	566	110	39	18	20	9	196	44	11	14	15	17
8	Males.....	267	60	19	7	10	4	100	25	4	5	8	11
9	Females.....	299	50	20	11	10	5	96	19	7	9	7	6
10	Measles..... (M..... (F.....	9 7	1 4	2		1		4 6	5 1				
11	Scarlet fever..... (M..... (F.....	12 14	1 1	1	1			3 6	6 6				2
12	Diphtheria..... (M..... (F.....	23 31	2 1	1 5	3 4	6 5	3 4	15 19	7 9	1 1		2	
13	Whooping cough..... (M..... (F.....	7 11	1 6	4 4	1	1		7 11					
14	Malarial fever..... (M..... (F.....	10 9			1			1		1		1	1 2
15	Influenza..... (M..... (F.....	31 47		1	1			1 2	1		1	1	
16	Typhoid fever..... (M..... (F.....	32 23		1				1		2 3	3 4	6 4	2 2
17	Cholera morbus..... (M..... (F.....	5 6	1					1	1		1		1
18	Colitis..... (M..... (F.....	3 4	1	1				2					
19	Diarrhea..... (M..... (F.....	11 18	1					1	1			1	
20	Dysentery..... (M..... (F.....	8 17	2		1	1		2 2					
21	Enteritis..... (M..... (F.....	42 58	24 16	4 6			1	28 23	3 1				1 1
22	Cholera infantum..... (M..... (F.....	30 21	23 18	4 3	1	2		30 21					
23	Fever..... (M..... (F.....	2	1					1					
24	Cerebro-spinal fever..... (M..... (F.....	13 7	2 1	1 1	1			4 2	1 1	1	1	1	1 1
25	Smallpox..... (M..... (F.....	2											
26	Erysipelas..... (M..... (F.....	7 4											1
27	Septicemia..... (M..... (F.....	12 7		1				1	1				1
28	Venereal diseases..... (M..... (F.....	3 2	1					1				1	
29	Others of this group..... (M..... (F.....	5 13					1	1					1
30	General diseases—B.....	73	26				2	28			1	2	
31	Males.....	47	19				1	20				2	
32	Females.....	26	7				1	8			1		
33	Alcoholism..... (M..... (F.....	19 8											
34	Parasitic diseases..... (M..... (F.....	1					1	1					
35	Lead poison..... (M..... (F.....												
36	Other poisons..... (M..... (F.....	7 6	1					1 1			1	2	
37	Inanition..... (M..... (F.....	20 12	18 7					18 7					
38	General diseases—C.....	344	104					104				1	
39	Males.....	163	69					69					
40	Females.....	181	35					35				1	
41	Old age..... (M..... (F.....	84 130											
42	Premature birth..... (M..... (F.....	29 20	29 20					29 20					
43	Malformation..... (M..... (F.....	4 4	4 4					4 4					
44	Debility and atrophy..... (M..... (F.....	40 24	30 9					30 9				1	
45	Others of this group..... (M..... (F.....	6 3	6 2					6 2					

779

MOTHERS BORN IN SCOTLAND (WHITE).

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	851	19	3	3	5	3	33	8	6	24	43	56
2	Males.....	443	9	2	3	3	1	18	3	4	6	22	20
3	Females.....	408	10	1		2	2	15	5	2	18	21	36
4	Anemia.....	6 11											
5	Diabetes.....	21 13			1			1	1	2			
6	Rheumatism.....	6 13										1	
7	Scrofula and tabes.....	2 4											
8	Hydrocephalus.....	11 12	5 7	1 1	1	2 1	1	9 10		1			
9	Tuberculosis, general.....	2 4						1					2
10	Consumption.....	287 192	3 1	1	1		1	6 3	2 3	1 2	6 15	22 18	18 31
11	Cancer.....	90 137						1			1	1	2 2
12	Tumor.....	10 12									1	1	
13	Dropsy.....	4 10											
14	Others of this group.....	4	1			1		2					
15	2. Diseases of the nervous system.....	571	44	18	12	2	1	77	3	2	6	6	8
16	Males.....	321	20	11	8		1	40	2		4	4	5
17	Females.....	250	24	7	4	2		37	1	2	2	2	3
18	Inflammation of the brain.....	3 2	1		1			1	1				
19	Meningitis.....	30 28	3 7	5 6	5 1	2		13 16	1 1		2 2	1	2
20	Apoplexy.....	134 113		1				1 1			1	1	1
21	Paralysis.....	67 41	1 1					1 1					1
22	Paralysis, general (of insane).....	6 5											
23	Tetanus and trismus nascentium.....	1 1	1					1					
24	Chorea.....												
25	Epilepsy.....	6 2										1	
26	Convulsions.....	19 18	11 12	5	3 2			19 14				1	1
27	Mental diseases.....	16 6										1	
28	Diseases of the brain.....	23 30	3 3		1			3 4		1	1		2
29	Diseases of the spinal cord.....	7 2											1
30	Locomotor ataxia.....	2											
31	Others of this class.....	7 2					1	1					
32	3. Diseases of the circulatory system.....	477	9	1				10	3	1	6	4	14
33	Males.....	267	4					4	1	1	3	3	8
34	Females.....	210	5	1				6	2		3	1	6
35	Pericarditis.....	4 1											1
36	Diseases of the heart.....	237 190	3 2		1			3 3	1 2	1	3 3	3 1	7 6
37	Angina pectoris.....	15 6											
38	Diseases of the arteries.....	7 4											
39	Aneurism.....	2 4											
40	Embolism.....	1 2											
41	Others of this class.....	1 3	1 3					1 3					

781

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

783

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	25										2	5
2	Abortion	3											1
3	Childbirth	10											1
4	Puerperal septicemia	10											2
5	Extra-uterine pregnancy	1											1
6	Others of this class	4										2	
7	9. Diseases of the bones and joints	12		1		1		2	2				
8	Males	6		1				1	2				
9	Females	6				1		1					
10	Diseases of the spine..... {M.....	2								1			
	{F.....	3				1		1					
11	Abscess, lumbar and psoas..... {M.....	1											
	{F.....												
12	Diseases of the bones..... {M.....												
	{F.....												
13	Diseases of the hip-joint..... {M.....	1							1				
	{F.....												
14	Others of this class..... {M.....	2		1				1					
	{F.....	3											
15	10. Diseases of the skin.....	13	1	1				2	1	1			
16	Males.....	8	1	1				2					
17	Females.....	5							1	1			
18	Abscess..... {M.....	6											
	{F.....	4							1	1			
19	Carbuncle..... {M.....												
	{F.....												
20	Others of this class..... {M.....	2	1	1				2					
	{F.....	1											
21	11. Diseases of the absorbent system	4											
22	Males.....												
23	Females.....	4											
24	Addison's disease..... {M.....	1											
	{F.....												
25	Diseases of the spleen..... {M.....	1											
	{F.....												
26	Others of this class..... {M.....	2											
	{F.....												
27	12. Accidents and injuries.....	230	11	1	3	2	2	19	7	3	9	13	17
28	Males.....	166	7	1	2	1	1	12	5	2	7	10	13
29	Females.....	64	4		1	1	1	7	2	1	2	3	4
30	Burns and scalds..... {M.....	13	1	1	1	1	1	5	1				
	{F.....	8			1		1	2			1		
31	Drowning..... {M.....	25							1	1	6	4	2
	{F.....	6							1	1	1		
32	Exposure and neglect..... {M.....	3											1
	{F.....												
33	Gunshot wounds..... {M.....	6											1
	{F.....	1										1	
34	Homicide..... {M.....	1				1		1					
	{F.....	1											
35	Infanticide..... {M.....												
	{F.....	1	1					1					
36	Injuries by machinery..... {M.....												
	{F.....												
37	Railroad accidents..... {M.....	25							1	1		2	2
	{F.....	4											
38	Suffocation..... {M.....	10	4					4				1	
	{F.....	3	2					2					1
39	Suicide by shooting..... {M.....	7										2	
	{F.....	1											
40	Suicide by drowning..... {M.....	2											
	{F.....												
41	Suicide by poison..... {M.....	7											
	{F.....	4										1	1
42	Other suicides..... {M.....	10											
	{F.....	1											
43	Sunstroke..... {M.....	2											
	{F.....	1											
44	Surgical operations..... {M.....												
	{F.....	3											
45	Wounds..... {M.....	3											1
	{F.....	1											
46	Others of this class..... {M.....	52	2		1			3	2		1	1	6
	{F.....	29	1					1	1			1	2

CAUSE, AND BIRTHPLACES OF MOTHERS.

785

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	6	4	1												1
1		1													2
3	3	2	1												3
5	3														4
															5
1		1													6
	1	1	1		1	1	1	1	1						7
	1							1	1						8
		1	1		1	1	1								9
			1			1			1						10
	1														11
															12
															13
		1			1		1	1							14
	1	2	1	1		2	1		1						15
	1	1		1		2	1								16
		1	1						1						17
	1	1		1		2	1								18
		1	1												19
															20
	1	1		1					1						21
										1					22
	1	1		1											23
	1														24
				1											25
															26
		1								1					27
20	23	19	28	12	16	8	5	8	8	7	4	1	2	1	28
16	20	15	21	10	11	4	4	5	4	2	3	1		1	29
4	3	4	7	2	5	4	1	3	4	5	1		2		30
	2		3		1			1							31
	1		3			1									32
5	1	1	3			1	1								33
1		1													34
			1						1						35
	2	2	1												36
	1														37
															38
															39
															40
															41
1	1	1	1	3											42
				1	1										43
	3	1	1		3			1							44
			1												45
				1					1						46
															47
1			1			1									48
	1		1												49
															50
5	6	3	6	2	1										51
2	2	1	1	2	6	1	1	2	3	2	3	1	2	1	52

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,501	3,542	1,519	565	305	172	6,103	335	136	227	318	331
2	Males.....	5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
3	Females.....	4,073	1,560	715	269	142	93	2,779	163	64	100	138	121
4	Unknown cause	44	17	4	3		1	25	2	1	1	1	5
5	Males.....	24	11	3	1			15	1				3
6	Females.....	20	6	1	2		1	10	1	1	1	1	2
7	1. General diseases. General diseases—A	2,192	1,050	449	176	98	48	1,821	104	28	28	31	27
8	Males.....	1,170	553	241	97	50	22	963	49	11	16	18	22
9	Females.....	1,022	497	208	79	48	26	858	55	17	12	13	5
10	Measles..... {M..	152	35	74	24	12	3	148	3				
	{F..	139	36	62	25	8	4	135	4				
11	Scarlet fever	45	6	8	8	5	3	30	11	2	1	1	
	{F..	27	1	8	5	4	4	22	4	1			
12	Diphtheria	123	14	32	32	19	7	104	13	2	1		
	{F..	103	14	21	19	21	7	82	20			1	
13	Whooping cough	43	22	16	4	1		43					
	{F..	54	25	12	8	5	3	53	1				
14	Malarial fever	21	5	1	1	1		8	2		1	1	2
	{F..	13		1	2	2	1	6	2	1	1		1
15	Influenza	30	9	3	2	1		15	1	1		2	2
	{F..	25	8	2	2			12	1		2		
16	Typhoid fever	57	2	2		1	1	6	1		9	11	12
	{F..	40		4	2	1	1	8	5	3	6	7	1
17	Cholera morbus	9	3	1				4	1	2			
	{F..	14	4	2	1	1	1	9	2				
18	Colitis	10	8	1	1			10					
	{F..	8	5	1				6			1		
19	Diarrhea	67	46	11	4	1		62	2				
	{F..	60	37	13		1	1	52	1	3			
20	Dysentery	22	4	1	2	1	1	9	1	1	1		1
	{F..	20	9	6		1		16	1				
21	Enteritis	305	207	58	10	4	4	283	4	3	1	2	3
	{F..	262	183	41	8	2	4	238	6	3	1		
22	Cholera infantum	176	142	28	4	1	1	176					
	{F..	164	130	29	4	1		164					
23	Fever..... {M..	1											
	{F..	1											
24	Cerebro-spinal fever.....	28	10	5	3	2	1	21	7				
	{F..	24	9	2	2			13	5	5			1
25	Smallpox	1		1				1					
	{F..	1											
26	Erysipelas	35	20		1			21			1		
	{F..	32	20		1	1		22	1			1	
27	Septicemia	18	2				1	3	3			1	1
	{F..	21	5	1				6	2	1		4	2
28	Veneral diseases.....	22	16		1	1		18					
	{F..	12	10	1				11			1		
29	Others of this group.....	5	2					2					1
	{F..	2	1	1				2					
30	General diseases—B	113	91	1	3	1		96	2				2
31	Males.....	69	54	1	2			57	1				1
32	Females.....	44	37		1	1		39	1				1
33	Alcoholism	2						1					
	{F..	1			1								
34	Parasitic diseases.....	1			1			1					
	{F..												
35	Lead poison	1	1					1					
	{F..												
36	Other poisons	11			1			1	1				
	{F..	4				1		1	1				1
37	Inanition	55	54	1				55					
	{F..	38	36					36					
38	General diseases—C	566	484	23	3	5	4	519	1		2		
39	Males.....	331	289	9	2	3	2	305	1		2		
40	Females.....	235	195	14	1	2	2	214					
41	Old age..... {M..	14											
	{F..	19											
42	Premature birth.....	137	137					137					
	{F..	93	93					93					
43	Malformation	22	22					22					
	{F..	16	16					16					
44	Debility and atrophy.....	133	105	9	2	3	2	121	1		2		
	{F..	98	77	14	1	2	2	96					
45	Others of this group.....	25	25					25					
	{F..	9	9					9					

CAUSE, AND BIRTHPLACES OF MOTHERS.

787

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
323	345	275	244	220	193	123	110	91	59	37	14	3	6	8	1
199	231	179	177	156	124	85	70	50	32	21	10	2	1	6	2
124	114	96	67	64	69	38	40	41	27	16	4	1	5	2	3
2	5	1								1					4
1	4	1								1					5
1	1														6
27	29	24	17	14	13	6	14	4	3	1				1	7
15	17	17	8	10	6	3	9	3	2	1					8
12	12	7	9	4	7	3	5	1	1					1	9
							1								10
															11
1	1							1							12
															13
1		1		2	2				1						14
1							1								15
1	1	2	1	2	1	4		1	1					1	16
6	5	4	2	1											17
3	2	2	2			1									18
	1	1		1											19
			2												20
1					2		2								21
1	2	2	4	2	1	1	3	1		1					22
															23
1		1													24
															25
1															26
3	3	1	1	2	1	1	1								27
1	5	2													28
1	4	3			1		1								29
3	1	1	1												30
	2	1			1										31
															32
															33
															34
															35
2	1	2		3		1									36
					1										37
	1			1											38
2		1			1	2	5	9	9	6	5	1	3		39
2		1			1	1	2	5	3	3	3	1	1		40
							3	4	6	3	2		2		41
							2	4	2	1	3	1	1		42
						1	3	2	6	3	2		2		43
															44
															45
2		1			1	1		1	1	2					46
								2							47

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN ITALY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	834	76	54	27	16	9	182	28	25	82	88	76
2	Males.....	472	43	31	17	7	5	103	12	10	43	47	37
3	Females.....	362	33	23	10	9	4	79	16	15	39	41	39
4	Anemia.....{M..	8	2	1				3			1		2
	{F..	4			1			1	1			1	
5	Diabetes.....{M..	8			1			2				2	
	{F..	4	1										
6	Rheumatism.....{M..	7	1					1			1		1
	{F..	9	2			1		3		1	2		
7	Scrofula and tabes.....{M..	9	3	2				5	1	1		1	
	{F..	6		3	1		1	5	1				
8	Hydrocephalus.....{M..	52	19	13	5	1	3	41	6	2	2		
	{F..	43	16	10	3	5	1	35	7		1		
9	Tuberculosis, general.....{M..	16	1	4	4	1	1	11			1		
	{F..	10	6	1				7	1	1	1		
10	Consumption.....{M..	312	11	11	8	4	1	35	5	5	37	44	32
	{F..	216	6	9	3	3	2	23	6	13	35	38	36
11	Cancer.....{M..	46								1	1		2
	{F..	60										2	3
12	Tumor.....{M..	4	1					1					
	{F..	5											
13	Dropsy.....{M..												
	{F..	2											
14	Others of this group.....{M..	10	5			1		6		1			
	{F..	3	2		1			3					
15	2. Diseases of the nervous system.....	771	297	103	40	23	17	480	37	18	10	13	23
16	Males.....	469	183	56	25	11	5	280	23	12	6	8	18
17	Females.....	302	114	47	15	12	12	200	14	6	4	5	5
18	Inflammation of the brain.....{M..	5		1			1	2	1				1
	{F..	6		1	2			3	1				
19	Meningitis.....{M..	201	79	44	19	9	3	154	15	7	1	3	6
	{F..	139	52	31	9	9	10	111	11	4	1	4	1
20	Apoplexy.....{M..	69			1			1				1	4
	{F..	40	1		1			2		1			1
21	Paralysis.....{M..	11											2
	{F..	6		1	1			2	1				
22	Paralysis, general (of insane).....{M..	2											
	{F..	2											
23	Tetanus and trismus nascentium.....{M..	24	6	1	1			8	3	2	1		2
	{F..	6	5					5					
24	Chorea.....{M..												
	{F..												
25	Epilepsy.....{M..	9	3		1			4		1		1	1
	{F..	4				1		1					1
26	Convulsions.....{M..	108	88	9	3	1	1	102	2	2	1		
	{F..	74	52	13	1	1	2	69			2		
27	Mental diseases.....{M..	8										2	
	{F..	9								1			1
28	Diseases of the brain.....{M..	22	4	1		1		6	2		2	1	
	{F..	10	2	1	1			4	1		1		
29	Diseases of the spinal cord.....{M..	5	1					1			1		1
	{F..	3	1			1		2					1
30	Locomotor ataxia.....{M..	3	1					1				1	
	{F..	1											
31	Others of this class.....{M..	2	1					1					1
	{F..	2	1					1					
32	3. Diseases of the circulatory system.....	355	44	3	1		1	49	17	11	14	8	21
33	Males.....	221	28	1	1			30	7	3	8	5	11
34	Females.....	134	16	2			1	19	10	8	6	3	10
35	Pericarditis.....{M..	6							1	1			1
	{F..	4					1	1					
36	Diseases of the heart.....{M..	189	15	1	1			17	6	2	8	5	9
	{F..	121	13	2				15	9	8	5	2	10
37	Angina pectoris.....{M..	7											
	{F..	3							1				
38	Diseases of the arteries.....{M..	1											
	{F..												
39	Aneurism.....{M..	4											1
	{F..	1											
40	Embolism.....{M..	2	1					1				1	
	{F..	2											
41	Others of this class.....{M..	12	12					12					
	{F..	3	3					3					

789

MOTHERS BORN IN ITALY (WHITE)—Continued.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN ITALY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	3,278	1,320	844	269	120	63	2,616	84	25	32	58	52
2	Males.....	1,845	728	443	131	65	29	1,396	45	16	20	38	36
3	Females.....	1,433	592	401	138	55	34	1,220	39	9	12	20	16
4	Croup.....	{M.. 49 F.. 38	{10 7	{16 14	{10 6	{9 4	{2 4	{47 35	{2 2		{1 1		
5	Pneumonia.....	{M.. 1,293 F.. 936	{430 333	{328 281	{95 100	{45 41	{21 23	{919 778	{36 29	{13 8	{18 7	{33 18	{32 15
6	Laryngitis.....	{M.. 14 F.. 10	{2 1	{5 3	{2 3	{1 1		{10 8	{2 2				
7	Bronchitis.....	{M.. 418 F.. 398	{263 227	{86 97	{22 28	{9 9	{4 4	{384 365	{4 2	{1 1	{2 3	{3 1	{1 1
8	Pleurisy.....	{M.. 26 F.. 9	{3 4	{5 1	{2 1	{1 1		{12 6		{1 1		{2 1	{1 1
9	Asthma.....	{M.. 3 F.. 3	{1 1					{1 1					
10	Others of this class.....	{M.. 42 F.. 39	{20 19	{3 5			{1 2	{24 27	{1 3	{1 1		{1 1	{3 1
11	5. Diseases of the digestive system.....	350	110	20	5	2	3	140	12	8	12	14	16
12	Males.....	207	64	7	3	2	3	79	8	6	7	8	11
13	Females.....	143	46	13	2			61	4	2	5	6	5
14	Dentition.....	{M.. 7 F.. 11	{5 8	{2 2				{7 11					
15	Angina.....	{M.. 5 F.. 2	{2 1	{1 1				{4 2			{1 1		
16	Gastritis.....	{M.. 24 F.. 30	{13 13				{1 1	{14 20		{2 1			{1 1
17	Diseases of the stomach.....	{M.. 3 F.. 4		{1 1				{1 1					
18	Obstruction of the bowels.....	{M.. 17 F.. 8	{7 2					{7 1			{1 1		{4 1
19	Appendicitis.....	{M.. 19 F.. 6					{1 1	{1 1		{1 2	{3 3	{6 6	{1 1
20	Hernia.....	{M.. 10 F.. 1	{1 1					{1 1	{1 1		{1 1		{1 1
21	Other diseases of the bowels.....	{M.. 1 F.. 2	{1 1					{1 1					
22	Jaundice.....	{M.. 13 F.. 8	{10 7					{10 7					
23	Inflammation and abscess of the liver.....	{M.. 4 F.. 8										{1 1	
24	Other diseases of the liver.....	{M.. 38 F.. 16	{2 1	{1 1				{4 1	{3 1				{2 1
25	Peritonitis.....	{M.. 42 F.. 35	{7 3	{1 2	{1 1	{1 1	{1 1	{11 5	{4 5	{2 2	{1 4	{2 4	{2 3
26	Ascites.....	{M.. 1 F.. 1	{1 1					{1 1					
27	Others of this class.....	{M.. 24 F.. 11	{16 7	{2 2				{18 9		{1 1			{1 1
28	6. Diseases of the urinary system and male organs of generation.....	259	11	8	9	16	7	51	15	5	7	13	11
29	Males.....	162	6	6	5	10	5	32	7	3	3	2	6
30	Females.....	97	5	2	4	6	2	19	8	2	4	11	5
31	Bright's disease.....	{M.. 104 F.. 66							{5 8	{2 2	{2 3	{2 9	{5 5
32	Calculus, urinary.....	{M.. F..											
33	Diseases of the kidney.....	{M.. 39 F.. 15	{6 4	{6 1	{5 3	{10 5	{5 2	{32 15	{2 2		{1 1		{1 1
34	Diseases of the bladder.....	{M.. 6 F..											
35	Others of this class.....	{M.. 13 F.. 16		{1 1		{1 1		{4 4		{1 1		{2 2	
36	7. Diseases of the female organs of generation.....	29	1					1			3	5	5
37	Ovarian tumors.....	4									1		
38	Ovarian diseases.....	2											
39	Diseases of the tubes.....	6										2	1
40	Uterine tumors.....	4											1
41	Uterine diseases.....	3									1		2
42	Others of this class.....	10	1					1			1	3	1

791

MOTHERS BORN IN ITALY (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN ITALY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	118									10	24	24
2	Abortion	1											1
3	Childbirth	24										3	3
4	Puerperal septicemia	69									6	18	14
5	Extra-uterine pregnancy	1											
6	Others of this class	23									4	3	6
7	9. Diseases of the bones and joints	18	4			2	1	7	3	2		1	
8	Males	11				1	1	2	2	2		1	
9	Females	7	4			1		5	1				
10	Diseases of the spine.....{M. {F.	5 3				1 1		1 2	1 1	2			
11	Abscess, lumbar and psoas	1										1	
12	Diseases of the bones.....{M. {F.	3 3					1	1 2	1				
13	Diseases of the hip-joint												
14	Others of this class.....{M. {F.	2 1						1					
15	10. Diseases of the skin	15	10			1		11			2		1
16	Males	9	6			1		7			1		1
17	Females	6	4					4			1		
18	Abscess.....{M. {F.	5 4	3 2			1		4 2			1 1		
19	Carbuncle.....{M. {F.												
20	Others of this class	4 2	3 2					3 2					1
21	11. Diseases of the absorbent system.....	4								1			1
22	Males	4								1			1
23	Females												
24	Addison's disease												
25	Diseases of the spleen												
26	Others of this class	4								1			1
27	12. Accidents and injuries.....	555	27	10	29	21	18	105	30	12	24	62	67
28	Males.....	434	17	6	12	13	7	55	16	8	21	53	63
29	Females.....	121	10	4	17	8	11	50	14	4	3	9	4
30	Burns and scalds.....{M. {F.	34 50	2	4	8	9	2	25 29	2 7			1 1	2 2
31	Drowning	35 3		1	1		1	2 1	3		4	7	5 1
32	Exposure and neglect.....{M. {F.	1 2		1				1				1	
33	Gunshot wounds	24 3			1	1		2	1	1	1	4	4
34	Homicide	20 2								2	2	2	3
35	Infanticide.....{M. {F.												
36	Injuries by machinery	3									1	1	
37	Railroad accidents.....{M. {F.	100 8							2	2	5	15	14 1
38	Suffocation	16 8	6 3		1			7 4	1 2			1	2
39	Suicide by shooting	13 2									1	3	2
40	Suicide by drowning.....{M. {F.	2										2	
41	Suicide by poison	2										1	
42	Other suicides.....{M. {F.	4 1										2 1	1
43	Sunstroke	15 3	5 1		1			5 2			1		3
44	Surgical operations.....{M. {F.	2 3										1	
45	Wounds	7 1							1				2
46	Others of this class.....{M. {F.	156 35	4 5	2	2	4	4	16 11	8 3	3 2	6	14 4	25

793

MOTHERS BORN IN ITALY (WHITE)—Continued.

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN FRANCE (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,713	215	54	15	9	8	301	20	14	17	51	70
2	Males.....	981	124	31	8	7	5	175	13	8	10	30	36
3	Females.....	732	91	23	7	2	3	126	7	6	7	21	34
4	Unknown cause.....	7										2	
5	Males.....	4										1	
6	Females.....	3										1	
7	1. General diseases. General diseases—A.....	249	94	19	4	2	5	124	4	2	3	8	12
8	Males.....	136	55	12	2	2	3	74	1	2	1	6	5
9	Females.....	113	39	7	2		2	50	3		2	2	7
10	Measles..... {M. {F.	2	1		1			2					
11	Scarlet fever..... {M. {F.	3				1	2	3					
12	Diphtheria..... {M. {F.	5 5		2 1		1	1	4 2		2			
13	Whooping cough..... {M. {F.	4 2	3	1 2				4 2					
14	Malarial fever..... {M. {F.	8 4										1	1
15	Influenza..... {M. {F.	5 11	1					1					
16	Typhoid fever..... {M. {F.	14 17					2	2	1	1	2	5	3
17	Cholera morbus..... {M. {F.	3 7		1				1					1
18	Colitis..... {M. {F.		1					1					
19	Diarrhea..... {M. {F.	7 5	2					2				1	
20	Dysentery..... {M. {F.	5 3											1 1
21	Enteritis..... {M. {F.	24 15	18 10	1				19 10					1 1
22	Cholera infantum..... {M. {F.	36 28	30 23	6 5				36 28					
23	Fever..... {M. {F.												
24	Cerebro-spinal fever..... {M. {F.	5	2	1				3	1				
25	Smallpox..... {M. {F.	2			1			1					
26	Erysipelas..... {M. {F.	5 1	1					1					
27	Septicemia..... {M. {F.	3 4								1		1	2
28	Venereal diseases..... {M. {F.		1		1			2					
29	Others of this group..... {M. {F.	5 7									1		1
30	General diseases—B.....	24	7	1				8			1		2
31	Males.....	15	3					3					2
32	Females.....	9	4	1				5			1		
33	Alcoholism..... {M. {F.	5 2											1
34	Parasitic diseases..... {M. {F.												
35	Lead poison..... {M. {F.	1											
36	Other poisons..... {M. {F.	5 2		1				1			1		
37	Inanition..... {M. {F.	4 5	3 4					3 4					1
38	General diseases—C.....	119	41	2				43					1
39	Males.....	63	25	1				26					
40	Females.....	56	16	1				17					1
41	Old age..... {M. {F.	30 32											
42	Premature birth..... {M. {F.	11 7	11 7					11 7					
43	Malformation..... {M. {F.	1 1	1 1					1 1					
44	Debility and atrophy..... {M. {F.	20 16	12 8	1 1				13 9					1
45	Others of this group..... {M. {F.	1	1					1					

CAUSE, AND BIRTHPLACES OF MOTHERS.

795

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
73	94	105	91	107	128	135	136	133	113	58	41	21	2	3	1
45 28	45 49	66 39	47 44	69 38	82 46	83 52	80 56	68 65	64 49	25 33	22 19	9 12	1 1	3	2 3
1			1	1					2						4
1			1	1					2						5 6
4	8	8	5	4	7	19	8	12	11	6	3		1		7
2 2	4 4	4 4	2 3	1 3	6 1	10 9	6 2	4 8	4 7	3 3	1 2		1		8 9
															10
															11
1			1												12
															13
		2 1		1	1	1 1	1		1	1					14
						1 2	2	4	1 2	1	1		1		15
1	2 1	2 1	1 3		1	2	1	1	1						16
	2	1				2	1		1		1				17
								1							18
	1			1		2 1	1		1	1	1				19
						2	1	1	1						20
					3	1				1					21
		1						1	2						22
															23
1															24
					1										25
	1					2		1							26
1	1					1									27
															28
								2	1 1						29
	2	1		2	1	1	3	1				1		1	30
	1 1	1		2	1	1	2 1	1				1		1	31 32
	1	1		2			1 1								33
															34
							1								35
	1				1	1		1						1	36
															37
1				1		2	3	14	11	15	16	11	1		38
1				1		2	1 2	7 7	4 7	6 9	10 6	5 6	1		39 40
						1	1 2	4 5	3 6	6 8	9 6	5 5	1		41
															42
															43
1						1		3 2	1 1		1	1			44 45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

CAUSE, AND BIRTHPLACES OF MOTHERS.

797

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
26	36	32	29	20	35	28	22	17	11	5	1	1			2
17	16	21	11	14	18	15	13	9	6	2	1	1			2
9	20	11	18	6	17	13	9	8	5	3					3
	1			1	1					1					4
					1	1									5
		1	1		2	1	3	1	1						6
1	1	1			1		1	1	2						7
					1										8
	1									1					9
		1													10
17	12	18	6	7	12	6	2	3	1			1			11
7	15	6	9	3	3	1	2	1	1						12
	2	2	4	5	4	8	7	4	3	2	1				13
1	3	3	8	3	9	10	4	4	2	2					14
	1		1			1	1	1							15
															16
				1			1		1						17
								1							18
2	10	11	10	14	15	18	25	23	30	12	8	1			19
2	7	8	7	7	10	10	15	7	19	3	2				20
	3	3	3	7	5	8	10	16	11	9	6	1			21
											1				22
1	1	2	1				1								23
		1	1			1		1							24
	2	5	2	2	3	5	10	5	12	3	2				25
			2	3	4	4	7	9	9	4	2				26
	2	1	2	1	2	2	1	1	4						27
	2	1	1	1	1	1	2	3	2	3	2	1			28
1			1												29
		1													30
				1											31
					1		1								32
6	6	8	7	16	15	18	21	23	17	8	8	3		1	33
3	4	6	4	11	10	12	10	15	10	4	5	2		1	34
3	2	2	3	5	5	6	11	8	7	4	3	1			35
							1								36
2	1	6	3	9	8	12	9	14	10	3	5	2		1	37
3	2	2	2	5	5	6	10	7	6	3	2	1			38
	2		1		1					1					39
				1				1							40
									1	1	1				41
	1			1	1		1								42
1								1							43

799

MOTHERS BORN IN FRANCE (WHITE)—Continued.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	7											1
2	Abortion												
3	Childbirth	3											
4	Puerperal septicemia	3											
5	Extra-uterine pregnancy												
6	Others of this class	1											1
7	9. Diseases of the bones and joints	2											1
8	Males	1											
9	Females	1											1
10	Diseases of the spine..... {M. {F.	1											
11	Abscess, lumbar and psoas..... {M. {F.												
12	Diseases of the bones..... {M. {F.	1											1
13	Diseases of the hip-joint..... {M. {F.												
14	Others of this class												
15	10. Diseases of the skin.....	3											
16	Males	3											
17	Females												
18	Abscess..... {M. {F.	1											
19	Carbuncle..... {M. {F.	1											
20	Others of this class	1											
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease..... {M. {F.												
25	Diseases of the spleen..... {M. {F.												
26	Others of this class												
27	12. Accidents and injuries	79	1			2		3	3	2		3	8
28	Males.....	62				1		1	2	2		1	6
29	Females.....	17	1			1		2	1			2	2
30	Burns and scalds..... {M. {F.	1 3				1		1	1				
31	Drowning..... {M. {F.	8								1			1
32	Exposure and neglect..... {M. {F.												
33	Gunshot wounds..... {M. {F.	2 1										1	1
34	Homicide..... {M. {F.	1 1											
35	Infantide..... {M. {F.												
36	Injuries by machinery..... {M. {F.												
37	Railroad accidents..... {M. {F.	10 1				1		1					1
38	Suffocation..... {M. {F.	1	1					1					
39	Suicide by shooting..... {M. {F.	9											1
40	Suicide by drowning..... {M. {F.												
41	Suicide by poison..... {M. {F.	5 1										1 1	
42	Other suicides..... {M. {F.	5 2											
43	Sunstroke..... {M. {F.	1											
44	Surgical operations..... {M. {F.												
45	Wounds..... {M. {F.	2											
46	Others of this class..... {M. {F.	18 7							2	1			2 2

CAUSE, AND BIRTHPLACES OF MOTHERS.

801

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	1	3													1
															2
1		2													3
1	1	1													4
															5
															6
1															7
1															8
1															9
															10
															11
															12
															13
															14
					1				2						15
					1				2						16
									1						17
					1										18
									1						19
															20
															21
															22
															23
															24
															25
															26
8	2	12	5	10	3	7	4	3	2	1	2			1	27
7	2	11	3	7	3	6	3	3	2	1	1			1	28
1		1	2	3		1	1				1				29
			1		1										30
2		1		1		1		1							31
															32
					1										33
				1											34
1															35
															36
2	2	2						1						1	37
															38
2		1	1	3			1								39
															40
		1				1	1	1							41
		1		1		2				1					42
		1									1				43
															44
		1		1											45
1		4	2		1	2	1		2						46
			1	3		1									

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN HUNGARY (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,446	530	169	54	29	24	806	44	14	30	65	77
2	Males	812	296	92	27	14	11	440	22	6	11	34	45
3	Females	634	234	77	27	15	13	366	22	8	19	31	32
4	Unknown cause	8	4	2				6					
5	Males	3	2	1				3					
6	Females	5	2	1				3					
7	1. General diseases.												
8	General diseases—A	338	167	61	17	5	11	261	17	2	6	16	8
9	Males	184	82	32	11	2	7	134	11	1	1	10	7
10	Females	154	85	29	6	3	4	127	6	1	5	6	1
11	Measles.....{M..	5	3	2				5					
12	{F..	7	2	4	1			7					
13	Scarlet fever.....{M..	12	2	3	2	1	2	10	2				
14	{F..	5			1			1		1			
15	Diphtheria	24	1	7	6	1	5	20	3	1			
16	{F..	19	1	10	3		2	16	3				
17	Whooping cough.....{M..	4	2	2				4					
18	{F..	5	2	2		1		5					
19	Malarial fever.....{M..	1									1		
20	{F..	1											
21	Influenza.....{M..	2							1				
22	{F..												
23	Typhoid fever.....{M..	23							2		1	9	5
24	{F..	7	1					1			1	4	
25	Cholera morbus.....{M..	3	1					1					
26	{F..	3	1	1				2					
27	Colitis.....{M..	2	1	1				2					
28	{F..												
29	Diarrhea.....{M..	5	3					3					
30	{F..	9	5	3				8					
31	Dysentery.....{M..	5	1	2				3	1				
32	{F..	2	2					2					
33	Enteritis.....{M..	52	39	11	1			51					
34	{F..	43	31	7	1		1	40	1				
35	Cholera infantum.....{M..	31	25	4	1			30					
36	{F..	38	36	1		1		38					
37	Fever.....{M..	1	1					1					
38	{F..												
39	Cerebro-spinal fever.....{M..	6	1	1	1			3	2				1
40	{F..	2	1				1	2					
41	Smallpox.....{M..												
42	{F..												
43	Erysipelas.....{M..	5	2					2					
44	{F..	7	2					2			2	1	
45	Septicemia.....{M..	4	1					1				1	1
46	{F..	3				1		1				1	
47	Venereal diseases.....{M..	1											1
48	{F..												
49	Others of this group.....{M..	2											
50	{F..												
51	General diseases—B	27	20	2	1			23					1
52	Males	17	11	2				13					1
53	Females	10	9		1			10					
54	Alcoholism.....{M..	4											1
55	{F..												
56	Parasitic diseases.....{M..												
57	{F..												
58	Lead poison.....{M..												
59	{F..												
60	Other poisons.....{M..												
61	{F..												
62	Inanition.....{M..	13	11	2				13					
63	{F..	10	9		1			10					
64	General diseases—C	93	77	3	1			81			1		1
65	Males	51	43	2				45			1		
66	Females	42	34	1	1			36					1
67	Old age.....{M..	3											
68	{F..	4											
69	Premature birth.....{M..	12	12					12					
70	{F..	14	14					14					
71	Malformation.....{M..	6	6					6					
72	{F..	1	1					1					
73	Debility and atrophy.....{M..	28	23	2				25			1		
74	{F..	20	16	1	1			18					1
75	Others of this group.....{M..	2	2					2					
76	{F..	3	3					3					

803

MOTHERS BORN IN HUNGARY (WHITE).

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN HUNGARY (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	164	17	7	4	4	1	33	6	4	7	8	23
2	Males.....	93	10	4	3	2	1	20		2	3	5	14
3	Females.....	71	7	3	1	2		13	6	2	4	3	9
4	Anemia.....	{M F	1	1				1					
5	Diabetes.....	{M F	1 2							1			
6	Rheumatism.....	{M F	1 1										
7	Serofula and tabes.....	{M F											
8	Hydrocephalus.....	{M F	12 8	6 1	2 3	3 1	1 2	12 7	 1				
9	Tuberculosis, general.....	{M F	3 1	1 1				1 1					
10	Consumption.....	{M F	68 37	2 4	2		1	6 4	 4	2 1	3 3	3 3	14 8
11	Cancer.....	{M F	5 19										1
12	Tumor.....	{M F	2 1								1	2	
13	Dropsy.....	{M F											
14	Others of this group.....	{M F	2	1				1	1				
15	2. Diseases of the nervous system.....		135	62	16	3		84	3	1	2		3
16	Males.....		78	42	9		1	52	2	1	1		1
17	Females.....		57	20	7	3	2	32	1		1		2
18	Inflammation of the brain.....	{M F											
19	Meningitis.....	{M F	14 15	8 5	4 2	 1	 2	12 10	1 1		1		1
20	Apoplexy.....	{M F	11 16	 1	1			1 1					
21	Paralysis.....	{M F	5 3				1	1					
22	Paralysis, general (of insane).....	{M F	1										
23	Tetanus and trismus nascentium.....	{M F	4 1	3 1				3 1		1			
24	Chorea.....	{M F											
25	Epilepsy.....	{M F	1								1		
26	Convulsions.....	{M F	34 21	29 13	3 5	 2		32 20					1
27	Mental diseases.....	{M F	1 1										1
28	Diseases of the brain.....	{M F	6	2				2	1				
29	Diseases of the spinal cord.....	{M F	1		1			1					
30	Locomotor ataxia.....	{M F											
31	Others of this class.....	{M F											
32	3. Diseases of the circulatory system.....		68	11			1	12	3	2	1	3	6
33	Males.....		29	6				6	2				2
34	Females.....		39	5			1	6	1	2	1	3	4
35	Pericarditis.....	{M F											
36	Diseases of the heart.....	{M F	26 35	5 5			1	5 6	2 1	 2	 1	3	2 4
37	Angina pectoris.....	{M F	1 2										
38	Diseases of the arteries.....	{M F											
39	Aneurism.....	{M F											
40	Embolism.....	{M F	1 1										
41	Others of this class.....	{M F	1	1				1					

805

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

807

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	17										6	2
2	Abortion												
3	Childbirth.....	4										1	1
4	Puerperal septicemia.....	11										5	1
5	Extra-uterine pregnancy.....	1											
6	Others of this class.....	1											
7	9. Diseases of the bones and joints	1	1					1					
8	Males.....												
9	Females.....	1	1					1					
10	Diseases of the spine.....	{M. F..											
11	Abscess, lumbar and psoas.....	{M. F..											
12	Diseases of the bones.....	{M. F..	1	1				1					
13	Diseases of the hip-joint.....	{M. F..											
14	Others of this class.....	{M. F..											
15	10. Diseases of the skin	3										1	
16	Males.....												
17	Females.....	3										1	
18	Abscess.....	{M. F..	2									1	
19	Carbuncle.....	{M. F..											
20	Others of this class.....	{M. F..	1										
21	11. Diseases of the absorbent system.....	3	2					2					
22	Males.....	3	2					2					
23	Females.....												
24	Addison's disease.....	{M. F..	1										
25	Diseases of the spleen.....	{M. F..											
26	Others of this class.....	{M. F..	2	2				2					
27	12. Accidents and injuries.....	105	8		3	2	1	14	4	3	6	17	15
28	Males.....	87	5		2	1		8	2	2	4	15	13
29	Females.....	18	3		1	1	1	6	2	1	2	2	2
30	Burns and scalds.....	{M. F..	10 8	2 2	2 1	1		5 4		1		2	
31	Drowning.....	{M. F..	4 1			1			1	1		1	1
32	Exposure and neglect.....	{M. F..											
33	Gunshot wounds.....	{M. F..	6										3
34	Homicide.....	{M. F..	3										1
35	Infanticide.....	{M. F..											
36	Injuries by machinery.....	{M. F..	1									1	
37	Railroad accidents.....	{M. F..	27 2	1				1	1	1	4	5	3 2
38	Suffocation.....	{M. F..	1 1	1 1				1 1					
39	Suicide by shooting.....	{M. F..	2										1
40	Suicide by drowning.....	{M. F..											
41	Suicide by poison.....	{M. F..	1 1									1	
42	Other suicides.....	{M. F..	4 1								1		
43	Sunstroke.....	{M. F..	1										
44	Surgical operations.....	{M. F..											
45	Wounds.....	{M. F..	1										
46	Others of this class.....	{M. F..	26 4	1				1				6 1	4

VITAL STATISTICS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN BOHEMIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,169	317	78	41	28	14	478	43	22	34	45	64
2	Males.....	648	189	42	25	13	9	278	20	7	15	27	34
3	Females.....	521	128	36	16	15	5	200	23	15	19	18	30
4	Unknown cause	7	4					4					
5	Males.....	3	2					2					
6	Females.....	4	2					2					
7	1. General diseases. General diseases—A	218	97	29	11	12	5	154	17	5	8	3	8
8	Males.....	123	54	15	6	6	4	85	7	2	4	2	4
9	Females.....	95	43	14	5	6	1	69	10	3	4	1	4
10	Measles..... {M..	2		1	1			2					
	{F..	4	3	1				4					
11	Scarlet fever..... {M..	5				3	1	4	1				
	{F..	6		1	1	1		3	2		1		
12	Diphtheria..... {M..	15		2	1	2	3	8	6		1		
	{F..	18	1	2		5	1	9	7	2			
13	Whooping cough..... {M..	4	3	1				4					
	{F..	4	1	1	2			4					
14	Malarial fever..... {M..	2		2				2					
	{F..												
15	Influenza..... {M..	4											
	{F..	1											
16	Typhoid fever..... {M..	15								2	3	1	2
	{F..	5									2		2
17	Cholera morbus..... {M..	1											
	{F..												
18	Colitis..... {M..	1											
	{F..												
19	Diarrhea..... {M..	12	9		2			11					
	{F..	7	5	1				6	1				
20	Dysentery..... {M..	2			1			1					
	{F..												
21	Enteritis..... {M..	25	19	4				23					
	{F..	24	15	5	1			21				1	1
22	Cholera infantum..... {M..	29	23	5	1			29					
	{F..	18	15	3				18					
23	Fever..... {M..												
	{F..	1	1					1					
24	Cerebro-spinal fever..... {M..				1			1			1		
	{F..	2											
25	Smallpox..... {M..												
	{F..												
26	Erysipelas..... {M..												
	{F..	2	2					2					
27	Septicemia..... {M..	6				1		1				1	2
	{F..	2								1			1
28	Venereal diseases..... {M..												
	{F..												
29	Others of this group..... {M..												
	{F..	1											
30	General diseases—B.....	34	25	2				27					
31	Males.....	24	15	2				17					
32	Females.....	10	10					10					
33	Alcoholism..... {M..	4											
	{F..												
34	Parasitic diseases..... {M..	1		1				1					
	{F..												
35	Lead poison..... {M..												
	{F..												
36	Other poisons..... {M..	1											
	{F..												
37	Inanition..... {M..	18	15	1				16					
	{F..	10	10					10					
38	General diseases—C.....	97	49		2			51		1			1
39	Males.....	49	32		1			33					
40	Females.....	48	17		1			18		1			1
41	Old age..... {M..	8											
	{F..	21											
42	Premature birth..... {M..	18	18					18					
	{F..	5	5					5					
43	Malformation..... {M..	1	1					1					
	{F..	2	2					2					
44	Debility and atrophy..... {M..	21	12		1			13					
	{F..	19	9		1			10		1			1
45	Others of this group..... {M..	1	1					1					
	{F..	1	1					1					

CAUSE, AND BIRTHPLACES OF MOTHERS.

811

CLASS OF DISEASES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
49	53	53	37	45	46	53	53	30	30	17	8	4	2	3	1
30 19	34 19	35 18	24 13	28 17	30 16	22 31	27 26	14 16	9 21	6 11	5 3	4	2	3	2 3
1	1			1											4
1	1			1											5 6
3	2	2	2	2	4		2	2	1	1	2				7
3	1 1	2	2	2	3 1		1 1	2		1	2				8 9
															10
															11
															12
															13
				1	1			1		1	1				14
3	1 1	1	1				1								15
					1										16
					1										17
					1										18
								1							19
		1													20
			1								1				21
									1						22
															23
															24
															25
															26
				1	1										27
															28
															29
	1	1		1			4								30
	1	1		1			4								31 32
	1	1		1			1								33
															34
															35
							1								36
							2								37
1		1		1	2	5	3	4	9	10	4	2	1	1	38
1		1		1	1	1	3	2	2	2	2			1	39
						4		2	7	8	2	2	1		40
						1	2	2	1	1	1	2			41
						3		2	6	7	1				42
															43
1		1		1	1	1	1		1	1	1			1	44
				1	1	1			1	1	1		1		45

813

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

815

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

[illegible]

CAUSE, AND BIRTHPLACES OF MOTHERS.

817

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2														1
															2
															3
1	2														4
															5
1															6
				1											7
				1											8
															9
															10
															11
															12
															13
				1											14
															15
															16
															17
1															18
															19
															20
															21
															22
															23
															24
															25
															26
4		4	5	4	4	3	1	2	2		1				27
4		2	4	4	3	3	1	2	1		1				28
		2	1		1				1						29
		1													30
		1													31
			1												32
				1											33
															34
															35
															36
1				1				1							37
															38
1															39
															40
			1			2									41
			1												42
1		1		1		1			1						43
		1													44
					1										45
1			2	1	2		1	1			1				46
					1				1						

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN RUSSIA (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	5,487	1,939	695	295	151	87	3,167	198	90	137	191	218
2	Males	3,121	1,122	397	150	88	45	1,802	113	50	74	104	122
3	Females	2,366	817	298	145	63	42	1,365	85	40	63	87	96
4	Unknown cause	27	16	2			1	19			1	1	1
5	Males	19	12	1			1	14			1	1	
6	Females	8	4	1				5					1
7	1. General diseases. General diseases—A	1,257	619	255	99	54	28	1,055	56	13	12	12	31
8	Males	664	324	140	42	30	8	544	28	8	6	7	23
9	Females	593	295	115	57	24	20	511	28	5	6	5	8
10	Measles.....{M.....	28	10	13	2	2		27	1				
	{F.....	23	7	9	3	2	1	22		1			
11	Scarlet fever.....{M.....	51	6	10	10	10	5	41	7	3			
	{F.....	40	3	8	11	5	6	33	6				
12	Diphtheria.....{M.....	90	15	32	19	12	2	80	9				
	{F.....	114	14	32	31	10	9	96	12	2	3		1
13	Whooping cough.....{M.....	26	13	10	2			25	1				
	{F.....	35	14	11	6	1	1	33	1	1			
14	Malarial fever.....{M.....	4	1					1					2
	{F.....	2							1				1
15	Influenza.....{M.....	10	3	1		1		5	1				
	{F.....	4		1				1	1				
16	Typhoid fever.....{M.....	36								2	4	4	14
	{F.....	19	1	1		1	1	4	2		2	1	3
17	Cholera morbus.....{M.....	10	4	1		1		6					
	{F.....	7	6					6					
18	Colitis.....{M.....	9	5	2				7					1
	{F.....	7	5	1				6				1	
19	Diarrhea.....{M.....	22	16	4				20					
	{F.....	16	13	1				14	1				
20	Dysentery.....{M.....	10	1	4				5	1				1
	{F.....	6		2				2				1	
21	Enteritis.....{M.....	175	129	29	6	1		165	1	1			2
	{F.....	163	116	31	4	2	1	154				1	2
22	Cholera infantum.....{M.....	119	93	23	2			118					
	{F.....	108	91	16	1			108					
23	Fever.....{M.....	1											
	{F.....												
24	Cerebro-spinal fever.....{M.....	35	12	8	1	3	1	25	5	2	1		
	{F.....	14	4	2		2		8	2	1	1		
25	Smallpox.....{M.....												
	{F.....	2	1					1	1				
26	Erysipelas.....{M.....	14	7	2				9					2
	{F.....	16	13				1	14					
27	Septicemia.....{M.....	11	3	1				4				3	1
	{F.....	11	4		1	1		6	1			1	
28	Venereal diseases.....{M.....	5	5					5					
	{F.....	3	3					3					
29	Others of this group.....{M.....	8	1					1			1		
	{F.....	3											1
30	General diseases—B	89	61	6		1		68	1		1	2	
31	Males.....	50	30	4		1		35				2	
32	Females.....	39	31	2				33	1		1		
33	Alcoholism.....{M.....	4											
	{F.....												
34	Parasitic diseases.....{M.....												
	{F.....												
35	Lead poison.....{M.....												
	{F.....												
36	Other poisons.....{M.....	13		1		1		2				2	
	{F.....	6	1					1			1		
37	Inanition.....{M.....	33	30	3				33					
	{F.....	33	30	2				32	1				
38	General diseases—C	368	311	14	3	1		329				1	
39	Males.....	209	177	8	1	1		187					
40	Females.....	159	134	6	2			142				1	
41	Old age.....{M.....	17											
	{F.....	14											
42	Premature birth.....{M.....	90	90					90					
	{F.....	64	64					64					
43	Malformation.....{M.....	9	9					9					
	{F.....	9	9					9					
44	Debility and atrophy.....{M.....	80	65	8	1	1		75					
	{F.....	63	52	6	2			60				1	
45	Others of this group.....{M.....	13	13					13					
	{F.....	9	9					9					

819

MOTHERS BORN IN RUSSIA (WHITE).

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D	691	65	30	19	14	8	136	15	8	36	55	59
2	Males	411	39	20	13	9	6	87	8	2	22	26	33
3	Females	280	26	10	6	5	2	49	7	6	14	29	26
4	Anemia	{M.. 9				1	1	2	2			1	
	{F.. 3										2		
5	Diabetes	{M.. 13									1		2
	{F.. 8								1				
6	Rheumatism	{M.. 2									2		
	{F.. 3												
7	Scrofula and tabes	{M..											
	{F.. 3	2	1					3					
8	Hydrocephalus	{M.. 61	21	13	11	5	3	53	5				
	{F.. 36	15	7	4	3	1		30	3		2		
9	Tuberculosis, general	{M.. 5		1				1				1	
	{F.. 4	1						1			2		1
10	Consumption	{M.. 233	13	6	1	3	2	25	1	2	18	21	30
	{F.. 136	5	2	2	1	1		11	1	4	4	28	23
11	Cancer	{M.. 69										2	
	{F.. 71								2	2		1	1
12	Tumor	{M.. 10			1			1			2	1	1
	{F.. 7										1		1
13	Dropsy	{M.. 1											
	{F.. 3	1						1					
14	Others of this group	{M.. 8	5					5			1		
	{F.. 6	2			1			3			1		
15	2. Diseases of the nervous system	478	190	46	25	14	8	283	14	9	13	15	12
16	Males	290	112	26	16	9	5	168	10	3	8	9	7
17	Females	188	78	20	9	5	3	115	4	6	5	6	5
18	Inflammation of the brain	{M.. 4	3		1			4					
	{F.. 1												
19	Meningitis	{M.. 109	41	21	11	8	3	84	9	1	3	4	4
	{F.. 61	33	13	3	3	2		54	2	3	1		
20	Apoplexy	{M.. 54	2				1	3			1		1
	{F.. 35										1	2	1
21	Paralysis	{M.. 16								1	1	1	1
	{F.. 9			1				1		1	1		1
22	Paralysis, general (of insane)	{M.. 1											
	{F..												
23	Tetanus and trismus nascentium	{M.. 14	10					10		1	2	1	
	{F.. 4	3					1	4					
24	Chorea	{M..											
	{F..												
25	Epilepsy	{M.. 5	1	1				2				1	
	{F.. 3	1						1	1			1	
26	Convulsions	{M.. 53	47	3	1	1		52	1				
	{F.. 54	40	6	3	2			51	1		1		1
27	Mental diseases	{M.. 3										2	
	{F.. 10										1	3	1
28	Diseases of the brain	{M.. 24	8	1	1		1	11			1		
	{F.. 9	1	1	2				4		2			
29	Diseases of the spinal cord	{M.. 2			2			2					
	{F.. 1												1
30	Locomotor ataxia	{M.. 1											
	{F..												
31	Others of this class	{M.. 4											1
	{F.. 1												
32	3. Diseases of the circulatory system	294	28	3	2	5	6	44	14	17	16	15	14
33	Males	147	15	1	1	3	3	23	6	7	9	7	2
34	Females	147	13	2	1	2	3	21	8	10	7	8	12
35	Pericarditis	{M.. 3							1				
	{F.. 2	1									1		
36	Diseases of the heart	{M.. 124	9	1		3	3	16	5	7	9	7	2
	{F.. 133	7	2	1	2	2		14	8	9	6	8	12
37	Angina pectoris	{M.. 6											
	{F.. 2									1			
38	Diseases of the arteries	{M.. 5											
	{F.. 2												
39	Aneurism	{M.. 1											
	{F.. 1												
40	Embolism	{M.. 1	1					1					
	{F.. 2						1	1					
41	Others of this class	{M.. 7	5		1			6					
	{F.. 5	5						5					

821

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system.....	1,307	513	305	121	37	15	991	35	9	14	15	17
2	Males.....	756	329	179	62	19	6	595	19	5	7	9	11
3	Females.....	551	184	126	59	18	9	396	16	4	7	6	6
4	Croup.....	{M.. 25	6	7	5	4		22	3				
		{F.. 19	3	3	6	4	2	18	1				
5	Pneumonia.....	{M.. 576	234	153	52	13	4	456	14	4	7	9	7
		{F.. 421	126	113	48	9	7	303	14	4	7	5	5
6	Laryngitis.....	{M.. 3	2				1	3					
		{F.. 3	2					2					
7	Bronchitis.....	{M.. 93	64	11	2	1	1	79		1			1
		{F.. 66	39	6	5	1		51				1	
8	Pleurisy.....	{M.. 12	3	3	1	1		8					2
		{F.. 12	1	4		3		8					1
9	Asthma.....	{M.. 2		1				1					
		{F.. 6	1					1					
10	Others of this class.....	{M.. 45	20	4	2			26	2				1
		{F.. 24	12			1		13	1				
11	5. Diseases of the digestive system.....	280	78	10	4	4	4	100	15	11	14	15	21
12	Males.....	172	48	3	3	2	3	59	8	9	8	8	14
13	Females.....	108	30	7	1	2	1	41	7	2	6	7	7
14	Dentition.....	{M.. 4	3	1				4					
		{F.. 5	3	1	1			5					
15	Angina.....	{M.. 2				1	1	2					1
		{F.. 2											
16	Gastritis.....	{M.. 17	7	1		1	1	10		1			
		{F.. 11	3	1				4			1		
17	Diseases of the stomach.....	{M.. 8	1					1				1	
		{F.. 2										1	
18	Obstruction of the bowels.....	{M.. 19	10		2			12	1				1
		{F.. 12	1	2		1		4	2				1
19	Appendicitis.....	{M.. 43	1				1	2	5	8	7	5	3
		{F.. 13						2	2	2	3	4	1
20	Hernia.....	{M.. 8	2					2					1
		{F.. 6	1					1					
21	Other diseases of the bowels.....	{M.. 2						2					
		{F.. 2											
22	Jaundice.....	{M.. 10	6					6				1	1
		{F.. 10	8					8					
23	Inflammation and abscess of the liver.....	{M.. 9										1	2
		{F.. 4	1					1					1
24	Other diseases of the liver.....	{M.. 11	1					1					1
		{F.. 5											1
25	Peritonitis.....	{M.. 25	7		1	1		9	2		1		4
		{F.. 21	1	1				2	5		2	2	2
26	Ascites.....	{M.. 1											
		{F.. 1											
27	Others of this class.....	{M.. 16	10	1			1	12					1
		{F.. 14	10	2				12					
28	6. Diseases of the urinary system and male organs of generation.....	254	13	5	7	2	4	31	4	4	7	11	14
29	Males.....	141	7	4	4	2	4	21	2	1	1	4	8
30	Females.....	113	6	1	3			10	2	3	6	7	6
31	Bright's disease.....	{M.. 93							1		1	4	6
		{F.. 91							2	3	5	7	6
32	Calculus, urinary.....	{M.. 3											
		{F.. 3											
33	Diseases of the kidney.....	{M.. 23	6	4	4	1	4	19	1				
		{F.. 15	6		3			9			1		
34	Diseases of the bladder.....	{M.. 4								1			
		{F.. 1											
35	Others of this class.....	{M.. 18	1			1		2					2
		{F.. 6		1				1					
36	7. Diseases of the female organs of generation.....	22	1					1			1	3	3
37	Ovarian tumors.....	3											
38	Ovarian diseases.....	3										1	1
39	Diseases of the tubes.....	6									1	1	2
40	Uterine tumors.....	3											
41	Uterine diseases.....	1											
42	Others of this class.....	6	1					1				1	

823

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN RUSSIA (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	65									6	10	12
2	Abortion	5									1	1	
3	Childbirth	18									1	2	3
4	Puerperal septicemia	27									3	4	7
5	Extra-uterine pregnancy	4										1	1
6	Others of this class	11									1	2	1
7	9. Diseases of the bones and joints	14	4				1	5	3		1	2	
8	Males	10	3				1	4	1			2	
9	Females	4	1					1	2		1		
10	Diseases of the spine	3	1					1	1			1	
11	Abscess, lumbar and psoas												
12	Diseases of the bones	5	1				1	2				1	
13	Diseases of the hip-joint	2	1					1	1				
14	Others of this class	1									1		
15	10. Diseases of the skin	16	10					10					1
16	Males	11	7					7					
17	Females	5	3					3					1
18	Abscess	6	4					4					
19	Carbuncle	1	1					1					
20	Others of this class	2	1					1					
21	11. Diseases of the absorbent system	3	2					2					1
22	Males	4	2					2					
23	Females	1											
24	Addison's disease	1											
25	Diseases of the spleen												
26	Others of this class	1						1					
27	12. Accidents and injuries	323	30	18	15	19	12	94	41	19	15	34	33
28	Males	240	19	10	8	12	8	57	31	15	12	29	24
29	Females	83	11	8	7	7	4	37	10	4	3	5	9
30	Burns and scalds	30	3	5	5	6	2	21	1	2	1	3	1
31	Drowning	32	2	7	3	3	2	17	6	1		1	3
32	Exposure and neglect	25		1	1	1	1	3	5	8	2	2	3
33	Gunshot wounds	1	1					1					
34	Homicide	4									1	1	
35	Infanticide	3											2
36	Injuries by machinery	4											
37	Railroad accidents	1											
38	Suffocation	20		1		1		2	2	2	2	3	2
39	Suicide by shooting	6	1	1			1	3	1		1		
40	Suicide by drowning	11	9					10					
41	Suicide by poison	3	3					3					2
42	Other suicides	6											
43	Sunstroke	12										3	3
44	Surgical operations	4									2	1	
45	Wounds	11										2	2
46	Others of this class	3										1	1
	Sunstroke	2	1					1					1
	Surgical operations	2	2					2					
	Wounds	10							1	1	1	1	1
	Others of this class	1											
	Sunstroke	103	5	4	2	4	4	19	22	2	4	12	9
	Surgical operations	25	3		4	4	1	12	3	2		1	3

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN POLAND (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes.....	3,543	1,556	395	186	91	66	2,294	135	39	64	118	107
2	Males.....	2,027	903	196	96	46	34	1,275	71	24	32	69	70
3	Females.....	1,516	653	199	90	45	32	1,019	64	15	32	49	37
4	Unknown cause.....	58	41	1	1	2	1	46		1			1
5	Males.....	36	24		1	2		27		1			1
6	Females.....	22	17	1			1	19					
7	1. General diseases. General diseases—A.....	965	475	186	81	35	25	802	48	11	15	23	13
8	Males.....	545	269	95	46	18	16	444	25	4	12	19	13
9	Females.....	420	206	91	35	17	9	358	23	7	3	4	
10	Measles..... (M..... (F.....	23 28	7 7	7 11	5 4	1 1	2	22 23	1 3	 2			
11	Scarlet fever..... (M..... (F.....	32 16	2 2	6 1	7 6	5 1	 1	20 11	11 4				1
12	Diphtheria..... (M..... (F.....	44 50	4 1	8 8	14 9	4 9	6 8	36 35	7 13	 2	1		
13	Whooping cough..... (M..... (F.....	12 15	7 8	3 4	1 3		1	12 15					
14	Malarial fever..... (M..... (F.....	5 2	1 2			1		2 2				1	1
15	Influenza..... (M..... (F.....	11 9	2 3	 1	1		1	4 4	2				
16	Typhoid fever..... (M..... (F.....	58 17	1 2		2 2	2 2	1	6 4	1	2 2	10 2	15 4	11
17	Cholera morbus..... (M..... (F.....	6 8	1 3	 1	3 2	1		5 6		1			
18	Colitis..... (M..... (F.....	6 2	5 1	 1				5 2	1				
19	Diarrhea..... (M..... (F.....	39 38	21 15	13 16	3 2	 1		37 34	 2	 1			
20	Dysentery..... (M..... (F.....	7 7	4 3	3 1			1	7 5			1		
21	Enteritis..... (M..... (F.....	130 87	87 59	30 19	4 4	1 2	1	123 84		1	1		
22	Cholera infantum..... (M..... (F.....	153 128	122 96	22 25	6 4	1	2	153 128					
23	Fever..... (M..... (F.....	1	1					1					
24	Cerebro-spinal fever..... (M..... (F.....	4 4	 3			1	2	3 4	1				
25	Smallpox..... (M..... (F.....												
26	Erysipelas..... (M..... (F.....	3 1	1 1					1 1				1	
27	Septicemia..... (M..... (F.....	9 6	2	3				5	1 1			2	
28	Venereal diseases..... (M..... (F.....	1				1		1					
29	Others of this group..... (M..... (F.....	1 2	1					1					
30	General diseases—B.....	147	125	5	2	1		133	1				
31	Males.....	90	77	1	2			80					
32	Females.....	57	48	4		1		53	1				
33	Alcoholism..... (M..... (F.....	6 3											
34	Parasitic diseases..... (M..... (F.....												
35	Lead poison..... (M..... (F.....												
36	Other poisons..... (M..... (F.....	3											
37	Inanition..... (M..... (F.....	81 54	77 48	1 4	2	 1		80 53	 1				
38	General diseases—C.....	302	228	13	5	1		247					
39	Males.....	171	134	6	3	1		144					
40	Females.....	131	94	7	2			103					
41	Old age..... (M..... (F.....	24 26											
42	Premature birth..... (M..... (F.....	56 36	56 36					56 36					
43	Malformation..... (M..... (F.....	8 5	8 5					8 5					
44	Debility and atrophy..... (M..... (F.....	64 52	51 41	6 7	3 2	1		61 50					
45	Others of this group..... (M..... (F.....	19 12	19 12					19 12					

827

MOTHERS BORN IN POLAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
111	112	96	81	71	62	37	51	49	31	39	19	6	7	14	1
65 46	73 39	67 29	65 16	49 22	38 24	26 11	27 24	26 23	14 17	16 23	11 8	1 5	1 6	7 7	2 3
1		2	1	2							2			2	4
1		1 1	1	2							2				5 6
6	10	4	7	5	6	1	5	5	1	2				1	7
5 1	3 7	3 1	6 1	2 3	2 4	1	2 3	3 2	 1	1 1				1	8 9
.....															}10
.....	1														}11
.....															}12
.....							1								}13
.....															}14
.....	1	1				1		2							}15
5	2 3	2	1	2	1 1		1	1	1						}16
.....					1		1								}17
.....															}18
.....			1		1					1					}19
.....								1							}20
.....	1		4	1	1			1							}21
.....															}22
.....															}23
.....															}24
.....															}25
.....							1								}26
.....					1										}27
1	1	1		1										1	}28
.....															}29
.....	1									1					}30
.....		5	5						1					1	31
.....	1	3 2	4 1											1	32
.....	1	2 2	3 1												}33
.....															}34
.....															}35
.....		1	1						1						}36
.....														1	}37
1	1	1			1	1	1	7	8	20	9		5		38
.....															39
1	1	1			1	1	1	5 2	4	10	3		1		40
.....						1	1	5 2	4	9 10	6 3		1 4		}41
.....															}42
.....															}43
.....															}44
1	1	1			1					1					}45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN POLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	279	17	10	2	1	2	32	4	3	17	31	24
2	Males.....	165	10	3		1	1	15	3	3	5	17	13
3	Females.....	114	7	7	2		1	17	1		12	14	11
4	Anemia.....	M.. 3 F.. 3		1				1					1
5	Diabetes.....	M.. 4 F..											
6	Rheumatism.....	M.. 6 F.. 5							1			1	
7	Scrofula and tabes.....	M.. 1 F.. 1											
8	Hydrocephalus.....	M.. 7 F.. 10	4	1				5		1		1	
9	Tuberculosis, general.....	M.. 1 F..					1	1					
10	Consumption.....	M.. 101 F.. 70	4	1		1		6	2	2	5	15	11
11	Cancer.....	M.. 36 F.. 17	1					1				13	10
12	Tumor.....	M.. 4 F.. 1	1					1					2
13	Dropsy.....	M.. 2 F.. 4											
14	Others of this group.....	M.. 3 F..	1		1			2				1	
15	2. Diseases of the nervous system.....	382	213	36	9	5	8	271	14	6	8	6	7
16	Males.....	214	124	15	4	2	3	148	6	5	4	4	4
17	Females.....	168	89	21	5	3	5	123	8	1	4	2	3
18	Inflammation of the brain.....	M.. 4 F.. 2	1	1				2	1				
19	Meningitis.....	M.. 44 F.. 38	16	5	3	1	2	27	5	1	1	1	2
20	Apoplexy.....	M.. 16 F.. 24	2	1		1		2	3	2	1	1	1
21	Paralysis.....	M.. 7 F.. 2									1		
22	Paralysis, general (of insane).....	M.. F..											
23	Tetanus and trismus nascentium.....	M.. 17 F.. 2	10	1				11		2	2		
24	Chorea.....	M.. F..											
25	Epilepsy.....	M.. 1 F.. 1	1					1					
26	Convulsions.....	M.. 101 F.. 86	89	8	1	1	1	100					
27	Mental diseases.....	M.. 7 F.. 2										2	1
28	Diseases of the brain.....	M.. 13 F.. 7	3					3		2			1
29	Diseases of the spinal cord.....	M.. 3 F.. 2	2					2			1		1
30	Locomotor ataxia.....	M.. 1 F..											
31	Others of this class.....	M.. F.. 2											
32	3. Diseases of the circulatory system.....	123	16		1	3	1	21	7		2	6	7
33	Males.....	66	9		1	1	1	12	1			3	4
34	Females.....	57	7			2		9	6		2	3	3
35	Pericarditis.....	M.. 3 F..							1			1	
36	Diseases of the heart.....	M.. 58 F.. 50	6		1	1		8	1			3	4
37	Angina pectoris.....	M.. 3 F.. 1							5		2	2	3
38	Diseases of the arteries.....	M.. 1 F.. 1											
39	Aneurism.....	M.. F..											
40	Embolism.....	M.. 1 F..					1	1					
41	Others of this class.....	M.. 3 F.. 2	3					3					

829

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

[illegible]

831

MOTHERS BORN IN POLAND (WHITE)—Continued.

[illegible]

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN POLAND (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy.....	44									3	11	11
2	Abortion	3											1
3	Childbirth.....	19									1	1	7
4	Puerperal septicemia.....	17									1	7	3
5	Extra-uterine pregnancy.....												
6	Others of this class.....	5									1	3	
7	9. Diseases of the bones and joints.....	7	1				1	2	2	2			
8	Males.....	3	1				1	2					
9	Females.....	4							2	2			
10	Diseases of the spine..... {M..	2	1				1	2					
	{F..												
11	Abscess, lumbar and psoas..... {M..												
	{F..												
12	Diseases of the bones..... {M..	1											
	{F..	4							2	2			
13	Diseases of the hip-joint..... {M..												
	{F..												
14	Others of this class..... {M..												
	{F..												
15	10. Diseases of the skin.....	12	7	2		1	1	11					
16	Males.....	8	5	2				7					
17	Females.....	4	2			1	1	4					
18	Abscess..... {M..	4	2	1				3					
	{F..	3	2				1	3					
19	Carbuncle..... {M..												
	{F..												
20	Others of this class..... {M..	4	3	1				4					
	{F..	1				1		1					
21	11. Diseases of the absorbent system.....	2		1				1					1
22	Males.....	1											1
23	Females.....	1		1				1					
24	Addison's disease..... {M..												
	{F..												
25	Diseases of the spleen..... {M..												
	{F..												
26	Others of this class..... {M..	1											1
	{F..	1		1				1					
27	12. Accidents and injuries.....	248	34	11	7	5	6	63	24	6	10	19	23
28	Males.....	195	23	6	5	4	2	40	14	6	6	16	23
29	Females.....	53	11	5	2	1	4	23	10		4	3	
30	Burns and scalds..... {M..	21	2	4	4	3		13	2	1	1		1
	{F..	16	3	2		1	3	9	5		1		
31	Drowning..... {M..	17	1	1			1	3	4	4	1	1	2
	{F..	1		1				1					
32	Exposure and neglect..... {M..	4	4					4					
	{F..	1	1					1					
33	Gunshot wounds..... {M..	1											
	{F..	1											
34	Homicide..... {M..	1											1
	{F..												
35	Infanticide..... {M..	1	1					1					
	{F..												
36	Injuries by machinery..... {M..	2											
	{F..												
37	Railroad accidents..... {M..	42					1	1	5	1	1	10	1
	{F..	6			1			1	3		1		
38	Suffocation..... {M..	15	12		1			13				1	
	{F..	7	5					5	1				
39	Suicide by shooting..... {M..												
	{F..												
40	Suicide by drowning..... {M..	1											1
	{F..	1											
41	Suicide by poison..... {M..												
	{F..	1										1	
42	Other suicides..... {M..	3											
	{F..	1											
43	Sunstroke..... {M..	8	1					1	1			1	1
	{F..	1									1		
44	Surgical operations..... {M..	2											1
	{F..	2											
45	Wounds..... {M..	5											
	{F..	1		1				1					
46	Others of this class..... {M..	72	2	1		1		4	2		3	3	15
	{F..	14	2	1	1		1	5	1		1	1	

CAUSE, AND BIRTHPLACES OF MOTHERS.

833

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	3												1	1
	2														2
5	2	2												1	3
4	1	1													4
															5
	1														6
				1											7
				1											8
															9
															10
															11
				1											12
															13
															14
			1												15
			1												16
			1												17
															18
															19
															20
															21
															22
															23
															24
															25
															26
25	22	13	13	12	9	3				1				5	27
21	20	13	12	11	8	2								3	28
4	2		1	1	1	1				1				2	29
2					1									1	30
			1	1											31
															32
1															33
															34
															35
1	1														36
4	7		3	3	5	1									37
			1	1											38
															39
	1														40
															41
1			1	2											42
1	1	1												1	43
1															44
1				1											45
2		1	1		1										46
9	11	11	6	4	2	1								1	47
2	1					1				1				1	48

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,804	2,987	863	316	181	111	4,458	292	133	245	424	465
2	Males	5,654	1,705	468	163	92	59	2,487	137	57	128	224	282
3	Females	4,150	1,282	395	153	89	52	1,971	155	76	117	200	183
4	Unknown cause	108	58	4	3	2	1	68	3		1	4	
5	Males	59	29	2	1			32	1		1	1	
6	Females	49	29	2	2	2	1	36	2			3	
7	1. General diseases. General diseases—A	2,159	1,008	345	104	62	37	1,556	94	33	41	64	60
8	Males	1,181	565	177	53	28	21	844	41	11	18	40	41
9	Females	978	443	168	51	34	16	712	53	22	23	24	19
10	Measles	{M.. 66 F.. 67	{19 16 31 16	{27 31 6 31	{6 7 5 5	{5 5 1 5	{1 1 1 1	{58 59 5 6	{5 6 5 6	{1 1 1 1	{2 1 1 1	{1 1 1 1	{1 1 1 1
11	Scarlet fever	{M.. 37 F.. 31	{3 2 2 2	{10 6 7 6	{7 6 5 7	{5 4 4 2	{4 2 2 1	{29 23 5 6	{5 6 5 6	{1 1 1 1	{1 1 1 1	{2 1 1 1	{2 1 1 1
12	Diphtheria	{M.. 89 F.. 90	{12 5 24 18	{24 15 14 7	{14 14 7 11	{4 4 4 11	{68 56 15 21	{15 21 5 7	{5 7 5 7	{1 1 1 1	{1 1 1 1	{2 2 2 2	{2 2 2 2
13	Whooping cough	{M.. 50 F.. 60	{23 30 17 18	{7 6 1 5	{1 1 1 1	{1 1 1 1	{48 60 2 2	{2 2 2 2	{2 2 2 2	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
14	Malarial fever	{M.. 17 F.. 14	{2 5 2 5	{1 1 1 1	{1 1 1 1	{2 1 2 1	{5 6 5 6	{5 6 5 6	{1 1 1 1	{1 1 1 1	{2 1 2 1	{2 1 2 1	{1 1 1 1
15	Influenza	{M.. 44 F.. 32	{5 1 2 1	{2 2 2 1	{1 1 1 1	{1 1 1 1	{10 4 4 1	{10 4 4 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{2 2 2 2
16	Typhoid fever	{M.. 147 F.. 67	{2 2 1 1	{1 1 1 1	{1 1 1 1	{2 2 2 1	{6 4 6 5	{6 5 6 5	{2 2 2 2	{9 14 9 14	{27 15 27 15	{31 8 31 8	{31 8 31 8
17	Cholera morbus	{M.. 14 F.. 21	{4 7 4 7	{2 6 2 6	{1 1 1 1	{1 1 1 1	{8 14 8 14	{8 14 8 14	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
18	Colitis	{M.. 17 F.. 10	{9 7 9 7	{5 5 5 5	{1 1 1 1	{1 1 1 1	{14 8 14 8	{14 8 14 8	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
19	Diarrhea	{M.. 60 F.. 50	{31 34 31 34	{9 4 9 4	{2 1 2 1	{3 3 3 3	{45 39 45 39	{1 4 1 4	{2 2 2 2	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
20	Dysentery	{M.. 26 F.. 21	{11 4 11 4	{2 3 2 3	{1 1 1 1	{1 1 1 1	{15 9 15 9	{1 1 1 1	{1 1 1 1	{1 1 1 1	{3 1 3 1	{3 1 3 1	{1 1 1 1
21	Enteritis	{M.. 278 F.. 216	{220 148 220 148	{32 38 32 38	{3 1 3 1	{5 5 5 5	{2 1 2 1	{257 193 257 193	{1 2 1 2	{2 2 2 2	{1 1 1 1	{3 1 3 1	{1 1 1 1
22	Cholera infantum	{M.. 241 F.. 207	{197 165 197 165	{36 34 36 34	{7 7 7 7	{1 1 1 1	{241 207 241 207	{241 207 241 207	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
23	Fever	{M.. F..	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
24	Cerebro-spinal fever	{M.. 29 F.. 27	{7 3 7 3	{6 6 6 6	{1 2 1 2	{2 2 2 2	{16 11 16 11	{5 6 5 6	{1 4 1 4	{2 2 2 2	{1 1 1 1	{1 1 1 1	{2 1 2 1
25	Smallpox	{M.. 6 F.. 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
26	Erysipelas	{M.. 19 F.. 16	{9 10 9 10	{1 1 1 1	{ }	{ }	{10 11 10 11	{ }	{ }	{ }	{ }	{ }	{ }
27	Septicemia	{M.. 18 F.. 32	{5 1 5 1	{1 1 1 1	{ }	{ }	{5 2 5 2	{1 1 1 1	{2 2 2 2	{2 2 2 2	{1 1 1 1	{1 1 1 1	{2 2 2 2
28	Venereal diseases	{M.. 10 F.. 6	{5 5 5 5	{ }	{1 1 1 1	{ }	{5 6 5 6	{ }	{ }	{ }	{ }	{ }	{ }
29	Others of this group	{M.. 13 F.. 10	{1 1 1 1	{3 3 3 3	{ }	{ }	{4 4 4 4	{ }	{ }	{ }	{ }	{ }	{ }
30	General diseases—B	262	182	11	3	2	2	200	1	1	2	5	3
31	Males	155	96	8	2	2	1	109	1	1	2	1	2
32	Females	107	86	3	1	1	1	91				4	1
33	Alcoholism	{M.. 23 F.. 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
34	Parasitic diseases	{M.. 2 F.. 1	{ }	{2 1 2 1	{ }	{ }	{2 1 2 1	{ }	{ }	{ }	{ }	{ }	{ }
35	Lead poison	{M.. 1 F.. 1	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
36	Other poisons	{M.. 23 F.. 16	{ }	{1 2 1 2	{2 1 2 1	{1 1 1 1	{5 4 5 4	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1	{1 1 1 1
37	Inanition	{M.. 106 F.. 88	{96 83 96 83	{5 3 5 3	{ }	{1 1 1 1	{102 86 102 86	{ }	{ }	{ }	{ }	{ }	{ }
38	General diseases—C	708	493	31	4		2	530	5	1			
39	Males	392	290	12	3		1	306	1				
40	Females	316	203	19	1		1	224	4	1			
41	Old age	{M.. 73 F.. 79	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
42	Premature birth	{M.. 128 F.. 87	{128 87 128 87	{ }	{ }	{ }	{ }	{128 87 128 87	{ }	{ }	{ }	{ }	{ }
43	Malformation	{M.. 11 F.. 12	{10 10 10 10	{1 1 1 1	{ }	{ }	{11 11 11 11	{ }	{ }	{ }	{ }	{ }	{ }
44	Debility and atrophy	{M.. 160 F.. 131	{132 99 132 99	{11 19 11 19	{3 1 3 1	{ }	{147 119 147 119	{1 3 1 3	{ }	{ }	{ }	{ }	{ }
45	Others of this group	{M.. 20 F.. 7	{20 7 20 7	{ }	{ }	{ }	{20 7 20 7	{ }	{ }	{ }	{ }	{ }	{ }

CAUSE, AND BIRTHPLACES OF MOTHERS.

835

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
425	435	402	329	347	337	325	304	305	255	187	82	23	13	18	1
270 155	277 158	274 128	222 107	247 100	211 126	195 130	165 139	176 129	140 115	86 101	46 36	10 13	6 7	14 4	2 3
2	5	3	2	2	1	5	1	3	2	2	3			1	4
2	3 2	3	2	2	1	5	1	1 2	2		1 2			1	5 6
57	47	40	24	20	14	20	30	18	18	13	6	1	1	2	7
35 22	32 15	26 14	15 9	12 8	11 3	9 11	13 17	11 7	6 12	8 5	4 2	1	1	2	8 9
	1														10
															11
1				1											12
															13
1 1	3 1		1 1	1	2		1	1				1			14
5	2	3	5	2		2	1	3	3	2	2		1		15
	1	2		1	1	3	5	2	4	3	1				16
21 8	18 2	13 2	4 2	3 2	3		2	1						1	17
	2	2		1		1	1		1						18
	1	1								1					19
	1			1	1	1	3	2 1	1 4	1	2				20
		1 1	1 2		2		2 3	1		2 2					21
2 5	1	4	1	2	1 1	3 1	1 4	3	1	1	1			1	22
															23
1	1 1	1	1												24
	1		1												25
	2	1	1		1		1	2							26
4 6	2 5	3	1 2	1 2	1	2 1	1 1		1						27
1	2	1		1											28
1				1	1			2	1	1					29
10	6	6	5	7	6	2	1	1	2			1	1	2	30
6 4	4 2	5 1	4 1	7	6	2	1	1	1			1	1	2	31
1 1	1	4	4	4	4	1	1	1						1	32
															33
1															34
															35
4 3	3 2	1 1		2	2				1						36
				1		1								1	37
		1		1	1	3	9	23	27	58	31	10	7	1	38
		1		1		3	6	9	15	24	19	4	3		39
					1		3	14	12	34	12	6	4	1	40
						2	3	8	15	20	18	4	3		41
							2	13	11	32	11	6	4		42
															43
		1		1		1	3	1		4	1				44
					1		1	1	1	2	1			1	45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued.												
	General diseases—D.....	1,448	70	37	22	8	8	145	31	27	80	124	152
2	Males.....	805	37	18	7	4	4	70	13	9	26	61	84
3	Females.....	643	33	19	15	4	4	75	18	18	44	63	68
4	Anemia.....	{M.. 11	2	1				3					1
		{F.. 10	2				2	4		1	3		
5	Diabetes.....	{M.. 26							1	2	1		2
		{F.. 18							1		1		
6	Rheumatism.....	{M.. 12							3				
		{F.. 12	2					2	2	1			
7	Scrofula and tabes.....	{M.. 9	5					5				1	
		{F.. 7	4	1				5			1		
8	Hydrocephalus.....	{M.. 36	13	9	2	2	1	27	4		2	1	
		{F.. 58	13	10	9	1	1	34	10	5		2	1
9	Tuberculosis, general.....	{M.. 15					1	1	1	1	1	1	3
		{F.. 9							1		2	1	1
10	Consumption.....	{M.. 521	14	8	4	2	2	30	3	5	29	56	75
		{F.. 347	12	8	6	2	1	29	4	10	35	56	62
11	Cancer.....	{M.. 136										1	1
		{F.. 138										1	3
12	Tumor.....	{M.. 13									1	1	
		{F.. 20								1		1	
13	Dropsy.....	{M.. 17									1		1
		{F.. 16											1
14	Others of this group.....	{M.. 9	3		1			4	1	1	2		1
		{F.. 8				1		1			1	2	
15	2. Diseases of the nervous system.....	997	340	85	31	26	15	497	30	10	6	14	21
16	Males.....	584	202	49	16	15	12	294	12	5	2	7	13
17	Females.....	413	138	36	15	11	3	203	18	5	4	7	8
18	Inflammation of the brain.....	{M.. 17	5	4		1	1	11				1	1
		{F.. 5	1	4				5					
19	Meningitis.....	{M.. 113	44	19	7	7	6	83	6	3	1	2	4
		{F.. 113	48	16	12	6		82	12	4	2	2	2
20	Apoplexy.....	{M.. 123	2				2	4			1		2
		{F.. 107	1	1	1	1		4	1		1		2
21	Paralysis.....	{M.. 48	1		1			2				1	2
		{F.. 27	1					1	1			1	
22	Paralysis, general (of insane).....	{M.. 5											1
		{F.. 3											
23	Tetanus and trismus nascentium.....	{M.. 12	7					7	2	1			
		{F.. 6	5					5					
24	Chorea.....	{M..											
		{F..											
25	Epilepsy.....	{M.. 11	2	2				4	1	1			
		{F.. 9	1	1	1			3			1	1	
26	Convulsions.....	{M.. 175	135	22	7	6	2	172	2			1	2
		{F.. 104	79	12	1	2	2	96	2				
27	Mental diseases.....	{M.. 16										1	2
		{F.. 6											
28	Diseases of the brain.....	{M.. 39	5	1				6				2	1
		{F.. 25	2	2		1	1	6	2	1		2	1
29	Diseases of the spinal cord.....	{M.. 11		1	1	1	1	4	1				1
		{F.. 2				1		1					
30	Locomotor ataxia.....	{M.. 6											
		{F.. 1											
31	Others of this class.....	{M.. 8	1					1					
		{F.. 5											
32	3. Diseases of the circulatory system.....	580	41	4	2	1	1	49	15	14	17	24	27
33	Males.....	330	26	3	2			31	10	5	7	8	13
34	Females.....	250	15	1		1	1	18	5	9	10	16	14
35	Pericarditis.....	{M.. 3								1			
		{F.. 2									1		
36	Diseases of the heart.....	{M.. 287	12	3	2			17	10	4	7	7	12
		{F.. 230	13	1		1	1	16	5	9	9	14	12
37	Angina pectoris.....	{M.. 14										2	1
		{F.. 13											2
38	Diseases of the arteries.....	{M.. 4											
		{F.. 2											
39	Aneurism.....	{M.. 5											
		{F..											
40	Embolism.....	{M.. 3										1	
		{F.. 1											
41	Others of this class.....	{M.. 14	14					14					
		{F.. 2	2					2					

CAUSE, AND BIRTHPLACES OF MOTHERS.

837

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
124	118	119	107	99	87	71	70	40	38	12	2	1		1	1
77	63	80	69	67	52	36	37	22	21	6	2				2
47	55	39	38	32	35	35	33	18	17	6		1		1	3
1		2	1	1				2							4
	2														
1			2	5	3	2	3	2	2						5
1		2		1	1	2	4	2	3						
1			2	1			1		4						6
		1		1	1		1	3							
	1		1				1								7
			1												
1				1											8
2	2	1						1							
1			2	1	1										9
	2														
68	55	57	46	37	24	11	12	9	3	1					10
37	37	18	20	12	7	11	1	3	3	1				1	
2	4	13	14	20	22	22	18	8	8	2	1				11
5	10	15	14	17	21	15	21	7	7	2					
1	1	5		1	1		1		1						12
1	2	2	1		3	3	2	1	2	1					
1		3		1	1		1	1	3	3	1				13
			2			3	3	1	2	2		1			
1					1	1	1								14
8	39	30	37	43	47	47	49	40	43	22	10	2	1	1	15
5	27	23	31	28	29	26	22	24	21	8	5		1	1	16
3	12	7	6	15	18	21	27	16	22	14	5	2			17
		2		1				1							18
2	4	3	2	2	1										19
1	2	2	1		1				2						
1	8	5	12	15	15	15	12	13	13	4	3				20
	4	3	3	11	12	14	17	10	13	7	4	1			
1	3	1	6	8	6	2	5	4	2	3	1		1		21
	1		1	2	2	2	4	3	3	4	1	1			
			1		1	1	1								22
	1			1	1										
	2														23
		1													24
															25
	1	2	1			1									
	1		1			1	1								26
1	1									1				1	
	3	3	1		1	1	1	2	1						27
					1	1	1	1		2					
1	3	4	5	1	5	3	2	2	3	1					28
1	1			1	1	2	4		3						
	2	1	1	1		1									29
															30
	1		2			1			2						
															31
	1	1				1	1	2	1		1				
		1						2							
29	38	26	40	35	44	50	38	65	37	22	.8	1		1	32
22	20	17	26	23	28	28	19	42	17	9	3	1		1	33
7	18	9	14	12	16	22	19	23	20	13	5				34
					2										35
1															
21	17	16	22	20	26	26	18	37	16	7	3	1			36
5	17	9	13	12	15	20	19	20	18	12	5				
1	2	1	2	3			1	2						1	37
1	1		1					2	2	1					
						1		1							38
						1									
	1		2			1			1						39
															40
					1			1		1					41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,849	611	308	123	56	26	1,124	55	15	28	35	47
2	Males.....	1,091	362	179	67	28	10	646	23	6	20	21	33
3	Females.....	758	249	129	56	28	16	478	32	9	8	14	14
4	Croup.....{M..	37	11	8	6	5	1	31	5	1			
	{F..	33	2	11	5	4	3	25	8				
5	Pneumonia.....{M..	758	209	138	47	17	7	418	16	3	17	21	28
	{F..	521	172	93	42	16	11	334	19	6	8	11	13
6	Laryngitis.....{M..	8	1	2		1		4	1	1			
	{F..	8			2	3		6	2				
7	Bronchitis.....{M..	192	114	25	8	4	1	152					1
	{F..	135	59	24	4	4	1	92	1	1			
8	Pleurisy.....{M..	29	1	3	4		1	9	1	1	3		3
	{F..	11			3		1	4	1	1		1	
9	Asthma.....{M..	11				1		1					1
	{F..	12											
10	Others of this class.....{M..	56	26	3	2	1		32					1
	{F..	38	15	1				16	1	1		2	
11	5. Diseases of the digestive system	531	140	18	6	1	3	168	16	16	20	38	33
12	Males.....	284	74	9	4		1	88	6	10	10	18	23
13	Females.....	247	66	9	2	1	2	80	10	6	10	20	10
14	Dentition.....{M..	10	9	1				10					
	{F..	9	6	2		1		9					
15	Angina.....{M..	3											
	{F..	1	1					1					
16	Gastritis.....{M..	39	19	2				21	1			2	1
	{F..	45	23	2			1	26	1				
17	Diseases of the stomach.....{M..	14	2	1				3	1				2
	{F..	7	1	1				2			1		
18	Obstruction of the bowels.....{M..	22	5	1	1			7			1	1	3
	{F..	27	7					7			1	1	1
19	Appendicitis.....{M..	43					1	1	1	7	7	7	8
	{F..	19							5	1	4	3	3
20	Hernia.....{M..	15	2					2				2	2
	{F..	9					1	1			1		
21	Other diseases of the bowels.....{M..	3	1					1		1			
	{F..	4	1	1				2					
22	Jaundice.....{M..	13	9					9					
	{F..	3	1					1					
23	Inflammation and abscess of the liver.....{M..	14		1					1			1	1
	{F..	15	1	1				2	1	1			
24	Other diseases of the liver.....{M..	34									1		
	{F..	18										1	
25	Peritonitis.....{M..	43	6	2	1			9	2	2		5	6
	{F..	61	6	1	1			8	3	4	3	15	4
26	Ascites.....{M..	1											
	{F..	2											
27	Others of this class.....{M..	30	21	2	2			25			1		
	{F..	27	19	1	1			21					2
28	6. Diseases of the urinary system and male organs of generation.....	384	11	5	1	8	3	28	5	3	4	13	15
29	Males.....	254	7	3		5		15	2	1	1	10	5
30	Females.....	130	4	2	1	3	3	13	3	2	3	3	10
31	Bright's disease.....{M..	180							2	1		8	3
	{F..	100							3	2	2	3	8
32	Calculus, urinary.....{M..	3											
	{F..	1											
33	Diseases of the kidney.....{M..	24	6	3		4		13				1	1
	{F..	15	3	1	1	3	3	11			1		1
34	Diseases of the bladder.....{M..	22									1		
	{F..	2											
35	Others of this class.....{M..	25	1			1		2				1	1
	{F..	12	1	1				2					1
36	7. Diseases of the female organs of generation.....	26								1		6	3
37	Ovarian tumors.....	5											1
38	Ovarian diseases.....	1										1	
39	Diseases of the tubes.....	6										2	
40	Uterine tumors.....	6											
41	Uterine diseases.....	3										1	2
42	Others of this class.....	5								1		2	

839

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND
MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	98									2	25	26
2	Abortion	7											1
3	Childbirth	20									1	2	5
4	Puerperal septicemia	59									1	20	13
5	Extra-uterine pregnancy	3											3
6	Others of this class	9										3	4
7	9. Diseases of the bones and joints	16	1			1	1	3	2	1		2	
8	Males	13	1			1	1	3	2	1			
9	Females	3										2	
10	Diseases of the spine (M. 5, F. 1)	5				1		1	1	1		1	
11	Abscess, lumbar and psoas (M. 1, F. 1)	1											
12	Diseases of the bones (M. 5, F. 1)	5	1				1	2					
13	Diseases of the hip-joint (M. 2, F. 1)	2							1				
14	Others of this class (M. 1, F. 1)	1										1	
15	10. Diseases of the skin	25	8	2				10	2			2	1
16	Males	13	3	1				4	2				1
17	Females	12	5	1				6				2	
18	Abscess (M. 7, F. 5)	7	3	1				4	2			2	
19	Carbuncle (M. 1, F. 1)	1											
20	Others of this class (M. 6, F. 6)	6	3	1				4					1
21	11. Diseases of the absorbent system	7	1					1				1	
22	Males	6	1					1				1	
23	Females	1											
24	Addison's disease (M. 1, F. 1)	1											
25	Diseases of the spleen (M. 1, F. 1)	1											
26	Others of this class (M. 5, F. 1)	5	1					1				1	
27	12. Accidents and injuries	606	23	13	17	14	12	79	33	11	44	67	77
28	Males	487	12	7	8	9	8	44	23	8	31	56	67
29	Females	119	11	6	9	5	4	35	10	3	13	11	10
30	Burns and scalds (M. 35, F. 31)	35	2	4	4	4	3	17	2			3	1
31	Drowning (M. 58, F. 10)	58	1	1	3	2	2	7	12	1	5	6	4
32	Exposure and neglect (M. 3, F. 1)	3	1					1					
33	Gunshot wounds (M. 14, F. 3)	14								1	3	1	
34	Homicide (M. 4, F. 2)	4										1	
35	Infanticide (M. 1, F. 1)	1											
36	Injuries by machinery (M. 7, F. 1)	7										1	3
37	Railroad accidents (M. 55, F. 7)	55			1		1	1	1	2	5	4	8
38	Suffocation (M. 13, F. 7)	13	6		1			7	1		1	1	
39	Suicide by shooting (M. 18, F. 1)	18										2	2
40	Suicide by drowning (M. 3, F. 1)	3											1
41	Suicide by poison (M. 16, F. 14)	16										1	4
42	Other suicides (M. 25, F. 8)	25									2	2	3
43	Sunstroke (M. 10, F. 2)	10	1					1					1
44	Surgical operations (M. 2, F. 1)	2											1
45	Wounds (M. 10, F. 2)	10		1				1			1	1	4
46	Others of this class (M. 214, F. 30)	214	2	2		3	2	9	7	4	15	34	37

CAUSE, AND BIRTHPLACES OF MOTHERS.

841

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	9	11	2						1					1	1
2	3								1						2
5	3	4													3
13	3	6	2											1	4
															5
1		1													6
	1	1		4	2										7
	1	1		4	1										8
				2	1										9
															10
															11
		1		1	1										12
				1	1										13
	1														14
1	1	1	1	1		3			1		1				15
		1		1		2			1		1				16
1	1		1			1									17
1		1													18
						1									19
				1		2			1		1				20
	1		1												21
	1			2		1	1								22
	1						1								23
															24
						1									25
	1			2											26
							1								27
53	65	48	32	28	24	13	9	8	7	5				3	28
46	59	43	30	25	18	11	8	8	4	3				3	29
7	6	5	2	3	6	2	1		3	2					30
1	2	5	1	2	1				1						31
1	1			1	1										32
4	7	3	1		1	4		1	1					1	33
	1					1									34
	1														35
4	1		1	1		1		1							36
1	2	1													37
1	1														38
3		2	2	1	4	1		1							39
				2				1							40
2	2	1	2	3			1								41
2		2			2										42
5	4	1	2	3	2				1						43
1	1		1	1	2										44
1	1	2	1		3						1				45
					2										46
	1	2	1			1									
19	29	18	12	10	4	2	6	2	2	2				2	
1	1	2		1		1	1		2	1					




TABLE 12.

DEATHS IN EACH REGISTRATION STATE, DURING THE CENSUS YEAR ENDING
MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, BY BIRTHPLACES OF MOTHERS.

(NOTE.—Birthplace of mother not reported for Vermont.)

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.
CONNECTICUT.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	5,706	3,452	911	662	580	362	163	396	60	87	376	377	1,916
Males	2,789	1,720	491	333	308	206	93	229	33	46	202	219	1,048
Females	2,917	1,732	420	329	272	156	70	167	27	41	174	158	868
Unknown cause	18	10	2	4	4	2		1	1	1	4		7
Males	10	4	2	1	2	1		1	1		3		6
Females	8	6		3	2	1				1	1		1
1. General diseases.													
General diseases—A	1,274	546	194	130	129	111	26	113	10	25	123	102	284
Males	590	271	103	61	71	59	16	56	5	13	63	54	138
Females	684	275	91	69	58	52	10	57	5	12	60	48	146
Measles	{M.. 26	8	4	2	4	6		8		2	8	3	7
{F.. 39	3	5	3	3	3	3		10		1	3	4	5
Scarlet fever	{M.. 13	5	1	1	1	5	2	1			1		
{F.. 14	4	1		2	1	2				2		1	4
Diphtheria	{M.. 51	16	10	6	5	1	2	4		1	7	6	10
{F.. 48	17	10	8	3	15	2	6			5	5	5	10
Whooping cough	{M.. 25	4	1	1	3	3		1				2	3
{F.. 32	6	3	3	3	8	1		1		4	4	1	1
Malarial fever	{M.. 20	6	5	1	3	1	1	1				2	5
{F.. 26	15	3	2		2	1	1	1				2	8
Influenza	{M.. 128	66	15	13	7	5	3	5				3	35
{F.. 185	78	12	15	7	2	1	3	1		1	1	1	52
Typhoid fever	{M.. 54	25	13	11	4	8		5			2		16
{F.. 43	22	11	4	3	6		4			3			10
Cholera morbus	{M.. 9	7	2	2				1	1		1	1	2
{F.. 9	5		1	1				1			1	1	2
Colitis	{M.. 3	1								1	1		
{F.. 9	1	1	2							1	1		2
Diarrhea	{M.. 30	17	5	1	8			6		1	1	4	7
{F.. 25	20	9	4	8	1			4		1	7	4	9
Dysentery	{M.. 20	25	4	6	4	3		3				2	12
{F.. 27	28	4	4	2	1	2	3			2	2	2	11
Enteritis	{M.. 73	36	10	4	8	11	1	3	1	6	13	8	13
{F.. 83	23	11	8	7	2	1	2	1	1	3	10	7	11
Cholera infantum	{M.. 88	38	22	5	15	11	3	9	3	2	25	20	12
{F.. 104	23	13	11	14	8	2	17	2	5	16	15	15	5
Fever	{M.. 1						1						1
{F.. 1													
Cerebro-spinal fever	{M.. 13	7	1	1	1	2	2				2	2	1
{F.. 16	7	1		3			1			1			4
Smallpox	{M.. 10	2	2	3	2		1	2			1		3
{F.. 5	3	2						1		1	2	1	4
Erysipelas	{M.. 16	5	4	4	2	2		5		1	1	1	2
{F.. 6	6	4	1	1	2		1			1	1	1	3
Septicemia	{M.. 6	1			2	1		2			1		4
{F.. 2	1			1			2						
Venereal diseases	{M.. 13	2	4		2								6
{F.. 11	13	1	1	1	1								4
Others of this group	{M.. 13	2	4		2								6
{F.. 11	13	1	1	1	1								4
General diseases—B	66	50	10	9	6	3	2	3	1	1	6	9	43
Males	38	36	8	6	4	2	2	1	1		2	7	33
Females	28	14	2	3	2	1		2		1	4	2	10
Alcoholism	{M.. 10	18		2	3		1						18
{F.. 3	6		1	1	1								3
Parasitic diseases	{M.. 1												1
{F.. 1													
Lead poison	{M.. 1		1										1
{F.. 1													
Other poisons	{M.. 12	10	1	1		1			1				9
{F.. 8	3			1	1			1					3
Inanition	{M.. 15	8	6	3	1	1	1	1		2	2	7	4
{F.. 16	5	2	1		1	1		1		1	4	2	4
General diseases—C	489	185	49	36	53	23	16	34	1	12	27	33	134
Males	260	81	31	19	31	15	13	25		9	12	23	63
Females	229	104	18	17	22	8	3	9	1	3	15	10	71
Old age	{M.. 71	27	10	8	3		5	1		1		1	33
{F.. 90	48	7	4	2	2	1	1			1		1	42
Premature birth	{M.. 113	17	14	9	15	7	6	11		4	9	14	7
{F.. 77	17	6	8	16	4	2	5	1		2	9	4	14
Malformation	{M.. 21	4			5	2						1	2
{F.. 13	3				1		1			1		2	
Debility and atrophy	{M.. 44	24	6	2	6	5	1	8		4	3	5	18
{F.. 45	30	5	5	3	1		2	2		1	3	3	13
Others of this group	{M.. 11	9	1		2	1	1	5				2	3
{F.. 4	6			1	1					1			2

845

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	792	762	185	108	115	65	25	39	12	7	34	38	263
Males.....	333	401	85	54	50	38	15	19	8	3	19	27	124
Females.....	459	361	100	54	65	27	10	20	4	4	15	11	139
Anemia.....	M. 5 F. 11	M. 3 F. 3	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Diabetes.....	M. 38 F. 13	M. 12 F. 14	M. 5 F. 4	M. 3 F. 3	M. 3 F. 3	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Rheumatism.....	M. 12 F. 11	M. 6 F. 15	M. 1 F. 5	M. 2 F. 1	M. 2 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Scrofula and tabes.....	M. 4 F. 9	M. 4 F. 4	M. 1 F. 1	M. 1 F. 1	M. 4 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Hydrocephalus.....	M. 21 F. 21	M. 1 F. 3	M. 3 F. 3	M. 2 F. 2	M. 3 F. 2	M. 6 F. 2	M. 1 F. 1	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Tuberculosis, general.....	M. 3 F. 1	M. 2 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Consumption.....	M. 182 F. 225	M. 321 F. 230	M. 53 F. 41	M. 34 F. 23	M. 31 F. 47	M. 24 F. 23	M. 7 F. 3	M. 12 F. 13	M. 6 F. 1	M. 3 F. 3	M. 8 F. 10	M. 23 F. 6	M. 76 F. 69
Cancer.....	M. 50 F. 146	M. 46 F. 82	M. 18 F. 38	M. 12 F. 24	M. 9 F. 10	M. 2 F. 1	M. 6 F. 4	M. 4 F. 2	M. 2 F. 1	M. 1 F. 1	M. 3 F. 1	M. 3 F. 2	M. 27 F. 56
Tumor.....	M. 5 F. 14	M. 3 F. 7	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Dropsy.....	M. 7 F. 4	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Others of this group.....	M. 6 F. 4	M. 2 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
2. Diseases of the nervous system.....	813	372	112	92	66	31	18	37	8	8	39	38	287
Males.....	433	163	62	47	31	10	9	22	1	5	23	20	166
Females.....	380	209	50	45	35	21	9	15	7	3	16	18	121
Inflammation of the brain.....	M. 8 F. 7	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Meningitis.....	M. 78 F. 57	M. 40 F. 22	M. 6 F. 12	M. 7 F. 2	M. 12 F. 11	M. 5 F. 8	M. 2 F. 1	M. 6 F. 6	M. 1 F. 1	M. 1 F. 1	M. 7 F. 2	M. 6 F. 6	M. 12 F. 15
Apoplexy.....	M. 178 F. 171	M. 70 F. 112	M. 31 F. 16	M. 21 F. 24	M. 7 F. 5	M. 1 F. 5	M. 4 F. 7	M. 3 F. 2	M. 1 F. 3	M. 1 F. 1	M. 4 F. 3	M. 3 F. 1	M. 85 F. 55
Paralysis.....	M. 55 F. 50	M. 16 F. 26	M. 4 F. 3	M. 6 F. 5	M. 7 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 22 F. 18
Paralysis, general (of insane). Tetanus and trismus nascentium.	M. 1 F. 3 M. 8 F. 2	M. 1 F. 1 M. 4 F. 2	M. 1 F. 1 M. 2 F. 3	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1	M. 1 F. 1 M. 1 F. 1
Chorea.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Epilepsy.....	M. 11 F. 3	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Convulsions.....	M. 39 F. 25	M. 12 F. 12	M. 10 F. 7	M. 1 F. 3	M. 7 F. 5	M. 1 F. 2	M. 1 F. 1	M. 11 F. 6	M. 2 F. 2	M. 5 F. 2	M. 7 F. 8	M. 10 F. 9	M. 5 F. 3
Mental diseases.....	M. 8 F. 13	M. 4 F. 11	M. 1 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 13 F. 5
Diseases of the brain.....	M. 29 F. 38	M. 13 F. 15	M. 4 F. 4	M. 6 F. 7	M. 3 F. 1	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 11 F. 11
Diseases of the spinal cord.	M. 1 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Locomotor ataxia.....	M. 7 F. 3	M. 2 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Others of this class.....	M. 9 F. 4	M. 1 F. 6	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
3. Diseases of the circulatory system.....	531	259	60	72	35	11	20	19	5	6	6	18	217
Males.....	270	106	29	31	19	6	8	13	4	2	3	8	116
Females.....	261	153	31	41	16	5	12	6	1	4	3	10	101
Pericarditis.....	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Diseases of the heart.....	M. 238 F. 235	M. 95 F. 142	M. 25 F. 28	M. 27 F. 37	M. 18 F. 16	M. 4 F. 5	M. 6 F. 8	M. 13 F. 6	M. 2 F. 1	M. 1 F. 4	M. 3 F. 1	M. 5 F. 6	M. 105 F. 89
Angina pectoris.....	M. 20 F. 10	M. 3 F. 4	M. 2 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 6 F. 5
Diseases of the arteries.....	M. 5 F. 7	M. 3 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Aneurism.....	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Embolism.....	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
Others of this class.....	M. 3 F. 5	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.
CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	736	544	117	80	84	59	20	102	13	13	73	84	229
Males.....	336	270	68	45	43	38	10	64	9	7	40	50	116
Females.....	400	274	49	35	41	21	10	38	4	6	33	34	113
Croup.....	10	5	3	4	1	1	1	2			2	4	1
{M..	18	7		1	1	3		2			1	4	2
{F..													
Pneumonia.....	223	192	40	28	31	25	6	45	6	5	22	25	83
{M..	272	178	28	21	26	14	9	25	3	5	24	21	76
{F..													
Laryngitis.....	5	2	1			1							
{M..	5	1	1		1	1					2		
{F..													
Bronchitis.....	67	45	18	8	8	6	2	15	1	2	13	16	18
{M..	76	55	12	8	9	2	1	10	1	1	6	6	22
{F..													
Pleurisy.....	4	8	1		1	1	1					3	5
{M..	7	9	3	1	1								1
{F..													
Asthma.....	7	4	1	3		1							4
{M..	2	7	2	1	1			1				2	2
{F..													
Others of this class.....	20	14	4	2	2	3		2	2		3	2	5
{M..	20	17	3	3	2	1						1	10
{F..													
5. Diseases of the digestive system....	275	221	61	36	20	21	4	9	2	7	24	18	105
Males.....	122	101	37	20	14	16	1	8	1	3	9	9	49
Females.....	153	120	24	16	6	5	3	1	1	4	15	9	56
Dentition.....	3	2	2		2	1							
{M..	7	1			1					1	1		
{F..													
Angina.....	6	1				1		1					
{M..	4	1	2									1	
{F..													
Gastritis.....	15	20	7	3		2				1	1	1	7
{M..	27	30	1	6				1		1	6	2	16
{F..													
Diseases of the stomach.....	6	8	1	2		2						1	2
{M..	12	6		1	1							1	2
{F..													
Obstruction of the bowels.....	8	12	2	2	1	1		2				1	5
{M..	15	8	4	1									11
{F..													
Appendicitis.....	14	6	2	1	2	1						1	8
{M..	13	10	3	1			1			1			1
{F..													
Hernia.....	6	1	5					2					5
{M..	4	4	1	1									1
{F..													
Other diseases of the bowels.....	4	1	1										1
{M..		1											1
{F..													
Jaundice.....	3	1				1		1			1		
{M..	3	1	1		1								1
{F..													
Inflammation and abscess of the liver.....	10	7		4		1					2	1	3
{M..	5	7			1							1	3
{F..													
Other diseases of the liver.....	20	25	11	4	3	4		2	1				10
{M..	12	19	6	3							1	1	5
{F..													
Peritonitis.....	10	8	3	2	4	2				2	3	2	5
{M..	26	16	2	1	1	4			1	1	2	2	12
{F..													
Ascites.....					1								
{M..		3									1		
{F..													
Others of this class.....	17	9	3	2	1		1				2	2	3
{M..	25	13	4	2	1	1	2				4	1	3
{F..													
6. Diseases of the urinary system and male organs of generation.	364	252	61	41	25	11	16	7	6	5	12	9	147
Males.....	216	136	31	23	17	4	7	3	3	2	8	5	104
Females.....	148	116	30	18	8	7	9	4	3	3	4	4	43
Bright's disease.....	156	109	25	17	10	2	5	3	1	1	5	3	70
{M..	127	98	27	13	7	6	8	3	3	3	3	3	36
{F..													
Calculus, urinary.....	1			1							1		
{M..													
{F..													
Diseases of the kidney.....	17	5	3	3	2	1			1	1	1	1	4
{M..	8	4	1	3	1		1	1			1	1	4
{F..													
Diseases of the bladder.....	27	8	2	2	3		2		1		1	1	19
{M..	6	4											2
{F..													
Others of this class.....	16	14	1	1	2	1							11
{M..	6	10	2	1		1							1
{F..													
7. Diseases of the female organs of generation.	19	10	4	2	4			1					10
Ovarian tumors.....	5	3	1	1	1								
Ovarian diseases.....	1												
Diseases of the tubes.....	1												
Uterine tumors.....	5	4		1									5
Uterine diseases.....		1	1		2								1
Others of this class.....	7	2	2		1			1					4

CAUSE, AND BIRTHPLACES OF MOTHERS.

847

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.
8. Affections connected with pregnancy.	36	26	4	10	4	5	1	5	1		5	8	8
Abortion	2	3				1	1					1	1
Childbirth.....	9	3		1	1	1			1		1		3
Puerperal septicemia.....	14	12	3	7	3	2		3			1	7	2
Extra-uterine pregnancy...	2										1		
Others of this class.....	9	8	1	2		1		2			2		
9. Diseases of the bones and joints ..	18	7	4		2	1	1						4
Males.....	11	4	2			1	1						3
Females.....	7	3	2		2								1
Diseases of the spine...{M..		1	2				1						
{F..	3				2								
Abscess, lumbar and psoas..{M..			1										
{F..	1	1											
Diseases of the bones...{M..	7	2				1							2
{F..	2												
Diseases of the hip-joint..{M..	1												1
{F..													
Others of this class.....{M..	3	1											
{F..	1	2	1										1
10. Diseases of the skin.....	15	8						1					5
Males.....	8	3											2
Females.....	7	5						1					3
Abscess.....{M..	5	2											1
{F..	5	3						1					2
Carbuncle.....{M..		1											
{F..													
Others of this class.....{M..	3												1
{F..	2	2											1
11. Diseases of the absorbent system..	7	1	1										1
Males.....	5												
Females.....	2	1	1										1
Addison's disease.....{M..	1												
{F..		1	1										1
Diseases of the spleen...{M..													
{F..	2												
Others of this class.....{M..	4												
{F..													
12. Accidents and injuries.....	253	199	47	42	33	19	14	25		2	23	20	172
Males.....	157	144	33	26	26	16	11	17		2	20	16	128
Females.....	96	55	14	16	7	3	3	8			3	4	44
Burns and scalds.....{M..	10	5	1	3						1	5	1	1
{F..	17	11	3	3	2	1		4			1	1	6
Drowning.....{M..	21	28	4	3	5	6	3	1			2	2	20
{F..	8	4		1	2		2					1	8
Exposure and neglect..{M..	2	2									1		1
{F..		1										1	
Gunshot wounds.....{M..	4	1	1	3	2			1			1		4
{F..	2							1			1		
Homicide.....{M..								1					2
{F..		1										1	
Infanticide.....{M..													
{F..													
Injuries by machinery..{M..													
{F..													
Railroad accidents.....{M..	19	33		4	5	4	2	4			1	2	39
{F..	7	8		4									1
Suffocation.....{M..	12	5			2		1						3
{F..	8	4									1		2
Suicide by shooting...{M..	2		3	2		1					1	1	2
{F..	1												
Suicide by drowning...{M..	1		1	1									
{F..		1	1	1									1
Suicide by poison.....{M..	9	3	5				1			1			3
{F..	10	3	1										1
Other suicides.....{M..	12	6	4	1		2	1				1	2	2
{F..	4	1	1										1
Sunstroke.....{M..		3	1		1						1		
{F..	1	1											
Surgical operations...{M..	1											1	2
{F..	1												
Wounds.....{M..		4			1		1	1				1	2
{F..													
Others of this class...{M..	64	54	13	9	10	3	2	9			7	6	47
{F..	37	20	8	7	3	2	1	3					24

CAUSE, AND BIRTHPLACES OF MOTHERS.

849

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	399	103	55	18	6	1	5	2	4		1	11	51
Males.....	180	61	31	12	3	1	2	1	2		1	7	24
Females.....	219	42	24	6	3		3	1	2			4	27
Anemia.....	4												
{M.....	2	2											
{F.....	2												
Diabetes.....	5	2		1									
{M.....	5												
{F.....													
Rheumatism.....	6	1	1	1					1				
{M.....	9	1	1				2						1
{F.....													
Scrofula and tabes.....	3			1									1
{M.....	1												2
{F.....													
Hydrocephalus.....	9	1	2										
{M.....	6			1									
{F.....													
Tuberculosis, general.....	2							1				1	1
{M.....	4												
{F.....													
Consumption.....	125	41	18	6	2	1	2	1	1		1	6	16
{M.....	121	26	12	3	3				1			3	14
{F.....													
Cancer.....	20	15	6	2	1								6
{M.....	63	11	8	2			1		1			1	9
{F.....													
Tumor.....	3	1	1										
{M.....	5	2	2										
{F.....													
Dropsy.....	2		2	1									
{M.....	2												1
{F.....													
Others of this group.....	1		1										
{M.....	1		1										
{F.....													
2. Diseases of the nervous system.....	270	63	47	19	3	1	8	5	1		5	2	69
Males.....	154	32	35	12	1	1	5	3	1		4	1	48
Females.....	116	31	12	7	2		3	2			1	1	21
Inflammation of the brain.....	1										1		
{M.....	1												
{F.....													
Meningitis.....	23	2	1					2	1				2
{M.....	20	1		1				1					3
{F.....													
Apoplexy.....	57	17	21	5			4	1					15
{M.....	39	16	7	1	1		2	1			1		11
{F.....													
Paralysis.....	14	1	1	2									
{M.....	15	1	1	2									
{F.....													
Paralysis, general (of insane). ..	1		1				1				1		3
{M.....													1
{F.....													
Tetanus and trismus nascentium.....	5	1											
{M.....	2												
{F.....													
Chorea.....				1									1
{M.....													
{F.....													
Epilepsy.....	1	1											4
{M.....	3				1								2
{F.....													
Convulsions.....	22	1	1								1	1	2
{M.....	11	3	2										
{F.....													
Mental diseases.....	4	5			1	1					1		5
{M.....	1		1	1								1	4
{F.....													
Diseases of the brain.....	23	3	8	4									15
{M.....	13	7		2			1						
{F.....													
Diseases of the spinal cord.....	1	1	1										1
{M.....	6												
{F.....													
Locomotor ataxia.....	1		1										
{M.....	1	1											
{F.....													
Others of this class.....	1												
{M.....	4	2	1										
{F.....													
3. Diseases of the circulatory system..	193	55	37	11	2	1	8	2	4		1	6	32
Males.....	99	27	27	5	1	1	5	2	3		1	5	21
Females.....	94	28	10	6	1		3		1			1	11
Pericarditis.....	1	1											
{M.....													
{F.....													
Diseases of the heart.....	88	23	25	4	1		5	2	3		1	5	20
{M.....	86	27	10	6	1		3		1			1	10
{F.....													
Angina pectoris.....	6	1	1										
{M.....	6												
{F.....													
Diseases of the arteries.....	4			1									
{M.....													
{F.....													
Aneurism.....		1				1							1
{M.....													
{F.....													
Embolism.....	1		1										1
{M.....													
{F.....													
Others of this class.....	1	1											
{M.....													
{F.....													

CAUSE, AND BIRTHPLACES OF MOTHERS.

851

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14		5	1	1							1	1
Abortion.....	1		1										
Childbirth.....	2		2									1	
Puerperal septicemia.....	6		2										1
Extra-uterine pregnancy.....	1				1								
Others of this class.....	4			1									
9. Diseases of the bones and joints..	6	1											2
Males.....	2												
Females.....	4	1											2
Diseases of the spine...{M..	1												
{F..	1												
Abscess, lumbar and {M..													
psoas. {F..	2												
Diseases of the bones...{M..	1												
{F..													
Diseases of the hip-joint{M..	1												
{F..													
Others of this class...{M..		1											2
{F..													
10. Diseases of the skin.....	5	1	1										1
Males.....	3	1											
Females.....	2		1										1
Abscess.....{M..	1												
{F..	1												
Carbuncle.....{M..	2	1											
{F..			1										
Others of this class...{M..	1												1
{F..													
11. Diseases of the absorbent system..	2												
Males.....	1												
Females.....	1												
Addison's disease...{M..													
{F..													
Diseases of the spleen..{M..													
{F..													
Others of this class...{M..	1												
{F..	1												
12. Accidents and injuries.....	101	16	14	4			1	2	1		3	2	21
Males.....	71	13	10	2				1			3	2	16
Females.....	30	3	4	2			1	1	1				5
Burns and scalds.....{M..	7	1						1					
{F..	11			1									
Drowning.....{M..	14	1	2								1		2
{F..				1									
Exposure and neglect..{M..													
{F..													
Gunshot wounds.....{M..	5												3
{F..	2												
Homicide.....{M..	3												
{F..	1		2				1						
Infanticide.....{M..													
{F..													
Injuries by machinery..{M..													
{F..													
Railroad accidents.....{M..	7	2	1										5
{F..	1												1
Suffocation.....{M..	1											1	
{F..		1											
Suicide by shooting...{M..	1	1	2	1									1
{F..													
Suicide by drowning...{M..													
{F..													
Suicide by poison.....{M..	2												
{F..			1										
Other suicides.....{M..	1	1	2									1	2
{F..	4	1	1										1
Sunstroke.....{M..	2												1
{F..	1												
Surgical operations...{M..													2
{F..													
Wounds.....{M..	1												1
{F..													
Others of this class...{M..	27	7	3	1							2		2
{F..	10	1						1	1				

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	8,525	652	36	175	1,898	52	81	10	4	2	27	29	621
Males.....	4,365	346	23	100	983	30	41	4	2	1	19	18	336
Females.....	4,160	306	13	75	915	22	40	6	2	1	8	11	285
Unknown cause	139	6		3	50	1	2				2		16
Males.....	83	6		2	27	1					1		1
Females.....	56			1	23		2				1		6
I. General diseases.													
General diseases—A	1,155	52	4	23	460	7	11	4	1	1	6	5	53
Males.....	626	25	3	15	259	5	4	1			5	3	26
Females.....	529	27	1	8	201	2	7	3	1	1	1	2	27
Measles.....	M 13 F 15				9 10		1						1
Scarlet fever	M 19 F 11			1	16 5								1
Diphtheria	M 29 F 25	2 3		1	19 16	1	1	1			1		1
Whooping cough	M 32 F 33	1 1		1 1	12 15								1
Malarial fever	M 8 F 4	1			1								1
Influenza.....	M 92 F 102	3 2		1	14 12		2						6 9
Typhoid fever.....	M 91 F 44	5 2	1		26 18						1		4 3
Cholera morbus	M 23 F 11	1			5 5		2				1		1
Colitis.....	M 4 F 9	1											
Diarrhea	M 25 F 18		1	4	13 11								1
Dysentery	M 22 F 31	1 3			8 5							1	3
Enteritis.....	M 45 F 44	1 7		2	13 13		1				2		3
Cholera infantum	M 125 F 105	1 3	1	1	110 77	4	1	2		1	1	2	1
Fever.....	M 1 F				2								
Cerebro-spinal fever.....	M 19 F 14			1	5 5								
Smallpox.....	M 5 F												
Erysipelas.....	M 13 F 10	1			1								1
Septicemia	M 31 F 31	4 2			7 5								1 3
Venereal diseases	M 1 F 1												1
Others of this group	M 28 F 21	3 2		3 1			1		1				4
General diseases—B	76	10	2	2	20	1	1				1		5
Males.....	44	5	2	2	13	1					1		3
Females.....	32	5			7		1						2
Alcoholism	M 5 F	4 1	1		1								2 1
Parasitic diseases.....	M 1 F												
Lead poison	M F												
Other poisons.....	M 13 F 6			1	2 1								1
Inanition.....	M 26 F 25	1 4	1	1	11 5	1	1				1		1
General diseases—C	780	53	4	13	155	8	6	1			2	3	71
Males.....	388	24	1	3	85	3	4				1	2	44
Females.....	392	29	3	10	70	5	2	1			1	1	27
Old age.....	M 237 F 268	15 21	1	2	15 15	1 5	2						39 23
Premature birth.....	M 69 F 56	2 2		4	31 28	1		1		</			

CAUSE, AND BIRTHPLACES OF MOTHERS.

853

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D	1,559	159	5	29	312	7	12	1	1			6	95
Males.....	666	81	4	12	145	4	7		1			4	37
Females.....	893	78	1	17	167	3	5	1				2	58
Anemia.....	(M. 17 F. 21)		2		5								1
Diabetes.....	(M. 42 F. 42)	3		1	4								1
Rheumatism.....	(M. 14 F. 12)	1		1	3								3
Scrofula and tabes.....	(M. 11 F. 17)				8								2
Hydrocephalus.....	(M. 22 F. 31)	2		1	8		1						1
Tuberculosis, general.....	(M. 18 F. 14)				3	1							3
Consumption.....	(M. 358 F. 439)	51	2	7	73	3	5					3	19
Cancer.....	(M. 155 F. 273)	22		4	27		1		1			1	8
Tumor.....	(M. 6 F. 18)	1		1	2								20
Dropsy.....	(M. 20 F. 23)	2			3		1						2
Others of this group.....	(M. 3 F. 3)				3								1
2. Diseases of the nervous system.....	1,331	98	5	29	220	4	14		1	1	3	2	117
Males.....	682	50	3	20	111	2	6			1	2	2	59
Females.....	649	48	2	9	109	2	8		1		1		58
Inflammation of the brain.....	(M. 18 F. 8)			1	8								
Meningitis.....	(M. 90 F. 80)	10	1	1	40		1					1	3
Apoplexy.....	(M. 226 F. 251)	20	1	7	15	1	2				1		5
Paralysis.....	(M. 146 F. 133)	7		7	11		1						16
Paralysis, general (of insane). ..	(M. 11 F. 4)			1	26		1		1				20
Tetanus and trismus nascentium.....	(M. 6 F. 1)	1			1								10
Chorea.....	(M. 1 F. 1)												7
Epilepsy.....	(M. 10 F. 8)	1			1		1						6
Convulsions.....	(M. 43 F. 39)	1		1	20								
Mental diseases.....	(M. 24 F. 45)	5		1	5	1	1				1		4
Diseases of the brain.....	(M. 76 F. 53)	4		1	9	1	1					1	14
Diseases of the spinal cord.....	(M. 10 F. 10)	1	1	1	9		4						19
Locomotor ataxia.....	(M. 8 F. 1)				1								4
Others of this class.....	(M. 14 F. 15)				5								3
3. Diseases of the circulatory system.....	942	76	5	25	111	4	11	1			1	1	86
Males.....	521	40	3	15	57	3	6	1			1		57
Females.....	421	36	2	10	54	1	5					1	29
Pericarditis.....	(M. 5 F. 5)			1	2								1
Diseases of the heart.....	(M. 463 F. 382)	37	3	13	44	3	6	1			1		1
Angina pectoris.....	(M. 34 F. 24)	2		1	5		1					1	50
Diseases of the arteries.....	(M. 3 F. 3)	1		1	2								25
Aneurism.....	(M. 5 F. 5)												4
Embolism.....	(M. 3 F. 4)				1								3
Others of this class.....	(M. 8 F. 3)				5								

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	1,106	79	7	23	294	6	13	2			5	3	60
Males.....	550	41	5	15	142	2	5	1			3	3	29
Females.....	556	38	2	8	152	4	8	1			2		31
Croup.....	M.. 13			1	15								
F.. 13		1			20		1				1		
Pneumonia.....	M.. 407	36	5	10	83	2	4	1			2	2	24
F.. 392		30	2	6	90	4	6	1			1		25
Laryngitis.....	M.. 1			1	1								
F.. 5					1								
Bronchitis.....	M.. 67	3		2	34		1				1		2
F.. 88		1		2	22								5
Pleurisy.....	M.. 8				2							1	
F.. 9		1			4		1						1
Asthma.....	M.. 9			1	1								
F.. 8					1								
Others of this class.....	M.. 45	2			6								3
F.. 41		5			14								
5. Diseases of the digestive system....	416	33		5	88	7	3	1	1		1	6	24
Males.....	198	18		2	39	3	2	1	1		1	3	10
Females.....	218	15		3	49	4	1					3	14
Dentition.....	M.. 1	1											
F.. 1													
Angina.....	M.. 3				2								1
F.. 2													
Gastritis.....	M.. 25	2			7				1				2
F.. 40		4		1	7								
Diseases of the stomach.....	M.. 19	1			2								1
F.. 10		1			1								3
Obstruction of the bowels.....	M.. 17	5			4			1					
F.. 22					1							2	
Appendicitis.....	M.. 12	1			6								2
F.. 19		1			2	1							
Hernia.....	M.. 10				1							1	1
F.. 7				1	2								2
Other diseases of the bowels.....	M.. 11				1							1	
F.. 2					2								
Jaundice.....	M.. 9			1	1	1						1	
F.. 7				1	2								1
Inflammation and abscess of the liver.....	M.. 13	1			4								
F.. 10		3			2							1	2
Other diseases of the liver.....	M.. 40	2		1	2		1				1		2
F.. 21		1			4	1							1
Peritonitis.....	M.. 23	5			5								1
F.. 53		2			14	1	1						1
Ascites.....	M.. 5												1
F.. 5		2			1								
Others of this class.....	M.. 15				6	2	1						2
F.. 20		1			9	1							1
6. Diseases of the urinary system and male organs of generation.	548	36	1	14	57	1	3				2		41
Males.....	338	24	1	11	32	1	3						26
Females.....	210	12		3	25						2		15
Bright's disease.....	M.. 214	18		8	19	1	2						21
F.. 155		10		3	19						2		13
Calculus, urinary.....	M.. 2				1								1
F.. 1													
Diseases of the kidney.....	M.. 23	2		1	5								2
F.. 11					2								
Diseases of the bladder.....	M.. 40	2	1	1	2		1						1
F.. 6		1											
Others of this class.....	M.. 59	2		1	5								1
F.. 37		1			4								2
7. Diseases of the female organs of generation.	25	1			5								
Ovarian tumors.....	7				2								
Ovarian diseases.....	1				1								
Diseases of the tubes.....													
Uterine tumors.....	7	1											
Uterine diseases.....	2				1								
Others of this class.....	8				1								

CAUSE, AND BIRTHPLACES OF MOTHERS.

855

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	51	3	1	1	24								7
Abortion	3				1								1
Childbirth	22	1	1		8								2
Puerperal septicemia	17	2		1	10								4
Extra-uterine pregnancy													
Others of this class	9				5								
9. Diseases of the bones and joints...	23	1			2								4
Males	12	1			2								3
Females	11												1
Diseases of the spine... {M..	4				1								2
{F..	6												1
Abscess, lumbar and {M..													
psoas. {F..													
Diseases of the bones... {M..	4				1								
{F..	4												
Diseases of the hip-joint. {M..	3	1											1
{F..	1												
Others of this class... {M..	1												
{F..													
10. Diseases of the skin	13	1			7								
Males	8	1			5								
Females	5				2								
Abscess... {M..	4				5								
{F..	4				1								
Carbuncle... {M..	2												
{F..													
Others of this class... {M..	2	1											
{F..	1				1								
11. Diseases of the absorbent system..	5		1	1	1								3
Males	1		1										2
Females	4			1	1								1
Addison's disease... {M..	1		1										1
{F..	1												
Diseases of the spleen... {M..													
{F..	1												1
Others of this class... {M..													1
{F..	2			1	1								
12. Accidents and injuries	356	44	1	7	92	6	5				4	3	39
Males	248	30		3	66	5	4				4	1	30
Females	108	14	1	4	26	1	1					2	9
Burns and scalds... {M..	12	1			4								
{F..	16	2			4	1							1
Drowning	57	9			20	1					2	1	4
{F..	8	2	1		3							2	1
Exposure and neglect. {M..	1												1
{F..	1				1								
Gunshot wounds	14				3								
{F..	1				1								
Homicide				1	2	1							
{F..	2			2									
Infanticide													
{F..													
Injuries by machinery {M..	3				1								
{F..													
Railroad accidents... {M..	15	7			4	1	1						5
{F..	3				1								
Suffocation	9				5								
{F..	5				2		1						
Suicide by shooting... {M..	16												1
{F..													
Suicide by drowning... {M..	3												
{F..	5												
Suicide by poison	6						1						1
{F..	5	1		1	1								
Other suicides	18				4	1	1				1		3
{F..	4				1								1
Sunstroke	2												
{F..	1												1
Surgical operations... {M..	1												
{F..	4				2								1
Wounds	3				1								
{F..													
Others of this class... {M..	88	13		2	22	1	1				1		15
{F..	53	9		1	10								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	18,114	12,924	911	2,254	7,038	697	808	759	84	31	785	1,364	3,292
Males.....	9,149	6,396	498	1,160	3,662	372	395	454	47	16	436	749	1,651
Females.....	8,965	6,528	413	1,094	3,376	325	413	305	37	15	349	615	1,641
Unknown cause.....	148	86	5	11	31	6	5	7			5	11	31
Males.....	82	51	2	6	14	3		4			4	8	13
Females.....	66	35	3	5	17	3	5	3			1	3	18
1. General diseases.													
General diseases—A.....	3,056	1,801	154	391	1,792	158	125	200	13	7	212	371	342
Males.....	1,497	862	74	181	949	79	59	109	5	3	109	195	165
Females.....	1,559	939	80	210	843	79	66	91	8	4	103	176	177
Measles.....	{M.. 39	{F.. 34	{M.. 1	{F.. 7	{M.. 45	{F.. 2	{M.. 2	{F.. 16	{M.. 1	{F.. 3	{M.. 10	{F.. 6	
Scarlet fever.....	{M.. 62	{F.. 49	{M.. 5	{F.. 5	{M.. 30	{F.. 5	{M.. 3	{F.. 6	{M.. 1	{F.. 9	{M.. 4	{F.. 2	
Diphtheria.....	{M.. 178	{F.. 112	{M.. 8	{F.. 28	{M.. 106	{F.. 16	{M.. 4	{F.. 27	{M.. 1	{F.. 20	{M.. 6	{F.. 3	
Whooping cough.....	{M.. 57	{F.. 31	{M.. 2	{F.. 8	{M.. 41	{F.. 5	{M.. 1	{F.. 6	{M.. 1	{F.. 5	{M.. 4	{F.. 3	
Malarial fever.....	{M.. 22	{F.. 7	{M.. 1	{F.. 1	{M.. 6	{F.. 2	{M.. 1	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 4	
Influenza.....	{M.. 192	{F.. 83	{M.. 5	{F.. 21	{M.. 38	{F.. 2	{M.. 7	{F.. 2	{M.. 1	{F.. 3	{M.. 9	{F.. 47	
Typhoid fever.....	{M.. 133	{F.. 72	{M.. 10	{F.. 17	{M.. 73	{F.. 12	{M.. 4	{F.. 7	{M.. 1	{F.. 6	{M.. 19	{F.. 16	
Cholera morbus.....	{M.. 22	{F.. 16	{M.. 2	{F.. 1	{M.. 10	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 2	
Colitis.....	{M.. 16	{F.. 5	{M.. 1	{F.. 2	{M.. 3	{F.. 1	{M.. 1	{F.. 2	{M.. 1	{F.. 2	{M.. 3	{F.. 2	
Diarrhea.....	{M.. 39	{F.. 48	{M.. 6	{F.. 4	{M.. 38	{F.. 2	{M.. 1	{F.. 2	{M.. 1	{F.. 1	{M.. 8	{F.. 11	
Dysentery.....	{M.. 36	{F.. 35	{M.. 2	{F.. 7	{M.. 20	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 5	{F.. 8	
Enteritis.....	{M.. 208	{F.. 129	{M.. 8	{F.. 18	{M.. 130	{F.. 18	{M.. 10	{F.. 16	{M.. 2	{F.. 1	{M.. 21	{F.. 40	
Cholera infantum.....	{M.. 329	{F.. 155	{M.. 11	{F.. 39	{M.. 345	{F.. 14	{M.. 15	{F.. 15	{M.. 2	{F.. 1	{M.. 37	{F.. 75	
Fever.....	{M.. 2	{F.. 1	{M.. 1	{F.. 1	{M.. 2	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	
Cerebro-spinal fever.....	{M.. 49	{F.. 17	{M.. 3	{F.. 3	{M.. 28	{F.. 1	{M.. 3	{F.. 7	{M.. 1	{F.. 3	{M.. 5	{F.. 2	
Smallpox.....	{M.. 1	{F.. 3	{M.. 1	{F.. 1	{M.. 5	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	
Erysipelas.....	{M.. 32	{F.. 18	{M.. 3	{F.. 5	{M.. 11	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 4	
Septicemia.....	{M.. 37	{F.. 26	{M.. 5	{F.. 6	{M.. 12	{F.. 3	{M.. 4	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 11	
Venereal diseases.....	{M.. 8	{F.. 6	{M.. 1	{F.. 2	{M.. 5	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 3	
Others of this group.....	{M.. 37	{F.. 16	{M.. 1	{F.. 7	{M.. 8	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 2	{F.. 15	
General diseases—B.....	439	259	18	63	219	15	15	17	2	1	26	70	60
Males.....	253	171	13	36	129	10	8	8	1	1	15	35	37
Females.....	186	88	5	27	90	5	7	9	1	1	11	35	23
Alcoholism.....	{M.. 21	{F.. 80	{M.. 2	{F.. 9	{M.. 13	{F.. 2	{M.. 3	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 14	
Parasitic diseases.....	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	
Lead poison.....	{M.. 2	{F.. 3	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	
Other poisons.....	{M.. 19	{F.. 16	{M.. 3	{F.. 4	{M.. 14	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3	{F.. 4	
Inanition.....	{M.. 211	{F.. 71	{M.. 8	{F.. 23	{M.. 102	{F.. 7	{M.. 5	{F.. 7	{M.. 1	{F.. 1	{M.. 12	{F.. 31	
General diseases—C.....	2,025	974	51	167	744	47	66	54	9	3	71	111	368
Males.....	956	482	25	86	416	26	33	27	5	3	38	60	161
Females.....	1,069	492	26	81	328	21	33	27	4	3	33	51	207
Old age.....	{M.. 293	{F.. 178	{M.. 10	{F.. 13	{M.. 29	{F.. 3	{M.. 14	{F.. 25	{M.. 3	{F.. 4	{M.. 1	{F.. 2	
Premature birth.....	{M.. 272	{F.. 99	{M.. 5	{F.. 32	{M.. 167	{F.. 16	{M.. 12	{F.. 15	{M.. 3	{F.. 1	{M.. 16	{F.. 21	
Malformation.....	{M.. 52	{F.. 13	{M.. 1	{F.. 3	{M.. 20	{F.. 1	{M.. 1	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 1	
Debility and atrophy.....	{M.. 311	{F.. 166	{M.. 8	{F.. 33	{M.. 194	{F.. 5	{M.. 6	{F.. 8	{M.. 2	{F.. 1	{M.. 13	{F.. 33	
Others of this group.....	{M.. 28	{F.. 26	{M.. 1	{F.. 5	{M.. 6	{F.. 1	{M.. 2	{F.. 2	{M.. 1	{F.. 1	{M.. 7	{F.. 4	

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	2, 688	2, 917	194	360	1, 146	152	171	73	13	5	98	198	527
Males.....	1, 201	1, 448	112	173	538	80	83	48	4	2	57	94	229
Females.....	1, 487	1, 469	82	187	608	72	88	25	9	3	41	104	298
Anemia.....	{M.. 38	{F.. 13	{M.. 2	{F.. 3	{M.. 10	{F.. 18	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 7
Diabetes.....	{M.. 73	{F.. 38	{M.. 4	{F.. 5	{M.. 7	{F.. 1	{M.. 3	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 13
Rheumatism.....	{M.. 36	{F.. 18	{M.. 1	{F.. 10	{M.. 9	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 7
Scrofula and tabes.....	{M.. 13	{F.. 9	{M.. 1	{F.. 1	{M.. 5	{F.. 8	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1
Hydrocephalus.....	{M.. 102	{F.. 47	{M.. 4	{F.. 11	{M.. 42	{F.. 6	{M.. 6	{F.. 6	{M.. 11	{F.. 5	{M.. 6	{F.. 8	{M.. 3
Tuberculosis, general.....	{M.. 34	{F.. 20	{M.. 1	{F.. 3	{M.. 6	{F.. 1	{M.. 3	{F.. 4	{M.. 2	{F.. 2	{M.. 2	{F.. 5	{M.. 5
Consumption.....	{M.. 630	{F.. 1, 123	{M.. 74	{F.. 108	{M.. 371	{F.. 59	{M.. 61	{F.. 32	{M.. 2	{F.. 2	{M.. 30	{F.. 69	{M.. 122
Cancer.....	{M.. 225	{F.. 152	{M.. 21	{F.. 23	{M.. 73	{F.. 11	{M.. 9	{F.. 5	{M.. 2	{F.. 1	{M.. 10	{F.. 9	{M.. 63
Tumor.....	{M.. 29	{F.. 18	{M.. 2	{F.. 6	{M.. 9	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3	{F.. 2	{M.. 1
Dropsy.....	{M.. 7	{F.. 5	{M.. 1	{F.. 3	{M.. 9	{F.. 1	{M.. 1	{F.. 3	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3
Others of this group.....	{M.. 14	{F.. 5	{M.. 3	{F.. 2	{M.. 3	{F.. 1	{M.. 1	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 4
2. Diseases of the nervous system.....	2, 596	1, 421	107	323	718	81	109	59	12	1	59	132	473
Males.....	1, 350	634	63	175	390	46	56	40	9	1	30	81	233
Females.....	1, 246	787	44	148	328	35	53	19	3	29	29	51	240
Inflammation of the brain.....	{M.. 14	{F.. 5	{M.. 1	{F.. 3	{M.. 14	{F.. 9	{M.. 2	{F.. 2	{M.. 1	{F.. 1	{M.. 3	{F.. 3	{M.. 4
Meningitis.....	{M.. 254	{F.. 124	{M.. 9	{F.. 32	{M.. 143	{F.. 11	{M.. 9	{F.. 14	{M.. 10	{F.. 8	{M.. 33	{F.. 21	{M.. 11
Apoplexy.....	{M.. 463	{F.. 219	{M.. 30	{F.. 61	{M.. 59	{F.. 7	{M.. 18	{F.. 8	{M.. 4	{F.. 1	{M.. 5	{F.. 11	{M.. 115
Paralysis.....	{M.. 203	{F.. 88	{M.. 7	{F.. 33	{M.. 32	{F.. 5	{M.. 12	{F.. 1	{M.. 2	{F.. 1	{M.. 3	{F.. 3	{M.. 43
Paralysis, general (of insane). ..	{M.. 10	{F.. 5	{M.. 1	{F.. 3	{M.. 2	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3
Tetanus and trismus nascentium.....	{M.. 7	{F.. 5	{M.. 1	{F.. 1	{M.. 5	{F.. 1	{M.. 2	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1
Chorea.....	{M.. 1	{F.. 2	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1
Epilepsy.....	{M.. 25	{F.. 12	{M.. 2	{F.. 2	{M.. 9	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 2	{M.. 8
Convulsions.....	{M.. 144	{F.. 67	{M.. 7	{F.. 19	{M.. 78	{F.. 16	{M.. 5	{F.. 11	{M.. 2	{F.. 9	{M.. 21	{F.. 13	{M.. 6
Mental diseases.....	{M.. 41	{F.. 26	{M.. 1	{F.. 6	{M.. 9	{F.. 2	{M.. 3	{F.. 2	{M.. 1	{F.. 2	{M.. 3	{F.. 1	{M.. 16
Diseases of the brain.....	{M.. 121	{F.. 59	{M.. 4	{F.. 10	{M.. 29	{F.. 3	{M.. 5	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 4	{M.. 21
Diseases of the spinal cord.....	{M.. 24	{F.. 4	{M.. 2	{F.. 4	{M.. 4	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1
Locomotor ataxia.....	{M.. 25	{F.. 9	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 2
Others of this class.....	{M.. 18	{F.. 9	{M.. 2	{F.. 5	{M.. 5	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 2
3. Diseases of the circulatory system.....	1, 962	1, 270	94	242	406	48	86	35	7	1	46	71	449
Males.....	1, 045	579	51	124	181	24	43	19	3	1	22	40	260
Females.....	917	691	43	118	225	24	43	16	4	24	24	31	189
Pericarditis.....	{M.. 13	{F.. 7	{M.. 1	{F.. 2	{M.. 2	{F.. 5	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 2
Diseases of the heart.....	{M.. 903	{F.. 526	{M.. 45	{F.. 117	{M.. 165	{F.. 19	{M.. 36	{F.. 16	{M.. 3	{F.. 1	{M.. 19	{F.. 34	{M.. 231
Angina pectoris.....	{M.. 65	{F.. 11	{M.. 1	{F.. 2	{M.. 2	{F.. 1	{M.. 3	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 8
Diseases of the arteries.....	{M.. 39	{F.. 19	{M.. 1	{F.. 5	{M.. 3	{F.. 1	{M.. 3	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 14
Aneurism.....	{M.. 5	{F.. 8	{M.. 2	{F.. 1	{M.. 2	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3
Embolism.....	{M.. 7	{F.. 2	{M.. 1	{F.. 1	{M.. 3	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 2
Others of this class.....	{M.. 13	{F.. 6	{M.. 1	{F.. 1	{M.. 4	{F.. 1	{M.. 1	{F.. 1	{M.. 1	{F.. 1	{M.. 3	{F.. 1	{M.. 2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.
MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	2,503	2,156	135	331	1,080	101	114	215	14	7	147	242	439
Males.....	1,250	1,062	73	171	548	55	47	132	8	4	91	134	194
Females.....	1,253	1,094	62	160	532	46	67	83	6	3	56	108	245
Croup.....	36	16	2	7	23	4		5			9	4	
{M.....	36	16	2	7	23	4		5			9	4	
{F.....	38	20	3	1	20	3	1	5	1		1	2	1
Pneumonia.....	891	764	48	109	353	37	33	95	8	3	57	88	150
{M.....	860	746	35	106	365	31	46	60	4	2	42	71	185
{F.....	10	4	2	2	6	1		1			1	2	1
Laryngitis.....	10	3		3	5							1	
{M.....	186	196	15	31	118	9	8	27		1	21	30	26
{F.....	234	236	18	33	105	10	13	13		1	8	29	40
Pleurisy.....	20	20	3	4	16	1	1	2				4	5
{M.....	17	16		1	7	1	1	2			2		2
{F.....	10	16	1	1	5	1		1			1		1
Asthma.....	4	8	1	3	1						1		4
{M.....	97	46	2	17	27	2	5	1			2	6	11
{F.....	90	65	5	13	29	1	6	3	1		2	5	13
Others of this class.....													
5. Diseases of the digestive system....	853	661	49	113	302	27	32	23	2		29	48	137
Males.....	429	303	25	59	156	15	15	13	1		19	25	54
Females.....	424	358	24	54	146	12	17	10	1		10	23	83
Dentition.....	9	3		3	8							2	
{M.....	5	2	2		3						1	1	
{F.....	5	3			6			1					2
Angina.....	12	1		2	2			1					
{M.....	47	50	3	5	14	1	3	1			3	2	6
{F.....	52	67		5	14		2	1			1	1	10
Gastritis.....	27	15		5	3	1	1					2	3
{M.....	29	26	1	2	9		1					2	3
{F.....	36	23	1	6	13	2	1	2			6	5	6
Obstruction of the bowels.....	40	32	3	7	13	1	1				1	4	8
{M.....	68	33	6	7	29	1	3	4			5	1	5
{F.....	26	16	2	3	6						1	1	6
Appendicitis.....	7	15	1	3	4	1	1				2		6
{M.....	15	23	1	2	5		1						5
{F.....	12	7		1	4	1							
Other diseases of the bowels.....	15	6		1	6	1			1				3
{M.....	13	9	1	2	8	1						2	1
{F.....	12	9		2	8		1						2
Inflammation and abscess of the liver.....	17	12	1	2	7		1						1
{M.....	10	16		1	10	1	1				2	1	1
{F.....	72	68	9	12	17		1	2					9
Other diseases of the liver.....	53	50		8	7		7	1				1	19
{M.....	63	36	2	8	31	6	3	1			3	6	5
{F.....	111	67	11	17	46	6	2	6			3	9	17
Peritonitis.....	1	2							1			1	1
{M.....	4	2		2	2		1	1					3
{F.....	52	27	1	5	12	1	1	2				4	9
Others of this class.....	40	41	4	2	15	3					1	3	6
6. Diseases of the urinary system and male organs of generation.	999	637	47	123	210	23	36	14	4	2	16	21	239
Males.....	606	348	28	68	107	9	24	9	3	1	4	13	154
Females.....	393	289	19	55	103	14	12	5	1	1	12	8	85
Bright's disease.....	412	238	22	45	68	8	16	5	2	1	3	5	108
{M.....	312	231	17	41	75	13	9	5	1	1	11	5	74
{F.....	4		1	1			1						
Calculus, urinary.....	1												
{M.....	41	17		7	14	1	1	3				1	1
{F.....	32	14		3	10							3	1
Diseases of the kidney.....	76	37		8	11		4		1			3	23
{M.....	6	8					1						2
{F.....	73	56	5	7	14		2	1			1	4	22
Others of this class.....	42	36	2	11	18	1	2				1		8
7. Diseases of the female organs of generation.	45	32	5	6	20	1	3	1		1	3	5	11
Ovarian tumors.....	6	5	2	3	1		1						2
Ovarian diseases.....	1	1		1			1						
Diseases of the tubes.....	14	7	1		4					1	1		4
Uterine tumors.....	16	9	1		4		1				1	3	3
Uterine diseases.....		3		1	4								
Others of this class.....	8	7	1	1	7	1		1			1	2	2

CAUSE, AND BIRTHPLACES OF MOTHERS.

859

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	77	81	6	14	51	5	2	6			11	7	7
Abortion	4	1			2	2		1			1		1
Childbirth	14	29	3	5	14		1	2			5	1	3
Puerperal septicemia	20	29	2	5	24	1	1	3			1	5	1
Extra-uterine pregnancy	11	3	1		2						1		
Others of this class	28	19		4	9	2					3	1	2
9. Diseases of the bones and joints ..	44	33	3	3	15	2	2	3			2	1	2
Males	29	25	2	2	8	1		3				1	
Females	15	8	1	1	7	1	2				2		2
Diseases of the spine ..{M..	12	5		1	3	1		2					
{F..	5	1	1		1	1	1						
Abscess, lumbar and ..{M..	2	3											
{F..					1								1
Diseases of the bones ..{M..	8	12	1	1	3			1				1	
{F..	3	2		1	4						2		
Diseases of the hip-joint..{M..	3	2			1								
{F..		1			1								
Others of this class	4	3	1		1								
{F..	7	4					1						1
10. Diseases of the skin	36	15	2	4	18	1	3	3			4	2	5
Males	17	9	2	1	8		1	3			3	1	3
Females	19	6		3	10	1	2				1	1	2
Abscess	8	7	1	1	6		1	1			1	1	2
{M..					1		1				1	1	
{F..	10	4											
Carbuncle	4	1									2		
{M..				2	2								
{F..													
Others of this class	5	1	1		2			2					1
{M..				1	7	1	1						2
{F..	9	2											
11. Diseases of the absorbent system..	20	8	1	3	2		2			1	1		2
Males	9	5		3						1			2
Females	11	3	1		2		2						
Addison's disease	4	2		1									1
{M..							1						
{F..	3	1											
Diseases of the spleen ..{M..	1												
{F..	4	1											
Others of this class	4	3		2						1	1		1
{M..			1		2		1						
{F..	4	1											
12. Accidents and injuries	623	573	40	100	284	30	37	49	8	2	55	74	200
Males	425	417	28	75	218	24	26	39	8	2	43	62	146
Females	198	156	12	25	66	6	11	10			12	12	54
Burns and scalds	24	24	1	2	13	1	3	5	1	1	6	6	1
{M..													
{F..	28	39	3	7	25	1	2	4			3	4	9
Drowning	76	59	2	18	40	5	7	4	1	1	5	17	31
{M..					3		1						1
{F..	10	3											
Exposure and neglect..{M..	4	8					1	1					1
{F..	3	1			1			1					2
Gunshot wounds	12	3	1		4						1	2	2
{M..				2									
{F..	3	1									1		
Homicide	6	3						2			1		
{M..					1								
{F..	3	2											
Infanticide											1		3
{M..							1						1
{F..													
Injuries by machinery {M..		3				1		1					
{F..													
Railroad accidents	52	78	3	11	38	3	2	8	1		7	7	37
{M..					1						3		2
{F..	7	2											
Suffocation	21	20		4	10	1	3	2				2	4
{M..				1	8						2	3	2
{F..	19	8											
Suicide by shooting	38	4	4	5	4	3	1		2			3	7
{M..								1					1
{F..	2												
Suicide by drowning	5	1	2		3		1					2	5
{M..					1								2
{F..	5	2											
Suicide by poison	3	10			1	1	2				2		1
{M..					1	1							2
{F..	4	3	2	1									
Other suicides	29	14	5	9	8	3	1	2	1		1	5	16
{M..				3	5	1					1	1	3
{F..	12	4											
Sunstroke	2	1			1							1	2
{M..					1								
{F..	1												
Surgical operations	3	1			1						1		1
{M..							1	1					3
{F..	9	5	2										
Wounds	5	13	1	1	1			2	1		4	1	
{M..													
{F..		2											
Others of this class	145	175	9	25	94	6	5	12	1		14	16	35
{M..			4	11	19	2	6	3			2	4	24
{F..	92	84											

VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.
MICHIGAN.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	15,369	2,001	4,532	1,658	3,241	883	574	125	146	77	569	1,695	2,335
Males	8,021	1,060	2,444	955	1,711	505	329	85	85	42	337	960	1,359
Females	7,348	941	2,088	703	1,530	378	245	40	61	35	232	735	976
Unknown cause	279	18	68	15	78	22	9	4		2	33	38	48
Males	157	8	30	7	40	6	5	3		1	18	20	30
Females	122	10	38	8	38	16	4	1		1	15	18	18
1. General diseases.													
General diseases—A	2,944	196	777	221	592	177	53	23	21	15	122	361	329
Males	1,524	104	435	123	300	92	21	18	13	7	66	193	167
Females	1,420	92	342	98	292	85	32	5	8	8	56	168	162
Measles	M.. 89		25	4	22	6		3			3	13	4
F.. 116	1	26	4	19	5				2	7	17	1	1
Scarlet fever	M.. 62	3	12	2	17	5		1			4	8	1
F.. 65		12	4	11	4					2	6	1	1
Diphtheria	M.. 63	1	43	6	24	4		1			7	10	7
F.. 98	3	47	2	23	7	1		1		13	6	10	10
Whooping cough	M.. 73	2	9	2	16	13		2	1		1	14	3
F.. 74	2	10	3	14	7	2				4	14	3	3
Malarial fever	M.. 42	5	9	2	14		1		1		2	4	4
F.. 50	4	5	5	6	1	2		1		1	1	3	5
Influenza	M.. 104	23	22	13	5	2	4	1	1		2	11	13
F.. 105	9	18	17	22	2	8				1	12	17	17
Typhoid fever	M.. 173	21	47	23	34	9	8	1	1	2	6	23	15
F.. 161	13	40	11	54	14	3	1	1		2	6	6	6
Cholera morbus	M.. 66	4	17	7	9	4	1		1		3	7	8
F.. 59	3	16	5	10	5				1		2	3	4
Colitis	M.. 29	1	4		4						4	4	2
F.. 17	1	5	1			1				1	3	1	1
Diarrhea	M.. 98	7	19	9	14	2	3		1		2	10	13
F.. 68	13	13	7	12	4	3	1			3	5	13	13
Dysentery	M.. 42	7	13	6	7	3	1				1	2	7
F.. 58	7	12	7	4	2	2					7	11	11
Enteritis	M.. 135	3	37	16	28	6	1	3			5	35	20
F.. 125	11	27	9	26	6	4	2	1	2	5	23	23	23
Cholera infantum	M.. 336	3	107	9	64	27		6	5	1	18	29	26
F.. 248	8	71	4	48	14		1	1	2	9	33	32	32
Fever	M.. 3		1	2						1			
F.. 2													
Cerebro-spinal fever	M.. 98	2	20	9	21	7	1			3	4	8	2
F.. 59	1	8	6	15	8	1				1	15	3	3
Smallpox	M.. 5		2										1
F.. 5													
Erysipelas	M.. 27	10	14	3	8	2					3	5	7
F.. 16	6	8		3	3	1	3				1	5	5
Septicemia	M.. 39	5	16	5	7	1	1	1		1		6	5
F.. 71	5	14	7	16	3	1		1		1	3	5	3
Venereal diseases	M.. 9	1	2	1	1								18
F.. 4	1		2	3		1							20
Others of this group	M.. 31	6	17	6	5	1			1		1	4	11
F.. 24	4	9	2	6	2				1			4	4
General diseases—B	291	25	75	19	63	22	6	4	2	2	17	36	48
Males	172	21	50	11	37	15	5	2	1	1	9	18	36
Females	119	4	25	8	26	7	1	2	1	1	8	18	12
Alcoholism	M.. 16	16	16	3	4	4	2				2	5	11
F.. 1			1	1									1
Parasitic diseases	M.. 3				1								
F.. 2													
Lead poison	M.. 3												
F.. 2													
Other poisons	M.. 39	1	10	3	13	4	2			1		6	10
F.. 28	1	8	1	7	2	1							5
Inanition	M.. 114	4	24	5	20	7	1	2	1		7	13	15
F.. 88	2	16	6	17	5		2	2	1	1	8	12	6
General diseases—C	1,236	188	334	127	229	61	44	13	13	6	50	127	262
Males	633	81	187	66	121	32	20	8	8	3	33	72	128
Females	603	107	147	61	108	29	24	5	5	3	17	55	134
Old age	M.. 197	73	96	50	32	9	19		6	1	12	26	68
F.. 235	88	95	48	41	15	20			5	3	5	23	63
Premature birth	M.. 240	1	42	6	46	11	1	5	1	1	10	23	11
F.. 187	6	23	3	30	8	1	2				6	16	11
Malformation	M.. 58		10	1	11	4					1	1	4
F.. 71	1	3	2	8	2							2	6
Debility and atrophy	M.. 113	6	33	7	27	7		3	1	1	7	20	43
F.. 97	12	21	8	26	4	3	3				5	14	63
Others of this group	M.. 25	1	6	2	5	1					3	2	2
F.. 13		5		3						1			1

861

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	2,265	379	784	278	531	136	108	15	25	10	53	244	313
Males.....	947	179	352	142	221	66	57	9	13	5	34	111	162
Females.....	1,318	200	432	136	310	70	51	6	12	5	19	133	151
Anemia.....	M. 33 F. 44	10 11	5 11	3 8	7 11	2 3	1 4					5 5	4 2
Diabetes.....	M. 87 F. 45	5 6	15 17	13 7	10 9	2 1	4 1	1 1	2		2	6 4	9 1
Rheumatism.....	M. 48 F. 43	8 7	16 17	5 3	2 10	4 3	1	1 1	1		2 1	4 1	9 3
Scrofula and tabes.....	M. 23 F. 32	1 2	4 4	3 4	4 9	2 2	1 1	1		1		4 3	1
Hydrocephalus.....	M. 45 F. 41	4 2	11 5	4 1	10 7	5 1	2		1		1 2	2 9	5 1
Tuberculosis, general.....	M. 15 F. 27	1 5	2 1	2 2	5 6						1	1 2	4 2
Consumption.....	M. 397 F. 601	103 91	136 203	52 51	125 178	35 42	28 22	4 4	3 6	3 2	18 9	48 62	76 78
Cancer.....	M. 223 F. 392	35 57	130 134	48 44	41 59	11 11	17 19	2 1	5 3	1 1	9 4	31 30	38 49
Tumor.....	M. 19 F. 27	4 5	10 14	3 4	4 12	1 2			1 1			3 8	
Dropsy.....	M. 45 F. 53	6 10	22 26	7 10	12 5	3 3	2 2		1		1 1	6 7	14 11
Others of this group.....	M. 12 F. 13	2 4	1	2 2	1 4	1 1	1	1			1	1 2	2 2
2. Diseases of the nervous system.....	2,165	228	502	228	324	95	83	8	18	10	62	200	349
Males.....	1,158	111	274	123	188	54	55	7	11	7	34	120	210
Females.....	1,007	117	228	105	136	41	28	1	7	3	28	80	139
Inflammation of the brain.....	M. 40 F. 44		10 4	3 1	9 7	5					4 1	8 2	3
Meningitis.....	M. 147 F. 114	6 8	23 22	4 6	33 23	10 8	1	2		1 1	6 4	11 12	13 5
Apoplexy.....	M. 282 F. 245	40 42	82 75	46 33	36 32	16 8	22 14		4 3	3	2 5	30 24	55 42
Paralysis.....	M. 225 F. 259	30 35	52 44	34 38	32 21	3 4	17 7		3 1		3 2	11 10	66 44
Paralysis, general (of insane). Tetanus and trismus nascentium.	M. 19 F. 7	3 4	3 3	4 2	3		3 2		1			1 2	5 2
Chorea.....	M. 6 F. 5												
Epilepsy.....	M. 46 F. 36	3 3	9 6	1 1	7 6		1 1		2		1 1	6 4	8 6
Convulsions.....	M. 155 F. 123	4 6	48 36	4 3	31 26	10 13		4		1	12 13	37 11	15 13
Mental diseases.....	M. 22 F. 17	5 5	9 12	3 1	7 2	1 2	5 1			1 1	2 1	2	13 10
Diseases of the brain.....	M. 137 F. 93	15 6	27 17	9 11	19 6	4 2	1 2	1	1		2	6 9	14 11
Diseases of the spinal cord.	M. 35 F. 23	1 3	3 4	6 3	1 7	1 2	3 1				1	2	6
Locomotor ataxia.....	M. 12 F. 5	1	1	3	3	1	1			1			5
Others of this class.....	M. 21 F. 33	2 3	4 2	4 5	3 5	2	1		1		1	5 3	5 3
3. Diseases of the circulatory system.....	1,407	254	423	211	259	45	81	3	18	6	25	89	270
Males.....	802	142	238	133	136	30	54	1	12	3	17	56	168
Females.....	605	112	185	78	123	15	27	2	6	3	8	33	102
Pericarditis.....	M. 10 F. 9	3 4	1 4	5		1	2					1	2
Diseases of the heart.....	M. 686 F. 537	126 99	205 167	110 69	122 107	27 14	48 26		10 6	2 2	15 7	47 32	150 94
Angina pectoris.....	M. 57 F. 36	6 6	17 7	9 7	6 3	1	3		2			3 1	9 1
Diseases of the arteries.....	M. 24 F. 9	6 2	6 6	4 1	4 1		1					2	5 5
Aneurism.....	M. 6 F. 2		1	2	2		1					1	2
Embolism.....	M. 3 F. 3		2	2		1		1			1	1	
Others of this class.....	M. 16 F. 9	1	6 1	1	2 5					1	1	1	

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	1,757	261	612	183	442	139	67	26	13	10	85	284	244
Males.....	928	129	328	109	239	86	36	15	8	5	49	167	147
Females.....	829	132	284	74	203	53	31	11	5	5	36	117	97
Croup.....	{M.. 39	3	14	2	15	1	1	1			3	9	5
.....{F.. 24			13	2	6	1	1				3	13	3
Pneumonia.....	{M.. 598	94	178	75	161	59	25	12	5	1	36	111	90
.....{F.. 528		79	154	52	138	42	15	9	4	2	22	56	60
Laryngitis.....	{M.. 13		1		1	2							1
.....{F.. 8		1	2		3							2	3
Bronchitis.....	{M.. 170	17	82	19	37	19	6	2	1	1	8	31	33
.....{F.. 162		27	86	12	39	7	8	2		3	8	28	20
Pleurisy.....	{M.. 8	3	4	3	5		1				1	3	2
.....{F.. 18		3	1	3	1	2	5					1	3
Asthma.....	{M.. 11	4	17	3	3	1			1	3		1	10
.....{F.. 13		12	17	1	3							4	
Others of this class.....	{M.. 89	8	32	7	17	4	3		1		1	12	6
.....{F.. 76		10	11	4	13	1	2		1		3	13	8
5. Diseases of the digestive system....	1,133	151	342	133	244	60	40	5	17	5	51	113	121
Males.....	582	82	182	78	134	32	22	5	10	2	31	59	71
Females.....	551	69	160	55	110	28	18		7	3	20	54	50
Dentition.....	{M.. 4		2		2						2	1	1
.....{F.. 4			1		1						2	1	
Angina.....	{M.. 11		3		3	1						1	
.....{F.. 6			2		3								
Gastritis.....	{M.. 73	10	22	6	17	4	4	1		1	3	7	9
.....{F.. 80		18	21	10	13	3	5		1		5	11	13
Diseases of the stomach.....	{M.. 38	5	16	12	7		1		1		1	4	4
.....{F.. 35		2	14	4	6	1						2	1
Obstruction of the bowels.....	{M.. 58	5	19	4	17	2	1	1			2	3	8
.....{F.. 27		2	7	3	7	3	2		1		1	3	7
Appendicitis.....	{M.. 73	11	15	5	20	6	2		1		1	6	10
.....{F.. 47		4	9	2	20	2	2		1		1	3	1
Hernia.....	{M.. 16	2	7	2	10	1	2		1			4	2
.....{F.. 10		2	9		2	1						1	2
Other diseases of the bowels.....	{M.. 25	2	8	3	5	1	2		1				
.....{F.. 23		2	2		3	1	1					2	1
Jaundice.....	{M.. 30	2	5	2	3						2	2	4
.....{F.. 21		4	3	4	5		1				1	2	6
Inflammation and abscesses of the liver.....	{M.. 26	5	5	7	6		3				1	4	4
.....{F.. 33		5	7	4	3							4	4
Other diseases of the liver.....	{M.. 77	25	36	16	18	8	4		2		4	7	17
.....{F.. 61		15	19	9	8	2	3		3	2		5	3
Peritonitis.....	{M.. 57	8	19	8	12	3	2	1	2		1	10	8
.....{F.. 126		12	46	9	25	8	3			1	5	13	5
Ascites.....	{M.. 4	1	2	1							1		
.....{F.. 7			1		1							2	
Others of this class.....	{M.. 90	6	23	12	14	6	1	2	2	1	13	10	4
.....{F.. 71		3	19	10	13	7	1		1		5	5	7
6. Diseases of the urinary system and male organs of generation.	726	133	201	103	118	28	34	8	7	2	10	51	136
Males.....	462	87	132	73	62	21	28	5	2	1	9	38	92
Females.....	264	46	69	30	56	7	6	3	5	1	1	13	44
Bright's disease.....	{M.. 283	55	82	47	41	16	18	2	2	1	3	24	53
.....{F.. 188		37	59	23	46	6	5	3	3	1	1	9	34
Calculus, urinary.....	{M.. 6	1	3	1			1					1	2
.....{F.. 4			1		1							1	1
Diseases of the kidney.....	{M.. 37	9	14	8	6		2	1			1	3	13
.....{F.. 37		1	5	2	3	1	1					2	4
Diseases of the bladder.....	{M.. 62	9	16	10	7	4	1				2	4	11
.....{F.. 9		3	1	1								1	1
Others of this class.....	{M.. 74	13	17	7	8	1	6	2			3	6	13
.....{F.. 26		5	3	4	6				2			1	4
7. Diseases of the female organs of generation.	90	8	17	5	14	3	4			1		4	18
Ovarian tumors.....	17		3		1		1					2	7
Ovarian diseases.....	4												2
Diseases of the tubes.....	4	1	2		4							1	3
Uterine tumors.....	29	2	2	2	1		1			1		1	2
Uterine diseases.....	6	1	1	2	1	1	1						2
Others of this class.....	30	4	9	1	7	2	1						2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	158	16	89	25	47	14	6	2	2	1	11	20	15
Abortion	11	1	2	1	1							2	1
Childbirth.....	39	7	23	7	11	6	1	1			5	7	2
Puerperal septicemia.....	74	6	48	11	24	7	4	1	1	1	6	10	6
Extra-uterine pregnancy.....	1		1		2								4
Others of this class	33	2	15	6	9	1	1		1			1	2
9. Diseases of the bones and joints..	53	5	9	6	13	2	2		1		2	3	5
Males.....	35	2	4	5	9	2	2				2	2	4
Females.....	18	3	5	1	4				1			1	1
Diseases of the spine {M..	13			1	3		1				1		2
{F..	11	1	5										
Abscess, lumbar and {M..	1				1								2
{F..	1	1											
Diseases of the bones {M..	13	2	2	3	3							1	
{F..	4	1		1	1				1			1	1
Diseases of the hip-joint {M..	4		2		1	1						1	
{F..	1												
Others of this class {M..	4			1	1	1	1				1		
{F..	1				3								
10. Diseases of the skin.....	39	6	10	5	10		1				1	5	6
Males.....	21	5	7	5	7							2	2
Females.....	18	1	3		3		1				1	3	4
Abscess..... {M..	8	3	4	2	4								2
{F..	11	1	2				1				1	2	
Carbuncle..... {M..			2	1									1
{F..					1							1	1
Others of this class {M..	13	2	1	2	3							2	
{F..	7		1		2								3
11. Diseases of the absorbent system..	26	3	2		11		1					1	4
Males.....	15	2	2		8							1	
Females.....	11	1			3		1						4
Addison's disease {M..	6				1								1
{F..	5												
Diseases of the spleen {M..	1		1		3								
{F..	1				1								
Others of this class {M..	3	2	1		4							1	
{F..	5	1			2		1						3
12. Accidents and injuries.....	800	130	287	99	266	79	35	14	9	7	47	119	167
Males.....	585	107	223	80	209	69	24	12	7	7	35	101	142
Females.....	215	23	64	19	57	10	11	2	2		12	18	25
Burns and scalds {M..	30	1	9	1	12	6	3				3	6	6
{F..	39	2	13	1	9	2					6	3	7
Drowning..... {M..	78	10	30	6	31	7	1	1	1		5	5	23
{F..	14	3	4		6		2					1	1
Exposure and neglect {M..	3	1	1		3	1					1	2	2
{F..	6		1										
Gunshot wounds {M..	40	6	11	2	13	6	1	1			1	2	4
{F..	7		1		1				1				
Homicide..... {M..	5		3		2								4
{F..	3												
Infanticide..... {M..													
{F..													
Injuries by machinery {M..	10	1	1		1						1		
{F..					1								
Railroad accidents {M..	73	25	29	15	34	9	3	4	2	3	3	7	33
{F..	4		8	2	3	3	3					1	1
Suffocation..... {M..	24	2	3	1	6	1		1			1	6	2
{F..	24	1	3	2	4	2					1	2	
Suicide by shooting {M..	25	1	5	1	5	2	1			2	1		3
{F..	6		1		2								
Suicide by drowning {M..	3	1	1		1	1	1					1	
{F..	2				1								
Suicide by poison {M..	9	1	7	1	2	1			2				
{F..	10	1	3	2	5							4	1
Other suicides..... {M..	23	6	21	6	4	4	2		1	1	1	5	5
{F..	7		1		4		1					1	
Sunstroke..... {M..	5												
{F..	1		1		1								
Surgical operations {M..	5				1								
{F..	13	1	2	1	4							1	2
Wounds..... {M..	12	5	5	4	5	1	2					2	2
{F..		1						1				1	1
Others of this class {M..	240	47	97	43	89	30	10	5	1	1	18	65	58
{F..	79	14	26	11	16	3	5	1	1		5	4	12

CAUSE, AND BIRTHPLACES OF MOTHERS.

865

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D	542	141	13	24	212	4	10	1	1		1	6	201
Males.....	223	61	7	15	87	2	4	1	1		1	1	73
Females.....	319	80	6	9	125	2	6					5	128
Anemia.....{M..	15												2
{F..	16	3	1		4								9
Diabetes.....{M..	18	1			2							1	3
{F..	19	3			3							1	4
Rheumatism.....{M..	5			2									1
{F..	3	3			2		1						2
Scrofula and tabes.....{M..	4				7								1
{F..	3	1			6								3
Hydrocephalus.....{M..	11	1			5						1		
{F..	9	3			2	1							1
Tuberculosis, general.....{M..	2			1									
{F..	2	2			2								
Consumption.....{M..	110	53	6	9	64	1	2	1					45
{F..	134	51	4	5	78		4					4	55
Cancer.....{M..	48	4		3	5	1	2		1				18
{F..	108	13	1	2	22	1							46
Tumor.....{M..	5	1											1
{F..	11	1		2	1								3
Dropsy.....{M..	3	1	1		2								2
{F..	10				4		1						5
Others of this group.....{M..	2				2								
{F..	4				1								
2. Diseases of the nervous system	525	64	8	27	175	9	8		1		2	3	238
Males.....	251	32	6	10	96	7	3				1	2	116
Females.....	274	32	2	17	79	2	5		1		1	1	122
Inflammation of the brain.....{M..	5				2								3
{F..	3	3			3								1
Meningitis.....{M..	45	8	1	2	36	2							7
{F..	45	3		2	26	1	1						1
Apoplexy.....{M..	84	10	2	4	19		2				1		55
{F..	110	13		6	8	1	3						43
Paralysis.....{M..	57	4			6							1	22
{F..	49	3	1	2	12		1		1				34
Paralysis, general (of insane).{M..													2
{F..	2												
Tetanus and trismus nascentium.....{M..	1												
{F..	1												1
Chorea.....{M..													
{F..													
Epilepsy.....{M..	3	1	1		3								2
{F..	7												2
Convulsions.....{M..	21	5	2	1	25	3						1	
{F..	16	4	1	3	18						1	1	2
Mental diseases.....{M..	5	1		1									13
{F..	5	1		1	1								11
Diseases of the brain.....{M..	25	2		2	2	2	1						7
{F..	20	2		2	10								15
Diseases of the spinal cord.....{M..	2				1								2
{F..	4	2											5
Locomotor ataxia.....{M..	1												1
{F..	2	1											
Others of this class.....{M..	2	1			2								2
{F..	10			1	1								2
3. Diseases of the circulatory system.....	462	63	2	25	69	2	4	1	2			1	166
Males.....	253	30	2	14	34	2	3	1	1			1	92
Females.....	209	33		11	35		1		1				74
Pericarditis.....{M..	2			1									1
{F..	1												
Diseases of the heart.....{M..	231	28	2	12	29	2	3	1				1	84
{F..	198	33		9	32		1		1				69
Angina pectoris.....{M..	14	1		1	1				1				6
{F..	6			2	3								5
Diseases of the arteries.....{M..	3	1			1								1
{F..	1												
Aneurism.....{M..					1								
{F..													
Embolism.....{M..	1												
{F..	1												
Others of this class.....{M..	2				2								
{F..	2												

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.
NEW HAMPSHIRE—Continued.

BIRTHPLACES OF MOTHERS (WHITE).													
CAUSE OF DEATH.	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	571	124	7	23	326	4	4	1			4	5	166
Males.....	288	54	2	13	164	3	4	1			3	2	75
Females.....	283	70	5	10	162	1					1	3	91
Croup.....	10	2			7								1
{M.....	7				13								2
Pneumonia.....	214	30		11	105	1	3	1			2		59
{M.....	203	47	3	8	110	1					1	2	71
Laryngitis.....	4			1	2								
{M.....	4	1			2								
Bronchitis.....	41	17		1	30							2	11
{M.....	51	18	1	1	29								11
Pleurisy.....	6	3			5								
{M.....	4				1								
Asthma.....	1				1								
{M.....	2	1			1								3
Others of this class.....	12	2	2		14	2	1				1		4
{M.....	12	3	1	1	6							1	4
{F.....													
5. Diseases of the digestive system....	175	29	3	5	60	2	8						52
Males.....	83	14	1	3	29	1	5						24
Females.....	92	15	2	2	31	1	3						28
Dentition.....	3				5								
{M.....	1	1			5								
Angina.....	1				1								
{M.....	1				1								
Gastritis.....	13		1		3								3
{M.....	21	6	1		2		1						8
Diseases of the stomach.....	7	2			2								2
{M.....	8	1			2								3
Obstruction of the bowels.....	6	1			1	1							3
{M.....	11	1			1								3
Appendicitis.....	8	1			1		1						
{M.....	7		1		1								1
Hernia.....	3	1			3								2
{M.....	1				1								2
Other diseases of the bowels.....	4				1								1
{M.....	1												
Jaundice.....		1											2
{M.....	1				2								
Inflammation and abscess of the liver.....	3	3		1	1								3
{M.....	5				1		1						2
Other diseases of the liver.....	15	1			4		2						6
{M.....	7	1		1	1								1
Peritonitis.....	12	2		2	4								1
{M.....	21	5		1	14								5
Ascites.....	1												
{M.....													
Others of this class.....	7	2			3		2						1
{M.....	7					1	1						1
{F.....													
6. Diseases of the urinary system and male organs of generation.	177	21	2	8	31	1		1	1			1	74
Males.....	100	15	1	4	17			1	1			1	48
Females.....	77	6	1	4	14	1							26
Bright's disease.....	65	14	1	1	10				1			1	27
{M.....	66	5	1	3	11	1							26
Calculus, urinary.....													
{M.....													
Diseases of the kidney.....	7	1			5								2
{M.....	3				2								
Diseases of the bladder.....	14			2				1					13
{M.....	2												
Others of this class.....	14			1	2								6
{M.....	6	1		1	1								
{F.....													
7. Diseases of the female organs of generation.	10	2			1								1
Ovarian tumors.....	3												
Ovarian diseases.....													
Diseases of the tubes.....	1												
Uterine tumors.....	5	1											1
Uterine diseases.....													
Others of this class.....	1	1			1								

CAUSE, AND BIRTHPLACES OF MOTHERS.

867

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	3			9	1							5
Abortion					1								
Childbirth.....	2	1			4								3
Puerperal septicemia.....	9	2			3								2
Extra-uterine pregnancy.....													
Others of this class	3				1	1							
9. Diseases of the bones and joints ..	8			1	3			1					2
Males.....	4			1	2								1
Females	4				1			1					1
Diseases of the spine ...{M..	1				1								1
{F..	3				1			1					
Abscess, lumbar and {M..	1												
psoas. {F..													
Diseases of the bones ...{M..													
{F..	1												1
Diseases of the hip-joint.{M..	2												
{F..													
Others of this class{M..				1	1								
{F..													
10. Diseases of the skin	5	1			3								1
Males.....	4				2								
Females	1	1			1								1
Abscess.....{M..					1								
{F..					1								
Carbuncle.....{M..	2												
{F..		1											
Others of this class{M..	2				1								
{F..	1												1
11. Diseases of the absorbent system.	3												
Males.....													
Females.....	3												
Addison's disease.....{M..													
{F..	1												
Diseases of the spleen...{M..													
{F..													
Others of this class{M..													
{F..	2												
12. Accidents and injuries.....	127	30	3	5	44	1	5	2				1	85
Males.....	87	22	1	4	34	1	4	2				1	68
Females.....	40	8	2	1	10		1						17
Burns and scalds.....{M..	2	1											3
{F..	3	2	1	1	2								1
Drowning.....{M..	12	3			8							1	11
{F..	1				2								
Exposure and neglect...{M..	2						1						3
{F..	2												
Gunshot wounds.....{M..	5	1						1					
{F..							1						
Homicide.....{M..													
{F..													1
Infanticide.....{M..													
{F..	1												
Injuries by machinery...{M..													
{F..													
Railroad accidents....{M..	3	4		1	8	1	1						11
{F..	1												
Suffocation.....{M..	5	2											3
{F..	3	2			2								
Suicide by shooting....{M..	3			1	1								4
{F..													
Suicide by drowning...{M..				1									
{F..	1												
Suicide by poison.....{M..	1												1
{F..													
Other suicides.....{M..	10				2		2						8
{F..	5												1
Sunstroke.....{M..		1											
{F..													
Surgical operations....{M..													
{F..	1												
Wounds.....{M..	1												1
{F..													
Others of this class{M..	43	10	1	1	15			1					23
{F..	22	4	1		4								14

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Cont'd.
NEW JERSEY.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un- known.
All causes	13,594	5,113	4,218	1,414	124	301	418	1,211	140	272	672	1,119	2,473
Males.....	7,081	2,563	2,352	774	59	174	218	697	84	154	394	614	1,453
Females.....	6,513	2,550	1,866	640	65	127	200	514	56	118	278	505	1,020
Unknown cause.....	86	16	23	10	2	1	2	10		1	1	6	20
Males.....	42	7	14	5	1			5				2	14
Females.....	44	9	9	5	1	1	2	5		1	1	4	6
1. General diseases.													
General diseases—A.....	2,507	712	602	221	15	70	64	266	18	66	154	251	282
Males.....	1,306	358	328	120	8	36	32	154	12	29	86	135	147
Females.....	1,201	354	274	101	7	34	32	112	6	37	68	116	135
Measles.....	M.. 36 F.. 44	11 9	11 11	1 2	 2	1	2 1	27 17		1	5 2	6 3	3 3
Scarlet fever.....	M.. 58 F.. 48	9 22	10 14	8 9	1 1	4 1	 1	13 3	1	 2	6 5	3 1	4 6
Diphtheria.....	M.. 185 F.. 175	36 35	45 33	14 11	1	2 2	6 5	15 11	1 1	4 4	4 10	13 14	20 12
Whooping cough.....	M.. 71 F.. 82	23 14	15 10	6 5		1 1	3 1	4 11	1	2 3	4 6	9 9	3 2
Malarial fever.....	M.. 24 F.. 25	11 14	10 6	2 1		 1		2 3				3	4 1
Influenza.....	M.. 93 F.. 114	33 52	22 29	11 16	2	2 2	2 3	2 3		1	2 1	5 2	16 15
Typhoid fever.....	M.. 106 F.. 75	34 20	21 17	18 4	 1	2 3	3 2	5 2	3	4 1	3 1	13 4	15 18
Cholera morbus.....	M.. 26 F.. 19	12 7	5 3	2 1			1	2			1 1	 4	4 2
Colitis.....	M.. 19 F.. 19	3 6	3	 2	1			2			2	1 2	3 2
Diarrhea.....	M.. 38 F.. 44	14 17	13 4	8 5		1 1	 2	5 4	1	1	3 2	3 5	4 3
Dysentery.....	M.. 25 F.. 37	19 23	10 6	5 6		3 1	 1	5 5			1 3	4 1	3 9
Enteritis.....	M.. 258 F.. 199	69 64	76 70	15 15	1 2	8 12	7 9	36 25	2 1	12 12	25 21	47 42	31 32
Cholera infantum.....	M.. 241 F.. 212	39 26	51 35	13 11	1	6 8	1 4	17 16	1 1	2 12	19 15	18 17	10 10
Fever.....	M.. 1 F.. 1			1							1		
Cerebro-spinal fever.....	M.. 41 F.. 34	15 8	6 4	3 5	1	 1	3	1 2		1	2	4 1	3 2
Smallpox.....	M.. 5 F.. 1	 1											 1
Erysipelas.....	M.. 23 F.. 21	12 11	5 6	2		1	1	10 5	2	1 2	4 1	 3	7 3
Septicemia.....	M.. 36 F.. 28	11 12	11 13	3 3	 1	5 1	2	5 5	 2		3	2 5	8 10
Venereal diseases.....	M.. 2 F.. 3	 2	2 2	 1			1	2		 1	1	2 1	2 2
Others of this group.....	M.. 18 F.. 20	7 11	12 9	8 4			 3	1	 1			2 2	7 2
General diseases—B.....	238	67	47	28	4	5	10	10	5	3	11	24	42
Males.....	137	41	30	20	2	4	6	7	4	3	7	16	30
Females.....	101	26	17	8	2	1	4	3	1		4	8	12
Alcoholism.....	M.. 18 F.. 2	16 7	12 1	11 3		1	3 1		2	1		2	17 3
Parasitic diseases.....	M.. 1 F.. 1							1				1	
Lead poison.....	M.. 2 F.. 1	1	1										1
Other poisons.....	M.. 24 F.. 11	7 8	7 6	3	 1	2 1	 1	 1	1		1	3 2	5 5
Inanition.....	M.. 92 F.. 88	17 11	10 10	6 5	2 1	1	3 2	6 2	1 1	2	6 3	10 6	7 4
General diseases—C.....	1,279	260	226	88	6	18	31	102	6	24	66	102	151
Males.....	711	111	117	39	3	13	10	60	4	15	44	53	83
Females.....	568	149	109	49	3	5	21	42	2	9	22	49	68
Old age.....	M.. 123 F.. 160	30 64	31 45	17 23	 1	3 1	1 10	 3			 1	7 8	38 28
Premature birth.....	M.. 208 F.. 138	14 13	23 17	5 11	2 2	3 2	3 4	19 17	2	4 2	9 5	14 9	11 10
Malformation.....	M.. 56 F.. 32	11 8	10 4	1			1 3	3 2			3 1	3 2	1 1
Debility and atrophy.....	M.. 288 F.. 221	44 55	49 41	14 12	1	6 2	5 1	35 19	1 2	11 5	26 14	29 28	31 27
Others of this group.....	M.. 36 F.. 17	12 9	4 2	2 3		1	 3	3 1	1	 2	6 1	 2	2 2

869

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Un-known.
1. General diseases—Continued.													
General diseases—D.....	1,892	1,051	759	238	22	53	75	92	27	23	58	142	467
Males.....	859	552	430	124	12	29	40	49	21	12	33	83	238
Females.....	1,033	499	329	114	10	24	35	43	6	11	25	59	229
Anemia.....	M. 15 F. 17	4 14	5 6	3 4	1	1		2	2	1			2 2
Diabetes.....	M. 35 F. 32	8 14	15 16	7 5		1 1	2 1		1 1		1	1	6 3
Rheumatism.....	M. 20 F. 14	4 8	5 7	5 1				1 2		1		1 3	2 3
Scrofula and tabes.....	M. 13 F. 5	1 1	2			1		2 1				1 1	1 1
Hydrocephalus.....	M. 60 F. 53	18 8	12 12	4 3		1 2	1 1	5 4		3 2	3 2	6 8	3 4
Tuberculosis, general.....	M. 13 F. 10	4 3	1	2 1				1				1 1	5 2
Consumption.....	M. 535 F. 603	441 329	289 178	71 57	8 5	24 12	29 15	33 24	13 3	7 4	24 17	56 36	184 156
Cancer.....	M. 124 F. 244	54 102	82 94	24 34	1 3	1 6	7 15	5 11	5 1		5 4	13 10	26 51
Tumor.....	M. 13 F. 30	9 12	12 8	5 3		1 2	1 3			1		2	6 4
Dropsy.....	M. 15 F. 16	6 6	5 6	2 2	2							1 3	2 3
Others of this group.....	M. 16 F. 9	3 2	2 2	1 2				1			1	1 1	1 1
2. Diseases of the nervous system.....	2,196	668	560	212	17	32	75	133	25	39	81	161	390
Males.....	1,167	312	326	121	6	20	38	77	9	24	45	86	224
Females.....	1,029	356	234	91	11	12	37	56	16	15	36	75	166
Inflammation of the brain.....	M. 14 F. 23	2 5	3 3	1 1		1			1			2	1
Meningitis.....	M. 228 F. 198	68 50	67 31	18 15	2 3	6 3	6 5	31 24	1 1	5 4	21 16	16 19	22 15
Apoplexy.....	M. 290 F. 286	110 163	122 105	43 37	1 3	8 1	10 12	9 5	3 7	1 1	2 4	18 24	100 64
Paralysis.....	M. 177 F. 155	35 41	32 31	22 13		1 3	5 6		1 2		1	4 3	28 35
Paralysis, general (of insane). Tetanus and trismus nascentium.	M. 11 F. 12	6 1	6 2	5 1			1 1	1				1	21 2
Chorea.....	M. 2 F. 3												
Epilepsy.....	M. 15 F. 12	5 2	4 2	2 3				1	1	1		1	6 4
Convulsions.....	M. 242 F. 194	40 43	50 26	13 10		2 2	4 9	29 22	2 3	10 8	13 12	29 26	13 11
Mental diseases.....	M. 9 F. 15	6 12	6 11	2 3	1			1				2 1	18 18
Diseases of the brain.....	M. 96 F. 91	26 22	19 14	11 4		2 2	5 1	2 1		3	4 3	6 1	9 11
Diseases of the spinal cord.	M. 24 F. 12	4 9	7 4		2		1			1		4	2 3
Locomotor ataxia.....	M. 14 F. 4	3	3	1		1	1	1				1	2 1
Others of this class.....	M. 11 F. 14	1 8	2	2			3						2 2
3. Diseases of the circulatory system.....	1,227	459	401	141	19	14	26	37	11	9	34	63	235
Males.....	628	205	208	81	10	5	14	20	7	6	16	29	134
Females.....	599	254	193	60	9	9	12	17	4	3	18	34	101
Pericarditis.....	M. 7 F. 7	1 6	2 3					2					1
Diseases of the heart.....	M. 540 F. 539	187 230	191 176	68 56	10 8	5 9	12 12	14 17	7 4	6 3	14 14	27 30	120 96
Angina pectoris.....	M. 35 F. 26	9 6	9 11	4 2			1	3			1 1	1 4	6 4
Diseases of the arteries.....	M. 15 F. 12	5 7	3 1	3 2									7
Aneurism.....	M. 6 F. 1	1 2	1 1	1									1
Embolism.....	M. 4 F. 1	1 1											
Others of this class.....	M. 21 F. 13	1 2	2 1	5			1	1			1 1	1	

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	2,057	911	734	203	20	53	69	364	15	55	149	190	298
Males.....	1,062	454	390	108	8	30	40	207	7	28	85	110	187
Females.....	995	457	344	95	12	23	29	157	8	27	64	80	111
Croup.....	{M.. 78	7	22	5		1		7		1	4	3	3
Pneumonia.....	{F.. 58	14	13	2		3	1	7		1	4	2	
Laryngitis.....	{M.. 689	327	263	75	5	21	30	154	4	19	56	77	139
Bronchitis.....	{F.. 651	304	244	66	8	16	24	105	5	21	47	62	78
Pleurisy.....	{M.. 13	2	4	1						1		3	
Asthma.....	{F.. 14	4	3	1				4			1		1
Others of this class.....	{M.. 165	70	55	12	1	5	6	35	2	4	15	17	21
Pneumonia.....	{F.. 169	95	59	15	4	2		35	1	3	8	11	23
Pleurisy.....	{M.. 16	15	11	2				6			2	1	8
Asthma.....	{F.. 13	8	4	2			2		1		1	2	1
Others of this class.....	{M.. 2	1	3	1					1				6
Pneumonia.....	{F.. 7	4	2	2								1	
Pleurisy.....	{M.. 99	32	32	12	2	3	4	5		3	8	9	10
Asthma.....	{F.. 83	28	19	7		2	2	6	1	2	3	2	8
5. Diseases of the digestive system....	689	267	258	78	9	18	24	42	11	17	28	61	103
Males.....	326	115	137	37	3	13	10	24	5	11	21	33	51
Females.....	363	152	121	41	6	5	14	18	6	6	7	28	52
Dentition.....	{M.. 5	1	1				1				1	1	1
Angina.....	{F.. 14	1	1	1			1					1	
Gastritis.....	{M.. 9	2		1				1					
Diseases of the stomach.....	{F.. 10												1
Obstruction of the bowels.....	{M.. 62	24	21	10		1	1	3	1	2	5	7	6
Appendicitis.....	{F.. 65	39	22	3	1	1	3	3		3		4	7
Hernia.....	{M.. 14	10	4	4				1	1		2	2	1
Other diseases of the bowels.....	{F.. 10	5	1	2			1	2					7
Ascites.....	{M.. 22	5	9	2		2		2		1	4	5	2
Jaundice.....	{F.. 39	18	9	7			1	1	1		3		
Inflammation and abscess of the liver.....	{M.. 28	8	6	6	1	1	1	1	1		1	4	6
Peritonitis.....	{F.. 30	7	6	1	1	1	1			1	2	1	6
Ascites.....	{M.. 13	4	8	2		1	2	1		1	1	2	6
Jaundice.....	{F.. 18	7	6									1	1
Inflammation and abscess of the liver.....	{M.. 16	2	2				1	1	1				1
Peritonitis.....	{F.. 14	1	4	1	1			1	1				1
Ascites.....	{M.. 18	7	2	1				1		2	1	1	4
Jaundice.....	{F.. 8	3	2	2				1	1	1	2	1	1
Inflammation and abscess of the liver.....	{M.. 6	2	1	2	1			1					2
Peritonitis.....	{F.. 7	8	3					2				2	
Ascites.....	{M.. 45	31	50	6	1	6	3	5	1		1	2	16
Jaundice.....	{F.. 34	32	12	8		1	3	1	2	1	1	2	14
Inflammation and abscess of the liver.....	{M.. 61	11	26	1		2		6		2	5	7	2
Peritonitis.....	{F.. 81	22	45	12	2	2	3	7			1	11	9
Ascites.....	{M.. 1		1	1									1
Jaundice.....	{F.. 1	1		1									
Inflammation and abscess of the liver.....	{M.. 26	8	6	1			1	1		3		2	3
Peritonitis.....	{F.. 32	8	10	3	1		1		1		1	2	5
6. Diseases of the urinary system and male organs of generation.	756	350	280	117	4	14	24	34	14	8	20	42	215
Males.....	436	188	154	76	3	6	16	20	10	6	12	21	128
Females.....	320	162	126	41	1	8	8	14	4	2	8	21	87
Bright's disease.....	{M.. 320	154	124	56	3	3	12	11	7	3	5	13	103
Calculus, urinary.....	{F.. 254	133	105	30	1	5	8	8	3	2	6	17	77
Diseases of the kidney.....	{M.. 1	1									1		
Diseases of the bladder.....	{F.. 3	1											
Others of this class.....	{M.. 26	7	14	5				5		1	4	3	8
Bright's disease.....	{F.. 28	6	6	1		1			1		1	2	2
Calculus, urinary.....	{M.. 31	11	4	6		1		3	2		1	3	5
Diseases of the kidney.....	{F.. 5	1	1	2							1	1	
Diseases of the bladder.....	{M.. 58	15	12	9		2	4	1	1	2	1	2	12
Others of this class.....	{F.. 30	21	14	8		2		6				1	8
7. Diseases of the female organs of generation.	25	7	13	5	1			3			2	4	1
Ovarian tumors.....	4	1	3								1		
Ovarian diseases.....											1		
Diseases of the tubes.....	1	3	1	1				1				2	
Uterine tumors.....	5	1	4	2	1								
Uterine diseases.....	5											1	
Others of this class.....	10	2	5	2				2				1	1

CAUSE, AND BIRTHPLACES OF MOTHERS.

871

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	78	48	36	12	2	3		14	1	3	9	13	10
Abortion	2	1										1	1
Childbirth.....	18	12	9	3	2	1		2	1	1	3	3	2
Puerperal septicemia.....	37	23	19	6		2		7		1	1	8	6
Extra-uterine pregnancy.....	2		1					1			1		
Others of this class	19	12	7	3				4		1	4	1	
9. Diseases of the bones and joints ..	32	11	9	3			1	2			1	1	2
Males.....	20	6	7	2								1	1
Females	12	5	2	1			1	2			1		1
Diseases of the spine ..{M..	6	3		1								1	
{F..	2	1	1				1						1
Abscess, lumbar and ..{M..	1												
{F..													
Diseases of the bones ..{M..	7	2	4	1									1
{F..	5	2		1				2			1		
Diseases of the hip-joint..{M..	5	1	2										
{F..	1												
Others of this class ..{M..	1		1										
{F..	4	2	1										
10. Diseases of the skin	15	4	5	2	1						5	2	3
Males.....	7	2	5		1						5	1	3
Females	8	2		2								1	
Abscess.....{M..	4	1									2		
{F..	5	2		1									
Carbuncle	2	1	3										2
{F..	1												
Others of this class ..{M..	1		2		1						3	1	1
{F..	2			1								1	
11. Diseases of the absorbent system..	11	2	4										
Males.....	7		3										
Females	4	2	1										
Addison's disease.....{M..	2		1										
{F..	1												
Diseases of the spleen ..{M..	3												
{F..		1	1										
Others of this class ..{M..	2		2										
{F..	3	1											
12. Accidents and injuries.....	506	280	261	56	2	20	17	102	7	24	53	57	254
Males.....	373	212	203	41	2	18	12	74	5	20	40	44	213
Females	133	68	58	15		2	5	28	2	4	13	13	41
Burns and scalds.....{M..	22	9	13	2		1		8		1	4	1	11
{F..	31	19	10	4		2	1	12		3	6	3	15
Drowning	61	35	25	6		6	1	4			6	9	41
{F..	12	4	2										2
Exposure and neglect..{M..	1	2	1	1									3
{F..		1											
Gunshot wounds	19	3	2	1				3		3		2	7
{F..	3	1									1	1	1
Homicide	3	2	1	1								1	3
{F..		1						1					1
Infanticide	1												
{F..													
Injuries by machinery..{M..	3												
{F..													
Railroad accidents	83	68	31	8		2	4	17		5	12	3	68
{F..	13	2	9	2				5	1	1	1	2	5
Suffocation	22	8	9		1	1	2	6			3	2	4
{F..	11	3	7	1				6					5
Suicide by shooting	10	2	18	1		1	1	5	3	1		5	5
{F..	1												
Suicide by drowning		1	1	1				1					1
{F..	1		1										
Suicide by poison	4	7	19	3				1	1		2	1	4
{F..	4	1	6	1			1				1	3	3
Other suicides.....{M..	5	4	21	2				1					5
{F..	1	1	4										1
Sunstroke	5	3	4			1	1	5		1	2	1	1
{F..	6	6	1	2								1	
Surgical operations.....{M..	2		2					1				1	
{F..	3	1	1	1			1				1		1
Wounds	3	5	4					1			1		3
{F..											1		
Others of this class ..{M..	129	63	52	15	1	6	2	21	1	9	10	18	54
{F..	47	28	17	4			1	4	1		2	3	7

VITAL STATISTICS.

TABLE 12.—DEATHS IN REGISTRATION STATES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

NEW YORK.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	47,922	26,236	18,160	4,843	2,298	1,695	1,457	5,856	616	1,133	4,379	3,278	9,459
Males.....	24,711	12,994	9,975	2,632	1,227	971	769	3,256	352	603	2,457	1,896	5,292
Females.....	23,211	13,242	8,185	2,211	1,071	724	688	2,600	264	530	1,922	1,382	4,167
Unknown cause.....	312	66	45	21	16	1	4	11	1	2	15	9	48
Males.....	155	39	29	11	14		1	6		1	13	6	28
Females.....	157	27	16	10	2	1	3	5	1	1	2	3	20
I. General diseases.													
General diseases—A.....	9,321	3,160	2,616	585	391	367	173	1,289	73	248	1,011	659	1,150
Males.....	4,800	1,523	1,404	304	204	200	84	677	38	141	526	359	603
Females.....	4,521	1,637	1,212	281	187	167	89	612	35	107	485	300	547
Measles.....{M..	198	80	61	8	10	16	2	81	1	3	20	24	57
{F..	228	75	55	12	10	10	3	75		6	25	18	65
Scarlet fever.....{M..	201	55	36	8	4	8	4	22	1	12	39	18	16
{F..	185	50	37	14	8	11	7	19		9	20	13	11
Diphtheria.....{M..	627	171	193	32	22	37	6	65	3	19	70	44	48
{F..	613	183	167	26	20	28	10	58	2	20	95	42	46
Whooping cough.....{M..	250	65	33	12	15	9	2	23		5	21	11	10
{F..	273	64	54	11	7	13	2	33		4	26	9	7
Malarial fever.....{M..	57	17	24	5	3	1	2	10	1	1	6	2	4
{F..	70	36	27	6		1	3	5		1	2	7	8
Influenza.....{M..	249	120	73	30	7	5	12	13	2	5	14	10	55
{F..	366	222	93	41	13	6	12	11	4	1	4	7	54
Typhoid fever.....{M..	459	156	146	42	35	20	11	17	2	3	21	18	70
{F..	371	115	96	22	28	16	7	19	6		16	14	36
Cholera morbus.....{M..	87	25	19	6	7			3	1	3	3	3	10
{F..	69	28	30	7	5	1	3	7			3	2	5
Colitis.....{M..	64	14	17	8	2	2	2	7			6	7	25
{F..	55	26	7	5	1	1	1	6	1		4	2	30
Diarrhea.....{M..	238	74	71	14	11	8	6	48	1	14	25	26	32
{F..	203	73	54	13	8	4	3	45	3	13	18	17	23
Dysentery.....{M..	135	56	51	13	8	4	4	6	2	6	7	7	19
{F..	124	107	44	16	4	7	5	9	1	1	3	6	22
Enteritis.....{M..	925	329	336	46	22	40	17	233	13	35	152	107	108
{F..	866	371	276	48	19	32	15	189	7	25	140	94	124
Cholera infantum.....{M..	848	167	196	21	42	36	3	94	5	27	91	51	38
{F..	677	122	168	26	37	26	6	82	8	17	93	39	27
Fever.....{M..	5	1	1			1							
{F..	3							1					
Cerebro-spinal fever.....{M..	140	39	21	6	3	4	3	19	3	1	22	5	9
{F..	134	27	14	4	4	2	3	16		3	12	6	8
Smallpox.....{M..	1	2		1			1					2	1
{F..	2	2	1								2		
Erysipelas.....{M..	89	42	37	15	2	1	3	19	2	2	6	10	17
{F..	49	35	19	9	3	1		18	1	6	11	7	15
Septicemia.....{M..	109	47	31	21	3	6	1	2	1	4	10	4	30
{F..	140	44	39	6	9	2	3	8			7	11	23
Venereal diseases.....{M..	33	12	9	6	3		2	14			5	5	23
{F..	29	9	5	2	2	3	1	9	1		2	4	20
Others of this group.....{M..	85	51	49	10	5	2	3	1		1	8	5	31
{F..	64	48	26	13	9	3	5	2	1	1	2	2	23
General diseases—B.....	820	432	257	58	42	38	24	58	8	14	69	57	235
Males.....	485	287	185	42	26	25	14	37	6	10	37	33	156
Females.....	335	145	72	16	16	13	10	21	2	4	32	24	79
Alcoholism.....{M..	77	188	68	20	8	9	5	1	2	4	5	4	83
{F..	16	56	10	4	3	2	4	1	1		1	1	29
Parasitic diseases.....{M..	2									1		1	
{F..	1											1	
Lead poison.....{M..	5		3	1									
{F..	3	3	1		1			1					1
Other poisons.....{M..	92	57	73	13	5	12	4	10	3		8	11	55
{F..	47	45	33	5	3	9	2	1			4	6	27
Inanition.....{M..	309	42	41	8	13	4	5	26	1	5	24	17	18
{F..	268	41	28	7	9	2	4	18	1	4	27	16	22
General diseases—C.....	4,800	1,390	976	338	194	114	102	285	36	70	312	186	997
Males.....	2,551	609	477	179	97	69	52	159	18	39	176	113	519
Females.....	2,249	781	499	159	97	45	50	126	18	31	136	73	478
Old age.....{M..	692	266	205	100	27	7	30	3	11	3	19	17	234
{F..	833	457	253	83	35	10	40	10	9	7	18	15	223
Premature birth.....{M..	746	120	97	27	31	23	1	70	2	12	79	35	31
{F..	544	83	77	27	26	16	4	49	5	10	52	23	27
Malformation.....{M..	167	18	20	5	5	3	2	15		7	7	4	7
{F..	116	15	13	2	1	1		9	1		7	4	4
Debility and atrophy...{M..	854	177	139	40	28	34	16	59	5	15	61	47	244
{F..	665	203	144	44	32	16	6	52	3	13	49	30	220
Others of this group....{M..	92	28	16	7	6	2	3	12		2	10	10	3
{F..	91	23	12	3	3	2		6		1	10	1	4

CAUSE, AND BIRTHPLACES OF MOTHERS.

873

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D	6,840	6,126	3,565	900	423	320	313	515	134	181	540	550	1,436
Males.....	3,125	3,242	1,946	482	214	173	161	282	82	105	321	316	709
Females.....	3,715	2,884	1,619	418	209	147	152	233	52	76	219	234	727
Anemia.....	{M.. 59	18	16	7	4		3	3	2		8	1	13
	{F.. 98	53	23	6	11	2		3			2	2	10
Diabetes.....	{M.. 153	46	87	24	12	2	7	6	2	2	9	12	26
	{F.. 133	70	97	11	5	1	5	4	3	2	8	8	18
Rheumatism.....	{M.. 82	51	38	16	4	1	2	4	3	1	2	6	18
	{F.. 95	63	27	16	6	2	6	5	1	2	1	4	17
Scrofula and tabes.....	{M.. 48	3	14	3		1	1	3	2			2	7
	{F.. 71	14	6	1		2		3			2	1	4
Hydrocephalus.....	{M.. 247	82	45	17	4	9	1	40	4	15	44	18	14
	{F.. 207	47	40	7	3	12	7	33	2	6	29	32	12
Tuberculosis, general.....	{M.. 36	20	15	2	1	1	1	6		3	5	8	9
	{F.. 25	18	12	5		1		5	1		2		8
Consumption.....	{M.. 1,854	2,670	1,290	301	138	145	106	189	48	71	182	205	494
	{F.. 1,836	1,920	813	210	125	100	75	143	28	44	106	108	376
Cancer.....	{M.. 451	301	385	85	37	12	32	22	20	11	57	53	96
	{F.. 1,017	602	543	141	50	22	54	31	16	19	58	66	231
Tumor.....	{M.. 67	29	28	12	4		5	1	1	1	8	5	10
	{F.. 95	55	25	10	2	2	2	5	1	2	4	8	18
Dropsy.....	{M.. 95	16	17	13	9	1	1					2	16
	{F.. 108	25	24	7	5		3				2	2	28
Others of this group.....	{M.. 33	6	11	2	1	1	2	8		1	6	4	6
	{F.. 30	17	9	4	2	3		1		1	5	3	5
2. Diseases of the nervous system.....	6,492	2,561	1,903	644	269	124	171	426	69	84	352	275	1,177
Males.....	3,378	1,213	1,043	370	143	76	101	253	42	43	216	166	631
Females.....	3,114	1,348	860	274	126	48	70	173	27	41	136	109	546
Inflammation of the brain.....	{M.. 53	9	9	4	4			1				1	4
	{F.. 39	8	3	1	1			4	1				5
Meningitis.....	{M.. 686	183	156	40	28	22	8	122	6	12	77	33	46
	{F.. 596	133	102	35	25	13	6	81	4	12	46	39	40
Apoplexy.....	{M.. 1,075	558	471	169	35	19	51	37	22	11	44	45	301
	{F.. 1,077	699	451	113	38	11	36	26	17	18	31	28	235
Paralysis.....	{M.. 506	144	140	72	29	6	22	9	6	6	12	21	116
	{F.. 474	180	85	49	22	2	13	4	2	3	7	12	110
Paralysis, general (of insane). ..	{M.. 23	12	27	8	2	2	1		1			2	8
	{F.. 15	9	6	1	5			2					4
Tetanus and trismus nascentium.....	{M.. 62	24	15	3	1			10	1	1	13	5	9
	{F.. 17	13	11	3		3		2			4	1	
Chorea.....	{M.. 3	2	1	1		1							
	{F.. 8		3										1
Epilepsy.....	{M.. 64	28	25	6	4	3	1	6		1	4		29
	{F.. 70	25	19	4	3	1	1	3			1	2	19
Convulsions.....	{M.. 418	79	72	16	22	15	6	43		10	35	36	24
	{F.. 358	55	71	16	13	9	4	33	1	5	30	14	35
Mental diseases.....	{M.. 76	35	24	11	3	2	4	6			3	4	28
	{F.. 74	66	30	10	4	2	1	7		2	9	2	31
Diseases of the brain.....	{M.. 278	92	69	28	11	2	5	14	4	2	22	8	45
	{F.. 241	107	51	22	10	6	7	6	1	1	5	9	46
Diseases of the spinal cord.....	{M.. 49	17	15	4	2	2	1	3			2	4	9
	{F.. 70	25	11	9	3		1	3			2	1	5
Locomotor ataxia.....	{M.. 41	14	11	3	1			1			2	5	4
	{F.. 15	3	7	1	1			1					3
Others of this class.....	{M.. 44	16	8	5	1	2	2	1	2		2	2	8
	{F.. 60	25	10	10	1	1	1	1	1		1	1	12
3. Diseases of the circulatory system.....	3,822	2,502	1,745	497	206	95	163	213	71	56	236	210	912
Males.....	1,985	1,121	920	268	110	54	93	132	43	18	114	116	488
Females.....	1,837	1,381	825	229	96	41	70	81	28	38	122	94	424
Pericarditis.....	{M.. 26	18	11	5		3	2	2		1	1	1	5
	{F.. 35	10	14	5	2	1		3	1	2	1	1	8
Diseases of the heart.....	{M.. 1,693	1,000	818	230	104	45	83	116	39	16	94	100	433
	{F.. 1,595	1,280	749	201	82	37	65	70	26	33	112	88	377
Angina pectoris.....	{M.. 120	30	29	17	3	1	4	2	1	1	5	7	26
	{F.. 90	28	24	15	6		1	3		1	1	3	20
Diseases of the arteries.....	{M.. 34	27	26	5	1		3				4	1	8
	{F.. 13	32	13	1	1		1			1	3	1	6
Aneurism.....	{M.. 18	17	15	6		1		3	2		1	2	6
	{F.. 8	9	4	2	3		1	1					3
Embolism.....	{M.. 18	13	6	2		1	1		1		1		2
	{F.. 21	4	7	3	1	1	1	1	1	1	1		2
Others of this class.....	{M.. 76	16	15	3	2	3		9			8	5	8
	{F.. 75	18	14	2	1	2	1	3			4	1	8

CAUSE, AND BIRTHPLACES OF MOTHERS.

875

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	273	208	176	36	16	14	12	81	2	16	51	37	52
Abortion	12	10	9	3	—	2	2	—	—	—	4	2	8
Childbirth	63	61	38	11	7	2	4	14	1	2	13	6	7
Puerperal septicemia	102	88	95	12	3	10	5	53	1	12	27	20	19
Extra-uterine pregnancy	10	5	10	2	1	—	—	—	—	1	1	3	3
Others of this class	86	44	24	8	5	—	1	14	—	1	6	6	15
9. Diseases of the bones and joints.	105	43	29	9	4	6	6	11	1	3	14	8	21
Males	58	22	17	3	4	3	3	8	1	2	9	6	11
Females	47	21	12	6	—	3	3	3	—	1	5	2	10
Diseases of the spine {M..	17	7	5	1	3	—	—	3	1	1	3	3	3
{F..	18	10	2	2	—	1	1	1	—	—	—	1	1
Abscess, lumbar and {M..	4	2	—	1	—	—	1	1	—	—	—	—	1
{F..	2	1	—	—	—	—	—	—	—	—	—	—	—
Diseases of the bones {M..	22	7	10	1	—	2	—	2	—	—	5	2	4
{F..	15	3	4	3	—	1	—	1	—	1	3	—	4
Diseases of the hip-joint {M..	8	2	1	—	1	1	1	—	—	—	—	—	1
{F..	5	4	1	—	—	1	—	—	—	—	1	—	2
Others of this class {M..	7	4	1	—	—	—	1	2	—	1	1	1	2
{F..	7	3	5	1	—	—	2	1	—	—	1	1	3
10. Diseases of the skin.	80	37	27	3	4	1	5	10	1	3	13	14	14
Males	44	14	17	1	2	1	4	5	1	1	8	8	10
Females	36	23	10	2	2	—	1	5	—	2	5	6	4
Abscess {M..	26	12	10	1	1	1	2	3	1	—	5	5	3
{F..	15	11	7	1	2	—	1	3	—	2	2	2	1
Carbuncle {M..	5	1	2	—	1	—	—	—	—	1	—	—	2
{F..	1	4	—	—	—	—	—	—	—	—	—	—	—
Others of this class {M..	13	1	5	—	—	—	2	2	—	—	3	3	5
{F..	20	8	3	1	—	—	—	2	—	—	3	4	3
11. Diseases of the absorbent system.	46	12	23	5	1	—	1	2	—	—	2	5	6
Males	18	8	7	4	—	—	—	2	—	—	1	4	2
Females	28	4	16	1	1	—	1	—	—	—	1	1	4
Addison's disease {M..	6	5	2	2	—	—	—	—	—	—	—	—	1
{F..	10	1	10	—	—	—	—	—	—	—	1	—	3
Diseases of the spleen {M..	3	—	—	2	—	—	—	—	—	—	—	—	1
{F..	2	—	1	—	1	—	1	—	—	—	—	—	—
Others of this class {M..	9	3	5	—	—	—	—	2	—	—	1	4	—
{F..	16	3	5	1	—	—	—	—	—	—	—	1	1
12. Accidents and injuries.	1,916	1,014	870	199	133	98	55	250	28	38	194	174	1,033
Males	1,366	751	689	143	102	84	39	195	20	28	146	131	827
Females	550	263	181	56	31	14	16	55	8	10	48	43	206
Burns and scalds {M..	68	28	32	8	5	5	5	16	—	4	23	11	39
{F..	104	66	29	11	5	6	4	25	3	5	14	9	29
Drowning {M..	220	126	86	22	2	15	7	21	2	4	12	12	215
{F..	25	13	10	—	2	1	—	3	—	—	2	5	11
Exposure and neglect {M..	12	5	3	2	—	—	—	—	—	1	2	1	2
{F..	3	1	2	—	1	—	—	—	—	—	—	—	8
Gunshot wounds {M..	70	12	41	9	5	5	1	12	1	3	1	6	22
{F..	10	2	2	2	1	1	—	2	—	—	1	1	4
Homicide {M..	16	11	6	1	—	2	1	14	—	—	3	3	7
{F..	6	4	6	—	—	1	—	1	—	—	1	1	2
Infanticide {M..	—	—	1	—	—	—	—	—	—	—	—	—	1
{F..	—	—	—	—	—	—	—	—	—	—	—	—	—
Injuries by machinery {M..	3	1	4	—	—	—	—	—	—	—	1	—	1
{F..	—	—	—	—	—	—	—	—	—	—	—	—	—
Railroad accidents {M..	162	101	59	14	8	10	3	32	3	2	10	10	133
{F..	26	8	6	2	3	—	—	—	—	—	1	1	13
Suffocation {M..	79	20	13	3	6	2	2	5	—	1	9	1	24
{F..	66	12	10	3	3	—	1	—	1	—	—	2	12
Suicide by shooting {M..	48	3	49	9	2	1	1	3	—	1	3	5	20
{F..	4	1	3	2	—	1	—	1	—	—	—	—	—
Suicide by drowning {M..	4	2	4	—	—	—	—	—	—	—	—	—	6
{F..	4	1	3	1	—	—	—	—	—	—	1	—	—
Suicide by poison {M..	31	15	47	3	6	3	1	—	2	2	6	15	26
{F..	16	15	23	3	2	—	3	—	1	2	4	5	26
Other suicides {M..	82	17	77	8	8	4	2	1	1	4	7	10	37
{F..	20	8	18	3	2	1	—	1	1	1	2	3	9
Sunstroke {M..	18	15	12	2	—	—	1	10	—	1	4	1	8
{F..	12	11	6	—	—	—	—	3	—	1	3	—	3
Surgical operations {M..	10	7	—	1	—	—	—	—	—	—	—	—	8
{F..	16	9	6	3	3	—	—	1	—	—	—	—	6
Wounds {M..	11	12	12	3	2	1	—	1	—	1	4	1	16
{F..	3	1	3	1	—	—	—	—	—	—	1	1	2
Others of this class {M..	532	376	243	58	38	36	15	80	11	4	60	55	262
{F..	235	111	54	25	9	3	8	18	2	—	18	15	81

877

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued.													
General diseases—D.....	447	414	27	110	153	41	38	20	14		10	21	34
Males.....	190	203	15	55	61	13	17	13	5		7	13	21
Females.....	257	211	12	55	92	28	21	7	9		3	8	13
Anemia.....	M 5 F 7	M 1 F 3	M F 1	M F 1	M 1 F 4	M F	M F	M 1 F	M F	M F	M F	M F	M F 1
Diabetes.....	M 13 F 12	M 3 F 5	M F	M 1 F 1	M F 3	M 1 F	M F 1	M F	M F	M F	M F	M F	M F
Rheumatism.....	M 4 F 9	M 3 F 7	M F	M 1 F 4	M 1 F 1	M F	M F	M 1 F	M F	M F	M F 1	M F	M F 1
Scrofula and tabes.....	M 4 F 2	M 2 F 2	M F	M 1 F	M 3 F 1	M 1 F 1	M F	M F 1	M F	M F	M F	M F	M F
Hydrocephalus.....	M 14 F 20	M 9 F 9	M 1 F 1	M 7 F 4	M 5 F 8	M 2 F 2	M 1 F	M F 1	M F	M F	M 1 F	M F	M F 1
Tuberculosis, general.....	M 9 F 10	M 3 F 2	M F 2	M 2 F 3	M F 2	M 1 F 1	M F 1	M 5 F	M F	M F	M F	M 1 F	M F 2
Consumption.....	M 108 F 102	M 164 F 134	M 11 F 7	M 29 F 26	M 42 F 58	M 7 F 16	M 12 F 11	M 5 F 5	M 4 F 8	M F	M 5 F 2	M 10 F 6	M 15 F 6
Cancer.....	M 30 F 85	M 17 F 45	M 2 F 1	M 14 F 15	M 7 F 14	M 1 F 7	M 3 F 6	M F 1	M 1 F 1	M F	M 1 F	M 2 F 2	M 1 F 6
Tumor.....	M 2 F 6	M F 4	M 1 F	M F	M 1 F 1	M F	M 1 F 2	M 1 F	M F	M F	M F	M F	M F
Dropsy.....	M 1 F 3	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F 1
Others of this group.....	M F 1	M F 1	M F	M F 1	M 1 F	M F 1	M F	M F	M F	M F	M F	M F	M F
2. Diseases of the nervous system.....	385	178	7	54	87	12	20	17	13	1	4	10	22
Males.....	198	78	5	28	56	8	9	9	8	1	3	4	14
Females.....	187	100	2	26	31	4	11	8	5		1	6	8
Inflammation of the brain.....	M 2 F 1	M F	M F	M F	M 1 F 2	M F	M F	M F	M F	M F	M F	M F	M F
Meningitis.....	M 34 F 23	M 15 F 12	M F 1	M 5 F 5	M 16 F 14	M 2 F 2	M 1 F 3	M 2 F 5	M 4 F 5	M F	M 1 F 1	M 1 F 2	M F
Apoplexy.....	M 96 F 87	M 33 F 55	M 3 F 1	M 15 F 12	M 8 F 3	M 4 F	M 6 F 5	M 5 F 1	M 3 F	M F	M F	M F 3	M 4 F 5
Paralysis.....	M 18 F 20	M 6 F 12	M 1 F	M F 2	M 8 F	M F	M F 1	M 1 F 1	M F	M F	M 1 F	M F	M F 2
Paralysis, general (of insane). ..	M 1 F 5	M 1 F	M 1 F	M 2 F	M 4 F	M 2 F	M F 1	M F	M F	M F	M F	M F	M F 3
Tetanus and trismus nascentium.....	M 2 F 1	M 2 F 1	M F	M F	M 1 F	M F 1	M F	M F	M F	M F	M F	M F	M F 1
Chorea.....	M F 1	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F	M F
Epilepsy.....	M 5 F 3	M 3 F 3	M F	M 1 F 2	M 1 F 1	M F	M 1 F	M F	M F	M F	M F	M F 1	M F
Convulsions.....	M 12 F 8	M 3 F 4	M F	M 2 F 1	M 6 F 1	M F 1	M F</td>						

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system..	484	308	22	99	169	28	18	69	24	1	14	33	19
Males.....	212	166	16	47	97	12	12	40	17	1	6	20	14
Females.....	272	142	6	52	72	16	6	29	7		8	13	5
Croup.....	{M.. 11	5		2	9			2				1	
	{F.. 10	2		1	6	2		2				1	
Pneumonia.....	{M.. 142	119	11	32	60	7	9	28	5	1	4	13	11
	{F.. 190	95	5	40	45	11	3	19	2		3	6	4
Laryngitis.....	{M.. 2	2		2					1		1		
	{F.. 3				1	1					1		1
Bronchitis.....	{M.. 45	31	5	10	21	5	2	5	10		1	5	2
	{F.. 54	35		8	16	1	1	7	5		4	5	
Pleurisy.....	{M.. 4	2			3			1				1	1
	{F..	3		1									
Asthma.....	{M.. 1	2			1		1	1					
	{F.. 2	3		1	1								
Others of this class.....	{M.. 7	5		1	3			3	1				
	{F.. 13	4	1	1	3	1	2	1				1	
5. Diseases of the digestive system....	125	103	7	42	39	11	12	16	9		3	10	5
Males.....	68	44	3	23	22	6	7	14	8			8	1
Females.....	57	59	4	19	17	5	5	2	1		3	2	4
Dentition.....	{M.. 1											1	
	{F.. 4			1									
Angina.....	{M.. 1				1								
	{F..												
Gastritis.....	{M.. 7	4	1	1	2	1							
	{F.. 4	11	1	2	4	1	1	1					
Diseases of the stomach.....	{M.. 2	3		1				1					1
	{F.. 3	2			2		1						
Obstruction of the bowels.....	{M.. 4	2		1	1	1		1	2			1	
	{F.. 7	5		4					1				
Appendicitis.....	{M.. 9	5	1	3	1		3	1				1	
	{F.. 4	4				1							
Hernia.....	{M.. 6	1		2			1						
	{F.. 3	4	1	1							1		
Other diseases of the bowels.....	{M.. 4				1	1							
	{F.. 2			2									
Jaundice.....	{M.. 4	1			4			2				1	
	{F.. 6	2		1	1						1		1
Inflammation and abscess of the liver.....	{M.. 2	4		1		1						2	
	{F.. 4			1									
Other diseases of the liver.....	{M.. 7	14	1	3	4	1	3	3					
	{F.. 2	11		5	2	1	2						
Peritonitis.....	{M.. 2	3			4			2	1			1	
	{F.. 2	4	1		5	1	1						3
Ascites.....	{M..												
	{F..												
Others of this class.....	{M.. 19	7		11	5	1		4	5			1	
	{F.. 16	16	1	2	2	1		1			1	2	
6. Diseases of the urinary system and male organs of generation.	239	159	5	44	26	5	19	6	3		3	5	19
Males.....	157	66	2	28	9	3	12	5	3		2	3	14
Females.....	82	93	3	16	17	2	7	1			1	2	5
Bright's disease.....	{M.. 112	56	2	21	8	2	9	2	1		2	2	13
	{F.. 70	88	3	16	12	2	7	1			1	1	5
Calculus, urinary.....	{M.. 3			1									
	{F.. 1												
Diseases of the kidney.....	{M.. 15	2		1		1		2					
	{F.. 5				4							1	
Diseases of the bladder.....	{M.. 14	4		1								1	1
	{F.. 1	2											
Others of this class.....	{M.. 13	4		4	1		3	1	2				
	{F.. 5	3			1								
7. Diseases of the female organs of generation.	14	9	3	3	3		1	1			1		1
Ovarian tumors.....	1	2						1			1		
Ovarian diseases.....		1											
Diseases of the tubes.....	3	1											
Uterine tumors.....	6	1		3	1		1						1
Uterine diseases.....	1		1										
Others of this class.....	3	4	2		2								

CAUSE, AND BIRTHPLACES OF MOTHERS.

879

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	21	1	13	14	1	1	2				4	1
Abortion		1	1		1								
Childbirth.....	3	4		2	2		1	1					
Puerperal septicemia	6	9		5	9	1						4	
Extra-uterine pregnancy....	1			1									1
Others of this class	4	7		5	2			1					
9. Diseases of the bones and joints ..	5	7	2	1	3	2		1				1	
Males.....	3	3	1		1							1	
Females	2	4	1	1	2	2		1					
Diseases of the spine...{M..	1	1			1								
{F..		1			1	1		1					
Abscess, lumbar and {M..													
psoas. {F..													
Diseases of the bones...{M..	1	1										1	
{F..	1	2		1	1								
Diseases of the hip-joint..{M..	1	1	1										
{F..			1										
Others of this class.....{M..						1							
{F..	1	1											
10. Diseases of the skin	6	3		3				1				1	
Males.....	5	2		2				1					
Females	1	1		1								1	
Abscess.....{M..	3	1		1				1					
{F..	1												
Carbuncle.....{M..	1												
{F..													
Others of this class.....{M..	1	1		1									
{F..		1		1								1	
11. Diseases of the absorbent system..	3				1			1					
Males.....	3				1			1					
Females													
Addison's disease.....{M..													
{F..													
Diseases of the spleen...{M..													
{F..													
Others of this class.....{M..	3				1			1					
{F..													
12. Accidents and injuries.....	107	82	8	30	29	11	13	6	3		3	5	36
Males.....	74	58	7	25	24	9	9	5	3		1	4	28
Females	33	24	1	5	5	2	4	1			2	1	8
Burns and scalds.....{M..	6	5		2	1	1	1	1					1
{F..	6	8		1	1			1			1		
Drowning.....{M..	9	7	1	2	8		3					1	10
{F..				2			1						
Exposure and neglect..{M..		1	1	1									
{F..	1												
Gunshot wounds.....{M..		1				1							1
{F..													
Homicide.....{M..	1	1						1					1
{F..	1										1		
Infanticide.....{M..	1												1
{F..													2
Injuries by machinery..{M..					2	1							
{F..													
Railroad accidents.....{M..	9	5		3	5	1	1		1		1	2	8
{F..	2	2										1	
Suffocation.....{M..	5	6	1	1	1	1							1
{F..	6	2					1						
Suicide by shooting...{M..	2	1	2					1					1
{F..	1				1								1
Suicide by drowning...{M..	1												
{F..													
Suicide by poison.....{M..	2						1						1
{F..													1
Other suicides.....{M..	6	5	2	2		2							1
{F..	1	3		1		1							1
Sunstroke.....{M..	2												
{F..													
Surgical operations...{M..													
{F..		1											
Wounds.....{M..		2											
{F..													
Others of this class.....{M..	30	24		14	7	2	3	2	2			1	5
{F..	15	8	1	1	3	1	2						2




TABLE 13.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS AND
IN EACH GRAND GROUP, DURING THE CENSUS YEAR ENDING MAY 31, 1900,
AT CERTAIN AGES AND FROM CERTAIN SPECIFIED DISEASES
AND CLASSES OF DISEASES, BY MONTHS.

(NOTE.—For description and composition of the grand groups see Appendix, Part I.)

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
THE UNITED STATES.

1	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	1,039,094	48,048	41,864	47,479	42,278	56,646	50,844	54,842	49,776	51,863	46,876
2	Under 5.....	317,532	13,618	11,219	14,295	11,903	16,399	13,437	15,199	12,372	15,348	12,876
3	5 to 59.....	454,753	21,323	19,131	20,444	18,957	24,155	22,579	23,540	22,339	22,482	21,688
4	60 and over.....	259,369	12,741	11,268	12,383	11,202	15,715	14,526	15,720	14,787	13,637	12,053
5	Unknown.....	7,440	366	246	357	216	377	302	383	278	396	259
6	Unknown cause.....	40,539	1,771	1,653	1,778	1,628	2,009	1,811	1,830	1,646	2,189	2,011
7	Under 5.....	23,630	1,105	950	1,120	926	1,166	1,035	1,069	843	1,308	1,075
8	5 to 59.....	10,253	382	422	361	430	467	472	425	498	497	587
9	60 and over.....	5,707	241	250	265	241	326	263	310	269	343	314
10	Unknown.....	949	43	31	32	31	50	41	26	36	41	35
11	1. General diseases.											
	General diseases—A.....	209,819	6,919	6,434	6,859	6,725	8,386	8,393	8,635	8,699	8,762	8,454
12	Under 5.....	105,234	2,904	2,590	2,964	2,812	3,538	3,244	3,564	3,110	4,445	3,395
13	5 to 59.....	78,439	3,127	2,961	2,911	2,965	3,306	3,405	3,193	3,397	2,958	3,121
14	60 and over.....	25,109	845	842	949	914	1,498	1,697	1,838	2,148	1,319	1,304
15	Unknown.....	1,037	43	41	35	34	44	47	40	44	40	34
16	Measles.....	12,866	612	608	928	999	1,067	1,193	926	959	823	850
17	Under 5.....	8,465	420	361	620	578	699	678	622	556	598	556
18	5 to 59.....	4,178	187	234	297	398	354	489	287	378	209	270
19	60 and over.....	183	4	10	9	20	8	23	13	23	13	16
20	Unknown.....	40	1	3	2	3	6	3	4	2	3	2
21	Scarlet fever.....	6,333	368	380	361	352	341	334	335	333	308	314
22	Under 5.....	3,976	253	223	247	206	234	217	210	211	194	184
23	5 to 59.....	2,323	111	155	114	146	106	116	124	121	111	127
24	60 and over.....	22	3	1			1	1		1	2	1
25	Unknown.....	12	1	1					1		1	2
26	Diphtheria.....	16,475	871	973	718	778	698	713	580	576	555	526
27	Under 5.....	9,384	553	526	463	425	441	393	370	325	341	306
28	5 to 59.....	7,010	315	441	253	350	253	312	201	248	213	218
29	60 and over.....	56	2	3		1	4	6	8	3	1	2
30	Unknown.....	25	1	3	2	2		2	1			
31	Whooping cough.....	9,958	330	390	350	456	500	567	568	565	600	690
32	Under 5.....	9,397	307	359	329	427	471	529	542	532	568	662
33	5 to 59.....	517	22	29	21	28	27	35	24	29	30	27
34	60 and over.....	20	1			1			2	4		1
35	Unknown.....	24		2			1	3			2	
36	Malarial fever.....	14,874	349	319	296	334	375	366	423	420	543	582
37	Under 5.....	4,658	83	74	85	79	111	96	110	134	203	192
38	5 to 59.....	8,461	228	201	172	208	215	205	240	233	258	320
39	60 and over.....	1,648	33	43	37	47	48	63	71	51	61	66
40	Unknown.....	107	5	1	2		1	2	2	2	1	4
41	Influenza.....	16,645	578	722	898	919	1,702	2,106	2,122	2,623	1,119	1,241
42	Under 5.....	2,865	129	142	219	182	344	287	368	296	218	181
43	5 to 59.....	4,621	168	204	261	277	444	602	577	688	269	352
44	60 and over.....	9,056	278	372	413	450	903	1,206	1,169	1,626	626	705
45	Unknown.....	103	3	4	5	10	11	11	8	13	6	3
46	Typhoid fever.....	35,379	1,345	1,046	1,009	858	1,035	867	962	896	1,034	926
47	Under 5.....	4,002	112	106	80	93	86	109	95	93	126	130
48	5 to 59.....	29,098	1,145	863	867	702	876	695	784	735	829	717
49	60 and over.....	2,064	82	71	61	60	69	57	78	64	74	72
50	Unknown.....	215	6	6	1	3	4	6	5	4	5	7
51	Diarrheal diseases.....	72,483	1,196	987	1,053	939	1,183	1,007	1,340	1,089	2,412	2,089
52	Under 5.....	54,741	709	539	580	518	719	593	866	651	1,757	1,424
53	5 to 59.....	9,515	284	263	264	246	269	241	274	252	405	415
54	60 and over.....	7,966	199	178	203	168	189	170	195	181	242	242
55	Unknown.....	261	4	7	6	7	6	3	5	5	8	8
56	Cerebro-spinal fever.....	4,174	178	137	162	138	220	154	220	146	203	165
57	Under 5.....	2,297	92	62	77	68	121	75	119	69	118	85
58	5 to 59.....	1,790	79	69	81	70	96	73	96	75	81	78
59	60 and over.....	77	7	5	3		3	4	5	1	4	2
60	Unknown.....	10		1	1			2		1		

883

THE UNITED STATES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
37,050	32,403	44,219	38,253	45,359	40,671	42,105	37,185	41,455	36,283	38,579	33,507	42,852	36,658	1,114	885	1
12,440	10,539	17,437	14,868	17,560	15,460	15,093	13,182	12,384	10,435	10,603	9,109	11,683	9,747	153	173	2
15,822	14,486	17,289	15,518	18,067	16,710	17,515	15,959	18,660	17,046	17,801	15,883	19,631	16,974	422	332	3
8,502	7,198	9,170	7,653	9,391	8,263	9,226	7,813	10,083	8,584	9,887	8,299	11,199	9,711	209	144	4
286	180	323	214	341	238	271	226	328	218	288	216	339	226	230	236	5
1,431	1,224	1,688	1,458	1,890	1,774	1,768	1,603	1,566	1,489	1,435	1,277	1,723	1,425	240	222	6
870	679	1,026	863	1,203	1,025	1,100	962	930	843	852	702	1,068	806	44	60	7
332	364	415	400	460	518	398	430	386	437	328	354	364	385	77	64	8
207	164	215	169	196	204	237	172	215	179	225	192	252	198	33	27	9
22	17	32	26	31	27	33	39	35	30	30	29	39	36	86	71	10
7,767	7,191	12,771	11,795	13,895	13,053	11,446	10,825	9,021	8,186	6,745	6,390	6,295	5,796	203	174	11
4,861	4,259	8,789	7,745	8,686	7,743	6,369	5,923	3,930	3,559	2,650	2,619	2,472	2,377	42	44	12
2,250	2,274	2,977	2,978	3,973	3,921	4,112	3,860	4,207	3,864	3,439	3,170	3,124	2,784	86	76	13
624	632	957	1,041	1,166	1,328	923	1,000	840	733	625	575	658	614	27	12	14
32	26	48	31	70	61	42	42	44	30	31	26	41	21	48	42	15
414	439	292	331	254	306	200	245	161	166	219	225	322	301	13	13	16
331	324	223	230	182	202	155	164	107	109	165	148	226	201	5	5	17
82	109	65	97	70	101	42	78	50	54	49	75	93	93	7	4	18
1	5	4	3	2	3	3	3	4	3	3	1	3	6	1	1	19
1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	4	20
182	172	148	145	149	169	154	178	228	211	262	274	294	330	5	6	21
111	100	92	88	102	114	103	114	131	127	158	162	192	199	3	1	22
68	72	56	55	47	52	51	64	97	84	100	112	102	129	2	3	23
3	2	2	2	3	3	2	2	2	2	2	2	2	2	2	2	24
396	399	435	392	457	441	683	720	859	880	883	1,029	931	973	4	5	25
228	234	257	225	279	231	388	378	507	441	468	528	545	527	3	2	26
167	162	177	166	174	207	291	340	348	436	411	496	383	445	1	3	27
1	3	1	1	3	3	2	1	3	1	2	3	1	1	1	1	28
1	1	1	1	1	1	2	1	1	2	2	2	2	1	1	1	29
304	355	374	467	426	479	357	437	284	319	249	297	251	331	8	4	30
292	330	355	438	414	456	344	409	507	441	468	528	545	527	3	2	31
11	24	16	28	9	20	11	27	348	436	411	496	383	445	1	3	32
1	1	1	1	1	1	1	1	1	2	2	2	2	1	1	1	33
1	1	2	1	1	2	1	1	1	1	1	1	1	1	3	2	34
491	476	784	832	1,255	1,213	1,100	1,077	883	848	553	527	434	359	11	24	35
175	151	273	298	422	418	341	373	883	848	553	527	434	359	11	24	36
258	274	436	453	691	674	652	563	507	441	468	528	545	527	3	2	37
51	47	70	75	134	114	103	128	536	470	347	335	261	211	7	13	38
7	4	5	6	8	7	4	13	88	94	51	52	53	48	3	8	39
175	193	132	121	118	118	145	123	8	6	51	52	53	48	3	8	40
31	25	28	16	15	22	42	20	171	155	199	220	341	371	18	15	41
49	63	34	40	34	37	40	40	41	26	54	32	75	69	1	2	42
94	103	69	64	68	58	63	63	47	52	51	59	107	117	4	5	43
1	2	1	1	1	1	1	1	82	77	91	124	157	182	9	4	44
858	823	1,451	1,304	2,224	2,074	2,513	2,227	1	1	3	5	2	3	4	4	45
130	121	229	178	275	290	296	290	2,642	2,387	2,049	1,699	1,696	1,338	63	53	46
687	648	1,129	1,030	1,819	1,633	2,079	1,794	2,642	2,387	2,049	1,699	1,696	1,338	63	53	46
35	47	86	91	117	133	123	128	229	250	186	194	152	134	6	12	47
6	7	7	5	13	18	15	15	2,271	1,986	1,761	1,399	1,467	1,120	35	27	48
4,009	3,447	8,204	7,351	8,044	7,309	5,427	4,969	131	142	96	96	66	77	6	2	49
3,252	2,673	6,964	5,969	6,625	5,654	4,351	3,867	11	9	6	10	11	7	16	12	50
473	448	643	670	709	747	550	522	2,099	1,742	977	893	678	617	11	13	51
274	317	568	698	673	884	513	571	408	356	315	282	248	211	12	8	52
10	9	29	14	37	24	13	9	373	324	221	202	185	184	9	3	53
278	220	243	194	207	186	178	159	15	9	10	1	7	2	8	5	54
136	119	151	113	125	120	110	96	170	129	133	113	125	110	5	1	55
137	98	87	76	77	62	68	60	91	86	71	72	66	54	1	1	56
4	3	5	5	4	4	3	3	73	41	61	41	56	52	2	1	57
1	1	1	1	1	1	1	1	5	1	1	1	3	4	1	1	58
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	59
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
THE UNITED STATES—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.										
		Total.	January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	18,247	926	529	822	533	966	601	908	568	975	664
2	Under 5.....	11,857	525	389	505	391	551	437	515	412	539	457
3	5 to 59.....	5,045	318	101	259	105	311	122	322	123	347	155
4	60 and over.....	1,154	72	31	49	29	87	37	64	30	79	44
5	Unknown.....	191	11	8	9	8	17	5	7	3	10	9
6	Inanition.....	11,382	513	383	496	389	548	435	485	384	492	454
7	Under 5.....	10,657	475	354	465	362	510	397	465	355	466	409
8	5 to 59.....	275	15	6	10	11	11	17	12	12	7	13
9	60 and over.....	352	21	16	17	10	16	19	6	16	15	25
10	Unknown.....	98	2	7	4	6	11	2	2	1	4	7
11	General diseases—C.....	65,484	2,848	2,800	2,659	2,651	3,286	3,197	3,089	3,044	3,051	3,004
12	Under 5.....	31,057	1,315	1,004	1,262	959	1,537	1,175	1,457	1,052	1,558	1,207
13	5 to 59.....	1,824	83	94	74	98	76	88	85	94	75	106
14	60 and over.....	32,182	1,432	1,685	1,305	1,576	1,661	1,914	1,531	1,876	1,397	1,667
15	Unknown.....	421	18	17	18	18	12	20	16	22	21	24
16	Debility and atrophy.....	17,282	605	557	589	537	718	636	707	599	755	665
17	Under 5.....	12,130	361	300	367	301	472	383	450	325	530	382
18	5 to 59.....	1,785	81	93	69	95	72	88	82	94	75	103
19	60 and over.....	3,206	154	159	147	135	169	154	172	174	144	171
20	Unknown.....	161	9	5	6	6	5	11	3	6	6	9
21	Old age—all ages.....	29,222	1,286	1,585	1,168	1,453	1,499	1,769	1,371	1,718	1,267	1,511
22	60 and over.....	28,972	1,277	1,524	1,158	1,441	1,492	1,760	1,359	1,702	1,253	1,496
23	Unknown.....	250	9	11	10	12	7	9	12	16	14	15
24	General diseases—D.....	176,072	7,448	7,688	7,182	7,683	8,452	9,288	8,488	9,248	8,608	9,713
25	Under 5.....	11,383	444	382	478	409	569	521	605	522	617	525
26	5 to 59.....	126,025	5,264	5,719	5,074	5,652	5,938	6,820	5,838	6,783	5,953	7,244
27	60 and over.....	37,405	1,698	1,536	1,567	1,581	1,880	1,886	1,979	1,899	1,982	1,883
28	Unknown.....	1,259	42	51	63	41	65	61	66	44	56	61
29	Consumption.....	109,750	4,798	4,728	4,716	4,762	5,640	5,760	5,549	5,800	5,635	6,048
30	Under 5.....	4,454	151	155	198	164	223	204	237	240	263	233
31	5 to 59.....	92,902	4,046	4,081	3,929	4,098	4,682	4,913	4,566	4,909	4,652	5,212
32	60 and over.....	11,601	575	456	547	475	686	608	699	623	683	564
33	Unknown.....	793	26	36	42	25	49	35	47	28	37	39
34	2. Diseases of the nervous system.....	117,579	5,561	4,624	5,474	4,558	6,383	5,300	6,279	5,205	5,985	5,306
35	Under 5.....	37,063	1,668	1,279	1,712	1,292	1,929	1,524	1,946	1,484	1,916	1,544
36	5 to 59.....	38,600	1,788	1,548	1,698	1,508	2,126	1,685	2,022	1,705	1,953	1,803
37	60 and over.....	41,234	2,063	1,781	2,021	1,742	2,299	2,068	2,281	1,988	2,074	1,930
38	Unknown.....	682	42	16	43	16	29	23	30	28	42	29
39	3. Diseases of the circulatory system.....	75,791	3,808	3,264	3,692	3,207	4,233	3,719	4,155	3,684	4,048	3,554
40	Under 5.....	5,061	278	218	274	202	325	222	267	249	304	197
41	5 to 59.....	32,717	1,546	1,488	1,417	1,469	1,627	1,648	1,617	1,635	1,660	1,693
42	60 and over.....	37,509	1,962	1,545	1,978	1,527	2,261	1,831	2,245	1,786	2,056	1,649
43	Unknown.....	504	22	13	23	9	20	18	26	14	28	15
44	4. Diseases of the respiratory system.....	154,035	10,159	8,295	10,746	9,029	13,713	11,280	12,230	10,650	7,818	6,706
45	Under 5.....	63,071	4,078	3,322	4,674	3,846	5,400	4,146	4,445	3,654	3,194	2,675
46	5 to 59.....	54,872	3,945	2,763	4,016	2,912	5,230	3,868	4,818	3,763	2,969	2,329
47	60 and over.....	35,334	2,088	2,177	2,000	2,245	3,028	3,224	2,892	3,185	1,620	1,684
48	Unknown.....	758	48	33	56	26	55	42	75	48	35	18
49	5. Diseases of the digestive system.....	60,229	2,407	2,400	2,418	2,112	2,765	2,531	2,720	2,538	3,047	2,908
50	Under 5.....	16,537	640	501	661	507	710	549	685	529	836	727
51	5 to 59.....	29,338	1,181	1,293	1,140	1,087	1,324	1,322	1,365	1,347	1,427	1,498
52	60 and over.....	14,079	569	601	600	511	721	648	661	656	775	673
53	Unknown.....	275	17	5	17	7	10	12	9	6	9	10
54	6. Diseases of the urinary system.....	44,941	2,515	1,524	2,355	1,484	2,732	1,726	2,731	1,635	2,635	1,619
55	Under 5.....	1,783	108	68	99	64	103	83	77	70	77	61
56	5 to 59.....	22,197	1,129	899	1,050	876	1,151	996	1,193	926	1,102	973
57	60 and over.....	20,712	1,268	549	1,193	537	1,466	639	1,442	632	1,443	581
58	Unknown.....	249	10	8	13	7	12	8	19	7	13	4
59	7. Affections connected with pregnancy.....	9,699		902		907		1,136		1,017		1,034

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE UNITED STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
790	545	1,029	692	1,001	743	984	673	915	578	820	530	895	534	17	9
464	401	684	553	646	582	636	515	531	424	465	370	474	385	3	3
260	121	284	112	287	128	287	126	305	122	275	114	337	112	7	5
53	21	54	26	56	27	54	29	65	28	73	37	75	34	1	4
13	2	7	1	12	6	7	3	14	4	7	9	9	3	6	1
425	386	631	537	596	554	585	500	515	397	451	373	466	378	5	4
399	362	612	511	570	520	562	463	483	373	418	331	439	350	3	3
8	15	9	13	9	16	11	21	8	7	11	12	10	11		8
12	8	9	13	11	14	10	14	17	13	19	24	12	15		9
6	1	1		6	4	2	2	7	4	3	6	5	2	2	1
2,262	2,208	2,792	2,514	2,818	2,782	2,777	2,663	2,652	2,532	2,340	2,353	2,609	2,468	47	38
1,267	1,061	1,666	1,321	1,670	1,444	1,649	1,376	1,430	1,122	1,225	1,002	1,325	964	2	7
60	68	72	71	68	75	70	59	57	79	55	72	71	71	1	13
916	1,068	1,033	1,112	1,071	1,244	1,040	1,213	1,154	1,316	1,047	1,259	1,200	1,414	29	22
19	11	21	10	9	19	18	15	11	15	13	20	13	19	14	8
674	614	1,009	875	1,062	953	1,058	934	765	731	581	575	566	506	8	3
503	438	812	682	888	753	863	756	590	515	418	372	371	297		1
59	64	72	69	66	75	69	58	56	79	54	72	69	68	2	1
101	111	114	122	105	116	112	112	115	129	105	125	123	135	1	1
11	1	11	2	3	9	14	8	4	8	4	6	3	6	5	
821	967	928	998	972	1,138	931	1,108	1,046	1,194	950	1,148	1,086	1,292	37	29
815	957	919	990	966	1,128	927	1,101	1,039	1,187	942	1,134	1,077	1,279	28	21
6	10	9	8	6	10	4	7	7	7	8	14	9	13	9	8
5,977	6,637	6,298	7,130	6,062	7,175	5,924	6,684	6,124	7,171	6,147	6,747	6,777	7,141	113	167
454	415	541	425	512	498	518	456	481	411	415	372	437	367	2	7
4,190	4,917	4,321	5,270	4,094	5,226	4,049	4,888	4,182	5,202	4,274	4,954	4,776	5,244	61	92
1,281	1,260	1,392	1,394	1,404	1,403	1,324	1,294	1,412	1,503	1,423	1,377	1,510	1,488	24	25
52	45	44	41	52	48	33	46	49	55	35	44	54	42	26	43
3,817	3,913	3,971	4,284	3,705	4,189	3,663	4,011	3,813	4,198	3,866	4,031	4,386	4,299	67	101
155	152	223	171	188	193	192	190	181	159	149	147	149	133	1	3
3,224	3,443	3,292	3,742	3,047	3,619	3,023	3,453	3,152	3,607	3,249	3,459	3,679	3,708	48	69
409	287	426	351	438	344	426	339	450	409	447	399	519	431	3	7
29	31	30	20	32	33	22	29	30	23	21	26	39	27	15	22
4,823	4,101	5,114	4,263	5,210	4,475	4,757	3,996	4,773	3,867	4,606	3,582	5,148	4,058	76	55
1,703	1,400	1,932	1,624	1,997	1,664	1,669	1,377	1,477	1,132	1,320	969	1,424	1,052	13	16
1,622	1,350	1,733	1,331	1,699	1,371	1,578	1,288	1,626	1,272	1,581	1,206	1,735	1,337	15	20
1,463	1,330	1,419	1,286	1,485	1,420	1,482	1,314	1,637	1,440	1,670	1,389	1,963	1,648	27	14
35	21	30	22	29	20	28	17	33	23	35	18	26	21	21	5
2,800	2,399	2,766	2,362	2,762	2,348	2,765	2,354	3,033	2,558	3,139	2,575	3,538	2,918	65	45
195	153	206	142	213	138	194	138	211	161	201	152	231	190		40
1,190	1,167	1,126	1,162	1,126	1,163	1,105	1,109	1,270	1,214	1,272	1,223	1,426	1,326	25	13
1,392	1,061	1,411	1,045	1,397	1,029	1,443	1,093	1,531	1,167	1,650	1,182	1,850	1,377	25	16
23	18	23	13	26	18	23	14	21	16	16	18	31	25	15	16
3,174	2,514	2,602	2,195	2,589	2,187	3,166	2,553	4,721	3,960	5,228	4,560	7,413	6,358	113	76
1,426	1,172	1,185	1,103	1,188	1,070	1,501	1,221	2,067	1,680	2,318	1,966	3,109	2,589	23	19
1,115	812	896	675	888	716	1,009	793	1,689	1,306	1,852	1,516	2,793	2,140	38	21
624	525	503	401	498	392	642	528	937	957	1,032	1,059	1,460	1,605	15	13
9	5	18	16	15	9	14	11	28	17	26	19	51	24	37	23
2,260	2,165	2,728	2,416	2,881	2,633	2,792	2,434	2,747	2,389	2,327	2,110	2,315	2,100	50	36
677	607	900	753	939	869	969	808	790	647	609	539	558	503	15	9
1,095	1,072	1,198	1,161	1,332	1,216	1,237	1,122	1,265	1,201	1,133	1,054	1,158	1,087	12	11
481	473	618	483	599	540	578	491	682	532	568	507	590	498	14	10
7	13	12	19	11	8	8	13	10	9	17	10	9	12	9	6
1,966	1,249	2,170	1,269	2,029	1,237	2,016	1,226	2,162	1,363	2,177	1,299	2,354	1,428	27	13
65	57	74	48	82	60	80	67	73	72	83	59	87	65		1
858	755	946	762	877	747	870	744	945	804	950	757	1,046	825	12	4
1,031	431	1,136	454	1,057	423	1,058	409	1,130	482	1,127	473	1,210	531	6	4
12	6	14	5	13	7	8	6	14	5	17	10	11	7	9	4
.....	680		664		653		666		684		624		716		16

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
THE UNITED STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 S. Accidents and injuries	57,513	3,404	1,285	3,218	1,283	3,411	1,301	3,462	1,284	4,409	1,323
2 Under 5	8,854	470	429	455	436	480	430	470	372	446	338
3 5 to 59	40,136	2,421	636	2,316	601	2,440	621	2,501	678	3,378	723
4 60 and over	7,533	444	208	402	238	430	239	423	219	484	245
5 Unknown	990	69	12	45	8	61	11	68	15	101	17
6 Burns and scalds	6,772	336	500	308	498	312	417	215	367	189	329
7 Under 5	3,242	221	212	182	215	195	166	137	122	99	108
8 5 to 59	2,922	82	239	103	230	89	205	63	201	75	189
9 60 and over	555	31	44	22	53	23	45	13	41	13	30
10 Unknown	53	2	5	1		5	1	2	3	2	2
11 Drowning	5,387	172	39	178	29	231	32	365	52	514	87
12 Under 5	523	7	9	14	5	21	9	49	19	44	33
13 5 to 59	4,408	147	28	153	21	193	20	276	30	433	46
14 60 and over	319	13	2	8	3	12	3	28	2	32	5
15 Unknown	137	5		3		5		12	1	5	3
16 Exposure and neglect	922	64	53	77	57	55	62	45	49	53	44
17 Under 5	557	35	37	35	41	24	40	28	32	37	28
18 5 to 59	223	13	12	26	11	19	16	14	10	9	11
19 60 and over	128	13	4	15	5	11	5	3	6	7	4
20 Unknown	14	3		1		1	1		1		1
21 Gunshot wounds	4,060	292	30	239	41	306	45	259	34	361	36
22 Under 5	110	7	2	4	5	5	3	2	2	10	2
23 5 to 59	3,703	264	28	225	35	280	39	241	29	317	32
24 60 and over	152	15		6	1	12	1	12	3	23	
25 Unknown	95	6		4		9	2	4		11	2
26 Homicide	1,829	109	13	114	22	116	28	119	25	164	39
27 Under 20	248	14	5	10	10	12	6	18	5	16	11
28 20 to 59	1,431	88	7	91	10	96	19	91	17	137	26
29 60 and over	98	5	1	10	2	6	1	6		7	1
30 Unknown	52	2		3		2	2	4	3	4	1
31 Injuries by machinery	333	25		21	1	25	1	21		27	
32 Under 20	73	2		3		5	1	3		6	
33 20 to 59	241	21		15	1	18		18		17	
34 60 and over	18	2		3		2				4	
35 Unknown	1										
36 Railroad accidents	6,930	487	27	466	32	519	26	487	39	581	53
37 Under 5	135	3	4	5	1	4		11	6	11	7
38 5 to 59	5,894	410	23	412	27	458	19	414	28	496	32
39 60 and over	699	59		40	4	43	6	46	5	49	13
40 Unknown	202	15		9		14	1	16		25	1
41 Suicide by shooting	1,293	105	10	95	5	100	5	123	13	183	14
42 Under 20	39	1		1	2	3		1	2	1	
43 20 to 59	1,070	90	10	77	3	83	5	107	11	111	14
44 60 and over	163	13		15		13		13		17	
45 Unknown	21	1		2		1		2		4	
46 Suicide by drowning	241	5	6	6	3	11	7	19	11	27	14
47 Under 20	10					1	1	1			3
48 20 to 59	166	3	5	5	3	5	6	13	10	16	10
49 60 and over	63	2	1	1		5		4	1	11	1
50 Unknown	2							1			
51 Suicide by poison	1,225	72	32	56	34	61	39	72	36	82	44
52 Under 20	108	4	3	3	7		5	7	5	3	9
53 20 to 59	963	57	28	45	26	55	32	59	27	70	30
54 60 and over	139	9	1	7	1	6	2	6	4	9	4
55 Unknown	15	2		1							1
56 Other suicides	2,739	147	44	149	26	188	42	228	68	219	53
57 Under 20	118	2	2	4	3	5	3	8	7	4	6
58 20 to 59	2,018	115	35	119	20	132	35	171	55	153	37
59 60 and over	562	25	7	24	3	47	4	48	6	60	10
60 Unknown	41	5		2		4		1		2	
61 Sunstroke	731	9	1	6	1	10	2	6	3	28	8
62 Under 5	131	1					1		2	4	
63 5 to 59	434	5	1	3		5		5	1	21	7
64 60 and over	158	3		2	1	4	1	1		3	1
65 Unknown	8			1		1					

887

THE UNITED STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
3,546	1,053	3,989	1,039	3,938	1,120	3,452	1,057	3,485	1,057	3,395	1,012	3,543	1,261	162	24	1
372	274	334	231	325	248	323	256	367	305	379	288	423	389	9	5	2
2,718	602	3,192	612	3,125	666	2,675	584	2,622	553	2,547	533	2,678	616	86	12	3
394	172	390	177	417	196	397	208	428	190	408	183	390	243	8	-----	4
62	5	73	19	71	10	57	9	68	9	61	8	52	13	59	7	5
153	174	137	214	139	195	172	247	218	270	265	309	291	495	15	7	6
74	62	61	64	74	62	91	94	141	129	169	131	201	225	4	3	7
69	100	71	134	58	118	72	127	68	116	72	146	71	216	5	3	8
8	12	5	15	6	15	6	23	8	24	20	30	16	51	1	-----	9
2	-----	-----	1	1	-----	3	3	1	1	4	2	3	3	5	1	10
749	93	843	95	680	97	327	59	235	29	203	24	199	25	27	3	11
55	26	38	18	55	16	27	14	18	6	17	8	7	7	1	-----	12
634	64	749	65	585	71	281	41	189	18	153	13	169	15	13	1	13
38	3	35	8	22	9	17	2	21	5	26	3	18	3	1	-----	14
22	-----	21	4	18	1	2	2	7	-----	7	-----	5	-----	12	2	15
17	19	11	19	30	24	29	13	26	19	39	14	54	47	-----	2	16
13	16	6	14	18	15	17	9	11	14	20	11	23	32	-----	1	17
2	2	2	4	6	8	9	2	10	3	13	3	11	6	-----	1	18
2	1	3	1	6	-----	3	2	5	2	6	-----	16	8	-----	-----	19
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	4	1	-----	-----	20
215	35	281	43	258	40	271	46	329	46	349	42	391	50	20	1	21
3	4	5	4	6	6	6	6	5	4	5	3	6	4	1	-----	22
202	29	264	39	229	34	246	40	306	41	321	38	369	43	11	1	23
8	2	8	-----	12	-----	9	-----	12	1	17	-----	9	1	-----	-----	24
2	-----	4	-----	11	-----	10	-----	6	-----	6	1	7	2	8	-----	25
96	23	122	24	147	23	115	22	138	27	132	28	150	19	11	3	26
15	6	16	1	17	4	18	5	12	4	15	8	15	5	-----	-----	27
72	15	100	20	111	17	88	13	117	22	105	20	129	12	6	2	28
8	1	5	2	15	1	6	2	4	1	9	-----	4	1	-----	-----	29
1	1	1	1	4	1	3	2	5	-----	3	-----	2	1	5	1	30
9	2	22	4	27	-----	38	3	32	1	46	1	26	-----	1	-----	31
-----	-----	3	3	6	-----	14	2	6	1	11	1	5	-----	1	-----	32
9	2	18	1	20	-----	23	1	23	-----	33	-----	21	-----	-----	-----	33
-----	-----	1	-----	1	-----	1	-----	3	-----	2	-----	-----	-----	-----	-----	34
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	35
441	36	552	53	583	61	559	59	573	41	524	56	583	70	21	1	36
7	9	13	4	9	5	9	2	10	5	2	5	1	2	-----	-----	37
366	22	482	40	509	48	494	43	481	23	464	41	500	47	15	-----	38
54	5	40	8	48	8	42	14	63	11	43	9	70	19	-----	-----	39
14	-----	17	1	17	-----	14	-----	19	2	15	1	12	2	6	1	40
82	7	100	4	90	7	90	11	84	13	98	7	87	7	3	-----	41
4	2	3	-----	2	2	5	-----	2	4	2	1	1	-----	-----	-----	42
65	5	76	4	76	5	69	9	70	7	84	6	75	7	1	-----	43
12	-----	19	-----	11	-----	14	2	10	2	12	-----	10	-----	-----	-----	44
1	-----	2	-----	1	-----	2	-----	2	-----	-----	-----	1	-----	2	-----	45
12	5	19	9	16	6	12	5	14	11	9	4	7	3	-----	-----	46
-----	-----	-----	-----	1	-----	1	-----	-----	1	-----	1	-----	-----	-----	-----	47
5	4	15	9	11	3	8	3	12	5	6	3	3	3	-----	-----	48
7	1	4	-----	4	3	3	2	2	5	3	-----	1	-----	-----	-----	49
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	50
63	42	59	34	61	45	66	36	54	48	62	31	51	42	2	1	51
-----	11	2	3	1	10	1	7	2	7	1	8	1	8	-----	-----	52
52	28	45	28	47	34	54	27	38	34	52	22	41	30	2	-----	53
10	3	12	3	11	1	10	1	13	5	8	1	8	4	-----	-----	54
1	-----	-----	-----	2	-----	1	1	1	2	1	-----	1	-----	-----	1	55
195	51	196	44	208	46	171	43	169	48	164	37	163	31	8	1	56
8	5	5	7	3	3	5	3	8	5	8	2	9	2	-----	1	57
145	41	137	30	159	34	125	32	120	32	115	28	118	26	4	-----	58
41	4	48	7	45	8	39	8	40	10	35	6	33	3	1	-----	59
1	1	6	-----	1	1	2	-----	1	1	6	1	3	-----	3	-----	60
167	79	111	30	116	42	56	22	12	4	6	-----	8	4	-----	-----	61
40	30	14	12	6	11	4	5	-----	-----	-----	-----	-----	1	-----	-----	62
105	31	73	11	87	17	37	11	3	2	5	-----	3	1	-----	-----	63
21	18	23	7	21	13	15	6	8	2	1	-----	5	2	-----	-----	64
1	-----	1	-----	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
THE REGISTRATION RECORD.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	512,669	23,652	20,802	22,434	20,325	27,700	24,974	26,694	24,120	23,475	20,690
2	Under 5.....	153,571	6,629	5,359	6,693	5,491	7,829	6,282	7,413	5,935	6,667	5,433
3	5 to 59.....	221,298	10,633	9,092	9,855	8,796	11,993	10,410	11,708	10,168	10,665	9,235
4	60 and over.....	135,936	6,294	6,285	5,798	5,984	7,782	8,194	7,469	7,969	6,057	5,962
5	Unknown.....	1,864	96	66	88	54	96	88	104	48	86	60
6	Unknown cause.....	4,849	230	205	235	194	264	207	250	176	234	194
7	Under 5.....	2,003	99	88	101	74	100	72	98	70	91	76
8	5 to 59.....	1,685	81	63	69	68	98	80	88	67	84	72
9	60 and over.....	1,006	39	48	59	47	60	45	58	36	47	42
10	Unknown.....	155	11	6	6	5	6	10	6	3	12	4
11	1. General diseases.											
	General diseases—A.....	88,227	2,809	2,653	2,719	2,645	3,424	3,540	3,592	3,587	3,039	2,860
12	Under 5.....	49,547	1,347	1,193	1,258	1,200	1,479	1,346	1,500	1,268	1,529	1,379
13	5 to 59.....	27,151	1,123	1,051	1,064	1,057	1,251	1,251	1,275	1,227	1,065	977
14	60 and over.....	11,338	335	398	396	383	684	929	806	1,087	439	501
15	Unknown.....	191	4	11	1	5	10	14	11	5	6	3
16	Measles.....	3,801	227	205	237	261	290	313	283	277	283	284
17	Under 5.....	3,138	196	162	196	196	239	249	234	218	239	222
18	5 to 59.....	645	30	40	41	62	49	63	49	59	40	60
19	60 and over.....	15	1	1		3	2	1			4	2
20	Unknown.....	3		2								
21	Scarlet fever.....	3,327	199	186	200	185	173	185	188	149	182	154
22	Under 5.....	2,063	140	116	129	106	116	125	110	91	112	92
23	5 to 59.....	1,256	58	69	71	79	57	60	78	58	69	61
24	60 and over.....	6	1	1							1	1
25	Unknown.....	2										
26	Diphtheria.....	10,201	542	600	465	519	456	424	379	373	375	351
27	Under 5.....	6,204	363	345	327	302	303	261	253	225	246	218
28	5 to 59.....	3,970	178	252	138	216	151	161	124	147	129	131
29	60 and over.....	22	1	2		1	2	2	2	1		2
30	Unknown.....	5		1								
31	Whooping cough.....	3,669	124	144	113	172	182	199	212	193	166	191
32	Under 5.....	3,492	119	132	111	163	175	186	204	177	158	184
33	5 to 59.....	157	4	10	2	9	6	11	8	15	7	7
34	60 and over.....	8	1									
35	Unknown.....	12		2			1	2			1	
36	Malarial fever.....	2,526	52	46	52	67	64	69	68	54	81	82
37	Under 5.....	549	6	5	6	13	12	12	19	15	21	25
38	5 to 59.....	1,489	38	30	34	39	37	36	34	30	45	43
39	60 and over.....	474	8	11	12	15	15	21	14	9	15	14
40	Unknown.....	14							1			
41	Influenza.....	6,882	208	307	318	350	742	1,108	960	1,314	332	433
42	Under 5.....	724	36	50	44	54	90	87	102	89	34	31
43	5 to 59.....	2,048	71	86	110	118	217	312	305	337	91	121
44	60 and over.....	4,091	101	170	164	177	433	704	549	885	206	281
45	Unknown.....	19		1		1	2	5	4	3	1	
46	Typhoid fever.....	9,749	449	306	357	241	389	293	335	262	335	238
47	Under 5.....	470	20	22	15	12	14	19	18	17	12	21
48	5 to 59.....	8,731	406	261	323	213	355	262	203	231	305	196
49	60 and over.....	517	22	21	19	16	17	11	13	14	17	20
50	Unknown.....	31	1	2			3	1	1		1	1
51	Diarrheal diseases.....	38,267	534	491	502	430	551	463	592	480	788	678
52	Under 5.....	30,003	348	273	288	246	356	281	410	308	570	461
53	5 to 59.....	4,046	103	119	116	104	105	92	98	86	141	127
54	60 and over.....	4,151	81	98	98	78	88	89	82	86	76	90
55	Unknown.....	67	2	1		2	2	1	2		1	
56	Cerebro-spinal fever.....	2,039	71	59	69	61	103	71	95	67	83	74
57	Under 5.....	1,159	41	28	39	32	61	33	54	37	48	40
58	5 to 59.....	845	29	28	29	29	40	35	40	30	34	34
59	60 and over.....	33	1	3	1		2	2	1		1	
60	Unknown.....	2						1				

889

THE REGISTRATION RECORD.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
20,266	17,525	24,217	20,577	22,742	19,954	20,809	17,858	20,136	17,429	19,311	16,824	21,312	18,743	71	29	1
6,635	5,565	10,016	8,350	8,649	7,500	7,211	6,024	5,640	4,528	4,963	4,249	5,677	4,819	6	8	2
8,909	7,525	9,351	7,631	9,116	7,708	8,745	7,354	9,310	8,020	9,214	7,689	9,868	8,263	31	9	3
4,625	4,390	4,764	4,527	4,867	4,679	4,774	4,420	5,103	4,835	5,054	4,812	5,669	5,607	10	6	5
97	45	86	69	110	67	79	60	83	46	80	74	98	54	24	6	5
208	155	216	182	208	173	192	188	201	168	210	146	212	178	17	6	6
92	67	97	80	94	84	92	81	74	64	87	57	84	77	1	3	7
71	52	80	60	75	50	57	66	80	67	73	52	70	54	6	2	8
40	31	32	40	33	32	36	34	46	34	44	31	51	39	2	9	9
5	5	7	2	6	7	7	7	1	3	6	6	7	8	8	1	10
3,721	3,342	6,954	6,247	6,264	5,824	4,666	4,379	3,268	2,836	2,537	2,376	2,527	2,409	5	4	11
2,490	2,141	5,413	4,610	4,389	3,881	2,997	2,699	1,607	1,329	1,065	1,116	1,135	1,175	1	12	12
932	885	1,079	1,037	1,320	1,238	1,268	1,190	1,331	1,191	1,225	1,022	1,118	968	4	2	13
287	310	448	593	536	692	392	482	325	313	242	234	261	264	1	1	14
12	6	14	7	19	13	9	8	5	3	5	4	13	2	1	1	15
149	157	87	105	59	55	32	47	36	27	68	74	120	123	1	1	16
125	132	80	89	56	42	31	43	32	22	58	65	107	105	1	17	17
24	25	7	16	3	13	1	4	4	5	10	9	12	18	1	18	18
												1			1	19
																20
122	120	76	75	64	76	68	79	119	111	141	138	156	181			21
77	71	47	42	38	53	43	42	62	68	88	87	100	108			22
44	49	29	33	26	22	25	37	57	43	52	51	56	72			23
1					1					1			1			24
																25
271	290	292	263	276	269	378	390	490	493	523	607	574	599	1	1	26
160	175	183	167	176	152	228	221	296	253	289	329	365	366	1		27
111	115	109	95	98	116	150	168	192	240	232	275	209	232	1	1	28
		1	1	1	1		1	2		2	3		1			29
																30
127	128	183	190	188	221	139	152	105	102	84	107	95	152			31
121	119	176	179	184	215	138	141	103	99	80	100	87	141			32
6	8	5	10	2	4	1	11	2	3	2	7	7	10			33
				1	1					2		1	1			34
	1	2	1	1	1											35
120	87	142	145	198	182	183	175	156	155	112	94	75	66		1	36
34	21	34	34	33	42	38	44	29	38	25	19	14	10			37
60	47	88	82	136	109	109	94	98	83	66	63	43	44		1	38
24	17	18	29	29	31	34	35	29	34	21	11	16	12			39
2	2	2				2	2				1	2				40
67	75	39	36	37	20	30	28	49	43	51	77	117	140		1	41
6	4	4	2	3	1	5	1	16	3	10	7	24	21			42
21	25	13	13	12	8	8	9	13	17	20	25	43	53			43
40	46	22	20	22	11	17	18	20	23	21	45	49	66		1	44
			1									1				45
303	244	391	280	597	451	649	551	700	553	610	376	503	334	2		46
19	17	27	15	16	22	19	30	25	25	21	23	23	18			47
270	213	341	246	548	402	595	478	643	486	564	331	464	293	2		48
11	13	21	19	32	27	32	42	30	40	24	19	15	22			49
3	1	2		1		3	1	2	2	1	3	1	1			50
2,108	1,798	5,328	4,811	4,462	4,187	2,871	2,626	1,264	1,056	610	619	517	501			51
1,800	1,462	4,716	3,979	3,755	3,238	2,381	2,055	933	729	395	390	315	314			52
190	173	297	364	326	394	227	233	167	154	117	119	111	83			53
115	162	307	464	367	544	260	334	162	172	97	110	87	104			54
3	1	8	4	14	11	3	4	2	1	1		4				55
164	127	140	101	109	95	87	78	78	57	70	64	57	58	1		56
84	69	90	55	63	56	54	49	46	33	45	40	32	30			57
75	56	48	44	43	38	33	26	30	23	25	24	24	27	1		58
4	2	2	2	3	1		3	2	1			1	1			59
1																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
THE REGISTRATION RECORD—Continued.

1	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
2	General diseases—B	11,823	590	337	513	346	619	390	575	356	607	383
3	Under 5.....	7,699	331	242	307	254	348	277	323	263	339	269
4	5 to 59.....	3,331	212	70	169	68	209	87	209	75	213	87
5	60 and over.....	694	42	19	32	16	50	24	39	17	51	23
6	Unknown.....	99	5	6	5	8	12	2	4	1	4	4
7	Inanition	7,859	340	254	316	266	360	296	319	266	333	293
8	Under 5.....	7,398	322	234	298	246	335	268	304	246	319	264
9	5 to 59.....	185	5	4	6	7	7	15	10	9	6	10
10	60 and over.....	215	11	10	9	7	9	12	3	10	8	15
11	Unknown.....	61	2	6	3	6	9	1	2	1		4
12	General diseases—C.....	41,145	1,708	1,698	1,533	1,603	1,946	1,974	1,774	1,793	1,813	1,745
13	Under 5.....	22,672	916	712	856	646	1,080	836	1,013	721	1,116	789
14	5 to 59.....	1,079	46	55	47	66	40	61	45	58	38	57
15	60 and over.....	17,284	741	929	625	884	820	1,071	713	1,010	653	892
16	Unknown.....	110	5	2	5	7	6	6	3	4	6	7
17	Debility and atrophy	13,108	437	395	396	390	521	469	504	428	560	455
18	Under 5.....	10,217	297	254	284	236	390	310	374	272	452	301
19	5 to 59.....	1,065	46	54	44	65	39	61	43	58	38	57
20	60 and over.....	1,771	89	87	66	85	88	95	87	97	68	95
21	Unknown.....	55	5		2	4	4	3		1	2	2
22	Old age—all ages	15,558	651	841	561	802	734	979	629	916	588	802
23	60 and over.....	15,510	651	840	559	799	732	976	626	913	585	797
24	Unknown.....	48		1	2	3	2	3	3	3	3	5
25	General diseases—D	86,919	3,841	3,609	3,504	3,494	4,299	4,199	4,165	4,074	3,997	3,884
26	Under 5.....	5,758	224	190	247	208	288	285	317	260	283	237
27	5 to 59.....	63,801	2,886	2,684	2,638	2,574	3,195	2,997	3,041	2,945	2,947	2,849
28	60 and over.....	17,147	723	726	606	707	807	908	795	865	758	789
29	Unknown.....	213	8	9	13	5	9	9	12	4	9	9
30	Consumption	53,962	2,620	2,069	2,431	2,040	2,978	2,377	2,824	2,362	2,736	2,256
31	Under 5.....	1,943	76	56	87	67	95	84	100	93	109	91
32	5 to 59.....	46,879	2,274	1,817	2,117	1,784	2,559	2,040	2,443	2,028	2,350	1,955
33	60 and over.....	5,011	266	191	220	185	317	248	272	240	271	207
34	Unknown.....	129	4	5	7	4	7	5	9	1	6	3
35	2. Diseases of the nervous system	62,563	2,913	2,572	2,735	2,434	3,273	2,856	3,298	2,717	2,963	2,605
36	Under 5.....	19,352	863	689	908	673	1,017	823	1,107	816	986	754
37	5 to 59.....	19,867	908	795	830	755	1,036	838	1,007	801	961	848
38	60 and over.....	23,160	1,134	1,082	989	1,001	1,210	1,188	1,174	1,095	1,004	994
39	Unknown.....	184	8	6	8	5	10	7	10	5	12	9
40	3. Diseases of the circulatory system.....	43,233	2,129	1,893	2,002	1,808	2,315	2,124	2,255	2,045	2,041	1,878
41	Under 5.....	2,661	143	105	145	98	157	116	152	131	147	101
42	5 to 59.....	19,389	951	874	846	845	967	930	951	922	911	905
43	60 and over.....	21,032	1,030	909	1,001	863	1,186	1,071	1,144	989	978	866
44	Unknown.....	151	5	5	10	2	5	7	8	3	5	6
45	4. Diseases of the respiratory system	80,504	5,078	4,325	5,163	4,615	6,907	5,980	6,206	5,703	3,958	3,557
46	Under 5.....	33,471	2,216	1,770	2,396	1,983	2,828	2,120	2,394	1,995	1,664	1,435
47	5 to 59.....	27,015	1,827	1,275	1,780	1,364	2,498	1,856	2,320	1,792	1,495	1,136
48	60 and over.....	19,841	1,026	1,271	974	1,263	1,569	1,990	1,473	1,902	794	982
49	Unknown.....	177	9	9	13	5	12	14	19	14	5	4
50	5. Diseases of the digestive system	28,379	1,103	1,257	1,098	1,039	1,293	1,260	1,244	1,275	1,336	1,282
51	Under 5.....	5,547	238	178	246	177	279	214	274	216	283	213
52	5 to 59.....	15,689	603	736	575	597	694	715	671	708	731	741
53	60 and over.....	7,062	260	339	272	264	317	327	299	350	322	323
54	Unknown.....	81	2	4	5	1	3	4		1		5
55	6. Diseases of the urinary system	29,447	1,561	1,112	1,420	1,058	1,684	1,207	1,612	1,167	1,511	1,084
56	Under 5.....	1,048	75	45	53	38	57	47	37	38	37	37
57	5 to 59.....	15,631	768	659	722	613	801	675	830	678	701	654
58	60 and over.....	12,679	714	406	641	404	824	480	740	450	769	391
59	Unknown.....	89	4	2	4	3	2	5	5	1	4	2
60	7. Affections connected with pregnancy...	3,772		338		319		445		405		373

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

THE REGISTRATION RECORD—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
517	378	705	483	654	489	664	456	603	382	523	323	587	342	1	1
292	281	495	388	427	393	433	354	343	268	291	226	308	247		2
189	84	180	79	190	75	194	80	212	92	189	67	225	76		3
28	12	28	16	32	19	34	20	41	20	39	26	48	18		4
8	1	2		5	2	3	2	7	2	4	4	6	1	1	5
295	283	486	400	427	399	422	371	351	272	299	247	312	252		6
275	269	474	381	411	379	410	345	331	256	279	219	296	237		7
7	9	6	11	7	8	4	14	6	5	7	7	6	9		8
8	5	5	8	6	10	6	11	12	9	11	17	7	6		9
5		1		3	2	2	1	2	2	2	4	3			10
1,521	1,501	1,923	1,737	1,903	1,893	1,911	1,780	1,642	1,622	1,443	1,519	1,568	1,586	1	3
981	793	1,323	1,051	1,279	1,100	1,313	1,060	1,025	817	882	731	932	697	1	2
33	44	37	38	41	55	51	34	28	53	32	39	39	42		13
498	663	561	645	581	732	545	681	587	748	526	740	595	843		14
9	1	7	3	2	6	2	6	2	4	3	9	2	4		15
533	485	812	732	869	775	869	743	560	556	421	425	403	370		16
441	375	710	610	775	644	758	640	479	430	337	302	302	244		17
33	43	37	37	41	55	50	33	27	53	32	39	39	41		18
54	67	61	84	51	73	59	67	54	71	51	79	60	83		19
5		4	1	2	3	2	3		2	1	5	2	2		20
446	597	502	563	530	662	486	616	535	679	476	665	535	762		21
444	596	500	561	530	659	486	614	533	677	475	661	535	760		22
2	1	2	2		3		2	2	2	1	4		2		23
3,355	3,531	3,448	3,567	3,298	3,511	3,213	3,305	3,335	3,511	3,307	3,413	3,573	3,474	7	5
285	238	278	237	282	215	257	222	235	188	193	175	232	182		25
2,449	2,561	2,547	2,588	2,362	2,544	2,326	2,437	2,456	2,570	2,484	2,508	2,665	2,538	6	4
614	720	615	728	642	743	622	640	639	740	626	718	668	747	1	26
7	12	8	14	12	9	8	6	5	13	4	12	8	7		27
2,199	1,928	2,317	2,026	2,156	1,905	2,065	1,890	2,228	1,987	2,218	1,934	2,416	1,994	4	2
88	71	108	83	100	67	79	84	91	65	62	61	66	60		30
1,912	1,701	2,004	1,767	1,840	1,672	1,786	1,658	1,934	1,725	1,945	1,697	2,121	1,744	4	2
197	148	200	167	207	157	195	144	200	194	208	168	222	187		31
2	8	5	9	9	9	5	4	3	3	3	8	7	3		32
2,745	2,373	2,823	2,405	2,679	2,371	2,503	2,073	2,536	2,135	2,464	2,017	2,746	2,323	2	2
966	783	1,071	864	945	816	819	597	772	563	690	498	762	569		33
914	728	961	703	891	698	825	672	869	683	864	652	904	724		34
857	860	786	832	831	849	852	798	883	881	897	861	1,076	1,024	1	1
8	2	5	6	12	8	7	6	12	8	13	6	4	6	1	37
1,691	1,489	1,627	1,465	1,610	1,364	1,609	1,449	1,734	1,471	1,871	1,576	1,998	1,786	2	1
106	92	123	91	104	69	104	75	101	85	114	77	124	101		38
775	706	730	701	679	666	681	660	770	695	827	745	848	802	2	2
804	685	767	668	821	621	818	707	856	688	925	746	1,014	874		39
6	6	7	5	6	8	6	7	7	3	5	8	12	9		40
1,950	1,570	1,526	1,284	1,384	1,119	1,656	1,321	2,475	2,140	2,723	2,534	3,841	3,482	5	2
880	713	679	631	630	521	736	568	1,061	825	1,237	1,067	1,695	1,423	2	2
689	471	550	396	493	356	568	414	904	700	929	792	1,344	1,066		41
376	385	292	249	257	237	349	335	507	611	555	669	789	985	1	1
5	1	5	8	4	5	3	4	3	4	2	6	13	8	2	42
1,172	1,153	1,308	1,183	1,273	1,243	1,208	1,037	1,208	1,137	1,116	995	1,096	1,055	4	4
264	249	306	245	282	260	281	214	237	187	201	137	186	179	1	1
646	634	673	657	696	696	634	552	645	657	617	572	639	598	1	1
258	265	326	272	293	284	288	267	324	291	294	281	269	273	2	2
4	5	3	9	2	3	5	4	2	2	4	5	2	5		52
1,286	913	1,401	930	1,271	913	1,249	881	1,319	1,011	1,379	965	1,463	1,047	3	1
46	37	45	26	51	33	51	39	30	50	40	39	57	40		53
611	554	672	563	613	557	607	546	640	593	670	557	728	617	2	2
624	318	681	339	602	320	589	294	642	367	662	363	670	389	1	1
5	4	3	2	5	3	2	2	7	1	7	6	8	1	1	54
	295		291		258		228		259		254		307		55

893

THE REGISTRATION RECORD—Continued.

[illegible]

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION CITIES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	402,666	18,764	16,346	17,854	16,047	21,690	19,471	20,765	18,402	18,332	15,943
2 Under 5.....	129,579	5,660	4,501	5,682	4,654	6,594	5,298	6,220	4,984	5,597	4,579
3 5 to 59.....	181,700	8,971	7,391	8,230	7,201	9,965	8,407	9,738	8,110	8,828	7,360
4 60 and over.....	90,053	4,072	4,406	3,874	4,153	5,061	5,700	4,737	5,279	3,849	3,961
5 Unknown.....	1,334	61	48	68	39	70	66	70	29	58	43
6 Unknown cause.....	3,396	173	138	170	128	173	126	164	122	153	138
7 Under 5.....	1,311	70	55	60	45	59	42	63	39	55	50
8 5 to 59.....	1,320	69	43	59	53	78	52	65	56	63	56
9 60 and over.....	638	24	35	45	25	33	24	33	24	27	28
10 Unknown.....	127	10	5	6	5	3	8	3	3	8	4
11 1. General diseases.											
12 General diseases—A.....	71,339	2,278	2,137	2,226	2,132	2,721	2,779	2,803	2,741	2,448	2,249
13 Under 5.....	41,825	1,156	1,014	1,092	1,023	1,260	1,160	1,305	1,088	1,317	1,179
14 5 to 59.....	22,179	927	851	873	851	1,034	1,003	1,022	970	864	778
15 60 and over.....	7,197	193	262	260	254	419	608	468	681	263	290
16 Unknown.....	138	2	10	1	4	8	8	8	2	4	2
17 Measles.....	3,091	194	170	197	194	225	246	240	214	216	229
18 Under 5.....	2,696	175	143	172	163	200	211	213	181	193	191
19 5 to 59.....	391	19	25	25	31	25	34	27	33	23	38
20 60 and over.....	1						1				
21 Unknown.....	3		2								
22 Scarlet fever.....	2,796	167	162	169	151	140	154	154	123	160	126
23 Under 5.....	1,784	118	103	116	89	97	106	97	75	103	82
24 5 to 59.....	1,009	49	59	53	62	43	48	57	48	57	44
25 60 and over.....	3										
26 Unknown.....											
27 Diphtheria.....	9,114	481	535	419	464	421	381	336	336	341	517
28 Under 5.....	5,720	324	313	300	275	286	251	239	212	234	205
29 5 to 59.....	3,373	156	219	119	189	133	129	95	123	107	111
30 60 and over.....	16	1	2			2	1	2	1		1
31 Unknown.....	5		1								
32 Whooping cough.....	2,912	94	117	87	138	151	165	185	161	130	147
33 Under 5.....	2,789	91	107	85	131	146	156	178	150	125	142
34 5 to 59.....	115	2	9	2	7	4	9	7	10	5	5
35 60 and over.....	3	1							1		
36 Unknown.....	5		1			1					
37 Malarial fever.....	2,139	42	34	43	55	51	57	59	42	66	66
38 Under 5.....	491	3	5	6	12	10	10	19	14	19	21
39 5 to 59.....	1,302	33	22	29	32	34	30	29	22	39	36
40 60 and over.....	335	6	7	8	11	7	17	10	6	8	9
41 Unknown.....	11							1			
42 Influenza.....	4,411	122	199	217	249	510	769	603	838	157	248
43 Under 5.....	506	26	33	27	39	64	65	75	65	23	19
44 5 to 59.....	1,524	51	61	90	94	176	246	228	236	65	92
45 60 and over.....	2,370	45	104	100	115	269	456	298	536	98	137
46 Unknown.....	11		1		1	1	2	2	1	1	
47 Typhoid fever.....	7,925	363	244	289	199	323	244	287	224	270	193
48 Under 5.....	400	19	15	14	9	13	15	16	15	11	17
49 5 to 59.....	7,146	331	210	263	178	294	221	262	201	244	162
50 60 and over.....	354	12	17	12	12	13	7	8	8	14	13
51 Unknown.....	25	1	2			3	1	1		1	1
52 Diarrheal diseases.....	31,321	446	404	421	349	452	376	485	402	675	574
53 Under 5.....	25,030	307	225	250	211	300	239	343	263	494	400
54 5 to 59.....	3,382	83	103	97	87	88	75	84	73	123	106
55 60 and over.....	2,862	55	75	74	50	62	61	57	66	57	68
56 Unknown.....	47	1	1		1	2	1	1		1	
57 Cerebro-spinal fever.....	1,512	46	38	51	44	83	53	74	53	63	52
58 Under 5.....	870	25	22	28	23	48	27	43	31	35	30
59 5 to 59.....	619	21	13	22	21	34	25	30	22	27	22
60 60 and over.....	21		3	1		1		1		1	
61 Unknown.....	2						1				

CAUSE, AGE, AND MONTH.

895

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
16,258	13,988	19,720	16,688	17,696	15,402	16,119	13,726	15,833	13,597	15,207	13,227	16,841	14,696	36	18	1
5,754 7,417 3,021 66	4,883 6,111 2,959 35	8,717 7,809 3,127 67	7,336 6,214 3,096 42	7,007 7,512 3,097 80	6,148 6,096 3,109 49	5,762 7,255 3,042 60	4,847 5,934 2,904 41	4,757 7,709 3,310 57	3,801 6,537 3,227 32	4,227 7,647 3,272 61	3,626 6,260 3,284 57	4,815 8,285 3,664 77	4,120 6,687 3,845 44	4 21 3 8	6 5 1 6	2 3 8 6
146	118	165	138	154	121	138	129	145	120	145	100	148	127	11	6	6
61 55 26 4	49 45 19 5	74 62 23 6	58 47 31 2	62 63 23 6	57 36 22 6	58 47 28 5	53 53 18 5	52 65 27 1	47 51 21 1	61 56 23 5	34 40 20 6	54 54 34 6	49 45 25 8	1 5 5	3 2 1	7 8 9 10
3,251	2,939	5,999	5,437	4,917	4,582	3,507	3,289	2,607	2,227	2,068	1,950	2,077	1,967	5	3	11
2,263 793 187 8	1,963 740 231 5	4,753 935 301 10	4,097 883 453 4	3,482 1,089 332 14	3,103 1,026 444 9	2,248 1,022 229 8	2,057 955 271 6	1,338 1,065 200 4	1,081 962 182 2	909 1,009 146 4	955 828 165 2	975 918 174 10	1,006 775 184 2	1 4	 2 1	12 13 14 15
119	137	74	90	55	44	30	41	30	19	56	60	102	107	1	1	16
101 18	116 21	68 6	82 8	53 2	34 10	29 1	38 3	26 4	17 2	49 7	56 4	94 8	91 16	 1		17 18 19 20
107	104	62	64	51	69	57	70	104	96	112	113	132	149			21
69 37 1	63 41	38 24	40 24	33 18	48 20 1	36 21	36 34	55 49	60 36	70 42	75 38	84 48	91 57 1			22 23 24 25
250	263	262	233	247	236	332	342	429	441	457	543	507	539	1	1	26
152 98	161 102	167 95	155 77 1	158 87 1	141 95	209 123	199 142	264 164 1	232 209	265 190	307 234 2	335 172	335 203 1	1	 1	27 28 29 30
98	105	148	161	144	176	111	129	86	80	58	74	65	102			31
92 6	99 6	142 5	155 6	142 1	171 4	110 1	120 9	84 2	79 1	55 2 1	69 5	64 1	96 6			32 33 34 35
108	81	119	124	178	164	165	144	125	127	89	81	63	55		1	36
30 56 21 1	21 43 15 2	25 81 12 1	33 70 21	32 122 24	39 105 20	35 100 28 2	37 80 26 1	25 82 18	34 69 24	21 59 9	19 54 7 1	11 37 13 2	10 37 8		 1	37 38 39 40
23	32	18	23	20	12	16	17	34	25	31	46	80	92			41
2 11 10	1 11 20	1 9 8	2 11 9 1	3 9 8	1 7 4	2 6 8	1 7 9	11 8 15	1 14 10	7 14 10	5 17 24	18 29 32 1	15 32 45			42 43 44 45
255	212	328	235	509	366	517	435	537	420	500	293	424	256	2		46
15 230 8 2	16 183 12 1	23 291 12 2	13 206 16	13 471 24 1	18 333 15	18 473 24 2	28 380 26 1	20 499 17 1	21 369 28 2	17 466 17	19 259 14 1	21 391 11 1	14 227 14 1		 2	47 48 49 50
1,949	1,659	4,658	4,237	3,425	3,242	2,042	1,869	1,000	783	508	511	428	426			51
1,683 173 92 1	1,369 151 138 1	4,166 262 224 6	3,530 331 373 3	2,940 246 230 9	2,557 316 362 7	1,730 173 136 3	1,501 177 188 3	759 136 103 2	560 129 94	344 100 63 1	327 102 82	261 96 68 3	271 71 84			52 53 54 55
124	99	114	77	80	71	52	60	54	41	52	49	39	42	1		56
64 57 2 1	50 47 2	75 38 1	42 33 2	45 32 3	43 27 1	29 23	38 21 1	34 19 1	27 14	34 18	30 19	22 16 1	25 17	 1		57 58 59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	10,258	521	287	438	308	536	328	482	301	530	327
2	Under 5	6,742	292	209	265	224	313	236	268	225	296	231
3	5 to 59	2,927	195	60	148	63	178	72	186	65	185	78
4	60 and over	506	29	14	21	13	35	18	24	10	46	14
5	Unknown	83	5	4	4	8	10	2	4	1	3	4
6	Inanition	6,863	299	215	266	236	322	247	261	230	294	248
7	Under 5	6,527	283	203	257	217	304	229	252	215	283	228
8	5 to 59	145	5	2	4	7	6	9	5	8	4	9
9	60 and over	140	9	6	3	6	5	8	2	6	7	7
10	Unknown	51	2	4	2	6	7	1	2	1		4
11	General diseases—C	31,545	1,253	1,306	1,166	1,233	1,470	1,485	1,304	1,326	1,398	1,314
12	Under 5	19,075	758	594	718	548	921	691	821	610	951	659
13	5 to 59	903	39	42	37	59	32	49	38	44	35	44
14	60 and over	11,486	451	669	407	621	512	740	443	671	409	606
15	Unknown	81	5	1	4	5	5	5	2	1	3	5
16	Debility and atrophy	11,204	360	320	329	326	440	386	417	351	482	370
17	Under 5	8,990	259	218	249	209	341	267	321	234	399	259
18	5 to 59	894	39	41	36	58	31	49	36	44	35	44
19	60 and over	1,274	57	61	42	56	64	67	60	72	46	65
20	Unknown	46	5		2	3	4	3		1	2	2
21	Old age—all ages	10,242	394	609	366	567	449	675	385	599	364	544
22	60 and over	10,212	394	608	365	565	448	673	383	599	363	541
23	Unknown	30		1	1	2	1	2	2		1	3
24	General diseases—D	68,597	3,150	2,755	2,867	2,731	3,490	3,262	3,371	3,091	3,208	2,966
25	Under 5	4,769	195	157	209	167	242	228	269	211	236	180
26	5 to 59	52,404	2,468	2,140	2,244	2,092	2,709	2,416	2,570	2,333	2,473	2,255
27	60 and over	11,271	484	452	404	469	533	611	522	547	492	524
28	Unknown	153	3	6	10	3	6	7	10		7	7
29	Consumption	44,376	2,238	1,656	2,036	1,655	2,514	1,905	2,387	1,855	2,279	1,758
30	Under 5	1,645	68	49	74	51	77	64	87	78	94	64
31	5 to 59	39,237	1,966	1,479	1,806	1,481	2,202	1,664	2,102	1,629	1,993	1,566
32	60 and over	3,396	202	123	150	121	230	174	191	148	188	125
33	Unknown	98	2	5	6	2	5	3	7		4	3
34	2. Diseases of the nervous system	46,673	2,187	1,937	2,064	1,844	2,404	2,127	2,504	1,980	2,224	1,954
35	Under 5	16,335	743	586	756	593	841	695	940	686	818	640
36	5 to 59	15,676	733	648	658	592	808	647	808	613	784	666
37	60 and over	14,532	706	698	644	656	747	779	748	677	615	641
38	Unknown	130	5	5	6	3	8	6	8	4	7	7
39	3. Diseases of the circulatory system	31,538	1,548	1,451	1,460	1,358	1,627	1,605	1,611	1,542	1,485	1,368
40	Under 5	2,013	108	80	106	70	119	94	119	95	103	72
41	5 to 59	16,038	809	729	715	702	789	752	823	777	774	726
42	60 and over	13,398	630	641	632	584	716	755	666	667	604	568
43	Unknown	89	1	1	7	2	3	4	3	3	4	2
44	4. Diseases of the respiratory system	66,283	4,252	3,518	4,318	3,772	5,673	4,820	4,943	4,460	3,148	2,818
45	Under 5	29,145	1,939	1,512	2,085	1,704	2,417	1,843	2,035	1,699	1,404	1,236
46	5 to 59	22,623	1,578	1,049	1,515	1,127	2,121	1,495	1,900	1,429	1,205	908
47	60 and over	14,387	729	951	708	938	1,125	1,471	996	1,325	534	671
48	Unknown	128	6	6	10	3	10	11	12	7	5	3
49	5. Diseases of the digestive system	21,905	851	966	861	803	994	982	964	968	1,031	992
50	Under 5	4,478	194	134	199	144	221	165	220	173	236	176
51	5 to 59	12,752	481	591	482	490	563	586	556	551	592	600
52	60 and over	4,616	175	238	176	168	208	229	188	243	203	212
53	Unknown	59	1	3	4	1	2	2		1		4
54	6. Diseases of the urinary system	23,232	1,221	924	1,097	872	1,309	972	1,250	928	1,125	883
55	Under 5	877	63	39	48	32	43	39	33	28	30	55
56	5 to 59	13,336	669	557	612	524	696	578	713	566	587	540
57	60 and over	8,949	488	326	434	314	569	350	500	333	506	307
58	Unknown	70	1	2	3	2	1	5	4	1	2	1
59	7. Affections connected with pregnancy	2,917		277		258		351		309		268

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
452	335	627	431	564	430	569	396	511	331	456	288	508	302		1
262	251	448	349	376	346	371	308	290	239	258	203	263	219		2
165	74	156	69	163	69	171	70	185	76	167	63	201	68		3
21	9	21	13	20	13	25	16	30	14	29	18	38	15		4
4	1	2		5	2	2	2	6	2	2	4	6			5
263	256	444	358	378	354	360	324	296	244	265	218	263	222		6
249	244	435	343	368	336	353	303	281	232	250	198	253	211		7
7	9	4	9	5	8	2	10	5	4	7	6	4	6		8
5	3	4	6	2	8	3	10	9	6	7	10	3	5		9
2		1		3	2	2	1	1	2	1	4	3			10
1,141	1,151	1,536	1,405	1,459	1,517	1,496	1,392	1,254	1,243	1,118	1,174	1,207	1,196		1 11
803	658	1,141	916	1,058	948	1,108	891	856	698	759	621	779	567		1 12
27	41	33	33	37	45	40	27	24	46	28	34	35	34		13
304	451	357	454	363	519	346	470	372	498	328	512	391	592		14
7	1	5	2	1	5	2	4	2	1	3	7	2	3		15
469	432	728	667	737	688	741	635	482	479	366	353	340	306		16
402	342	645	568	665	573	656	555	418	381	299	258	265	207		17
27	40	33	32	37	45	39	27	24	46	28	34	35	34		18
36	50	47	67	34	67	44	51	40	51	38	57	38	64		19
4		3		1	3	2	2		1	1	4	2	1		20
269	402	311	389	329	454	302	421	334	447	291	458	353	530		21
268	401	310	387	329	452	302	419	332	447	290	455	353	528		22
1	1	1	2		2		2			1	3		2		23
2,704	2,729	2,796	2,772	2,654	2,645	2,573	2,544	2,715	2,716	2,662	2,615	2,919	2,656	4	2 24
235	202	228	198	239	179	207	183	197	155	160	139	196	157		25
2,039	2,055	2,153	2,084	1,981	1,968	1,973	1,948	2,084	2,057	2,094	2,007	2,259	1,997	4	1 26
425	463	407	483	425	490	386	409	430	494	405	462	459	496		27
5	9	8	7	9	8	7	4	4	10	3	7	5	7		28
1,826	1,561	1,947	1,639	1,826	1,488	1,760	1,522	1,885	1,586	1,873	1,542	2,062	1,573	2	1 29
69	62	92	74	88	59	66	72	77	52	58	55	59	56		30
1,610	1,400	1,706	1,446	1,587	1,317	1,555	1,352	1,664	1,407	1,673	1,381	1,846	1,402	2	1 31
145	93	144	114	145	104	134	95	141	124	140	101	152	112		32
2	6	5	5	6	8	5	3	3	3	2	5	5	3		33
2,102	1,761	2,187	1,856	1,983	1,716	1,851	1,523	1,876	1,550	1,822	1,482	2,006	1,731	1	1 34
828	668	918	755	761	663	663	502	666	474	583	418	635	502		1 35
729	542	784	562	717	515	656	517	684	532	670	505	734	572		36
540	550	481	535	497	534	529	500	519	537	560	554	633	652		37
5	1	4	4	8	4	3	4	7	7	9	5	4	5	1	 38
1,216	1,073	1,162	1,080	1,144	977	1,152	1,064	1,264	1,100	1,339	1,158	1,409	1,344	1	 39
78	68	96	72	77	49	81	63	79	64	84	60	92	84		40
640	566	593	568	559	529	574	543	649	574	670	608	697	671	1	 41
494	436	467	437	505	396	493	454	531	460	580	486	612	584		42
4	3	6	3	3	3	4	4	5	2	5	4	8	5		43
1,669	1,313	1,319	1,103	1,172	946	1,410	1,116	2,105	1,789	2,314	2,156	3,248	2,898	2	1 44
779	635	612	566	565	464	657	500	941	743	1,101	953	1,496	1,257	1	1 45
611	383	472	344	421	298	491	357	785	590	808	670	1,179	887		46
275	294	230	189	183	180	259	256	377	453	403	529	562	749		47
4	1	5	4	3	4	3	3	2	3	2	4	11	5	1	 48
911	933	1,051	896	978	943	921	792	923	891	853	762	837	798	2	2 49
222	212	267	208	224	204	229	166	188	144	159	106	146	140	1	 50
521	535	565	508	563	551	511	442	525	550	515	472	516	485	1	 51
164	183	218	177	190	185	181	177	208	196	176	179	173	168		1 52
4	3	1	3	1	3	4	3	2	1	3	5	2	5		1 53
1,011	723	1,094	743	968	735	961	710	1,019	829	1,089	794	1,127	847	1	 54
35	28	37	21	43	32	43	33	26	37	35	34	45	38		55
533	461	585	484	520	472	518	453	541	510	585	473	639	519	1	 56
439	230	469	236	401	229	398	222	448	281	462	281	437	289		57
4	4	3	2	4	2	2	2	4	1	7	6	6	1		58
.....	234		208		193		179		202		202		236		59

TABLE 13.—DEATHS AT CERTAIN AGES AND FROM CERTAIN
REGISTRATION CITIES—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries	21,718	1,255	450	1,116	399	1,195	409	1,269	415	1,472	455
2	Under 5	2,559	124	94	120	87	129	87	125	113	123	104
3	5 to 59	16,249	955	256	856	220	903	227	993	231	1,197	264
4	60 and over	2,652	154	96	127	89	149	91	135	66	137	83
5	Unknown	258	22	4	13	3	14	4	16	5	15	4
6	Burns and scalds	2,118	87	145	90	116	95	83	63	95	65	100
7	Under 5	832	48	45	45	37	53	25	34	35	25	35
8	5 to 59	1,097	32	82	36	59	35	46	23	47	37	59
9	60 and over	179	7	18	9	20	7	12	6	13	2	6
10	Unknown	10									1	
11	Drowning	2,254	68	7	61	5	78	5	151	12	199	24
12	Under 5	111		2	1		7	2	12	5	7	5
13	5 to 59	1,948	60	5	57	5	67	3	121	7	174	13
14	60 and over	137	6		1		4		11		15	3
15	Unknown	58	2		2				7		3	3
16	Exposure and neglect	172	19	10	18	10	9	7	8	7	7	11
17	Under 5	75	6	5	3	5	1	3	2	3	4	9
18	5 to 59	61	9	3	9	2	6	3	6	1	2	1
19	60 and over	32	3	2	6	3	1			2	1	1
20	Unknown	4	1				1	1		1		
21	Gunshot wounds	864	56	8	46	7	66	7	44	5	65	5
22	Under 5	12	1		1					1	2	
23	5 to 59	795	51	8	43	6	61	6	42	3	57	5
24	60 and over	40	3		1		2	1	1	1	5	
25	Unknown	17	1		1		3		1		1	
26	Homicide	590	39	3	19	7	38	14	30	6	49	15
27	Under 20	72	6		1	2	2	2	5	2	4	5
28	20 to 59	485	30	3	18	5	34	10	24	3	43	10
29	60 and over	19	2				1				1	
30	Unknown	14	1				1	2	1	1	1	
31	Injuries by machinery	86	4		5	1	11	1	4		6	
32	Under 20	7					1	1				
33	20 to 59	75	3		5	1	10		4		3	
34	60 and over	4	1								3	
35	Unknown											
36	Railroad accidents	2,941	197	11	208	15	201	12	201	22	211	24
37	Under 5	84	3	3	4	1	2		6	4	6	4
38	5 to 59	2,544	163	8	187	13	179	9	177	14	185	14
39	60 and over	264	27		15	1	16	3	15	4	15	6
40	Unknown	49	4		2		4		3		5	
41	Suicide by shooting	669	50	4	56	3	45	3	64	5	65	4
42	Under 20	11			1	1	1				1	
43	20 to 59	572	43	4	46	2	40	3	59	5	58	4
44	60 and over	77	7		8		4		4		6	
45	Unknown	9			1				1			
46	Suicide by drowning	114	2	1	4		7	2	6	4	12	3
47	Under 20	4					1					
48	20 to 59	85	1		4		3	2	5	4	9	3
49	60 and over	24	1	1			3				3	
50	Unknown	1							1			
51	Suicide by poison	800	46	23	31	23	38	27	45	24	54	28
52	Under 20	64	2	1	1	5		4	4	3	3	7
53	20 to 59	652	37	21	25	15	34	23	38	20	46	17
54	60 and over	75	6	1	4		4		3	1	5	4
55	Unknown	9	1		1							
56	Other suicides	1,173	70	22	49	10	73	21	97	24	78	22
57	Under 20	32	2	1		1	1	2	3	1	1	
58	20 to 59	940	58	16	42	8	55	17	81	23	61	20
59	60 and over	194	8	5	7	1	17	2	13		15	2
60	Unknown	7	2								1	
61	Sunstroke	404	1		2	1		1			14	4
62	Under 5	94									2	
63	5 to 59	236			1						10	3
64	60 and over	72	1			1		1			2	1
65	Unknown	2			1							

899

REGISTRATION CITIES--Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,584	486	1,700	450	1,626	436	1,467	422	1,334	422	1,273	363	1,283	426	9	2
167	130	125	88	106	84	84	75	108	98	99	88	117	84		
1,262	281	1,423	285	1,346	271	1,198	262	1,060	258	1,008	210	1,012	266	5	
138	75	135	70	148	78	165	82	147	65	148	60	137	74	3	
17		17	7	26	3	20	3	19	1	18	5	17	2	1	2
77	91	61	91	59	80	68	88	74	106	68	95	71	148	2	
34	30	17	21	29	21	27	24	40	45	35	40	40	47		
38	54	42	64	27	53	35	55	33	54	24	45	28	88	1	
4	7	2	6	2	6	4	9	1	7	7	9	2	12	1	
1				1		2		2		2		1	1		
329	27	380	29	327	30	189	28	131	9	73	9	75	5	2	1
10	7	10	3	15	4	7	4	3	1	2	1	2	1		
294	18	345	22	287	20	169	22	112	8	61	7	66	4	1	
16	2	17	2	15	6	11	1	11		9	1	5		1	
9		8	2	10		2	1	5		1		2			1
6	5	1	5	3	2	3		9	2	8	3	10	9		
4	5	1	5	1	1			3	1	4	1	4	4		
1				1	1	2		4	1	4	2	1	2		
1				1		1		2				5	3		
59	15	85	15	58	7	68	11	63	13	78	7	68	8		
56	2	83	1	51	1	64	11	58	12	70	7	1	2		
3	12	1	14	5	6	1		4	1	7		63	6		
	1			2		3		1		1		2			
32	14	37	13	49	8	39	11	43	9	43	13	50	8		1
5	3	4		5	2	6	2	3	1	4	3	3	2		
25	10	32	11	43	6	32	8	38	8	33	10	44	5		
2	1	1	1	1			1	2		5		1	1		
			1			1	1			1		2			1
5	1	9	1	8		6		5		11		8			
5	1	1	1	2		2									
		8		6		4		5		11		8			
224	22	248	30	249	29	254	26	231	17	213	30	241	23	2	
5	8	8	2	4	4	6	1	5	1	2	3	1	1		
194	11	227	25	219	19	227	19	206	11	186	21	210	15	2	
20	3	10	2	19	3	18	6	16	5	21	5	27	7		
5		3	1	7		3		4		4	1	3			
45	2	53	1	42	2	58	5	47	4	54	4	51	2		
39	2	2		1		2		1			1				
5		42	1	36	2	45	4	36	3	49	3	44	2		
1		8		5		9	1	8	1	5		6			
		1				2		2				1			
7	1	10	4	7	3	11	1	7	8	5	4	3	2		
4	1	9	4	5	3	1			1		1				
3		1		2		3	1	6	3	4	3	2	2		
								1	4	1		1			
40	26	36	24	41	34	42	27	35	36	41	17	37	25		
	5	1	3		8		5	1	2		4		5		
36	19	29	20	32	25	36	20	26	30	36	13	32	19		
4	2	6	1	7	1	6	1	7	3	4		4	1		
				2			1	1	1	1		1			
93	20	86	22	106	22	76	19	72	22	66	17	68	18		
1	3	1	2	1		1	2	2	3	3		1			
75	17	67	17	89	18	60	14	55	17	50	13	51	16		
17		18	3	16	4	14	3	14	2	12	3	16	2		
						1		1		1	1				
124	70	57	21	41	22	27	14	1				3	1		
36	27	9	7	2	6	1	4								
79	25	41	8	34	8	19	5	1				1	1		
9	18	7	6	4	8	7	5					2			
				1											

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION STATES.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	301,670	13,321	12,281	12,887	12,161	16,563	15,522	15,612	14,827	13,501	12,323
2	Under 5.....	89,740	3,742	3,071	3,841	3,158	4,580	3,718	4,278	3,487	3,770	3,037
3	5 to 59.....	121,405	5,479	5,181	5,253	5,052	6,663	6,140	6,364	5,946	5,703	5,272
4	60 and over.....	89,669	4,050	3,996	3,760	3,922	5,281	5,626	4,922	5,359	3,983	3,987
5	Unknown.....	856	50	33	33	29	39	38	48	35	45	27
6	Unknown cause.....	2,326	108	95	110	104	144	124	124	84	122	99
7	Under 5.....	1,034	49	44	58	41	59	49	51	37	55	41
8	5 to 59.....	718	32	29	28	31	47	44	39	25	33	34
9	60 and over.....	523	26	21	23	30	34	29	29	20	27	24
10	Unknown.....	51	1	1	1	2	4	2	5	2	7	
11	1. General diseases.											
	General diseases—A.....	51,379	1,530	1,517	1,559	1,565	2,101	2,287	2,125	2,257	1,659	1,542
12	Under 5.....	30,053	792	715	773	758	910	811	866	761	823	699
13	5 to 59.....	13,336	509	541	525	537	661	723	666	676	538	483
14	60 and over.....	7,914	226	256	261	268	528	744	589	815	296	359
15	Unknown.....	76	3	5		2	2	9	4	5	2	1
16	Measles.....	2,583	155	150	167	193	203	209	167	193	182	165
17	Under 5.....	2,107	133	117	135	143	167	162	138	149	149	117
18	5 to 59.....	460	21	31	32	47	34	46	29	44	29	46
19	60 and over.....	15	1	1		3	2	1			4	2
20	Unknown.....	1										
21	Scarlet fever.....	1,866	113	103	138	113	110	105	125	82	102	86
22	Under 5.....	1,167	77	65	85	64	75	68	74	50	65	58
23	5 to 59.....	693	35	37	53	49	35	37	51	32	36	27
24	60 and over.....	4	1	1							1	1
25	Unknown.....	2										
26	Diphtheria.....	5,530	290	308	257	278	255	239	223	206	220	202
27	Under 5.....	3,449	207	183	186	181	167	138	145	127	134	131
28	5 to 59.....	2,066	82	124	71	96	88	100	78	78	86	69
29	60 and over.....	14	1	1		1		1		1		2
30	Unknown.....	1										
31	Whooping cough.....	2,448	90	94	75	126	124	147	131	115	98	105
32	Under 5.....	2,332	86	89	74	121	121	135	126	106	93	100
33	5 to 59.....	98	3	3	1	5	3	10	5	8	4	5
34	60 and over.....	8	1							1		
35	Unknown.....	10		2				2			1	
36	Malarial fever.....	896	19	26	17	30	33	28	27	26	36	28
37	Under 5.....	184	4	1		7	8	7	4	7	7	5
38	5 to 59.....	446	9	17	12	15	14	11	16	14	19	13
39	60 and over.....	262	6	8	5	8	11	10	7	5	10	10
40	Unknown.....	4										
41	Influenza.....	5,077	136	196	218	251	561	897	691	1,003	241	322
42	Under 5.....	482	24	36	33	35	53	62	60	59	21	21
43	5 to 59.....	1,375	34	51	67	76	157	231	203	255	63	74
44	60 and over.....	3,206	78	109	118	139	350	599	425	686	157	227
45	Unknown.....	14				1	1	5	3	3		
46	Typhoid fever.....	4,431	214	160	160	114	167	128	129	104	144	101
47	Under 5.....	174	7	13	7	6	4	9	6	8	3	9
48	5 to 59.....	3,961	193	138	141	100	155	113	115	86	135	84
49	60 and over.....	286	13	8	12	8	8	6	8	10	6	8
50	Unknown.....	10	1	1								
51	Diarrheal diseases.....	23,075	272	265	264	231	305	269	311	264	363	287
52	Under 5.....	18,386	182	156	161	137	202	161	219	175	270	179
53	5 to 59.....	1,985	45	48	47	48	46	53	44	39	53	57
54	60 and over.....	2,681	44	61	56	45	57	55	47	50	40	51
55	Unknown.....	23	1			1			1			
56	Cerebro-spinal fever.....	1,391	48	43	51	38	72	51	61	50	61	55
57	Under 5.....	839	28	18	31	20	46	26	39	28	36	33
58	5 to 59.....	527	19	22	20	18	25	22	21	22	25	22
59	60 and over.....	24	1	3			1	2	1			
60	Unknown.....	1						1				

901

REGISTRATION STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
11,425	10,074	14,013	12,292	13,406	12,006	12,192	10,826	11,492	10,308	11,079	10,047	12,216	11,242	38	16
3,662	2,982	5,999	4,990	5,382	4,547	4,489	3,697	3,301	2,633	2,870	2,470	3,271	2,759	2	4
4,698	4,163	4,904	4,257	4,825	4,320	4,545	4,110	4,874	4,444	4,854	4,341	5,251	4,748	13	5
3,020	2,913	3,076	3,007	3,154	3,104	3,130	2,990	3,277	3,201	3,319	3,203	3,660	3,716	7	6
45	16	34	38	45	35	28	29	40	30	36	33	34	19	16	1
89	67	85	72	86	76	86	91	97	77	103	75	108	92	7	1
45	33	17	32	45	36	52	38	41	27	41	29	48	45		1
26	18	34	27	26	22	18	30	29	28	33	27	32	24	2	
17	15	11	13	15	14	13	19	27	19	28	18	27	22	2	
1	1	3			4	3	4		3	1	1	1	1	3	
1,917	1,697	4,233	3,799	3,872	3,583	2,848	2,655	1,748	1,549	1,334	1,287	1,359	1,354	1	1
1,329	1,111	3,436	2,922	2,900	2,489	1,985	1,728	905	775	608	628	649	680		
402	410	492	503	608	590	598	574	638	554	578	495	535	499	1	
181	175	300	370	358	498	264	350	204	219	147	161	169	175		1
5	1	5	4	6	6	1	3	1	1	1	3	6			
107	90	63	68	39	34	22	33	28	23	55	59	84	94		
91	74	59	58	38	26	21	30	24	19	49	52	73	83		
16	16	4	10	1	8	1	3	4	4	6	7	10	11		
.....															
69	67	43	47	30	38	29	36	60	50	65	72	83	100		
47	34	28	26	15	28	19	23	30	33	44	44	56	59		
22	33	15	21	15	9	10	13	30	17	20	28	27	41		
.....					1					1					
152	161	168	170	157	147	194	204	249	243	275	307	308	317		
91	104	108	112	107	83	117	119	152	134	150	174	200	199		
61	57	60	57	50	63	77	84	95	109	125	131	108	117		
.....			1		1		1	2			2		1		
75	84	118	121	140	157	95	103	61	66	61	76	72	114		
73	77	115	114	136	151	95	98	59	63	58	72	64	106		
2	6	2	6	2	4		5	2	3	1	4	7	7		
.....	1	1	1	1	1					2		1	1		
41	24	44	55	43	54	50	71	48	60	46	31	28	31		
11	2	15	8	5	12	13	18	9	14	15	1	6	5		
18	15	16	29	30	25	21	32	23	26	16	23	13	19		
11	7	12	18	8	17	16	20	16	20	15	6	9	7		
1		1					1				1				
57	54	26	23	24	13	20	18	36	30	33	58	77	91		1
4	4	3	1	1		4		12	2	9	6	18	14		
14	17	7	7	7	3	4	5	9	10	10	16	25	30		
39	33	16	14	16	10	12	13	15	18	14	36	34	47		1
.....			1												
109	86	163	111	242	198	330	253	362	274	293	189	233	166	1	
8	2	9	4	5	6	8	9	8	8	11	10	7	7		
92	78	141	99	221	176	303	221	331	241	269	167	217	144	1	
8	6	12	8	16	16	18	23	22	25	12	10	8	15		
1		1				1		1		1	2	1			
1,046	886	3,360	3,014	2,975	2,734	1,947	1,741	716	661	311	339	260	254		
915	733	2,998	2,536	2,515	2,108	1,633	1,350	547	457	210	215	170	157		
71	72	160	193	193	226	124	137	73	76	48	52	42	38		
57	81	200	284	262	395	190	253	96	127	53	72	46	59		
3		2	1	5	5		1		1			2			
100	75	95	67	76	62	69	50	56	40	51	41	40	39		
57	44	65	40	46	40	46	36	33	23	35	25	25	19		
40	30	28	25	29	22	23	11	22	16	16	16	14	19		
3	1	2	2	1			3	1	1			1	1		

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	5,207	274	157	208	137	284	171	260	167	255	169
2	Under 5	2,922	135	99	107	89	135	111	133	107	128	104
3	5 to 59	1,829	113	47	81	41	111	43	104	50	100	48
4	60 and over	423	26	9	19	6	35	17	23	10	24	17
5	Unknown	33		2	1	1	3				3	
6	Inanition	2,958	138	104	112	87	135	123	132	104	123	115
7	Under 5	2,744	133	93	102	84	126	106	124	95	117	100
8	5 to 59	70	1	3	3		2	8	7	3	3	4
9	60 and over	123	4	6	6	3	5	9	1	6	3	11
10	Unknown	21		2	1		2					
11	General diseases—C	24,674	1,024	978	919	923	1,199	1,164	1,102	1,046	1,070	1,041
12	Under 5	14,102	548	419	533	397	672	513	654	433	652	487
13	5 to 59	400	18	29	14	20	19	25	16	26	11	18
14	60 and over	10,117	457	529	368	502	506	623	430	583	403	534
15	Unknown	55	1	1	4	4	2	3	2	4	4	2
16	Debility and atrophy	7,628	240	223	226	204	315	275	293	238	309	245
17	Under 5	6,339	176	152	176	142	248	202	233	158	259	178
18	5 to 59	391	18	28	12	19	18	25	16	26	11	18
19	60 and over	875	45	43	37	40	48	48	44	53	38	49
20	Unknown	23	1		1	3	1			1	1	
21	Old age—all ages	9,265	411	484	333	463	459	578	388	533	367	487
22	60 and over	9,239	411	484	331	462	458	575	386	530	365	485
23	Unknown	26			2	1	1	3	2	3	2	2
24	General diseases—D	51,158	2,164	2,167	1,988	2,099	2,544	2,556	2,458	2,504	2,277	2,295
25	Under 5	3,688	140	116	147	131	187	193	198	172	177	154
26	5 to 59	36,065	1,560	1,552	1,427	1,478	1,831	1,749	1,728	1,740	1,615	1,616
27	60 and over	11,310	458	495	410	488	522	609	528	588	482	520
28	Unknown	95	6	4	4	2	4	5	4	4	3	5
29	Consumption	30,677	1,424	1,184	1,333	1,178	1,731	1,375	1,631	1,393	1,530	1,307
30	Under 5	1,119	42	27	40	46	57	48	54	60	58	56
31	5 to 59	26,297	1,233	1,033	1,146	1,005	1,474	1,169	1,390	1,158	1,299	1,106
32	60 and over	3,211	147	124	145	125	197	155	184	174	170	143
33	Unknown	50	2		2	2	3	3	3	1	3	2
34	2. Diseases of the nervous system	37,335	1,676	1,529	1,589	1,463	1,940	1,778	1,908	1,709	1,737	1,592
35	Under 5	9,788	430	349	471	308	514	441	549	438	505	383
36	5 to 59	11,282	483	447	459	449	573	486	551	482	523	497
37	60 and over	16,178	759	731	657	702	848	848	804	787	702	708
38	Unknown	87	4	2	2	4	5	3	4	2	7	4
39	3. Diseases of the circulatory system	26,962	1,302	1,186	1,213	1,136	1,490	1,402	1,364	1,266	1,242	1,227
40	Under 5	1,624	85	64	86	66	91	76	86	79	90	78
41	5 to 59	10,858	521	520	450	492	554	579	475	506	474	544
42	60 and over	14,398	692	598	673	577	843	744	798	678	675	601
43	Unknown	82	4	4	4	1	2	3	5	3	3	4
44	4. Diseases of the respiratory system	48,727	2,848	2,570	3,008	2,812	4,136	3,818	3,696	3,573	2,405	2,254
45	Under 5	20,464	1,294	1,056	1,384	1,166	1,692	1,281	1,432	1,210	1,034	876
46	5 to 59	15,359	929	736	1,001	833	1,405	1,161	1,336	1,099	843	694
47	60 and over	12,816	621	772	618	809	1,034	1,371	917	1,252	527	683
48	Unknown	88	4	6	5	4	5	5	11	12	1	1
49	5. Diseases of the digestive system	16,215	587	753	610	630	752	721	712	760	743	733
50	Under 5	3,142	127	108	135	104	170	125	164	134	162	117
51	5 to 59	8,447	305	410	298	340	375	392	360	400	383	405
52	60 and over	4,590	154	231	175	185	206	202	188	226	198	209
53	Unknown	36	1	4	2	1	1	2				2
54	6. Diseases of the urinary system	18,287	959	702	875	652	1,073	781	968	715	947	665
55	Under 5	634	46	25	31	15	35	27	22	26	24	22
56	5 to 59	9,241	431	409	415	382	471	423	478	408	418	411
57	60 and over	8,375	478	267	427	253	565	330	467	280	503	230
58	Unknown	37	4	1	2	2	2	1	1	1	2	2
59	7. Affections connected with pregnancy	2,301		199		187		295		255		244

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
214	134	290	177	289	204	314	192	321	168	240	131	288	162	1	1
88	85	173	126	159	156	186	141	163	97	103	71	123	103		2
102	42	102	42	112	36	105	40	128	53	112	39	131	47		3
19	7	14	9	17	11	21	11	27	16	22	19	33	11		4
5		1		1	1	2		3	2	3	2	1	1	1	5
90	84	164	128	152	157	180	147	164	102	103	84	127	103		6
77	78	160	121	146	149	173	135	155	91	96	68	118	97		7
3	2	2	4	2	1	2	7	2	1		3	3	4		8
6	4	1	3	4	6	4	5	5	8	5	11	5	2		9
4		1		1	1	1		2	2	2	2	1			10
943	884	1,152	1,025	1,194	1,109	1,194	1,091	1,020	967	869	908	921	928	1	2
616	475	832	654	843	659	852	681	645	512	539	458	580	446	1	1
15	14	9	9	13	22	24	15	9	20	10	14	15	15		12
307	394	307	360	337	425	318	393	366	431	319	433	326	465		13
5	1	4	2	1	3		2		4	1	3		2		14
309	252	478	420	549	441	536	463	338	320	247	277	228	202		15
260	206	447	368	513	386	487	410	305	265	216	212	186	154		16
15	13	9	9	13	22	24	14	8	20	10	14	15	14		17
31	33	20	42	22	31	25	38	25	33	21	49	27	33		18
3		2	1	1	2		1	2		2	2		1		19
277	362	288	319	315	395	293	356	341	400	298	385	299	433		20
276	361	287	318	315	394	293	355	341	398	298	384	299	432		21
1	1	1	1		1		1		2		1		1	1	22
1,911	2,053	1,998	2,123	1,947	2,089	1,832	1,997	1,923	2,137	1,866	2,083	2,042	2,097	4	4
179	133	186	150	185	143	164	145	160	129	120	116	150	113		23
1,344	1,428	1,406	1,473	1,358	1,464	1,257	1,411	1,337	1,503	1,348	1,461	1,490	1,482	3	4
386	487	405	493	400	478	407	439	423	497	396	500	399	499	1	26
2	5	1	7	4	4	4	2	3	8	2	6	3	3		27
1,210	1,041	1,324	1,141	1,251	1,095	1,150	1,098	1,257	1,158	1,214	1,136	1,338	1,174	2	2
49	34	68	42	57	39	50	49	60	44	31	36	39	33		28
1,050	909	1,129	989	1,065	955	973	959	1,062	985	1,056	973	1,171	1,004	2	2
111	94	127	106	125	97	126	89	133	128	125	124	126	136		31
	4		4	4	4	1	1	2	1	2	3	2	1		32
1,527	1,422	1,592	1,432	1,573	1,461	1,514	1,270	1,504	1,339	1,459	1,246	1,626	1,447	1	1
461	384	543	414	496	434	439	311	407	284	355	241	365	266		33
479	438	517	421	492	414	483	393	475	419	475	398	496	432		34
583	599	530	593	578	609	588	563	616	631	625	604	764	747	1	1
4	1	2	4	7	4	4	3	6	5	4	3	1	2		35
1,016	958	996	898	1,012	856	981	927	1,045	915	1,168	1,012	1,214	1,134	1	1
62	53	66	61	71	49	68	46	61	56	67	42	67	54		36
411	410	403	377	371	394	344	374	419	395	462	452	455	475		37
541	492	523	458	567	407	565	503	563	463	638	512	685	601	1	1
2	3	4	2	3	6	4	4	2	1	1	6	7	4		38
1,172	993	898	819	808	713	965	828	1,444	1,303	1,663	1,585	2,265	2,146	3	2
555	441	423	405	380	348	464	385	687	518	804	714	1,054	858	1	2
387	290	302	233	266	210	281	221	459	387	485	449	705	647		39
227	262	172	174	161	153	219	220	297	395	373	418	502	638	1	46
3		1	7	1	2	1	2	1	3	1	4	4	3		47
656	621	713	705	702	711	694	621	674	622	645	578	641	626	2	3
139	139	153	132	156	137	166	130	131	105	114	79	110	105		40
340	313	344	379	365	387	338	308	340	332	337	307	355	333		41
177	167	214	187	180	185	189	181	202	184	192	192	176	186	2	2
	2	2	7	1	2	1	2	1	1	2			2		50
820	585	862	594	766	577	767	586	800	643	809	612	877	650	2	
30	23	33	16	35	17	31	22	19	33	24	26	34	18		51
363	345	368	337	333	334	339	361	367	366	366	347	403	365	1	56
425	217	461	240	397	225	397	203	410	243	416	237	437	267		57
2			1	1	1			4	1	3	2	3		1	58
	189		177		162		126		153		131		183		59

905

REGISTRATION STATES—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,100	319	1,125	348	1,088	338	937	320	856	299	866	277	814	286	15	1	1
144	89	98	74	95	64	71	58	70	77	83	61	77	57			2
794	155	887	183	841	195	719	175	638	148	618	130	602	149	5		3
146	75	129	87	132	77	139	83	129	73	148	83	128	79			4
16		11	4	20	2	8	4	19	1	17	3	7	1	10	1	5
50	46	34	66	35	57	40	60	32	71	68	61	46	76			6
23	17	14	19	20	16	19	20	20	30	33	24	24	24			7
21	24	20	40	14	36	18	37	12	28	26	27	15	42			8
6	5		7	1	5	3	3		13	8	9	7	10			9
										1	1					10
277	21	314	34	280	36	153	26	101	10	79	6	77	9	11	1	11
17	7	12	6	15	4	10	4	4	3	2		3	3			12
235	13	280	24	246	28	134	18	85	6	61	5	70	6	5		13
19	1	17	2	12	4	9	2	8	1	12	1	2				14
6		5	2	7			2	4		4		2		6	1	15
4	1	2	1	3	3	2	3	8		4	1	14	3			16
3	1			2	1	1		2		1	1	4	1			17
1		1	1	1	2	1	2	5		1		1				18
		1	1				1	1		2		8	2			19
												1				20
37	7	41	11	36	3	41	7	53	10	47	3	33	3			21
32	1		1	1		1	1				1					22
4	5	40	10	27	3	39	6	47	9	38	2	31	3			23
1	1	1		5		2		4		8		1				24
				3				2		1		1				25
8	5	12	2	18	7	5	4	12	5	16	7	19	4			26
1	1	2		2	3		1			2	1		1			27
7	4	10	2	12	4	4	3	12	5	12	6	17	3			28
				4		1				2		2				29
																30
		3		5		4		3		3	1					31
				1		2				1	1					32
		3		4		2		2		2						33
								1								34
																35
137	10	141	19	185	30	146	18	144	16	138	17	136	20	1		36
2	4	3	2	4	2	3		3	3		1	1				37
110	5	125	15	154	26	123	13	113	7	117	12	113	9			38
20	1	11	2	19	2	14	5	19	6	14	4	20	11			39
5		2		8		6		9		7		2		1		40
28	3	30	1	30	2	29	7	29	2	38	2	33	1			41
23	1	1		1		2		1	1							42
5	2	23	1	26	2	23	5	26	1	32	2	27	1			43
		6		3		4	2	2		6		6				44
																45
5	4	10	5	7	2	3	2	4	6	2	1	4	2			46
2	4	9	5	6	1	3	1		1							47
3		1		1	1		1	2	2	1	1	1	2			48
								2	3	1		3				49
																50
24	15	24	15	20	20	26	17	26	22	18	12	15	13			51
18	2	1			2		3	1	3		2		1			52
5	12	17	13	15	17	22	12	18	16	12	10	12	10			53
1	1	6	2	4	1	4	1	7	3	6		3	2			54
				1												55
46	12	55	17	58	10	42	9	43	15	45	11	48	9			56
35	11	1				1			2	2						57
11	1	33	14	43	9	29	5	32	7	34	8	36	9			58
		19	3	15	1	12	4	11	6	9	3	9				59
		2										1				60
84	45	23	9	15	10	3		1					2			61
28	20	3	6	2	3											62
45	16	19	1	11	3	1										63
11	9	1	2	2	4	2		1					2			64

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
CITIES IN REGISTRATION STATES.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	191,667	8,433	7,825	8,307	7,883	10,553	10,019	9,683	9,109	8,358	7,576
2 Under 5.....	65,748	2,773	2,213	2,830	2,321	3,345	2,734	3,085	2,536	2,700	2,183
3 5 to 59.....	81,807	3,817	3,480	3,628	3,457	4,635	4,137	4,394	3,888	3,866	3,397
4 60 and over.....	43,786	1,828	2,117	1,836	2,091	2,560	3,132	2,190	2,669	1,775	1,986
5 Unknown.....	326	15	15	13	14	13	16	14	16	17	10
6 Unknown cause.....	873	51	28	45	38	53	43	38	30	41	43
7 Under 5.....	342	20	11	17	12	18	19	16	6	19	15
8 5 to 59.....	353	20	9	18	16	27	16	16	14	12	18
9 60 and over.....	155	11	8	9	8	7	8	4	8	7	10
10 Unknown.....	23			1	2	1		2	2	3	
11 1. General diseases.											
General diseases—A.....	34,491	999	1,001	1,066	1,052	1,398	1,526	1,336	1,411	1,068	931
12 Under 5.....	22,331	601	536	607	581	691	625	671	581	611	499
13 5 to 59.....	8,364	313	341	334	331	444	475	413	419	337	284
14 60 and over.....	3,773	84	120	125	139	263	423	251	409	120	148
15 Unknown.....	23	1	4		1		3	1	2		
16 Measles.....	1,873	122	115	127	126	138	142	124	130	115	110
17 Under 5.....	1,665	112	98	111	110	128	124	117	112	103	86
18 5 to 59.....	206	10	16	16	16	10	17	7	18	12	24
19 60 and over.....	1						1				
20 Unknown.....	1		1								
21 Scarlet fever.....	1,335	81	79	107	79	77	74	91	56	80	58
22 Under 5.....	888	55	52	72	47	56	49	61	34	56	48
23 5 to 59.....	446	26	27	35	32	21	25	30	22	24	10
24 60 and over.....	1										
25 Unknown.....											
26 Diphtheria.....	4,443	229	243	211	223	220	196	180	169	186	168
27 Under 5.....	2,965	168	151	159	154	150	128	131	114	122	118
28 5 to 59.....	1,469	60	91	52	69	70	68	49	54	64	49
29 60 and over.....	8	1	1						1		1
30 Unknown.....	1										
31 Whooping cough.....	1,691	60	67	49	92	93	113	104	83	62	61
32 Under 5.....	1,629	58	64	48	89	92	105	100	79	60	58
33 5 to 59.....	56	1	2	1	3	1	8	4	3	2	3
34 60 and over.....	3	1							1		
35 Unknown.....	3		1								
36 Malarial fever.....	509	9	14	8	18	20	16	18	14	21	12
37 Under 5.....	126	1	1		6	6	5	4	6	5	1
38 5 to 59.....	259	4	9	7	8	11	5	11	6	13	6
39 60 and over.....	123	4	4	1	4	3	6	3	2	3	5
40 Unknown.....	1										
41 Influenza.....	2,606	50	88	117	150	329	558	334	527	96	137
42 Under 5.....	264	14	19	16	20	27	40	33	35	10	9
43 5 to 59.....	851	14	26	47	52	116	165	126	154	37	45
44 60 and over.....	1,485	22	43	54	77	186	351	174	337	49	83
45 Unknown.....	6				1		2	1	1		
46 Typhoid fever.....	2,607	128	98	92	72	101	79	81	66	79	56
47 Under 5.....	104	6	6	6	3	3	5	4	6	2	5
48 5 to 59.....	2,376	118	87	81	65	94	72	74	56	74	50
49 60 and over.....	123	3	4	5	4	4	2	3	4	3	1
50 Unknown.....	4	1	1								
51 Diarrheal diseases.....	16,129	184	178	183	150	206	182	204	186	250	183
52 Under 5.....	13,413	141	108	123	102	146	119	152	130	194	118
53 5 to 59.....	1,321	25	32	28	31	29	36	30	26	35	36
54 60 and over.....	1,392	18	88	32	17	31	27	22	30	21	29
55 Unknown.....	3										
56 Cerebro-spinal fever.....	864	23	22	33	21	52	33	40	36	41	33
57 Under 5.....	550	12	12	20	11	33	20	28	22	23	23
58 5 to 59.....	301	11	7	13	10	19	12	11	14	18	10
59 60 and over.....	12		3					1			
60 Unknown.....	1						1				

CAUSE, AGE, AND MONTH.

907

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
7,417	6,537	9,516	8,403	8,360	7,454	7,502	6,694	7,189	6,476	6,975	6,450	7,745	7,195	3	5
2,781	2,300	4,700	3,976	3,740	3,195	3,040	2,520	2,418	1,906	2,134	1,847	2,409	2,060		2
3,206	2,749	3,362	2,840	3,221	2,708	3,055	2,690	3,273	2,961	3,287	2,912	3,668	3,172	3	1
1,416	1,482	1,439	1,576	1,384	1,534	1,398	1,474	1,484	1,593	1,537	1,675	1,655	1,954		4
14	6	15	11	15	17	9	10	14	16	17	16	13	9		5
27	30	34	28	32	24	32	32	41	29	58	29	44	41	1	1
14	15	14	10	13	9	18	10	19	10	15	6	18	17		1
10	11	16	14	14	8	8	17	14	12	16	15	16	15	1	
3	3	2	4	5	4	5	3	8	6	7	7	10	8		
	1	2			3	1	2		1		1		1		
1,447	1,294	3,278	2,989	2,525	2,341	1,689	1,565	1,087	940	865	861	909	912	1	
1,102	983	2,776	2,409	1,993	1,711	1,236	1,086	636	527	452	467	489	511		
263	265	348	349	377	378	352	339	372	325	362	301	335	306	1	
81	96	153	230	154	250	101	139	79	88	51	92	82	95		
1		1	1	1	2		1				1	3			
77	70	50	53	35	23	20	27	22	15	43	45	66	78		
67	58	47	51	35	18	19	25	18	14	40	43	60	69		
10	12	3	2		5	1	2	4	1	3	2	6	9		
54	51	29	36	17	31	18	27	45	35	36	47	59	68		
39	26	19	24	10	23	12	17	23	25	26	32	40	42		
15	25	10	12	7	7	6	10	22	10	10	15	19	26		
					1										
131	134	138	140	128	114	148	156	188	191	209	243	241	257		
83	90	92	100	89	72	98	97	120	113	126	152	170	168		
48	44	46	39	39	42	50	58	67	78	83	90	71	88		
			1					1			1		1		
							1								
46	61	83	92	96	112	67	80	42	44	35	43	42	64		
44	57	81	90	94	107	67	77	40	43	33	41	41	61		
2	4	2	2	1	4		3	2	1	1	2	1	3		
				1	1										
29	18	21	34	22	36	32	40	17	32	23	18	16	20		
7	2	6	7	4	9	10	11	5	10	11	1	3	5		
14	11	9	17	16	21	12	18	7	12	9	14	7	12		
8	5	6	10	3	6	10	11	5	10	3	2	6	3		
											1				
13	11	5	10	7	5	6	7	21	12	13	27	40	43		
	1		1	1		1		7		6	4	12	8		
4	3	3	5	4	2	2	3	4	7	4	8	11	9		
9	7	2	3	2	3	3	4	10	5	3	15	17	26		
			1												
61	54	100	66	154	113	198	137	199	141	183	106	154	88	1	
4	1	5	2	2	2	7	7	3	4	7	6	5	3		
52	48	91	59	144	107	181	123	187	124	171	95	144	78	1	
5	5	3	5	8	4	10	7	9	13	5	5	4	7		
		1										1			
887	747	2,690	2,440	1,938	1,789	1,118	984	452	388	209	231	171	179		
798	640	2,448	2,087	1,700	1,427	982	796	373	288	159	152	116	114		
54	50	125	160	113	148	70	81	42	51	31	35	27	26		
34	57	117	193	125	213	66	107	37	49	19	44	27	39		
1					1							1			
60	47	69	43	47	38	34	32	32	24	33	26	22	23		
37	25	50	27	28	27	21	25	21	17	24	15	15	14		
22	21	18	14	18	11	13	6	11	7	9	11	6	9		
1	1	1	2	1			1					1			

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN CITIES IN REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
General diseases—B	3,642	205	107	133	99	201	109	167	112	178	113
Under 5	1,965	96	66	65	59	100	70	78	69	85	66
5 to 59	1,425	96	37	60	36	80	28	81	40	72	39
60 and over	235	13	4	8	3	20	11	8	3	19	8
Unknown	17				1	1				2	
Inanition	1,962	97	65	62	57	97	74	74	68	84	70
Under 5	1,873	94	62	61	55	95	67	72	64	81	64
5 to 59	30	1	1	1		1	2	2	2	1	3
60 and over	48	2	2		2	1	5		2	2	3
Unknown	11										
General diseases—C	15,074	569	586	552	553	723	675	632	579	655	610
Under 5	10,505	390	301	395	299	513	368	462	322	487	357
5 to 59	224	11	16	4	13	11	13	9	12	8	5
60 and over	4,319	167	269	150	239	198	292	160	244	159	248
Unknown	26	1		3	2	1	2	1	1	1	
Debility and atrophy	5,724	163	148	159	140	234	192	206	161	231	160
Under 5	5,112	138	116	141	115	199	159	180	120	206	136
5 to 59	220	11	15	4	12	10	13	9	12	8	5
60 and over	378	13	17	13	11	24	20	17	28	16	19
Unknown	14	1		1	2	1			1	1	
Old age—all ages	3,949	154	252	138	228	174	274	144	216	143	229
60 and over	3,941	154	252	137	228	174	272	143	216	143	229
Unknown	8			1			2	1			
General diseases—D	32,836	1,473	1,313	1,351	1,336	1,735	1,619	1,664	1,521	1,488	1,377
Under 5	2,699	111	83	109	90	141	136	150	123	130	97
5 to 59	24,668	1,142	1,008	1,033	996	1,345	1,168	1,257	1,128	1,141	1,022
60 and over	5,434	219	221	208	250	248	312	255	270	216	255
Unknown	35	1	1	1		1	3	2		1	3
Consumption	21,091	1,042	771	938	793	1,267	903	1,194	886	1,073	809
Under 5	821	34	20	27	30	39	28	41	45	43	29
5 to 59	18,655	925	695	835	702	1,117	793	1,049	759	942	717
60 and over	1,596	83	56	75	61	110	81	103	82	87	61
Unknown	19			1		1	1	1		1	2
2. Diseases of the nervous system	21,445	950	894	918	873	1,071	1,049	1,114	972	998	941
Under 5	6,771	310	246	319	228	338	313	382	308	337	269
5 to 59	7,091	308	300	287	286	345	295	352	294	346	315
60 and over	7,550	331	347	312	357	385	439	378	369	313	355
Unknown	33	1	1		2	3	2	2	1	2	2
3. Diseases of the circulatory system	15,267	721	744	671	686	802	883	720	763	686	717
Under 5	976	50	39	47	38	53	54	53	43	46	49
5 to 59	7,507	379	375	319	349	376	401	347	361	337	365
60 and over	6,764	292	330	304	298	373	428	320	356	301	303
Unknown	20		1	1					3	2	
4. Diseases of the respiratory system	34,506	2,022	1,763	2,163	1,969	2,902	2,658	2,433	2,330	1,595	1,515
Under 5	16,138	1,017	798	1,073	887	1,281	1,004	1,073	914	774	677
5 to 59	10,967	680	510	736	596	1,028	800	916	736	553	466
60 and over	7,362	324	452	352	484	590	852	440	675	267	372
Unknown	39	1	3	2	2	3	2	4	5	1	
5. Diseases of the digestive system	9,741	335	462	373	394	453	443	432	453	438	443
Under 5	2,073	83	64	88	71	112	76	110	91	115	80
5 to 59	5,510	183	265	205	233	244	263	245	243	244	264
60 and over	2,144	69	130	79	89	97	104	77	119	79	98
Unknown	14		3	1	1						1
6. Diseases of the urinary system	12,072	619	514	552	466	698	546	606	476	561	464
Under 5	463	34	19	26	9	21	19	18	16	17	20
5 to 59	6,946	332	307	305	293	366	326	361	296	304	297
60 and over	4,645	252	187	220	163	310	200	227	163	240	146
Unknown	18	1	1	1	1	1	1		1		1
7. Affections connected with pregnancy	1,446		138		126		201		159		139

CAUSE, AGE, AND MONTH.

909

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
149	91	212	125	199	145	219	132	229	117	173	96	209	122		 1
58	55	126	87	108	109	124	95	110	68	70	48	78	75		 2
78	32	78	32	85	30	82	30	101	37	90	35	107	39		 3
12	4	7	6	5	5	12	7	16	10	12	11	23	8		 4
1		1		1	1	1		2	2	1	2	1			 5
58	57	122	86	103	112	118	100	109	74	69	55	78	73		 6
51	53	121	83	103	106	116	93	105	67	67	47	75	71		 7
3	2		2		1		3	1		2	2	1	1		 8
3	2		1		4		4	2	5	1	4	1	1		 9
1		1		1	1	1		1	2	1	2	1			 10
563	534	760	693	750	733	779	703	632	588	544	563	560	538		 11
438	340	650	519	622	507	647	512	476	393	416	348	427	316		 12
9	11	5	4	9	12	13	8	5	13	6	9	11	7		 13
113	182	103	169	119	212	119	182	151	181	121	205	122	214		 14
3	1	2	1		2		1		1	1	1		1		 15
245	199	394	355	417	354	408	355	260	243	192	205	165	138		 16
221	173	382	326	403	315	385	325	244	216	178	168	149	117		 17
9	10	5	4	9	12	13	8	5	13	6	9	11	7		 18
13	16	6	25	5	25	10	22	11	13	8	27	5	14		 19
2		1			2				1		1				 20
100	167	97	145	114	187	109	161	140	168	113	178	117	201		 21
100	166	97	144	114	187	109	160	140	168	113	178	117	200		 22
.....	1		1		1		1						1		 23
1,260	1,251	1,346	1,328	1,303	1,223	1,192	1,236	1,303	1,342	1,221	1,285	1,388	1,279	1	1 24
129	97	136	111	142	107	114	106	122	96	87	80	114	88		 25
934	922	1,012	969	977	888	904	922	965	990	958	941	1,034	941	1	1 26
197	230	197	248	183	225	171	208	214	251	175	244	190	247		 27
.....	2	1		1	3	3		2	5	1	1		3		 28
837	674	954	754	921	678	845	730	914	757	869	744	984	753		 1 29
30	25	52	33	45	31	37	37	46	31	27	30	32	29		 30
748	608	831	668	812	600	742	653	792	667	784	657	896	662		 1 31
59	39	71	53	63	44	65	40	74	58	57	57	56	61		 32
.....	2			1	3	1		2	1	1			1		 33
884	810	956	883	877	806	862	720	844	754	817	711	886	855		 34
323	269	390	305	312	281	283	216	301	195	248	161	238	199		 35
294	252	340	280	318	231	314	238	290	268	281	251	326	280		 36
266	289	225	296	244	294	265	265	252	287	288	297	321	375		 37
1		1	2	3			1	1	4		2	1	1		 38
541	542	531	513	546	469	524	542	575	544	636	594	625	692		 39
34	29	39	42	44	29	45	34	39	35	37	25	35	37		 40
276	270	266	244	251	257	237	257	298	274	305	315	304	344		 41
231	243	223	227	251	182	240	250	238	235	293	252	283	311		 42
.....		3			1	2	1			1	2	3			 43
891	736	691	638	596	540	719	623	1,074	952	1,254	1,207	1,672	1,562		 1 44
454	363	356	340	315	291	385	317	567	436	668	600	855	692		 1 45
309	202	224	181	194	152	204	164	340	277	364	327	540	468		 46
126	171	110	114	87	96	129	141	167	237	221	278	275	402		 47
2		1	3		1	1	1		2	1	2	2			 48
395	401	456	418	407	411	407	376	389	376	382	345	382	369		 1 49
97	102	114	95	98	81	114	82	82	62	72	48	70	66		 50
215	214	236	230	232	242	215	198	220	225	235	207	232	220		 51
83	85	106	92	77	86	78	95	86	89	74	90	80	81		 1 52
.....		1	1		2		1	1		1			2		 53
545	395	555	407	463	399	479	415	500	461	519	441	541	450		 54
19	14	25	11	27	16	23	16	15	20	19	21	22	16		 55
285	252	281	258	240	249	250	268	268	283	281	263	314	267		 56
240	129	249	137	196	134	206	131	216	157	216	155	204	167		 57
1			1					1	1	3	2	1			 58
.....	128		94		97		77		96		79		112		 59

CAUSE OF DEATH AND AGE.			Total.	MONTH AND SEX.									
				January.		February.		March.		April.		May.	
				Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	8. Accidents and injuries.....	8,669	453	181	438	178	456	167	496	194	597	177	
2	Under 5.....	1,255	54	38	68	39	64	39	60	55	66	47	
3	5 to 59.....	6,160	329	100	305	91	332	78	372	104	477	93	
4	60 and over.....	1,180	61	41	62	47	58	49	62	34	49	34	
5	Unknown.....	74	9	2	3	1	2	1	2	1	5	3	
6	Burns and scalds.....	929	39	59	40	50	52	41	29	45	26	41	
7	Under 5.....	394	21	19	24	14	29	11	19	19	15	15	
8	5 to 59.....	441	14	31	10	26	19	22	9	19	11	23	
9	60 and over.....	92	4	9	6	10	4	8	1	7		3	
10	Unknown.....	2											
11	Drowning.....	1,074	30	5	27	2	42	2	65	2	112	10	
12	Under 5.....	55		1			3	1	5		4	3	
13	5 to 59.....	938	28	4	27	2	38	1	56	2	99	4	
14	60 and over.....	60	2				1		3		7	1	
15	Unknown.....	21							1		2	2	
16	Exposure and neglect.....	49	5	3	9	3	2	3	2	3	1	2	
17	Under 5.....	20	2	1	3	2				2	1	2	
18	5 to 59.....	16	2	1	4	1	1	2	2				
19	60 and over.....	10		1	2		1						
20	Unknown.....	3	1				1			1			
21	Gunshot wounds.....	244	9	2	14	2	17	2	9	3	20	1	
22	Under 5.....	4	1		1					1			
23	5 to 59.....	216	6	2	13	2	16	2	9	1	19	1	
24	60 and over.....	20	2				1			1			
25	Unknown.....	4									1		
26	Homicide.....	137	10	1	6	3	4	3	7	2	7	3	
27	Under 20.....	19	2			1		1	1	1	1	1	
28	20 to 59.....	115	8	1	6	2	4	2	6	1	6	2	
29	60 and over.....	3											
30	Unknown.....												
31	Injuries by machinery.....	15			2		3				3		
32	Under 20.....	2					1						
33	20 to 59.....	11			2		2				1		
34	60 and over.....	2									2		
35	Unknown.....												
36	Railroad accidents.....	942	60	2	69	4	56	1	74	8	66	8	
37	Under 5.....	27			3		1		1		2	2	
38	5 to 59.....	805	47	2	57	4	52	1	64	6	58	3	
39	60 and over.....	95	10		9		2		9	2	5	3	
40	Unknown.....	15	3				1				1		
41	Suicide by shooting.....	258	15	3	19	1	19	1	20	1	29	2	
42	Under 20.....	5									1		
43	20 to 59.....	223	13	3	16	1	17	1	17	1	25	2	
44	60 and over.....	30	2		3		2		3		3		
45	Unknown.....												
46	Suicide by drowning.....	46	1	1	2		1		3	2	2	3	
47	Under 20.....	1											
48	20 to 59.....	34			2		1		3	2	1	3	
49	60 and over.....	11	1	1							1		
50	Unknown.....												
51	Suicide by poison.....	361	21	9	17	11	20	13	23	13	24	12	
52	Under 20.....	31	2	1	1	3		2	3	3	2	3	
53	20 to 59.....	290	17	7	14	8	19	11	18	9	20	9	
54	60 and over.....	37	1	1	2		1		2	1	2		
55	Unknown.....	3											
56	Other suicides.....	419	28	12	16	1	25	4	35	14	33	8	
57	Under 20.....	9	1	1				1	1		1		
58	20 to 59.....	341	23	8	12	1	21	3	28	14	28	7	
59	60 and over.....	69	4	3	4		4		6		4	1	
60	Unknown.....												
61	Sunstroke.....	162									4	2	
62	Under 5.....	56									2		
63	5 to 59.....	82									2	2	
64	60 and over.....	24											
65	Unknown.....												

CAUSE, AGE, AND MONTH.

911

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

[illegible]

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
4,008	3,537	4,497	3,889	5,046	4,552	4,690	4,132	4,303	3,832	4,104	3,597	4,471	4,047	35	11
881	682	1,299	1,014	1,642	1,352	1,449	1,177	883	727	736	623	862	699	2	2
1,492	1,414	1,542	1,417	1,604	1,612	1,490	1,420	1,601	1,483	1,567	1,429	1,583	1,576	10	4
1,604	1,431	1,637	1,431	1,770	1,570	1,732	1,516	1,793	1,608	1,782	1,528	2,005	1,762	7	5
31	10	19	27	30	18	19	19	26	14	19	17	21	10	16	5
62	37	51	44	54	52	54	59	56	48	65	46	64	51	6	6
31	18	23	22	32	27	34	28	22	17	26	23	30	28		7
16	7	18	13	12	14	10	13	15	16	17	12	16	9	1	8
14	12	9	9	10	10	8	16	19	13	21	11	17	14	2	9
1		1			1	2	2		2	1		1		3	10
470	403	955	810	1,347	1,242	1,159	1,090	661	609	469	426	450	442		1
227	178	660	513	907	778	749	642	269	248	156	161	160	169		12
139	145	144	154	231	212	246	235	266	229	216	194	200	193		13
100	79	147	140	204	248	163	211	125	131	96	69	87	80		14
4	1	4	3	5	4	1	2	1	1	1	2	3			15
30	20	13	15	4	11	2	6	6	8	12	14	18	16		16
24	16	12	7	3	8	2	5	6	5	9	9	13	14		17
6	4	1	8	1	3		1		3	3	5	4	2		18
.....												1			19
15	16	14	11	13	7	11	9	15	15	29	25	24	32		20
8	8	9	2	5	5	7	6	7	8	18	12	16	17		21
7	8	5	9	8	2	4	3	8	7	10	13	8	15		22
.....										1					23
21	27	30	30	29	33	46	48	61	52	66	64	67	60		24
8	14	16	12	18	11	19	22	32	21	24	22	30	31		25
13	13	14	18	11	21	27	26	28	31	42	41	37	29		26
.....					1			1			1				27
29	23	35	29	44	45	28	23	19	22	26	33	30	50		28
29	20	34	24	42	44	28	21	19	20	25	31	23	45		29
.....	2		4	1			2		2		2	6	4		30
.....				1	1					1		1	1		31
.....	1	1	1												32
12	6	23	21	20	18	18	31	31	28	23	13	12	11		33
4		9	1	1	3	3	7	4	4	4		3			34
4	4	7	12	14	4	9	14	16	14	7	9	6	7		35
3	2	6	8	5	11	6	9	11	10	12	4	3	4		36
1		1					1								37
44	43	21	13	17	8	14	11	15	18	20	31	37	48		38
4	3	3				3		5	2	3	2	6	6		39
10	14	4	2	3	1	2	2	5	3	6	8	14	21		40
30	26	14	11	14	7	9	9	5	13	11	21	17	21		41
.....															42
48	32	63	45	88	85	132	116	163	133	110	83	79	78		43
4	1	4	2	3	4	1	2	5	4	4	4	2	4		44
40	30	50	40	77	69	122	98	144	117	98	72	73	66		45
3	1	9	3	8	12	8	16	13	12	7	5	4	8		46
1						1		1		1	2				47
159	139	670	574	1,037	945	829	757	264	273	102	108	89	75		48
117	93	550	449	815	681	651	554	174	169	51	63	54	43		49
17	22	35	33	80	78	54	56	31	25	17	17	15	12		50
23	24	83	91	137	182	124	146	59	78	34	28	19	20		51
2		2	1	5	4		1		1			1			52
40	28	26	24	29	24	35	18	24	16	18	15	18	16		53
20	19	15	13	18	13	25	11	12	6	11	10	10	5		54
18	9	10	11	11	11	10	5	11	9	7	5	8	10		55
2		1					2	1	1			1	1		56

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1. General diseases—Continued.											
1 General diseases—B.....	1,565	69	50	75	38	83	62	93	55	77	56
2 Under 5.....	957	39	33	42	30	35	41	55	38	43	38
3 5 to 59.....	404	17	10	21	5	31	15	23	10	28	9
4 60 and over.....	188	13	5	11	3	15	6	15	7	5	9
5 Unknown.....	16	2	1	2	1	2	1	1	1	1	1
6 Inanition.....	996	41	39	50	30	38	49	58	36	39	45
7 Under 5.....	871	39	31	41	29	31	39	52	31	36	36
8 5 to 59.....	40	2	2	2	1	1	6	5	1	2	1
9 60 and over.....	75	2	4	6	1	4	4	1	4	1	8
10 Unknown.....	10	2	1	2	1	2	1	1	1	1	1
11 General diseases—C.....	9,600	455	392	367	370	476	489	470	467	415	431
12 Under 5.....	3,597	158	118	138	98	159	145	192	111	165	130
13 5 to 59.....	176	7	13	10	7	8	12	7	14	3	13
14 60 and over.....	5,798	290	260	218	263	308	331	270	339	244	286
15 Unknown.....	29	1	1	2	2	1	1	1	3	3	2
16 Debility and atrophy.....	1,904	77	75	67	64	81	83	87	77	78	85
17 Under 5.....	1,227	38	36	35	27	49	43	53	38	53	42
18 5 to 59.....	171	7	13	8	7	8	12	7	14	3	13
19 60 and over.....	497	32	26	24	29	24	28	27	25	22	30
20 Unknown.....	9	1	1	1	1	1	1	1	1	1	1
21 Old age—all ages.....	5,316	257	232	195	235	285	304	244	317	224	258
22 60 and over.....	5,298	257	232	194	234	284	303	243	314	222	256
23 Unknown.....	18	1	1	1	1	1	1	1	3	2	2
24 General diseases—D.....	18,322	691	854	637	763	809	937	794	983	789	918
25 Under 5.....	989	29	33	38	41	46	57	48	49	47	57
26 5 to 59.....	11,397	418	544	394	482	486	581	471	612	474	594
27 60 and over.....	5,876	239	274	202	238	274	297	273	318	266	265
28 Unknown.....	60	5	3	3	2	3	2	2	4	2	2
29 Consumption.....	9,586	382	413	395	385	464	472	437	507	457	498
30 Under 5.....	298	8	7	13	16	18	20	13	15	15	27
31 5 to 59.....	7,642	308	338	311	303	357	376	341	399	357	389
32 60 and over.....	1,615	64	68	70	64	87	74	81	92	83	82
33 Unknown.....	31	2	1	2	2	2	2	2	1	2	2
34 2. Diseases of the nervous system.....	15,890	726	635	671	590	869	729	794	737	739	651
35 Under 5.....	3,017	120	103	152	80	176	128	167	130	168	114
36 5 to 59.....	4,191	175	147	172	163	228	191	199	188	177	182
37 60 and over.....	8,628	428	384	345	345	463	409	426	418	389	353
38 Unknown.....	54	3	1	2	2	2	1	2	1	5	2
39 3. Diseases of the circulatory system.....	11,695	581	442	542	450	688	519	644	503	556	510
40 Under 5.....	648	35	25	39	28	38	22	33	36	44	29
41 5 to 59.....	3,351	142	145	131	143	178	178	128	145	137	179
42 60 and over.....	7,634	400	268	369	279	470	316	478	322	374	298
43 Unknown.....	62	4	4	3	3	2	3	5	1	1	4
44 4. Diseases of the respiratory system.....	14,221	826	807	845	843	1,234	1,160	1,263	1,243	810	739
45 Under 5.....	4,326	277	258	311	279	411	277	359	296	260	199
46 5 to 59.....	4,392	249	226	265	237	377	361	420	363	290	228
47 60 and over.....	5,454	297	320	266	325	444	519	477	577	260	311
48 Unknown.....	49	3	3	3	2	2	3	7	7	1	1
49 5. Diseases of the digestive system.....	6,474	252	291	237	236	299	278	280	307	305	290
50 Under 5.....	1,069	44	44	47	33	58	49	54	43	47	37
51 5 to 59.....	2,937	122	145	93	107	131	129	115	157	139	141
52 60 and over.....	2,446	85	101	96	96	109	98	111	107	119	111
53 Unknown.....	22	1	1	1	1	1	2	1	1	1	1
54 6. Diseases of the urinary system.....	6,215	340	188	323	186	375	235	362	239	386	201
55 Under 5.....	171	12	6	5	6	14	8	4	10	7	2
56 5 to 59.....	2,295	99	102	110	89	105	97	117	112	114	114
57 60 and over.....	3,730	226	80	207	90	255	130	240	117	263	84
58 Unknown.....	19	3	1	1	1	1	1	1	1	2	1
59 7. Affections connected with pregnancy.....	855	61	61	61	61	94	94	96	96	105	105

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
65	43	78	52	90	59	95	60	92	51	67	35	79	40	1	1
30	30	47	39	51	47	62	46	53	29	33	23	45	28		2
24	10	24	10	27	6	23	10	27	16	22	4	24	8		3
7	3	7	3	12	6	9	4	11	6	10	8	10	3		4
4						1		1		2		1	1	1	5
32	27	42	42	49	45	62	47	55	28	34	29	49	30		6
26	25	39	38	43	43	57	42	50	24	29	21	43	26		7
		2	2	2		2	4	1	1		1	2	3		8
3	2	1	2	4	2	3	1	3	3	4	7	4	1		9
3								1		1					10
380	350	392	332	444	376	415	388	388	379	325	345	361	390	1	2
178	135	182	135	221	152	205	169	169	119	123	110	153	130	1	1
6	3	4	5	4	10	11	7	4	7	4	5	4	8		12
194	212	204	191	218	213	199	211	215	260	198	228	204	251		13
2		2	1	1	1		1		3		2		1		14
64	53	84	65	132	87	128	108	78	77	55	72	63	64		15
39	33	65	42	110	71	102	85	61	49	38	44	37	37		16
6	3	4	5	4	10	11	6	3	7	4	5	4	7		17
18	17	14	17	17	6	15	16	14	20	13	22	22	19		18
1		1	1	1			1		1		1		1		19
177	195	191	174	201	208	184	195	201	232	185	207	182	232	1	20
176	195	190	174	201	207	184	195	201	230	185	206	182	232		21
1		1			1				2		1			1	22
651	802	652	795	644	866	640	761	620	795	645	798	654	818	3	23
50	36	50	39	43	36	50	39	38	33	33	36	36	25		24
410	506	394	504	381	576	353	489	372	513	390	501	406	541	2	25
189	257	208	245	217	253	236	231	209	246	221	256	209	252	1	26
2	3		7	3	1	1	2	1	3	1	5	3			27
373	367	370	387	330	417	305	368	343	401	345	392	354	421	2	28
19	9	16	9	12	8	13	12	14	13	4	6	7	4		29
302	301	298	321	253	355	231	306	270	318	272	316	275	342	2	30
52	55	56	58	62	53	61	49	59	70	68	67	70	75		31
	2		4	3	1		1			1	3	2			32
643	612	636	549	696	655	652	550	660	585	642	585	740	592	1	33
138	115	153	109	184	153	156	95	106	89	107	80	127	67		34
185	186	177	141	174	183	169	155	185	151	194	147	170	152		35
317	310	305	297	334	315	323	298	364	344	337	307	443	372	1	36
3	1	1	2	4	4	4	2	5	1	4	1		1		37
475	416	465	385	466	387	457	385	470	371	532	418	589	442	1	38
28	24	27	19	27	20	23	12	22	21	30	17	32	17		39
135	140	137	133	120	137	107	117	121	121	157	137	151	131		40
310	249	300	231	316	225	325	253	325	228	345	260	402	290	1	41
2	3	1	2	3	5	2	3	2	1		4	4	4		42
281	257	207	181	212	173	246	205	370	351	409	378	593	584	3	43
101	78	67	65	65	57	79	68	120	82	136	114	199	166	1	44
78	88	78	52	72	58	77	57	119	110	121	122	165	179		45
101	91	62	60	74	57	90	79	130	158	152	140	227	236	1	46
1			4	1	1		1	1	1		2	2	3	1	47
261	220	257	287	295	300	287	245	285	246	263	233	259	257	2	48
42	37	39	37	58	56	52	48	49	43	42	31	40	39		49
125	99	108	149	133	145	123	110	120	107	102	100	123	113		50
94	82	108	95	103	99	111	86	116	95	118	102	96	105	2	51
	2	2	6	1		1	1		1	1					52
275	190	307	187	303	178	288	171	300	182	290	171	336	200	2	53
11	9	8	5	8	1	8	6	4	13	5	5	12	2		54
78	93	87	79	93	85	89	93	99	83	85	84	89	98	1	55
185	88	212	103	201	91	191	72	194	86	200	82	233	100		56
1				1	1			3				2		1	57
	61		83		65		49		57		52		71		58

917

RURAL PART OF REGISTRATION STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
418	102	472	135	464	142	373	125	379	112	374	113	322	111	15	1
43	20	35	29	39	18	25	22	27	26	39	21	23	26		2
279	49	356	59	341	85	270	55	261	45	248	42	225	40	5	3
85	33	73	45	73	39	71	46	79	40	78	49	69	45		4
11		8	2	11		7	2	12	1	9	1	5		10	5
14	10	10	19	12	18	12	20	8	18	32	22	22	18		6
5	3	5	6	6	3	6	6	5	7	17	8	9	9		7
6	5	5	9	5	12	6	13	3	4	13	9	7	6		8
3	2		4	1	3		1		7	2	5	6	3		9
															10
130	11	156	20	125	20	50	7	37	6	40	2	37	6	11	11
11	4	8	4	7	2	4	2	2	2	2		1	3		12
105	7	135	14	113	18	44	3	29	3	26	1	33	3	5	13
10		9	1	3		2	1	5	1	9	1	2			14
4		4	1	2			1	1		3		1		6	15
															15
4		2	1	3	2	2	3	4		3		9			16
3				2	1	1	2	1				2			17
1		1		1	1	1	1	3		1		1			18
		1	1				1			2		5			19
												1			20
14	2	14	4	21	2	25	2	33	7	26	2	14	1		21
11	1	13	4	15	2	23	1	31	1	24	1	14	1		22
2		1		2		2		1		2					23
1				3				1							24
															25
	1	6		7	2	3	1	4		5	1	2	1		26
	1	1			1		1								27
		5		4	1	2		4		4	1	1	1		28
				3		1				1		1			29
															30
		2		3		2		3		1	1				31

919

REGISTRATION CITIES IN OTHER STATES.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
8,841	7,451	10,204	8,285	9,336	7,948	8,617	7,032	8,644	7,121	8,232	6,777	9,096	7,501	33	13
2,973	2,583	4,017	3,360	3,267	2,953	2,722	2,327	2,339	1,895	2,093	1,779	2,406	2,060	4	4
4,211	3,362	4,447	3,374	4,291	3,388	4,200	3,244	4,436	3,576	4,360	3,348	4,617	3,515	18	4
1,605	1,477	1,688	1,520	1,713	1,575	1,644	1,430	1,826	1,634	1,735	1,609	2,009	1,891	8	5
52	29	52	31	65	32	51	31	43	16	44	41	64	35	3	5
119	88	131	110	122	97	106	97	104	91	107	71	104	86	10	5
47	34	60	48	49	48	40	43	33	37	46	28	36	32	1	2
45	34	46	33	49	28	39	36	51	39	40	25	38	30	4	2
23	16	21	27	18	18	23	15	19	15	16	13	24	17	5	9
4	4	4	2	6	3	4	3	1		5	5	6	7		10
1,804	1,645	2,721	2,448	2,392	2,241	1,818	1,724	1,520	1,287	1,203	1,089	1,168	1,055	4	3
1,161	1,030	1,977	1,688	1,489	1,392	1,012	971	702	554	457	488	486	495	1	
530	475	587	534	712	648	670	616	693	637	647	527	583	469	3	2
106	135	148	223	178	194	128	132	121	94	95	73	92	89		14
7	5	9	3	13	7	8	5	4	2	4	1	7	2		15
42	67	24	37	20	21	10	14	8	4	13	15	36	29	1	1
34	58	21	31	18	16	10	13	8	3	9	13	34	22		17
8	9	3	6	2	5		1		1	4	2	2	7	1	
.....															
53	53	33	28	34	38	39	43	59	61	76	66	73	81		21
30	37	19	16	23	25	24	19	32	35	44	43	44	49		22
22	16	14	12	11	13	15	24	27	26	32	23	29	31		23
1													1		24
.....															25
119	129	124	93	119	122	184	186	241	250	248	300	266	282	1	1
69	71	75	55	69	69	111	102	144	119	139	155	165	167	1	
50	58	49	38	48	53	73	84	97	131	107	144	101	115		27
.....				1						2	1				28
.....				1											29
52	44	65	69	48	64	44	49	44	36	23	31	23	38		30
48	42	61	65	48	64	43	43	44	36	22	28	23	35		31

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION CITIES IN OTHER STATES—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	6,616	316	180	305	209	335	219	315	189	352	214
2	Under 5.....	4,777	196	143	200	165	213	166	190	156	211	165
3	5 to 59.....	1,502	99	23	88	27	98	44	105	25	113	39
4	60 and over.....	271	16	10	13	10	15	7	16	7	27	6
5	Unknown.....	66	5	4	4	7	9	2	4	1	1	4
6	Inanition	4,901	202	150	204	179	225	173	187	162	210	178
7	Under 5.....	4,654	189	141	196	162	209	162	180	151	202	164
8	5 to 59.....	115	4	1	3	7	5	7	3	6	3	6
9	60 and over.....	92	7	4	3	4	4	3	2	4	5	4
10	Unknown.....	40	2	4	2	6	7	1	2	1		4
11	General diseases—C.....	16,471	684	720	614	680	747	810	672	747	743	704
12	Under 5.....	8,570	368	293	323	249	408	323	359	288	464	302
13	5 to 59.....	679	28	26	33	46	21	36	29	32	27	39
14	60 and over.....	7,167	284	400	257	382	314	448	283	427	250	358
15	Unknown.....	55	4	1	1	3	4	3	1		2	5
16	Debility and atrophy	5,480	197	172	170	186	206	194	211	190	251	210
17	Under 5.....	3,878	121	102	108	94	142	108	141	114	193	123
18	5 to 59.....	674	28	26	32	46	21	36	27	32	27	39
19	60 and over.....	896	44	44	29	45	40	47	43	44	30	46
20	Unknown.....	32	4		1	1	3	3			1	2
21	Old age—all ages	6,298	240	357	228	339	275	401	241	383	221	315
22	60 and over.....	6,271	240	356	228	337	274	401	240	383	220	312
23	Unknown.....	22		1		2	1		1		1	3
24	General diseases—D	35,761	1,677	1,442	1,516	1,395	1,755	1,643	1,707	1,570	1,720	1,589
25	Under 5.....	2,070	84	74	100	77	101	92	119	88	106	83
26	5 to 59.....	27,736	1,326	1,132	1,211	1,096	1,364	1,248	1,313	1,205	1,332	1,233
27	60 and over.....	5,837	265	231	196	219	285	299	267	277	276	269
28	Unknown.....	118	2	5	9	3	5	4	8		6	4
29	Consumption	23,285	1,196	885	1,098	862	1,247	1,002	1,193	969	1,206	949
30	Under 5.....	824	34	29	47	21	38	36	46	33	51	35
31	5 to 59.....	20,582	1,041	784	971	779	1,085	871	1,053	870	1,051	849
32	60 and over.....	1,800	119	67	75	60	120	93	88	66	101	64
33	Unknown.....	79	2	5	5	2	4	2	6		3	1
34	2. Diseases of the nervous system	25,228	1,237	1,043	1,146	971	1,333	1,078	1,390	1,008	1,226	1,013
35	Under 5.....	9,564	433	340	437	365	503	382	558	378	481	371
36	5 to 59.....	8,585	425	348	371	306	463	352	456	319	438	351
37	60 and over.....	6,982	375	351	332	299	362	340	370	308	302	286
38	Unknown.....	97	4	4	6	1	5	4	6	3	5	5
39	3. Diseases of the circulatory system.....	16,271	827	707	789	672	825	722	891	779	799	651
40	Under 5.....	1,037	58	41	59	32	66	40	66	52	57	23
41	5 to 59.....	8,531	430	354	396	353	413	351	476	416	437	361
42	60 and over.....	6,634	338	311	328	286	343	327	346	311	303	265
43	Unknown.....	69	1	1	6	1	3	4	3		2	2
44	4. Diseases of the respiratory system.....	31,777	2,230	1,755	2,155	1,803	2,771	2,162	2,510	2,130	1,553	1,303
45	Under 5.....	13,007	922	714	1,012	817	1,136	839	962	785	630	559
46	5 to 59.....	11,656	898	539	779	531	1,093	695	984	693	652	442
47	60 and over.....	7,025	405	499	356	454	535	619	556	650	267	299
48	Unknown.....	89	5	3	8	1	7	9	8	2	4	3
49	5. Diseases of the digestive system.....	12,164	516	504	488	409	541	539	532	515	593	549
50	Under 5.....	2,405	111	70	111	73	109	89	110	82	121	96
51	5 to 59.....	7,242	298	326	277	257	319	323	311	308	348	336
52	60 and over.....	2,472	106	108	97	79	111	125	111	124	124	114
53	Unknown.....	45	1		3		2	2		1		3
54	6. Diseases of the urinary system	11,160	602	410	545	406	611	426	644	452	564	419
55	Under 5.....	414	29	20	22	23	22	20	15	12	13	15
56	5 to 59.....	6,390	337	250	307	231	330	252	352	270	283	243
57	60 and over.....	4,304	236	139	214	151	259	150	273	170	266	161
58	Unknown.....	52		1	2	1		4	4		2	
59	7. Affections connected with pregnancy...	1,471		139		132		150		150		129

CAUSE, AGE, AND MONTH.

921

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
303	244	415	306	365	285	350	264	282	214	283	192	299	180		 1
204	196	322	262	268	237	247	213	180	171	188	155	185	144		 2
87	42	78	37	78	39	89	40	84	39	77	28	94	29		 3
9	5	14	7	15	8	13	9	14	4	17	7	15	7		 4
3	1	1		4	1	1	2	4		1	2	5			 5
205	199	322	272	275	242	242	224	187	170	196	163	185	149		 6
198	191	314	260	265	230	237	210	176	165	183	151	178	140		 7
4	7	4	7	5	7	2	7	4	4	7	4	3	5		 8
2	1	4	5	2	4	2	6	4	1	6	6	2	4		 9
1				3	1	1	1				2	2			 10
578	617	776	712	709	784	717	689	622	655	574	611	647	658		 1 11
365	318	491	397	436	441	461	379	380	305	343	273	352	251		 1 12
18	30	28	29	28	33	27	19	19	33	22	25	24	27		 13
191	269	254	285	244	307	227	288	221	317	207	307	269	378		 14
4		3	1	1	3	2	3	2		2	6	2	2		 15
224	233	334	312	320	334	333	280	222	236	174	148	175	168		 16
181	169	263	242	262	258	271	230	174	165	121	90	116	90		 17
18	30	28	28	28	33	26	19	19	33	22	25	24	27		 18
23	34	41	42	29	42	34	29	29	38	30	30	33	50		 19
2		2		1	1	2	2			1	3	2	1		 20
169	235	214	244	215	267	193	260	194	279	178	280	236	329		 21
168	235	213	243	215	265	193	259	192	279	177	277	236	328		 22
1		1	1		2		1	2		1	3		1		 23
1,444	1,478	1,450	1,444	1,351	1,422	1,381	1,308	1,412	1,374	1,441	1,330	1,531	1,377	3	1 24
106	105	92	87	97	72	93	77	75	59	73	59	82	69		 25
1,105	1,133	1,141	1,115	1,004	1,080	1,069	1,026	1,119	1,067	1,136	1,047	1,175	1,056	3	 26
228	233	210	235	242	265	215	201	216	243	230	218	269	248		 27
5	7	7	7	8	5	4	4	2	5	2	6	5	4		 28
989	887	993	885	905	810	915	792	971	829	1,004	798	1,078	820	2	 29
39	37	40	41	43	28	29	35	31	21	31	25	27	27		 30
862	792	875	778	775	717	813	699	872	740	889	724	950	740	2	 31
86	54	73	61	82	60	69	55	67	66	83	44	96	51		 32
2	4	5	5	5	5	4	3	1	2	1	5	5	2		 33
1,218	951	1,231	973	1,106	910	989	803	1,032	796	1,005	771	1,120	876	1	1 34
505	399	528	450	449	382	380	286	365	279	335	257	397	303		 1 35
435	290	444	282	399	284	342	279	394	264	389	254	408	292		 36
274	261	256	239	253	240	264	235	267	250	272	257	312	277		 37
4	1	3	2	5	4	3	3	6	3	9	3	3	4	1	 38
675	531	631	567	598	508	628	522	689	556	703	564	784	652	1	 39
44	39	57	30	33	20	36	29	40	29	47	35	57	47		 40
364	296	327	324	308	272	337	286	351	300	365	293	393	327	1	 41
263	193	244	210	254	214	253	204	293	225	287	234	329	273		 42
4	3	3	3	3	2	2	3	5	2	4	2	5	5		 43
778	577	628	465	576	406	691	493	1,031	837	1,060	949	1,576	1,336	2	 44
325	272	256	226	250	173	272	183	374	307	433	353	641	565	1	 45
302	181	248	163	227	146	287	193	445	313	444	343	639	419		 46
149	123	120	75	96	84	130	115	210	216	182	251	287	347		 47
2	1	4	1	3	3	2	2	2	1	1	2	9	5	1	 48
516	532	595	478	571	532	514	416	534	515	471	417	455	429	2	1 49
125	110	153	113	126	123	115	84	106	82	87	58	76	74	1	 50
306	321	329	278	331	309	296	244	305	325	280	265	284	265	1	 51
81	98	112	85	113	99	99	86	122	107	102	89	93	87		 52
4	3	1	2	1	1	4	2	1	1	2	5	2	3		 53
466	328	539	336	505	336	482	295	519	368	570	353	586	397	1	 54
16	14	12	10	16	16	20	17	11	17	16	13	23	22		 55
248	209	304	226	280	223	268	185	273	227	304	210	325	252	1	 56
199	101	220	99	205	95	192	91	232	124	246	126	233	122		 57
3	4	3	1	4	2	2	2	3		4	4	5	1		 58
.....	106		114		96		102		106		123		124		 59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
REGISTRATION CITIES IN OTHER STATES—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	13,049	802	269	678	221	739	242	773	221	875	278
2	Under 5	1,304	70	56	52	48	65	48	65	58	57	57
3	5 to 59	10,089	626	156	551	129	571	149	621	127	720	171
4	60 and over	1,472	93	55	65	42	91	42	73	32	88	49
5	Unknown	184	13	2	10	2	12	3	14	4	10	1
6	Burns and scalds	1,189	48	86	50	66	43	42	34	50	39	59
7	Under 5	438	27	26	21	23	24	14	15	16	10	20
8	5 to 59	656	18	51	26	33	16	24	14	28	26	36
9	60 and over	87	3	9	3	10	3	4	5	6	2	3
10	Unknown	8									1	
11	Drowning	1,180	38	2	34	3	36	3	86	10	87	14
12	Under 5	56		1	1		4	1	7	5	3	2
13	5 to 59	1,010	32	1	30	3	29	2	65	5	75	9
14	60 and over	77	4		1		3		8		8	2
15	Unknown	37	2		2				6		1	1
16	Exposure and neglect	123	14	7	9	7	7	4	6	4	6	9
17	Under 5	55	4	4		3	1	3	2	1	3	7
18	5 to 59	45	7	2	5	1	5	1	4	1	2	1
19	60 and over	22	3	1	4	3				2	1	1
20	Unknown	1					1					
21	Gunshot wounds	620	47	6	32	5	49	5	35	2	45	4
22	Under 5	8									2	
23	5 to 59	579	45	6	30	4	45	4	33	2	38	4
24	60 and over	20	1		1	1	1	1	1		5	
25	Unknown	13	1		1		3		1			
26	Homicide	453	29	2	13	4	34	11	23	4	42	12
27	Under 20	53	4		1	1	2	1	4	1	3	4
28	20 to 59	370	22	2	12	3	30	8	18	2	37	8
29	60 and over	16	2				1				1	
30	Unknown	14	1				1	2	1	1	1	
31	Injuries by machinery	71	4		3	1	8	1	4		3	
32	Under 20	5						1				
33	20 to 59	64	3		3	1	8		4		2	
34	60 and over	2	1								1	
35	Unknown											
36	Railroad accidents	1,999	137	9	139	11	145	11	127	14	145	16
37	Under 5	57	3	3	1	1	1		5	4	4	2
38	5 to 59	1,739	116	6	130	9	127	8	113	8	127	11
39	60 and over	169	17		6	1	14	3	6	2	10	3
40	Unknown	34	1		2		3		3		4	
41	Suicide by shooting	411	35	1	37	2	26	2	44	4	36	2
42	Under 20	6			1	1	1					
43	20 to 59	349	30	1	30	1	23	2	42	4	33	2
44	60 and over	47	5		5		2		1		3	
45	Unknown	9			1				1			
46	Suicide by drowning	68	1		2		6	2	3	2	10	
47	Under 20	3					1					
48	20 to 59	51	1		2		2	2	2	2	8	
49	60 and over	13					3				2	
50	Unknown	1							1			
51	Suicide by poison	439	25	14	14	12	18	14	22	11	30	16
52	Under 20	33				2		2	1		1	4
53	20 to 59	362	20	14	11	10	15	12	20	11	26	8
54	60 and over	38	5		2		3		1		3	4
55	Unknown	6			1							
56	Other suicides	754	42	10	33	9	48	17	62	10	45	14
57	Under 20	23	1			1	1	1	2	1		
58	20 to 59	599	35	8	30	7	34	14	53	9	33	13
59	60 and over	125	4	2	3	1	13	2	7		11	1
60	Unknown	7	2								1	
61	Sunstroke	242	1		2	1		1			10	2
62	Under 5	38										
63	5 to 59	154			1						8	1
64	60 and over	48	1			1		1			2	1
65	Unknown	2			1							

CAUSE, AGE, AND MONTH.

923

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN OTHER STATES—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
902	269	1,047	237	1,002	240	903	227	857	235	781	199	791	251	9	1
66	61	62	43	50	38	38	39	65	47	55	48	63	53		2
747	175	892	161	846	161	749	142	683	155	638	122	635	157	5	3
77	33	79	28	89	40	97	45	97	32	78	26	78	40	3	4
12		14	5	17	1	19	1	12	1	10	3	15	1	1	5
41	55	37	44	36	41	40	48	50	53	32	56	47	90	2	6
16	16	8	8	15	8	14	10	25	22	19	24	25	32		7
23	35	27	33	18	29	23	31	24	30	11	27	20	52	1	8
1	4	2	3	2	4	1	7	1	1	1	5	1	5	1	9
1				1		2				1		1	1		10
182	17	222	15	172	14	86	9	67	5	34	5	35	2	2	11
4	4	6	1	7	2	1	2	1		2	1		1		12
164	12	200	12	154	10	79	7	56	5	26	3	29	1	1	13
7	1	9	1	6	2	4		8		6	1	5		1	14
7		7	1	5		2		2				1			15
6	4	1	5	3	1	3		5	2	7	2	5	6		16
4	4	1	5	1	1			2	1	3		2	3		17
1				1		2		2	1	4	2	1	2		18
1				1		1		1				2	1		19
															20
36	10	58	8	43	6	52	6	43	10	57	6	49	6		21
	2				1							1	2		22
35	8	56	8	39	5	48	6	42	9	56	6	46	4		23
1		1		2		1		1	1	1		1			24
		1		2		3						1			25
24	10	31	11	38	3	37	8	35	4	32	7	33	5	1	26
4	2	3		3		6	2	3	1	2	2	3	1		27
18	7	27	9	35	3	30	5	30	3	25	5	28	3		28
2	1	1	1			1	1	2		4			1		29
			1					1		1		2		1	30
5	1	8	1	6		4		5		9		8			31
															32
5	1	1	1	2		1									33
		7		4		3		5		9		8			34
															35
143	14	167	18	167	18	176	17	164	10	146	19	169	15	2	36
3	4	5	1	4	2	3	1	3	1	2	3		1		37
125	7	155	14	146	13	157	12	147	7	126	13	149	11	2	38
12	3	5	2	13	3	13	4	12	2	16	2	17	3		39
3		2	1	4		3		2		2	1	3			40
25	1	38	1	25	1	39	1	26	3	31	2	27	2		41
															42
21	1	31	1	21	1	1		17	2	29	1	24	2		43
3		5		4		7	1	7	1	2		2			44
1		1				2		2				1			45
5		3	1	5	2	8	1	5	4	3	3	1	1		46
															47
3		3	1	4	2	1	1	5	2	3	2	1	1		48
2				1		3			2						49
															50
22	17	21	15	24	18	24	10	16	19	29	9	22	17		51
	5		3		6		2		1		2		4		52
21	11	17	12	19	12	21	8	12	16	27	7	20	12		53
1	1	4		4		3		3	1	1		1	1		54
				1		1		1		1		1			55
64	15	56	8	67	15	54	14	51	14	40	8	47	11		56
															57
1	3		2	1			2	2	2	2		1			58
52	12	45	5	56	12	43	10	36	12	29	6	36	9		59
11		11	1	10	3	10	2	12		8	1	10	2		60
						1		1		1	1				61
52	28	38	15	34	14	25	14	1				3	1		62
															63
10	9	6	4	1	3	1	4								64
39	10	26	7	29	6	19	5	1				1	1		65
3	9	6	4	3	5	5	5					2			66

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
NONREGISTRATION RECORD.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	526,425	24,396	21,062	25,045	21,953	28,946	25,870	28,148	25,656	28,388	26,186
2	Under 5.....	163,961	6,989	5,860	7,602	6,412	8,570	7,155	7,786	6,437	8,681	7,443
3	5 to 59.....	233,455	10,690	10,039	10,589	10,161	12,162	12,169	11,832	12,171	11,817	12,453
4	60 and over.....	123,433	6,447	4,983	6,585	5,218	7,933	6,332	8,251	6,818	7,580	6,091
5	Unknown.....	5,576	270	180	269	162	281	214	279	230	310	199
6	Unknown cause.....	35,690	1,541	1,448	1,543	1,434	1,745	1,604	1,580	1,470	1,955	1,817
7	Under 5.....	21,627	1,006	862	1,019	852	1,066	963	971	773	1,217	999
8	5 to 59.....	8,568	301	359	292	362	369	392	337	431	413	515
9	60 and over.....	4,701	202	202	206	194	266	218	252	233	296	272
10	Unknown.....	794	32	25	26	26	44	31	20	33	29	31
11	1. General diseases.											
	General diseases—A.....	121,592	4,110	3,781	4,140	4,080	4,962	4,853	5,043	5,112	5,723	5,594
12	Under 5.....	55,687	1,557	1,397	1,706	1,612	2,059	1,898	2,064	1,842	2,916	2,616
13	5 to 59.....	51,288	2,004	1,910	1,847	1,908	2,055	2,154	1,918	2,170	1,893	2,144
14	60 and over.....	13,771	510	444	553	531	814	768	1,032	1,061	880	803
15	Unknown.....	846	39	30	34	29	34	33	29	39	34	31
16	Measles.....	9,065	385	403	691	738	777	880	643	682	540	566
17	Under 5.....	5,327	224	199	424	382	460	429	388	338	359	334
18	5 to 59.....	3,533	157	194	256	336	305	426	238	319	169	216
19	60 and over.....	168	3	9	9	17	6	22	13	23	9	14
20	Unknown.....	37	1	1	2	3	6	3	4	2	3	2
21	Scarlet fever.....	3,006	169	194	161	167	168	149	147	184	126	160
22	Under 5.....	1,913	113	107	118	100	118	92	100	120	82	92
23	5 to 59.....	1,067	53	86	43	67	49	56	46	63	42	66
24	60 and over.....	16	2				1			1	2	1
25	Unknown.....	10	1	1					1			1
26	Diphtheria.....	6,274	329	373	253	259	242	289	201	203	180	175
27	Under 5.....	3,180	190	181	136	123	138	132	117	100	95	88
28	5 to 59.....	3,040	137	189	115	134	102	151	77	101	84	87
29	60 and over.....	34	1	1			2	4	6	2	1	
30	Unknown.....	20	1	2	2	2		2	1			
31	Whooping cough.....	6,289	206	246	237	284	318	368	356	372	434	499
32	Under 5.....	5,905	188	227	218	264	296	343	338	355	410	478
33	5 to 59.....	360	18	19	19	19	21	24	16	14	23	20
34	60 and over.....	12				1	1		2	3		1
35	Unknown.....	12						1			1	
36	Malarial fever.....	12,348	297	273	244	267	311	297	355	366	462	500
37	Under 5.....	4,109	77	69	79	66	99	84	91	119	182	167
38	5 to 59.....	6,972	190	171	138	169	178	169	206	203	213	277
39	60 and over.....	1,174	25	32	25	32	33	42	57	42	66	52
40	Unknown.....	93	5	1	2		1	2	1	2	1	4
41	Influenza.....	9,763	370	415	580	569	960	998	1,162	1,309	787	808
42	Under 5.....	2,141	93	92	175	128	254	200	266	207	184	150
43	5 to 59.....	2,573	97	118	151	159	227	290	272	351	178	231
44	60 and over.....	4,965	177	202	249	273	470	502	620	741	420	424
45	Unknown.....	84	3	3	5	9	9	6	4	10	5	3
46	Typhoid fever.....	25,630	896	740	652	617	646	574	627	634	699	688
47	Under 5.....	3,552	92	84	65	81	72	90	77	76	114	109
48	5 to 59.....	20,367	739	602	544	489	521	433	481	504	524	521
49	60 and over.....	1,547	60	50	42	44	52	46	65	50	57	52
50	Unknown.....	184	5	4	1	3	1	5	4	4	4	6
51	Diarrheal diseases.....	34,216	662	496	551	509	632	544	748	609	1,624	1,411
52	Under 5.....	24,738	361	266	292	272	363	312	456	343	1,187	963
53	5 to 59.....	5,469	181	144	148	142	164	149	176	166	264	288
54	60 and over.....	3,815	118	80	105	90	101	81	113	95	166	152
55	Unknown.....	194	2	6	6	5	4	2	3	5	7	8
56	Cerebro-spinal fever.....	2,135	107	78	93	77	117	83	125	79	120	91
57	Under 5.....	1,138	51	34	38	36	60	42	65	32	70	45
58	5 to 59.....	945	50	41	52	41	56	38	56	45	47	44
59	60 and over.....	44	6	2	2		1	2	4	1	3	2
60	Unknown.....	8		1	1			1		1		

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
16,784	14,878	20,002	17,676	22,617	20,717	21,296	19,327	21,319	18,854	19,268	16,683	21,540	17,915	1,043	856
5,805	4,974	7,421	6,518	8,911	7,960	7,882	7,158	6,744	5,907	5,640	4,860	6,006	4,928	147	165
6,913	6,961	7,938	7,887	8,951	9,002	8,770	8,605	9,350	9,026	8,587	8,194	9,763	8,711	391	323
3,877	2,808	4,406	3,126	4,524	3,584	4,452	3,398	4,980	3,749	4,833	3,487	5,530	4,104	199	138
189	135	237	145	231	171	192	166	245	172	208	142	241	172	306	230
1,223	1,069	1,472	1,276	1,682	1,601	1,576	1,415	1,365	1,321	1,225	1,131	1,511	1,247	223	216
778	612	929	783	1,109	941	1,008	881	856	779	765	645	984	729	43	57
261	312	335	340	385	468	341	364	306	370	255	302	294	331	71	62
167	133	183	129	163	172	201	138	169	145	181	161	201	159	31	27
17	12	25	24	25	20	26	32	34	27	24	23	32	28	78	70
4,046	3,849	5,817	5,548	7,631	7,229	6,780	6,446	5,753	5,350	4,208	4,014	3,768	3,387	198	170
2,371	2,118	3,376	3,135	4,297	3,862	3,372	3,224	2,323	2,230	1,585	1,503	1,337	1,202	41	44
1,318	1,389	1,898	1,941	2,653	2,683	2,844	2,670	2,876	2,673	2,214	2,148	2,006	1,816	82	74
337	322	509	448	630	636	531	518	515	420	383	341	397	350	27	11
20	20	34	24	51	48	33	34	39	27	26	22	28	19	48	41
265	282	205	226	195	251	168	198	125	139	151	151	202	178	12	12
206	192	143	141	126	160	124	121	75	87	107	83	119	96	5	5
58	84	58	81	67	88	41	74	46	49	39	66	81	75	6	4
1	5	4	3	2	3	3	3	4	3	3	1	2	6	1	3
	1		1							2	1		1		20
60	52	72	70	85	93	86	99	109	100	121	136	138	149	5	6
34	29	45	46	64	61	60	72	69	59	70	75	92	91	3	1
24	23	27	22	21	30	26	27	40	41	48	61	46	57		3
2			2		2					1			1		24
										2				2	25
125	109	143	129	181	172	305	330	369	387	360	422	357	374	3	4
68	59	74	58	103	79	160	157	211	188	179	199	180	161	2	2
56	47	68	71	76	91	141	172	156	196	179	221	174	213		2
1	3	1		2	2	2	1	1	1	2		2		1	28
											2				29
															30
177	227	191	277	238	258	218	285	179	217	165	190	156	179	8	4
171	211	179	259	230	241	206	268	166	205	156	179	143	168	5	1
5	16	11	18	7	16	10	16	13	12	8	11	12	11		32
		1		1		1						1			33
1					1	1	1			1				3	34
															35
371	389	642	687	1,057	1,031	917	902	727	693	441	433	359	293	11	23
141	130	239	264	389	376	303	329	222	240	130	117	104	88	1	3
198	227	348	371	555	565	543	469	438	387	281	272	218	167	7	12
27	30	52	46	105	83	69	93	59	60	30	41	37	36		38
5	2	3	6	8	7	2	11	8	6		3		2	3	39
108	118	93	85	81	98	115	95	122	112	148	143	224	231	18	14
25	21	24	14	12	21	37	19	25	23	44	25	51	48	1	2
28	38	21	27	22	29	32	31	34	35	31	34	64	64	4	5
54	57	47	44	46	47	46	45	62	54	70	79	108	116	9	3
1	2	1		1	1			1		3	5	1	3	4	45
555	579	1,060	1,024	1,627	1,623	1,864	1,676	1,942	1,834	1,439	1,323	1,193	1,004	61	53
111	104	202	163	259	268	277	260	204	225	165	171	129	116	6	12
417	435	788	784	1,271	1,231	1,484	1,316	1,628	1,500	1,197	1,068	1,003	827	33	27
24	34	65	72	85	106	91	86	101	102	72	77	51	55	6	2
3	6	5	5	12	18	12	14	9	7	5	7	10	6	16	12
1,901	1,649	2,876	2,540	3,582	3,122	2,556	2,343	1,631	1,375	913	759	601	513	40	29
1,452	1,211	2,248	1,990	2,870	2,416	1,970	1,812	1,166	1,013	582	503	363	303	11	13
283	275	346	306	383	333	323	289	241	202	198	163	137	128	12	8
159	155	261	234	306	340	253	237	211	152	124	92	98	80	9	3
7	8	21	10	23	13	10	5	13	8	9	1	3	2	8	5
114	93	103	93	98	91	91	81	92	72	63	49	68	52	4	1
52	50	61	58	62	64	56	47	45	53	26	32	34	24	1	
62	42	39	32	34	24	35	34	43	18	36	17	32	25	1	58
	1	3	3	1	3			3		1		2	3	1	59
				1				1	1					1	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
NONREGISTRATION RECCRD—Continued.

1	CAUSE OF DEATH AND AGE.	Total	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
2	General diseases—B.....	6,424	336	192	309	187	347	211	333	212	368	281
3	Under 5.....	4,158	194	147	198	137	203	160	192	149	200	188
4	5 to 59.....	1,714	106	31	90	37	102	35	113	48	134	68
5	60 and over.....	460	30	12	17	13	37	13	25	13	28	20
6	Unknown.....	92	6	2	4		5	3	3	2	6	5
7	Inanition.....	3,523	173	129	180	123	188	139	166	118	159	161
8	Under 5.....	3,259	153	120	167	116	175	129	161	109	147	145
9	5 to 59.....	90	10	2	4	4	4	2	2	3	1	3
10	60 and over.....	137	10	6	8	3	7	7	3	6	7	10
11	Unknown.....	37		1	1		2	1			4	3
12	General diseases—C.....	24,339	1,140	1,102	1,126	1,048	1,340	1,223	1,315	1,251	1,238	1,259
13	Under 5.....	8,385	399	292	406	313	457	339	444	331	442	418
14	5 to 59.....	745	37	39	27	32	36	27	40	36	37	49
15	60 and over.....	14,898	691	756	680	692	841	843	818	866	744	775
16	Unknown.....	311	13	15	13	11	6	14	13	18	15	17
17	Debility and atrophy.....	4,174	168	162	193	147	197	167	203	171	195	210
18	Under 5.....	1,913	64	46	83	65	82	73	76	53	78	81
19	5 to 59.....	720	35	39	25	30	33	27	39	36	37	46
20	60 and over.....	1,435	65	72	81	50	81	59	85	77	76	76
21	Unknown.....	106	4	5	4	2	1	8	3	5	4	7
22	Old age—all ages.....	13,664	635	694	607	651	765	790	742	802	679	709
23	60 and over.....	13,462	626	684	599	642	760	784	733	789	668	699
24	Unknown.....	202	9	10	8	9	5	6	9	13	11	10
25	General diseases—D.....	89,153	3,607	4,079	3,678	4,189	4,153	5,089	4,323	5,174	4,611	5,829
26	Under 5.....	5,625	220	192	231	201	281	236	288	262	334	288
27	5 to 59.....	62,224	2,378	3,035	2,436	3,078	2,743	3,823	2,797	3,838	3,006	4,395
28	60 and over.....	20,258	975	810	961	874	1,073	978	1,184	1,034	1,224	1,094
29	Unknown.....	1,046	34	42	50	36	56	52	54	40	47	52
30	Consumption.....	55,788	2,178	2,659	2,285	2,722	2,662	3,383	2,725	3,438	2,899	3,792
31	Under 5.....	2,511	75	99	111	97	128	120	137	147	154	142
32	5 to 59.....	46,023	1,772	2,264	1,812	2,314	2,123	2,873	2,123	2,881	2,302	3,257
33	60 and over.....	6,590	309	265	327	290	369	360	427	383	412	357
34	Unknown.....	664	22	31	35	21	42	30	38	27	31	36
35	2. Diseases of the nervous system.....	55,016	2,648	2,052	2,739	2,124	3,110	2,444	2,981	2,488	3,022	2,701
36	Under 5.....	17,711	805	590	804	619	912	701	839	668	930	790
37	5 to 59.....	18,733	880	753	868	753	1,090	847	1,015	904	992	955
38	60 and over.....	18,074	929	699	1,032	741	1,089	880	1,107	893	1,070	936
39	Unknown.....	498	34	10	35	11	19	16	20	23	30	20
40	3. Diseases of the circulatory system.....	32,558	1,679	1,371	1,690	1,399	1,918	1,595	1,900	1,639	2,007	1,676
41	Under 5.....	2,400	135	113	129	104	168	106	115	118	157	96
42	5 to 59.....	13,328	595	614	571	624	660	718	666	713	749	788
43	60 and over.....	16,477	932	636	977	664	1,075	760	1,101	797	1,078	783
44	Unknown.....	353	17	8	13	7	15	11	18	11	23	9
45	4. Diseases of the respiratory system.....	73,531	5,081	3,970	5,583	4,414	6,806	5,300	6,024	4,947	3,860	3,149
46	Under 5.....	29,600	1,862	1,552	2,278	1,863	2,572	2,026	2,051	1,659	1,530	1,240
47	5 to 59.....	27,857	2,118	1,488	2,236	1,548	2,732	2,012	2,498	1,971	1,474	1,193
48	60 and over.....	15,493	1,062	906	1,026	982	1,459	1,234	1,419	1,283	896	702
49	Unknown.....	581	39	24	43	21	43	28	56	34	30	14
50	5. Diseases of the digestive system.....	31,850	1,304	1,143	1,320	1,073	1,472	1,271	1,476	1,263	1,711	1,626
51	Under 5.....	10,990	402	323	415	330	431	335	411	313	553	514
52	5 to 59.....	13,649	578	557	565	490	630	607	694	639	696	757
53	60 and over.....	7,017	309	262	328	247	404	321	362	306	453	350
54	Unknown.....	194	15	1	12	6	7	8	9	5	9	5
55	6. Diseases of the urinary system.....	15,494	954	412	935	426	1,048	519	1,119	468	1,124	535
56	Under 5.....	735	33	23	46	26	46	36	40	32	40	24
57	5 to 59.....	6,566	361	240	328	263	350	321	363	248	401	319
58	60 and over.....	8,083	554	143	552	133	642	159	702	182	674	190
59	Unknown.....	160	6	6	9	4	10	3	14	6	9	2
60	7. Affections connected with pregnancy...	5,927		564		588		691		612		661

CAUSE, AGE, AND MONTH.

927

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
273	167	324	209	347	254	320	217	312	196	297	207	308	192	16	9
172	120	189	165	219	189	203	161	188	156	174	144	166	138	3	3
71	37	104	33	97	53	93	46	93	30	86	47	112	36	7	5
25	9	26	10	24	8	20	9	24	8	34	11	27	16	1	4
5	1	5	1	7	4	4	1	7	2	3	5	3	2	5	1
130	103	145	137	169	155	163	129	164	125	152	126	154	126	5	4
124	93	138	130	159	141	152	118	152	117	139	112	143	113	3	3
1	6	3	2	2	8	7	7	2	2	4	5	4	2	-----	-----
4	3	4	5	5	4	4	3	5	4	8	7	5	9	-----	-----
1	1	-----	-----	3	2	-----	1	5	2	1	2	2	2	2	1
741	707	864	777	915	889	866	883	1,010	910	897	884	1,041	882	46	35
286	268	343	270	391	344	336	316	405	305	343	271	393	267	1	5
27	24	35	33	27	20	19	25	29	26	23	33	32	20	2	1
418	405	472	467	490	512	495	532	567	568	521	519	605	571	29	21
10	10	14	7	7	13	16	10	9	11	10	11	11	15	14	8
141	129	197	143	193	178	189	191	205	175	160	150	163	136	8	3
62	63	102	72	113	109	105	116	111	85	81	70	69	53	-----	1
26	21	35	32	25	20	19	25	29	26	22	33	30	27	2	1
47	44	53	38	54	43	53	45	61	58	54	46	63	52	1	1
6	1	7	1	1	6	12	5	4	6	3	1	1	4	5	-----
375	370	426	435	442	476	445	492	511	515	474	483	551	530	37	28
371	361	419	429	436	469	441	487	506	510	467	473	542	519	28	20
4	9	7	6	6	7	4	5	5	5	7	10	9	11	9	8
2,622	3,106	2,850	3,563	2,764	3,664	2,711	3,379	2,789	3,660	2,840	3,334	3,204	3,667	106	162
169	177	263	188	230	283	261	234	246	223	222	197	205	185	2	7
1,741	2,356	1,774	2,682	1,732	2,682	1,723	2,451	1,726	2,632	1,790	2,446	2,111	2,706	55	88
667	540	777	666	762	660	702	654	773	763	797	659	842	741	23	25
45	33	36	27	40	39	25	40	44	42	31	32	46	35	26	42
1,618	1,985	1,654	2,258	1,549	2,284	1,598	2,121	1,585	2,211	1,648	2,097	1,970	2,305	63	99
67	81	115	88	88	126	113	106	90	94	87	86	83	73	1	3
1,312	1,742	1,288	1,975	1,207	1,947	1,237	1,795	1,218	1,882	1,304	1,762	1,558	1,964	44	67
212	139	226	184	231	187	231	195	250	215	239	231	297	244	3	7
27	23	25	11	23	24	17	25	27	20	18	18	32	24	15	22
2,078	1,728	2,291	1,858	2,531	2,104	2,254	1,923	2,237	1,732	2,142	1,565	2,402	1,735	74	53
737	617	861	760	1,052	848	850	780	705	569	630	471	662	483	13	15
708	622	772	628	808	673	753	616	757	589	717	554	831	613	15	20
606	470	633	454	654	571	630	516	754	559	773	528	887	624	26	13
27	19	25	16	17	12	21	11	21	15	22	12	22	15	20	5
1,109	910	1,139	897	1,152	984	1,156	905	1,299	1,087	1,268	999	1,540	1,132	63	44
89	61	83	51	109	69	90	63	110	76	87	75	107	89	-----	-----
415	461	396	461	447	497	424	449	500	519	445	478	578	524	23	13
588	376	644	377	576	408	625	386	675	479	725	436	836	503	25	15
17	12	16	8	20	10	17	7	14	13	11	10	19	16	15	16
1,224	944	1,076	911	1,205	1,068	1,510	1,232	2,246	1,820	2,505	2,026	3,572	2,876	108	74
546	459	506	472	558	549	765	653	1,006	855	1,081	899	1,414	1,166	21	17
426	341	346	279	395	360	441	379	785	606	923	724	1,449	1,074	38	21
248	140	211	152	241	155	293	193	430	346	477	390	671	620	14	13
4	4	13	8	11	4	11	7	25	13	24	13	38	16	35	23
1,088	1,012	1,420	1,233	1,608	1,390	1,584	1,397	1,539	1,252	1,211	1,115	1,219	1,045	46	32
413	358	594	508	657	609	688	594	553	460	408	402	372	324	14	9
449	438	525	504	636	520	603	570	620	544	516	482	519	489	11	10
223	208	292	211	306	256	290	224	358	241	274	226	321	225	12	8
3	8	9	10	9	5	3	9	8	7	13	5	7	7	9	5
680	336	769	339	758	324	767	345	843	352	798	334	891	381	24	13
19	20	29	22	31	27	29	28	43	22	43	20	30	25	-----	1
247	201	274	199	264	190	263	198	305	211	280	200	318	208	10	4
407	113	455	115	455	103	469	115	488	115	465	110	540	142	6	4
7	2	11	3	8	4	6	4	7	4	10	4	3	6	8	4
-----	385	-----	373	-----	395	-----	438	-----	425	-----	370	-----	409	-----	16

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
NONREGISTRATION RECORD—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	29,864	1,824	727	1,797	765	1,863	779	1,868	731	2,578	739
2	Under 5.....	5,594	317	311	305	317	316	305	300	235	291	215
3	5 to 59.....	20,161	1,259	323	1,244	329	1,307	354	1,310	380	1,943	398
4	60 and over.....	3,507	213	86	221	118	200	114	216	106	266	116
5	Unknown.....	602	35	7	27	1	40	6	42	10	78	10
6	Burns and scalds	4,227	230	334	205	365	190	313	140	246	110	207
7	Under 5.....	2,237	162	162	129	168	130	131	95	81	70	69
8	5 to 59.....	1,658	48	147	62	166	46	153	39	141	35	119
9	60 and over.....	293	19	21	13	31	9	28	5	21	5	17
10	Unknown.....	39	1	4	1		5	1	1	3		2
11	Drowning.....	2,235	78	26	81	18	128	24	169	33	239	53
12	Under 5.....	339	6	6	12	5	13	7	31	13	29	26
13	5 to 59.....	1,727	67	18	63	11	103	15	123	18	197	26
14	60 and over.....	118	5	2	5	2	7	2	11	1	12	1
15	Unknown.....	51			1		5		4	1	1	
16	Exposure and neglect	671	40	39	51	44	36	51	31	40	45	30
17	Under 5.....	457	29	30	31	33	21	34	23	28	33	19
18	5 to 59.....	132	4	8	11	9	7	13	6	9	6	8
19	60 and over.....	74	5	1	8	2	8	4	2	3	6	3
20	Unknown.....	8	2		1							
21	Gunshot wounds.....	2,957	218	21	186	33	228	34	200	26	286	30
22	Under 5.....	89	6	2	3	4	4	2	1	1	8	2
23	5 to 59.....	2,703	198	19	175	29	210	30	187	23	253	26
24	60 and over.....	93	10		5		8		9	2	15	
25	Unknown.....	72	4		3		6	2	3		10	2
26	Homicide.....	1,196	69	7	95	15	76	12	88	19	115	23
27	Under 20.....	168	7	4	9	8	9	3	12	3	12	6
28	20 to 59.....	917	58	2	73	5	61	8	67	14	94	15
29	60 and over.....	73	3	1	10	2	5	1	6		6	1
30	Unknown.....	38	1		3		1		3	2	3	1
31	Injuries by machinery.....	221	21		12		11		13		18	
32	Under 20.....	58	2		2		3		2		5	
33	20 to 59.....	152	18		8		8		11		12	
34	60 and over.....	10	1		2						1	
35	Unknown.....	1										
36	Railroad accidents.....	3,138	233	13	218	9	261	11	236	16	311	20
37	Under 5.....	38		1	1		2		3	2	5	2
38	5 to 59.....	2,684	203	12	190	6	234	7	197	13	261	12
39	60 and over.....	314	23		23	3	20	3	28	1	28	6
40	Unknown.....	102	7		4		5	1	8		17	
41	Suicide by shooting.....	476	44	4	32	1	44	2	45	7	55	9
42	Under 20.....	24	1				2		1	2		
43	20 to 59.....	385	37	4	25	1	36	2	37	5	45	9
44	60 and over.....	55	5		6		5		6		6	
45	Unknown.....	12	1		1		1		1		4	
46	Suicide by drowning.....	77	2	3		2	1	4	11	6	7	8
47	Under 20.....	5					1					3
48	20 to 59.....	49	1	3		2		3	7	6	4	5
49	60 and over.....	22	1				1		4		3	
50	Unknown.....	1										
51	Suicide by poison.....	310	20	8	19	9	19	7	23	4	22	12
52	Under 20.....	37	2	1	1	2		1	3	1		2
53	20 to 59.....	236	16	7	16	6	18	5	18	3	22	10
54	60 and over.....	34	2		2	1	1	1	2			
55	Unknown.....	3										
56	Other suicides	1,235	56	17	81	11	88	16	107	32	112	24
57	Under 20.....	74		1	2	1	3	1	3	6	2	5
58	20 to 59.....	879	44	15	66	8	58	14	81	22	77	16
59	60 and over.....	252	9	1	11	2	24	1	22	4	32	3
60	Unknown.....	30	3		2		3		1		1	
61	Sunstroke.....	289	8	1	4		9	1	6	3	13	4
62	Under 5.....	28	1					1		2	1	
63	5 to 59.....	179	5	1	2		4		5	1	11	4
64	60 and over.....	76	2		2		4		1		1	
65	Unknown.....	6					1					

CAUSE, AGE, AND MONTH.

929

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,544	465	1,817	454	1,848	542	1,612	510	1,772	523	1,748	536	1,938	724	138	22
162	124	174	114	180	146	214	159	232	181	241	179	283	279	9	5
1,177	272	1,413	268	1,438	310	1,207	267	1,301	250	1,291	281	1,441	310	76	12
171	64	182	62	196	79	161	80	202	85	182	74	184	124	5	4
34	5	48	10	34	7	30	4	37	7	34	2	30	11	48	5
62	73	66	104	68	97	92	139	136	146	165	192	198	329	13	7
35	29	39	37	39	38	58	64	96	77	117	83	152	169	4	3
25	41	24	61	26	53	31	59	32	58	35	92	36	122	4	3
1	3	3	5	3	6	2	13	7	10	11	16	8	36	5	9
1			1			1	3	1	1	2	1	2	2	5	1
290	55	307	46	228	47	88	24	67	14	90	13	87	14	14	2
34	15	20	11	33	10	16	8	13	3	13	7	4	3	1	12
235	39	269	29	185	33	68	16	48	7	66	5	70	8	7	13
12	1	9	5	4	3	4		5	4	8	1	11	3		14
9		9	1	6	1			1		3		2		6	15
7	14	8	13	24	20	24	10	13	17	28	11	35	38		2
6	11	5	9	15	13	16	9	7	13	16	10	17	28		17
	2	1	4	4	6	6		3	2	8	1	9	4		18
1	1	2		5		2	1	3	2	4		6	5		19
					1							3	1		20
142	18	182	24	179	31	178	33	233	26	245	33	309	41	20	1
3	1	5	3	5	5	6	5	5	3	5	2	5	2	1	22
135	16	168	21	163	26	159	28	217	23	227	30	292	36	11	23
3	1	6		5		6		7		8		7	1		24
1		3		6		7		4		5	1	5	2	8	25
64	8	79	11	91	13	73	10	91	18	84	14	98	10	11	2
10	3	11	1	12	1	12	2	9	3	11	5	12	3		27
47	4	63	9	64	10	54	5	75	14	68	9	84	6	6	28
6		4	1	11	1	5	2	2	1	3		2			29
1	1	1		4	1	2	1	5		2			1	5	30
4	1	11	3	16		30	3	24	1	34		18		1	31
		2	3	3		11	2	6	1	10		5		1	32
4	1	8		12		18	1	16		22		13			33
		1				1		2		2					34
				1											35
161	12	244	16	231	13	237	24	265	15	240	20	278	35	18	1
2	1	5	1	1	1	3	1	4	1		1		1		37
131	10	202	11	209	9	214	18	221	9	221	16	238	27	13	38
22	1	24	4	16	3	15	5	32	3	13	3	33	5		39
6		13		5		5		8	2	6		7	2	5	40
29	3	32	2	35	4	22	3	29	8	29	3	27	4	3	41
4	1	1		1	2	2		1	3	2		1			42
21	2	22	2	29	2	17	3	27	4	23	3	24	4	1	43
4		8		4		3		1	1	4		2			44
		1		1										2	45
2	1	6	3	4	2	1	2	5	1	4		2			46
				1											47
2	1	3	3	1	2	1	1	5	1	2		1			48
				2						2					49
												1			50
17	10	14	4	17	7	16	9	12	7	15	10	14	12	2	1
	4	1		1	2	1	2	1	3	1	4	1	3		52
13	5	11	3	13	5	11	7	8	2	13	5	9	8	2	53
4	1	2	1	3		3		3	1	1	1	4	1		54
						1			1						55
85	24	85	19	83	21	75	20	75	19	79	18	68	11	8	1
7	2	4	5	2	3	4	1	6	1	4	2	6	2		57
58	18	59	11	60	13	53	17	52	13	52	14	46	8	4	58
19	3	18	3	20	4	17	2	17	4	18	2	14	1	1	59
1	1	4		1	1	1			1	5		2		3	60
31	6	50	6	67	18	28	8	10	4	6		5	1		61
2	1	5	2	3	5	3	1						1		62
21	5	28	3	47	8	17	6	2	2	5		2			63
7		16	1	16	4	8	1	7	2	1		3			64
1		1		1	1			1							65

931

GRAND GROUP 1.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,462	2,256	3,088	2,895	3,258	2,965	2,713	2,631	2,440	2,429	2,409	2,282	2,907	2,637	6	6	1
732	628	1,440	1,210	1,480	1,209	1,027	887	702	621	645	516	794	653			1
1,012	909	957	970	1,036	921	955	942	986	1,012	1,020	961	1,257	1,080	1		2
708	717	678	701	734	822	725	795	740	779	734	792	845	897	1		2
10	2	13	14	8	13	6	7	12	17	10	13	11	7	4		4
23	18	20	13	20	23	15	22	25	22	33	14	26	28	3	1	6
11	13	8	4	10	3	8	7	11	6	14	9	9	14			1
8	2	9	5	6	12	4	6	10	10	11	3	10	8			8
4	3	2	4	4	4	2	7	4	5	7	1	7	5	1		9
		1			4	1	2		1	1	1		1	2		10
341	309	1,013	951	1,086	991	633	624	346	349	254	253	292	313			11
227	198	865	770	871	731	442	417	191	186	122	126	132	153			12
72	75	90	107	128	116	134	129	118	112	113	90	117	118			13
41	36	54	73	85	142	57	78	37	51	18	36	41	42			14
1		4	1	2	2					1	1	2				15
27	19	16	20	11	7	4	5	5	4	6	8	18	17			16
21	15	15	19	10	6	3	4	4	3	6	7	15	14			17
6	4	1	1	1	1	1	1	1	1		1	3	3			18
																19
																20
12	16	8	7	4	10	8	8	12	7	9	10	21	24			21
8	7	4	2	3	7	6	4	8	4	7	6	11	16			22
4	9	4	5	1	2	2	4	4	3	2	4	10	8			23
					1											24
																25
23	28	30	38	27	29	32	48	54	52	50	60	69	78			26
14	21	20	25	22	14	21	26	35	36	34	31	46	50			27
9	7	10	13	5	15	11	22	19	16	16	27	23	28			28
											2					29
																30
23	24	31	41	27	53	17	32	11	23	11	22	21	26			31
22	22	28	38	26	51	17	32	11	22	11	21	18	24			32
1	2	2	3		1				1		1	2	1			33
		1		1	1							1	1			34
																35
6	6	6	18	10	14	10	18	6	12	8	3	4	2			36
		2	2	2	2	4	7	2	1	2						37
3	3	1	9	7	5	3	8	2	4	3	2	1	2			38
3	3	3	7	1	7	3	3	2	7	3	1	3				39
																40
14	8	3	2	5	4	3	6	7	7	4	17	24	22			41
1						1		3		3	2	8	4			42
4	1	2	1	2	1	1	2	1	3	1	3	4	5			43
9	7	1	1	3	3	1	4	3	4		12	12	13			44
																45
17	16	33	17	46	34	94	47	72	51	66	30	50	39			46
2	2	1			1	4	3	3			2	2	3			47
14	13	28	16	45	29	86	41	64	48	65	25	46	33			48
1	1	3	1	1	4	4	3	5	3		2	2	3			49
		1								1	1					50
173	139	841	767	905	801	439	415	136	159	51	70	41	53			51
147	113	774	668	791	639	377	324	113	108	43	45	24	29			52
14	13	27	43	49	50	21	34	10	20	4	13	7	9			53
11	13	38	56	63	111	41	57	13	31	4	12	9	15			54
1		2		2	1							1				55
17	17	18	14	16	8	7	9	11	10	13	9	7	12			56
8	11	13	9	9	7	3	7	6	6	8	6	4	5			57
9	6	5	5	6	1	4	2	4	4	5	3	3	7			58
				1				1								59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 1—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.										
		Total.	January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	1,305	58	37	54	36	61	40	65	33	55	42
2	Under 5.....	845	30	21	31	27	41	27	36	24	34	25
3	5 to 59.....	360	22	13	21	8	16	8	26	7	15	11
4	60 and over	86	6	2	2		7	5	3	2	3	6
5	Unknown.....	14		1		1					3	
6	Inanition	857	29	22	30	26	41	29	36	25	34	28
7	Under 5.....	807	29	20	29	26	40	24	33	23	33	23
8	5 to 59.....	18			1			1	2	1	1	1
9	60 and over	23		1			1	4	1	1		4
10	Unknown.....	9		1								
11	General diseases—C	6,121	253	275	212	220	298	302	255	264	209	242
12	Under 5.....	3,468	144	106	126	103	166	130	150	104	168	107
13	5 to 59.....	89	3	10	3	4	5	2	3	8	2	3
14	60 and over	2,547	105	159	82	112	127	168	102	152	99	132
15	Unknown.....	17	1		1	1		2				
16	Debility and atrophy	1,940	69	55	57	48	73	59	66	61	86	51
17	Under 5.....	1,591	49	34	47	33	56	47	54	38	73	35
18	5 to 59.....	89	3	10	3	4	5	2	3	8	2	3
19	60 and over	252	16	11	7	10	12	10	9	15	11	13
20	Unknown.....	8	1			1						
21	Old age—all ages.....	2,301	89	148	75	102	115	160	93	137	88	119
22	60 and over	2,295	89	148	75	102	115	158	93	137	88	119
23	Unknown.....	6						2				
24	General diseases—D	12,169	520	536	428	513	597	658	587	585	482	574
25	Under 5.....	987	33	34	40	37	55	43	58	34	36	55
26	5 to 59.....	8,504	385	392	303	362	415	442	388	416	339	395
27	60 and over	2,647	100	109	84	114	124	172	140	134	107	122
28	Unknown.....	31	2	1	1		3	1	1	1		2
29	Consumption	7,208	360	292	277	282	427	352	384	331	312	337
30	Under 5.....	306	13	8	9	9	20	12	20	13	12	24
31	5 to 59.....	6,178	314	262	241	245	341	303	312	280	265	281
32	60 and over	709	32	22	27	28	63	36	51	38	35	31
33	Unknown.....	15	1				3	1	1			1
34	2. Diseases of the nervous system.....	8,728	386	385	361	325	438	452	445	380	352	365
35	Under 5.....	2,211	101	91	106	57	115	93	122	79	105	68
36	5 to 59.....	2,544	99	102	101	100	120	129	130	94	107	115
37	60 and over	3,944	185	191	154	166	201	230	191	207	139	181
38	Unknown.....	29	1	1		2	2		2		1	1
39	3. Diseases of the circulatory system	6,645	295	319	316	295	389	388	318	302	263	302
40	Under 5.....	323	15	17	17	10	23	14	18	10	16	18
41	5 to 59.....	2,574	103	150	110	123	153	150	95	117	101	128
42	60 and over	3,728	177	152	187	162	212	224	204	175	149	155
43	Unknown.....	20			2		1		1		2	1
44	4. Diseases of the respiratory system	10,696	656	571	586	609	960	1,025	844	803	500	447
45	Under 5.....	4,046	306	214	271	239	332	277	276	199	199	173
46	5 to 59.....	3,369	197	150	189	162	336	293	306	271	182	134
47	60 and over	3,249	151	205	123	206	290	455	259	328	118	140
48	Unknown.....	32	2	2	3	2	2		3	5	1	
49	5. Diseases of the digestive system	3,280	121	163	105	124	155	144	139	150	164	142
50	Under 5.....	662	32	20	26	13	43	28	32	31	48	24
51	5 to 59.....	1,649	55	82	46	72	77	73	72	88	77	76
52	60 and over	960	34	59	32	38	35	42	35	31	39	41
53	Unknown.....	9		2	1	1		1				1
54	6. Diseases of the urinary system	3,681	197	121	172	125	212	164	207	130	202	125
55	Under 5.....	113	11	2	6	2	6	4	5	7	4	4
56	5 to 59.....	1,700	69	68	87	75	87	82	89	66	81	69
57	60 and over	1,854	115	51	79	47	118	78	112	57	117	51
58	Unknown.....	14	2			1	1		1			1
59	7. Affections connected with pregnancy.....	397		34		30		35		54		53

CAUSE, AGE, AND MONTH.

933

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
51	37	83	50	84	57	78	55	59	33	69	32	88	45		1
29	27	64	39	63	47	51	45	34	19	39	15	47	30		2
14	10	15	10	17	8	23	7	20	10	26	9	32	12		3
6		4	1	4	2	3	3	4	3	4	6	8	2		4
2						1		1	1		2	1	1		5
31	25	61	39	58	48	53	47	34	21	38	21	50	31		6
28	25	61	37	58	46	50	44	32	18	38	15	47	28		7
1			2		1	2	2				1	1	2		8
2					1	1	1	1	2		3	1	1		9
.....						1		1	1		2	1			10
235	212	261	236	297	297	305	280	233	261	205	225	256	228		11
157	99	187	139	211	173	226	169	151	140	134	108	163	107		12
2	4	4	2	4	2	4	2	5	5	4	4	6	3		13
74	109	68	94	82	121	75	108	82	113	67	112	87	117		14
2		2	1		1		1		3		1		1		15
79	60	97	96	154	126	157	132	77	86	59	74	67	51		16
65	41	91	72	145	108	142	117	70	73	51	53	57	40		17
2	4	4	2	4	2	4	2	5	5	4	4	6	3		18
11	15	1	22	5	15	11	12	7	6	4	17	4	8		19
1		1			1		1		2						20
63	94	67	73	77	106	64	96	75	108	63	96	83	110		21
63	94	67	72	77	106	64	96	75	107	63	95	83	109		22
.....			1						1		1		1		23
413	510	432	534	465	459	420	515	460	532	431	523	485	508		24
38	36	45	43	53	31	44	37	52	34	29	34	42	44		25
288	356	298	379	334	313	282	357	298	374	311	359	363	353		26
87	117	88	110	78	114	93	121	107	120	90	128	79	109		27
.....	1	1	2		1	1		3	4	1	2	1	2		28
255	252	285	286	300	227	263	270	300	269	277	261	327	281		29
9	12	15	12	15	9	9	14	24	10	4	9	12	12		30
221	224	241	248	267	199	225	235	242	235	250	226	284	236		31
25	15	29	26	18	18	29	21	32	23	22	25	31	32		32
.....	1				1			2	1	1	1		1		33
343	323	353	352	393	372	350	301	343	347	318	282	395	366		34
89	87	127	90	135	110	108	69	92	78	83	49	93	64		35
118	90	106	99	117	101	107	93	101	96	101	92	120	106		36
135	145	118	160	140	160	133	138	149	170	132	141	182	195		37
1	1	2	3	1	1	2	1	1	3	2			1		38
234	230	244	212	237	211	227	264	242	224	280	255	314	279		39
7	16	14	13	13	11	12	14	12	11	15	5	13	9		40
94	85	96	74	75	89	75	91	94	108	98	115	127	123		41
132	129	132	124	149	110	139	159	136	105	167	133	170	146		42
1		2	1		1	1					2	4	1		43
261	226	155	152	150	132	174	191	248	269	349	345	556	487		44
108	92	65	68	65	55	74	85	110	98	162	132	248	198		45
95	72	48	49	56	43	57	47	83	81	100	101	174	143		46
58	62	42	31	29	33	43	58	54	87	87	111	133	146		47
.....			4		1		1	1	3		1	1			48
145	128	140	154	139	167	124	131	127	124	120	122	124	127		49
23	27	36	29	34	33	30	22	23	23	26	20	24	15		50
78	55	66	81	80	83	58	60	59	59	55	62	68	67		51
44	46	38	43	25	50	36	49	45	41	39	40	32	45		52
.....			1		1				1						53
177	121	159	117	159	126	185	124	167	125	150	123	164	129		54
4	6	5	3	5	2	9	3	5	4	5	5	3	3		55
77	69	48	69	48	67	63	73	68	68	61	63	85	68		56
96	46	106	44	105	56	113	48	93	52	82	55	75	58		57
.....			1	1	1			1	1	2		1			58
.....	27		39		26		20		35		21		23		59

CAUSE, AGE, AND MONTH.

935

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 1—Continued.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
219	80	214	60	208	74	191	76	176	73	182	65	195	78	3	1 1
35	23	19	11	14	10	19	15	19	18	13	12	18	13		2
154	39	171	38	160	39	142	39	124	32	132	25	148	40	1	3
27	18	23	11	30	25	30	22	28	23	34	25	28	25		4
3		1		4				5		3	3	1		2	1 5
11	8	6	14	4	12	7	19	9	13	14	11	11	20		6
5	4	1	2	1	3	4	6	5	5	4	4	5	4		7
5	4	5	10	2	5	2	13	4	5	6	5	5	12		8
1			2	1	4	1			3	4	1	1	4		9
.....											1				10
61	2	60	12	53	7	40	9	21	3	25		35	1	2	1 11
6	1	4	1	1		2	2	1	1	1		1			12
52	1	54	11	50	6	34	7	18	2	22		33	1	1	13
1		2		2	1	4		1		1		1		1	14
2								1		1				1	15
.....	1				1			3		1		3	2		16
.....	1				1			1		1			1		17
.....								1				2	1		18
.....												1			19
.....															20
3	2	2	1	3		5		6	1	10	1	4	1		21
2	2	2	1	2		5		6	1	9	1	4	1		22
1				1						1					23
.....															24
.....	3	2	1	4	2	1		1	3	4		1			25
.....															26
.....	3	2	1	4	1	1		1	3	3		1			27
.....					1										28
.....															29
.....															30
.....						1				1					31
.....															32
.....						1				1					33
.....															34
.....															35
31	4	24	2	48	11	24	1	27	2	22	2	32	3		36
24	2			2		1									37
6	1	23	2	36	10	21		17		19		30	1		38
1		1		9	1	2	1	7	2	2	2	2	2		39
.....				1				3		1					40
5	2	8		4	1	7		6	1	12		5			41
.....															42
4	2	6		2	1	7		6	1	10		5			43
1		2		2						2					44
.....															45
.....	2	2		4	1		1		3	2	1	3	1		46
.....															47
.....	2	2		3	1		1		1	1	1	1	1		48
.....				1					2	1		2			49
.....															50
8	2	6		2	3	5	1	5	2	7	4	1	5		51
.....															52
6	2	5		1	3	5	1	3	2	6	4		1		53
2		1						2		1		1			54
.....				1											55
16	4	16	3	12	4	11	2	12	4	10	2	6	7		56
.....															57
13	4	10	3	10	3	9	1	11	1	9		4	7		58
3		6		2	1	2	1	1	3	1	2	2			59
.....															60
6	1	2	1	2	2	1							1		61
.....															62
2	1		1	1	1										63
2		2		1		1									64
2					1								1		65

937

GRAND GROUP 2.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
5,411	4,734	6,969	6,128	5,801	5,092	5,268	4,545	5,244	4,540	4,939	4,335	5,478	4,843	45	33	1
2,187	1,838	3,479	3,033	2,418	2,141	2,106	1,742	1,732	1,361	1,463	1,264	1,668	1,359	3	4	2
2,243	1,945	2,442	1,998	2,375	1,977	2,181	1,908	2,445	2,112	2,414	1,999	2,632	2,187	11	7	3
959	936	1,022	1,083	992	953	959	884	1,042	1,059	1,042	1,055	1,157	1,281	16	9	4
22	15	26	14	16	21	22	11	25	8	20	17	21	16	15	13	4
58	60	76	60	60	67	69	65	61	59	52	58	67	57	6	3	6
31	24	38	30	33	27	42	29	28	30	24	20	33	18			7
13	17	17	17	15	22	13	21	20	14	12	14	19	19	2		8
13	15	14	12	11	16	12	12	12	13	14	18	13	17	1	1	9
1	4	7	1	1	2	2	3	1	2	2	6	2	3	3	2	10
1,166	1,062	2,510	2,250	1,619	1,533	1,183	1,081	836	688	618	601	659	612	5	4	11
895	792	2,097	1,805	1,183	1,081	826	724	454	365	307	311	347	344	1	2	12
219	200	290	272	316	305	274	269	308	261	263	240	255	212	3	1	13
50	70	122	172	119	143	77	87	71	60	45	48	51	55			14
2		1	1	1	4	6	1	3	2	3	2	6	1	1	1	15
47	43	26	37	11	10	15	23	14	10	23	22	37	41			16
44	36	25	34	11	7	15	21	13	9	22	22	35	36			17
3	7	1	3		3		2	1	1	1		2	5			18
.....																19
.....																20
45	34	23	30	8	18	12	19	26	23	27	25	33	37			21
33	20	14	22	4	16	7	13	13	19	20	18	23	24			22
12	14	9	8	4	2	5	6	13	4	7	7	10	13			23
.....																24
.....																25
109	108	125	113	104	90	113	122	139	114	153	183	188	178		1	26
61	75	86	76	69	59	73	73	82	66	87	109	128	112		1	27
48	33	39	37	35	31	39	49	55	48	66	74	60	65			28
.....						1		2					1			29
.....																30
36	47	61	62	70	64	43	49	29	28	24	31	25	44			31
33	45	61	60	69	62	43	46	27	26	23	27	25	42			32
3	2		2	1	2		3	2	2	1	4		2			33
.....																34
.....																35
33	20	27	41	49	44	51	49	34	48	30	21	22	25			36
14	6	12	11	15	17	19	14	12	14	11	1	6	8			37
15	11	11	24	22	24	20	28	18	25	15	19	12	12			38
4	3	4	6	11	3	12	7	4	9	4	1	4	5			39
.....				1												40
5	3	4	6	4	3	7	5	11	7	15	9	21	22			41
.....		1	2	1	1			5		6	1	4	4			42
1			1	3	1	3	2	3	4	2	4	7	9			43
4	3	3	3		1	4	3	3	3	7	4	10	9			44
.....																45
46	45	91	53	123	123	140	121	153	123	126	86	106	64	2	2	46
4	2	8		5	6	4	5	4	5	8	4	5	2		1	47
41	39	79	51	110	110	129	108	139	111	114	80	97	56	2	1	48
1	4	4	1	8	5	4	8	9	7	4	2	3	6			49
.....			1		2	3		1				1				50
750	665	2,035	1,826	1,162	1,108	736	633	338	280	146	165	118	126	2		51
668	563	1,836	1,560	975	879	636	525	261	206	104	105	85	83	1		52
50	55	108	111	104	107	51	46	39	41	26	29	16	17	1		53
31	47	90	155	83	120	47	61	37	33	15	31	16	26			54
1		1			2	2	1	1		1		1				55
42	29	43	29	26	20	22	17	24	14	17	12	13	9			56
23	19	31	19	16	13	14	11	15	9	13	9	8	6			57
18	9	11	10	10	7	8	4	9	5	4	3	4	3			58
1	1	1					2					1				59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 2—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued. General diseases—B	2,295	134	51	89	61	138	81	97	63	122	62
2	Under 5	1,136	55	31	39	30	56	51	47	41	55	35
3	5 to 59	1,002	69	18	46	28	68	24	45	21	53	22
4	60 and over	151	10	2	4	3	13	5	5	1	13	4
5	Unknown	6					1	1			1	
6	Inanition	1,098	57	32	38	29	50	52	45	39	54	37
7	Under 5	1,059	54	30	37	27	48	48	45	38	51	35
8	5 to 59	18	2	1	1		3		1		1	1
9	60 and over	18	1	1		2	1	1			2	1
10	Unknown	3					1				1	
11	General diseases—C	9,722	361	345	359	378	449	441	413	357	421	411
12	Under 5	6,726	239	173	248	191	318	223	285	186	303	239
13	5 to 59	152	8	9	6	6	8	9	9	7	8	7
14	60 and over	2,825	114	163	104	181	121	208	119	162	109	164
15	Unknown	19			1		2	1		2	1	1
16	Debility and atrophy	4,059	111	97	112	94	157	129	154	99	153	133
17	Under 5	3,608	93	78	94	76	132	103	130	80	138	105
18	5 to 59	148	7	8	6	6	7	9	9	7	8	7
19	60 and over	294	11	11	12	12	16	17	15	12	7	20
20	Unknown	9					2					1
21	Old age—all ages	2,541	103	152	93	169	105	192	104	152	103	144
22	60 and over	2,531	103	152	92	169	105	191	104	150	102	144
23	Unknown	10			1			1		2	1	
24	General diseases—D	23,346	1,065	870	1,043	924	1,275	1,101	1,185	1,029	1,118	1,001
25	Under 5	1,917	79	60	89	68	97	105	105	93	104	61
26	5 to 59	17,557	813	661	792	694	980	801	904	748	834	764
27	60 and over	3,809	169	147	160	160	198	193	174	187	177	175
28	Unknown	63	4	2	2	2		2	2	1	3	1
29	Consumption	15,759	769	528	763	581	971	674	882	626	830	637
30	Under 5	651	21	16	33	27	35	30	31	31	38	23
31	5 to 59	13,689	671	464	661	507	845	579	764	536	713	557
32	60 and over	1,378	75	48	67	45	91	65	85	59	77	56
33	Unknown	41	2		2	2			2		2	1
34	2. Diseases of the nervous system	14,484	685	564	651	549	763	664	738	629	704	622
35	Under 5	4,642	227	159	216	158	232	204	228	192	228	181
36	5 to 59	4,827	213	189	211	178	264	175	244	205	245	232
37	60 and over	4,975	244	214	223	212	264	285	264	230	229	207
38	Unknown	40	1	2	1	1	3		2	2	2	2
39	3. Diseases of the circulatory system	10,124	499	475	429	476	535	528	507	498	499	476
40	Under 5	719	45	24	34	36	40	31	37	41	35	36
41	5 to 59	5,130	255	236	218	248	234	251	250	246	263	250
42	60 and over	4,239	196	214	176	191	261	244	219	211	199	194
43	Unknown	36	3	1	1	1		2	1		2	2
44	4. Diseases of the respiratory system	25,192	1,500	1,313	1,694	1,483	2,160	1,854	1,858	1,623	1,132	1,111
45	Under 5	12,286	717	622	825	689	1,005	775	824	711	558	525
46	5 to 59	8,045	515	395	581	445	755	567	713	502	406	361
47	60 and over	4,819	266	295	285	346	398	511	317	407	167	224
48	Unknown	42	2	1	3	3	2	1	4	3	1	1
49	5. Diseases of the digestive system	6,682	257	291	242	263	307	280	281	303	310	331
50	Under 5	1,564	57	55	64	54	71	50	75	64	75	70
51	5 to 59	3,653	144	160	123	144	163	167	161	161	167	190
52	60 and over	1,449	55	76	53	65	73	63	44	78	68	70
53	Unknown	16	1		2				1			1
54	6. Diseases of the urinary system	9,123	463	359	426	334	535	406	459	358	418	359
55	Under 5	338	20	11	21	7	20	15	13	6	17	10
56	5 to 59	5,347	273	215	239	214	285	254	271	229	226	234
57	60 and over	3,429	170	133	166	113	230	137	174	123	175	115
58	Unknown	9							1			
59	7. Affections connected with pregnancy	1,127		120		115		158		107		108

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
104	69	135	91	132	80	126	74	154	86	96	58	126	65	1	1
50	34	67	68	59	56	65	44	63	51	28	34	41	36		2
45	31	65	18	65	20	54	28	79	30	56	20	71	24	1	3
9	4	3	5	7	3	7	2	12	5	11	4	14	5		4
				1	1					1					5
43	34	66	66	55	55	61	44	62	48	26	34	37	34		6
41	31	64	64	53	54	60	42	61	47	26	33	36	34		7
	3	1	1	1		1	2								8
2		1	1		1			1	1		1	1			9
				1											10
354	355	534	500	491	465	484	463	459	368	325	341	317	324	4	3
282	248	454	386	413	335	410	348	350	239	247	211	235	163		12
3	8	1	2	5	12	6	3	5	6	4	3	6	11		13
68	99	77	112	73	116	68	112	103	123	74	126	76	148	3	2
1		2			2			1			1	2	2	1	15
164	157	304	280	291	250	291	252	206	166	136	123	96	103	1	16
154	139	283	267	277	218	275	236	191	147	123	107	85	72		17
3	8	1	2	5	12	6	3	5	6	4	3	5	11		18
6	10	13	11	9	18	10	13	10	13	9	13	6	20		19
1		2			2									1	20
62	89	64	101	64	98	58	99	94	110	65	114	70	130	3	3
62	89	64	101	64	98	58	99	93	110	65	113	70	128	3	2
								1			1		2		23
925	866	992	917	953	883	845	812	939	942	922	855	1,002	867	7	8
91	75	98	85	94	81	79	75	71	65	63	52	72	54	1	25
691	639	741	657	708	656	637	614	722	691	727	640	781	658	1	3
138	148	152	174	147	142	123	122	142	184	132	162	147	153	2	1
5	4	1	1	4	4	6	1	4	2		1	2	2	3	27
633	497	707	544	695	529	612	522	683	571	681	531	738	545	3	7
26	21	35	28	35	28	29	31	24	29	26	21	21	12		30
552	430	610	466	593	459	522	455	599	490	601	474	654	483	1	3
52	43	61	49	64	40	57	35	57	52	54	35	62	48		31
3	3	1	1	3	2	4	1	3			1	1	2	2	32
631	597	648	578	613	519	589	480	602	515	559	428	630	520	6	33
267	210	256	239	221	183	195	160	195	142	170	99	165	114	1	35
175	185	224	165	213	168	210	157	224	171	201	157	240	179	2	36
186	199	167	172	178	168	182	162	180	201	186	172	223	224	3	37
3	3	1	2	1		2	1	3	1	2		2	3		38
373	345	351	355	344	322	377	324	388	349	445	360	421	440	3	5
28	24	31	28	26	23	35	17	31	25	25	16	29	28		40
199	178	167	184	172	186	180	180	210	189	236	183	203	211		41
146	140	150	142	146	108	159	127	145	135	183	160	188	200	3	2
	3	3	1		5	3		2		1	1	1	1		43
607	516	505	477	456	407	569	437	796	680	884	835	1,186	1,101	4	4
360	280	275	264	240	227	316	238	434	336	494	437	633	500		45
178	141	161	131	157	116	167	117	243	211	249	225	383	325	1	46
68	95	68	78	59	63	85	81	119	133	139	169	169	275		47
1		1	4		1	1	1			2	4	1	1	3	48
294	272	310	321	298	266	294	254	254	267	244	236	241	261	2	3
92	83	84	80	77	81	83	59	61	45	47	36	46	54		50
139	142	161	175	154	129	146	143	141	156	151	144	143	148		51
63	47	63	64	66	56	65	50	52	65	46	55	51	58	2	52
		2	2	1			2		1		1	1	1		53
395	278	423	304	356	307	336	311	383	352	409	340	460	348	3	1
17	8	22	10	19	10	15	13	10	18	12	14	17	13		55
212	184	229	180	191	185	179	203	211	219	226	211	263	212	1	56
164	86	170	114	146	111	142	94	162	115	170	115	179	123	2	57
2		2			1		1			1		1			58
	104		72		74		67		60		56		86		59

941

GRAND GROUP 2—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
483	150	460	148	456	126	375	130	350	130	368	118	343	107	4	 1
66	54	48	36	46	29	37	30	31	36	42	30	43	25		2
358	69	374	79	364	75	300	75	268	76	277	65	255	65		3
52	27	32	32	39	21	36	24	40	18	41	22	40	15		4
7		6	1	7	1	2	1	11		8	1	5	2	4	5
23	24	18	32	20	25	21	36	20	43	36	39	28	43		
11	11	9	10	13	8	13	14	13	17	20	15	20	14		7
9	12	9	20	7	15	7	18	7	23	11	21	7	25		8
3	1		2		2	1	4		3	4	3	1	4		9
.....										1					10
104	9	125	11	117	11	76	8	63	6	37	3	25	1	2	 11
2	1	3	3	5	3	4	1		2			1			12
92	7	115	7	105	7	70	5	54	4	31	3	22	1		13
7	1	4	1	6	1	2	1	6		5		2			14
3		3		1		1	1	3		1				2	15
1				3		4	1		1	4		7	2		16
1				1		3	1			3		3			17
.....				1		1			1	1					18
.....												3	1	1	19
.....												1			20
15	3	25	9	21		18	5	16	3	24	1	18	3		21
.....															
14	2	25	1	17		17	1	12	3	19		17	3		22
1	1		8	2		1	4	3		2	1				23
.....				2				1		3		1			24
8	2	4	1	8	4	5	2	11	2	12	7	14	3		25
1	1	1		2	2	2		2		2	2	1	1		26
7	1	3	1	5	2	3	2	10	2	7	5	12	2		27
.....				1				1		3		1			28
.....															29
.....	1	1								2		1			30
.....															31
.....															32
.....	1	1								2		1			33
.....															34
.....															35
44	4	45	10	55	8	38	4	38	7	43	4	42	7		36
2	2	1	2	2	1	1		3	3			1	1		37
36	2	39	6	45	7	34	4	30	4	39	3	35	3		38
4		4	2	4		3		4		2	1	6	3		39
2		1		4				1		2					40
17		13		17		12	5	13		14	1	16			41
.....															42
14		12		1		1		12		13		13			43
3		1				9	4	1		1	1	3			44
.....						2	1								45
2			3	1		4	1		2						46
.....															47
.....			3	1		4	1		1						48
2									1						49
.....									1						50
12	5	16	5	12	11	17	12	12	13	8	4	12	4		51
.....															52
10	1	1		2	1	1		1	1		1	10	4		53
2	4	12	5	9	9	14	10	7	10	7	3	2			54
.....		3		3	1	3	1		2	1					55
16	3	14	7	22	4	13	3	16	3	20	9	20	2		56
.....															57
12	3	1		1		1		1	1	2	1	13	2		58
4		10	6	19	4	10	2	11	2	15	6	6			59
.....		3	1	3		2	1	4		3	1	1			60
81	42	16	7	7	6	2							1		61
.....															62
26	19	2	4	7	1										63
47	14	11	1		3										64
8	9	3	2		2	2							1		65

943

GRAND GROUP 3.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
672	615	641	604	643	626	625	628	632	597	605	513	711	582	24	16	1
257	238	221	214	228	218	239	248	239	202	218	196	239	198	6	5	2
323	287	328	318	324	312	284	294	292	282	285	225	341	278	9	4	3
87	85	83	71	87	91	93	83	95	110	101	91	120	100	3	2	5
5	5	9	1	4	5	9	3	6	3	1	1	11	6	6	5	5
53	39	72	51	48	45	58	56	58	56	55	52	77	60	7	2	6
29	22	44	34	38	24	41	39	33	33	38	35	51	40	2	1	7
19	12	19	14	8	15	11	14	15	13	9	12	16	14	2		8
5	5	7	3		4	6	3	9	9	8	5	10	6		1	9
		2		2	2			1	1					3		10
224	215	199	181	230	210	208	200	192	172	153	137	139	110	3	2	11
130	118	89	79	107	99	101	96	90	76	58	72	66	41		1	12
79	84	100	93	103	98	90	90	94	74	80	56	63	54	2	1	13
15	10	9	8	19	13	16	14	6	21	15	9	7	14			14
	3	1	1	1		1		2	1			3	1	1		15
2	9	7	6	4	3	6	6	5	3	7	2	7	6		1	16
1	8	4	4	1	1	3	1	1	3	3	2	3	1		1	17
1	1	3	2	3	2	2	5	4		4		4	5			18
						1										19
																20
2		1	3	2			1	3	1			1	1			21
			1	2			1	3	1			1				22
1		1	2										1			23
1																24
																25
	7	1	3	2	3	6	3	5	8	6	5	6	2			26
	5	1		2		3	2	4	6	1	5	3	1			27
	2		3		3	3	1	1	2	5		3	1			28
																29
																30
8	9	3	10	9	5	1	4	2	3	5	6	11	4			31
7	7	3	8	9	5	1	4	1	3	4	6	11	4			32
1	2		2					1		1						33
																34
																35
40	30	35	56	57	66	54	63	70	49	50	35	26	31			36
13	11	14	15	22	28	19	25	20	20	9	12	9	10			37
23	17	21	38	28	32	31	34	46	25	33	22	14	18			38
4	1		2	7	6	3	4	3	3	8	1	2	3			39
	1		1			1		1	1	1		1				40
3	5	5	3	4	4	7	4	11	8	10	4	14	18			41
2	2	2	1	1	2	2	1	6	1	5	1	9	2			42
1	2	2	1	1	2	3	3	5	3	3	3	3	9			43
	1	1	1	2		2			4	2		1	6			44
												1	1			45
28	32	54	27	49	40	37	32	31	31	28	23	23	13		1	46
5	8	5	1	6	4	10	6	5	6	3	5	2	2			47
21	24	48	26	41	33	25	25	25	22	24	16	19	11		1	48
2				2	3	2	1	1	3	1	2	1				49
		1										1				50
118	95	66	56	68	61	60	52	50	40	30	36	34	22	2		51
95	73	47	45	51	48	49	37	41	23	26	30	22	19			52
17	12	14	8	11	11	7	9	6	12	3	3	10	3	1		53
6	8	5	3	6	2	4	6	2	5	1	3	2				54
	2							1						1		55
	1	1		2	3		1	1	1	1	3		3			56
	1	1		2	3		1	1	1	1	2		1			57
																58
																59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 3—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
2	General diseases—B.....	198	14	12	9	7	7	7	8	6	20	8
3	Under 5.....	120	7	9	7	3	1	7	3	2	9	6
4	5 to 59.....	62	7	2	1	1	6	7	4	3	8	2
5	60 and over.....	14		1	1	2		1	1	1	3	
6	Unknown.....	2				1						
7	Inanition.....	73	2	6	5	4		3		5	6	3
8	Under 5.....	60	1	4	5	3		3		2	6	3
9	5 to 59.....	8	1	1						2		
10	60 and over.....	4		1						1		
11	Unknown.....	1				1						
12	General diseases—C.....	822	31	32	24	30	31	41	31	35	48	48
13	Under 5.....	450	13	13	14	11	23	15	14	10	28	24
14	5 to 59.....	31	2	1	1	1		4	2	7	1	
15	60 and over.....	337	16	18	9	18	8	22	15	17	19	24
16	Unknown.....	4								1		
17	Debility and atrophy.....	259	7	10	5	4	5	6	5	12	16	10
18	Under 5.....	201	4	7	4	3	5	1	3	5	13	8
19	5 to 59.....	31	2	1	1	1		4	2	7	1	
20	60 and over.....	26	1	2				1			2	2
21	Unknown.....	1										
22	Old age—all ages.....	314	15	16	9	18	8	21	15	18	17	22
23	60 and over.....	311	15	16	9	18	8	21	15	17	17	22
24	Unknown.....	3								1		
25	General diseases—D.....	2,693	120	111	101	110	109	147	100	152	131	211
26	Under 5.....	191	4	5	8	6	5	5	9	10	13	15
27	5 to 59.....	2,005	88	84	69	85	84	119	68	108	87	164
28	60 and over.....	477	28	22	23	18	20	22	20	34	31	31
29	Unknown.....	20			1	1		1	3			1
30	Consumption.....	1,667	81	70	62	68	75	103	58	99	80	133
31	Under 5.....	75	1	3	4	4	3	1	3	5	5	6
32	5 to 59.....	1,422	73	58	46	57	66	88	45	84	64	115
33	60 and over.....	158	7	9	12	6	6	13	8	10	11	11
34	Unknown.....	12				1		1	2			1
35	2. Diseases of the nervous system.....	1,373	54	55	56	49	51	63	62	67	67	100
36	Under 5.....	491	23	17	18	14	15	13	21	19	32	31
37	5 to 59.....	329	18	19	22	20	16	30	22	24	22	37
38	60 and over.....	338	12	19	16	15	19	20	19	21	11	31
39	Unknown.....	15					1			3	2	1
40	3. Diseases of the circulatory system.....	863	42	41	42	47	41	42	33	50	50	47
41	Under 5.....	41	1	3	2		2	2	5	1	3	2
42	5 to 59.....	434	21	21	16	25	16	15	12	20	23	29
43	60 and over.....	379	20	16	24	22	22	24	16	29	23	15
44	Unknown.....	9		1			1	1			1	1
45	4. Diseases of the respiratory system.....	1,826	120	103	119	84	153	114	168	110	107	99
46	Under 5.....	662	43	36	37	36	53	41	54	40	36	38
47	5 to 59.....	858	51	44	66	34	78	57	82	52	53	48
48	60 and over.....	288	25	23	16	14	20	14	29	17	18	13
49	Unknown.....	18	1				2	2	3	1		
50	5. Diseases of the digestive system.....	931	32	33	28	24	32	28	35	25	64	62
51	Under 5.....	407	10	9	12	9	15	11	11	6	30	22
52	5 to 59.....	381	15	17	9	8	11	12	17	13	26	28
53	60 and over.....	135	5	7	6	7	6	5	7	6	6	12
54	Unknown.....	8	2		1						2	
55	6. Diseases of the urinary system.....	569	31	18	23	19	35	32	36	22	32	18
56	Under 5.....	37	2	2	2	2		3	3	1	1	
57	5 to 59.....	325	16	11	10	11	21	18	18	18	17	14
58	60 and over.....	203	13	5	11	6	13	11	15	3	13	4
59	Unknown.....	4					1				1	
60	7. Affections connected with pregnancy.....	270		25		15		25		29		40

CAUSE, AGE, AND MONTH.

945

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 3.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
5	5	6	3	11	5	10	14	8	3	10	6	8	6		1
3	3	3	3	6	4	5	11	5	3	7	6	3	4		2
1	1	3		3	1	5	3	2		3		4	2		3
1	1			2				1				1			4
1	2	2		3	3	2	6	4	1	6	3	3	3		5
1	2	1		2	3	2	5	3	1	6	3	2	2		6
.....		1		1			1					1	1		7
.....								1							8
.....															9
.....															10
30	49	31	43	27	43	27	26	31	41	25	29	35	33	1	
20	31	20	31	14	25	17	21	22	17	19	14	18	16		11
9	16	11	12	12	18	10	5	2	3		2		3		12
1	1							7	21	6	13	16	14	1	
13	23	13	21	8	16	12	13	9	14	9	9	10	8	1	
11	21	11	20	6	14	11	13	7	7	8	5	9	5		13
2	1	2	1	1	2	1		2	3		2		3		14
.....									4	1	2			1	
8	16	9	11	11	16	9	5	7	17	5	11	16	14		15
7	15	9	11	11	16	9	5	7	17	5	11	16	14		16
1	1														17
85	114	101	121	94	110	80	99	110	115	79	90	88	108	3	4
5	9	8	10	9	8	2	8	12	8	9	7	7	9		25
65	89	81	94	66	89	65	72	76	89	50	63	64	82	3	1
15	15	10	17	18	13	12	18	21	17	20	20	16	16		26
.....	1	2		1		1	1	1	1			1	1		27
54	82	60	71	55	59	58	54	66	67	47	51	46	64	1	3
2	3	3	7	2	4	1	4	2	3	5	1	1	2		28
48	74	53	59	47	52	52	44	58	58	35	41	43	60	1	
4	5	3	5	5	3	4	6	5	5	7	9	2	2		29
.....		1		1		1		1	1						30
64	51	52	56	50	45	53	51	50	46	49	45	79	52	4	2
23	16	14	21	18	20	26	22	22	15	16	20	27	25	2	1
27	21	29	24	28	15	16	14	20	20	24	11	31	17	1	1
13	14	9	11	4	9	11	14	8	11	9	13	18	10	1	
1					1		1				1	3			31
29	35	27	35	21	29	36	31	30	25	36	30	35	27	1	1
2	2		1	2		5	3	1	4						32
22	16	15	22	13	12	18	14	17	14	22	16	18	17		33
5	17	11	12	6	17	11	14	12	7	14	14	17	10	1	
.....		1				2									34
47	27	36	35	35	27	33	26	45	42	67	36	119	71	2	1
19	9	19	14	13	9	11	11	18	20	25	16	35	28	1	
21	14	10	17	17	11	17	13	17	14	37	16	67	22		35
7	4	6	4	5	6	5	2	9	8	5	4	15	18		36
.....		1		1				1				2	3	1	
41	31	33	26	33	46	46	46	45	43	49	34	47	45	2	1
17	21	18	15	16	24	19	20	23	20	30	15	12	20	1	1
20	9	10	9	13	17	19	23	14	16	13	15	28	19		37
4	1	5	2	4	5	8	3	8	7	6	4	6	5		38
.....												1	1	1	
26	8	34	5	32	15	31	20	22	21	28	16	22	22		39
.....															40
17	2	2		2		2	3	3	1	2		2	2		41
9	5	18	4	17	13	17	11	9	11	12	10	11	16		42
.....	1	13	1	13	2	12	6	10	9	14	6	9	4		43
.....		1													44
.....	23		20		16		28		20		15		13		45

947

GRAND GROUP 3—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
66	12	49	22	60	21	40	19	38	10	49	20	57	30	1	1
9	5	3	6	3	3	7	12	7	5	13	10	17	13		2
50	6	43	15	54	16	26	6	26	5	33	8	35	14	1	3
5	1	2	1	3	2	2	1	4		2	2	5	3		4
2		1				5		1		1					5
5	4	2	5		3	7	8	5	2	9	8	16	15	1	6
3	1	1			1	3	5	4	2	7	5	13	7		7
2	3	1	5		2	3	2	1		1	2	2	7	1	8
					1	1	1			1	1	1	1		9
						1						1	1		10
16		16	4	25	3	9	1	5	1	8		2	1		11
2			1	1		2				1					12
13		13	3	24	3	6	1	4	1	7		2	1		13
		2						1							14
1		1				1									15
1	1			1	3	1			1	5	3	4	5		16
	1														
1				1	3	1			1	3	2	2	3		17
										2	1		2		18
												2			19
															20
6	1	10	1	5	1	7		7	2	8	2	10			21
6	1	10	1	5	1	4		7	2	8	2	9			22
						1						1			23
						2									24
															25
8		4		2	1	4		3		3	1	5	1		26
3		1		1						1		1			27
5		3		1	1	4		3		2	1	4	1		28
															29
															30
		1				1		1							31
		1						1							32
						1									33
															34
															35
10		4		4	1	3		2	1	4	1	3			36
8		4		4	1	2		1	1	1	1	3			37
1								1							38
1						1		1		1					39
															40
						1		1							41
						1		1							42
															43
															44
															45
1															46
1															47
															48
															49
															50
			1					1							51
			1												52
															53
								1							54
															55
												3			56
												1			57
												2			58
															59
															60
2		1	1	7	1	1									61
1															62
1		1	1	6		1									63
				1	1										64

CAUSE, AGE, AND MONTH.

949

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,095	994	1,058	977	1,057	981	1,031	847	1,085	866	1,109	869	1,150	960	44	38	1
440	416	362	348	347	315	288	255	318	258	348	283	310	284	4	6	2
472	416	526	452	536	497	555	447	585	452	561	429	647	479	22	14	3
176	152	159	173	165	164	184	139	172	150	190	149	185	187	6	8	4
7	10	11	4	9	15	4	6	10	6	10	8	8	10	12	10	5
55	45	53	65	71	50	62	58	61	53	45	49	56	56	11	19	6
30	16	35	27	47	32	34	30	33	21	33	27	33	32	2	2	7
16	21	11	23	18	11	22	22	21	23	9	18	17	18	6	8	8
8	6	6	14	6	6	6	6	7	7	2	3	5	3	1	2	9
1	2	1	1		1				2	1	1	1	3	2	7	10
367	367	334	313	293	322	308	242	296	248	289	211	248	218	12	7	11
211	222	165	164	123	140	109	103	100	103	119	95	90	92	1	2	12
131	111	143	121	143	153	174	124	168	122	144	89	135	104	7	2	13
23	32	23	27	26	22	24	13	26	22	22	26	22	20	1	1	14
2	2	3	1	1	7	1	2	2	1	4	1	1	2	3	2	15
5	8	8	5	10	10	4	10	4	6	8	3	14	7			16
3	6	6	4	6	6	2	7	3	4	5	3	11	5			17
2	2	2	1	4	4	2	3		2	3		3	2			18
								1								19
																20
9	1	6	8	8	9	13	8	9	3	8	16	7	6			21
5	1	3	6	7	5	7	4	3	2	4	7	4	3			22
4		3	2	1	4	6	4	6	1	4	9	3	3			23
																24
																25
4	4	4		3	2	5	4	10	7	11	8	5	7			26
3	2	4		3		5	3	10	5	8	5	1	5			27
1	1				2		1		2	3	3	4	2			28
	1															29
																30
7	10	9	16	12	15	5	9	7	6	5	5	7	8			31
5	10	8	15	11	14	5	6	6	6	5	5	7	8			32
2		1	1	1	1		2	1								33
							1									34
																35
44	48	80	72	85	87	92	56	74	56	55	45	38	32	1	2	36
14	17	21	29	28	30	29	22	13	17	18	16	9	7		1	37
26	27	52	38	51	51	58	27	55	36	36	23	27	22	1		38
3	3	5	5	5	5	5	7	5	3	1	6	2	3			39
1	1	2		1	1			1							1	40
3	3	5	1	2	1	2	3	4	6	11	5	11	6	1	1	41
1	1	3	1	1			1			4		4	1			42
2	1			1			2	2	3	4	2	3	1	1		43
	1	2			1	2		2	3	1	3	4	4			44
										2					1	45
44	62	58	62	52	72	52	55	53	48	51	34	66	57	2	1	46
7	15	13	10	9	18	11	13	10	9	4	10	5	16			47
37	41	42	48	43	48	39	40	43	36	46	21	57	38	2	1	48
	5	3	4		2	2	1		2	1	2	4	2			49
	1				4		1		1		1		1			50
223	199	127	128	81	89	73	59	90	71	104	72	69	63	3	1	51
163	153	91	91	45	56	42	36	44	43	61	40	39	35			52
40	27	23	20	20	20	21	19	29	15	28	19	18	17		1	53
19	19	12	16	16	13	10	4	16	13	14	13	11	11	1		54
1		1	1					1		1		1		2		55
5	8	4	2	6	1	3	5	3	4	6	4		2			56
4	6	2		2		1	1	2	4	3	4		1			57
1	2	2	2	4	1	2	4	1		3			1			58
																59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 4—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	593	26	24	23	19	26	14	22	18	49	29
2	Under 5	424	18	17	16	16	20	10	10	11	33	20
3	5 to 59	138	6	4	7	1	4	3	11	5	16	9
4	60 and over	29	2	3		2	2	1	1	1		
5	Unknown	2								1		
6	Inanition	385	19	14	17	17	19	7	9	10	28	22
7	Under 5	361	16	13	16	15	18	6	9	9	28	19
8	5 to 59	14	1		1		1					3
9	60 and over	9	2	1		2				1		
10	Unknown	1										
11	General diseases—C	1,543	53	81	65	63	53	64	59	65	78	74
12	Under 5	613	10	21	24	20	22	16	33	22	47	29
13	5 to 59	98	2	3	5	6	2	5	2	5	2	8
14	60 and over	818	41	56	35	36	28	41	24	38	28	37
15	Unknown	14		1	1	1	1	2			1	
16	Debility and atrophy	548	14	24	19	22	19	18	25	18	39	27
17	Under 5	330	4	10	11	9	15	10	18	7	30	18
18	5 to 59	98	2	3	5	6	2	5	2	5	2	8
19	60 and over	115	8	11	3	7	2	2	5	6	6	1
20	Unknown	5						1			1	
21	Old age—all ages	712	33	46	33	30	27	40	19	32	22	36
22	60 and over	703	33	45	32	29	26	39	19	32	22	36
23	Unknown	9		1	1	1	1	1				
24	General diseases—D	3,773	166	117	160	169	192	173	165	169	198	196
25	Under 5	201	9	6	5	7	7	4	11	12	13	12
26	5 to 59	3,016	129	92	124	136	157	139	127	134	152	157
27	60 and over	533	28	19	31	26	28	29	27	22	32	26
28	Unknown	23						1		1	1	1
29	Consumption	2,610	118	65	124	119	144	118	125	118	148	121
30	Under 5	75	3	2	3	2	2	2	4	8	6	5
31	5 to 59	2,321	103	58	107	106	133	109	111	99	127	108
32	60 and over	197	12	5	14	11	9	6	10	10	14	7
33	Unknown	17						1		1	1	1
34	2. Diseases of the nervous system	2,530	124	113	111	72	107	82	113	100	106	123
35	Under 5	1,017	47	43	38	31	39	29	38	42	37	52
36	5 to 59	989	49	43	41	26	47	39	49	28	46	46
37	60 and over	514	28	26	31	15	21	14	25	30	22	25
38	Unknown	10		1	1				1		1	
39	3. Diseases of the circulatory system	1,688	85	82	82	77	76	78	87	66	76	67
40	Under 5	63	3	4	2	2	2	5	5		4	6
41	5 to 59	886	46	41	37	43	31	36	50	30	45	41
42	60 and over	724	35	35	43	32	42	37	32	36	27	20
43	Unknown	15	1	2			1					
44	4. Diseases of the respiratory system	2,850	245	192	240	180	242	187	155	138	118	106
45	Under 5	1,215	114	83	94	94	100	67	56	54	54	46
46	5 to 59	1,189	109	71	112	55	99	82	72	57	49	43
47	60 and over	437	21	38	31	31	43	38	25	27	15	17
48	Unknown	9	1		3				2			
49	5. Diseases of the digestive system	1,381	62	53	45	40	46	38	61	44	92	62
50	Under 5	503	16	15	17	15	14	11	19	16	34	21
51	5 to 59	676	36	24	23	20	25	21	31	21	49	30
52	60 and over	195	9	14	5	5	7	5	11	7	9	10
53	Unknown	7	1					1				1
54	6. Diseases of the urinary system	1,058	71	39	54	39	56	44	60	26	52	30
55	Under 5	37	1	1	3		1	3	6	2	2	1
56	5 to 59	674	43	29	28	31	30	29	37	20	26	19
57	60 and over	340	27	9	22	8	25	11	16	4	24	10
58	Unknown	7			1			1	1			
59	7. Affections connected with pregnancy...	335		32		36		28		35		32

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
37	30	19	21	26	10	19	17	30	25	31	24	29	24	1	1
28	27	15	15	15	8	12	11	21	17	23	18	23	20		2
6	2	4	4	8	1	6	5	8	8	6	6	5	2	1	3
3	1		2	3	1	1	1	1		2		1	2		4
															5
22	22	13	14	16	5	9	10	19	15	20	16	23	19		6
21	22	13	12	14	5	8	9	18	15	20	15	22	18		7
			2	1		1	1	1			1				8
1				1								1			9
												1			10
61	63	81	66	61	77	50	63	52	42	69	56	57	84	1	5
															11
30	30	37	27	33	28	20	20	28	17	28	21	25	24		12
5	3	4	6	4	7	3	3	5	2	5	4	4	3		13
26	30	38	33	24	42	27	39	21	19	36	30	28	56	1	4
		2					1		2		1		1		15
29	29	32	25	26	32	14	16	21	13	25	19	20	21		16
19	20	22	16	18	19	6	10	14	7	15	10	10	12		17
5	3	4	6	4	7	3	3	5	2	5	4	4	3		18
5	6	6	3	4	6	5	2	2	3	5	5	6	5	1	19
							1		1				1		20
21	24	34	30	20	36	22	37	17	19	31	26	22	51	1	3
															21
21	24	32	30	20	36	22	37	17	18	31	25	22	51	1	3
		2						1	1		1				22
															23
144	145	132	153	129	159	153	133	148	146	149	149	174	147	5	2
															24
10	13	9	9	6	12	9	4	5	9	7	9	6	7		25
113	115	102	127	101	127	125	116	120	113	118	123	145	119	3	2
21	13	20	17	21	16	19	10	20	24	24	15	22	21	2	26
	4	1		1	4		3	3			2	1			27
															28
103	87	85	105	90	109	105	95	99	83	101	108	135	103	2	29
4	3	2	3	1	5	5	1	2		2	3	4	3		30
83	80	77	96	78	97	94	87	90	76	89	100	121	90	2	31
16	1	6	6	10	3	6	4	6	7	10	4	10	10		32
	3			1	4		3	1			1				33
127	95	107	108	131	99	107	97	112	74	119	94	113	93	1	2
															34
62	43	48	45	56	39	49	39	43	25	56	37	44	35		35
45	27	43	46	57	45	38	37	49	29	43	33	46	36		36
19	25	16	17	17	14	19	21	19	20	20	24	23	22	1	37
1				1	1			1							38
63	57	59	56	61	63	84	58	64	65	79	61	76	63	2	1
															39
3	2	1		3	1	3	1	3	2	4	2	3	2		40
28	34	32	25	28	37	47	34	32	40	39	37	40	32	1	41
32	20	26	30	29	25	33	23	29	23	35	21	32	26		42
	1		1	1		1				1	1	1	3	1	43
61	50	54	47	61	40	54	38	109	51	119	70	171	119	2	1
															44
27	25	27	28	28	21	25	19	47	26	47	34	54	44		45
23	19	20	12	24	13	21	10	45	19	58	24	95	56	1	46
11	6	7	7	8	6	8	9	17	6	14	12	21	19		47
				1								1		1	48
59	64	56	55	67	53	61	64	78	61	64	57	51	46	2	49
31	33	19	29	22	21	20	22	26	26	18	26	16	15	1	50
22	20	34	19	35	25	28	35	38	19	38	23	29	30	1	51
6	10	2	7	10	7	13	7	14	15	7	8	6	1		52
	1	1							1	1					53
44	30	50	41	38	47	54	26	50	37	58	37	42	31	2	54
1	2	2		3	2	1		1	1		3	1			55
21	21	34	27	23	31	31	19	34	26	35	28	29	22	1	56
21	7	14	14	11	14	22	7	15	10	22	6	12	9		57
1				1						1				1	58
	22		21		24		26		33		19		27		59

953

GRAND GROUP 4—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
74	20	111	23	112	29	76	17	80	25	86	28	128	40	5	1
7	2	4	3	11	10	6	5	9	11	12	10	14	13		
59	17	97	16	90	17	57	11	64	13	66	15	101	19	1	1
6	1	7	4	8	1	12	1	3	1	6	2	11	7		
2		3		3	1	1		4		2	1	2	1	4	
4	1	4	3	4	5	1	3	5	7	7	9	9	16		
2		1		3	3	1		3		5	4	7	6		
2	1	3	3	1	2		3	2	3	1	4	1	7		
										1	1	1	3		
17	5	34		26	4	12	1	10	1	9	1	11	2	3	
15	5	31		1	3	1	1	9	1	1		2	1		
1		1		22		10				8	1	7	1		
1		2		1	1	1		1				2			
				2	1									3	
1	2		1	2	2			2	1	4	1	3	2		
1	1		1	1	1			2	1	2	1	2	2		
	1			1	1					2		1			
10	1	9	2	15	4	9	3	17	3	15	5	37	3	1	1
10	1	9	2	15	1	9	3	17	1	15	4	35	3		
				3				2				2		1	
											1				
5	2	8		6	1	3		4		4		7	3		
5	1	1		6	1	3		4		4		1	2		
	1	5										6	1		
		1													
		1													
				1		1		1		1		2			
7	1	10	1	8	2	10	1	9	2	10	1	14	5		
6	1	10	1	8	1	1		1		1					
				6	1	6	1	8	2	6	1	12	3		
1				3		3				1		2	1		
										2			1		
		1		2		2		2		6		3			
		1		2		2		2		5		3			
										1					
1		1				1									
1		1				1									
1		3		1		1	1			2	1	1			
1		3		1		1	1			2	1	1			
1		3	1	4		2	1	1		2			1		
1		2	1	3		2	1	1		1					
		1		1									1		
1	1	9	5	9	1	5	1					1			
1	1	9	3	8	1	4	1								
			2	1		1									

CAUSE, AGE, AND MONTH.

955

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,200	1,072	1,426	1,200	1,509	1,477	1,397	1,308	1,276	1,216	1,155	1,174	1,350	1,255	7	5
290	213	487	353	571	495	477	426	321	291	254	249	335	258	1	2
473	449	493	440	473	503	458	471	475	456	450	458	479	494	2	1
427	405	440	400	456	473	457	401	475	465	446	462	528	495	1	2
10	5	6	7	9	6	5	10	5	4	5	5	8	8	3	5
17	10	12	12	13	11	20	17	18	15	20	16	26	13	1	6
10	3	6	7	6	4	11	7	7	6	7	5	14	8		7
2	3	5	4	3	4	7	7	5	5	4	6	4	4		8
5	4	1	1	4	3	1	1	6	3	9	5	8	1		9
						1	2		1					1	10
142	125	353	290	461	449	344	369	226	182	154	143	163	133		1
79	65	264	196	347	297	227	241	108	93	69	51	68	65		12
28	38	49	54	62	75	77	73	80	58	68	69	69	48		13
32	21	40	40	50	75	40	53	38	31	17	22	26	20		14
3	1			2	2		2				1				15
5	12	8	3	4	2		2	2	3	4	2	9	3		16
4	10	8		4	2		2	1	1	3	1	5	3		17
1	2		3					1	2	1	1	3			18
												1			19
															20
3	7	3	2	5	2	3	6	7	8	12	12	9	16		21
	2	1	1	2	2	1	3	4	5	7	6	6	8		22
3	5	2	1	3		2	3	3	3	5	6	3	8		23
															24
															25
6	6	15	13	23	16	23	19	37	34	23	25	27	20		26
4	1	5	5	16	6	12	12	19	19	13	12	18	17		27
2	5	10	8	7	10	11	6	18	15	10	13	9	3		28
							1								29
7	5	12	7	14	15	9	9	5	9	12	13	10	16		30
7	3	12	7	13	14	9	8	5	9	11	12	9	13		31
	1				1		1				1	1	3		32
															33
	1			1											34
6	4	5	4	6	9	4	6	7	1	4	3	3	3		35
															36
2	1	1			1	1	2			2		1			37
3	2	3	3	5	4	2	2	2			1	2	3		38
	1	1	1	1	4	1	1	5	1	2	1				39
1							1				1				40
10	12	7	4	3	3	3	1	11	9	6	11	14	11		41
															42
2	4	3				3		4	2	1		2	2		43
	4	1	1	2			1	2		1	4	6	4		44
8	4	3	3	1	3			5	7	4	7	6	5	1	45
															46
11	6	20	16	24	28	48	32	50	30	38	32	32	21		47
															48
1		1			1	1	1	1	1	1		2	1		49
8	6	16	14	22	24	44	26	42	26	36	28	30	19		50
1		3	2	2	3	3	5	7	3	1	4		1		51
1															52
64	50	259	218	355	344	230	270	90	68	32	23	26	29		53
															54
53	38	225	180	306	263	188	205	66	51	23	14	16	19		55
3	5	12	9	12	23	11	23	9	3	5	4	6	1		56
7	7	22	29	36	56	31	42	15	14	4	5	4	9		57
1				1	2										58
6	5	8	9	11	10	12	5	6	5	8	2	8	2		59
															60
3	4	7	3	6	6	8	4	6	3	5	2	7	1		61
3	1		5	5	4	4	1		1	3		1	1		62
		1	1						1						63

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 5—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	591	31	25	20	22	36	22	39	23	28	23
2	Under 5	399	17	19	11	20	23	16	22	21	16	20
3	5 to 59	134	12	4	6	2	5	3	15	2	9	2
4	60 and over	49	2	2	2	2	7	3	2	2	3	1
5	Unknown	9			1		1					
6	Inanition	415	18	20	13	19	25	19	23	19	15	18
7	Under 5	377	17	18	11	19	22	15	20	19	14	18
8	5 to 59	10		1				2	3			
9	60 and over	20	1	1	1		2	2			1	
10	Unknown	8			1		1					
11	General diseases—C	3,149	143	140	120	126	160	157	131	174	129	143
12	Under 5	1,368	69	48	61	32	64	53	65	52	61	50
13	5 to 59	66	3	3	1	3	3	7	4	6	2	4
14	60 and over	1,696	71	88	56	89	92	97	61	114	64	88
15	Unknown	19		1	2	2	1		1	2	2	1
16	Debility and atrophy	643	21	26	22	23	30	33	29	32	19	30
17	Under 5	414	14	16	13	9	19	15	18	16	13	15
18	5 to 59	65	3	3	1	3	3	7	4	6	2	4
19	60 and over	156	4	7	7	9	8	11	7	9	4	11
20	Unknown	8			1	2				1		
21	Old age—all ages	1,546	66	80	50	80	85	86	55	106	61	78
22	60 and over	1,538	66	80	49	80	84	86	54	105	60	77
23	Unknown	8			1		1		1	1	1	1
24	General diseases—D	5,620	228	240	185	210	234	291	256	341	240	289
25	Under 5	394	13	10	12	16	16	17	22	27	19	20
26	5 to 59	3,697	148	149	119	141	157	207	160	227	157	200
27	60 and over	1,501	66	79	53	53	60	66	73	84	62	68
28	Unknown	28	1	2	1		1	1	1	3	2	1
29	Consumption	3,132	144	121	110	129	131	155	154	184	156	160
30	Under 5	135	7	2	3	9	4	4	3	11	10	9
31	5 to 59	2,573	114	99	86	104	111	136	126	141	125	133
32	60 and over	411	22	20	20	16	16	15	25	31	19	18
33	Unknown	13	1		1					1	2	
34	2. Diseases of the nervous system	4,567	192	179	166	185	209	220	236	227	211	182
35	Under 5	1,039	34	34	48	33	59	44	54	53	57	41
36	5 to 59	1,274	47	48	51	60	62	60	63	59	58	48
37	60 and over	2,241	110	97	66	91	87	116	119	115	93	93
38	Unknown	13	1		1	1	1				3	
39	3. Diseases of the circulatory system	3,285	159	131	150	114	167	159	182	141	168	160
40	Under 5	196	13	8	5	10	7	8	8	6	18	8
41	5 to 59	1,041	49	41	43	40	49	58	43	45	46	59
42	60 and over	2,023	96	79	101	64	111	91	128	89	104	91
43	Unknown	25	1	3	1			2	3	1		2
44	4. Diseases of the respiratory system	4,727	282	281	269	255	386	337	392	450	275	278
45	Under 5	1,577	114	83	113	101	146	115	121	115	94	75
46	5 to 59	1,436	84	81	81	59	126	81	127	142	99	80
47	60 and over	1,692	84	114	74	95	113	139	141	188	82	123
48	Unknown	22		3	1		1	2	3	5		
49	5. Diseases of the digestive system	1,755	63	93	73	67	85	64	79	85	61	72
50	Under 5	303	14	16	17	12	12	6	18	11	15	15
51	5 to 59	874	33	51	33	37	48	29	38	48	31	33
52	60 and over	573	16	26	23	18	25	29	23	26	15	24
53	Unknown	5										
54	6. Diseases of the urinary system	1,869	91	87	93	64	104	80	110	74	94	73
55	Under 5	57	9	3	1	3	1	3	1	6	1	1
56	5 to 59	766	25	54	38	35	27	38	49	38	26	39
57	60 and over	1,038	56	30	54	25	76	39	60	30	67	32
58	Unknown	8	1			1						1
59	7. Affections connected with pregnancy	262		21		16		30		26		29

CAUSE, AGE, AND MONTH.

957

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 5—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
20	16	28	17	20	34	40	14	34	23	20	18	26	12		1
8	15	17	14	15	26	24	11	24	15	8	12	15	10		2
9	1	8	1	5	4	10	2	7	4	10	3	9	1		3
1		2	2		3	6	1	2	3	1	3	2	1		4
2		1			1			1	1	1					5
10	14	16	14	15	29	22	13	25	17	10	14	18	9		6
7	14	15	13	15	26	22	11	24	14	8	11	15	9		7
1							1					2			8
1			1		2		1		2	1	3	1			9
1		1			1			1	1	1					10
108	116	123	101	135	129	137	134	102	140	107	131	133	129		1
															11
58	42	65	44	71	47	77	65	52	56	50	55	76	54		1
1		1	1	1	4	6	3	2	4	1	2	2	2		12
47	73	57	56	62	78	54	65	48	80	55	74	55	72		13
2	1			1			1			1			1		14
															15
19	12	31	19	42	27	41	36	20	36	23	26	24	22		16
10	8	22	15	33	17	33	26	15	22	17	19	16	13		17
1		1	1	1	4	6	3	2	4	1	2	2	1		18
6	4	8	3	7	6	2	7	3	10	5	5	6	7		19
2				1									1		20
41	70	49	53	55	72	52	59	45	70	50	69	49	65		21
41	69	49	53	55	72	52	58	45	70	50	69	49	65		22
	1						1								23
213	225	216	241	190	279	198	240	201	260	171	234	189	247	1	1
															24
24	10	24	13	9	15	24	13	15	21	15	13	17	9		25
139	157	143	158	122	187	119	167	127	163	112	149	122	166		1
49	57	49	68	56	77	55	58	59	74	44	70	49	71	1	26
1	1		2	3			2		2		2	1	1		27
															28
130	107	140	121	110	147	116	121	115	130	98	122	105	126		29
9	1	13	5	4	8	7	4	5	7	3	3	2	2		30
115	97	111	102	83	120	95	105	96	101	83	98	85	107		31
6	8	16	13	20	19	14	11	14	22	12	20	17	17		32
	1		1	3			1				1	1			33
192	179	189	191	199	184	186	163	163	151	179	174	217	193		34
46	39	59	36	61	46	45	32	43	28	35	33	46	33		35
67	49	51	64	50	39	51	59	31	47	56	53	45	56		36
79	91	79	90	88	99	89	72	88	76	87	88	125	103		37
			1			1		1		1		1	1		38
138	112	124	110	133	110	140	101	134	115	141	124	163	108	1	39
13	3	5	6	9	4	9	6	5	6	10	9	16	4		40
40	50	42	37	39	46	34	33	42	34	46	47	41	36	1	41
85	57	77	66	84	59	96	61	87	75	85	67	104	66		42
	2		1	1	1	1	1				1	2	2		43
101	86	72	55	65	55	76	79	114	137	129	146	191	214	1	1
															44
33	26	25	24	21	22	30	34	41	41	41	52	57	51	1	1
29	22	32	16	24	17	22	22	37	40	42	41	64	68		45
39	38	14	15	20	15	24	23	36	56	46	52	68	93		46
		1			1						1	2	2		47
															48
71	71	76	69	91	92	67	73	83	65	62	72	58	62		1
															49
7	5	11	7	22	20	15	15	14	11	9	8	10	13		50
36	43	41	40	42	52	29	31	35	28	24	28	33	31		51
28	23	24	20	27	20	23	26	34	26	28	36	15	17		52
			2				1			1			1		53
75	59	101	51	87	48	85	49	100	60	83	50	86	64	1	54
3	1	1	1	1	3	5		4	2		1	5	1		55
26	32	28	26	34	20	29	28	33	30	30	23	23	35		56
46	26	72	24	52	25	51	21	61	28	53	26	56	28		57
								2				2		1	58
	27		15		19		21		20		20		18		59

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries.....	1,615	85	45	73	39	91	38	101	46	87	35
2	Under 5.....	205	6	12	14	11	13	15	7	11	10	6
3	5 to 59.....	993	57	18	46	18	49	8	55	16	64	18
4	60 and over.....	383	17	15	13	8	25	15	36	19	11	8
5	Unknown.....	34	5			2	4		3		2	
6	Burns and scalds.....	150	5	15	7	7	7	10	4	10	3	4
7	Under 5.....	58	3	6	3	1	5	4	1	5		
8	5 to 59.....	59	1	6	3	4	3	3		1	1	4
9	60 and over.....	33	1	3	1	2	2	3	3	4	2	
10	Unknown.....											
11	Drowning.....	238	4	1	4	2	5	1	16	1	24	7
12	Under 5.....	19	1						4	1	2	1
13	5 to 59.....	200	2	1	4	2	5	1	11		19	5
14	60 and over.....	13							1		3	
15	Unknown.....	6	1									1
16	Exposure and neglect.....	27	2	2	1	1	2	1	2	2		
17	Under 5.....	11		1	1	1	1	1		1		
18	5 to 59.....	4							1			
19	60 and over.....	11	1	1			1		1	1		
20	Unknown.....	1	1									
21	Gunshot wounds.....	56	1			1	3	2	3	1	2	
22	Under 5.....	4				1		1		1		
23	5 to 59.....	48					3	1	2		2	
24	60 and over.....	4	1						1			
25	Unknown.....											
26	Homicide.....	14	1	2			1					
27	Under 20.....	3	1	1								
28	20 to 59.....	10		1			1					
29	60 and over.....	1										
30	Unknown.....											
31	Injuries by machinery.....	4					1		1			
32	Under 20.....	2							1			
33	20 to 59.....	1										
34	60 and over.....	1					1					
35	Unknown.....											
36	Railroad accidents.....	180	16	1	9		15		13		12	2
37	Under 5.....											
38	5 to 59.....	150	14	1	8		9		11		11	2
39	60 and over.....	20			1		3		1		1	
40	Unknown.....	10	2				3		1			
41	Suicide by shooting.....	45	2	1	4	1	3		4		6	
42	Under 20.....	2										
43	20 to 59.....	37	2	1	4	1	2		3		5	
44	60 and over.....	6					1		1		1	
45	Unknown.....											
46	Suicide by drowning.....	13	1							1	1	
47	Under 20.....											
48	20 to 59.....	10								1	1	
49	60 and over.....	3	1									
50	Unknown.....											
51	Suicide by poison.....	26	1		1	1	1	1	1			1
52	Under 20.....	1										
53	20 to 59.....	16			1	1	1	1	1			
54	60 and over.....	6										
55	Unknown.....	3	1									1
56	Other suicides.....	88	8	2	4		9	1	9	4	4	4
57	Under 20.....	6	1				1		1		1	
58	20 to 59.....	58	7	1	3		7		3	3	1	2
59	60 and over.....	23		1	1		1	1	5	1	2	2
60	Unknown.....	1										
61	Sunstroke.....	9					1					
62	Under 5.....	1										
63	5 to 59.....	5					1					
64	60 and over.....	3										
65	Unknown.....											

959

GRAND GROUP 5—Continued.

[illegible]

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 6.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.										
		Total.	January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	43,000	2,124	1,704	2,018	1,741	2,555	2,239	2,528	2,210	2,307	1,960
2	Under 5.....	13,672	616	482	629	543	881	693	797	629	671	544
3	5 to 59.....	16,720	917	682	756	646	880	864	965	826	933	801
4	60 and over.....	12,305	580	527	609	542	783	668	744	739	691	604
5	Unknown.....	312	11	13	24	10	11	14	22	16	12	11
6	Unknown cause.....	1,160	51	46	48	62	75	57	64	51	69	63
7	Under 5.....	655	32	26	23	35	44	33	36	18	31	29
8	5 to 59.....	242	10	8	14	10	16	11	14	15	18	18
9	60 and over.....	238	8	12	10	14	13	11	12	15	17	15
10	Unknown.....	25	1		1	3	2	2	2	3	3	1
11	1. General diseases. General diseases—A.....	7,687	284	228	252	228	336	335	327	343	324	307
12	Under 5.....	4,157	125	92	119	112	159	151	140	132	166	154
13	5 to 59.....	2,499	132	96	99	81	115	123	107	112	107	99
14	60 and over.....	993	27	36	33	34	61	59	79	97	51	53
15	Unknown.....	38		4	1	1	1	2	1	2		1
16	Measles.....	376	11	12	26	31	32	33	40	38	41	40
17	Under 5.....	298	6	7	20	23	24	22	35	28	34	33
18	5 to 59.....	75	5	5	6	8	8	11	5	10	5	6
19	60 and over.....	3									2	1
20	Unknown.....											
21	Scarlet fever.....	476	32	26	18	23	32	44	29	31	30	28
22	Under 5.....	298	22	13	13	13	19	32	16	18	19	14
23	5 to 59.....	177	10	13	5	10	13	12	13	13	11	14
24	60 and over.....	1										
25	Unknown.....											
26	Diphtheria.....	1,147	73	61	50	54	54	62	40	35	32	40
27	Under 5.....	604	44	33	31	30	37	33	30	24	19	21
28	5 to 59.....	531	29	24	19	23	17	26	9	11	13	19
29	60 and over.....	5		1			2		1			
30	Unknown.....	7		3		1	1					
31	Whooping cough.....	384	14	17	11	22	21	30	26	29	19	35
32	Under 5.....	363	12	16	11	21	21	27	24	27	19	34
33	5 to 59.....	20	2	1		1		3	2	2		1
34	60 and over.....											
35	Unknown.....	1										
36	Malarial fever.....	108	1	3	4	1	4	4	4	3	1	6
37	Under 5.....	29			3	1	1	2	1			2
38	5 to 59.....	49		1	1		2	2	3	3		3
39	60 and over.....	25	1	2			1				1	1
40	Unknown.....	5										
41	Influenza.....	589	17	29	30	27	57	65	78	102	40	46
42	Under 5.....	83	6	5	5	6	10	8	7	7	7	7
43	5 to 59.....	132	4	6	8	4	14	18	17	20	12	6
44	60 and over.....	371	7	18	16	17	33	39	53	74	21	33
45	Unknown.....	3			1				1	1		
46	Typhoid fever.....	991	55	24	42	23	39	28	37	27	47	24
47	Under 5.....	50	1			1	1		2	5	1	
48	5 to 59.....	892	54	24	40	18	38	27	33	21	46	21
49	60 and over.....	45			2	4		1	2	1		3
50	Unknown.....	4										
51	Diarrheal diseases.....	2,805	25	28	37	23	48	31	24	41	63	43
52	Under 5.....	2,220	21	15	24	13	31	16	13	18	52	33
53	5 to 59.....	261	7	6	7	5	8	7	7	12	5	6
54	60 and over.....	315	7	7	6	5	8	8	4	11	6	4
55	Unknown.....	9					1					
56	Cerebro-spinal fever.....	177	4	2	6	2	6	8	14	7	14	8
57	Under 5.....	108	2	1	4		4	3	7	3	9	6
58	5 to 59.....	64	2	1	1	2	2	3	7	4	5	2
59	60 and over.....	4			1			1				
60	Unknown.....	1						1				

CAUSE, AGE, AND MONTH.

961

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1,397	1,125	1,843	1,389	1,868	1,553	1,690	1,433	1,665	1,436	1,565	1,282	1,848	1,473	36	20
410	326	780	546	785	665	600	535	504	400	393	340	494	403	3	3
566	478	623	485	654	493	634	534	698	601	707	545	798	614	14	6
404	315	425	348	412	387	434	357	453	429	453	391	545	448	11	6
17	6	15	10	17	8	22	7	10	6	12	6	11	8	8	5
43	34	40	31	56	46	38	39	45	40	32	41	54	29	5	1
20	20	25	20	39	27	24	29	26	23	16	22	43	14		7
6	9	7	6	8	8	4	5	10	13	6	13	3	6	3	1
17	5	7	4	9	10	10	5	9	3	9	6	7	8	2	9
.....		1	1		1				1	1		1	1		10
223	182	514	385	552	503	421	409	299	281	227	206	257	257	3	4
140	108	390	285	397	355	252	237	138	117	87	93	103	102	2	1
62	56	84	65	93	85	130	130	137	129	116	87	122	131		1
20	18	36	33	53	61	38	41	23	35	23	26	30	24		2
1		4	2	9	2	1	1	1		1		2		1	
8	8	4	4	3	8	2	3	3	1	4	4	15	5		
7	8	4	2	3	8	2	3	3	1	4	4	12	5		
1			2									3			
.....															
13	9	12	7	11	7	10	9	14	9	15	15	18	34		
8	6	8	5	8	4	7	6	8	6	11	9	14	19		
5	3	4	2	3	3	3	3	6	3	3	6	4	15		
.....										1					
28	28	20	17	16	24	41	53	61	71	81	73	60	72		1
18	16	15	9	4	12	18	18	26	27	36	38	32	33		
10	12	5	8	11	11	23	35	35	44	44	35	28	39		1
.....				1	1					1					
13	8	13	13	10	8	12	11	13	5	7	13	18	16		
13	8	13	12	10	8	12	11	13	4	6	11	15	15		
.....									1	1	2	3	1		
.....		1													
5	2	12	6	4	6	7	4	8	6	8	2	6	1		
2		6	1	1	2	2	1	1	1	1	1				
2	1	3	2	1	2	3	2	6	3	4		4	1		
1	1	2	2	1	2	1	1	1	2	3	1	1			
.....		1	1	1		1						1			
6	11	2	7	8	9	7	3	5	2	4	5	11	17	1	
1	2		2		1				1	1	1	3	2	1	
1	2		2	1	4	2		1	1	1	1	3	4		
4	7	2	3	7	4	5	3	4		2	3	5	11		
.....															
21	21	34	18	51	31	72	72	76	68	49	29	59	44		
4	1	2	2	8	3	2	1	5	1	2	2	2	4		
16	19	31	16	38	28	67	67	68	59	45	25	54	37		
1	1	1		3		3	3	3	8	2	2	3	3		
.....				2		1									
86	72	386	293	413	378	245	233	88	102	35	38	28	31	2	2
75	61	335	249	352	303	199	190	70	73	21	21	13	20	1	1
7	6	24	21	24	25	20	14	10	11	6	6	8	9		
4	5	24	23	34	49	26	29	8	18	8	11	7	2		1
.....		3		3	1									1	
13	9	7	2	10	14	11	5	9	2	1	5	10	8		
7	3	5	2	6	10	9	4	8	2		4	7	2		
6	6	2		4	3	2	1	1		1	1	3	5		
.....					1								1		

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 6—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	661	26	15	22	22	31	24	35	20	40	30
2	Under 5.....	450	17	11	15	19	17	18	21	11	21	19
3	5 to 59.....	169	9	4	7		10	5	11	6	17	6
4	60 and over.....	39				3	4	1	2	3	2	5
5	Unknown.....	3							1			
6	Inanition.....	459	17	11	15	18	16	19	20	12	22	22
7	Under 5.....	425	15	11	14	18	15	18	20	9	21	18
8	5 to 59.....	15	2		1					1		1
9	60 and over.....	19					1	1		2	1	3
10	Unknown.....											
11	General diseases—C.....	2,926	121	113	127	106	175	134	170	143	117	141
12	Under 5.....	1,443	48	44	62	37	78	57	85	49	51	43
13	5 to 59.....	55	3	2	1	2	1	2	4	4	4	5
14	60 and over.....	1,402	69	64	62	67	96	73	81	88	62	90
15	Unknown.....	26	1	3	2			2		2		3
16	Debility and atrophy.....	992	37	33	36	18	46	28	48	38	42	30
17	Under 5.....	721	20	18	25	11	36	20	32	19	29	13
18	5 to 59.....	54	3	2	1	2	1	2	4	4	4	4
19	60 and over.....	198	14	12	8	5	9	4	12	13	9	11
20	Unknown.....	19		1	2			2		2		2
21	Old age—all ages.....	1,211	56	54	54	62	87	69	69	75	53	50
22	60 and over.....	1,204	55	52	54	62	87	69	69	75	53	79
23	Unknown.....	7	1	2								1
24	General diseases—D.....	6,211	267	311	240	288	277	319	307	323	302	328
25	Under 5.....	342	19	13	14	14	17	10	23	12	19	17
26	5 to 59.....	3,956	177	212	145	191	168	224	187	210	166	217
27	60 and over.....	1,866	70	86	74	81	87	83	93	99	116	93
28	Unknown.....	47	1		7	2	5	2	4	2	1	1
29	Consumption.....	3,405	157	186	133	153	161	170	195	178	172	169
30	Under 5.....	137	6	8	5	6	3	2	12	5	9	7
31	5 to 59.....	2,692	125	153	101	123	128	142	146	142	125	133
32	60 and over.....	550	26	25	23	23	28	25	34	31	37	28
33	Unknown.....	26			4	1	2	1	3		1	1
34	2. Diseases of the nervous system.....	6,527	305	249	316	271	407	353	363	332	372	284
35	Under 5.....	2,200	119	68	121	84	155	122	142	107	136	75
36	5 to 59.....	1,725	84	67	60	72	102	93	101	88	95	80
37	60 and over.....	2,555	99	113	132	114	150	135	116	135	137	127
38	Unknown.....	47	3	1	3	1		3	4	2	4	2
39	3. Diseases of the circulatory system.....	3,514	169	151	179	146	192	181	211	186	194	176
40	Under 5.....	304	16	15	16	10	17	12	16	17	18	11
41	5 to 59.....	1,372	60	59	57	59	63	75	67	75	75	84
42	60 and over.....	1,820	93	77	103	77	111	94	126	93	100	80
43	Unknown.....	18			3		1		2	1	1	1
44	4. Diseases of the respiratory system.....	6,644	442	315	438	374	651	566	612	513	383	316
45	Under 5.....	3,071	178	162	210	193	324	248	274	229	171	148
46	5 to 59.....	1,997	157	77	142	90	169	169	214	143	126	95
47	60 and over.....	1,549	106	75	84	90	156	146	121	140	85	72
48	Unknown.....	27	1	1	2	1	2	3	3	1	1	1
49	5. Diseases of the digestive system.....	2,229	115	104	96	76	107	101	99	106	127	116
50	Under 5.....	514	36	22	24	14	43	15	24	29	30	24
51	5 to 59.....	1,066	51	56	39	40	35	54	46	49	61	62
52	60 and over.....	626	24	25	32	22	29	32	29	27	35	29
53	Unknown.....	23	4	1	1					1	1	1
54	6. Diseases of the urinary system.....	1,797	113	78	105	72	96	66	109	86	116	89
55	Under 5.....	86	1	7	7	4	2	7	3	4	4	3
56	5 to 59.....	896	55	47	41	38	40	41	48	48	56	59
57	60 and over.....	805	57	22	57	30	54	18	58	33	56	27
58	Unknown.....	10		2						1		
59	7. Affections connected with pregnancy...	328		28		31		22		40		48

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
28	16	40	27	45	29	42	26	30	24	21	17	28	23		
13	11	26	23	28	24	28	25	22	16	16	13	19	17		
12	4	11	3	15	3	11	1	6	8	5	3	8	4		
3	1	3	1	1	2	2		2			1	1	2		
.....				1		1									
14	12	27	23	29	24	29	23	23	18	15	13	17	20		
13	10	25	22	28	22	27	23	20	16	15	12	17	16		
1	1	2	1	1	2	2		2	2		1		2		
.....								1							
96	88	113	109	130	135	135	135	111	120	86	92	127	96	4	2
50	44	74	60	88	82	87	90	58	64	39	38	70	43	1	1
.....	3	2	2	1	5	2	2	3	1	2	1	1	2		
46	41	34	45	41	47	43	42	49	54	45	53	55	51	3	1
.....		3	2		1	3	1	1	1			1			
37	27	51	53	67	66	74	69	38	45	25	33	29	22		
26	13	39	40	59	55	63	62	26	35	17	25	24	14		
.....	3	2	2	1	5	2	2	3	1	2	1	1	2		
11	11	7	11	7	5	6	4	8	8	6	7	4	6		
.....		3			1	3	1	1	1						
35	30	27	36	34	42	37	38	41	46	39	46	52	45	3	1
35	30	27	34	34	42	37	38	41	46	39	46	51	45	3	1
.....			2									1			
210	231	208	258	219	245	201	234	197	274	226	244	244	251	3	4
16	11	16	9	19	15	12	14	15	12	14	12	13	6		
124	148	126	176	131	160	119	160	115	177	135	167	160	159	1	1
70	69	64	72	68	68	67	59	65	84	75	65	70	85	2	1
.....	3	2	1	1	2	3	1	2	1	2		1	1		2
112	110	115	132	113	121	113	131	109	152	130	131	141	120	1	
5	2	5	2	8	8	6	7	9	5	3	6	5	3		
86	95	89	116	90	96	88	104	83	120	101	101	108	97		
21	11	19	13	15	15	18	20	15	27	24	24	27	20	1	
.....	2	2	1		2	1		2		2		1			
252	184	275	207	263	208	258	232	246	215	239	219	262	207	7	1
78	59	117	70	116	78	103	67	85	60	52	57	67	62		
69	54	73	63	78	50	49	63	65	55	78	62	70	52	2	
101	70	84	73	67	78	102	101	95	99	107	99	123	93	4	1
4	1	1	1	2	2	4	1	1	1	2	1	2		1	
120	106	139	90	123	103	120	107	133	127	139	120	171	129	2	
14	7	18	8	11	8	10	6	10	9	16	6	20	13		
47	57	53	30	52	38	44	46	47	61	54	53	62	53	1	
56	42	68	51	59	57	65	55	76	56	68	61	89	63		
3			1	1		1			1	1				1	
123	99	112	65	95	73	128	80	195	145	219	160	286	249	2	3
46	43	56	36	48	38	55	37	98	66	110	74	124	102		1
44	34	24	18	28	24	39	32	57	39	62	45	92	74	2	1
31	21	32	11	19	11	34	11	39	39	46	41	67	72		
2	1							1	1	1		3	1		
76	67	111	95	90	82	78	72	110	89	78	63	96	70	2	3
11	11	27	22	21	21	19	17	29	17	18	11	14	15		
47	35	54	44	41	34	37	34	43	42	39	33	54	35		1
16	20	30	28	28	27	21	18	38	30	20	18	28	19		1
2	1		1			1	3			1	1		1	2	1
66	49	77	46	77	43	69	41	72	46	90	48	84	59		
3	3	5	1	5	2		2	1	3	9		5	5		
33	23	32	26	33	25	28	23	37	28	40	32	31	32		
30	23	40	19	38	16	40	16	34	15	41	15	48	18		
.....				1		1					1		4		
.....	22		15		17		19		19		20		36		59

CAUSE, AGE, AND MONTH.

965

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 6—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
154	37	205	43	211	47	188	29	213	41	198	34	228	53	8	2
17	7	23	8	11	11	7	10	20	11	13	9	14	23		
118	26	152	25	171	30	164	13	174	17	164	18	189	20	5	1
14	4	26	9	27	6	10	6	16	13	18	5	24	10		
5		4	1	2		7		3		3	2	1		3	1
12	11	16	14	8	7	7	8	14	12	8	14	9	27	1	
6	3	7	3	1	3	1	5	6	5	4	6	6	17		
5	8	9	11	7	4	5	1	7	5	3	7	2	8		
1						1	2	1	2	1	1	1	2	1	
15	1	21	5	22	5	12	1	2	2	9		11		1	
2		2		7		1		2		1					
10	1	15	4	13	5	11			1	7		8		1	
3		4	1	2			1		1	1		2			
												1			
	1	1						2				2	3		
	1	1						1					2		
								1				1	1		
10	1	11	1	3	1	7	3	5	1	13	1	13	1		
10	1	10	1	2	1	5	3	5	1	13	1	13	1		
		1		1		2									
2		2		2	2	3	1	4		2	3	2			1
2		2		1	2					2	2				
				1		3	1	4			1	2			1
				1											
1				2		1		3		3		2			
1				2		1		2		2		1			
								1		1					
33	1	37	5	42	1	58	1	48	2	56	5	50	4	1	1
27	1	2			1	1			1						
3		32	3	39		53		44	1	50	4	47	4	1	
3		3	2	2		1	1	3		4		3			
1				1		3		1		2	1				1
1		2		2		1	1	1		2		1	2	1	
1															
		1		2		1	1	1		1		1	2		
		1								1				1	
								1							
1			1	1				1	1	1		1			
1			1	1				1		1		1			
1									1						
4		4	1	5	1	8	1	4	2	4		10		1	
2		1													
2		2	1	4	1	6	1	3	1	4		2			
		1		1		2		1	1			7		1	
												1			
4	5	2		2	1	1									
1															
3	1				1										
	1	1		2		1									

967

GRAND GROUP 7.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
3,434	2,749	4,206	3,288	4,057	3,454	3,753	3,057	3,654	2,914	3,470	2,776	3,590	3,133	17	9
1,079	866	1,610	1,360	1,587	1,376	1,382	1,124	1,052	828	901	824	1,003	952		1
1,550	1,239	1,713	1,250	1,573	1,331	1,504	1,232	1,652	1,336	1,615	1,229	1,610	1,306	4	1
797	643	869	669	874	742	859	695	942	746	943	715	971	872	4	4
8	1	14	9	23	5	8	6	8	4	11	8	6	3	9	3
34	35	49	42	46	46	38	43	37	33	36	32	35	38	3	2
19	13	24	24	25	31	20	25	20	14	18	20	15	17		7
9	12	17	11	14	8	10	10	12	14	8	7	9	12	2	8
6	10	5	7	7	7	8	8	4	5	10	5	11	8		9
		3						1					1	1	10
617	512	1,093	989	1,192	1,022	965	883	654	556	505	476	459	496	1	2
391	336	848	744	884	740	673	585	357	274	228	246	236	275		12
172	142	169	164	219	194	217	219	236	231	226	198	175	183	1	13
53	34	76	80	88	87	75	79	60	51	51	31	46	38		14
1		1	1	1	1			1			1	2		1	15
26	35	19	23	14	19	8	9	9	11	27	32	32	43		16
19	29	17	16	13	14	8	9	8	9	23	28	26	37		17
7	6	2	7	1	5			1	2	4	4	6	6		18
															19
															20
30	32	25	20	21	27	28	29	49	33	56	50	49	49		21
18	21	18	10	17	20	15	16	25	18	32	30	32	32		22
12	11	7	10	4	7	13	13	24	15	24	20	17	16		23
												1			24
														1	25
54	46	55	43	52	60	81	92	116	109	92	122	110	130		26
30	24	28	27	32	35	44	55	73	51	45	64	66	70		27
24	22	27	15	20	25	37	37	43	58	47	56	43	60		28
		1									1				29
											1	1			30
12	13	19	23	28	29	26	22	18	11	16	11	14	27		31
12	13	19	23	27	28	26	19	18	11	15	10	13	27		32
				1			3				1	1			33
					1					1					34
															35
9	3	9	4	12	9	11	8	14	11	8	6	10	8		36
4	2	2	1		1	3	2	6	4	4	2	2	2		37
3	1	7	1	9	6	7	5	6	4	3	4	7	4		38
2			2	3	2	1	1	2	3	1		1	2		39
															40
8	11	9	7	12	4	7	6	5	10	4	13	16	20		41
1		1		1				1			3	3	5		42
4	5	2	2	4	1	3	1	2	3	2	4	4	7		43
3	6	6	5	7	3	4	5	2	7	2	6	9	8		44
															45
61	42	56	49	110	76	101	96	126	102	105	67	71	54		46
4	1	6	3	4	7	2	10	8	6	5	5	4	5		47
53	38	48	43	96	68	93	83	113	87	97	58	63	46	1	48
4	3	2	3	10	1	6	3	4	9	3	4	4	3		49
								1							50
325	263	824	750	850	742	643	554	253	204	121	119	102	116	1	51
277	226	736	647	752	608	550	448	196	151	77	83	76	83		52
29	22	43	45	44	57	40	46	21	28	20	24	11	17		53
18	15	45	57	53	76	53	60	36	25	24	12	15	16		54
1			1	1	1									1	55
23	8	26	18	21	14	15	14	12	10	14	9	7	6		56
12	5	13	9	13	10	11	9	4	6	9	3	2	3		57
10	3	13	9	8	4	4	4	8	4	5	6	5	3		58
1							1								59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 7—Continued.

1	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	2,439	110	75	129	65	125	74	136	89	114	70
2	Under 5.....	1,801	83	59	96	52	79	63	94	74	71	60
3	5 to 59.....	517	21	11	27	10	39	11	33	11	32	7
4	60 and over.....	111	5	4	6	2	6	9	3	3	11	3
5	Unknown.....	10	1	1	1	1	1	1	1	1	1	1
6	Inanition.....	1,807	82	59	96	53	79	64	93	71	70	63
7	Under 5.....	1,739	81	56	93	51	76	63	91	68	68	59
8	5 to 59.....	25	1	1	1	1	3	1	2	1	1	1
9	60 and over.....	39	1	1	3	1	1	1	2	1	1	3
10	Unknown.....	4	1	1	1	1	1	1	1	1	1	1
11	General diseases—C.....	6,214	265	258	255	261	330	328	299	297	277	269
12	Under 5.....	2,887	126	105	108	100	162	132	142	109	140	124
13	5 to 59.....	263	16	11	18	12	12	15	9	15	9	9
14	60 and over.....	3,054	123	142	128	149	156	180	148	173	127	136
15	Unknown.....	10	1	1	1	1	1	1	1	1	1	1
16	Debility and atrophy.....	1,348	48	47	49	61	70	61	51	66	51	56
17	Under 5.....	829	18	26	23	33	44	31	24	31	36	38
18	5 to 59.....	257	16	11	16	11	12	15	9	15	9	9
19	60 and over.....	256	14	10	9	17	14	15	18	20	5	9
20	Unknown.....	6	1	1	1	1	1	1	1	1	1	1
21	Old age—all ages.....	2,800	109	132	119	132	142	166	130	153	122	127
22	60 and over.....	2,797	109	132	119	132	142	165	130	153	122	127
23	Unknown.....	3	1	1	1	1	1	1	1	1	1	1
24	General diseases—D.....	14,341	590	596	586	532	694	702	629	645	720	648
25	Under 5.....	862	32	22	38	34	41	49	47	38	36	34
26	5 to 59.....	10,319	414	440	422	384	500	500	452	446	539	469
27	60 and over.....	3,142	144	134	123	113	153	152	130	161	145	142
28	Unknown.....	18	3	1	3	1	1	1	1	1	1	3
29	Consumption.....	8,303	339	330	374	297	438	382	394	344	474	366
30	Under 5.....	310	4	6	20	11	10	16	16	14	17	13
31	5 to 59.....	7,182	298	295	313	257	377	328	347	288	406	306
32	60 and over.....	795	37	29	38	28	61	37	31	42	51	44
33	Unknown.....	16	3	1	3	1	1	1	1	1	1	3
34	2. Diseases of the nervous system.....	10,658	516	389	506	414	559	465	583	479	547	470
35	Under 5.....	3,914	171	139	194	140	202	164	226	172	220	160
36	5 to 59.....	3,164	159	98	147	111	162	146	175	145	143	139
37	60 and over.....	3,557	186	152	163	162	195	153	181	161	183	171
38	Unknown.....	23	2	1	2	1	2	1	1	1	1	1
39	3. Diseases of the circulatory system.....	7,178	376	323	335	278	407	349	396	349	376	288
40	Under 5.....	408	23	16	25	9	30	26	22	26	19	13
41	5 to 59.....	3,235	165	153	133	133	167	159	176	160	165	141
42	60 and over.....	3,520	188	154	176	136	209	164	198	163	192	134
43	Unknown.....	15	1	1	1	1	1	1	1	1	1	1
44	4. Diseases of the respiratory system.....	13,460	864	748	904	756	1,132	872	1,019	925	735	624
45	Under 5.....	5,644	400	310	431	339	461	322	394	318	309	251
46	5 to 59.....	4,430	294	228	294	230	422	266	348	292	260	181
47	60 and over.....	3,369	169	210	175	186	246	283	276	315	166	192
48	Unknown.....	17	1	1	4	1	3	1	1	1	1	1
49	5. Diseases of the digestive system.....	5,397	207	209	230	187	271	272	277	250	260	225
50	Under 5.....	1,263	52	35	64	47	79	68	65	53	65	37
51	5 to 59.....	2,849	107	123	114	103	125	142	144	129	133	121
52	60 and over.....	1,278	48	51	50	37	66	62	68	68	62	67
53	Unknown.....	7	2	2	2	2	1	1	1	1	1	1
54	6. Diseases of the urinary system.....	4,072	201	119	203	148	254	170	239	152	246	133
55	Under 5.....	209	12	8	10	15	17	10	5	4	5	10
56	5 to 59.....	2,025	92	75	101	79	107	91	100	97	114	72
57	60 and over.....	1,831	97	36	92	54	129	68	134	51	127	51
58	Unknown.....	7	1	1	1	1	1	1	1	1	1	1
59	7. Affections connected with pregnancy.....	804		59		71		106		87		73

CAUSE, AGE, AND MONTH.

969

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 7—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
105	71	156	120	142	97	130	92	125	74	108	66	105	60	1	1
61	56	119	96	101	90	101	78	84	56	57	54	68	49		2
40	13	33	19	33	6	26	12	33	13	42	9	28	8		3
2	2	4	5	7	1	3	2	7	5	9	3	9	3		4
				1				1						1	5
62	57	116	100	101	87	97	79	88	56	59	57	69	49		6
59	54	115	96	97	86	96	77	82	53	54	52	65	47		7
2	1		1	1		1	1	2	2	2	2		1		8
	2	1	3	3	1	1	1	4	1	3	3	4	1		9
1															10
224	200	254	242	251	250	276	240	248	220	226	235	232	275	1	1
117	88	147	120	138	118	143	113	114	101	115	97	111	117		12
12	8	10	8	12	10	12	8	11	12	7	6	12	9		13
94	104	97	114	100	122	119	119	123	107	103	131	108	149	1	1
1				1		2				1	1	1			14
52	42	74	59	76	77	71	54	64	54	38	37	49	41		15
															16
32	27	53	37	55	60	50	37	41	36	26	22	25	24		17
12	8	10	8	12	10	11	8	10	12	7	6	12	8		18
7	7	11	14	8	7	9	9	13	6	4	9	12	9		19
1				1		1				1					20
87	97	86	100	92	115	110	110	110	101	99	123	96	140	1	1
															21
87	97	86	100	92	115	109	110	110	101	99	122	96	140	1	1
						1					1				22
															23
594	560	631	553	552	644	547	546	554	562	577	519	610	547	2	1
															24
49	32	39	34	43	40	45	36	32	26	27	28	39	21		25
425	412	446	401	373	465	384	402	400	419	421	385	432	386	2	
120	116	144	115	136	138	117	108	122	116	128	105	139	140		26
		2	3		1	1			1	1	1				27
															28
385	308	381	310	321	327	306	295	332	299	351	282	376	291	1	
															29
19	16	11	16	16	12	12	14	14	6	11	10	14	12		30
321	268	336	273	268	296	274	258	282	266	302	251	324	247	1	
45	24	32	18	37	18	20	23	36	27	37	20	38	32		31
		2	3		1					1	1				32
															33
459	339	480	371	444	416	443	312	467	344	428	351	485	389	1	1
															34
188	126	189	163	163	167	160	107	166	118	150	129	171	128		35
136	108	167	108	150	114	143	94	144	108	129	99	131	108		36
133	105	124	100	128	134	139	108	157	116	148	121	183	153	1	
2				3	1	1	3		2	1	2				37
															38
261	235	289	227	270	220	261	224	316	235	305	239	321	296		39
15	14	19	6	14	13	13	9	18	11	14	20	14	19		40
113	123	132	125	107	110	102	106	147	103	137	107	140	131		41
133	98	136	95	147	97	145	109	151	120	153	110	165	146		42
		2	1	2		1			1	1	2	2			43
362	265	277	210	274	193	293	200	437	376	466	392	585	549	2	
															44
148	123	121	103	130	97	129	82	166	144	192	163	268	243		45
142	79	94	67	80	47	94	60	182	123	168	123	186	170		46
72	62	62	40	63	48	70	57	88	109	106	106	131	136	1	
	1			1	1		1	1						1	47
															48
198	181	249	184	237	216	228	207	267	215	236	166	241	184		49
43	42	60	39	54	46	64	57	59	49	57	30	50	48		50
111	110	123	100	127	126	118	103	139	119	106	94	134	98		51
44	29	65	45	54	44	46	47	69	47	72	42	57	38		52
		1		2						1					53
168	149	212	133	181	126	154	123	187	115	222	116	202	119		54
8	14	7	4	5	9	4	8	2	9	11	11	11	10		55
67	78	100	87	86	76	69	76	77	59	100	60	100	62		56
93	57	105	42	89	40	81	39	107	47	110	44	91	47		57
				1	1			1		1	1				58
	62		63		61		45		61		53		63		59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 7—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	5,528	334	90	301	79	306	103	316	103	384	124
2	Under 5	604	24	24	39	14	35	18	32	29	31	30
3	5 to 59	4,096	254	48	213	54	226	53	246	50	302	70
4	60 and over	761	53	17	41	11	42	31	35	22	49	22
5	Unknown	67	3	1	8		3	1	3	2	2	2
6	Burns and scalds	420	15	23	18	21	20	11	10	15	14	23
7	Under 5	188	8	7	12	7	14	4	7	7	7	10
8	5 to 59	208	4	15	6	12	4	6	3	7	7	13
9	60 and over	21	2	1		2	2	1		1		
10	Unknown	3	1									
11	Drowning	584	20	5	11	1	18	2	25	3	44	2
12	Under 5	41		2	1		2			3	5	1
13	5 to 59	482	18	3	9	1	15	1	23		37	
14	60 and over	38	2		1		1	1	2		1	
15	Unknown	23									1	
16	Exposure and neglect	50	3	2	5	3	2	3	6	2	2	3
17	Under 5	21		1	1	2		1	5	1	1	1
18	5 to 59	19	1	1	1	1	2	1	1			2
19	60 and over	7	2		2						1	
20	Unknown	3			1			1		1		
21	Gunshot wounds	138	8	1	4		12	2	6	1	8	
22	Under 5	5					1					
23	5 to 59	124	7	1	4		11	1	6	1	7	
24	60 and over	7	1					1			1	
25	Unknown	2										
26	Homicide	152	12	1	2	3	13	5	10	3	8	5
27	Under 20	22	3			1	1	1	1	2		2
28	20 to 59	119	9	1	2	2	11	3	9	1	8	3
29	60 and over	9					1	1				
30	Unknown	2										
31	Injuries by machinery	37	1		1	1	1		2		3	
32	Under 20	5									1	
33	20 to 59	29			1	1	1		2		1	
34	60 and over	3	1								1	
35	Unknown											
36	Railroad accidents	936	68	3	75	3	56	4	52	7	94	12
37	Under 5	20		1	1		2		2	3	1	3
38	5 to 59	792	55	2	66	3	47	3	43	4	83	7
39	60 and over	109	13		5		6	1	5		10	1
40	Unknown	15			3		1		2			1
41	Suicide by shooting	194	12	2	19		12		26	2	16	2
42	Under 20	2			1		1					
43	20 to 59	172	12	2	16		11		25	2	14	2
44	60 and over	19			2				1		2	
45	Unknown	1										
46	Suicide by drowning	47		1	4		2	1	5	2	5	
47	Under 20	3					1		1			
48	20 to 59	35		1	3		1	1	4	2	3	
49	60 and over	9			1						2	
50	Unknown											
51	Suicide by poison	225	12	5	4	8	4	7	12	5	14	7
52	Under 20	21				2		2	1		2	2
53	20 to 59	180	9	5	3	6	4	5	11	3	10	4
54	60 and over	24	3		1					2	2	1
55	Unknown											
56	Other suicides	342	16	1	15	4	24	11	30	4	28	5
57	Under 20	10			2			1	2			
58	20 to 59	241	11	1	9	4	15	9	21	4	17	3
59	60 and over	89	4		4		9	1	7		11	2
60	Unknown	2	1									
61	Sunstroke	56						1			4	
62	Under 5	7										
63	5 to 59	39									3	
64	60 and over	10						1			1	
65	Unknown											

971

GRAND GROUP 7—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
388	96	486	107	450	114	397	105	343	91	339	84	302	80	6	 1
35	15	29	25	29	18	25	20	27	21	25	21	18	20		2
310	61	402	59	361	77	319	69	261	50	259	51	254	47		3
41	20	49	20	49	19	50	14	52	20	50	12	29	12	1	4
2	3	6	3	11		3	2	3		5		1	1	5	5
18	17	11	19	21	18	13	22	17	20	19	15	14	26		
7	3	4	8	8	5	4	7	11	12	8	7	7	14		7
11	12	5	10	13	13	8	14	6	6	9	7	6	11		8
.....	2	2	1			1	1		2	1	1	1			9
.....															10
95	11	111	8	90	15	38	7	31	1	20	3	20	2	1	11
6	4	2	3	3	3	2		1		1	1		1		12
80	7	101	2	74	11	33	6	26	1	15	2	16	1		13
7		5		6	1	3		4		1		3			14
2		3	3	7			1			3		1		1	15
5		1		1	2	3	1	1		1	1	2	1		16
4				1	1	1	1	1		1					17
1		1			1	1	1				1	1	1		18
.....						1						1			19
.....															20
7	2	18	2	10		14	2	15	3	18		5			21
.....	2														22
6		18	2	8		14	2	1	1	17		4			23
1				1				13	2	1		1			24
.....				1				1							25
8	2	11	2	13	3	12	4	8	1	9	5	9	2	1	26
.....															27
6	1	1	2	2		2	1	2		1	2				28
2	1	10	2	10	2	9	3	6	1	8	3	8	1		29
.....				1	1							1	1		30
.....						1								1	31
2	1	3		4		5		4		4	1	4			32
.....															33
2	1	2		1		2					1				34
.....		1		3		3		4		4		4			35
.....															36
71	6	82	11	70	11	78	5	75	3	65	8	70	6	1	37
.....															38
2	2	2	1	57	10	70	5	62	2	55	6	64	4		39
61	3	73	7	11	1	8		11	1	9	2	6	2		40
8	1	5	3	2				2		1				1	41
.....		2													42
14	1	18	1	13		17		7	3	19	2	7	1		43
.....															44
.....															45
12	1	15	1	11		14		5	2	17	2	7	1		46
2		3		2		2		2	1	2					47
.....				1											48
2	2	3		6	1	1		3	2	2	2	2	1		49
.....															50
.....															51
2	2	2		5							1				52
.....		1		1	1	1		2	2	2	1	1	1		53
.....								1				1			54
15	7	8	9	18	10	12	9	12	12	10	9	12	4		55
.....															56
13	6	7	2	1	3		3		1		2				57
2	1	1	1	15	7	10	6	8	11	8	7	12	4		58
.....				2		2		4		2					59
.....															60
25	7	26	7	29	5	20	10	22	4	22	3	21	3		61
.....															62
1	1		1	1				1							63
18	6	20	4	22	3	16	7	12	3	12	3	18	3		64
6		5	2	6	2	4	3	9	1	10					65
.....		1													66
10	3	12	1	9	5	8	3								67
.....															68
1	1	2		1		1	1								69
8	1	8	1	8	2	6	2	6	2						70
1	2	2			2	1									71

973

GRAND GROUP 8.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
4,322	3,867	4,739	4,115	4,543	4,078	4,348	3,864	4,124	3,732	4,018	3,626	4,579	4,246	90	79	1
1,414	1,175	1,752	1,434	1,623	1,409	1,378	1,196	1,096	895	1,012	832	1,179	978	12	13	2
1,830	1,619	1,901	1,626	1,753	1,598	1,834	1,590	1,863	1,720	1,748	1,655	1,976	1,894	38	31	3
1,051	1,048	1,064	1,030	1,146	1,052	1,108	1,059	1,140	1,100	1,241	1,117	1,395	1,353	24	20	4
27	25	22	25	21	19	28	19	25	17	17	22	29	21	16	15	5
125	106	105	104	139	109	119	105	113	123	105	90	148	113	18	14	6
74	55	68	60	81	68	74	58	61	66	51	38	80	60	3	1	7
29	31	14	29	34	25	27	32	25	33	25	28	30	32	8	7	8
20	17	22	13	21	14	16	12	23	23	25	21	36	18	2	3	9
2	3	1	2	3	2	2	3	4	1	4	3	2	3	5	3	10
864	765	1,157	1,151	1,160	1,103	931	911	703	660	597	607	573	549	16	12	11
537	414	790	690	706	621	493	470	292	253	231	234	215	209	2	5	12
250	258	260	314	335	320	336	335	340	336	313	298	294	268	5	4	13
75	92	101	141	113	161	95	103	71	69	52	71	58	71	7	1	14
2	1	6	6	6	1	7	3		2	1	4	6	1	2	2	15
27	26	24	18	13	14	7	4	8	5	16	9	14	14		1	16
24	12	24	14	13	10	7	4	6	4	10	8	10	12		1	17
3	13		4		3			1	1	5	1	4	2			18
.....	1				1					1						19
20	16	8	18	22	17	14	17	19	20	31	23	28	28		1	21
10	10	5	9	13	12	10	11	9	13	17	13	19	14		1	22
9	6	3	9	9	5	4	6	10	7	14	10	9	14			23
1																24
56	68	56	54	68	55	100	91	104	110	138	158	137	147			25
37	35	33	31	44	29	58	44	54	46	81	76	77	74			26
19	33	23	23	22	25	42	47	50	64	57	82	60	73			27
.....				2	1											28
29	34	32	38	40	46	32	35	25	29	24	15	17	23	1	1	29
28	29	28	35	39	45	31	31	24	29	23	13	16	21			30
1	5	3	3	1	1	1	4	1		1	2	1	2			31
.....		1														32
23	18	22	29	21	42	41	41	36	46	18	30	13	12	1	1	33
9	4	10	6	6	12	10	9	10	12	1	10	3	1			34
8	10	10	17	13	23	25	23	19	27	14	15	8	8			35
5	4	2	5	2	7	6	8	7	7	3	5	2	3			36
1			1				1									37
26	29	9	23	12	6	16	15	17	13	24	32	37	49			38
3	4	2	1	1	1	4	2	1	5	4	4	5	9			39
14	8	2	9	1	3	4	5	5	4	9	5	13	17			40
9	17	5	12	9	2	8	8	11	4	11	22	18	23			41
.....			1								1	1				42
123	99	153	151	223	190	220	194	225	202	177	149	160	115	5	4	43
8	6	21	10	14	16	14	17	12	12	10	15	10	6		1	44
111	88	123	133	201	157	195	167	202	178	159	123	140	102		2	45
4	5	9	8	8	17	8	10	11	11	8	9	9	6			46
.....				3					1		2	1	1			47
471	381	788	746	702	656	439	439	223	176	105	138	103	85	2	1	48
394	291	655	566	558	477	339	330	165	115	71	77	62	55			49
43	40	58	81	63	65	35	41	31	21	19	32	25	13			50
34	49	70	95	76	113	61	66	27	39	15	28	15	17			51
.....	1	5	4	5	1	4	2		1		1	1				52
15	16	12	11	11	13	15	15	9	12	10	10	10	14	2		53
3	6	5	9	7	8	8	6	4	7	6	7	3	9			54
12	10	7	2	4	5	7	9	5	5	4	3	7	4			55
.....													1			56
.....																57
.....																58
.....																59
.....																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 8—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	1,882	99	45	85	50	94	60	92	63	115	83
2	Under 5.....	1,201	46	29	40	41	48	42	42	45	61	58
3	5 to 59.....	530	43	13	32	7	38	13	39	12	45	16
4	60 and over.....	140	10	2	11	2	6	5	11	6	8	7
5	Unknown.....	11		1	2		2				1	2
6	Inanition.....	1,221	50	31	42	41	50	45	40	49	56	62
7	Under 5.....	1,110	44	28	38	39	44	39	38	44	53	53
8	5 to 59.....	49	3		2	1	3	3	1	2	2	2
9	60 and over.....	54	3	2	1	1	1	3	1	3	1	5
10	Unknown.....	8		1	1		2					2
11	General diseases—C.....	9,304	386	405	358	342	441	423	459	447	461	433
12	Under 5.....	4,544	188	161	184	118	204	141	223	157	256	164
13	5 to 59.....	255	11	17	14	11	8	12	6	9	11	17
14	60 and over.....	4,461	183	226	159	211	227	268	228	279	192	249
15	Unknown.....	44	4	1	1	2	2	2	2	2	2	3
16	Debility and atrophy.....	2,923	119	102	110	81	107	90	122	97	135	118
17	Under 5.....	2,253	86	65	78	53	79	62	91	59	105	80
18	5 to 59.....	252	11	17	14	11	8	12	6	9	11	17
19	60 and over.....	410	21	20	18	17	20	16	25	29	19	20
20	Unknown.....	8	1									1
21	Old age—all ages.....	4,086	165	206	142	196	209	254	205	252	175	231
22	60 and over.....	4,050	162	205	141	194	207	252	203	250	173	229
23	Unknown.....	36	3	1	1	2	2	2	2	2	2	2
24	General diseases—D.....	18,637	785	825	772	815	887	926	896	951	941	1,085
25	Under 5.....	1,025	50	29	45	33	60	42	44	48	77	61
26	5 to 59.....	13,061	531	609	551	576	612	628	636	662	624	768
27	60 and over.....	4,453	199	180	172	201	209	251	212	236	237	250
28	Unknown.....	98	5	7	4	5	6	5	4	5	3	6
29	Consumption.....	11,358	501	510	509	473	556	538	611	553	591	624
30	Under 5.....	426	20	14	15	12	27	19	16	25	25	32
31	5 to 59.....	9,488	410	428	434	390	456	435	513	454	485	520
32	60 and over.....	1,382	70	62	58	68	68	83	79	70	78	68
33	Unknown.....	62	1	6	2	3	5	1	3	4	3	4
34	2. Diseases of the nervous system.....	14,863	708	631	650	604	839	685	865	748	776	676
35	Under 5.....	4,359	202	153	195	169	233	176	314	207	232	208
36	5 to 59.....	4,487	229	199	176	170	263	200	228	212	256	189
37	60 and over.....	5,958	272	279	276	264	340	305	323	324	284	272
38	Unknown.....	59	5		3	1	3	4		5	4	7
39	3. Diseases of the circulatory system.....	9,327	474	408	468	353	516	427	530	478	467	452
40	Under 5.....	707	38	30	40	32	60	28	42	31	47	26
41	5 to 59.....	3,797	192	155	176	147	192	152	218	206	182	204
42	60 and over.....	4,766	243	222	252	173	263	245	267	239	233	222
43	Unknown.....	57	1	1		1	1	2	3	2	5	
44	4. Diseases of the respiratory system.....	16,769	1,078	877	1,027	954	1,397	1,219	1,430	1,392	972	871
45	Under 5.....	6,463	442	330	472	387	553	419	544	461	394	289
46	5 to 59.....	5,823	392	274	371	309	492	401	530	432	360	312
47	60 and over.....	4,417	239	271	177	256	344	393	350	494	215	269
48	Unknown.....	66	5	2	7	2	8	6	6	5	3	1
49	5. Diseases of the digestive system.....	6,378	273	257	272	221	274	260	297	282	324	320
50	Under 5.....	1,492	70	37	62	50	59	37	65	52	71	60
51	5 to 59.....	3,139	143	147	133	113	133	138	143	142	168	168
52	60 and over.....	1,722	60	72	76	58	80	83	88	88	85	92
53	Unknown.....	25		1	1		2	2	1			
54	6. Diseases of the urinary system.....	5,574	283	219	264	200	311	209	357	252	308	200
55	Under 5.....	178	11	8	11	4	6	10	11	9	9	7
56	5 to 59.....	2,674	125	116	111	109	126	102	157	118	128	109
57	60 and over.....	2,681	146	92	140	86	177	96	184	125	169	84
58	Unknown.....	41	1	3	2	1	2	1	5		2	
59	7. Affections connected with pregnancy...	818		74		69		85		91		99

CAUSE, AGE, AND MONTH.

975

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
83	63	106	66	112	78	103	75	86	58	87	44	80	54		1 1
60	49	84	50	77	58	64	55	40	41	54	30	46	41		2
16	11	21	15	25	17	32	14	37	12	26	8	26	11		3
6	3	1	1	10	3	6	6	9	5	7	5	8	2		4
1						1				1					5
54	53	79	51	70	58	60	63	43	44	62	34	45	39		6
49	47	78	48	67	54	57	53	39	38	52	27	44	37		7
1	4	1	2		3		5	1	2	6	3		2		8
3	2		1	3	1	3	5	3	4	4	3	1			9
1											1				10
339	346	403	369	409	435	424	382	352	350	308	332	346	348	2	4 11
206	162	254	197	250	236	265	215	201	149	167	140	176	130		12
9	16	14	9	8	18	16	8	1	11	5	9	6	8		13
122	165	134	161	151	178	143	156	149	188	136	182	163	208	1	2 14
2	3	1	2		3		3	1	2		1	1	2	1	1 15
121	115	174	153	177	184	195	160	119	117	87	90	79	70		1 16
100	82	154	128	158	148	167	137	106	85	70	58	57	45		17
9	15	14	9	7	18	16	7	1	11	5	9	6	8		18
10	18	6	15	12	17	12	16	12	20	12	22	16	17		19
2			1		1				1		1				20
112	150	129	147	139	163	131	143	138	169	124	160	148	193	2	3 21
112	147	128	146	139	161	131	140	137	168	124	160	147	191	1	2 22
.....	3	1	1		2		3	1	1			1	2	1	1 23
650	739	671	758	591	748	629	722	605	756	624	729	692	813	9	18 24
45	38	46	36	44	47	45	29	36	32	37	29	37	23		2 25
455	522	495	536	414	513	425	498	422	564	421	521	469	595	5	9 26
149	174	129	183	131	181	158	184	143	156	166	175	179	193	2	3 27
1	5	1	3	2	7	1	1	4	4		4	7	2	2	4 28
430	411	457	418	377	404	393	421	405	446	383	427	446	457	6	11 29
13	11	23	14	19	18	18	16	15	14	13	16	18	12		1 30
374	355	387	357	309	342	318	357	337	393	316	356	362	386	5	9 31
43	42	46	44	48	38	56	48	51	38	54	52	59	58		1 32
.....	3	1	3	1	6	1		2	1		3	7	1	1	 33
647	567	622	493	558	523	556	489	552	468	567	436	650	540	8	5 34
203	193	228	177	197	171	183	148	144	112	129	86	179	113	3	2 35
231	164	196	131	155	157	167	136	192	139	184	139	210	162	1	1 36
207	209	193	184	203	195	205	204	213	214	254	209	261	262	4	2 37
4	1	5	1	3		1	1	3	3		2		3		 38
358	333	340	293	342	269	339	308	365	301	368	326	426	377	3	6 39
26	22	35	21	35	17	18	19	26	20	21	18	30	25		 40
160	156	133	142	132	110	138	133	154	131	121	152	149	160	1	1 41
168	151	171	128	172	139	182	152	181	148	223	154	244	189	1	4 42
4	4	1	2	3	3	1	4	4	2	3	2	3	3	1	1 43
325	247	287	225	265	207	335	255	465	412	525	468	781	740	6	9 44
129	110	112	94	112	82	123	95	185	135	227	164	318	283	2	1 45
119	69	120	69	82	83	130	93	172	135	175	168	287	242	2	4 46
76	68	54	62	69	42	78	67	107	141	121	136	174	212		2 47
1		1		2		4		1	1	2		2	3	2	2 48
248	295	314	246	267	260	287	258	242	215	236	236	233	248	9	4 49
79	82	96	73	71	75	83	66	60	39	52	57	48	46	1	1 50
123	131	136	107	116	120	145	120	118	120	121	110	118	124	1	1 51
45	78	81	63	80	64	57	71	63	56	63	68	67	76	6	2 52
1	4	1	3		1	2	1	1			1		2	1	 53
239	172	263	185	258	129	247	155	247	179	243	155	286	208	3	2 54
8	3	5	7	10	6	6	7	3	9	4	3	13	8		 55
106	107	120	110	106	80	119	90	123	100	106	79	107	118	2	 56
122	60	137	65	142	43	120	57	119	69	132	69	164	81	1	1 57
3	2	1	3			2	1	2	1	1	4	2	1		1 58
.....	56		64		61		46		48		56		68		1 59

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 8—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
419	131	451	123	421	118	356	116	366	112	343	106	341	144	16	3
38	43	29	25	33	23	19	20	40	33	33	28	29	36	1	1
317	66	381	72	335	66	283	55	265	58	246	56	269	71	13	2
58	21	37	24	51	27	47	40	56	20	58	22	38	36	2	4
6	1	4	2	2	2	7	1	5	1	6	1	5	1	2	5
17	32	16	26	11	17	20	22	25	32	23	41	29	64	3	2
10	14	3	7	6	5	6	8	17	16	18	14	17	25	1	1
6	17	13	16	4	10	13	9	7	13	9	21	11	29	2	1
1	1	2	2	1	2	1	5	1	3	1	6	1	10	1	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10
85	7	103	5	79	6	31	5	20	3	24	1	15	1	4	11
3	2	4	1	5	2	1	1	3	1	1	1	1	1	1	12
73	5	96	5	68	3	28	4	13	2	14	1	14	1	3	13
8	1	2	1	6	1	2	1	4	1	9	1	1	1	1	14
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15
1	1	1	2	3	1	4	1	5	2	2	1	2	4	1	16
1	1	1	2	2	1	2	1	1	2	2	1	1	4	1	17
1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	18
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
16	1	11	2	11	5	17	3	11	1	27	3	18	2	1	20
13	1	10	2	9	5	16	2	11	1	23	3	18	1	1	21
3	1	1	1	1	1	1	1	1	1	3	1	1	1	1	22
6	2	13	3	10	1	3	1	10	1	4	2	9	1	1	23
2	1	1	1	1	1	1	1	1	1	1	1	4	1	1	24
4	1	12	2	6	1	1	1	9	1	3	2	5	1	1	25
1	1	1	1	3	1	2	1	1	1	1	1	1	1	1	26
2	1	6	1	3	1	4	1	7	1	5	1	8	1	1	27
2	1	1	1	1	1	1	1	2	1	1	1	2	1	1	28
2	1	5	1	3	1	3	1	5	1	5	1	6	1	1	29
66	2	93	10	77	8	79	11	89	6	71	10	86	13	4	30
53	1	4	1	4	1	1	1	2	1	1	1	1	1	1	31
10	1	81	9	69	4	66	6	77	4	62	8	73	9	3	32
3	1	7	1	4	3	8	5	8	2	7	1	9	4	1	33
9	1	9	1	10	1	4	1	2	1	2	1	4	1	1	34
1	1	1	1	1	1	3	1	9	1	8	1	9	1	1	35
5	1	7	1	9	1	3	1	1	1	6	1	1	1	1	36
3	1	1	1	1	1	1	1	2	1	2	1	3	1	1	37
2	1	1	2	2	1	2	1	1	1	1	1	1	1	1	38
1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	39
1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	40
4	5	4	2	3	6	2	3	4	3	5	1	4	3	1	41
4	1	4	2	3	6	2	3	4	1	3	1	4	2	1	42
24	7	27	5	35	7	21	2	16	4	15	1	14	3	1	43
2	2	1	1	2	1	1	1	1	1	1	1	1	1	1	44
16	3	18	2	24	7	16	2	10	2	12	1	12	3	1	45
6	1	9	2	11	1	5	1	6	2	3	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47
30	22	19	10	8	6	4	3	1	1	1	1	1	1	1	48
7	8	3	4	1	1	1	1	1	1	1	1	1	1	1	49
19	8	12	4	4	3	3	1	1	1	1	1	1	1	1	50
4	6	4	2	2	2	1	3	1	1	1	1	1	1	1	51
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	55
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	56
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	58
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	59
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	60
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	61
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	62
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	63
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	64
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	65

CAUSE, AGE, AND MONTH.

979

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 9.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,709	1,679	1,889	1,820	2,011	1,965	1,885	1,931	1,889	1,794	1,671	1,605	1,883	1,799	75	88	1
768	690	834	728	890	791	828	789	712	654	639	531	730	620	19	17	2
630	721	709	785	812	877	768	858	849	851	701	784	792	817	25	29	3
292	253	325	288	294	277	278	265	314	272	318	281	350	345	7	15	4
19	15	21	19	15	20	11	19	14	17	13	9	11	17	24	27	5
126	123	154	137	128	128	138	149	114	133	128	118	159	157	18	20	6
101	88	118	91	104	92	105	99	75	91	92	71	128	112	6	6	7
16	23	19	29	13	27	19	34	19	24	18	31	19	29	3	5	8
9	12	15	13	8	8	13	13	18	13	17	14	10	14		2	9
.....		2	4	3	1	1	3	2	5	1	2	2	2	9	7	10
534	514	620	624	701	697	621	649	573	513	395	391	324	337	15	17	11
345	308	357	348	375	335	290	305	226	208	156	148	123	126	4	3	12
137	156	210	214	273	297	282	280	305	261	198	207	165	157	8	5	13
49	46	47	59	50	55	47	60	41	40	39	36	36	53		1	14
3	4	6	3	3	10	2	4	1	4	2			1	3	8	15
32	35	26	23	28	29	22	22	13	13	15	26	16	18	1	2	16
29	25	18	17	19	23	18	17	12	9	11	14	12	11		1	17
3	10	8	6	9	6	3	4	1	4	3	12	3	6	1		18
.....						1	1			1		1	1			19
.....																20
3	4	5	4	4	7	6	4	9	8	5	6	8	9	1		21
1	2	3	2	4	3	5	3	7	3	4	2	6	6	1		22
2	2	2	1		3	1	1	2	5	1	4	2	2			23
.....			1		1								1			24
.....																25
12	10	7	8	13	15	39	37	30	43	32	45	19	37			26
8	6	5	6	10	7	27	22	18	27	20	35	14	20			27
3	2	2	2	3	8	11	15	11	15	12	10	5	17			28
1	2					1		1	1							29
.....																30
22	29	22	20	22	21	26	37	22	26	26	23	19	27	3	1	31
22	27	21	19	22	20	24	36	22	25	26	23	17	26	2		32
.....	2	1	1		1	2	1		1			2	1			33
.....																34
.....														1	1	35
25	28	35	42	53	52	39	54	43	49	23	24	20	12		3	36
9	13	15	16	16	9	17	16	13	14	7	1	6	6			37
12	11	19	22	37	35	19	29	30	30	16	21	13	6		2	38
3	4	1	4	5	7	3	9		5		2	1	6			39
1					1										1	40
15	19	13	14	8	13	10	16	14	17	21	26	34	45	1	5	41
5	4	5	4	2	1	6	1	4	2	4	4	7	9		1	42
1	6		4		6		6	3	6	3	7	9	10	1	2	43
9	8	7	6	6	5	4	9	7	9	13	15	18	26		1	44
.....	1	1			1					1					1	45
64	58	149	139	205	190	203	212	239	182	151	137	111	111	6	4	46
9	11	29	19	31	23	25	28	21	22	19	13	15	11			47
52	43	114	106	166	155	168	168	210	153	122	115	94	90	4	1	48
3	2	6	13	7	8	10	13	8	5	10	9	2	9			49
.....	2		1	1	4		3		2				1	2	3	50
326	299	328	327	317	316	222	224	155	130	84	57	57	44	3	2	51
251	208	242	243	248	228	148	163	105	84	51	38	34	25	1	1	52
45	64	51	51	42	56	50	38	30	27	21	11	17	8	2		53
28	27	30	32	25	30	23	23	20	18	12	8	6	11			54
2		5	1	2	2	1			1						1	55
1	7	7	6	2	7	8	7	9	7	7	6	2	4			56
1	4	6	5	2	5	4	6	5	7	2	5	2	3			57
.....	2	1	1		2	4	1	3		5	1		1			58
.....	1							1								59
.....																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 9—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	497	28	14	18	16	17	13	23	6	34	28
2	Under 5.....	302	13	9	11	8	11	13	10	3	17	16
3	5 to 59.....	163	12	4	5	6	5		10	3	15	9
4	60 and over.....	29	3	1	1	2	1		3		2	3
5	Unknown.....	3			1							
6	Inanition.....	238	10	6	9	8	9	12	5	2	13	12
7	Under 5.....	222	10	6	8	5	9	12	5	2	12	11
8	5 to 59.....	4				2						
9	60 and over.....	12			1	1					1	1
10	Unknown.....											
11	General diseases—C.....	1,650	68	65	67	61	89	82	98	93	92	108
12	Under 5.....	814	38	22	32	35	48	33	51	33	40	45
13	5 to 59.....	47		4	2	3	1		1		2	6
14	60 and over.....	769	29	37	33	23	40	48	45	59	48	56
15	Unknown.....	20	1	2					1	1	2	1
16	Debility and atrophy.....	232	6	11	8	8	6	9	7	2	15	11
17	Under 5.....	124	4	3	4	5	3	5	2	1	5	1
18	5 to 59.....	46		4	2	3	1				2	5
19	60 and over.....	49	1	3	2		2	3	3	1	6	5
20	Unknown.....	13	1	1					1		2	
21	Old age—all ages.....	727	28	35	31	23	38	45	42	59	42	52
22	60 and over.....	720	28	34	31	23	38	45	42	58	42	51
23	Unknown.....	7		1						1		1
24	General diseases—D.....	9,156	318	455	349	439	376	592	397	603	434	638
25	Under 5.....	697	26	26	26	29	31	36	27	31	40	19
26	5 to 59.....	6,614	217	347	252	328	257	447	265	446	296	530
27	60 and over.....	1,742	71	76	70	77	84	101	101	121	96	84
28	Unknown.....	103	4	6	1	5	4	8	4	5	2	5
29	Consumption.....	6,157	203	332	223	305	260	435	279	432	296	483
30	Under 5.....	314	11	11	11	17	16	22	15	16	24	7
31	5 to 59.....	5,116	165	280	191	255	209	363	218	362	231	430
32	60 and over.....	664	25	35	21	30	33	46	45	50	41	45
33	Unknown.....	63	2	6		3	2	4	1	4		1
34	2. Diseases of the nervous system.....	4,286	207	156	214	167	228	190	236	196	241	226
35	Under 5.....	1,681	89	48	64	57	84	63	73	47	94	73
36	5 to 59.....	1,331	47	56	59	51	79	51	89	71	72	75
37	60 and over.....	1,242	69	52	88	58	64	74	74	78	73	78
38	Unknown.....	32	2		3	1	1	2	2		2	
39	3. Diseases of the circulatory system.....	2,310	97	92	109	98	134	122	126	129	144	138
40	Under 5.....	181	7	7	12	8	9	3	11	13	16	7
41	5 to 59.....	1,031	35	42	38	40	63	68	50	60	56	69
42	60 and over.....	1,069	54	42	58	50	59	51	64	55	70	62
43	Unknown.....	29	1	1	1		3		1	1	2	
44	4. Diseases of the respiratory system.....	7,729	428	409	520	414	624	504	559	519	392	343
45	Under 5.....	4,112	224	222	285	224	289	237	213	193	184	156
46	5 to 59.....	2,404	143	124	168	125	226	173	214	207	126	109
47	60 and over.....	1,165	58	62	65	64	107	90	126	117	78	75
48	Unknown.....	48	3	1	2	1	2	4	6	2	4	3
49	5. Diseases of the digestive system.....	2,802	83	108	105	87	108	90	114	84	150	148
50	Under 5.....	1,079	34	32	36	23	34	29	33	15	59	43
51	5 to 59.....	1,148	26	53	43	44	46	47	55	48	58	78
52	60 and over.....	560	23	22	25	19	28	13	26	21	33	27
53	Unknown.....	15		1	1	1		1				
54	6. Diseases of the urinary system.....	1,074	60	35	77	30	78	33	69	38	71	42
55	Under 5.....	73	4	4	6	3	4	1	4	2	3	3
56	5 to 59.....	460	24	24	34	15	23	16	19	21	19	23
57	60 and over.....	532	32	6	36	11	51	15	46	13	49	16
58	Unknown.....	9		1	1	1		1		2		
59	7. Affections connected with pregnancy...	513		40		38		64		64		54

981

GRAND GROUP 9—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
25	23	36	17	27	17	27	21	14	13	16	19	26	16	1	2 1
14	17	23	16	18	16	12	16	5	11	8	12	13	8	1	1 2
10	5	13	1	9	1	13	5	8	2	5	4	13	5	1	1 3
1	1				1	2		1		2	2		3		4
										1	1				5
10	14	15	14	12	12	11	13	3	8	8	12	9	9	1	1 6
10	13	15	14	12	11	9	13	3	8	7	9	9	7	1	1 7
	1				1	1				1	2		2		8
															9
															10
61	57	62	60	78	69	59	55	58	44	62	47	60	52		3 11
30	33	32	27	48	31	35	26	35	27	32	27	34	18		2 12
2	3	5	2	1	1	1	3	1	2	2		2	2		13
28	20	23	31	29	33	22	26	22	15	28	19	24	31		14
1	1	2			4	1					1		1		1 15
13	12	17	10	16	10	18	16	3	11	5	6	4	8		16
6	6	9	5	15	5	12	10	2	7	3	5	2	4		17
2	3	5	2	1	1	1	3	1	2	2	2	2	2		18
4	2	1	3		2	4	3		2		1		2		19
1	1	2			2	1							1		20
24	18	22	28	29	33	18	23	22	13	28	19	24	30		1 21
24	18	22	28	29	31	18	23	22	13	28	18	24	30		22
					2						1				1 23
274	363	257	394	269	381	246	393	253	401	265	346	277	402	13	21 24
29	25	36	18	31	38	29	32	30	22	34	32	29	20	1	25
186	280	164	308	180	275	167	293	153	294	176	239	186	308	8	12 26
53	54	54	63	57	64	48	58	65	81	53	73	60	70	2	6 27
6	4	3	5	1	4	2	10	5	4	2	2	2	4	2	3 28
176	250	160	256	149	247	136	259	153	257	157	239	180	265	10	15 29
11	13	14	8	7	15	12	15	8	7	13	19	14	7	1	30
138	215	129	225	125	209	114	219	108	225	127	188	142	231	7	10 31
22	20	16	21	17	19	9	18	34	21	16	31	22	25	2	2 32
5	2	1	2		4	1	7	3	4	1	1	2	2	2	3 33
166	146	171	156	203	147	155	173	151	130	169	121	183	143	5	6 34
80	68	76	76	100	72	77	88	66	57	65	45	70	48		1 35
54	41	52	44	60	38	53	50	50	40	58	41	55	44		1 36
30	35	42	34	41	36	24	35	34	32	44	35	58	50	2	4 37
2	2	1	2	2	1	1		1	1	2			1	3	38
70	83	81	70	83	87	64	56	88	79	75	68	110	103	3	1 39
4	5	3	4	5	6	9	5	10	9	5	5	8	10		40
28	39	36	35	39	49	21	22	41	36	34	32	52	45	1	41
36	37	40	30	38	32	34	29	36	33	35	30	47	45	2	42
2	2	2	1	1				1	1	1	1	3	3		1 43
129	143	153	114	157	171	218	196	279	235	245	259	362	337	8	11 44
82	92	103	65	102	110	147	133	174	155	157	131	226	200	5	3 45
29	39	32	31	37	49	53	44	78	55	60	87	98	94		3 46
18	12	18	16	15	12	17	19	27	25	28	39	35	41		1 47
			2	3		1					2	3	2	3	4 48
125	109	127	124	156	136	151	118	134	119	103	95	121	100	4	3 49
52	38	53	63	75	65	80	59	56	52	40	33	40	32	2	1 50
49	51	39	39	58	51	41	45	54	42	36	47	50	45	2	1 51
23	18	35	22	23	20	30	13	23	23	26	15	31	21		2 52
1	2						1	1	2	1			2		1 53
58	22	76	25	39	25	53	14	58	27	50	14	59	20	1	54
3	1	3	2	4	2	3	2	4	2	4	1	6	2		55
20	15	29	12	15	18	25	10	18	20	14	9	23	14		56
35	6	43	11	20	5	25	2	36	5	31	4	30	4		57
		1								1				1	58
	40		35		33		38		32		43		31		1 59

983

GRAND GROUP 9—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
118	30	135	33	148	35	130	44	148	35	148	51	180	73	7	1	1
12	5	19	8	14	8	26	12	17	9	35	19	41	35			2
95	18	105	17	122	19	89	25	117	21	97	24	122	27	3	1	3
7	7	7	7	10	8	12	7	11	5	14	8	16	11	1		4
4		4	1	2		3		3		2		1		3		5
5	4	7	12	4	4	12	16	11	11	21	22	19	45	2		6
3		6	4	2	2	9	7	8	5	18	10	12	25			7
2	4		8	1	2	3	8	2	4	1	11	6	17			8
		1		1			1	1	2	2	1	1	3	2		9
																10
10	2	14	1	13		2		2	2	4	1	3	3			11
																12
10	2	2	1	1		2		1	1	2	1	1	2			13
		12		12				1	1	2		2	1			14
																15
	1			3	1	4	1		2	2	2	6	5			16
																17
				2	1	2	1		1	1	2	2	4			18
	1			1		2			1			2	1			19
												2				20
21	1	20	1	29	4	16	3	26	4	25	6	42	1	2		21
				1												22
21	1	19	1	28	4	13	3	25	4	20	6	1		2		23
						1				3		38	1			24
		1		2		2		1				2				25
7	2	11		16		13	2	7	2	13		5	1			26
2	1	1		1		2				4						27
5	1	10		12		9	2	6	2	8		5	1			28
				2		2		1		1						29
				1												30
1		5	1	1		3	1			4		1				31
																32
1		5	1	1		3	1			2		1				33
																34
																35
16		24	1	21	5	11	5	25		16	1	29	1			36
																37
15		1		1		1				15						38
		18	1	17	3	10	4	25		1	1	26	1			39
		3		3	2		1					3				40
1		2														41
1		1			1		1	1						1		42
																43
1		1			1		1	1								44
														1		45
																46
																47
																48
																49
																50
																51
																52
																53
																54
																55
3	3	4	2	1	2	2		2		2		4		1		56
																57
3	2	4	2	1	2	1		1		1		1		1		58
	1							1		1						59
																60
2	2	1		2	2	2		2		1						61
																62
2	2	1		1	1	2				1						63
																64
								2								65

985

GRAND GROUP 10.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,398	1,234	1,747	1,405	1,722	1,574	1,582	1,427	1,859	1,561	1,638	1,440	1,799	1,516	27	23	1
389	347	600	471	576	496	478	447	483	391	386	318	404	343	3	4	2
648	569	696	618	700	713	691	624	831	754	757	721	801	734	9	7	3
352	312	434	312	430	353	400	346	532	401	477	386	574	431	9	3	4
9	6	17	4	16	12	13	10	13	15	18	15	20	8	6	9	5
39	35	53	36	42	55	44	48	45	32	35	42	54	50	8	5	6
21	22	31	19	26	30	23	24	22	16	15	15	32	20	2	3	7
12	6	11	8	10	11	12	11	16	12	9	18	12	15	4		8
4	6	11	9	6	13	8	11	7	4	7	8	9	13	1		9
2	1				1	1	2			4	1	1	2	2		10
260	217	422	360	448	460	379	386	389	367	250	274	227	193	3	3	11
129	113	256	215	256	228	174	178	150	133	80	87	70	66			12
109	76	110	92	137	185	161	163	187	196	140	148	127	100	1	2	13
21	28	54	62	53	45	41	43	51	36	28	36	28	27	1	1	14
1		2	1	2	2	3	2	1	2	2	3	2		1		15
9	18	3	7	1	6	2	10	3	2	4	2	10	3			16
9	14	3	5	1	4	2	8	3	1	2		9	1			17
	4		2		2		2		1	1	2	1	2			18
										1						19
																20
	1	4	2	2	3	1	6	4	8	2	6	9	7			21
																
	1	4		2	3	1	3	1	5	1	2	6	4			22
			2				3	3	3	1	4	3	3			23
																24
																25
3	2	7	4	11	21	20	24	27	45	27	47	32	21		1	26
1	1	3	4	5	9	12	11	16	28	12	24	15	12			27
2	1	4		6	12	7	13	11	17	15	23	17	9		1	28
						1										29
																30
11	9	11	13	9	10	9	11	14	15	7	9	5	16			31
11	7	11	12	9	9	8	11	13	15	7	9	4	15			32
	2		1		1	1		1				1	1			33
																34
																35
10	9	13	10	25	15	22	23	19	19	14	15	10	5			36
2	5	3	2	10	3	7	10	10	6	3	2	3				37
7	3	8	5	13	7	11	10	7	10	10	12	6	3			38
1	1	2	3	2	5	4	3	2	3	1	1	1	2			39
																40
3	8	6	4	6	4	8	2	7	5	7	9	12	13			41
1			1	1	1	2		2		1						42
.....	3	3		1	1	1	1	2	1	1	1	4	6			43
2	5	3	3	4	2	5	1	3	4	5	7	8	6			44
																45
56	38	55	41	95	113	121	118	138	160	105	99	78	63	2	1	46
2	2	2	1	12	7	5	5	8	11	13	7	5	2			47
51	35	48	34	77	101	107	101	119	141	89	79	71	54		1	48
3	1	5	5	6	5	7	10	11	6	2	11	1	7	1		49
		1				2	2		2	1	2			1		50
118	98	284	246	272	246	164	164	138	91	58	59	43	38	1	1	51
85	74	214	181	207	179	123	122	90	60	35	39	23	23			52
18	10	30	28	28	36	20	15	20	11	13	11	7	8	1		53
15	14	38	37	35	29	20	27	27	20	9	9	13	7		1	54
.....		2		2	2	1		1		1						55
28	14	17	15	9	17	8	4	7	6	2	5	3	2			56
14	7	10	7	5	10	4	3	3	4	1	3		2			57
14	7	7	7	4	7	4	1	3	2	1	2	3				58
			1					1								59
																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 10—Continued.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	891	53	27	37	31	44	33	41	31	46	24
2	Under 5	647	33	18	28	19	29	23	20	21	27	13
3	5 to 59	175	12	4	9	9	11	8	17	8	14	5
4	60 and over	47	6	2	1	1	2	1	2	2	5	2
5	Unknown	22	2	3	2	2	2	1	2	2	4	4
6	Inanition	670	38	22	29	24	31	25	23	20	28	19
7	Under 5	616	32	18	28	17	28	22	19	19	25	13
8	5 to 59	18	3	1	1	4	1	1	1	1	2	1
9	60 and over	16	2	1	1	1	1	1	1	1	1	1
10	Unknown	20	1	3	2	2	2	1	2	2	4	4
11	General diseases—C	2,925	140	139	122	149	147	153	130	148	146	119
12	Under 5	1,166	54	49	50	41	71	57	47	46	57	35
13	5 to 59	127	4	4	7	17	5	4	12	4	8	4
14	60 and over	1,588	77	85	64	85	70	88	69	95	81	74
15	Unknown	44	5	1	1	6	1	4	2	3	6	6
16	Debility and atrophy	702	29	25	23	51	33	33	25	23	31	24
17	Under 5	342	13	8	7	17	15	12	11	8	11	9
18	5 to 59	122	4	4	7	17	5	4	10	4	8	3
19	60 and over	221	7	13	8	16	12	14	4	11	12	10
20	Unknown	17	5	1	1	1	1	3	3	3	2	2
21	Old age—all ages	1,394	70	73	56	74	58	75	67	87	69	68
22	60 and over	1,367	70	72	56	69	58	74	65	84	69	64
23	Unknown	27	1	1	5	5	1	1	2	3	4	4
24	General diseases—D	8,213	328	356	337	410	412	437	400	443	389	449
25	Under 5	465	11	14	12	18	26	29	28	23	28	19
26	5 to 59	5,906	240	281	244	315	297	315	261	324	254	325
27	60 and over	1,775	77	56	75	77	86	89	107	95	103	100
28	Unknown	67	5	6	6	3	4	4	4	1	4	5
29	Consumption	5,383	234	243	242	279	280	285	254	295	248	275
30	Under 5	217	7	9	6	9	11	17	14	11	11	6
31	5 to 59	4,533	205	214	203	245	233	233	202	249	197	238
32	60 and over	591	22	16	29	25	33	33	35	34	36	28
33	Unknown	42	4	4	4	3	3	2	3	1	4	3
34	2. Diseases of the nervous system	5,477	266	223	267	227	322	244	280	252	279	261
35	Under 5	1,750	69	73	92	64	101	66	94	71	87	77
36	5 to 59	1,820	87	72	77	79	110	71	82	84	93	87
37	60 and over	1,865	106	76	95	84	108	105	101	95	98	96
38	Unknown	42	4	2	3	3	3	2	3	2	1	1
39	3. Diseases of the circulatory system	3,237	154	126	176	158	198	167	193	150	167	127
40	Under 5	160	7	6	6	6	4	15	8	7	11	6
41	5 to 59	1,267	50	51	60	57	65	69	62	69	68	55
42	60 and over	1,786	96	69	108	94	129	82	121	74	87	66
43	Unknown	24	1	1	2	1	1	1	2	1	1	1
44	4. Diseases of the respiratory system	5,597	386	319	365	362	453	437	446	413	266	224
45	Under 5	2,134	156	120	172	139	194	165	157	133	84	81
46	5 to 59	1,840	137	91	102	99	146	120	160	145	99	69
47	60 and over	1,590	91	108	89	122	111	149	125	133	79	73
48	Unknown	33	2	2	2	2	2	3	4	2	4	1
49	5. Diseases of the digestive system	2,473	97	113	98	89	124	107	102	114	126	107
50	Under 5	488	15	21	13	17	25	18	17	13	20	14
51	5 to 59	1,295	50	60	60	44	62	57	57	70	57	68
52	60 and over	669	32	32	23	28	37	31	27	31	48	23
53	Unknown	21	1	1	2	2	1	1	1	1	1	2
54	6. Diseases of the urinary system	1,918	117	72	92	57	112	64	134	86	127	89
55	Under 5	66	2	1	1	3	8	3	2	5	3	3
56	5 to 59	832	47	45	34	33	47	34	47	40	43	46
57	60 and over	1,002	68	26	55	21	57	26	84	41	80	40
58	Unknown	18	1	1	2	1	1	1	1	1	1	1
59	7. Affections connected with pregnancy	251	31	27	27	27	29	29	34	34	24	24

987

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
37	29	51	49	43	31	46	31	40	27	43	21	37	33		1
24	25	42	47	35	27	35	29	31	24	32	16	18	31		2
8	4	6	2	5	2	9	2	6	2	7	5	14	5		3
5		3		2	1	2		2	1	4		4			4
.....				1	1			1				1	2		5
23	25	45	45	37	27	33	28	30	23	30	16	19	30		6
22	24	42	44	35	25	33	28	29	22	29	16	18	28		7
1	1	2	1	1											8
.....		1		1	1			1	1	1		1			9
.....													2		10
90	91	136	90	108	94	102	104	116	126	125	100	131	115	4	
48	42	58	35	52	43	50	39	58	49	52	44	52	37		12
4	5	7	7	5	3	6	5	2	1	3	1	4	5		13
38	44	70	48	51	45	46	58	54	75	69	50	75	73	4	
.....		1			3		2	2	1	1	5				14
19	25	43	34	28	20	32	28	30	30	36	24	28	28		15
13	18	27	17	15	12	18	18	18	21	16	11	12	15		16
4	4	7	6	5	3	6	5	2	1	3	1	4	5		17
2	3	9	11	8	5	8	5	9	8	17	9	12	8		18
.....								1			3				19
36	41	62	37	43	43	38	55	46	68	53	43	63	65	4	
.....															20
36	41	61	37	43	40	38	53	45	67	52	41	63	65	4	
.....		1		3			2	1	1	1	2				21
263	302	276	332	249	337	258	283	291	325	280	339	345	365	2	5
21	12	19	16	19	26	24	19	16	15	15	11	20	24		22
183	225	190	253	163	247	170	200	206	236	194	262	242	275	1	3
56	65	60	61	62	63	62	61	68	70	70	66	79	66	1	26
3		7	2	5	1	2	3	1	4	1		4			27
158	194	187	216	154	207	176	179	202	197	193	210	233	238		28
8	9	11	10	12	9	12	7	8	6	6	4	6	8		29
135	167	146	193	124	174	133	159	172	165	158	182	194	210		30
15	18	26	12	17	24	29	12	22	24	28	24	29	20		31
.....		4	1	1		2	1		2	1		4			32
212	213	276	171	251	208	196	160	213	180	229	132	243	169	1	2
73	84	113	71	95	75	66	59	52	59	65	35	59	50		33
80	70	95	51	74	67	75	51	80	63	89	39	87	57		34
57	58	66	49	79	66	55	50	80	57	73	56	95	60		35
2	1	2		3				1	1	2	2	2	2	1	2
120	89	101	92	122	85	114	93	153	103	119	117	168	140	2	3
8	7	8	4	8	5	5	4	6	4	6	5	8	6		36
43	41	42	51	45	39	46	48	53	43	46	49	52	62	1	
69	41	50	37	68	41	62	41	93	52	65	62	105	71	1	
.....		1		1		1		1	4	2	1	3	1		40
96	71	89	57	72	74	112	101	216	177	219	171	241	228	1	1
40	22	28	28	21	22	45	45	91	61	83	60	105	81		41
37	26	33	17	33	31	35	33	67	62	81	62	71	84		42
19	21	28	12	18	21	31	22	56	54	54	49	62	63		43
2						1	1	2		1		3		1	
75	80	80	101	129	108	100	107	130	101	101	100	102	79	3	
14	6	23	17	38	27	30	32	31	18	23	28	20	7	1	
43	45	42	63	58	51	43	48	61	57	46	50	53	49	1	
18	28	15	20	32	29	26	27	37	24	30	20	28	22	1	
.....	1		1	1	1	1		1	2	2	2	1	1		50
87	30	89	35	88	43	85	49	90	40	90	68	119	53	1	1
1	3			4	2	3	4	4	2	3	3	4	2		51
35	15	33	24	35	24	34	26	23	20	36	36	46	29		52
50	11	54	11	47	15	46	19	62	18	51	29	68	22	1	
1		2		2	2	2		1				1			53
.....	15		12		13		8		18		19		20		54

989

GRAND GROUP 10—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
112	38	158	38	155	47	130	38	165	42	141	39	115	46	2	
8	9	15	13	15	7	15	10	15	6	11	9	12	15		2
91	22	120	15	130	30	96	17	128	26	103	23	84	21	1	
13	7	21	10	9	10	17	11	20	9	24	7	18	10		3
.....		2		1		2		2	1	3		1		1	
3	8	3	7	6	8	8	9	6	10	7	11	5	18		5
1	2			2		5	2	5	4	3	3	4	11		7
2	5	2	4	4	7	3	4	1	6	3	6	1	3		8
.....	1	1	3		1		3			1	2		4		9
22	3	41	5	42	9	13	2	10	1	7	3	5	1		10
1	1	3		6		1	1			1	1				11
19	1	36	4	36	8	12	1	10	1	4	1	4	1		12
2	1	2	1		1					2	1	1			13
.....															14
1										1		2	1		15
.....															16
1										1		2	1		17
.....															18
1												2	1		19
8	1	13	2	6	1	5		8	4	17	2	9	6	1	20
1															21
7	1	12	2	6	1	4		8	4	16	2	9	1		22
.....		1				1				1			5		23
.....														1	24
5	1	4	1	5		2	1	9	1	9	2	7	1		25
1		1		2											26
4	1	3	1	2		2	1	8	1	8	2	2	1		27
.....								1		1		5			28
.....				1											29
1				1					1	1		1			30
.....									1						31
1				1					1	1		1			32
.....												1			33
20	2	22		18	1	20	4	37	2	19	4	25	1	1	34
1	1	1													35
18	1	20		15	1	19	1	1		1	1				36
1				3		1	2	4	1	2		6	1	1	37
.....		1													38
2	1	4		1		8		7		4		3			39
.....															40
2	1	3		1		6		6		3		3			41
.....		1				2		1		1					42
1	1	3				3	1	1	2		1		1		43
.....															44
1	1	2		1		2	1	1	1		1		1		45
.....	1	1				1			1						46
3	2	1	1	3	2	5		4	1	4	2		3		47
.....															48
3	1		1	3	2	1		4	1	4	1		3		49
.....		1				2									50
5		10		5		11	3	5	1	7	1	4	1		51
.....															52
1															53
2		7		5		6	2	4	1	4		3	1		54
.....		3				4		1		3	1	1			55
3		5		8	4	4	2	1				1			56
.....															57
3		3		7	2	1	1	1							58
.....		2		1	2	2									59
.....						1	1								60
3															61
.....															62
3		3		7	2	2									63
.....		2		1		1	1	1				1			64

991

GRAND GROUP 11.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,771	1,991	2,030	2,260	2,274	2,478	2,274	2,267	1,992	2,157	1,715	1,768	2,061	1,984	121	109	1
760	727	821	802	916	876	916	813	737	689	589	555	676	606	20	17	2
700	952	854	1,142	984	1,271	1,028	1,145	889	1,133	815	907	998	1,047	50	44	3
284	292	340	303	358	315	312	291	352	312	305	297	371	315	21	17	4
27	20	15	13	16	16	18	18	14	23	6	9	16	16	30	31	5
168	190	201	197	252	247	236	221	191	180	168	174	191	181	27	22	6
119	108	128	123	170	150	146	144	136	116	114	98	136	106	8	5	7
29	58	50	55	58	71	69	61	27	47	38	46	36	54	9	5	8
18	22	21	18	21	26	20	15	23	16	16	26	17	18	4	4	9
2	2	2	1	3		1	1	5	1		4	2	3	6	8	10
560	635	693	789	895	871	823	797	638	706	464	468	488	413	23	25	11
311	304	328	357	399	356	356	311	232	246	173	166	168	157	3	5	12
195	268	301	365	420	453	411	419	346	417	253	263	264	210	9	9	13
50	58	59	65	71	57	52	62	58	37	38	38	54	45	3	2	14
4	5	5	2	5	5	4	5	2	6		1	2	1	8	9	15
21	31	17	33	23	28	21	18	13	16	13	14	23	18	1	2	16
16	22	8	18	13	19	15	8	8	9	10	11	13	12		1	17
5	9	9	13	9	9	6	9	5	6	3	8	10	5	1	1	18
.....			2	1			1	1	1				1			19
2	2	1		1	2	3	2	3	2	1	1	3	1		1	20
2	2	1		1	2	1	2	2		1		3	1			21
.....																22
.....																23
.....																24
.....																25
4	5	3	2	13	20	27	28	23	23	13	12	12	12			26
4	3	2	1	8	12	21	21	17	17	10	7	9	7			27
.....	2	1	1	5	8	6	7	6	6	3	5	3	5			28
.....																29
.....																30
16	19	21	26	25	16	32	16	17	23	16	10	7	17			31
15	18	20	24	25	13	29	15	15	22	15	10	6	15			32
.....	1	1	2		2	3	1	2	1	1		1	2			33
1					1											34
74	93	122	126	211	188	162	169	123	125	77	93	64	58	2	3	35
23	23	37	44	74	63	54	55	34	39	16	21	22	19			36
47	65	73	74	117	111	95	95	79	80	57	61	39	30			37
3	5	10	8	20	12	13	16	10	4	4	10	3	9	2	1	38
1		2			2		3		2		1					39
15	16	14	15	13	17	25	18	23	20	22	26	41	41			40
7	2	3	1	4	7	8	5	6	4	10	8	12	14			41
3	7	4	5	5	3	10	6	7	9	3	9	9	13			42
5	7	7	9	4	7	7	7	10	7	9	9	20	14			43
.....																44
108	126	191	246	274	312	283	291	231	302	168	170	172	135	12	10	45
32	20	45	47	48	45	56	42	30	40	30	29	26	19	1		46
71	98	133	180	211	250	221	235	190	247	133	137	138	106	5	5	47
5	7	11	19	14	17	6	12	11	13	5	4	6	9	1	1	48
.....	1	2		1			2		2			2	1	5	4	49
265	276	247	270	263	219	216	188	147	133	110	97	95	82	5	3	50
198	192	182	203	204	167	148	135	100	94	67	68	55	55	2	2	51
36	50	42	42	34	33	43	35	24	31	29	23	28	19			52
30	30	22	24	23	18	24	18	21	7	14	6	12	8	1	1	53
1	4	1	1	2	1	1		2	1					2		54
5	6	7	1	4	1	1	7	2	2	2		4	3			55
.....																56
.....	2	3		2	1		6		1			1				57
5	4	4	1	2		1	1	2	1	2		3	3			58
.....																59
.....																60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 11—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	492	18	8	18	16	25	16	18	17	34	35
2	Under 5.....	334	10	6	13	9	10	9	12	11	23	23
3	5 to 59.....	131	6	2	3	6	11	6	4	6	9	10
4	60 and over.....	25	2		2	1	4	1	2		1	2
5	Unknown.....	2									1	
6	Inanition.....	189	7	4	11	4	7	4	8	3	10	14
7	Under 5.....	179	6	4	10	4	6	4	8	3	8	14
8	5 to 59.....	3										
9	60 and over.....	5	1		1		1				1	
10	Unknown.....	2									1	
11	General diseases—C.....	1,831	73	87	74	83	89	87	57	93	84	131
12	Under 5.....	637	35	23	29	16	31	19	14	24	36	45
13	5 to 59.....	88	5	2	2	3	2	4	5	5	3	3
14	60 and over.....	1,074	33	62	43	61	55	61	37	62	45	79
15	Unknown.....	32				3	1	3	1	2		4
16	Debility and atrophy.....	276	8	9	8	9	14	11	11	17	13	11
17	Under 5.....	89	2	1	4		4	2	4	5	6	3
18	5 to 59.....	86	4	2	2	3	2	4	5	5	3	3
19	60 and over.....	82	2	6	2	4	7	2	2	6	4	3
20	Unknown.....	19				2	1	3		1		2
21	Old age—all ages.....	1,005	31	56	41	58	48	59	36	57	41	78
22	60 and over.....	992	31	56	41	57	48	59	35	56	41	76
23	Unknown.....	13				1			1	1		2
24	General diseases—D.....	9,444	346	427	322	444	367	572	409	628	533	839
25	Under 5.....	689	28	21	26	23	29	22	35	31	49	48
26	5 to 59.....	7,095	246	336	232	341	260	468	279	519	372	661
27	60 and over.....	1,544	68	69	62	74	71	76	88	74	100	123
28	Unknown.....	116	4	1	2	6	7	6	7	4	12	7
29	Consumption.....	6,235	225	290	214	306	241	388	259	458	341	588
30	Under 5.....	308	12	10	16	10	18	12	16	21	21	29
31	5 to 59.....	5,334	183	257	175	265	192	345	209	405	282	512
32	60 and over.....	508	27	23	21	30	25	27	27	29	27	42
33	Unknown.....	85	3		2	1	6	4	7	3	11	5
34	2. Diseases of the nervous system.....	4,234	176	147	178	162	189	197	212	179	224	278
35	Under 5.....	1,330	48	46	45	40	57	53	59	44	91	86
36	5 to 59.....	1,701	68	65	70	71	77	86	80	69	64	99
37	60 and over.....	1,163	56	33	61	48	54	57	72	66	68	90
38	Unknown.....	40	4	3	2	3	1	1	1		1	3
39	3. Diseases of the circulatory system.....	2,783	117	113	103	125	136	152	146	162	182	215
40	Under 5.....	140	8	8	4	7	7	3	7	6	7	11
41	5 to 59.....	1,341	46	63	40	66	57	82	55	79	76	113
42	60 and over.....	1,266	63	42	56	51	71	66	84	74	94	89
43	Unknown.....	86			3	1	1	1		3	5	2
44	4. Diseases of the respiratory system.....	8,162	544	459	592	445	719	556	610	548	493	418
45	Under 5.....	3,643	226	185	277	205	279	209	207	185	252	187
46	5 to 59.....	3,263	233	192	247	159	317	258	286	267	179	165
47	60 and over.....	1,214	83	77	67	80	121	87	111	92	60	65
48	Unknown.....	42	2	5	1	1	2	2	6	4	2	1
49	5. Diseases of the digestive system.....	3,379	124	114	112	109	135	108	131	117	208	213
50	Under 5.....	1,725	47	49	45	48	48	40	47	59	108	125
51	5 to 59.....	1,126	52	37	42	44	51	47	58	40	66	59
52	60 and over.....	509	25	28	24	17	35	20	25	18	32	29
53	Unknown.....	19			1		1	1	1		2	
54	6. Diseases of the urinary system.....	1,181	54	33	61	18	86	38	79	31	102	45
55	Under 5.....	71	3	3	3	1	7	2	4	1	4	3
56	5 to 59.....	600	23	20	27	9	42	24	32	18	49	23
57	60 and over.....	503	28	9	31	8	37	12	41	12	48	19
58	Unknown.....	7		1					2		1	
59	7. Affections connected with pregnancy.....	843		55		71		85		74		114

CAUSE, AGE, AND MONTH.

993

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 11—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
17	13	23	17	33	34	31	23	19	10	19	13	22	11	1	1 1
14	13	13	14	24	24	21	20	16	8	12	9	14	6		2
2		9	3	8	10	9	3	3	1	6	3	7	3		3
1		1		1		1				1	1	1	2	1	4
.....									1						5
8	10	8	7	11	16	8	9	6	8	9	5	7	5		6
8	10	8	6	11	15	8	8	6	7	9	5	7	4		7
.....			1		1		1								8
.....													1		9
.....									1						10
58	69	68	78	69	68	70	68	63	84	61	70	72	68	4	3 11
25	32	32	30	27	30	30	20	25	21	30	22	26	14	1	 12
7	1	6	4	2		4	3	8	2	3	4	5	5		13
23	35	30	43	39	38	33	44	30	59	27	44	40	46	2	3 14
3	1		1	1		3	1		2	1		1	3	1	 15
16	12	10	10	6	11	12	9	15	8	13	11	17	14	1	 16
4	8	2	3	2	7	4	4	1	2	7	5	5	4		17
7	1	6	4	1		4	3	8	2	3	4	5	5		18
3	3	2	2	3	4	1	1	6	3	3	2	7	4		19
2			1			3	1		1				1	1	20
21	33	28	41	37	34	32	43	24	57	25	42	34	44	2	3 21
20	32	28	41	36	34	32	43	24	56	24	42	33	42	2	3 22
1	1			1					1	1		1	2		23
250	394	263	436	246	449	264	378	239	392	231	348	258	379	8	22 24
22	25	36	25	22	40	38	32	32	27	18	23	17	19		1 25
172	309	174	352	163	337	180	286	153	300	159	269	196	308	7	16 26
47	56	50	56	58	69	42	53	51	58	51	55	44	48		1 27
9	4	3	3	3	3	4	7	3	7	3	1	1	4	1	4 28
154	265	157	290	139	293	166	247	133	242	143	232	181	259	6	13 29
6	9	9	12	8	15	13	14	14	11	5	12	8	6		1 30
126	235	128	262	113	255	138	211	109	207	122	204	156	226	6	11 31
13	17	18	16	15	22	11	16	14	18	14	16	16	24		32
9	4	2		3	1	4	6	1	6	2		1	3		1 33
158	176	193	168	187	172	193	168	152	135	146	124	164	144	10	2 34
63	70	69	52	79	70	67	59	35	46	39	30	45	36		1 35
57	63	68	88	67	71	83	79	70	52	66	52	65	68	2	1 36
36	40	54	26	41	30	42	29	47	35	41	41	52	40	4	 37
2	3	2	2		1	1	1		2		1	2		4	 38
78	89	80	104	91	124	92	83	97	107	78	83	88	121	8	9 39
9	6	2	5	5	2	5	1	8	6	6	4	3	10		40
35	48	33	53	44	80	36	55	35	58	33	47	39	64	2	2 41
31	34	44	46	41	40	49	26	54	43	39	32	44	45	5	3 42
3	1	1		1	2	2	1					2	2	1	4 43
146	126	130	119	128	162	174	180	228	216	232	216	392	308	12	9 44
78	68	77	72	69	79	107	101	128	115	109	112	169	144	2	1 45
54	43	38	36	35	62	44	55	68	67	90	74	160	124	6	4 46
14	15	15	10	24	20	22	23	30	33	32	29	62	39	1	2 47
.....			1		1	1	1	2	1	1	1	1	1	3	2 48
147	130	169	161	170	169	168	155	162	129	99	109	116	111	7	6 49
85	73	106	93	100	96	108	90	82	61	47	55	50	55	5	3 50
43	39	46	48	44	50	41	44	61	51	35	39	43	46		51
19	17	17	19	26	21	17	20	18	16	17	15	22	10	1	1 52
.....	1		1		2	2	1	1	1			1		1	2 53
55	28	63	31	62	29	53	35	59	41	62	28	58	27	2	1 54
2	2	7	3	1	2	2	2	5	2	5	4	2	1		55
20	17	20	21	31	19	25	25	26	33	27	17	32	18	2	 56
33	8	36	7	30	8	26	8	28	5	30	6	24	8		1 57
.....	1								1		1				58
.....	62		73		64		74		57		46		65		3 59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 11—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	3,199	200	133	203	141	178	134	185	122	247	121
2	Under 5.....	1,049	76	74	56	79	55	74	49	56	55	50
3	5 to 59.....	1,849	101	45	124	48	110	47	121	53	175	52
4	60 and over	256	21	12	19	14	9	13	15	11	12	16
5	Unknown.....	45	2	2	4		4			2	5	3
6	Burns and scalds	877	53	85	54	80	31	74	23	53	27	45
7	Under 5.....	507	40	43	32	44	24	39	16	23	17	18
8	5 to 59.....	304	7	32	19	32	4	28	7	26	8	23
9	60 and over	59	5	8	2	4	2	7		3	2	4
10	Unknown.....	7	1	2	1		1			1		
11	Drowning.....	128	6		4	2	6	3	21	6	16	4
12	Under 5.....	14	1		1	1	1	1	2	2	1	
13	5 to 59.....	109	4		3	1	5	2	18	3	15	4
14	60 and over	4	1						1			
15	Unknown.....	1								1		
16	Exposure and neglect	128	11	10	5	11	3	7	8	9	12	10
17	Under 5.....	112	10	9	4	11	3	6	8	8	10	8
18	5 to 59.....	8			1			1		1	1	2
19	60 and over	7	1	1							1	
20	Unknown.....	1										
21	Gunshot wounds.....	454	28	3	32	6	32	4	27	2	57	7
22	Under 5.....	24	1	1		2					2	1
23	5 to 59.....	407	26	2	30	4	31	4	25	2	51	6
24	60 and over	11			1		1		2		1	
25	Unknown.....	12	1		1						3	
26	Homicide.....	227	17	1	23	3	16	4	11	4	25	5
27	Under 20.....	30	1	1	2	1	5	2	1		1	1
28	20 to 59.....	181	15		17	2	10	2	9	4	21	3
29	60 and over	11	1		4		1		1		1	
30	Unknown.....	5									2	1
31	Injuries by machinery.....	26	1		2						1	
32	Under 20.....	8			1							
33	20 to 59.....	17	1								1	
34	60 and over	1			1							
35	Unknown.....											
36	Railroad accidents.....	182	14	3	14	1	14	1	21		20	1
37	Under 5.....	1		1								
38	5 to 59.....	165	13	2	12	1	14	1	19		19	
39	60 and over	11	1		1				2		1	1
40	Unknown.....	5			1							
41	Suicide by shooting.....	23	4		4		2		2		2	
42	Under 20.....	2					1					
43	20 to 59.....	16	2		2				2		2	
44	60 and over	3	2		1							
45	Unknown.....	2			1		1					
46	Suicide by drowning.....	4		1			1	1				
47	Under 20.....	1						1				
48	20 to 59.....	2		1								
49	60 and over	1					1					
50	Unknown.....											
51	Suicide by poison.....	13					3		2		2	2
52	Under 20.....											
53	20 to 59.....	13					3		2		2	2
54	60 and over											
55	Unknown.....											
56	Other suicides	39	1	1	3		7		3		4	
57	Under 20.....	2										
58	20 to 59.....	33	1	1	2		7		2		4	
59	60 and over	3			1				1			
60	Unknown.....	1										
61	Sunstroke.....	29	2				2				2	1
62	Under 5.....	2										
63	5 to 59.....	18	1								2	1
64	60 and over	6	1				1					
65	Unknown.....	3					1					

995

GRAND GROUP 11—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
118	50	131	62	127	59	159	60	136	70	147	66	201	128	19	2	1
24	24	17	24	16	22	33	29	36	36	34	29	44	56	1		2
78	21	101	32	105	32	118	24	87	28	102	30	142	58	13	2	3
12	5	11	5	4	4	8	7	12	6	10	7	11	12			4
4		2	1	2	1			1		1		4	2	5		5
16	16	13	21	5	16	10	21	20	27	32	36	41	76	1	1	6
11	10	5	13	3	7	8	13	19	16	23	18	29	36			7
5	6	7	8	2	8		7	1	9	5	15	10	33	1	1	8
		1			1	2	1		2	4	3	2	6			9
													1			10
19		15		9	3	3	1	5	1		2	2				11
1				1				2								12
17		15		8	2	3	1	3	1		2	2				13
1					1											14
																15
2	4		5	2	3	4	3	2	2	3	3	1	8			16
2	4		5	2	1	3	3	1	2	2	3	1	6			17
					1	1				1						18
						1		1					2			19
					1											20
18	4	23	5	26	5	32	6	25	4	25	7	58	14	4		21
15	1	2		1	1	3	2	3	1		1	2				22
	3	19	5	23	4	29	4	21	3	24	6	55	13	2		23
2		1						1		1			1			24
1		1		2								1		2		25
7	2	13	4	13		13	2	12	5	19	2	20	2	3	1	26
	1	1		1		2	1	2	3	1	1	1	1			27
5	1	12	4	12		11	1	10	2	17	1	18		3	1	28
2												1				29
										1			1			30
		1	1	1		6		6		5		2				31
		1	1			1		1		2		1				32
				1		5		5		3		1				33
																34
																35
4	2	11		9		18	1	12	1	15	2	11	2	5		36
3	2	10		9		17	1	12	1	14	1	9	2	3		37
1		1				1				1	1	1				38
												1		2		39
		1														40
		1	1		1	2		1		1		2				41
					1											
		1	1			2		1		1		2				42
																43
																44
																45
			1													46
			1													47
																48
																49
																50
2	1	1														51
2	1	1														52
																53
																54
																55
4		4	1	2		4		2		1		2				56
4		4	1	1		4		1		1		1				57
				1				1								58
												1				59
																60
2	1	6	1	5	3		1	2				1				61
1	1	4		5	1		1					1				62
		2	1		2			1								63
1								1								64
								1								65

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 12.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	17,778	965	740	876	785	1,032	930	951	861	1,001	861
2	Under 5.....	5,231	235	190	233	231	260	262	232	198	314	253
3	5 to 59.....	9,967	584	455	523	453	607	537	548	515	526	485
4	60 and over.....	2,377	133	92	110	96	156	121	167	137	149	111
5	Unknown.....	203	13	3	10	5	9	10	4	11	12	
6	Unknown cause.....	1,751	82	60	71	66	86	72	72	63	110	102
7	Under 5.....	957	47	32	38	35	48	37	41	25	64	55
8	5 to 59.....	613	24	25	24	21	30	28	21	29	34	41
9	60 and over.....	147	9	3	5	8	7	6	9	7	9	5
10	Unknown.....	34	2		4	2	1	1	1	2	3	1
11	1. General diseases.											
	General diseases—A.....	5,385	232	194	223	216	262	269	271	250	307	243
12	Under 5.....	2,041	77	61	80	80	87	96	84	84	131	111
13	5 to 59.....	2,877	136	122	132	126	154	146	146	137	150	116
14	60 and over.....	422	17	11	10	10	20	23	39	26	24	14
15	Unknown.....	45	2		1		1	4	2	3	2	2
16	Measles.....	653	39	40	61	73	59	83	37	55	42	32
17	Under 5.....	377	26	18	34	40	37	43	26	28	27	24
18	5 to 59.....	268	13	22	27	32	21	40	11	24	15	6
19	60 and over.....	7				1	1			2		2
20	Unknown.....	1								1		
21	Scarlet fever.....	27				1		2	1		1	
22	Under 5.....	13						1	1			
23	5 to 59.....	14				1		1			1	
24	60 and over.....											
25	Unknown.....											
26	Diphtheria.....	62	4	3	2	1	6	1	5		1	1
27	Under 5.....	40	4	2	2	1	4	1	3		1	
28	5 to 59.....	21		1			2		1			1
29	60 and over.....	1							1			
30	Unknown.....											
31	Whooping cough.....	205	5	5	6	5	10	13	12	18	19	30
32	Under 5.....	187	4	4	6	4	9	12	12	16	17	27
33	5 to 59.....	17	1	1		1	1			2	2	3
34	60 and over.....											
35	Unknown.....	1						1				
36	Malarial fever.....	1,424	33	33	30	42	31	43	47	44	58	44
37	Under 5.....	426	7	7	8	9	5	12	11	14	20	10
38	5 to 59.....	885	24	24	19	30	24	27	34	27	36	33
39	60 and over.....	97	1	2	2	3	2	4	2	3	2	1
40	Unknown.....	16	1		1							
41	Influenza.....	320	19	11	15	19	28	33	51	43	27	21
42	Under 5.....	83	4	2	7	4	6	1	19	8	6	9
43	5 to 59.....	154	12	8	6	12	15	17	18	25	12	9
44	60 and over.....	83	3	1	2	3	7	15	14	10	9	3
45	Unknown.....											
46	Typhoid fever.....	753	32	29	24	15	23	21	21	19	23	24
47	Under 5.....	165	8	6	2	4	3	7	3	2	4	1
48	5 to 59.....	542	22	22	22	10	19	13	13	15	17	19
49	60 and over.....	40	2	1		1	1	1	5	2	1	4
50	Unknown.....	6									1	
51	Diarrheal diseases.....	1,053	30	23	14	16	29	23	26	17	57	43
52	Under 5.....	551	12	11	5	8	15	11	5	8	35	28
53	5 to 59.....	367	12	8	9	6	12	11	15	5	15	12
54	60 and over.....	125	6	4		2	2		6	4	7	2
55	Unknown.....	10						1				1
56	Cerebro-spinal fever.....	58	1	1	1	3	9	2	2	1	3	1
57	Under 5.....	21		1	1		3	2			1	
58	5 to 59.....	35	1			3	6		2	1	2	1
59	60 and over.....	2										
60	Unknown.....											

CAUSE, AGE, AND MONTH.

997

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
471	492	614	561	745	714	722	672	674	566	600	531	710	558	71	75	1
169	173	207	192	286	259	246	238	201	184	157	128	175	171	16	21	2
229	243	337	295	365	363	384	345	395	306	356	316	427	308	34	31	3
65	68	66	68	85	82	86	79	71	74	83	79	100	73	11	11	4
8	8	4	6	9	10	6	10	7	2	4	8	8	6	10	12	5
62	49	78	75	89	83	80	72	58	57	57	50	74	59	11	13	6
34	27	40	42	59	46	46	46	31	27	33	26	42	31	2	3	7
19	18	33	25	29	30	23	20	24	27	18	19	19	24	3	5	8
8	4	5	7	1	7	8	5	3	3	6	4	12	4	2	2	9
1	1	1	1	1	1	3	1	1	1	1	1	1	1	4	5	10
152	160	225	205	283	278	284	255	226	183	159	148	166	134	27	33	11
70	73	99	85	120	116	105	105	85	82	48	38	48	53	9	14	12
69	67	112	101	133	139	165	122	126	86	94	92	103	74	11	18	13
11	18	13	17	26	19	14	23	12	15	17	17	14	7	4	1	14
2	2	1	2	4	4	1	5	3	1	1	1	1	1	3	1	15
8	6	9	4	6	7	10	13	10	8	5	11	16	17	2	2	16
5	2	5	3	5	2	8	9	5	5	4	3	6	10	2	2	17
3	4	4	1	1	5	2	4	5	3	1	8	10	6	1	1	18
2	2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	19
1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
2	3	2	1	1	3	2	3	3	5	1	2	3	6	1	1	22
1	1	2	1	1	3	1	2	3	4	1	1	1	3	1	1	23
1	3	1	1	1	1	1	1	1	1	1	1	2	3	1	1	24
3	7	2	4	1	4	5	11	13	13	1	6	9	3	1	1	25
3	7	2	4	1	4	5	10	13	10	1	5	8	3	1	1	26
39	48	78	84	125	121	109	96	77	64	44	44	43	40	3	4	27
15	18	24	27	41	43	29	30	28	21	14	11	12	9	1	1	28
20	22	51	52	70	70	72	53	45	36	27	26	28	30	1	1	29
3	6	3	5	11	7	8	10	2	7	3	6	3	1	1	1	30
1	2	1	1	3	1	1	3	2	2	1	1	1	1	1	1	31
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	32
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	33
20	18	26	33	43	51	57	46	45	33	36	36	29	22	12	15	34
2	6	3	10	14	11	16	12	12	7	4	3	5	8	3	9	35
18	11	23	23	26	36	38	31	33	23	31	29	22	13	7	6	36
1	1	1	1	2	2	3	2	3	3	1	4	2	1	1	1	37
63	61	83	64	85	73	66	69	47	38	40	27	24	22	3	10	38
40	36	51	37	47	43	32	37	14	21	16	10	12	11	1	5	39
17	18	24	17	25	20	32	21	24	13	15	13	8	10	1	5	40
6	7	7	8	13	9	2	10	8	4	9	4	3	1	1	1	41
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	42
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	43
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	44
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	45
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	46
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	47
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	48
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	49
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	50
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	51
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	52
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	53
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	54
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	55
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	56
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	57
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	58
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	59
3	1	2	4	2	1	4	2	3	2	3	3	4	1	1	1	60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 12—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	227	13	9	6	1	9	7	9	10	14	7
2	Under 5.....	138	6	8	3	1	5	5	6	7	6	3
3	5 to 59.....	80	6	1	3		4	2	3	3	7	3
4	60 and over.....	4	1								1	
5	Unknown.....	5										1
6	Inanition.....	94	5	5	2	1	2	3	5	2	5	2
7	Under 5.....	89	5	5	2	1	2	3	5	2	5	2
8	5 to 59.....	3										
9	60 and over.....											
10	Unknown.....	2										
11	General diseases—C.....	507	26	28	27	22	29	20	22	18	18	35
12	Under 5.....	143	7	8	6	5	11	6	6	4	4	8
13	5 to 59.....	20	1		3	1			2		1	2
14	60 and over.....	330	16	20	16	16	17	14	14	13	13	25
15	Unknown.....	14	2		2		1			1		
16	Debility and atrophy.....	63	3	2	9	2	1	2	4	2	2	3
17	Under 5.....	21	1		1			1	1	1		1
18	5 to 59.....	19	1		3	1			1		1	2
19	60 and over.....	23	1	2	5	1	1	1	2	1	1	
20	Unknown.....											
21	Old age—all ages.....	321	17	18	13	15	17	13	12	13	12	25
22	60 and over.....	307	15	18	11	15	16	13	12	12	12	25
23	Unknown.....	14	2		2		1			1		
24	General diseases—D.....	2,637	120	117	127	124	125	152	143	147	146	179
25	Under 5.....	152	1	6	10	5	4	8	11	5	13	4
26	5 to 59.....	2,103	103	100	96	111	101	130	106	121	107	152
27	60 and over.....	349	16	10	20	8	19	13	25	19	25	22
28	Unknown.....	33		1	1		1	1	1	2	1	1
29	Consumption.....	1,827	89	79	94	98	93	110	95	106	105	122
30	Under 5.....	70		4	7	2	3	6	7	4	6	3
31	5 to 59.....	1,616	82	71	76	91	80	100	79	93	87	110
32	60 and over.....	124	7	3	10	5	10	3	9	7	12	8
33	Unknown.....	17		1	1			1		2		1
34	2. Diseases of the nervous system.....	1,207	72	45	45	50	59	61	55	45	63	51
35	Under 5.....	435	26	13	12	15	21	21	14	10	28	17
36	5 to 59.....	577	33	24	26	26	26	30	31	26	25	21
37	60 and over.....	174	10	8	7	9	11	9	10	7	10	11
38	Unknown.....	21	3				1	1		2		2
39	3. Diseases of the circulatory system.....	660	30	27	23	30	36	42	28	33	37	50
40	Under 5.....	19	3		2	1	1	2			2	
41	5 to 59.....	380	15	15	12	16	16	27	16	20	13	34
42	60 and over.....	250	12	12	9	12	19	13	12	13	20	16
43	Unknown.....	11				1					2	
44	4. Diseases of the respiratory system.....	2,855	272	145	243	179	312	188	226	200	134	94
45	Under 5.....	802	44	43	63	61	67	66	53	49	35	29
46	5 to 59.....	1,638	186	81	151	92	204	94	139	111	79	54
47	60 and over.....	393	39	20	27	25	39	27	34	39	19	11
48	Unknown.....	22	3	1	2	1	2	1		1	1	
49	5. Diseases of the digestive system.....	898	27	30	27	31	36	43	37	35	54	43
50	Under 5.....	312	10	9	5	9	5	11	10	7	22	19
51	5 to 59.....	464	15	17	20	19	22	26	18	20	20	20
52	60 and over.....	120	2	4	2	3	9	6	9	8	12	4
53	Unknown.....	2										
54	6. Diseases of the urinary system.....	405	23	10	24	10	24	9	31	9	19	8
55	Under 5.....	15			1					1		
56	5 to 59.....	278	17	9	15	9	16	7	20	6	10	4
57	60 and over.....	110	6	1	8	1	8	2	11	2	9	4
58	Unknown.....	2										
59	7. Affections connected with pregnancy.....	217		36		18		32		22		16

CAUSE, AGE, AND MONTH.

999

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
12	11	13	7	9	11	13	12	7	7	12	9	12	7		1
11	7	7	4	6	5	7	8	6	5	7	6	4	5		2
1	3	6	2	3	6	5	4	1	2	5	3	5	2		3
	1					1						2			4
			1												5
9	3	4	4	2	2	6	6	3	2	5	6	5	5		6
9	3	4	3	2	1	6	6	3	2	5	6	3	4		7
			1		1								1		8
												2			9
															10
10	18	16	12	25	35	14	24	16	22	10	22	16	16	2	4 11
5	8	5	1	7	13	2	8	7	3	2	3	9	5		12
	1			3			1		1		2	1		1	13
5	9	10	11	14	21	11	15	9	18	8	16	6	10	1	2 14
		1		1	1	1					1		1		2 15
	4	6		4	3		4	3	2		3	2	1	1	16
	2	3		1	2		2	2			1	1	1		17
	1			3			1		1		2	1		1	18
	1	3			1		1	1	1						19
															20
5	8	8	11	15	21	12	14	8	17	8	17	6	11	1	4 21
5	8	7	11	14	20	11	14	8	17	8	16	6	10	1	2 22
		1		1	1	1					1		1		2 23
47	103	88	83	82	94	73	87	95	102	80	103	106	98	7	9 24
2	9	5	3	7	3	10	6	7	6	8	8	3	7		1 25
35	79	70	63	64	81	49	67	72	86	60	82	85	75	5	3 26
9	13	12	16	11	7	14	13	13	8	10	12	16	15	1	2 27
1	2	1	1		3		1	3	2	2	1	2	1	1	3 28
32	70	52	54	51	63	43	60	60	77	56	69	76	65	5	3 29
	5	2	1	2	1	4	2	1	3	2	2	1	2		30
28	60	46	48	46	60	34	52	55	70	52	64	70	57	4	1 31
3	3	4	5	3	2	5	5	2	4	1	3	4	5	1	32
1	2						1	2		1		1	1		2 33
44	34	45	42	70	66	52	48	44	35	48	41	45	41	2	4 34
19	9	19	26	36	32	23	20	16	11	13	7	10	17		35
21	19	21	13	27	28	25	21	22	17	23	27	28	15	1	1 36
2	4	4	3	6	6	4	6	5	7	11	7	6	8	1	2 37
2	2	1		1		1	1	1		1		1	1		1 38
26	17	20	30	21	22	30	25	15	20	27	24	19	24	1	3 39
1			1		1	2			1		1		1		40
14	10	13	20	11	14	18	18		12	15		14	12		2 41
10	6	7	9	8	6	10	7	7	7	11	7	5	11		1 42
1	1			2	1						2			1	43
33	32	25	30	43	35	46	45	87	57	79	69	163	98	12	8 44
9	13	12	13	22	14	21	21	25	23	23	20	42	29	2	3 45
16	13	11	14	16	16	17	19	56	26	46	37	96	55	7	2 46
8	5	2	2	5	5	8	4	6	8	10	10	24	12	2	2 47
	1		1				1				2	1	2	1	1 48
29	28	39	32	58	41	50	49	35	39	39	35	26	30	4	1 49
15	13	16	10	22	21	21	19	10	13	11	15	5	12	2	50
11	14	18	21	31	15	21	26	18	20	26	14	15	15	2	51
3	1	5	1	5	5	7	3	7	6	2	6	6	3		1 52
						1	1								53
10	10	20	16	25	17	24	13	32	5	25	6	23	11	1	54
	1	1	1	1	1	2	1	1		1		1	2		55
6	3	13	14	17	11	16	11	23	4	18	6	14	8	1	56
3	6	6	1	7	5	6	1	8	1	5		8	1		57
1										1					58
			15		11		23		14		8		15		59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 12—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	917	63	31	58	31	49	30	51	25	96	20
2	Under 5	200	13	10	13	18	11	10	5	6	9	6
3	5 to 59	646	45	19	40	10	33	13	42	17	77	12
4	60 and over	62	4	2	5	3	4	7	4	2	7	1
5	Unknown	9	1				1				3	
6	Burns and scalds	155	7	18	9	16	11	14	2	11	3	
7	Under 5	82	6	6	7	7	8	6	1	2	2	1
8	5 to 59	63	1	11	1	6	2	6	1	9	1	3
9	60 and over	10		1	1	3	1	2				
10	Unknown											
11	Drowning	62	2		1		3		14	1	16	5
12	Under 5	3										3
13	5 to 59	57	2		1		3		13	1	15	2
14	60 and over	2							1		1	
15	Unknown											
16	Exposure and neglect	32	3	3	2	1		2		4		
17	Under 5	24	3	1	1	1		1		1		
18	5 to 59	6		2				1		2		
19	60 and over	2			1					1		
20	Unknown											
21	Gunshot wounds	203	21	4	11	3	11	4	9	1	28	2
22	Under 5	3	1			1						
23	5 to 59	194	19	4	11	2	10	4	9	1	26	1
24	60 and over	3	1				1				1	
25	Unknown	3									1	
26	Homicide	73	6		5		4		3		10	3
27	Under 20	12	1		2						1	
28	20 to 59	59	5		3		4		3		8	3
29	60 and over	1										
30	Unknown	1									1	
31	Injuries by machinery	7			1						1	
32	Under 20	1									1	
33	20 to 59	6			1							
34	60 and over											
35	Unknown											
36	Railroad accidents	42	3		8		2	2	1	1	4	
37	Under 5											
38	5 to 59	37	2		7		2	1		1	4	
39	60 and over	5	1		1		1	1	1			
40	Unknown											
41	Suicide by shooting	4					2				1	
42	Under 20	1					1					
43	20 to 59	2					1				1	
44	60 and over	1										
45	Unknown											
46	Suicide by drowning	1										1
47	Under 20											
48	20 to 59	1										1
49	60 and over											
50	Unknown											
51	Suicide by poison	5							2		1	
52	Under 20	1										
53	20 to 59	4							2		1	
54	60 and over											
55	Unknown											
56	Other suicides	14	1		2		1		3		1	
57	Under 20											
58	20 to 59	11	1		2		1		3			
59	60 and over	3									1	
60	Unknown											
61	Sunstroke	12							1			
62	Under 5	2										
63	5 to 59	9							1			
64	60 and over											
65	Unknown	1										

CAUSE, AGE, AND MONTH.

1001

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 12—Continued.

[illegible]

1003

GRAND GROUP 13.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,344	1,073	1,613	1,229	1,785	1,372	1,653	1,308	1,626	1,234	1,420	1,161	1,519	1,259	33	19	1
368 603 365 8	312 520 239 2	588 648 363 14	497 475 248 9	601 756 406 22	511 577 277 7	516 715 412 10	420 571 310 7	428 742 441 15	323 588 316 7	327 702 382 9	299 582 275 5	349 732 424 14	299 628 323 9	3 8 8 14	3 4 5 7	2 3 4 5
28	21	52	37	54	53	59	50	50	41	48	31	54	33	2	6	6
12 7 9	13 7 1	29 13 9 1	27 5 4 1	34 13 5 2	30 15 7 1	35 12 10 2	30 13 6 1	33 13 4 1	30 7 3 1	22 14 11 1	20 4 7 1	35 9 9 1	21 7 3 2	 1 1	 2 4	7 8 9 10
195	199	400	343	475	384	396	353	326	276	248	220	223	177	8	3	11
108 70 16 1	103 78 18	279 91 30	231 83 27 2	274 154 44 3	234 112 37 1	211 150 33 2	184 132 37	130 156 38 2	113 136 26 1	85 140 23	78 128 14	70 131 22	58 101 16 2	3 1 4	 1 2	12 13 14 15
7	4	5	5	7	5	6	9	6	3	2		5	1	1		16
5 2	2 2	1 4	4 1	4 3	4 1	5 1	5 4	1 4 1	2 1	2		2 3	1	1		17 18 19 20
4	3	1	3	6	3	3	6	6	12	11	11	12	11			21
2 2	1 2	1	2 1	3 3	1 2	3	3 3	4 2	9 3	2 9	5 6	9 3	8 3			22 23 24 25
14	12	7	13	12	16	26	19	38	29	41	44	36	31	2		26
6 8	8 4	5 1 1	7 6	6 6	5 11	16 10	10 9	19 18 1	15 14	20 21	16 28	14 22	16 15	2		27 28 29 30
8	16	20	27	16	16	11	4	9	9	9	7	7	7			31
8	13 3	17 3	26 1	15 1	16	11	3 1	8 1	8 1	7 2	5 2	7	7			32 33 34 35
10	14	31	30	57	34	55	57	43	29	21	23	6	8	2	1	36
2 5 3	2 12	12 15 4	15 13 1 1	14 36 7	20 10 4	14 36 5	25 22 10	11 25 7	7 16 6	9 9 3	5 16 2	3 2 1	1 5 1 1	 2 1	 1 1	37 38 39 40
2	4	2	4	3	3	1	5	5	3	7	1	7	6			41
..... 2	 2 2	 2	1 1 2	 1 2	 2 1	 1	 1 4	2 3	1 2	3 3 1	 1	 4 3	1 3 2			42 43 44 45
18	22	37	31	76	55	86	66	94	74	79	63	79	53	2	2	46

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 13—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	886	37	40	47	23	50	38	43	27	30	28
2	Under 5.....	716	30	33	38	22	40	30	30	23	23	23
3	5 to 59.....	136	7	6	7	7	7	6	10	3	6	4
4	60 and over.....	22		1	2		2		2	1	1	1
5	Unknown.....	12				1	1	2	1			
6	Inanition.....	702	27	32	37	23	41	33	31	22	20	23
7	Under 5.....	683	27	31	37	22	39	30	30	22	20	22
8	5 to 59.....	8		1			2	2				
9	60 and over.....	3							1			1
10	Unknown.....	8				1		1				
11	General diseases—C.....	2,752	121	136	114	120	137	136	129	133	102	128
12	Under 5.....	943	46	30	41	27	44	48	33	33	35	35
13	5 to 59.....	74	3	2	3	5	7	3	2	1	3	2
14	60 and over.....	1,723	71	102	69	88	86	85	93	97	64	91
15	Unknown.....	12	1	2	1				1	2		
16	Debility and atrophy.....	652	22	14	16	19	28	37	29	25	31	26
17	Under 5.....	460	15	7	12	13	17	25	19	16	20	15
18	5 to 59.....	71	3	2	1	5	6	3	2	1	3	2
19	60 and over.....	117	4	4	3	1	5	9	7	7	8	9
20	Unknown.....	4		1					1	1		
21	Old age—all ages.....	1,614	68	99	67	87	81	76	86	91	56	82
22	60 and over.....	1,606	67	98	66	87	81	76	86	90	56	82
23	Unknown.....	8	1	1	1					1		
24	General diseases—D.....	6,170	271	271	277	261	293	327	296	312	327	303
25	Under 5.....	334	14	16	18	14	15	13	20	13	16	20
26	5 to 59.....	4,461	188	195	195	181	208	244	202	238	229	227
27	60 and over.....	1,331	67	60	62	65	66	68	71	58	82	55
28	Unknown.....	44	2		2	1	4	2	3	3		1
29	Consumption.....	3,692	168	141	178	140	192	186	184	189	214	176
30	Under 5.....	106	5	5	8	2	1	7	5	2	9	7
31	5 to 59.....	3,220	136	129	147	125	157	166	157	169	180	157
32	60 and over.....	342	26	7	22	12	30	13	20	17	25	11
33	Unknown.....	24	1		1	1	4		2	1		1
34	2. Diseases of the nervous system.....	4,436	238	136	218	167	236	190	227	193	225	178
35	Under 5.....	1,615	71	47	77	59	73	73	72	71	75	51
36	5 to 59.....	1,458	85	45	68	54	81	68	74	60	79	67
37	60 and over.....	1,334	79	44	72	54	82	49	81	61	69	58
38	Unknown.....	29	3		1					1	2	2
39	3. Diseases of the circulatory system.....	2,637	149	97	139	108	149	127	152	143	142	101
40	Under 5.....	158	9	7	9	4	15	10	4	12	6	8
41	5 to 59.....	1,201	58	41	56	55	65	65	66	70	63	47
42	60 and over.....	1,261	81	48	72	49	69	51	81	60	73	45
43	Unknown.....	17	1	1	2			1	1	1		1
44	4. Diseases of the respiratory system.....	5,632	381	311	446	335	570	400	542	405	270	175
45	Under 5.....	1,773	105	93	132	109	189	141	138	112	81	65
46	5 to 59.....	2,323	175	117	194	132	238	144	257	167	124	65
47	60 and over.....	1,499	96	98	114	93	141	114	142	124	64	44
48	Unknown.....	37	5	3	6	1	2	1	5	2	1	1
49	5. Diseases of the digestive system.....	2,441	106	89	109	91	124	122	123	111	110	119
50	Under 5.....	539	25	13	26	21	31	26	21	16	26	19
51	5 to 59.....	1,252	50	60	55	40	54	60	69	63	50	71
52	60 and over.....	642	30	16	28	30	38	35	33	32	34	29
53	Unknown.....	8	1				1	1				
54	6. Diseases of the urinary system.....	1,767	104	57	102	60	107	66	100	61	93	59
55	Under 5.....	65	6	4	1	1	2	4	1	3	1	1
56	5 to 59.....	896	49	28	48	34	55	41	45	36	39	41
57	60 and over.....	794	49	25	53	25	50		53	22	53	17
58	Unknown.....	12						1	1			
59	7. Affections connected with pregnancy.....	338		41		36		36		37		24

CAUSE, AGE, AND MONTH.

1005

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 13—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
40	31	48	25	56	43	47	37	31	24	39	31	41	30		1
26	28	41	25	41	33	42	32	24	23	29	27	26	27		2
11	3	6		11	8	4	4	3	1	10	4	13	2		3
3		1		2	2	1	1	2				1	1		4
.....															5
25	26	41	24	40	32	40	32	24	22	29	25	26	27		6
25	26	40	24	39	30	40	31	22	22	29	25	24	26		7
.....		1					1					1			8
.....				1	2			2				1	1		9
.....															10
97	100	117	114	124	113	115	104	130	102	90	89	112	82	7	
36	40	62	39	59	48	45	31	54	29	33	31	36	28		12
1	3	1	5	2	2	2	2	5	6	1	3	8	2		13
60	57	52	70	63	63	68	71	71	67	56	54	67	52	6	
.....		2								1	1	1		1	
24	26	41	36	43	35	40	20	41	25	10	14	34	16		16
22	20	35	27	37	30	26	13	29	15	7	11	20	9		17
1	3	1	5	2	2	2	2	5	6	1	3	8	2		18
1	3	4	4	4	3	12	5	7	4	2		6	5		19
.....		1													20
59	54	49	66	59	60	56	66	64	63	54	55	62	47	7	
59	54	48	66	59	60	56	66	64	63	54	54	61	47	6	
.....		1									1	1		1	
200	217	227	223	250	232	242	229	233	245	231	222	235	241	3	2
12	19	13	9	17	7	16	9	17	12	10	8	10	16		25
140	162	151	176	166	185	174	167	166	177	162	174	173	179	1	1
48	35	61	35	65	39	52	52	49	53	57	37	51	43		27
.....	1	2	3	2	1		1	1	3	2	3	1	3	2	1
116	118	143	137	154	155	152	118	136	145	141	127	145	134	2	1
2	7	7	2	9	3	4	3	4	4	3	3	1	3		30
99	104	118	125	132	139	135	106	122	127	122	114	131	121	1	1
15	6	17	8	13	13	13	8	10	13	14	8	12	9		32
.....	1	1	2				1		1	2	2	1	1	1	
191	144	214	169	199	174	204	143	190	143	179	128	191	157	2	
79	60	91	94	79	79	78	59	68	49	52	46	60	52		35
57	43	58	44	67	51	64	48	66	46	67	45	63	57	1	
53	41	65	30	52	42	60	34	55	46	59	36	66	46		37
2			1	1	2	2	2	1	2	1	1	2	2	1	
120	66	94	76	117	85	85	82	100	83	115	89	126	90	1	1
5	2	7	5	9	4	2	7	4	2	10	6	5	6		40
51	37	41	37	58	48	40	32	40	43	49	41	55	41	1	1
63	27	45	34	48	33	42	42	56	38	56	42	63	43		42
1		1		2		1	1					3			43
105	80	86	65	90	70	102	88	187	117	176	142	247	233	5	4
47	31	30	29	31	32	44	33	56	31	53	52	69	68		2
33	28	37	18	35	17	28	32	79	51	82	54	123	90	3	
25	21	17	18	24	21	28	22	51	35	40	36	54	75		47
.....		2				2	1	1		1		1		2	
84	75	109	70	131	103	125	75	117	90	83	88	104	82		1
24	8	23	25	39	30	25	21	25	24	19	17	21	13		1
41	49	60	29	72	52	62	35	53	42	45	42	48	50		51
18	18	26	16	19	21	38	19	38	24	17	29	35	19		52
1				1				1		2					53
76	40	86	43	108	45	111	45	94	41	80	46	89	51	2	1
3		1	3	3	2	6	5	4	1	4	3	3	3		55
28	28	47	32	46	35	46	27	40	26	30	27	35	33		56
44	12	38	7	56	8	59	12	48	14	45	16	51	15	1	1
1			1	3			1	2		1				1	
.....	25		15		20		32		23		28		21		59

1007

GRAND GROUP 13—Continued.

MONTH AND SEX-continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
197	61	166	32	171	32	157	48	157	41	124	29	92	48	3	1	1
11	6	6	7	12	6	10	7	10	8	6	6	12	6			2
158	46	137	19	126	20	126	30	118	23	100	20	71	34	1	1	3
26	9	17	5	27	6	20	11	24	10	17	3	5	8			4
2		6	1	6		1		5		1		4		2		5
3	5	3	4	7	3	5	3		6	4	5	9	23	1		6
1	1	1	2	4		3			1	2	2	4	3			7
1	3	2	1	3	3	2	3		4	2	3	3	17			8
1	1		1						1			1	3	1		9
															1	10
52	4	39	2	26	2	16	2	6	1	6		10				11
2		1		2					1							12
48	4	34	1	21	1	15	2	5		6		9				13
1		1	1		1	1		1								14
1		3		3								1				15
		1		1	1	3	2						1		1	16
																17
		1		1	1		1						1			18
						3									1	19
							1									20
6	3	5	1	11		10	1	12	1	15	3	7		1		21
																22
6	3	5	1	9		9	1	10	1	14	3	1	5			23
				1		1				1						24
				1				2				1		1		25
1		8	2	13		12	1	9	1	11		6				26
																27
		2		1		2		1		1						28
1		6	2	11		10	1	8	1	9		6				29
				1						1						30
																31
				1				1		1						32
				1												33
								1		1						34
																35
16	1	15	3	31	1	15	1	14		18	1	17	3			36
											1					37
16	1	13	3	28	1	13	1	10		17		16	3			38
		1		2		1		2		1		1				39
		1		1		1		2								40
2	1	6		3		2		3	1	3		2	1			41
																42
	1					1		1	1	1						43
2		4		2		1		1		2		2	1			44
		2														45
																46
		2					1	2		1						47
																48
		1						2		1						49
		1					1									50
2	2		1	1		1	4	1	3	2	1		2			51
																52
1	1		1			1	4		2	2			2			53
1	1							1	1							54
																55
10	3	3	3	15	3	14	3	19	6	7	2	9	5	1		56
																57
6	3	3	1	11	1	11	2	15	3	5	2	8	5	1		58
4			1	4	2	3		3	1	2		1				59
								1								60
5		5		5	1	13	5	1				1				61
																62
2		4		3	1	1	1	1				1				63
3		1		2		3	2									64

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 14.

	CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	68,543	3,134	2,747	3,238	2,959	3,545	3,188	3,024	2,844	3,175	2,992
2	Under 5.....	26,813	1,042	908	1,188	1,022	1,160	1,052	972	890	1,257	1,093
3	5 to 59.....	31,993	1,577	1,460	1,526	1,540	1,725	1,677	1,435	1,489	1,327	1,469
4	60 and over.....	9,067	488	353	501	372	623	435	587	439	559	400
5	Unknown.....	670	27	26	23	25	37	24	30	26	32	30
6	Unknown cause.....	6,403	276	274	267	237	261	249	219	224	268	265
7	Under 5.....	4,065	180	174	184	140	156	157	133	116	184	144
8	5 to 59.....	1,779	67	82	58	79	69	69	65	87	59	88
9	60 and over.....	457	27	15	21	15	29	22	18	18	22	28
10	Unknown.....	102	2	3	4	3	7	1	3	3	3	5
11	1. General diseases.											
	General diseases—A.....	21,955	749	671	792	799	893	863	738	798	971	955
12	Under 5.....	10,963	293	258	373	345	409	382	324	352	565	522
13	5 to 59.....	9,388	397	353	344	399	407	405	330	367	306	346
14	60 and over.....	1,473	55	54	72	48	70	69	80	77	92	81
15	Unknown.....	131	4	6	3	7	7	7	4	2	8	6
16	Measles.....	3,211	138	150	238	266	279	308	184	234	166	180
17	Under 5.....	1,723	63	69	138	128	142	136	80	105	101	97
18	5 to 59.....	1,419	75	76	96	133	131	164	96	121	62	76
19	60 and over.....	53	5	4	3	3	2	8	6	8	2	6
20	Unknown.....	16			2	2	4		2		1	1
21	Scarlet fever.....	717	47	68	34	46	42	37	29	40	24	28
22	Under 5.....	511	39	44	26	30	32	26	26	30	21	21
23	5 to 59.....	204	8	24	8	16	9	11	3	10	3	7
24	60 and over.....	2					1					
25	Unknown.....											
26	Diphtheria.....	482	19	20	28	26	19	15	15	16	13	9
27	Under 5.....	344	17	10	24	15	15	12	11	15	11	7
28	5 to 59.....	132	1	10	4	10	3	3	4	1	2	2
29	60 and over.....	3	1				1					
30	Unknown.....	3				1						
31	Whooping cough.....	1,132	25	25	48	52	52	64	53	52	78	95
32	Under 5.....	1,074	25	23	46	47	47	59	48	52	74	93
33	5 to 59.....	54	2	2	2	5	5	5	4		4	1
34	60 and over.....	3							1			1
35	Unknown.....	1										
36	Malarial fever.....	3,597	86	80	70	62	84	86	97	85	120	114
37	Under 5.....	1,256	21	18	20	20	32	33	25	29	48	42
38	5 to 59.....	2,062	61	57	43	40	43	42	59	51	53	62
39	60 and over.....	256	4	5	7	2	8	9	12	5	19	8
40	Unknown.....	23					1	2	1			2
41	Influenza.....	826	51	42	81	56	80	72	71	82	55	49
42	Under 5.....	200	15	11	23	15	22	16	18	18	9	8
43	5 to 59.....	251	17	14	27	16	27	23	16	26	15	14
44	60 and over.....	367	17	17	31	24	30	33	37	37	30	27
45	Unknown.....	8	2			1	1			1	1	
46	Typhoid fever.....	4,319	146	120	88	107	110	85	75	107	103	127
47	Under 5.....	864	12	18	11	15	14	16	11	21	21	26
48	5 to 59.....	3,198	124	91	73	90	89	62	57	80	70	89
49	60 and over.....	235	10	11	4	2	7	4	7	6	11	10
50	Unknown.....	22						3			1	2
51	Diarrheal diseases.....	5,506	115	78	100	74	97	90	109	86	300	261
52	Under 5.....	4,139	64	40	52	44	58	60	66	51	236	192
53	5 to 59.....	920	35	22	32	16	26	16	32	21	46	47
54	60 and over.....	409	15	13	14	11	13	14	10	13	16	21
55	Unknown.....	38	1	3	2	3			1	1	2	1
56	Cerebro-spinal fever.....	411	29	17	29	26	18	16	22	13	19	11
57	Under 5.....	195	10	6	8	10	9	4	10	5	9	6
58	5 to 59.....	206	18	11	21	16	9	11	11	7	9	5
59	60 and over.....	8	1						1	1	1	
60	Unknown.....	2						1				

CAUSE, AGE, AND MONTH.

1009

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
2,237	2,036	2,862	2,717	3,552	3,487	2,951	2,714	2,785	2,428	2,517	2,203	2,725	2,247	134	102
1,131	964	1,381	1,283	1,652	1,589	1,301	1,227	1,078	986	993	858	955	795	15	21
791	856	1,107	1,156	1,501	1,557	1,296	1,223	1,317	1,190	1,152	1,104	1,313	1,105	57	43
295	203	354	255	368	320	332	246	361	235	336	220	433	325	17	10
20	13	20	23	31	21	22	18	29	17	36	21	24	22	45	28
217	200	331	270	398	400	304	276	257	229	241	199	270	211	31	29
157	132	216	185	236	225	210	191	165	138	163	135	195	134	5	10
36	60	91	68	132	148	71	71	72	74	60	50	51	59	8	5
21	7	24	12	27	23	22	10	13	16	13	12	20	16	3	3
3	1		5	3	4	1	4	7	1	5	2	4	2	15	11
871	806	1,139	1,073	1,473	1,470	1,199	1,141	1,003	897	743	699	596	572	26	18
601	513	668	636	801	790	584	596	436	428	318	315	234	213	5	2
230	247	396	376	576	594	542	487	484	423	373	345	326	311	16	8
39	45	67	57	89	81	68	53	73	43	43	36	33	46	1	1
1	1	8	4	7	5	5	5	10	3	9	3	3	2	4	7
110	101	72	82	81	108	67	82	46	66	58	58	60	67	7	3
82	69	50	52	51	61	50	48	25	39	38	28	37	32	2	
28	29	20	29	29	47	17	34	21	27	19	29	23	32	4	1
.....	3	2		1						1	1		3		
.....			1											1	2
5	8	12	17	18	23	18	28	26	33	22	40	27	45		
3	6	8	13	11	17	12	20	18	22	15	25	19	27		
2	2	4	4	7	6	6	8	8	11	6	15	8	18		
.....										1					
13	8	19	9	30	16	29	31	32	21	22	25	20	27		
9	5	10	4	24	10	24	21	27	15	12	15	15	16		
4	3	9	5	6	6	5	10	5	6	9	10	3	11		
.....										1		1			
31	38	39	54	52	67	40	73	34	44	31	43	19	21	1	1
31	36	38	53	49	65	38	68	31	43	27	42	18	20	1	
.....	2	1	1	2	2	2	5	3	1	3	1	1	1		
.....				1						1					
99	107	212	213	380	375	293	262	194	180	128	99	97	68	1	5
41	36	84	90	145	143	80	106	56	69	38	30	26	24		
52	61	115	109	208	210	189	143	118	97	83	61	63	38	1	3
5	10	13	14	27	21	22	10	16	12	7	7	8	5		
1				1	1	2	3	4	2		1	1	1		
10	9	7	8	9	12	10	10	20	12	16	11	24	28		1
1	1	2	1	3	3	3	3	5	5	6	2	7	3		
3	4	2	1		5	4	1	5	3	5	3	10	9		1
6	4	3	6	6	4	3	6	9	4	5	6	7	15		
.....								1					1		
87	99	223	206	308	334	329	282	302	269	225	220	191	168	5	3
25	25	57	56	74	83	70	74	49	55	41	40	29	19	1	1
60	67	150	137	212	225	247	193	237	205	172	167	158	140	2	1
2	6	14	12	18	23	11	15	15	9	12	12	4	9		1
.....	1	2	1	4	3	1		1			1			2	
463	375	490	409	501	430	324	283	243	197	167	141	82	76	6	4
385	308	382	322	396	354	256	221	181	153	111	105	54	46	1	1
56	47	71	62	74	48	42	50	37	30	41	26	19	20	4	
22	20	31	23	30	27	25	16	22	13	10	10	9	10	1	
.....		6	2	1	1	1	1	3	1	5					
9	12	18	19	24	20	17	12	19	11	15	8	16	11		
5	8	10	15	12	15	9	8	10	5	4	4	7	6		
4	4	8	4	10	4	8	4	9	6	10	4	9	4		
.....				1	1					1			1		
.....				1											

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 14—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
2	General diseases—B	817	40	19	50	29	38	26	30	24	38	27
3	Under 5.....	565	24	15	30	23	23	24	19	17	24	19
4	5 to 59.....	210	14	3	19	6	12	2	8	5	14	7
5	60 and over	36	2	1	1		3		3	1		1
6	Unknown.....	6								1		
7	Inanition	451	15	10	24	21	22	21	16	15	16	16
8	Under 5.....	434	14	10	22	20	22	20	16	14	16	15
9	5 to 59.....	8	1		1	1		1		1		1
10	60 and over	6			1							
11	Unknown.....	3										
12	General diseases—C.....	2,099	80	80	84	99	97	104	94	90	112	96
13	Under 5.....	1,086	41	32	50	39	39	41	50	43	53	53
14	5 to 59.....	59		5	1	4	1	2	1	3	1	5
15	60 and over	923	38	43	33	55	57	60	41	43	55	37
16	Unknown.....	31	1			1		1	2	1	3	1
17	Debility and atrophy	279	3	11	9	16	7	12	12	12	11	16
18	Under 5.....	110	1	1	3	6	3	5	4	4	5	5
19	5 to 59.....	58		5	1	3	1	2	1	3	1	5
20	60 and over	98	2	5	5	7	3	4	6	4	5	6
21	Unknown.....	13						1	1	1		
22	Old age—all ages	843	37	38	28	49	54	56	56	39	53	32
23	60 and over	825	36	38	28	48	54	56	35	39	50	31
24	Unknown.....	18	1			1			1		3	1
25	General diseases—D	8,582	332	390	380	407	428	486	409	400	439	540
26	Under 5.....	622	20	23	25	13	31	28	23	21	28	24
27	5 to 59.....	6,345	240	310	280	329	293	390	274	368	310	433
28	60 and over	1,482	69	50	70	61	98	59	108	65	95	76
29	Unknown.....	133	3	7	5	4	6	9	4	6	6	7
30	Consumption	5,754	218	271	263	292	293	349	263	329	286	384
31	Under 5.....	236	6	13	10	5	12	9	10	8	12	11
32	5 to 59.....	4,871	184	231	224	265	240	305	207	290	242	334
33	60 and over	559	26	22	25	20	36	28	45	26	29	34
34	Unknown.....	88	2	5	4	2	5	7	1	5	3	5
35	2. Diseases of the nervous system.....	5,815	237	219	282	212	309	238	243	223	271	234
36	Under 5.....	2,439	86	73	94	68	88	84	80	85	104	95
37	5 to 59.....	2,391	106	115	123	101	156	102	97	95	104	94
38	60 and over	943	41	31	59	42	63	52	64	42	62	44
39	Unknown.....	42	4		6	1	2		2	1	1	1
40	3. Diseases of the circulatory system.....	2,459	133	115	117	100	137	138	124	117	152	135
41	Under 5.....	202	6	7	15	10	10	11	5	6	14	7
42	5 to 59.....	1,243	63	69	47	64	54	83	52	57	59	69
43	60 and over	978	61	38	55	25	70	42	65	53	77	56
44	Unknown.....	36	3	1		1	3	2	2	1	2	3
45	4. Diseases of the respiratory system	10,092	846	614	854	663	892	647	678	551	394	327
46	Under 5.....	4,024	289	230	322	282	292	225	218	182	164	137
47	5 to 59.....	4,662	433	289	422	294	474	324	350	264	174	151
48	60 and over	1,326	118	89	108	81	122	96	104	99	51	37
49	Unknown.....	80	6	6	2	6	4	2	6	6	5	2
50	5. Diseases of the digestive system.....	4,315	157	117	134	139	179	145	163	142	192	181
51	Under 5.....	1,824	54	45	40	52	62	53	60	36	72	64
52	5 to 59.....	1,928	81	58	69	67	84	74	73	86	87	89
53	60 and over	542	22	14	25	19	32	17	30	19	33	27
54	Unknown.....	21				1	1	1		1		1
55	6. Diseases of the urinary system	1,396	87	34	83	36	116	35	91	38	94	42
56	Under 5.....	80	5	2	5	4	5	4	3	2	3	2
57	5 to 59.....	710	47	25	39	19	49	24	37	23	40	31
58	60 and over	590	35	7	39	12	61	7	49	11	51	8
59	Unknown.....	16				1	1		2	2		1
60	7. Affections connected with pregnancy...	885		94		109		115		72		89

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 14—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
31	17	46	34	45	39	38	27	45	34	35	30	35	35	3	2
23	15	27	28	28	29	25	21	23	29	28	24	22	24	1	2
6	2	14	6	15	8	10	4	21	4	4	2	12	9	2	1
1	1	5	1	1	2	3	2	1	1	3	3	1	2	1	3
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
19	12	18	22	22	25	18	13	17	22	21	22	22	21	1	6
18	12	18	22	21	23	16	13	17	21	20	20	22	21	1	7
1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	8
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9
78	69	84	90	94	113	72	63	86	68	78	80	98	85	2	11
47	43	48	45	56	65	42	37	49	34	53	35	53	37	1	12
2	1	1	6	2	4	27	4	1	2	21	9	1	3	1	13
29	24	34	39	34	44	3	22	35	31	4	35	41	43	1	14
1	1	1	1	2	1	3	1	1	1	4	1	3	2	1	15
9	10	14	13	17	19	12	12	11	14	8	14	8	9	1	16
4	7	6	6	6	9	5	4	6	7	4	3	3	3	1	17
2	1	1	6	2	4	4	4	1	2	2	9	1	3	1	18
3	2	6	1	8	6	4	4	4	4	2	2	3	2	2	19
1	1	1	1	1	1	3	1	1	1	2	2	1	1	1	20
26	23	28	38	27	38	23	18	32	27	21	34	40	42	2	21
26	22	28	38	26	38	23	18	31	27	19	33	38	41	1	22
1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	23
243	287	263	370	274	371	266	336	266	307	288	337	321	345	16	24
13	22	43	26	41	33	32	33	29	18	26	26	21	21	2	25
171	225	151	290	162	291	183	250	173	244	197	261	230	272	6	12
49	35	67	50	65	42	48	49	62	43	61	42	67	43	4	26
10	5	2	4	6	5	3	4	2	2	4	8	3	9	6	27
156	199	159	252	153	250	165	220	149	209	178	234	212	249	9	28
3	11	20	12	8	13	15	11	11	8	9	6	6	7	1	29
130	177	113	224	114	219	128	187	121	181	140	203	177	221	5	30
17	7	24	14	29	14	20	19	15	20	27	20	26	15	1	31
6	4	2	2	2	4	2	3	2	2	2	5	3	6	4	32
217	180	279	269	386	338	260	219	232	174	211	164	237	167	7	33
108	91	137	141	190	175	121	116	97	76	93	66	95	73	3	34
78	62	111	105	158	120	106	77	100	75	75	72	91	61	4	35
31	25	31	21	37	40	29	26	33	23	39	26	50	31	1	36
2	2	2	2	1	3	4	1	2	1	4	1	1	2	2	37
65	62	68	82	101	106	92	71	89	80	81	80	123	82	6	38
8	5	7	7	17	8	8	4	7	8	6	10	8	8	1	39
25	36	24	56	52	67	44	40	43	47	38	54	57	41	1	40
31	20	36	19	30	30	39	25	39	23	36	15	58	33	1	41
1	1	1	1	2	1	1	2	2	2	1	1	1	1	4	42
153	104	149	131	189	150	210	178	325	254	405	292	599	457	21	43
69	60	71	74	97	74	122	95	151	128	193	135	225	186	3	44
58	38	56	44	74	62	70	59	134	103	161	129	225	190	5	45
25	6	21	12	15	13	18	23	38	22	47	27	70	78	6	46
1	1	1	1	3	1	1	1	2	1	4	1	6	3	7	47
164	159	237	226	292	263	256	205	204	177	175	139	145	116	5	48
75	67	127	116	145	132	116	96	79	90	69	70	54	49	1	49
62	69	82	85	129	101	115	89	106	68	76	55	66	51	4	50
26	23	24	22	18	29	25	20	19	18	28	13	24	15	1	51
1	1	4	3	1	1	1	1	1	1	2	1	1	1	1	52
60	40	66	34	81	36	74	29	66	37	69	25	92	26	3	53
5	5	2	2	3	7	5	4	1	2	6	3	2	2	2	54
25	25	30	22	38	23	34	18	37	27	27	16	36	14	2	55
30	10	33	12	39	6	34	7	27	7	35	4	56	10	1	56
1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	57
46	44	71	63	71	63	71	63	71	63	60	48	3	59	3	58

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 14—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	3,042	175	87	166	108	173	97	213	71	223	62
2	Under 5	712	38	42	40	44	36	36	43	21	37	20
3	5 to 59	2,026	121	38	110	52	118	54	142	41	166	36
4	60 and over	249	12	7	15	12	14	7	24	8	16	3
5	Unknown	55	4	1	1	5	5	4	1	4	4	3
6	Burns and scalds	526	26	46	25	68	29	51	16	25	10	15
7	Under 5	284	17	25	20	31	21	19	13	5	9	4
8	5 to 59	207	8	18	4	32	7	28	3	15	1	10
9	60 and over	27	1	3	1	5	1	4	4	4	1	1
10	Unknown	8	1	1	1	1	1	1	1	1	1	1
11	Drowning	213	3	3	10	3	12	2	26	5	30	6
12	Under 5	34	1	1	3	1	1	1	3	1	3	2
13	5 to 59	168	3	2	7	2	11	2	21	4	27	4
14	60 and over	7	1	1	1	1	1	1	1	1	1	1
15	Unknown	4	1	1	1	1	1	1	1	1	1	1
16	Exposure and neglect	65	4	3	3	1	1	6	3	3	3	1
17	Under 5	45	3	2	2	1	3	3	2	3	1	1
18	5 to 59	14	1	1	1	1	3	1	1	1	1	1
19	60 and over	6	1	1	1	1	1	1	1	1	1	1
20	Unknown	1	1	1	1	1	1	1	1	1	1	1
21	Gunshot wounds	436	31	4	29	6	34	7	32	7	42	3
22	Under 5	7	1	1	1	1	1	1	1	1	1	1
23	5 to 59	403	29	4	27	5	31	7	29	6	36	2
24	60 and over	11	1	1	1	2	2	2	2	2	2	1
25	Unknown	15	1	1	1	1	1	1	1	1	3	1
26	Homicide	170	10	2	9	1	9	1	18	1	17	6
27	Under 20	21	1	2	1	1	1	4	1	1	2	2
28	20 to 59	136	10	7	7	8	13	1	15	1	4	4
29	60 and over	5	1	1	1	1	1	1	1	1	1	1
30	Unknown	8	1	1	1	1	1	1	1	1	1	1
31	Injuries by machinery	30	4	1	1	2	2	2	2	2	2	2
32	Under 20	10	1	1	1	1	1	1	1	1	1	1
33	20 to 59	19	4	1	1	2	2	2	2	2	2	2
34	60 and over	1	1	1	1	1	1	1	1	1	1	1
35	Unknown	1	1	1	1	1	1	1	1	1	1	1
36	Railroad accidents	193	10	1	16	1	17	1	17	1	16	1
37	Under 5	1	1	1	1	1	1	1	1	1	1	1
38	5 to 59	174	9	1	15	1	17	15	14	1	14	1
39	60 and over	17	1	1	1	1	1	2	1	1	1	1
40	Unknown	1	1	1	1	1	1	1	1	1	1	1
41	Suicide by shooting	50	8	1	2	5	3	3	6	1	1	1
42	Under 20	3	1	1	1	1	1	1	1	1	1	1
43	20 to 59	41	7	2	4	4	2	2	5	1	1	1
44	60 and over	6	1	1	1	1	1	1	1	1	1	1
45	Unknown	1	1	1	1	1	1	1	1	1	1	1
46	Suicide by drowning	6	1	1	1	1	1	1	1	1	1	1
47	Under 20	1	1	1	1	1	1	1	1	1	1	1
48	20 to 59	3	1	1	1	1	1	1	1	1	1	1
49	60 and over	2	1	1	1	1	1	1	1	1	1	1
50	Unknown	1	1	1	1	1	1	1	1	1	1	1
51	Suicide by poison	37	1	1	1	2	1	1	7	1	1	1
52	Under 20	5	1	1	1	2	1	1	7	1	1	1
53	20 to 59	29	1	1	1	2	1	1	7	1	1	1
54	60 and over	2	1	1	1	2	1	1	7	1	1	1
55	Unknown	1	1	1	1	2	1	1	7	1	1	1
56	Other suicides	88	6	2	8	2	4	1	9	2	7	1
57	Under 20	7	1	1	1	2	1	1	7	1	1	1
58	20 to 59	60	5	6	1	2	1	7	1	6	1	1
59	60 and over	16	1	2	1	2	1	1	1	1	1	1
60	Unknown	5	1	1	1	2	1	1	1	1	1	1
61	Sunstroke	49	1	1	1	1	1	1	1	1	1	1
62	Under 5	5	1	1	1	1	1	1	1	1	1	1
63	5 to 59	34	1	1	1	1	1	1	1	1	1	1
64	60 and over	9	1	1	1	1	1	1	1	1	1	1
65	Unknown	1	1	1	1	1	1	1	1	1	1	1

1013

GRAND GROUP 14--Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
120	41	177	60	198	79	155	60	194	64	171	69	186	77	14	2	1
16	9	24	15	24	24	27	20	29	25	27	34	36	42	2	1	2
91	27	140	35	157	49	108	31	141	29	134	32	137	28	9		3
11	5	11	8	12	6	16	7	20	8	8	2	11	6			4
2		2	2	2		4	2	4	2	2	1	2	1	3	1	5
1	3	7	9	9	21	10	20	20	22	15	26	18	32	1	1	6
	1	6	3	4	4	8	8	14	14	12	13	14	19			7
1	2	1	6	4	16	2	9	5	6	3	12	3	10	1		8
				1	1		2	1	1				2			9
							1		1		1	1	1		1	10
18	9	23	6	16	8	10	4	4	1	3	2	4	3	2		11
4	1	3	1	2	1	1	1			2	2	1	1			12
12	8	18	5	14	7	8	3	3		1		3	2	1		13
1		1				1		1	1					1		14
1		1														15
	1	1	3	4	7	3			1	4		6	6		1	16
	1		1	4	6	3			1	1		4	4		1	17
			2		1					1		1	2			18
		1								2		1				19
																20
26	3	31	4	21	2	28	4	49	3	25	1	39	2	3		21
		1					1			1		1				22
26	3	30	4	18	2	26	3	46	3	24	1	37	2	2		23
						1		2								24
				3		1		1				1		1		25
9		13	2	13		8	2	18	4	12		13	1	1		26
1		3		1		1		1		1		1				27
7		10	2	12		6		15	3	10		12	1			28
1							1		1							29
						1	1	2		1				1		30
1				4		5	1	3		5		2				31
1				4		3	1			4		1				32
						2		2		1		1				33
								1								34
																35
13		7		18	1	14		15	3	21	1	16	1	3		36
9		7		18	1	12		12	2	21	1	16		3		37
4						2		3	1				1			38
																39
																40
6		2		4		3		4		2	1	2				41
1				1						1						42
4		2		3		2		4		1	1	2				43
1						1										44
																45
				1				1		1						46
				1				1								47
										1						48
																49
										1						50
2	1	3		3	2	3		4		3		1	1			51
2	1	3		3	1			1		1		1	1			52
						1		2		2						53
						1		1								54
						1										55
3	2	9		9		5	1	5	2	3	2	5				56
1						1			1							57
2	2	5		6		3	1	3		3	2	2				58
		3		2		1		2				1				59
		1		1					1							60
7	1	7	1	16	4	2		1		2			1			61
6	1	1	1	1		1				2			1			62
1		2		11	2	2										63
				3	2			1								64
				1												65

1015

GRAND GROUP 15.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,898	1,761	2,444	2,261	2,725	2,695	2,669	2,526	2,831	2,891	2,607	2,529	2,839	2,459	79	67	1
505	416	845	694	1,039	944	928	808	806	745	672	583	708	526	16	11	2
862	907	919	1,018	1,019	1,126	1,072	1,168	1,208	1,454	1,146	1,266	1,262	1,209	25	28	3
515	427	662	528	646	611	655	531	791	668	771	658	846	698	15	10	
16	11	18	21	21	17	14	19	26	24	18	22	23	26	23	18	
73	83	104	82	130	124	135	102	99	112	73	85	102	91	13	16	6
37	36	62	41	82	79	73	54	62	59	40	33	60	51	4	5	7
21	26	21	23	23	19	21	25	18	37	16	27	25	18	2	3	8
15	20	20	14	21	22	38	16	16	13	14	21	12	20	1	2	9
.....	1	1	4	4	4	3	7	3	3	3	4	5	2	6	6	10
300	288	647	598	875	851	803	778	694	790	548	535	437	397	11	7	11
152	139	414	335	520	461	406	374	243	279	181	157	125	114	1	1	12
106	117	160	180	258	265	323	326	383	434	301	324	245	240	6	5	13
39	31	73	80	93	121	71	76	64	74	65	51	63	39	2		14
3	1		3	4	4	3	2	4	3	1	3	4	4	2	1	15
13	17	9	14	9	15	7	10	5	7	8	10	12	20			16
8	14	7	6	8	10	5	6	4	3	4	4	8	8			17
5	3	1	8	1	4	2	3	1	3	4	6	4	12			18
.....		1			1		1		1							19
.....																20
4	6	8	7	4	10	12	9	11	12	17	12	18	25			21
3	3	8	4	3	8	10	8	8	5	8	9	11	16			22
1	3		3	1	2	2	1	3	7	9	3	7	9			23
.....																24
.....																25
13	6	16	10	14	14	31	42	45	70	59	64	42	43	1		26
5	2	8	3	8	4	17	18	27	33	33	27	25	22			27
8	4	8	7	5	10	14	24	18	36	26	36	17	21			28
.....				1					1		1			1		29
.....																30
18	9	19	22	15	28	26	29	14	25	17	26	18	19	1	1	31
17	9	18	20	14	27	25	28	13	24	17	25	16	17	1		32
1		1	2	1	1		1	1	1		1	1	2			33
.....						1						1				34
.....															1	35
12	19	28	35	42	43	57	58	45	62	27	30	26	18		1	36
2	5	8	12	14	9	17	14	9	18	7	3	4	3			37
10	12	16	16	22	28	32	30	31	34	19	25	16	12		1	38
.....	2	4	5	6	5	8	13	5	10	1	2	6	3			39
.....			2		1		1									40
16	16	13	4	10	12	6	7	8	10	13	18	18	23	2		41
.....																
.....	2	3			1	3					2	3	2			42
4	3	2	2	3	5	1	3	1	4	2	3	2	10			43
12	10	8	2	7	6	2	4	7	6	11	12	13	10	1		44
.....	1										1		1			45
46	47	89	88	193	168	261	230	307	332	228	220	170	148	5	3	46
5	4	12	9	12	24	24	23	19	23	15	22	10	9			47
33	41	70	70	168	126	222	197	274	281	194	184	150	130	4	3	48
5	2	7	9	12	16	13	9	11	28	19	13	8	8	1		49
3				1	2	2	1	3			1	2	1			50
135	114	401	359	528	500	357	337	206	211	119	91	70	47	1	1	51
95	78	333	265	445	360	286	262	148	158	78	54	35	23			52
25	23	28	39	28	57	33	33	25	28	13	22	11	11	1	1	53
15	13	40	54	52	82	37	42	32	23	27	15	23	12			54
.....			1	3	1	1		1	2	1		1	1			55
22	18	18	18	14	10	11	10	22	9	19	6	10	6			56
10	14	10	10	11	8	7	2	10	7	9	4	5	5			57
12	4	6	7	3	2	4	8	11	2	10	2	5	1			58
.....		2	1					1								59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 15—Continued.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.										
		Total.	January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	1,175	57	37	61	34	60	41	62	35	63	44
2	Under 5	820	34	29	37	24	45	30	43	27	36	33
3	5 to 59	242	16	5	15	3	10	6	15	4	22	7
4	60 and over	94	4	3	7	6	4	5	4	4	5	4
5	Unknown	19	3		2	1	1					
6	Inanition	838	36	32	42	26	49	29	43	27	35	34
7	Under 5	758	33	28	35	22	45	27	41	23	33	31
8	5 to 59	19		1	2	1			1	1		
9	60 and over	51	2	3	3	2	3	2	1	3	2	3
10	Unknown	10	1		2	1	1					
11	General diseases—C	3,882	210	197	188	179	213	232	204	203	192	187
12	Under 5	1,419	79	50	77	59	90	80	68	60	88	70
13	5 to 59	107	6	6	1	3	5	5	4	5	7	9
14	60 and over	2,333	125	139	110	116	118	147	132	136	96	108
15	Unknown	23		2		1				2	1	
16	Debility and atrophy	728	35	34	30	21	39	39	32	33	34	34
17	Under 5	311	9	9	11	9	18	14	8	12	12	12
18	5 to 59	103	6	6	1	3	4	5	4	5	7	9
19	60 and over	307	20	18	18	9	17	20	20	16	15	13
20	Unknown	7		1								
21	Old age—all ages	2,041	105	122	92	108	101	127	112	122	82	95
22	60 and over	2,026	105	121	92	107	101	127	112	120	81	95
23	Unknown	15		1		1				2	1	
24	General diseases—D	13,970	548	690	567	656	627	813	642	868	663	883
25	Under 5	827	29	30	48	30	44	36	35	47	40	40
26	5 to 59	9,782	369	518	379	483	426	604	430	642	455	650
27	60 and over	3,233	148	132	132	137	153	166	172	174	163	186
28	Unknown	128	2	10	8	6	4	7	5	5	5	7
29	Consumption	9,028	347	482	351	428	424	561	421	593	447	576
30	Under 5	387	8	13	20	14	19	16	17	30	18	19
31	5 to 59	7,434	286	408	280	366	345	469	337	489	368	491
32	60 and over	1,137	51	54	47	44	57	71	62	70	61	62
33	Unknown	70	2	7	4	4	3	5	5	4		4
34	2. Diseases of the nervous system	8,301	394	364	399	337	477	365	453	346	454	403
35	Under 5	2,468	100	91	110	95	145	103	131	71	120	103
36	5 to 59	2,637	115	125	119	122	135	103	134	124	164	144
37	60 and over	3,151	177	148	168	118	195	157	187	148	168	154
38	Unknown	45	2		2	2	2	2	1	3	2	2
39	3. Diseases of the circulatory system	4,732	245	207	232	212	270	225	283	251	283	230
40	Under 5	397	31	18	33	12	20	14	21	24	27	7
41	5 to 59	1,842	89	93	67	92	91	89	88	106	102	105
42	60 and over	2,454	124	95	129	106	155	120	172	118	154	117
43	Unknown	39	1	1	3	2	4	2	2	3		1
44	4. Diseases of the respiratory system	8,830	559	483	607	556	769	743	783	666	401	385
45	Under 5	3,386	211	178	277	221	269	243	264	201	151	136
46	5 to 59	2,945	207	142	189	188	286	260	273	214	142	135
47	60 and over	2,448	138	160	139	146	210	236	239	249	106	112
48	Unknown	51	3	3	2	1	4	4	7	2	2	2
49	5. Diseases of the digestive system	4,233	164	175	191	142	186	180	190	185	212	209
50	Under 5	1,055	49	36	57	23	32	32	46	32	43	34
51	5 to 59	1,989	64	91	85	81	100	94	90	91	95	110
52	60 and over	1,168	51	48	48	37	54	54	53	60	73	64
53	Unknown	21			1	1			1	2	1	1
54	6. Diseases of the urinary system	2,485	166	70	157	83	153	90	174	80	172	93
55	Under 5	99	3	6	11	5	6	7	4	3	6	1
56	5 to 59	987	50	29	56	52	37	55	46	41	51	56
57	60 and over	1,377	111	35	89	25	110	27	122	35	113	36
58	Unknown	22	2		1	1		1	2	1	2	
59	7. Affections connected with pregnancy ...	559		53		50		64		53		50

1017

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
47	31	50	46	52	48	56	44	66	43	62	43	58	34	1		1
35	23	28	36	36	39	36	36	45	37	38	32	34	26	1		2
11	7	13	6	9	7	16	5	13	4	17	7	20	4			3
.....	1	8	4	5	1	3	3	6	2	5	2	4	4			5
1		1		2	1	1		2		2	2					5
32	24	30	37	35	39	37	38	47	38	35	31	32	29	1		6
31	21	26	34	33	34	34	33	43	35	32	27	31	25	1		7
1	2			2	4	2	3		1							8
.....	1	4	3	2	1	1	2	2	2	2	2	1	4			9
.....								2	2	1	2					10
102	87	113	118	119	126	121	136	165	158	143	159	179	146	3	2	11
43	32	39	39	47	44	56	49	74	50	51	50	86	38			12
1	4	1	6	6	1	1	5	2	7	6	7	3	6			13
56	50	73	71	66	81	64	80	87	101	85	101	89	100	1	1	14
2	1		2			2	2	2		1	1	1	2	2	1	15
20	19	23	21	32	24	25	40	34	38	33	33	25	29	1		16
11	9	13	10	17	16	19	24	18	14	12	13	13	8			17
1	4	1	5	6	1	1	5	2	7	5	7	3	5			18
8	6	9	6	9	7	5	10	13	17	15	12	9	15	1		19
.....							1	1		1	1		1	1		20
49	45	64	67	57	74	59	71	75	84	70	89	81	86	2	2	21
48	44	64	65	57	74	59	70	74	84	70	89	80	85	1	1	22
1	1		2			1	1	1				1	1	1	1	23
360	524	371	583	405	618	407	544	435	655	438	564	476	606	11	16	24
24	20	28	25	31	37	37	27	42	45	42	26	27	37			25
250	398	216	433	261	460	251	411	256	459	264	411	309	432	5	10	26
81	101	123	120	108	115	117	103	132	145	130	121	137	131	4	2	27
5	5	4	5	5	6	2	3	5	6	2	6	3	6	2	4	28
238	342	218	386	253	390	246	331	247	410	264	356	309	390	5	13	29
12	8	16	15	18	16	17	11	14	21	23	12	11	19			30
197	305	161	333	191	332	182	332	185	338	203	302	240	326	4	9	31
28	27	40	38	40	38	46	33	44	50	36	39	57	41		1	32
1	2	1		4	4	1		4	1	2	3	1	4	1	3	33
298	232	356	269	344	331	298	284	357	287	328	270	379	258	8	10	34
93	72	126	103	153	133	113	98	111	78	95	68	96	52	5	3	35
112	85	124	76	92	80	86	91	107	98	110	90	118	79		4	36
91	74	104	88	98	118	96	94	137	109	121	110	163	125		3	37
2	1	2	2	1		3	1	2	2	2	2	2	2	3		38
156	117	170	140	152	122	165	142	184	177	213	150	225	170	8	3	39
16	8	11	13	16	12	16	13	18	9	22	8	14	14			40
64	54	60	69	51	55	57	63	66	79	67	64	84	81	4	2	41
76	53	95	57	83	55	92	66	96	86	124	78	126	72	4	1	42
.....	2	4	1	2				4	3			1	3			43
133	103	97	100	135	122	176	147	249	232	276	329	413	350	11	5	44
50	41	40	44	67	62	80	68	112	96	118	141	181	129	4	2	45
52	38	34	34	38	35	56	44	74	78	84	99	128	112	3		46
31	24	22	21	30	25	40	33	62	53	73	88	102	108	1		47
.....		1	1				2	1	5	1	1	2	1	3	3	48
120	128	197	181	192	176	199	167	184	218	163	164	153	152	2	3	49
30	24	66	45	56	54	79	62	57	59	40	37	35	27			50
56	68	77	93	81	80	77	73	62	115	75	79	72	78	1	1	51
34	36	53	42	54	42	43	32	64	44	46	45	45	45		1	52
.....		1	1	1				1		2	3	1	2	1	1	53
98	49	105	47	100	52	105	49	141	71	144	72	131	82	1		54
1	1	1	3	4	1	6	2	5	8	4	4	4	3			55
33	28	34	27	32	31	28	31	46	34	49	45	50	46			56
64	20	70	17	64	19	69	15	89	28	89	23	76	31			57
.....					1	2	1	1	1	2		1	2	1	1	58
.....	31		31		37		44		45		48		50		3	59

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 15—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	Accidents and injuries	3,485	207	79	211	82	225	91	209	76	273	79
2	Under 5	580	27	32	36	30	43	32	25	17	29	21
3	5 to 59	2,367	141	34	148	30	151	34	156	37	191	40
4	60 and over	493	36	11	29	22	30	23	21	21	47	17
5	Unknown	45	3	2	1	1	2	7	1	1	6	1
6	Burns and scalds	419	16	26	23	39	19	32	10	12	13	21
7	Under 5	222	10	12	12	21	12	12	6	5	8	9
8	5 to 59	161	5	11	8	11	7	15	4	4	3	10
9	60 and over	35	1	3	3	7	5	3	3	1	2	2
10	Unknown	1									1	
11	Drowning	175	4	2	6	2	7	1	16	2	17	4
12	Under 5	21			2		1	1		2	1	2
13	5 to 59	142	3	2	3	2	6		14		14	2
14	60 and over	8	1		1						2	
15	Unknown	4							2			
16	Exposure and neglect	44	1	3	4		3	4		4	9	3
17	Under 5	27	1	1			2	4		3	7	2
18	5 to 59	11		1	2				1		2	1
19	60 and over	6		1	2		1					
20	Unknown											
21	Gunshot wounds	319	23	3	16	5	20	3	28	2	27	3
22	Under 5	9			1							1
23	5 to 59	290	21	3	13	5	18	3	25	2	23	2
24	60 and over	17	2		2		2		2		4	
25	Unknown	3							1			
26	Homicide	86	4		6	3			2	3	12	
27	Under 20	16	1			3					3	
28	20 to 59	63	3		5				1	3	8	
29	60 and over	3							1		1	
30	Unknown	4			1							
31	Injuries by machinery	10	1						1			
32	Under 20	4	1						1			
33	20 to 59	4										
34	60 and over	2										
35	Unknown											
36	Railroad accidents	535	32	2	39	1	40	1	41	6	36	4
37	Under 5	8					1		1			1
38	5 to 59	461	25	2	34	1	36		35	5	30	3
39	60 and over	53	6		5		3	1	3	1	3	
40	Unknown	13	1						2		3	
41	Suicide by shooting	87	8	2	6	1	10	1	10	2	7	
42	Under 20											
43	20 to 59	76	6	2	6	1	9	1	9	2	6	
44	60 and over	9	2				1				1	
45	Unknown	2							1			
46	Suicide by drowning	8							1	1	1	1
47	Under 20											
48	20 to 59	7							1	1	1	1
49	60 and over	1										
50	Unknown											
51	Suicide by poison	78	9	1	6	1	1		5	1	4	
52	Under 20	13	1		1				1			
53	20 to 59	54	6	1	5	1	1		3	1	4	
54	60 and over	11	2						1			
55	Unknown											
56	Other suicides	182	8	1	8	1	15	2	13	6	24	3
57	Under 20	11					1			1		
58	20 to 59	135	7	1	8		11	2	8	4	18	2
59	60 and over	32	1		1		3		5	1	5	1
60	Unknown	4									1	
61	Sunstroke	32					1				2	2
62	Under 5	3										
63	5 to 59	18									1	2
64	60 and over	11					1				1	
65	Unknown											

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 15—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
189	64	214	41	199	63	189	48	237	68	198	70	270	88	10	2
16	14	19	7	19	12	21	13	29	18	29	20	39	31	1	2
148	36	175	27	157	41	151	29	174	38	149	37	200	38	4	1
22	14	17	7	21	9	17	6	33	12	18	13	28	17	2	3
3		3		2	1			1		2		3	2	3	1
8	10	9	12	7	10	11	9	24	19	15	16	24	33	1	6
5	2	6	3	5	5	7	2	10	11	12	9	19	18	1	7
3	6	3	8	2	5	3	5	13	7	3	6	5	14		8
	2		1			1	2	1	1		1		1		9
															10
35	6	30	2	20	6	1	1	5		4		4			11
3	1	2	1	2				3							12
30	5	25	1	18	6	1	1	2				4			13
1		2								1					14
1		1													15
1	2	1		2			1	2	1	1	1	1			16
1	1	1		2			1	1							17
	1							1	1	1	1	1			18
															19
17	1	17	2	17	6	23	3	25	3	31	3	33	7	1	20
			1		2	1				1			2		21
17	1	17	1	16	4	22	3	23	3	30	3	30	4	1	22
				1				2				2			23
												1	1		24
7	1	5		5	2	6	1	3	2	3	4	13		3	25
3				2	1	2		1							26
4	1	4		3	1	4	1	2	2	3	4	13		1	27
		1												2	28
															29
				2		1		2		3					30
															31
				2		1		1		2					32
															33
								1		1					34
															35
24	4	51	2	29	3	46	9	53		39	2	64	6	1	36
															37
20	2	47	2	27	2	43	7	47		37	2	51	2	1	38
3	2	2		1		2	2	3		1		12	3		39
1		1		1		1		1		1		1	1		40
4		6		3	1	3		5	1	6		11			41
															42
3		4		3	1	3		4	1	5		10			43
1		2						1		1		1			44
															45
		1			1			1		1					46
															47
		1			1			1		1					48
															49
										1					50
4	4	3	2	2	3	6	1	3	4	4	3	6	5		51
															52
2	3						1		3		1		2		53
2	1	3	2	2	3	5		2	1	3	1	5	2		54
						1		1		1	1	1	1		55
10	3	15	4	9	7	10	2	9	3	12	3	11	2	1	56
															57
1	1	2	1	1						2		1			58
7	1	12	3	7	5	8	2	5	3	8	3	8	2		59
2	1			1	1	2		4		1		2		1	60
		1								1					61
5		2	1	6	1	4	2	1	1	2		2			62
															63
4			1	1			1								64
1		1		3		3	1	1		2		1			65
				2	1	1		1	1			1			

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 16.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	77,601	3,684	3,096	3,894	3,348	4,523	3,907	4,209	3,646	3,698	3,153
2	Under 5.....	20,692	882	750	1,006	831	1,265	937	1,083	837	834	685
3	5 to 59.....	32,494	1,493	1,373	1,464	1,440	1,667	1,740	1,606	1,634	1,518	1,522
4	60 and over.....	23,696	1,276	952	1,385	1,058	1,553	1,210	1,493	1,159	1,307	929
5	Unknown.....	719	33	21	39	19	38	20	27	16	39	17
6	Unknown cause.....	3,517	177	162	163	126	196	154	169	144	161	134
7	Under 5.....	1,963	101	91	97	62	111	87	95	71	96	54
8	5 to 59.....	752	32	36	30	33	38	31	32	38	28	41
9	60 and over.....	692	37	31	33	29	41	32	40	33	33	36
10	Unknown.....	110	7	4	3	2	6	4	2	2	4	3
11	1. General diseases.											
	General diseases—A.....	13,544	454	426	438	449	489	515	506	494	400	421
12	Under 5.....	6,417	163	159	178	166	227	187	218	181	170	165
13	5 to 59.....	5,258	204	208	170	209	170	243	174	219	153	176
14	60 and over.....	1,792	86	55	84	72	92	82	111	92	74	78
15	Unknown.....	77	1	4	6	2	3	3	2	3	2	2
16	Measles.....	480	16	13	25	40	38	53	52	37	24	31
17	Under 5.....	290	11	7	18	19	25	24	24	21	15	20
18	5 to 59.....	180	5	5	7	21	13	29	25	16	7	11
19	60 and over.....	9	1	1	1	1	1	1	3	1	1	1
20	Unknown.....	1	1	1	1	1	1	1	1	1	1	1
21	Scarlet fever.....	439	28	26	27	31	26	25	25	38	25	24
22	Under 5.....	272	17	10	24	18	19	9	17	26	17	12
23	5 to 59.....	164	11	16	3	13	7	16	8	11	8	12
24	60 and over.....	1	1	1	1	1	1	1	1	1	1	1
25	Unknown.....	2	2	2	2	2	2	2	2	2	2	2
26	Diphtheria.....	1,103	54	73	52	42	29	46	36	39	21	19
27	Under 5.....	508	27	39	26	17	17	15	22	18	8	8
28	5 to 59.....	589	27	34	24	25	12	30	14	20	13	11
29	60 and over.....	4	1	1	1	1	1	1	1	1	1	1
30	Unknown.....	2	2	2	2	2	2	2	2	2	2	2
31	Whooping cough.....	776	35	32	28	49	40	39	46	42	37	42
32	Under 5.....	739	33	31	28	44	38	38	45	40	34	41
33	5 to 59.....	33	2	1	4	4	2	1	1	1	2	1
34	60 and over.....	2	2	2	1	1	1	1	1	1	1	1
35	Unknown.....	2	2	2	2	2	2	2	2	2	2	2
36	Malarial fever.....	641	21	11	13	14	20	12	9	25	20	21
37	Under 5.....	206	5	4	3	3	9	5	2	2	5	5
38	5 to 59.....	303	13	4	6	7	8	2	4	17	10	11
39	60 and over.....	125	3	3	3	4	3	5	3	5	4	5
40	Unknown.....	7	1	1	1	1	1	1	1	1	1	1
41	Influenza.....	846	48	41	57	65	74	88	92	98	39	53
42	Under 5.....	147	7	5	14	6	27	19	23	12	5	9
43	5 to 59.....	187	9	10	13	21	9	25	15	21	4	13
44	60 and over.....	501	32	26	29	36	38	43	51	65	30	31
45	Unknown.....	11	1	1	1	2	1	1	3	1	1	1
46	Typhoid fever.....	2,645	84	69	84	65	67	62	58	50	59	49
47	Under 5.....	250	4	7	6	5	10	8	3	6	4	7
48	5 to 59.....	2,155	71	56	64	54	50	49	44	41	51	38
49	60 and over.....	221	9	5	13	6	7	5	11	3	4	3
50	Unknown.....	19	1	1	1	1	1	1	1	1	1	1
51	Diarrheal diseases.....	4,791	84	66	77	73	96	84	83	73	89	86
52	Under 5.....	3,487	36	30	45	39	50	41	45	40	55	43
53	5 to 59.....	702	29	28	15	23	26	27	23	27	24	26
54	60 and over.....	585	19	7	16	11	20	15	15	6	10	17
55	Unknown.....	17	1	1	1	1	1	1	1	1	1	1
56	Cerebro-spinal fever.....	345	13	18	6	7	18	17	21	9	17	12
57	Under 5.....	189	7	9	3	5	11	10	15	4	9	4
58	5 to 59.....	144	5	7	3	2	6	7	5	5	7	7
59	60 and over.....	10	1	1	1	1	1	1	1	1	1	1
60	Unknown.....	2	1	1	1	1	1	1	1	1	1	1

1021

GRAND GROUP 16.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
2,417	1,961	3,081	2,463	3,548	2,914	3,369	2,910	3,435	2,824	3,028	2,484	3,152	2,685	100	72	1
603	449	953	786	1,240	992	1,133	982	974	759	732	635	720	594	12	18	2
1,019	996	1,206	1,090	1,340	1,154	1,262	1,208	1,379	1,265	1,304	1,176	1,340	1,244	30	24	3
771	498	887	571	930	745	946	683	1,049	772	958	647	1,057	831	19	10	4
24	18	35	16	38	23	28	37	33	28	34	26	35	16	39	20	5
138	84	128	110	155	131	177	135	157	157	143	115	152	126	15	8	6
77	38	74	57	95	72	109	78	99	80	85	67	89	70	2	6	7
31	31	24	34	31	34	28	31	24	44	21	26	25	27	2		8
26	14	24	15	26	22	32	21	29	26	31	19	33	24	5		9
4	1	6	4	3	3	8	5	5	7	6	3	5	5	6	2	10
319	299	662	618	1,049	939	909	849	786	659	514	468	450	397	20	14	11
156	157	410	396	669	549	496	466	344	300	181	193	152	126	4	4	12
124	110	175	164	278	258	310	288	360	303	277	228	227	218	7	5	13
38	30	75	58	95	126	100	87	81	53	53	45	68	52	4	1	14
1	2	2		7	6	3	8	1	3	3	2	3	1	5	4	15
17	22	12	15	10	14	8	10	7	4	8	7	7	8	1	1	16
12	17	9	12	6	8	5	5	5	4	8	5	4	5		1	17
4	5	2	3	4	6	3	5	1			2	2	3	1		18
1		1				1		1				1				19
.....																20
6	8	10	7	9	7	7	11	12	13	18	16	21	17	1	1	21
3	5	2	5	8	3	6	8	10	6	11	13	13	10			22
3	3	8	2	1	4	1	3	2	7	7	3	8	7			23
.....														1	1	24
.....																25
16	18	24	20	22	18	51	50	85	78	76	75	87	70		1	26
7	8	6	10	9	9	19	24	48	27	34	31	41	36	1	1	27
9	10	18	10	13	8	32	26	37	50	42	44	46	34			28
.....				1				1								29
.....																30
16	32	30	46	42	37	24	38	20	23	16	27	15	20			31
16	30	27	41	42	35	23	37	18	22	16	27	14	19			32
.....	2	2	5		2	1	1	2	1			1	1			33
.....		1														34
.....																35
17	12	36	32	52	57	45	63	37	41	23	17	21	15	1	3	36
9	2	10	13	14	16	19	25	12	18	8	8	5	3		1	37
5	8	16	14	24	32	20	28	20	18	11	8	8	6	1	2	38
3	2	10	5	12	9	6	9	5	7	4	1	8	6			39
.....				2		1		1								40
17	15	15	8	8	13	13	12	11	10	9	11	19	24	4	2	41
3	2	1	1		1	3	1	1	1	1		3	2			42
3	4	6	4	2		3	4	3	2	4	1	7	2	1	1	43
10	9	8	3	6	12	7	7	7	7	4	8	9	20	2	1	44
1										2				1		45
41	40	69	58	164	145	208	196	258	213	192	157	129	120	5	3	46
3	8	6	3	12	18	14	29	18	23	14	24	9	9			47
36	29	58	46	141	112	174	146	220	174	162	121	109	106	2	1	48
2	3	5	9	19	15	18	15	19	15	14	12	11	4			49
.....		2		1		1	3	1	1	2		1	1	3	2	50
119	98	416	368	661	574	483	410	284	208	121	99	68	65	5	1	51
84	71	336	293	545	433	384	325	214	171	73	66	35	30	3		52
25	15	39	41	61	62	44	36	31	21	26	16	17	19		1	53
10	11	41	34	54	74	53	46	39	16	21	17	15	16	2		54
.....				1	5	2	3			1		1				55
30	19	18	19	15	21	10	10	12	15	8	5	14	11			56
12	8	8	8	12	11	4	6	9	12	6	3	9	4			57
18	10	10	10	3	8	6	4	3	2	2	2	5	7			58
.....	1		1		2											59
.....								1								60

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 16—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	1,142	63	38	48	35	74	44	60	43	52	41
2	Under 5.....	771	38	34	32	30	47	30	38	32	31	29
3	5 to 59.....	251	18	1	13	3	12	8	19	8	16	10
4	60 and over.....	102	6	3	2	2	11	6	3	3	3	2
5	Unknown.....	18	1		1		4				2	
6	Inanition.....	709	33	33	28	31	50	32	34	24	31	27
7	Under 5.....	650	29	32	26	29	42	27	33	23	27	24
8	5 to 59.....	17	1			1					1	
9	60 and over.....	33	3	1	2	1	4	4	1	1	1	2
10	Unknown.....	9					3				2	
11	General diseases—C.....	4,742	231	207	237	212	275	248	243	249	227	204
12	Under 5.....	1,389	74	53	69	50	74	45	77	58	76	57
13	5 to 59.....	125	5	5	2	12	6	7	7	5	6	10
14	60 and over.....	3,191	151	147	162	150	195	196	158	186	140	137
15	Unknown.....	37	1	2	4				1		5	
16	Debility and atrophy.....	740	30	31	37	33	40	36	35	32	31	39
17	Under 5.....	281	10	9	11	8	8	13	10	12	10	10
18	5 to 59.....	123	5	5	2	11	6	7	7	5	6	10
19	60 and over.....	325	14	16	23	14	26	16	18	15	15	19
20	Unknown.....	11	1	1	1							
21	Old age—all ages.....	2,891	137	132	141	136	169	180	141	171	130	118
22	60 and over.....	2,866	137	131	139	136	169	180	140	171	125	118
23	Unknown.....	25		1	2				1		5	
24	General diseases—D.....	13,806	596	628	540	657	670	779	696	758	653	723
25	Under 5.....	720	34	27	25	23	40	33	45	33	38	26
26	5 to 59.....	9,113	368	429	323	457	391	555	425	543	401	523
27	60 and over.....	3,854	190	170	186	172	230	190	219	181	207	169
28	Unknown.....	119	4	2	6	5	9	1	7	1	7	5
29	Consumption.....	7,733	302	355	293	390	352	466	384	462	363	405
30	Under 5.....	324	11	15	16	9	16	13	17	13	18	7
31	5 to 59.....	6,313	238	296	226	329	267	399	293	391	280	358
32	60 and over.....	1,022	50	42	48	48	62	53	69	58	62	37
33	Unknown.....	74	3	2	3	4	7	1	5		3	3
34	2. Diseases of the nervous system.....	9,635	475	361	540	394	570	450	555	410	510	406
35	Under 5.....	2,694	119	94	129	117	151	116	138	118	113	100
36	5 to 59.....	3,239	149	123	170	127	195	158	181	155	175	159
37	60 and over.....	3,616	201	140	234	149	222	174	232	136	217	146
38	Unknown.....	86	6	4	7	1	2	2	4	1	5	1
39	3. Diseases of the circulatory system.....	6,296	331	256	365	285	385	264	358	294	376	268
40	Under 5.....	511	26	23	26	20	46	24	29	26	25	11
41	5 to 59.....	2,318	111	112	120	118	119	99	109	103	124	117
42	60 and over.....	3,418	193	121	216	146	218	141	217	164	226	140
43	Unknown.....	49	1		3	1	2		3	1	1	
44	4. Diseases of the respiratory system.....	10,272	652	549	834	738	1,089	867	849	714	457	387
45	Under 5.....	3,847	220	186	332	279	436	321	318	239	175	143
46	5 to 59.....	3,419	229	175	272	222	348	291	293	238	158	139
47	60 and over.....	2,943	201	185	225	233	298	249	238	235	124	102
48	Unknown.....	63	2	3	5	4	7	6		2		3
49	5. Diseases of the digestive system.....	5,425	237	212	266	191	292	271	249	228	272	251
50	Under 5.....	1,417	63	48	76	46	86	58	68	40	58	64
51	5 to 59.....	2,525	109	109	122	89	133	128	108	118	121	133
52	60 and over.....	1,460	60	55	68	54	73	84	72	68	92	53
53	Unknown.....	23	5			2		1	1	2	1	1
54	6. Diseases of the urinary system.....	3,115	191	69	189	74	199	106	229	87	224	95
55	Under 5.....	122	8	1	5	4	8	4	5	8	6	10
56	5 to 59.....	1,198	71	39	56	48	57	68	75	44	71	57
57	60 and over.....	1,770	110	28	127	22	132	34	147	34	146	28
58	Unknown.....	25	2	1	1		2		2	1	1	
59	7. Affections connected with pregnancy...	749		68		72		96		89		72

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
42	22	74	28	60	53	58	39	58	36	55	40	46	29	3	1 1
30	13	47	22	37	40	41	26	34	31	34	25	26	23		1 2
8	5	20	5	19	10	14	7	16	4	9	11	11	4		3
4	3	6	1	4	3	2	4	7	1	12	3	9	2		4
.....	1	1				1	2	1			1			3	 5
26	15	36	22	32	35	36	26	31	22	34	24	26	19	1	1 6
25	12	35	21	32	31	35	21	31	22	30	21	24	17		1 7
.....	2				2	1	1			1	2	1	1		8
1		1	1		2		2			3	1	1	1		9
.....	1						2							1	 10
124	125	193	146	189	153	176	186	210	185	163	152	192	204	5	6 11
41	28	66	46	71	53	47	47	56	57	65	48	69	61		1 12
2	3	5	6	4	3	3	3	3	4	7	7	8	2		13
79	92	121	92	114	95	124	134	149	123	90	97	114	140	1	4 14
2	2	1	2		2	2	2	2	1	1		1	1	4	1 15
22	17	32	28	37	18	24	30	30	30	38	29	37	22	1	1 16
11	5	14	9	19	9	10	15	14	17	22	11	12	11		1 17
2	3	5	6	4	3	3	3	3	4	7	7	7	2		18
8	9	12	13	14	5	10	10	12	9	9	11	18	9		19
1		1			1	1	2	1						1	 20
72	85	109	81	100	91	115	124	138	115	82	86	97	132	4	5 21
71	83	109	79	100	90	114	124	137	114	81	86	96	131	1	4 22
1	2		2		1	1		1	1	1		1	1	3	1 23
422	444	483	565	488	561	447	537	477	567	489	532	486	583	9	16 24
21	19	28	28	35	31	38	34	37	26	28	21	27	22		1 25
254	342	310	416	286	389	263	385	276	383	292	387	290	411	5	9 26
143	80	143	120	159	138	143	113	157	151	165	117	161	147	1	2 27
4	3	2	1	8	3	3	5	7	7	4	7	8	3	3	4 28
237	257	251	342	248	315	229	332	250	322	251	313	250	348	5	11 29
11	11	16	14	17	16	14	18	16	15	8	11	9	12		1 30
187	231	198	303	187	266	176	283	181	272	201	257	192	290	4	8 31
38	13	35	25	38	30	37	28	48	32	41	41	44	43		32
1	2	2		6	3	2	3	5	3	1	4	5	3	1	2 33
358	299	404	306	428	347	415	353	412	296	367	274	384	306	9	6 34
123	80	143	106	148	97	141	129	123	81	92	78	90	65	1	2 35
119	121	133	96	135	109	139	105	124	91	123	85	143	121		3 36
113	95	122	102	143	135	133	116	159	123	149	107	145	119	3	1 37
3	3	6	2	2	6	2	3	6	1	3	4	6	1	5	 38
234	187	234	153	207	196	217	172	267	236	257	207	309	228	6	4 39
17	12	19	11	21	14	23	16	25	16	17	20	27	17		40
73	88	67	67	69	80	74	83	86	96	81	100	115	102	3	2 41
143	86	147	73	112	100	117	70	153	122	155	84	166	107	1	 42
1	1	1	2	5	2	3	3	3	2	4	3	1	2	2	2 43
170	116	137	106	147	98	213	143	317	231	333	284	437	394	5	5 44
68	50	49	49	45	45	89	68	115	87	131	108	148	144	2	 45
51	47	42	32	59	32	53	42	110	71	119	98	166	132		46
51	19	43	24	42	20	71	32	91	69	82	75	116	116	1	1 47
.....		3	1	1	1		1	1	4	1	3	7	2	2	4 48
172	148	222	179	260	208	261	244	263	223	216	175	207	172	4	2 49
31	32	71	43	75	54	94	84	82	53	51	46	55	38	1	 50
95	77	94	94	116	95	103	108	107	120	104	84	83	73		2 51
46	38	57	41	66	59	64	49	74	50	60	45	68	61	3	 52
.....	1		1	3			3			1		1			 53
149	70	154	76	164	65	153	67	166	71	181	61	196	75	1	3 54
1	1	5	5	3	5	7	6	13	2	5	1	3	5		1 55
55	46	51	40	46	37	40	28	48	39	55	31	61	35		56
91	23	95	31	115	23	106	32	103	30	118	28	131	35		1 57
2		3					1	2		3	1	1		1	1 58
.....	52		47		46		50		46		53		55		3 59

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 16—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
266	80	366	92	365	94	313	101	291	86	289	94	273	81	23	4
31	15	31	16	27	23	37	22	33	19	37	19	29	19	2	2
194	52	276	65	281	51	225	56	214	46	207	50	200	40	13	1
34	11	49	9	49	20	45	21	39	19	37	25	42	21	8	1
7	2	10	2	8		6	2	5	2	8		2	1		
9	6	7	12	8	13	15	22	20	16	15	30	19	20	1	2
2	3	4	5	5	5	9	9	13	5	12	11	13	8	1	2
6	3	3	6	2	7	6	11	4	10	3	15	4	9		
1		1	1	1	1		2	2	1		4	1	3		
58	16	78	10	43	2	9	5	9	4	11	3	9	1	3	
9	6	4	3	5	1	4	2	3		5	1				
47	9	71	7	38	1	5	3	6	1	6	1	8	1	2	
2	1	2							3		1	1			
1	1	2	3	2	2	2	1	3		2		1	1		
.....	1	2	1		2	2	1	1		1		1			
1				1				1		1			1		
14	3	24	6	21	3	21	7	20	3	27	3	34	5	2	
1		1	2	2		1	1			1	1	1			
13	3	20	4	17	3	20	6	18	3	25	2	33	5	1	
.....		1		2				2		1				1	
3	1	5	4	12	3	10	1	15	3	4		7	1	1	
2		1	1	9	3	8	1	3		3		7	1	1	
1	1			1		1		10	3	3		7	1	1	
.....				2		1		2		1					
1		1	1	2		2		1		2		1		1	
1		1	1	1		2		1		2		1		1	
35	6	48	4	67	2	59	4	49	6	45	8	35	3	3	
2	1	40	4	58	2	1		1		39	6	28	2	2	
25	4	7		6		50	4	39	2	6	2	6	1		
6	1	1		3		5		9	2			1		1	
2						3			2						
6		7		9	1	6	1	8	4	5		6			
1															
3		4		9	1	1			2	5		5			
2		3				3	1	8	1			1			
2						2									
2		1						2							
.....															
2		1													
1	3	3	2	3	1	1	2			4	3	3	4		
.....	1		1		1		1				2		2		
1	2	2	1	2		1	2			4	1	2	2		
.....		1		1								1			
26	9	23	8	24	7	19	4	26	5	27	7	26	3		1
1	1		2	1	2	1		4		1		1	1		1
18	8	18	5	17	3	14	2	19	4	17	6	20	1		
6		4	1	6	2	4		3	1	5	1	5	1		
1		1								4					
1	1	9	1	14	2	8	3	2	1	1					
.....					1	1	1								
1	1	5	1	11		3	2	1	1						
1		4		3	1	4		1		1					

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 17.

CAUSE OF DEATH AND AGE.	Total.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1 All causes.....	14,742	692	585	710	644	841	732	789	687	642	598
2 Under 5.....	4,303	170	133	219	187	258	180	209	168	154	144
3 5 to 59.....	7,026	335	308	289	309	350	389	360	344	303	322
4 60 and over.....	3,270	180	139	196	145	226	158	204	169	178	128
5 Unknown.....	143	7	5	6	3	7	5	16	6	7	4
6 Unknown cause.....	585	20	16	22	34	24	25	25	17	30	29
7 Under 5.....	340	13	9	17	20	13	13	15	12	21	12
8 5 to 59.....	156	4	5	2	8	5	7	5	3	5	11
9 60 and over.....	83	2	2	3	6	6	5	5	2	4	6
10 Unknown.....	6	1									
11 1. General diseases.											
General diseases—A.....	2,780	78	82	93	101	102	115	83	101	69	87
12 Under 5.....	1,300	30	29	43	40	37	40	32	40	25	34
13 5 to 59.....	1,168	32	48	33	52	42	59	34	46	31	38
14 60 and over.....	296	15	5	16	7	22	16	16	14	13	15
15 Unknown.....	16	1		1	2	1		1	1		
16 Measles.....	100	3	10	9	10	9	11	4	6	6	4
17 Under 5.....	63	3	7	8	5	7	6		4	2	1
18 5 to 59.....	37		3	1	5	2	5	4	2	4	3
19 60 and over.....											
20 Unknown.....											
21 Scarlet fever.....	65	7	3	4	4	4	2	5	8	2	5
22 Under 5.....	40	4	1	4	3	2	2	3	7	1	2
23 5 to 59.....	21	2	2		1	2		2	1	1	2
24 60 and over.....	2	1									1
25 Unknown.....	2										
26 Diphtheria.....	270	16	20	9	11	6	10	9	9	10	12
27 Under 5.....	126	10	7	3	3	2	6	4	5	7	6
28 5 to 59.....	143	6	13	6	8	3	4	5	4	3	6
29 60 and over.....	1					1					
30 Unknown.....											
31 Whooping cough.....	146	2	3	5	8	5	11	9	7	3	5
32 Under 5.....	131	2	3	5	8	4	8	8	6	3	5
33 5 to 59.....	14					1	3	1			
34 60 and over.....	1								1		
35 Unknown.....											
36 Malarial fever.....	169	1	5	2	4	3	5	1	8	4	3
37 Under 5.....	50		4	1		1	1	1	2	2	1
38 5 to 59.....	95	1	1	1	3	1	2		5	2	2
39 60 and over.....	24				1	1	2		1		
40 Unknown.....											
41 Influenza.....	151	3	7	9	4	20	25	17	19	10	14
42 Under 5.....	29		1	4	1	4	4	2	5		3
43 5 to 59.....	50		3	2	1	4	11	4	7	2	6
44 60 and over.....	71	3	3	3	2	11	10	11	7	8	5
45 Unknown.....	1					1					
46 Typhoid fever.....	537	19	11	14	18	14	7	4	15	8	16
47 Under 5.....	54	1		2	3	2		1	2		1
48 5 to 59.....	443	13	10	10	14	10	7	3	12	8	12
49 60 and over.....	37	5	1	2	1	2			1		3
50 Unknown.....	3										
51 Diarrheal diseases.....	950	9	6	17	22	13	17	10	13	14	18
52 Under 5.....	698	5	2	7	12	7	5	7	7	9	11
53 5 to 59.....	139	1	4	4	8	3	9	1	5	5	4
54 60 and over.....	108	2		6	2	3	3	1	1		3
55 Unknown.....	5	1						1			
56 Cerebro-spinal fever.....	69	3		8	1	4	2	4	1	2	1
57 Under 5.....	38	2		6	1	1	2	3		1	
58 5 to 59.....	27	1		1		3		1			
59 60 and over.....	2									1	1
60 Unknown.....	2			1					1		

1027

GRAND GROUP 17.

[illegible]

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 17—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
2	General diseases—B.....	383	23	11	18	13	17	8	17	13	16	13
3	Under 5.....	243	17	8	12	12	9	4	10	10	4	8
4	5 to 59.....	112	5	2	6	1	4	4	5	3	10	4
5	60 and over.....	25	1	1	1	1	4	1	2	1	2	1
6	Unknown.....	3										
7	Inanition.....	243	18	9	11	11	8	4	10	9	5	8
8	Under 5.....	226	17	8	11	11	8	4	9	8	4	7
9	5 to 59.....	10	1	1					1	1	1	1
10	60 and over.....	7										
11	Unknown.....											
12	General diseases—C.....	780	43	42	29	37	45	33	39	32	34	32
13	Under 5.....	318	19	10	9	10	19	8	19	6	15	15
14	5 to 59.....	23	1	4	2	2	2	1	2	2	1	1
15	60 and over.....	433	23	27	19	25	23	24	19	23	18	16
16	Unknown.....	6		1	1	1	1	1	1	1		
17	Debility and atrophy.....	101	2	5	3	4	7	2	3	2	5	3
18	Under 5.....	68	1	1	2	2	4	1	3		4	1
19	5 to 59.....	21	1	4	2	2	1	1		2	1	1
20	60 and over.....	12			1		2					1
21	Unknown.....											
22	Old age—all ages.....	426	23	28	19	25	22	24	19	24	18	15
23	60 and over.....	421	23	27	18	25	21	24	19	23	18	15
24	Unknown.....	5		1	1	1	1			1		
25	General diseases—D.....	2,506	99	111	92	115	119	146	138	146	102	133
26	Under 5.....	143	3	3	1	10	12	8	6	8	8	6
27	5 to 59.....	1,839	74	92	66	83	77	119	98	106	67	102
28	60 and over.....	487	21	14	24	22	28	17	30	31	26	23
29	Unknown.....	37	1	2	1		2	2	4	1	1	2
30	Consumption.....	1,609	71	66	58	83	78	104	90	103	63	85
31	Under 5.....	69	3	1	1	5	7	7	2	5	4	3
32	5 to 59.....	1,334	61	61	46	66	62	85	76	85	47	75
33	60 and over.....	180	6	3	10	12	8	10	8	13	11	5
34	Unknown.....	26	1	1	1		1	2	4		1	2
35	2. Diseases of the nervous system.....	1,671	69	57	75	69	87	71	99	75	91	57
36	Under 5.....	536	22	11	28	24	26	21	29	20	24	17
37	5 to 59.....	641	30	26	21	23	30	29	42	34	33	24
38	60 and over.....	463	17	19	24	21	31	20	23	19	30	15
39	Unknown.....	31		1	2	1		1	5	2	4	1
40	3. Diseases of the circulatory system.....	1,069	61	49	53	52	65	47	64	46	58	50
41	Under 5.....	93	6	5	6	6	4	2	2	1	5	2
42	5 to 59.....	528	25	21	22	30	30	27	32	31	29	30
43	60 and over.....	437	29	23	25	16	31	17	30	14	24	18
44	Unknown.....	11	1					1				
45	4. Diseases of the respiratory system.....	2,242	145	128	197	118	258	170	184	147	84	71
46	Under 5.....	902	45	44	80	48	122	62	70	58	33	28
47	5 to 59.....	846	67	51	79	47	79	72	67	41	37	32
48	60 and over.....	477	32	33	37	23	55	35	44	47	14	10
49	Unknown.....	17	1		1		2	1	3	1		1
50	5. Diseases of the digestive system.....	986	46	34	44	42	42	46	57	48	47	48
51	Under 5.....	252	7	8	14	12	10	12	15	7	9	13
52	5 to 59.....	536	30	21	18	22	21	23	30	32	26	22
53	60 and over.....	193	9	5	12	8	10	11	12	9	12	13
54	Unknown.....	5					1					
55	6. Diseases of the urinary system.....	522	39	16	36	17	26	22	25	15	31	21
56	Under 5.....	17			2		2	1				1
57	5 to 59.....	242	12	12	12	5	11	13	7	9	8	10
58	60 and over.....	260	26	4	22	12	13	8	18	6	22	10
59	Unknown.....	3	1								1	
60	7. Affections connected with pregnancy.....	139		10		18		18		18		13

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 17—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
16	15	27	19	15	13	16	18	25	16	14	9	22	9		1
6	12	17	14	10	11	8	16	13	10	8	6	10	8		2
10	3	6	4	4	2	5	2	7	5	6	3	11	1		3
.....		4	1	1		3		2	1			1			4
.....								3							5
8	11	15	16	9	12	7	17	15	9	8	5	11	7		6
6	11	15	14	9	11	6	16	12	9	8	5	10	7		7
2			1		1	1	1	1				1			8
.....			1					2							9
.....															10
16	24	25	29	41	33	31	28	30	32	29	32	39	22	3	
.....															11
9	10	11	11	16	16	21	13	18	14	16	13	14	6		12
1		1	2			1			2				1		13
6	14	13	16	25	17	9	15	12	16	13	18	25	15	2	
.....															14
.....															15
.....	2	4	5	4	4	8	6	4	10	3	5	6	3	1	
.....															16
.....	1	2	3	4	4	5	6	4	8	3	5	4			17
.....	1	1	2			1			2				1		18
.....	1	1				2						2	2		19
.....															20
6	13	12	16	25	17	7	15	12	16	13	19	23	13	2	
.....															21
6	13	12	16	25	17	7	15	12	16	13	18	23	13	2	
.....											1				22
92	89	92	105	75	118	97	109	61	84	80	103	102	95	2	1
.....															23
1	8	4	7	7	8	8	12	2	4	5	7	4	1		25
76	72	61	79	46	86	66	76	46	66	52	81	73	74	1	
15	8	24	15	21	23	22	19	13	13	20	14	23	20	1	
.....	1	3	4	1	1	1	2		1	3	1	2			27
.....															28
65	65	56	69	33	71	53	71	40	53	44	65	57	59	2	
.....															29
.....	4	2	2		4	3	6	1	2	2	3	1	1		30
58	58	42	59	31	60	39	54	31	47	34	54	48	54	1	
7	2	9	5	6	7	10	10	8	3	8	7	7	4	1	
.....	1	3	3	1		1	1		1		1	1			32
.....															33
74	69	65	60	96	69	81	49	58	59	60	46	82	53		34
.....															35
23	29	25	24	34	29	18	20	19	20	20	15	23	15		36
29	28	26	17	39	30	33	18	17	22	20	16	32	22		37
22	12	12	17	22	10	30	11	21	14	17	15	27	14		38
.....		2	2	1				1	3	3			2		39
42	32	33	32	42	38	41	33	45	32	39	35	49	30	1	
.....															40
2	4	6	2	3	1	6	1	2	2	4	5	9	7		41
18	16	12	19	16	19	23	19	25	19	21	14	18	12		42
20	12	14	11	22	18	11	12	17	11	14	16	22	9	1	
2		1		1		1	1	1					2		43
43	27	33	29	31	23	42	25	67	75	79	61	113	87	4	1
.....															44
17	12	20	15	13	11	13	11	24	36	32	27	41	39	1	
17	10	8	11	11	8	15	13	26	25	29	24	46	30	1	
9	5	5	3	5	4	13	1	17	14	17	10	25	18	1	
.....				2		1				1		1		1	
30	29	40	36	58	42	41	37	56	33	29	35	31	33		2
.....															49
10	6	11	7	14	10	17	18	16	9	7	5	9	6		50
14	19	21	22	32	27	19	13	28	20	15	22	17	20		51
5	3	8	7	11	5	5	6	12	4	7	7	5	7		52
1	1			1							1				53
16	11	19	10	24	13	22	14	35	8	28	18	32	18		54
.....															55
.....		2	2			1	1	1	1		1	2			56
7	6	5	4	14	9	13	11	12	6	14	11	19	12		57
9	4	12	4	10	4	8	2	22	1	14	6	17	6		58
.....															59
.....	9		10		7		8		10		9		9		60

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 17—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	941	66	19	47	24	49	23	55	19	77	30
2	Under 5	129	7	2	6	3	3	7	11	6	9	6
3	5 to 59	702	53	13	30	17	43	11	38	9	55	23
4	60 and over	102	5	3	11	4	3	5	4	4	12	1
5	Unknown	8	1	1					2		1	
6	Burns and scalds	86	5	3	3	5	2		6	3	3	5
7	Under 5	44	3		2	3	1		4	2	1	2
8	5 to 59	37	1	2	1	1	1		2	1	2	3
9	60 and over	5	1	1		1						
10	Unknown											
11	Drowning	54	1			1	3	1	3		8	
12	Under 5	9						1	3		1	
13	5 to 59	42	1				3				7	
14	60 and over	3				1						
15	Unknown											
16	Exposure and neglect	22	1	2	1	1		2			1	4
17	Under 5	19	1	2	1			2			1	3
18	5 to 59	1										1
19	60 and over	2				1						
20	Unknown											
21	Gunshot wounds	72	7		4	1	5		4		7	
22	Under 5	2										
23	5 to 59	68	7		4	1	5		4		7	
24	60 and over	2										
25	Unknown											
26	Homicide	20			3	1	2		1	1	4	
27	Under 20											
28	20 to 59	17			3		2		1	1	3	
29	60 and over	3				1					1	
30	Unknown											
31	Injuries by machinery	5	1		1		1					
32	Under 20											
33	20 to 59	5	1		1		1					
34	60 and over											
35	Unknown											
36	Railroad accidents	144	13		6	3	15	1	4		9	1
37	Under 5	4	1								1	
38	5 to 59	127	11		5	3	14	1	4		6	1
39	60 and over	12	1		1		1				2	
40	Unknown	1										
41	Suicide by shooting	26	3		5		2	1	3		3	
42	Under 20											
43	20 to 59	24	3		4		2	1	3		2	
44	60 and over	2			1						1	
45	Unknown											
46	Suicide by drowning	2						1				
47	Under 20											
48	20 to 59	2						1				
49	60 and over											
50	Unknown											
51	Suicide by poison	22	1	1	2		2		2		1	2
52	Under 20	2										1
53	20 to 59	20	1	1	2		2		2		1	1
54	60 and over											
55	Unknown											
56	Other suicides	62	4		5		1	1	6	2	5	5
57	Under 20	7									1	2
58	20 to 59	49	3		5		1	1	6	2	3	3
59	60 and over	4	1								1	
60	Unknown	2										
61	Sunstroke	13										
62	Under 5	2										
63	5 to 59	9										
64	60 and over	2										
65	Unknown											

1031

GRAND GROUP 17—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
60	23	56	20	82	15	54	20	50	20	42	15	47	23	5	
4	9	6	2	8	2		6	5	4	5	2	12	4		2
53	12	43	18	69	9	47	13	40	14	33	11	31	14	3	
3	2	6		5	4	7	1	4	2	4	2	4	5	1	
.....		1						1						1	
4	4	3	3	5	3		4	1	6	4	4	5	5		6
.....															
1	2	3		5	1		2		1	3		5	3		7
3	2		3		1		2	1	5	1	3		2		8
.....					1						1				9
.....															10
6	2	8	1	10		3	2			1	2	1		1	
.....															
6	2	7	1	1	9	3	1			1	2	1			12
.....		1					1								13
.....														1	
.....															14
.....															15
.....				1				1	3		1	4			16
.....															
.....				1				1	2		1	4			17
.....									1						18
.....															19
.....															20
4	1	4	1	7		4	1	8		4	1	8	1		21
.....															
1															22
3		4	1	7		3	1	1	7	4	1	8	1		23
.....	1					1									24
.....															25
.....		2								1		4		1	
.....															26
.....															
.....		1								1		4		1	
.....		1													27
.....															28
.....															29
.....															30
.....				2											31
.....															
.....				2											32
.....															33
.....															34
.....															35
10	1	13	1	20	1	17		10		7		9	3		36
.....															
10	1	1	1												37
.....		11		20	1	17		7		6		8			38
.....		1						2		1		1	1		39
.....								1					2		40
2			1			1				2		2		1	
.....															41
.....															
2			1			1				2		2		1	
.....															42
.....															43
.....															44
.....															45
.....										1					46
.....															
.....										1					47
.....															48
.....															49
.....															50
1		1	1		1	3		1	2				1		51
.....															
1		1	1		1	3		1	2				1		52
.....															53
.....															54
.....															55
6		6		5	1	4	2	3	1	2	2			1	
.....															56
1					1						1				57
5		4		5		1		3	1	2					58
.....		1				3	2				1				59
.....		1												1	60
1		4		7			1								61
.....															
1		1	3				1								62
.....				5											63
.....				2											64
.....															65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 18.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	14,221	673	537	693	559	787	609	814	609	766	664
2	Under 5.....	4,921	213	158	213	185	238	224	266	198	233	243
3	5 to 59.....	6,854	336	293	350	264	386	281	390	317	342	317
4	60 and over.....	2,259	114	83	121	107	149	98	152	90	143	99
5	Unknown.....	187	10	3	9	3	14	6	6	4	8	9
6	Unknown cause	866	30	35	33	46	34	46	45	28	53	47
7	Under 5.....	529	18	21	14	30	22	33	28	14	33	33
8	5 to 59.....	198	6	8	11	8	4	6	9	10	7	9
9	60 and over.....	105	3	4	6	6	5	5	8	3	13	5
10	Unknown.....	34	3	2	2	2	3	2		1		
11	1. General diseases. General diseases—A	3,444	112	96	117	101	146	129	132	148	130	142
12	Under 5.....	1,963	70	45	57	51	87	80	85	80	74	77
13	5 to 59.....	1,271	37	47	51	41	47	43	35	60	50	57
14	60 and over.....	185	5	3	8	9	12	5	11	8	6	8
15	Unknown.....	25		1	1			1	1			
16	Measles.....	247	13	5	11	5	22	23	22	19	16	15
17	Under 5.....	176	12	3	6	4	16	14	17	11	11	9
18	5 to 59.....	66	1	1	5	1	6	9	4	7	5	6
19	60 and over.....	2								1		
20	Unknown.....	3		1					1			
21	Scarlet fever.....	122	6	10	9	6	12	8	5	6	5	4
22	Under 5.....	79	5	5	7	4	10	5	3	4	2	4
23	5 to 59.....	42	1	5	2	2	2	3	2	2	3	
24	60 and over.....											
25	Unknown.....	1										
26	Diphtheria.....	329	20	19	19	17	14	11	13	23	15	16
27	Under 5.....	161	10	10	8	8	10	8	10	9	5	3
28	5 to 59.....	168	10	9	11	9	4	3	3	14	10	13
29	60 and over.....											
30	Unknown.....											
31	Whooping cough	232	7	4	13	15	18	17	19	20	23	18
32	Under 5.....	223	7	4	12	14	16	17	19	20	22	18
33	5 to 59.....	9			1	1	2				1	
34	60 and over.....											
35	Unknown.....											
36	Malarial fever	199	2	4	9	3	9	5	10	9	6	9
37	Under 5.....	83	1	1	3		3	2	4	3	2	4
38	5 to 59.....	95	1	3	4	2	6	2	3	5	4	5
39	60 and over.....	21			2	1		1	3	1		
40	Unknown.....											
41	Influenza.....	115	7	3	10	9	17	16	8	7	4	7
42	Under 5.....	40	4	2	5	4	5	7	3	1	2	2
43	5 to 59.....	35	1	1	2	1	3	6	3	2		1
44	60 and over.....	39	2		2	4	9	3	2	4	2	4
45	Unknown.....	1			1							
46	Typhoid fever	580	18	7	15	11	7	6	11	14	14	15
47	Under 5.....	105	6	2	2	2	2	4	3	5	2	3
48	5 to 59.....	449	12	4	13	9	5	2	7	9	12	12
49	60 and over.....	20		1					1			
50	Unknown.....	6										
51	Diarrheal diseases	1,060	18	16	11	14	18	17	19	23	27	38
52	Under 5.....	858	14	10	6	10	13	12	15	16	21	26
53	5 to 59.....	140	3	6	2	3	5	5	4	6	6	10
54	60 and over.....	54	1		3	1				1		2
55	Unknown.....	8										
56	Cerebro-spinal fever.....	63	1	3			3	1	2	1		2
57	Under 5.....	38	1				2	1	1	1		1
58	5 to 59.....	24		3			1		1			1
59	60 and over.....											
60	Unknown.....	1										

1633

GRAND GROUP 18.

[illegible]

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 18—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	230	12	4	13	6	18	13	15	5	13	15
2	Under 5	119	8	3	7	3	8	7	5	4	5	9
3	5 to 59	89	3	1	5	3	5	6	10	1	5	4
4	60 and over	14	1				4				2	1
5	Unknown	8			1		1				1	1
6	Inanition	106	7	3	6	2	9	6	3	3	3	8
7	Under 5	100	7	3	6	2	8	6	3	3	3	7
8	5 to 59	3										
9	60 and over											
10	Unknown	3					1					1
11	General diseases—C	618	39	18	18	26	31	30	41	29	32	24
12	Under 5	299	21	6	10	7	11	11	24	10	19	14
13	5 to 59	24	1	1			1	1	4	3		1
14	60 and over	290	17	11	8	19	18	18	13	16	12	8
15	Unknown	5					1				1	1
16	Debility and atrophy	124	4	1	4	3	5	3	10	8	7	7
17	Under 5	62	2		3	2	2	2	4	3	4	3
18	5 to 59	23	1	1			1	1	4	3		1
19	60 and over	37	1		1	1	1		2	2	2	3
20	Unknown	2					1				1	
21	Old age—all ages	256	16	11	7	18	17	18	11	14	10	6
22	60 and over	253	16	11	7	18	17	18	11	14	10	5
23	Unknown	3										1
24	General diseases—D	2,318	112	102	103	101	118	91	135	112	149	117
25	Under 5	149	7	5	5	7	9	5	12	8	8	9
26	5 to 59	1,795	87	84	83	77	93	70	106	85	109	91
27	60 and over	354	18	13	15	17	13	16	15	18	31	15
28	Unknown	20					3		2	1	1	2
29	Consumption	1,566	84	73	79	62	89	62	102	73	101	80
30	Under 5	78	5	2	3	4	3	2	8	5	2	7
31	5 to 59	1,362	71	64	72	55	81	52	86	61	88	67
32	60 and over	114	8	7	4	3	3	8	6	6	11	5
33	Unknown	12					2		2	1		1
34	2. Diseases of the nervous system	1,318	63	58	66	50	79	37	78	45	66	73
35	Under 5	502	18	21	27	16	17	11	25	17	22	36
36	5 to 59	502	27	25	24	18	39	14	32	22	27	19
37	60 and over	299	16	12	14	16	21	12	20	6	17	18
38	Unknown	15	2		1		2		1			
39	3. Diseases of the circulatory system	815	39	31	42	27	49	38	54	38	51	39
40	Under 5	90	5	3	6	4	6	3	1	3	9	6
41	5 to 59	421	20	17	21	12	27	19	26	23	26	19
42	60 and over	297	14	11	15	11	15	16	27	12	15	14
43	Unknown	7					1				1	
44	4. Diseases of the respiratory system	1,999	139	112	184	113	189	121	167	104	101	74
45	Under 5	796	48	41	63	51	65	54	60	41	39	38
46	5 to 59	876	69	47	93	43	97	51	75	49	48	24
47	60 and over	305	22	24	27	19	27	16	32	13	13	12
48	Unknown	22			1					1	1	
49	5. Diseases of the digestive system	912	38	31	36	36	38	37	50	34	38	62
50	Under 5	284	7	8	14	8	4	10	14	10	9	15
51	5 to 59	467	24	22	13	22	18	21	27	17	13	37
52	60 and over	154	6	1	9	6	16	5	9	7	15	9
53	Unknown	7	1					1			1	1
54	6. Diseases of the urinary system	414	20	19	31	9	26	13	30	10	32	12
55	Under 5	25	1			2	3	1	1			7
56	5 to 59	214	11	15	14	5	10	10	17	6	18	7
57	60 and over	167	8	4	15	2	13	2	12	4	13	5
58	Unknown	8			2						1	
59	7. Affections connected with pregnancy	196		18		22		26		22		22

CAUSE, AGE, AND MONTH.

1035

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
12	8	4	11	12	12	8	7	6	6	9	4	11	4	1	1
4	5	8	8	10	9	3	2	1	4	4	3	4	2	1	2
8	2	3	3	2	3	4	4	5	1	3	1	6	1	1	3
1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	4
3	6	9	9	8	8	2	2	1	3	3	3	4	2	1	5
3	5	8	8	8	8	2	2	1	3	2	3	4	2	1	6
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7
20	20	12	14	26	25	30	26	24	30	37	25	22	17	1	8
10	6	9	7	10	12	16	16	16	15	19	9	13	8	1	9
2	1	1	7	2	13	2	10	2	15	4	4	9	8	1	10
8	13	2	7	14	13	14	10	5	15	18	12	9	1	1	11
8	1	2	1	8	9	6	8	5	3	6	7	4	4	1	12
3	1	1	1	4	6	3	6	3	2	3	3	1	1	1	13
2	1	1	1	2	3	3	2	2	1	3	4	3	3	1	14
3	1	1	1	2	3	3	2	1	1	3	3	3	3	1	15
5	12	2	7	12	10	11	8	6	14	15	12	6	6	1	16
5	12	2	7	12	10	11	8	5	14	15	12	6	5	1	17
82	79	104	86	89	83	73	66	84	75	95	76	103	75	5	18
6	5	10	6	2	6	4	2	6	6	3	7	7	4	3	19
60	65	81	68	73	67	60	55	58	55	80	57	70	57	3	20
16	8	12	12	14	9	9	9	20	13	11	11	24	14	2	21
1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	22
58	44	71	54	66	53	50	38	55	47	67	42	65	45	4	23
5	2	7	1	1	4	3	1	4	2	1	3	3	3	2	24
50	40	61	48	59	47	44	34	45	39	62	40	54	39	1	25
3	2	2	5	6	2	3	3	6	5	4	1	7	3	1	26
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	27
53	37	59	45	91	49	55	42	51	39	62	40	45	34	1	28
19	22	30	26	33	28	24	21	13	12	21	13	17	13	3	29
20	10	20	8	34	16	15	15	25	18	23	20	17	13	1	30
14	5	8	11	22	5	15	6	11	9	17	5	11	8	1	31
1	1	1	1	2	1	1	1	2	2	1	2	1	1	1	32
31	25	36	28	31	16	34	12	52	19	39	22	34	22	3	33
4	2	5	2	3	3	2	4	4	4	4	2	3	2	1	34
15	15	12	18	19	10	17	7	25	10	19	10	18	14	1	35
12	8	19	8	9	3	15	1	23	5	16	9	13	5	1	36
42	38	32	31	34	36	40	24	60	48	74	53	112	69	1	37
22	22	12	20	20	22	20	6	17	19	24	20	42	30	1	38
11	13	14	8	10	12	14	14	30	23	37	19	46	27	1	39
8	3	5	3	4	2	5	4	12	6	7	12	17	12	1	40
1	1	1	1	1	1	1	1	1	1	6	2	7	7	1	41
30	24	47	36	34	41	53	29	42	31	42	39	30	33	1	42
7	7	21	14	14	20	21	13	14	10	10	9	10	15	1	43
18	13	17	17	16	20	29	11	18	17	24	21	16	16	1	44
5	3	9	5	4	1	3	5	9	4	8	9	4	2	1	45
10	6	26	5	19	9	31	8	26	9	21	9	24	8	1	46
1	1	1	1	3	2	2	5	2	1	1	5	2	1	1	47
6	3	11	2	7	5	12	3	13	5	10	5	15	3	1	48
4	1	12	2	9	2	17	3	11	3	8	4	7	4	1	49
17	17	2	10	10	13	13	13	13	13	2	13	7	7	1	50

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 18—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
43	20	75	17	65	21	57	16	63	19	53	13	67	16	3	1
1	6	7	2	2	4	4	4	6	7	2	6	4	4	1	1
40	12	61	12	56	15	44	12	51	10	47	5	51	9	1	3
2	2	5	2	5	1	7	1	5	2	3	2	8	3	2	4
1	2	2	1	2	1	2	1	1	1	1	1	4	1	2	5
1	2	1	1	1	3	2	2	1	3	1	1	3	2	1	6
1	2	1	1	1	2	1	2	1	2	1	1	3	1	1	7
1	2	1	1	1	2	1	2	1	2	1	1	3	1	1	8
1	2	1	1	1	2	1	2	1	2	1	1	3	1	1	9
1	2	1	1	1	2	1	2	1	2	1	1	3	1	1	10
4	3	10	1	4	1	2	1	2	1	3	1	1	1	1	11
4	1	10	1	4	1	1	1	2	1	1	1	1	1	1	12
4	2	10	1	4	1	1	1	2	1	1	1	1	1	1	13
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	14
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
3	2	11	2	12	3	5	1	13	2	8	2	10	1	1	21
3	2	11	2	10	1	5	1	13	2	8	2	10	1	1	22
3	2	11	2	10	1	5	1	13	2	8	2	10	1	1	23
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	24
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	25
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	26
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	27
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	28
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	29
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	30
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	31
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	32
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	33
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	34
1	1	1	1	2	1	2	1	3	1	1	1	1	1	1	35
5	1	8	1	5	1	7	3	9	1	5	1	12	3	1	36
5	1	7	1	5	1	7	3	7	1	5	1	11	3	1	37
5	1	7	1	5	1	7	3	7	1	5	1	11	3	1	38
1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	39
1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	40
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	41
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	42
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	43
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	44
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	45
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	46
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	47
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	48
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	49
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	50
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	51
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	52
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	53
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	54
2	1	2	1	2	1	3	1	2	1	2	1	2	1	1	55
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	56
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	57
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	58
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	59
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	60
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	61
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	62
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	63
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	64
3	1	4	1	1	1	3	1	3	1	4	1	1	1	1	65

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 19.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	23,676	1,111	962	1,077	939	1,251	1,115	1,282	1,070	1,240	1,003
2	Under 5.....	6,046	293	228	302	204	309	247	319	210	300	220
3	5 to 59.....	9,788	422	421	377	410	512	496	504	488	502	472
4	60 and over.....	7,704	387	309	389	323	422	368	447	369	426	307
5	Unknown.....	138	9	4	9	2	8	4	12	3	12	4
6	Unknown cause.....	806	36	32	31	33	50	27	34	35	41	31
7	Under 5.....	467	25	16	23	18	32	12	22	22	23	17
8	5 to 59.....	196	8	10	3	7	10	9	4	8	11	8
9	60 and over.....	135	3	5	5	8	6	6	8	5	5	6
10	Unknown.....	8		1			2				2	
11	1. General diseases. General diseases—A.....	3,857	136	135	137	112	142	159	150	151	149	148
12	Under 5.....	1,907	56	48	57	41	61	65	62	54	64	63
13	5 to 59.....	1,324	55	68	47	47	57	64	51	61	53	51
14	60 and over.....	619	25	18	32	24	24	30	37	36	32	33
15	Unknown.....	7		1	1							1
16	Measles.....	193	3	8	12	11	15	19	13	18	17	18
17	Under 5.....	119	1	6	7	5	9	13	6	9	10	12
18	5 to 59.....	69	2	2	5	5	6	6	7	9	6	6
19	60 and over.....	5			1						1	
20	Unknown.....											
21	Scarlet fever.....	97	6	5	3	4	7	5	6	5	6	7
22	Under 5.....	61	4	3	1	4	6	4	3	3	4	4
23	5 to 59.....	35	2	2	2		1	1	3	2	2	2
24	60 and over.....											
25	Unknown.....	1										1
26	Diphtheria.....	313	18	22	17	12	16	18	22	5	7	10
27	Under 5.....	118	11	7	9	6	7	5	10	1	4	5
28	5 to 59.....	194	7	15	8	6	9	13	11	4	3	5
29	60 and over.....	1							1			
30	Unknown.....											
31	Whooping cough.....	259	11	11	8	9	10	18	5	11	9	12
32	Under 5.....	244	11	10	7	6	8	18	5	9	6	12
33	5 to 59.....	14		1	1	3	2			1	3	
34	60 and over.....	1								1		
35	Unknown.....											
36	Malarial fever.....	101	1	5	2	2	4	4	2	3	6	4
37	Under 5.....	13					2			2		
38	5 to 59.....	48		4	1	1	1	2	1	1	2	3
39	60 and over.....	40	1	1	1	1	1	2	1		4	1
40	Unknown.....											
41	Influenza.....	328	14	17	28	23	28	29	30	42	19	27
42	Under 5.....	51	2	4	7	5	6	1	3	8	3	4
43	5 to 59.....	79	2	5	3	6	7	11	5	11	3	1
44	60 and over.....	197	10	8	17	12	15	17	22	23	13	22
45	Unknown.....	1			1							
46	Typhoid fever.....	543	27	20	15	9	21	6	11	12	15	15
47	Under 5.....	32		2	1	1	3		2	1	1	3
48	5 to 59.....	480	26	18	12	7	18	6	9	9	13	12
49	60 and over.....	30	1		2	1				2	1	
50	Unknown.....	1										
51	Diarrheal diseases.....	1,506	32	26	21	18	18	27	33	33	39	30
52	Under 5.....	1,115	17	15	15	9	13	16	24	15	29	15
53	5 to 59.....	163	7	8	4	5	3	6	5	13	4	10
54	60 and over.....	226	8	2	2	4	2	5	4	5	6	5
55	Unknown.....	2		1								
56	Cerebro-spinal fever.....	126	7	6	7	3	6	7	6	1	7	5
57	Under 5.....	73	6	1	2	1	3	2	3		5	3
58	5 to 59.....	49	1	5	5	2	3	5	2	1	2	2
59	60 and over.....	4							1			
60	Unknown.....											

1039

GRAND GROUP 19.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
901	735	875	729	1,002	861	1,100	902	1,026	853	960	786	1,054	827	9	6
228 364 301 8	160 333 238 4	224 347 300 4	185 341 201 2	349 368 273 12	298 350 210 3	397 383 313 7	328 307 264 3	269 407 341 9	197 381 273 2	208 407 340 5	786 2	233 445 368 8	181 372 273 1	 5 3 1	3 2 1
42	21	33	18	39	27	38	29	41	30	38	31	31	27	5	6
25 11 6	9 6 6	20 8 5	9 8 1	25 6 6 2	16 9 2	25 5 7 1	16 8 5	18 13 10	17 10 3	24 9 5	19 6 6	16 8 7	15 5 7	 4 1	3 2 1
116	107	140	107	274	248	336	288	187	159	141	114	124	96	1	
72 31 13	49 41 17	86 29 25	62 32 13	176 73 24 1	164 51 33	232 71 32 1	198 46 44	81 76 29 1	58 72 29	43 75 23	41 59 14	44 63 16 1	30 50 16	 1	
10	8	3	8		4	3	3	3	1	1	5	7	3		
9 1	7 1	3	3 5		2 2	2	3	3		1	3 1	4 3	1 2		
1	4	2	2	3	4	3		3	3	4	5	7	2		
1	2 2	2	1 1	1 2	1 3	3		1 2	1 2	2 2	3 2	6 1	1 1		
8	5	6	5	9	6	13	6	12	18	13	19	21	25		
3 5	2 3	3 3	3 2	1 8	2 4	3 10	2 4	6 6	2 16	5 8	6 13	8 13	7 18		
15	13	12	12	16	14	12	19	7	6	7	6	6	10		
15	13	12	11 1	16	13 1	12	18 1	7	6	7	6	6	10		
2	1	7		3	2	2	12	12	12	3	5	4	3		
1 1	1	1 2 4		1 1 1	1 1	2	1 4 7	3 5 4	2 8 2	 1 2	4 1	1 1 2	1 1 2		
10	10	4	2	2	1	5	1	3	4	5	5	10	9		
1 5 4	5 5	1 3	 2	1 1	1	 5	 1	1 2	1 3	2 3	2 2	2 5 3	2 3 4		
5	9	15	11	38	16	38	27	53	38	53	29	36	23	1	
5	8 1	1 11 3	1 10	1 33 4	1 15 1	1 34 2 1	 25 2	1 49 3	3 33 2	2 47 4	1 28	4 31 1	3 20		
34	29	68	55	179	178	244	199	74	66	39	30	21	13		
28 3 3	18 4 7	56 3 9	41 5 9	148 15 15 1	138 15 25	201 19 24	164 5 30	54 6 14	40 7 19	25 5 9	17 5 8	12 2 7	5 4 4		
16	12	4	1	8	7	9	7	4			2	1			
10 4 2	5 7	4	 1	6 2	4 3	8 1	6 1	2 2	 2	 1	1 1	1			

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 19—Continued.

CAUSE OF DEATH AND AGE.		Total	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B	425	25	13	18	12	20	13	23	13	19	19
2	Under 5	287	17	10	12	11	8	9	15	9	13	14
3	5 to 59	100	4		2	1	10	2	6	3	4	5
4	60 and over	32	3	2	4		2	2	2	1	1	
5	Unknown	6	1	1							1	
6	Inanition	287	17	12	15	11	8	10	14	7	13	15
7	Under 5	267	17	10	12	11	8	9	14	7	12	14
8	5 to 59	7						1			1	
9	60 and over	11		2	3						1	
10	Unknown	2										
11	General diseases—C	1,741	88	61	85	68	83	93	84	88	81	82
12	Under 5	644	28	20	36	26	28	31	29	24	33	21
13	5 to 59	34	3	1	1	2	2	1	1	2	1	2
14	60 and over	1,057	57	40	48	40	52	61	53	62	47	58
15	Unknown	6					1		1			1
16	Debility and atrophy	276	12	6	12	9	14	12	17	12	12	12
17	Under 5	147	5	3	7	5	7	8	8	4	6	1
18	5 to 59	34	3	1	1	2	2	1	1	2	1	2
19	60 and over	94	4	2	4	2	5	3	8	6	5	9
20	Unknown	1										
21	Old age—all ages	968	53	38	44	38	48	58	46	56	42	50
22	60 and over	963	53	38	44	38	47	58	45	56	42	49
23	Unknown	5					1		1			1
24	General diseases—D	3,942	136	192	140	192	173	222	190	209	167	198
25	Under 5	200	9	12	9	2	5	8	10	6	18	8
26	5 to 59	2,650	81	132	91	138	116	162	117	152	104	146
27	60 and over	1,066	46	47	36	50	51	52	60	50	43	43
28	Unknown	26		1	4	2	1		3	1	2	1
29	Consumption	1,979	49	93	73	98	90	122	87	112	89	103
30	Under 5	62	1	6	1		3	1	6	2	8	2
31	5 to 59	1,684	44	80	58	87	75	105	72	97	72	91
32	60 and over	215	4	7	11	10	11	16	6	13	7	9
33	Unknown	18			3	1	1		3		2	1
34	2. Diseases of the nervous system	2,921	132	126	126	108	156	123	170	127	164	119
35	Under 5	690	37	25	39	15	48	27	44	23	44	26
36	5 to 59	927	39	40	34	37	44	40	57	44	45	42
37	60 and over	1,295	56	61	52	56	64	54	69	60	74	50
38	Unknown	9			1			2			1	1
39	3. Diseases of the circulatory system	2,325	135	87	108	83	126	100	130	100	124	99
40	Under 5	160	12	9	6	8	8	5	11	7	11	10
41	5 to 59	802	45	30	29	31	38	41	36	41	40	36
42	60 and over	1,351	76	48	73	44	80	53	81	52	72	53
43	Unknown	12	2					1	2		1	
44	4. Diseases of the respiratory system	2,763	172	155	198	171	230	191	220	169	198	124
45	Under 5	1,012	70	64	82	61	87	63	84	40	68	43
46	5 to 59	965	59	45	61	51	76	64	82	68	81	48
47	60 and over	774	42	46	54	59	67	64	53	61	45	33
48	Unknown	12	1		1				1		4	
49	5. Diseases of the digestive system	1,707	70	73	74	74	78	84	84	80	99	79
50	Under 5	398	21	17	24	18	20	16	24	13	18	16
51	5 to 59	810	32	34	25	32	36	42	36	44	44	44
52	60 and over	489	16	22	24	24	21	26	23	23	37	19
53	Unknown	10	1		1		1		1			
54	6. Diseases of the urinary system	1,057	79	26	64	29	69	32	71	28	75	27
55	Under 5	39	3	2	1	1	3	1	2	3		
56	5 to 59	442	30	9	17	17	28	20	29	15	29	23
57	60 and over	573	46	15	45	11	38	11	40	10	46	4
58	Unknown	3			1							
59	7. Affections connected with pregnancy	281		32		27		30		25		34

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
21	9	15	12	23	17	27	17	28	14	19	14	26	8		1
7	5	12	9	14	14	21	13	20	10	11	10	15	8		2
11	3	3	2	8	1	6	2	7	3	5	3	9			3
3			1		2		2	1	1	2	1	2			4
	1			1						1					5
7	5	8	10	14	14	20	14	21	9	11	9	15	8		6
7	5	8	9	12	13	20	12	19	9	8	8	15	8		7
			1	1	1		1	1		1	1				8
				1			1	1		1					9
															10
71	59	58	53	67	55	62	69	71	71	71	68	74	79		11
26	25	28	19	37	24	26	25	33	20	28	15	28	34		12
	1	2	2	1	2				2	1	2	1	3		13
44	33	27	32	29	29	36	43	38	49	42	50	45	42		14
1		1									1				15
10	6	13	8	14	9	9	15	15	11	9	13	10	16		16
6	4	9	5	10	6	7	9	12	4	6	3	5	7		17
	1	2	2	1	2		1		2	1	2	1	3		18
4	1	2	1	3	1	2	5	3	5	2	7	4	6		19
											1				20
41	32	26	31	26	28	34	38	35	44	40	43	41	36		21
40	32	25	31	26	28	34	38	35	44	40	43	41	36		22
1		1													23
149	192	128	159	126	163	139	157	127	159	122	177	156	169		24
14	7	10	7	8	6	6	7	12	7	5	7	12	5		25
91	135	73	114	75	117	86	109	80	109	84	124	97	117		26
40	50	45	37	42	39	46	41	35	42	33	46	45	47		27
4			1	1	1	1			1			2			28
82	109	59	85	55	86	62	83	54	64	69	84	75	96		29
7	2	4	3			1	2	2	1	3	2	2	3		30
65	100	47	75	44	76	49	71	48	55	56	72	64	81		31
8	7	8	6	10	9	11	10	4	8	10	10	8	12		32
2			1	1	1	1						1			33
108	99	109	105	118	98	122	112	146	100	131	95	131	96		34
19	17	23	27	33	32	31	26	36	27	25	21	25	20		35
36	39	38	33	35	28	47	31	49	30	34	29	47	29		36
53	43	48	45	49	37	44	54	60	43	72	45	59	47		37
				1	1		1	1							38
104	77	108	72	82	61	87	69	99	79	100	76	130	89		39
9	4	7	2	6	2	4	4	10	5	6	2	9	3		40
29	24	38	42	28	28	25	23	28	32	25	31	48	34		41
64	49	62	28	48	31	58	41	60	42	69	43	72	52		42
2		1					1	1				1			43
64	40	48	53	32	34	45	39	88	76	97	75	134	109	1	44
24	17	13	25	11	14	19	14	32	28	36	28	48	41		45
26	11	20	16	11	16	14	13	28	22	36	26	52	39		46
14	12	15	11	10	4	12	12	28	25	25	20	34	28		47
			1						1		1		1	1	48
55	52	64	47	71	68	89	49	79	70	74	51	83	59	1	49
15	17	10	16	20	14	22	15	17	13	12	4	20	16		50
30	20	26	23	31	36	39	24	37	40	38	35	33	29		51
10	15	27	8	19	18	28	10	24	17	22	12	29	14	1	52
		1		1				1		2		1			53
56	30	49	30	49	24	49	15	56	32	51	27	56	33		54
3	2	1		5	1	1	1	1	2	2	1	3			55
17	19	17	14	15	15	16	7	20	19	18	17	11	20		56
36	9	31	16	28	8	32	7	35	11	31	9	41	13		57
				1								1			58
	19		26		21		11		18		16		22		59

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 19—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	S. Accidents and injuries	1,593	93	20	88	22	114	25	114	29	118	32
2	Under 5.....	201	11	4	11	3	9	6	13	8	8	2
3	5 to 59.....	1,090	61	13	62	13	88	13	81	13	86	24
4	60 and over	265	17	3	15	6	14	5	16	6	23	6
5	Unknown.....	37	4				3	1	4	2	1	
6	Burns and scalds	127	8	3	4	7	5	4	5	6	4	5
7	Under 5.....	57	5	2	2	3	3	1	2	1	2	
8	5 to 59.....	58	2	1	2	4	3	3	3	4	2	5
9	60 and over	11	1				1			1		
10	Unknown.....	1					1					
11	Drowning.....	178	6	1	2		4		6	1	18	2
12	Under 5.....	23							1	1	1	
13	5 to 59.....	141	6	1	2		4		5		16	2
14	60 and over	12									1	
15	Unknown.....	2										
16	Exposure and neglect	27	1	2	5	2	3	3	4		1	
17	Under 5.....	14		1	3			3	2			
18	5 to 59.....	9	1	1	1	2	2	2	2			
19	60 and over	4			1		1				1	
20	Unknown.....											
21	Gunshot wounds.....	93	4		4	1	2	1	5		7	2
22	Under 5.....	3							1			
23	5 to 59.....	84	4		4	1	2	1	3		6	2
24	60 and over	5							1		1	
25	Unknown.....	1										
26	Homicide	16		1					3			
27	Under 20.....	1										
28	20 to 59.....	14		1					3			
29	60 and over											
30	Unknown.....	1										
31	Injuries by machinery.....	15	1		4		2					
32	Under 20.....	6			2		1					
33	20 to 59.....	7	1		1		1					
34	60 and over	2			1							
35	Unknown.....											
36	Railroad accidents.....	191	12		10		19		16	1	20	1
37	Under 5.....	1									1	
38	5 to 59.....	162	10		9		17		14	1	18	1
39	60 and over	15	1		1		1		1			
40	Unknown.....	13	1		1		1		1		1	
41	Suicide by shooting.....	45	6	1			4	1	4		4	
42	Under 20.....	2										
43	20 to 59.....	34	5	1			4	1	3		2	
44	60 and over	9	1					1	1		2	
45	Unknown.....											
46	Suicide by drowning.....	6									2	1
47	Under 20.....											
48	20 to 59.....	4									1	1
49	60 and over	1									1	
50	Unknown.....	1										
51	Suicide by poison	25	1		1		2	1	2	2	1	1
52	Under 20.....	4							1			
53	20 to 59.....	13			1		2	1	1	1		1
54	60 and over	7	1							1	1	
55	Unknown.....	1										
56	Other suicides	72	5	4	1		10	1	9	1	12	
57	Under 20.....	2							1			
58	20 to 59.....	42	2	4			6	1	6	1	5	
59	60 and over	27	3		1		3		2		7	
60	Unknown.....	1					1					
61	Sunstroke.....	7									1	
62	Under 5.....	3									1	
63	5 to 59.....	4										
64	60 and over											
65	Unknown.....											

CAUSE, AGE, AND MONTH.

1043

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 19—Continued.

[illegible]

1045

GRAND GROUP 20.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
854	530	880	543	896	559	900	629	944	622	965	579	1,058	606	112	64	1
203 442 190 19	173 272 83 2	204 432 222 22	166 279 94 4	261 409 199 27	224 231 92 12	241 461 180 18	223 286 113 7	202 493 213 36	195 323 98 6	181 522 232 30	150 322 93 5	199 527 301 31	121 351 123 11	10 46 14 42	14 34 5 11	2 3 4 5
56	32	55	36	52	45	59	42	59	51	42	34	71	44	40	35	6
24 21 7 4	18 9 5	18 29 6 2	10 19 7	28 15 8 1	20 18 6 1	25 22 9 3	21 12 5 4	26 22 7 4	30 16 4 1	19 17 6	16 12 5 1	19 31 13 8	17 20 3 4	4 15 7 14	9 16 3 7	7 8 9 10
161	114	186	144	218	194	221	196	186	165	155	145	147	123	15	14	11
86 58 15 2	79 32 3	99 71 14 2	82 52 10	127 66 17 8	129 52 9 4	119 85 15 2	113 66 17	76 90 14 6	86 70 8 1	52 82 19 2	55 81 8 1	58 69 17 3	44 67 10 2	4 3 1 7	2 10 14 2	12 13 14 15
7	12	10	13	3	8	2	2	1	2	6	4	10	5		3	16
7	12	8 2	8 4 1	2 1	7 1		2		2	5 1	1 3	5 5	4			17 18 19 20
13	6	6	4	11	8	6	6	8	7	13	12	15	9	1	1	21
7 5 1	5 1	3 3 1	2 1 1	7 4 1	5 2 1	4 2 3	3 3	5 3	4 3	8 5	7 5	7 8	5 4	1 1		22 23 24 25
8	3	12	12	13	13	12	7	12	16	12	20	12	14			26
4 4	3	6 6	3 9	7 6	5 8	3 8 1	3 3 1	4 8	6 10	4 6 2	6 14	7 5	3 11			27 28 29 30
7	20	2	7	10	9	10	9	8	7	3	7	13	10	2		31
7	20	2	6 1	10	8 1	9	8 1	8	7	3	6 1	10 3	9 1			32 33 34 35
14	6	8	10	14	14	18	14	3	8	6	14	7	7		1	36
6 5 3	3 3	4 4	3 7	4 7 3	7 4 3	6 11 1	2 6 6	1 1 1	3 4 1	2 3 1	7 5 2	2 2 3	2 3 2		1	37 38 39 40
4	1	4	2	1	2	1	1	1	5	9	5	8	3			41
1 3	1	3 1	1 1	1 1	1 1		1		2 1 2	2 2 5		3 1 4	2 1			42 43 44 45
24	12	31	16	29	16	43	24	51	38	49	25	32	30	2		46
4 19 1	4 8	6 22 3	2 14	3 23 2 1	3 13 2 3	6 36 1	4 18 2	2 45 2 2	11 27	2 43 2 2	2 22 1 3	3 25 1 3	2 27 1 4	1 1 1		47 48 49 50
41	25	51	45	105	87	94	103	65	54	27	24	19	22	1	1	51
29 7 4 1	20 4 1	38 8 4 1	38 4 3	75 13 10 7	76 6 2 3	76 11 7	79 18 6	46 11 6 2	40 8 5 1	18 5 4	12 9 3	12 5 2	11 7 4		1	52 53 54 55
10	5	8	2	5	3	3	3	3	3	4	7	5	4			56</

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 20—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	419	22	7	26	12	32	12	30	5	32	13
2	Under 5.....	156	2	5	12	4	12	6	12	2	10	8
3	5 to 59.....	196	14	1	11	6	16	4	13	3	17	4
4	60 and over.....	49	5		2	1	1	1	4		5	
5	Unknown.....	18	1	1	1	1	3	1	1			1
6	Inanition.....	147	6	5	12	3	11	6	7	2	8	7
7	Under 5.....	131	2	4	11	3	11	5	7	2	8	7
8	5 to 59.....	4	1					1				
9	60 and over.....	9	3		1							
10	Unknown.....	3		1								
11	General diseases—C.....	1,093	49	33	48	37	60	45	66	49	73	54
12	Under 5.....	347	11	10	13	18	21	15	20	14	28	14
13	5 to 59.....	55	2	2	2	1	4	3	3	3	2	7
14	60 and over.....	663	35	21	33	18	35	25	41	32	41	32
15	Unknown.....	28	1					2	2		2	1
16	Debility and atrophy.....	223	11	6	16	6	10	10	14	5	17	18
17	Under 5.....	74	3	1	5	2		1	4	2	8	4
18	5 to 59.....	54	2	2	2	1	4	3	3	3	2	7
19	60 and over.....	86	6	3	9	3	6	5	7		6	6
20	Unknown.....	9						1			1	1
21	Old age—all ages.....	596	30	18	24	15	29	21	36	32	36	26
22	60 and over.....	577	29	18	24	15	29	20	34	32	35	26
23	Unknown.....	19	1					1	2		1	
24	General diseases—D.....	3,267	199	143	182	122	190	143	194	130	197	164
25	Under 5.....	183	9	8	9	10	14	7	15	8	8	13
26	5 to 59.....	2,301	144	106	122	85	127	111	136	100	136	113
27	60 and over.....	720	43	27	45	27	44	21	38	21	49	36
28	Unknown.....	63	3	2	6		5	4	5	1	4	2
29	Consumption.....	1,988	136	87	118	62	134	85	121	74	126	97
30	Under 5.....	66	2	1	4	4	5	3	7	6	3	7
31	5 to 59.....	1,648	113	74	92	54	105	76	94	64	100	81
32	60 and over.....	230	18	10	17	4	20	5	17	3	20	9
33	Unknown.....	44	3	2	5		4	1	3	1	3	
34	2. Diseases of the nervous system.....	1,996	114	68	102	58	146	61	118	73	117	97
35	Under 5.....	556	29	17	30	21	39	20	20	19	38	27
36	5 to 59.....	812	46	31	36	23	62	28	46	33	42	50
37	60 and over.....	595	39	19	34	14	41	13	51	19	33	18
38	Unknown.....	33		1	2		4		1	2	4	2
39	3. Diseases of the circulatory system.....	1,433	79	49	77	64	93	60	101	54	92	58
40	Under 5.....	109	3	5	5	3	9	2	10	4	9	6
41	5 to 59.....	749	31	34	38	38	47	40	43	31	47	31
42	60 and over.....	555	44	9	33	23	37	17	46	19	34	21
43	Unknown.....	20	1	1	1			1	2		2	
44	4. Diseases of the respiratory system.....	3,117	262	108	240	126	302	150	300	150	230	129
45	Under 5.....	974	77	47	82	51	91	62	76	65	65	55
46	5 to 59.....	1,453	127	41	115	43	140	55	158	54	113	47
47	60 and over.....	615	54	18	36	32	65	31	57	27	48	26
48	Unknown.....	75	4	2	7		6	2	9	4	4	1
49	5. Diseases of the digestive system.....	1,228	63	39	59	34	67	61	77	57	66	50
50	Under 5.....	259	8	4	16	11	10	11	14	13	12	17
51	5 to 59.....	691	35	32	27	17	33	37	42	33	33	22
52	60 and over.....	261	19	3	13	5	22	12	20	11	21	11
53	Unknown.....	17	1		3	1	2	1	1			
54	6. Diseases of the urinary system.....	717	51	15	42	18	42	21	43	22	62	23
55	Under 5.....	25	2	1	2		1		1	1	5	1
56	5 to 59.....	365	22	10	16	13	17	15	20	16	28	19
57	60 and over.....	311	27	4	23	4	22	5	21	5	26	3
58	Unknown.....	16			1	1	2	1	1		3	
59	7. Affections connected with pregnancy...	256		21		21		27		31		26

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 20—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
21	12	24	10	27	9	25	6	20	8	19	11	29	3	4	1
6	6	5	5	10	4	10	4	8	3	8	5	7	2		2
9	5	11	3	12	4	10	2	9	5	8	6	19	1	3	3
4	1	6	2	4	1	5		2		2		3			4
2		2		1				1		1				1	5
6	7	4	3	11	4	10	4	8	1	7	6	6	2	1	6
5	6	4	3	9	4	8	4	7	1	7	5	6	2		7
1	1			1		1		1			1				8
				1										1	9
															10
46	31	53	18	39	32	48	51	52	33	53	33	56	31	3	11
14	13	16	8	14	5	22	19	12	9	16	9	17	9		12
2	1	4		3		2	1	4	5	2	1		1		13
29	17	31	10	20	25	22	30	36	18	32	21	38	21		14
1		2		2	2	2	1		1	3	2	1		3	15
7	9	15		7	5	7	9	12	8	10	3	6	11	1	16
1	5	5		4	2	3	6	5		4	2	4	3		17
2		4		3		2	1	4	5	2	1		1		18
4	4	6			2		1	3	2	4		2	7		19
					1	2	1		1					1	20
26	13	27	10	22	24	22	29	33	16	31	23	37	14	2	21
25	13	25	10	20	23	22	29	33	16	28	21	36	14		22
1		2		2	1					3	2	1		2	23
147	84	131	105	104	85	125	97	123	79	148	92	154	118	5	6 24
1	4	10	9	6	8	5	7	2	4	7	3	11	5		25
113	70	72	75	68	62	87	69	88	59	97	72	95	86	3	5 26
31	10	46	21	24	15	31	21	29	16	39	16	44	25		1 27
2		3		6		2		4		5	1	4	2	2	28
98	54	72	59	60	54	75	55	70	44	96	53	91	61	4	2 29
	1	3	3	2	3	1	5		2	1	1	2			30
84	51	59	51	47	47	61	47	61	39	72	47	71	53	3	2 31
13	2	7	5	8	4	12	3	7	3	18	5	14	6		32
1		3		3		1		2		5		4	2	1	33
93	61	90	63	101	43	88	47	104	58	90	38	105	56	2	3 34
22	15	24	24	29	17	19	21	27	21	21	17	24	13		2 35
40	28	35	25	38	17	38	19	40	25	29	16	38	26		1 36
28	17	30	13	32	9	30	7	35	11	36	5	43	17	1	37
3	1	1		2		1		2	1	4			1	1	38
49	36	61	31	71	26	51	42	52	44	73	44	81	38	7	39
2	3	3		4	3	2	3	7	4	6	6	6	4		40
29	24	30	18	24	16	29	29	22	32	32	28	26	26	4	41
18	9	27	12	42	6	19	10	21	8	34	10	46	8	2	42
		1	1	1	1	1		2		1		3		1	43
85	59	48	39	60	33	70	37	111	80	137	80	185	83	11	2 44
24	25	10	20	14	18	19	14	20	25	28	30	37	18		1 45
46	27	24	13	30	7	35	17	59	37	81	36	104	38	6	46
13	7	11	6	14	7	15	6	21	18	24	14	39	25	1	47
2		3		2	1	1		11		4		5	2	4	1 48
50	43	47	36	47	41	49	41	74	28	65	41	55	35	2	1 49
12	5	13	6	15	14	10	11	15	8	12	6	12	3	1	50
25	33	22	25	26	18	28	21	45	15	42	28	27	25		51
13	5	12	3	6	7	11	9	13	5	10	7	15	7		52
			2		2			1		1		1		1	53
38	18	45	14	31	11	30	15	37	17	40	15	46	17	4	54
1							3		2		1				55
16	12	24	6	15	6	18	5	12	11	21	10	18	13	2	56
20	6	20	8	15	4	12	6	22	6	15	4	28	4	1	57
1		1		1	1		1	1						1	58
	7		24		13		21		26		13		26		59

1049

GRAND GROUP 20—Continued.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
104	27	135	17	140	20	127	26	116	23	139	19	124	19	18	3	1
9	4	6	2	12	6	7	6	4	5	6	1	7	5	1		2
81	20	110	14	109	12	104	19	99	15	110	16	97	12	9	2	3
12	2	14	1	16	2	10	1	9	1	14	2	14	1	1		4
2	1	5		3		6		4	2	9		6	1	7	1	5
1	3	3	5	3	5	5	4	3	2	8	5	4	2		1	6
	2	1		3	2	2	1	1	1	3		4				7
1		2	5		2	3	3	1	1	4	3		2		1	8
	1				1			1		2						9
										1						10
19	4	16	8	12	3	8	3	5	1	3		3		1	1	11
6	1	3	1	4	3	2	3	1								12
11	3	12	6	8		5		4	1	2		2			1	13
1		1	1							1		1		1		14
1						1								1		15
		1		3		1			2	1		5				16
				1					2							17
						1						2				18
		1		2						1		1				19
												2				20
6	5	13		18	1	15	1	14		13		8		2		21
														1		22
5	5	11		17	1	1		14		10		7				23
1		2		1		1	1			1						24
						1				2		1		1		25
7	1	5		10		5	2	7		8		8	1			26
1				1		2	2	1		1		1				27
5	1	4				3		6		7		7	1			28
1		1		4												29
																30
						1				1						31
						1				1						32
																33
																34
																35
9	1	19		8		11	3	17		19		19	3	1		36
8	1	15		8		11	3	15		14		14	1			37
1		1						1		2		2	2			38
		3						1		3		3		1		39
2	1	6		6	1	5	1	1		3			1			40
2	1	5		4	1	4	1			3			1			42
		1		2		1		1								43
																44
																45
							1			1						46
							1			1						47
																48
																49
																50
2	3	1		3	1	3		2	1		1		1	1	1	51
	1			2	1	3		2			1		1	1		52
1		1		1												53
									1							54
															1	55
10	1	12		9	1	10	2	5	5	12	3	6		2		56
8	1	8		8	1	7	2	3	5	9	3	3		1		57
2		3		1		2		2		2		3				58
						1				1				1		59
1		4														60
1		2														62
		1														63
		1														64
																65

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 21.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	All causes.....	22,329	1,294	796	1,174	751	1,345	812	1,314	835	1,289	841
2	Under 5.....	3,871	214	138	169	132	185	145	194	147	202	155
3	5 to 59.....	11,862	682	421	655	403	717	405	692	467	684	428
4	60 and over.....	6,360	380	233	339	213	424	252	409	219	394	255
5	Unknown.....	236	18	4	11	3	19	10	19	2	9	3
6	Unknown cause.....	390	24	14	21	12	15	9	13	23	21	11
7	Under 5.....	161	10	6	6	5	5	3	4	7	8	4
8	5 to 59.....	135	9	4	11	4	5	4	2	13	7	5
9	60 and over.....	77	5	4	4	2	4		7	3	6	2
10	Unknown.....	17				1	1	2				
11	1. General diseases. General diseases—A.....	2,671	126	87	108	72	120	103	138	97	144	108
12	Under 5.....	1,057	42	29	22	20	39	30	44	34	50	36
13	5 to 59.....	1,239	68	42	64	39	54	53	68	48	69	53
14	60 and over.....	367	16	16	21	13	25	19	26	15	25	19
15	Unknown.....	8			1		2	1				
16	Measles.....	46	3	3		1	1	1	2	4	5	2
17	Under 5.....	29	1	1			1		2	3	5	
18	5 to 59.....	16	2	2		1		1		1		1
19	60 and over.....	1										1
20	Unknown.....											
21	Scarlet fever.....	82	3	6	1	1	6	2	4	7	2	3
22	Under 5.....	39	1	3			3	1	3	2	1	
23	5 to 59.....	43	2	3	1	1	3	1	1	5	1	3
24	60 and over.....											
25	Unknown.....											
26	Diphtheria.....	237	18	13	11	8	8	12	3	11	16	6
27	Under 5.....	96	9	5	5	1	5	4		1	8	4
28	5 to 59.....	141	9	8	6	7	3	8	3	10	8	2
29	60 and over.....											
30	Unknown.....											
31	Whooping cough.....	127	5	2	3	3	7	5	8	14	8	9
32	Under 5.....	119	5	2	3	3	6	5	7	12	8	9
33	5 to 59.....	8					1		1	2		
34	60 and over.....											
35	Unknown.....											
36	Malarial fever.....	64	1	1		2	3		4		3	2
37	Under 5.....	16									1	
38	5 to 59.....	39	1	1		1	2		3		2	2
39	60 and over.....	9				1	1		1			
40	Unknown.....											
41	Influenza.....	221	8	13	15	5	26	19	25	16	26	20
42	Under 5.....	21	1	2	1		2	3	1	1	2	3
43	5 to 59.....	65	2	3	4	1	8	6	8	5	5	6
44	60 and over.....	135	5	8	10	4	16	10	16	10	19	11
45	Unknown.....											
46	Typhoid fever.....	529	35	17	21	11	23	21	21	10	26	22
47	Under 5.....	40	2	1	1	1	1	2	2		3	3
48	5 to 59.....	461	32	13	19	9	21	18	19	9	22	19
49	60 and over.....	26	1	3	1	1	1	1		1	1	
50	Unknown.....	2										
51	Diarrheal diseases.....	908	35	20	33	24	29	19	50	19	30	27
52	Under 5.....	594	18	14	8	13	16	10	28	12	15	15
53	5 to 59.....	213	15	3	22	7	6	4	17	5	14	9
54	60 and over.....	96	2	3	2	4	5	5	5	2	1	3
55	Unknown.....	5			1		2					
56	Cerebro-spinal fever.....	98	1	2	4	4	3	6	4	2	4	3
57	Under 5.....	51	1	1	1	1	3	1	1	2	2	1
58	5 to 59.....	45		1	2	3		5	3		2	2
59	60 and over.....	2			1							
60	Unknown.....											

CAUSE, AGE, AND MONTH.

1051

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.

GRAND GROUP 21.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	
1,018	622	1,016	613	907	627	957	630	1,084	694	1,078	665	1,215	690	39	23	1
154	108	174	122	149	141	188	129	198	159	185	146	178	153	3	3	2
561	351	555	327	457	336	487	361	562	361	567	343	654	362	17	7	3
291	161	270	159	289	149	271	138	311	170	317	173	359	171	11	2	4
12	2	17	5	12	1	11	2	13	4	9	3	24	4	8	11	5
10	4	18	11	13	15	23	14	20	21	19	13	16	12	7	11	6
4	3	7	4	6	8	12	7	11	12	7	7	7	7		1	7
4		7	2	5	7	6	7	5	5	6	3	5	2	4	3	8
2	1	4	4	1		3		4	4	5	3	3	2	2	2	9
			1	1		2				1		1	1	1	5	10
99	85	113	88	116	91	131	111	167	122	127	83	133	92	8	2	11
50	35	45	41	52	47	75	52	78	70	89	35	46	43	2	1	12
37	38	57	37	49	35	48	50	66	34	66	41	78	41	3	1	13
12	10	11	10	14	9	8	8	23	18	22	7	9	8	3		14
	2			1			1									15
3	2	3	2	1	3	1	1	2		2	1	3				16
1	1		1	1	3	1	1	2		2		3				17
2	1	3	1								1					18
																19
																20
3	5	5	1	1	3	3	4	3	2	5	2	4	5	1		21
3	3	1			2	1	4	1	1	4		1	3	1		22
	2	4	1	1	1	2		2	1	1	2	3	2			23
																24
																25
6	16	9	3	7	5	9	15	9	6	6	10	16	14			26
3	8	4	2	4	1	2	3	4	2	2	5	9	5			27
3	8	5	1	3	4	7	12	5	4	4	5	7	9			28
																29
																30
8	1	6	2	1	4	2	4	10	5	2	5	4	9			31
8	1	5	2	1	4	2	4	10	5	2	4	4	7			32
		1									1		2			33
																34
																35
3	2	3	3	3	5	5	1	9	5	2	1	4	2			36
	1	1	2		4	1		2	2	1	1					37
1	1	1	1	3	1	4		6	2	1		4	2			38
2		1					1	1	1							39
																40
4	5	2	2	2	3	4	2	2	3	5	4	4	4	1	1	41
1						2	1								1	42
1	2		1	1	1	2		1	1	2	3	1	3			43
2	3	2	1	1	2		1	1	2	3	1	3	3	1		44
																45
18	13	26	19	29	16	21	18	28	17	39	18	41	17	1	1	46
3	1			1	2	5	1	2	2	2	2	1	2			47
14	9	25	18	25	14	15	17	24	12	36	15	40	14	1	1	48
1	1	1	1	3		1		2	3	1	1		1			49
	2															50
32	24	41	38	55	32	65	45	78	71	48	22	42	26	3		51
22	17	31	30	41	26	54	30	53	55	23	19	23	20	1		52
9	3	4	2	8	4	9	11	14	8	16	2	16	4	1		53
1	4	6	6	5	2	2	3	11	8	9	1	3	2	1		54
				1			1									55
7	5	6	4	5	4	8	3	6	2	1	4	3	4			56
6	3	3	2	1	2	4	4	2	1	1	2	3	3			57
1	2	3	2	3	2	4	2	4	1		2		1			58
				1												59
																60

VITAL STATISTICS.

TABLE 13.—DEATHS AT CERTAIN AGES, AND FROM CERTAIN
GRAND GROUP 21—Continued.

CAUSE OF DEATH AND AGE.		Total.	MONTH AND SEX.									
			January.		February.		March.		April.		May.	
			Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
1	1. General diseases—Continued.											
	General diseases—B.....	699	37	18	31	23	41	15	43	24	41	23
2	Under 5.....	383	20	15	15	17	19	13	20	17	20	16
3	5 to 59.....	248	12	2	14	5	18	1	18	6	13	7
4	60 and over.....	56	3	1	2	1	4	1	3	1	8	
5	Unknown.....	12	2						2			
6	Inanition.....	393	20	15	14	17	21	12	20	18	20	14
7	Under 5.....	364	19	15	14	17	19	12	19	15	19	14
8	5 to 59.....	14					1		1	2		
9	60 and over.....	13	1				1			1	1	
10	Unknown.....	2										
11	General diseases—C.....	1,063	67	58	46	32	54	44	65	37	58	43
12	Under 5.....	353	25	20	13	14	13	14	22	8	20	15
13	5 to 59.....	32	4	2	1		1		4		1	1
14	60 and over.....	668	38	35	32	17	40	30	38	29	37	26
15	Unknown.....	10		1		1			1			1
16	Debility and atrophy.....	174	14	8	4	5	7	6	8	3	5	6
17	Under 5.....	94	7	3	2	5	5	5	2	2	2	5
18	5 to 59.....	31	4	2			1		4		1	1
19	60 and over.....	48	3	3	2		1	1	2	1	2	
20	Unknown.....	1										
21	Old age—all ages.....	629	35	33	30	18	39	29	37	28	35	27
22	60 and over.....	620	35	32	30	17	39	29	36	28	35	26
23	Unknown.....	9		1		1			1			1
24	General diseases—D.....	5,271	302	200	251	194	289	211	314	237	277	215
25	Under 5.....	283	14	12	13	10	11	13	19	14	6	14
26	5 to 59.....	3,906	222	150	186	155	219	145	217	188	215	157
27	60 and over.....	1,040	60	36	50	28	58	50	76	35	55	44
28	Unknown.....	42	6	2	2	1	1	3	2		1	
29	Consumption.....	3,357	203	114	178	117	211	115	207	141	193	127
30	Under 5.....	102	5	6	3	3	5	3	8	5	5	6
31	5 to 59.....	2,892	170	99	150	106	179	95	172	130	168	115
32	60 and over.....	335	24	7	23	7	26	15	27	6	19	6
33	Unknown.....	28	4	2	2	1	1	2			1	
34	2. Diseases of the nervous system.....	2,552	148	99	145	88	152	89	148	79	145	101
35	Under 5.....	494	30	16	29	15	29	21	22	17	29	20
36	5 to 59.....	1,025	58	36	62	39	56	33	63	33	58	36
37	60 and over.....	1,012	60	47	52	34	66	34	61	28	57	45
38	Unknown.....	21		2			1	1		1	1	
39	3. Diseases of the circulatory system.....	2,411	139	85	147	79	132	85	132	97	142	76
40	Under 5.....	80	1	3	3	4	5	2	5	8	2	2
41	5 to 59.....	1,125	67	44	77	32	50	43	71	46	57	32
42	60 and over.....	1,188	67	38	67	43	77	39	55	43	83	41
43	Unknown.....	18	4					1	1			1
44	4. Diseases of the respiratory system.....	2,581	186	103	189	114	225	132	188	110	176	103
45	Under 5.....	702	49	29	54	37	46	34	44	29	48	32
46	5 to 59.....	1,091	81	48	87	33	122	46	72	47	74	37
47	60 and over.....	765	53	26	47	44	55	51	69	33	53	34
48	Unknown.....	23	3		1		2	1	3	1	1	
49	5. Diseases of the digestive system.....	1,397	65	62	72	45	79	50	75	58	71	68
50	Under 5.....	197	13	2	9	5	7	7	7	6	12	11
51	5 to 59.....	820	29	39	41	29	47	30	50	34	45	37
52	60 and over.....	374	23	21	22	11	25	13	17	18	14	20
53	Unknown.....	6							1			
54	6. Diseases of the urinary system.....	1,147	74	28	57	42	91	26	78	30	65	36
55	Under 5.....	31	4	2		3	1		3	2	3	
56	5 to 59.....	566	28	19	27	25	36	14	30	17	23	18
57	60 and over.....	542	41	7	29	14	52	12	45	11	39	17
58	Unknown.....	8	1		1		2					1
59	7. Affections connected with pregnancy.....	131		10		15		14		7		14

SPECIFIED DISEASES, BY MONTHS: CENSUS YEAR 1900—Continued.


GRAND GROUP 21—Continued.


MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
36	17	45	22	27	26	44	24	30	14	36	21	40	21		1
12	10	27	17	13	18	25	12	12	11	14	13	19	8		2
22	6	14	5	11	7	15	10	14	3	16	4	14	11		3
1	1	3		2	1	3	2	3		6	3	5	2		4
1		1		1		1		1		1	1	2			5
12	9	27	17	16	19	24	13	11	10	15	17	22	10		6
11	9	25	17	13	18	23	12	11	10	13	13	18	8		7
1		1		2	1					1	1	3	1		8
.....		1		1		1				2	2	1	1		9
.....										1	1				10
42	29	55	26	38	35	39	26	43	35	67	35	55	34		11
13	5	22	10	8	16	12	5	17	11	29	12	14	15		12
4	1	2	1	1	1	1	2	1	1	2	1	1			13
25	23	31	15	28	18	25	19	26	22	36	21	39	18		14
.....				1		1		1		1	1	1	1		15
12	6	13	3	5	8	10	5	8	10	8	2	11	7		16
5	2	6	1	3	6	4	1	6	6	4		6	6		17
4	1	2	1	1	1	1	2		1	2	1	1			18
3	3	5	1	1	1	5	2	2	3	2	1	3	1		19
.....												1			20
22	20	26	14	28	17	21	17	24	20	34	21	36	18		21
22	20	26	14	27	17	20	17	24	19	34	20	36	17		22
.....				1		1		1	1		1		1		23
214	169	232	154	212	156	214	167	226	193	221	165	274	177	2	5
10	16	14	7	9	6	11	10	11	12	13	9	16	13		25
159	117	176	115	138	119	157	134	175	144	162	128	194	132	1	1
44	36	39	32	63	31	46	22	39	35	44	27	58	31	1	1
1		3		2		1		1	2	2	1	6	1		4
145	92	156	97	124	82	144	109	150	114	139	94	198	103	1	3
3	1	5	1	4	2	6	4	3	3	6	3	8	4		30
127	77	140	79	99	74	122	98	127	103	123	85	159	93	1	1
15	14	8	17	19	6	16	6	20	7	10	5	27	5		31
.....		3		2		1		1		1	1	4	1		32
136	76	127	84	85	67	96	73	128	71	128	80	128	74	3	2
24	10	18	13	21	11	22	17	24	17	28	18	18	24	1	
51	43	63	31	25	27	33	30	50	30	48	28	58	29	1	2
60	23	43	40	38	29	40	26	51	24	48	34	50	21	1	
1		3		1		1		3		4		2			37
129	66	107	74	111	53	109	57	120	58	130	65	149	62	7	
2	5	5	3	3		5	1	4	3	3	3	6	2		40
63	36	48	38	52	30	37	33	55	27	59	28	68	29	3	
62	25	54	33	56	22	65	23	59	28	68	34	74	30	2	
2				1		2		2				1	1	2	
88	59	77	55	70	45	56	44	98	50	118	77	140	75	2	1
26	11	20	18	19	16	12	11	23	10	33	30	39	31		1
34	29	38	22	31	15	28	14	44	24	55	28	57	25		45
27	19	16	15	20	14	15	19	29	16	29	19	42	19	1	
1		3		1		1		2		1		2		1	
47	51	61	37	61	55	65	53	61	52	49	53	51	55		1
4	7	9	4	9	11	13	10	11	7	11	11	7	4		50
32	30	29	27	30	34	39	36	28	35	24	29	28	38		51
11	14	22	5	22	10	12	7	21	10	14	13	16	13		52
.....		1	1	1		1		1							53
63	29	53	21	51	27	65	24	74	29	53	25	77	27	2	
1	1	1	2	1	1			1	2	1			2		55
31	21	23	15	28	17	28	17	35	19	21	21	37	15	1	
31	7	29	4	21	9	37	7	38	8	31	4	39	10		56
.....				1								1		1	
.....	7		10		9		9		15		8		13		59


1055

GRAND GROUP 21—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
147	24	122	23	115	30	113	26	110	23	123	22	146	38	8	1
8	4	6	3	7	5	1	4	6	4	4	6	4	3		
117	18	94	16	82	21	93	17	85	16	105	14	112	20	4	
16	2	16	1	22	4	17	5	16	2	13	2	22	15	1	
6		6	3	4		2		3	1	1		8		3	1
3	2	1	3	6		4	4	3	6	3	1	5	5		
3	2	1	1	3			1	2	2	2	1	3	2		
			2	2		4	3	1	4	1		1	1		
				1								1	2		
37	1	22	4	14	3	18	1	20	1	17		15	4	3	1
2			1	3	2										
28	1	19	1	9	1	16	1	17	1	15		10	1	2	
2		1	1			2		1		2		3	3		
5		2	1	2				2				2		1	1
	1	1		1				1	1	1		1			
	1	1													
				1				1	1	1					
				1				1		1		1			
6		9		3		7	1	8	2	9		9			
6		8		3		7	1	7	1	8		8			
		1		1				1	1	1		1			
8	3	4	4	7	3	6	1	4	1	6	1	5	1		
8	2	1	3	6	3	1		2	1	4	1	1	1		
		1		1			1	2		2		2			
			1									2			
		2		1						1					
		2		1						1					
11		11	1	13	2	17	2	6	1	14	3	16	3	1	
10		8		12	2	1	1		1		2				
1		2		1		12	1	4		13	1	14	3	1	
		1	1			4		2		1		1			
8		9		8		7	1	4	1	4	1	6			
8		7		6		5	1	2	1	4	1	5			
		1		2		1		1							
		1				1		1				1			







7616041



3 1378 00761 6041

